

Checklist of the Oxypeltidae, Vesperidae, Disteniidae and Cerambycidae, (Coleoptera) of the Western Hemisphere

2025 Edition (updated through 31 December 2024)

Larry G. Bezark

(with significant input from Serge Laplante, Quebec, Canada)

Introduction

The Cerambycidae, commonly known as longhorned beetles, longicorns, capricorns, round-headed borers, timber beetles, goat beetles (bock-käfer), or sawyer beetles, comprise one of the largest and most varied families of Coleoptera, with body length alone varying from ± 2.5 mm (*Cyrtinus* sp.) to slightly over 17 cm (*Titanus giganteus*). Distributed world-wide from sea level to montane sites as high as 4,200 m elevation wherever their host plants are found, cerambycids have long been a favorite with collectors. Taxonomic interest in the family has been fairly consistent for the past century, but the description of new taxa has accelerated in recent decades thanks to the efforts of many excellent taxonomists. This checklist builds upon the efforts of Blackwelder (1946), Chemsak & Linsley (1982), Chemsak, Linsley & Noguera (1992), and Monné & Giesbert (1994), and presently includes over 11,000 described species and subspecies allocated in almost 2,000 genera, covering the terrestrial hemisphere from Canada and Alaska to Argentina and Chile, and including the Caribbean arc.

Adult Cerambycidae, upon which most taxonomic studies in the family have been based, vary widely in their habits. Some species are nocturnal, many are attracted to artificial light, and they also may be found at night on the trunks and branches of their host plants, or on foliage. Diurnal species also may be found on or near their host plants, but many species are attracted to blossoms of shrubs and trees, where they may serve as pollinators. Most adult Cerambycidae are capable of strong flight, but there are a number of flightless genera and species. Adult feeding requirements are variable, with some species taking nourishment from sap, leaves, blossoms, fruit, bark, and fungi, often not associated with a larval host, while others take little or no nourishment beyond water. The well-developed antennae which are one of the defining characteristics of the family serve as primary olfactory organs, and are remarkably sensitive in locating suitable host plants for oviposition, often at great distances. Male cerambycid antennae usually are longer than those of the females, and may be used to find reproductive partners by tracking the pheromones produced by the females.

Chemical communication plays an important role in mate location and recognition in many cerambycid species. Short-range mate recognition is mediated by contact pheromones in most species studied to date. Males recognize conspecific females by contacting them with their antennae and the selective advantage to males conferred by antennae of increased length is a possible reason for the long “horns” of many cerambycid species.

There appears to be variation in whether cerambycids use volatile pheromones or not, as well as variation in which sex produces the pheromone. For example, there is evidence that females of many prionine species produce pheromones from eversible glands on the ovipositor. Females of the anoplodermatine, *Migdolus fryanus* Westwood, produce a volatile pheromone from glands on the prothorax. Volatile pheromones are produced by males of several species in the subfamily Aseminae, although the site of pheromone release remains unknown. Males of many cerambycine species produce pheromones from glands associated with pits in the surface of prothorax. These pits account for the sexually dimorphic punctation of many cerambycines and may provide a convenient morphological indication that a species uses a volatile pheromone. Research since 2004 has shown that the use of volatile attractants and pheromones is widespread

in the large beetle family Cerambycidae, with pheromones now identified from more than 100 species, and likely pheromones for many more. The pheromones identified to date from species in the subfamilies Cerambycinae, Spondylidinae, and Lamiinae are all male produced aggregation-sex pheromones that attract both sexes, whereas all known examples for species in the subfamilies Prioninae and Lepturinae are female-produced sex pheromones that attract only males. (Hanks & Millar, 2016.)

Methods used to collect adult Cerambycidae include: sweeping or beating branches and foliage; attracting them to UV and MV lights, and to various types of chemical baits; and hand-picking specimens from host plants or from blossoms. More recently, fumigation (“fogging”) methods have been employed to survey canopy insect faunas, often yielding astounding numbers of longhorned beetles. Passive traps such as malaise, flight intercept, and even pitfalls also may be used, and are particularly effective over longer periods of time. Rearing adults from infested wood can produce series of both sexes of otherwise rarely encountered species.

Larval Cerambycidae also display a variety of habits. Most species feed within dead, dying or even decaying wood, but some taxa are able to utilize living plant tissue. Girdlers (adults of the *Onciderini*, larvae of genera in the tribes *Methiini*, *Hesperophanini* and *Elaphidiini*) sever living branches or twigs, with the larvae developing within the nutrient-rich distal portion. The larvae of a few species move freely through the soil, feeding externally upon roots or tunneling up under the root crown. Digestion of cellulose appears to be aided primarily by the presence of enzymes rather than symbiotic microorganisms. In many cases, Cerambycidae are primary borers in woody plants, providing a vital “first step” in the biological recycling of these materials. Larval feeding habits typically result in frass-filled galleries or tunnels under the bark or within the sapwood of the host plant, terminating in a pupal chamber, wherein the metamorphosis from last-instar larva to pupa to adult takes place. The life spans of most species in temperate regions typically range from one to three years, but many variations exist, and cycles of from two or three months to several decades have been documented. Tropical species may be less constrained seasonally, and some populations of smaller genera literally may breed continuously, with all stages being found on and in the same pieces of wood. Most of the overall lifetime is spent in the larval stage, with adult beetles usually emerging, dispersing, reproducing, and dying within a span of but a few days to a few months.

Several species of cerambycid beetles are known to damage living trees, and may seriously affect orchards and ornamental trees; others may damage coniferous or hardwood lumber, and a few taxa can damage row crops. The majority of species, however occur within uncultivated or forested habitats, and while they are of great ecological importance within these natural ecosystems, they are of little human economic significance. Because of their close evolutionary linkage to their host plants, cerambycid beetles may be valuable bio-indicators of forest health and diversity, with differing suites of species found within primary forest habitats than those which occur within disturbed areas or secondary growth.

Checklist order

The checklist is now organized according to Bouchard et. al. (2011), and begins with the families Oxypeltidae, Vesperidae, and Disteniidae in addition to the traditional Cerambycidae. Subfamilies are also arranged according to Bouchard et. al (2011), for Cerambycidae in order – Parandrinae, Prioninae, Lepturinae, Spondylidinae, Cerambycinae and Lamiinae. Tribal classifications within the subfamilies have not been evaluated phylogenetically, so their order is alphabetical. It is acknowledged that this arrangement results in the artificial separation of similar-appearing (and undoubtedly closely related) taxa (i.e., *Anaglyptini* – *Clytini*

– Tillomorphini; Acanthocinini – Colobotheiini; Bothriospilini – Torneutini), and the breakup of the lamiine tribes with bifid tarsal claws. However, the functional value of a checklist is as an organizing reference tool, and for that reason-- and until such time as a tribal phylogeny has been determined-- the order is arranged for ease of use. Genera and species also are listed alphabetically. Citation of author, year and page number follows each taxon name, with synonymies cited in italics. Geographical distributions listed reflect the present knowledge of the authors and previous published data, and are subject to expansion as new information is contributed. An effort has been made to verify all contributed records, but the possibility exists that some erroneous identifications have led to incorrect distributional parameters for some species. These are corrected as I become aware of them. State or other provincial citations have been used where known for some larger countries to more accurately indicate known ranges; however when species are widespread in a country, states are not listed to conserve space. For more complete references by species, the author refers the reader to Monné, 1993, et seq., *Catalogue of the Cerambycidae of the Western Hemisphere (Parts 1 - 22)*, and Monné, 2023 (Parts I, II, and III, available at <https://cerambycids.com/catalog/>). A bibliography of systematic and distributional references is provided at the end of the checklist, as well as an index to the families, subfamilies, tribes and genera.

Geographic abbreviations used in the list:

Argentina

BA = Buenos Aires; CA = Catamarca; CD = Córdoba; CH = Chaco; CO = Corrientes; CT = Chubut; ER = Entre Ríos; FO = Formosa; JU = Jujuy; LP = La Pampa; LR = La Rioja; ME = Mendoza; MI = Misiones; NE = Neuquén; RN = Río Negro; SA = Salta; SC = Santa Cruz; SE = Santiago del Estero; SF = Santa Fe; SJ = San Juan; SL = San Luis; TU = Tucumán.

Bolivia

BN = Beni; CO = Cochabamba; CQ = Chuquisaca; LP = La Paz; OR = Oruro; PN = Pando; PT = Potosí; SC = Santa Cruz; TR = Tarija.

Brazil

AC = Acre; AL = Alagoas; AM = Amazonas; AP = Amapá; BA = Bahia; CE = Ceará; DF = District Federal; ES = Espírito Santo; GO = Goiás; MA = Maranhão; MG = Minas Gerais; MS = Mato Grosso do Sul; MT = Mato Grosso; PA = Pará; PB = Paraíba; PE = Pernambuco; PI = Piauí; PR = Paraná; RJ = Rio de Janeiro; RN = Rio Grande do Norte; RO = Rondônia; RR = Roraima; RS = Rio Grande do Sul; SC = Santa Catarina; SE = Sergipe; SP = São Paulo; TO = Tocantins.

Costa Rica

AL = Alajuela; CA = Cartago; CI = Cocos Island; GU = Guanacaste; HE = Heredia; LI = Limón; PA = Puntarenas; SJ = San José.

Ecuador

eEcuador = the Amazonian provinces, principally Napo, Orellana, Pastaza and Sucumbios, east of the Andes; wEcuador = the coastal slope of the Andes below $\pm 2,000\text{m}$. Species which exhibit trans-Andean or interior Andean distributions (including Loja Province), either occurring on both slopes, or generally distributed within the central plateau above about $\pm 2,000\text{m}$, are given no geographical annotation beyond the country name.

Mexico

AG = Aguascalientes; BC = Baja California; BCN = Baja California Norte; BCS = Baja California Sur; CA = Campeche; CHA = Chihuahua; CHS = Chiapas; CM = Colima; CO = Coahuila; DF = Distrito Federal; DU = Durango; GR = Guerrero; GU = Guanajuato; HI = Hidalgo; JA = Jalisco; ME = México; MI = Michoacán; MO = Morelos; NA = Nayarit; NL = Nuevo León; OA = Oaxaca; PU = Puebla; QE = Querétaro; QR = Quintana Roo; SI = Sinaloa; SO = Sonora; SLP = San Luis Potosí; TA = Tamaulipas; TB = Tabasco; TL = Tlaxcala; VC = Vera Cruz; YU = Yucatán; ZA = Zacatecas.

United States

AL = Alabama; AR = Arkansas; AZ = Arizona; CA = California; CN = Connecticut; CO = Colorado; DE = Delaware; FL = Florida; GA = Georgia; IA = Iowa; ID = Idaho; IL = Illinois; IN = Indiana; KS = Kansas; KY = Kentucky; LA = Louisiana; MA = Massachusetts; MD = Maryland; ME = Maine; MI = Michigan; MN = Minnesota; MO = Missouri; MS = Mississippi; MT = Montana; NE = Nebraska; NC = North Carolina; ND = North Dakota; NH = New Hampshire; NJ = New Jersey; NM = New Mexico; NV = Nevada; NY = New York; OH = Ohio; OK = Oklahoma; OR = Oregon; PA = Pennsylvania; RI = Rhode Island; SC = South Carolina; SD = South Dakota; TN = Tennessee; TX = Texas; UT = Utah; VA = Virginia; VT = Vermont; WA = Washington; WI = Wisconsin; WV = West Virginia; WY = Wyoming.

In addition, **Hispaniola** is used when both Haiti and the Dominican Republic are cited.

In the Checklist, the synonymic entries include both available and unavailable names. Invalid available names (e.g., objective or subjective synonyms, junior homonyms, unjustified emendations, unnecessary replacement names) are true synonyms, but unavailable names such as incorrect subsequent spellings, incorrect original spellings, misidentifications and nomina nuda are not. Each name may be assigned a qualification, or indication of status (e.g. new replacement name, incorrect subsequent spelling, etc.) but this information is only occasionally given in the Checklist. Also, a colon should always follow an unavailable name but not a true synonym. All this information is important because an available invalid name is a potential substitute name while an unavailable name is not.

Abbreviations of qualifications for available names:

[COS] correct original spelling / = new spelling in case of a justified emendation, including name selected by First Reviser under ICZN article 24.2.3

[FR] Act of First Reviser (under ICZN 1999, article 24.2.3)

[ISSPU] incorrect subsequent spelling in prevailing usage (under ICZN 1999, article 33.3.1)

[JH] junior homonym (for genus) / = preoccupied name

[JpH] junior primary homonym (for species) / = originally preoccupied species-group name

[JsH] junior secondary homonym (for species) / = preoccupied species-group name resulting from a new combination

[wJH / wJpH / wJsH] wrongly considered junior homonym / = erroneously considered preoccupied

[NO] *nomen oblitum* / = forgotten name according to ICZN, article 23.9

[NP] *nomen protectum* / = protected name under ICZN, article 23.9

[RN] new replacement name / = *nomen novum*; new substitute name

[SN] substitute name (either new or chosen among the existing synonyms of the preoccupied name)

[UE] unjustified emendation (when not in prevailing usage)

[UEPU] unjustified emendation in prevailing usage (under ICZN, article 33.2.3.1)

[URN] unnecessary replacement name

[PI] permanently invalid name

Abbreviations of qualifications for unavailable names:

[IE] inadvertent error

[IOS] incorrect original spelling (including that rejected by First Reviser under ICZN article 24.2.3)

[ISS] incorrect subsequent spelling / = misspelling or misspelled posterior usage

[MId] misidentification / = "misapplied name", available name used in an improper sense

[NN] *nomen nudum* [plural: *nomina nuda*] / = name not established in accordance with ICZN 1999, article 10 and, when relevant, articles 11-20

Please note: This checklist is updated annually, and corrections, emendations and new citations are welcomed. Please forward all such information, pdf files, images and other documents to Bezbycids@gmail.com.

While the checklist is updated annually, taxonomic changes are incorporated regularly on the author's website: <http://bezbycids.com/byciddb/wdefault.asp?w=n>

OXYPELTIDAE

Lacordaire, 1868: 461

Cheloderus Gray in Griffith, 1832: 784

childreni Gray in Griffith, 1832: 784

penai Kuschel, 1955: 252

Chile, Argentina (NE)

Chile, Argentina (NE)

Oxypeltus Blanchard in Gay, 1851: 459

quadrispinosus Blanchard in Gay, 1851: 460

Chile, Argentina (NE, CT)

VESPERIDAE

Mulsant, 1839: 214

Vesperoctenini

Vives, 2005: 438

Vesperoctenus Bates, 1891: 159

flohri Bates, 1891: 160

Mexico (Baja California, Durango to Veracruz)

Anoplodermatinae Guérin-Méneville, 1840: 276

Anoplodermatini

Guérin-Méneville, 1840: 276

Acanthomigdolus Bruch, 1941: 165

quadricollis (Bates, 1875: 47)

Argentina (LR, ME, BA, SJ)

Anoploderma Guérin-Méneville, 1840: 276

bicolor Guérin-Méneville, 1840: 277

spondyliode Fairmaire, 1893: 610

breueri Lameere, 1912: 118

martinezi Prosen, 1960: 91

peruvianum Dias, 1986: 121

Peru, Bolivia

Brazil (MT), Bolivia (SC, TR), Argentina

Peru

Cherrocrius Berg, 1898: 31

bruchi Berg, 1898: 32

sc Argentina (RN, NE)

Migdolus Westwood, 1863: 120

Paulistanus Gounelle, 1899: 6

brachypterus Lane, 1972: 83

clypeatus Dias, 1984: 529

cuyabanus Lane, 1937: 195

exul (Lameere, 1915: 285)

fryanus Westwood, 1863: 120

bouvieri Gounelle, 1899: 6

morretesi ; Fonseca, 1958: 30 [Mld; not Lane, 1937]

fonsecai Lane, 1972: 81

goyanus Dias, 1984: 528

morretesi Lane, 1937: 192

punctatus Lane, 1937: 189

spitzi Lane, 1937: 185

thulanus (Lameere, 1902: 201)

Brazil (PN)

Brazil (MT)

Brazil (MT)

Brazil (RO)

Brazil (SP-SC), Argentina (MI), Paraguay

Brazil (GO)

Brazil (SP)

Brazil (SP)

Brazil (MS)

Brazil (GO, MT)

Paramigdolus Dias, 1986: 117

tetropioides (Fairmaire, 1893: 611)

var. *carbonaria* Bruch, 1941: 169

Argentina

Sypilus Guérin-Méneville, 1840: 277*Sipylus*: Chevrolat in d'Orbigny, 1848: 638 [ISS]**boeroi** Prosen, 1960: 95

Argentina (NE)

ferrugineus Gounelle, 1913: 194

Argentina (SE, ME, CD, BA)

gounellei Lameere, 1915: 62**orbignyi** Guérin-Méneville, 1840: 277

Argentina (SE-BA)

venturae Dohrn, 1882: 465**Hypocephalini** Blanchard, 1845: 135**Hypocephalus** Desmarest, 1832: pl.24*Mesoclastus* Gistel, 1836: 3**armatus** Desmarest, 1832: pl.24

Brazil (BA, MT)

paradoxus Gistel, 1836: 4**Mysteriini** Prosen, 1960: 90**Mysteria** Thomson, 1861: 278*Prionidium* Burmeister, 1865: 159**cylindripennis** Lacordaire, 1876: pl. 81, fig. 2 [date doubtful]

Brazil (RS), Argentina (BA), Uruguay

molle Burmeister, 1865: 160*schroederi* Lameere, 1902: 211**darwini** (Lameere, 1902: 210)

Brazil (SC)

lacordairei (Lameere, 1902: 212)

Paraguay, Argentina (ME, SF, ER), Uruguay

cylindripennis: Lacordaire, 1876: pl.81, fig.2 [Mld; not Thomson, 1861]**minuta** Dias, 1988: 144

Paraguay, Argentina (MI)

seabrai Dias, 1988: 144

Argentina (JU, SE, CH, SF)

Pathocerus Waterhouse, 1901: 522*Anoploclerum* (*Eumysteria*) Bruch, 1908: 199**wagneri** Waterhouse, 1901: 523

Bolivia (SC, TR), Argentina (JU-BA)

flabellifera Bruch, 1908: 199**Pseudopathocerus** Dias, 1988: 157**humboldti** (Lameere, 1912: 120)

Brazil (MS), Paraguay, Argentina (MI)

DISTENIIDAE

Thomson, 1861: 181

Disteniini Thomson, 1861: 181**Abauba** Santos-Silva & Tavakilian, 2009: 17**ericae** (Martins & Galileo, 1994: 80)

Brazil (MA, TO)

flavipes (Villiers, 1958: 48)

Peru

iani Santos-Silva & Tavakilian, 2009: 23

eEcuador

napoensis Santos-Silva & Tavakilian, 2009: 21

eEcuador

mediorufovittata Santos-Silva & Tavakilian, 2009: 20

Brazil (RO), Bolivia (SC), Peru

America Santos-Silva & Tavakilian, 2009: 29**aberlenci** Santos-Silva & Tavakilian, 2009: 38

French Guiana

amabilis (Martins & Galileo, 2001: 16)

Costa Rica (San Jose, Cartago)

amethystina (Villiers, 1957: 409)

Peru

berkovi Santos-Silva & Tavakilian, 2009: 40

French Guiana, Brazil (AM)

biplagiata (Villiers, 1958: 52)

Colombia (Cauca), Ecuador

bicolora (Fisher, 1946: 332)

Panama, Colombia (Boyacá, Chocó, Santander), Venezuela

columbiana (Villiers, 1958: 50)

Colombia

cuneata (Villiers, 1958: 49)

Colombia

festiva (Bates, 1885: 276)
flavipennis (Buquet, 1851: 189)
flavoviridis (Villiers, 1958: 48)
hermieri Santos-Silva & Tavakilian, 2009: 45
hilaris (Bates, 1885: 276)
hovorei (Santos-Silva, 2007: 95)
laetifica (Bates, 1870: 441)
larrei Santos-Silva & Tavakilian, 2009: 43
lingafelteri (Hovore & Santos-Silva, 2007: 79)
marcelae (Hovore & Santos-Silva, 2007: 79)
mariahelenae (Hovore & Santos-Silva, 2007: 80)
morrisi (Hovore & Santos-Silva, 2007: 82)
peruviana (Villiers, 1958: 46)
pulcherrima (Bates, 1872: 196)
quadrinaculata (Villiers, 1958: 53)
solangeae (Hovore & Santos-Silva, 2007: 89)
solisi (Hovore & Santos-Silva, 2007: 92)
spinipennis (Villiers, 1958: 47)
spinosa Botero & Santos-Silva, 2020: 148
thomasi (Hovore & Santos-Silva, 2007: 93)
thouvenoti Santos-Silva & Tavakilian, 2009: 39
tumidicollis (Villiers, 1958: 46)
wappesi Santos-Silva & Tavakilian, 2009: 34
normae Botero & Almeida, 2019: 45

Arietocometes Santos-Silva & Tavakilian, 2009: 28

apicalis (Waterhouse, 1880: 296)
giesberti (Hovore & Santos-Silva, 2007: 76)
nearnsi (Hovore & Santos-Silva, 2007: 85)
punctusdiaphoros Botero & Santos-Silva, 2021: 204
terryi Botero & Santos-Silva, 2021: 207
rileyi (Hovore & Santos-Silva, 2007: 88)
violaceicollis (Villiers, 1958: 51)
virgatus Botero & Santos-Silva, 2021: 200
wappesi (Santos-Silva & Martins, 2004: 150)

Cometes Lepeletier & Audinet-Serville in Latreille, 1828: 486

carinatus Villiers, 1957: 408
hirticornis Lepeletier & Audinet-Serville in Latreille, 1828: 486
mediovittipennis Santos-Silva & Tavakilian, 2009: 9
melzeri Santos-Silva & Martins, 2004: 148
monnei Hovore & Santos-Silva, 2007: 81
zikani Melzer, 1926: 6

Cupecuara Santos-Silva & Tavakilian, 2009: 15

argodi (Belon, 1896: 128)
erwini Botero & Santos-Silva, 2020: 643
pojuca (Martins & Galileo, 2001: 17)
soledari (Martins & Galileo, 2001: 16)
santossilvai Audureau, 2014: 48
turnbowi (Hovore & Santos-Silva, 2007: 94)

Distenia (Basisvallis) Santos-Silva & Hovore, 2007: 23

agroides Bates, 1870: 439
pullula Gounelle 1911: 246
carinata Villiers, 1959: 60
chaparensis Tippmann, 1953: 216
cyaneipennis Villiers, 1959: 67
fastuosa Pascoe, 1871: 274
fossulata Villiers, 1959: 75
granulipes Villiers, 1959: 71

Costa Rica, Panama
Colombia, eEcuador
Colombia
French Guiana
Costa Rica, Panama
Peru
Brazil (AM, RO), Ecuador
French Guiana
Panama
Colombia
wEcuador (Napo), Brazil (RO)
Costa Rica (LI, PA)
Peru
Nicaragua-Panama
Ecuador
Brazil (AC, AM), Bolivia (BN)
Costa Rica (AL, CA)
Ecuador
wEcuador (Napo)
Peru (Madre de Dios, Junin)
French Guiana
Colombia
Brazil (MT, RO)

Colombia
Costa Rica (Alajuela), Panama
Costa Rica (CA), Panama (Bocas del Toro)
Colombia (Nariño)
wEcuador (Napo)
Mexico (VC)
eEcuador
wEcuador (Napo)
Panama

Brazil (ES)
Brazil, Paraguay, Argentina
Brazil (ES)
Brazil (MG, SP, RJ, SC)
Brazil (DF, MG)
Brazil (MG, RJ)

Peru, Bolivia
wEcuador (Napo)
Brazil (AP, PA, RO)
Bolivia (SC)
Peru
Panama

Brazil (GO, MG, PA, RO)

Brazil (MT, ES), Ecuador, Peru
Brazil (MT), Bolivia (SC)
French Guiana, Brazil (AM)
Guatemala-Colombia
ncBrazil (PA)
Panama, nwBrazil (AM)

phaeocera Bates, 1880: 35
rufipes: Bates, 1872: 196 [Mld; not Bates, 1870]
rufipes Bates, 1870: 440
rugiscapis Bates, 1885: 272
sallaei Bates, 1885: 273
spinipennis Fisher, 1946: 330
striaticollis Villiers, 1959: 70
turnbowi Santos-Silva, 2007: 12

Mexico, Belize, Guatemala, El Salvador,
 Honduras, Nicaragua, Costa Rica, Panama (Chiriqui)
 Costa Rica, Panama, Colombia (Atlántico, Bolívar)
 Mexico-Panama
 Mexico
 Honduras, Costa Rica
 Brazil (MT)
 Brazil (AM)

Distenia (Distenia) Lepeletier & Audinet-Serville in Latreille, 1828: 485

Thelxiope Thomson, 1864: 226 [JH; not Rafinesque, 1814, Crustacea]
Apheles Blessig, 1872: 165
Sakuntala Lameere, 1890: 213
Thomsonistenia Santos-Silva & Hovore, 2007: 20 [RN for *Thelxiope*]

angustata Bates, 1870: 440
annulicornis Villiers, 1959: 75
caerulescens Gounelle, 1911: 248
charynae Santos-Silva & Hovore, 2007: 24
cinctipennis Gounelle, 1911: 247
columbina Lepeletier & Audinet-Serville in Latreille, 1828: 485
esmeralda Villiers, 1959: 67
forcipata Villiers, 1959: 76
langurioides Bates, 1885: 275
limbata Bates, 1885: 273
macella Villiers, 1959: 64
marcelae Santos-Silva & Hovore, 2007: 19
marinonii Botero & Almeida, 2019: 43
mermudesi Santos-Silva & Hovore, 2007: 16
peninsularis Santos-Silva & Hovore, 2008: 14
pilosa Villiers, 1959: 64
solangeae Santos-Silva & Hovore, 2007: 21
splendens Bates, 1870: 439
suturalis Bates, 1870: 440
lateralis Fisher, 1946: 329
fryi Villiers, 1959: 61
tavakiliani Santos-Silva & Hovore, 2007: 22
toledo Perez-Flores & Botero, 2022: 2
viridicyanea (Thomson, 1864: 226)
atrocyanea Villiers, 1959: 66
bahiaensis Villiers, 1959: 68

Fr Guiana, Suriname, cBrazil (AM, GO), Bolivia (SC),
 Colombia
 Brazil (GO, MT, RJ)
 Brazil (RO), Bolivia (SC)
 Brazil (GO), Ecuador, Bolivia
 Brazil (GO, MT, MG, ES, RJ, SP, PR, SC, RS), Argentina (MI)
 Guyana, Brazil (AM)
 Brazil (BA, ES)
 Mexico (VC)
 Mexico, Guatemala, Costa Rica, Panama
 Brazil (BA)
 Colombia (Amazonas), French Guiana, Brazil (AM, PA)
 Brazil (BA, ES)
 Brazil (MG, PA), Bolivia (BE, SC)
 Costa Rica
 Brazil (RJ, SC, SP)
 Brazil (MG)
 Brazil (AM)
 Colombia (Meta), Fr Guiana, Brazil (AM), Ecuador, Peru, Bolivia (SC)

Colombia
 Mexico (Oaxaca)
 French Guiana, Brazil (BA, MT, ES, SC)

Disteniazteca Santos-Silva & Hovore, 2007: 23

fimbriata (Lacordaire, 1869: 228)
fimbria: Villiers, 1959: 57 [ISS]
pilati (Chevrolat, 1857: 104)
pilatei: Thomson, 1861: 182 [ISS]

Mexico, Guatemala, Costa Rica (Cartago)

Mexico - Colombia

Elytrimitatrix (Elytrimitatrix) Santos-Silva & Hovore, 2007: 24

undata (Fabricius, 1775: 181)
undulatus Gmelin, 1790: 1860
plebejus Fabricius, 1798: 147

eUSA

Elytrimitatrix (Grossifemora) Santos-Silva & Hovore, 2007: 25

batesi (Villiers, 1959: 65)
bispinosa Santos-Silva & Hovore, 2008: 2
brevicornis (Bates, 1885: 274)
castanea Santos-Silva & Hovore, 2008: 10
charpentierae LeTirant & Santos-Silva, 2014: 2
chimalapensis Perez-Flores & Botero, 2022: 4
chrysostigma (Bates, 1872: 196)
emarginata Fisher, 1946: 331

Panama
 Mexico (QE)
 Mexico, Guatemala (Suchitepequez)
 Panama
 Peru
 Mexico (Oaxaca)
 Nicaragua, Costa Rica

cinnamea Santos-Silva & Hovore, 2008: 5
clavata Santos-Silva & Hovore, 2008: 5
cunninghami Heffern & Santos-Silva, 2016: 575
curoei Santos-Silva & Le Tirant, 2016: 301
dilatata Heffern, Botero & Santos-Silva, 2023: 12
franki Botero & Santos-Silva, 2020: 157
fuscula (Bates, 1885: 273)
geniculata (Bates, 1872: 195)
giesberti Santos-Silva & Hovore, 2008: 12
guatemalana Santos-Silva & Hovore, 2008: 13
guisayotea Santos-Silva & Hovore, 2008: 19
hefferni Santos-Silva & Hovore, 2008: 4
hoegei (Bates, 1885: 271)
hondurensis Santos-Silva & Hovore, 2008: 7
incognita Santos-Silva & Hovore, 2008: 13
irregularis (Linsley, 1935: 70)
lineatopora (Bates, 1880: 35)
linsleyi Santos-Silva & Hovore, 2008: 6
maculata Botero & Santos-Silva, 2022: 1
mexicana Santos-Silva & Hovore, 2008: 17
micheelii Santos-Silva & Hovore, 2008: 10
nearnsi Santos-Silva & Hovore, 2008: 23
nigrella (Bates, 1880: 36)
nogueirai Heffern & Santos-Silva, 2016: 572
pictipes (Bates, 1885: 275)
pseudosimplex Santos-Silva & Hovore, 2008: 11
pseudovittata Santos-Silva & Hovore, 2008: 16
pubescens Santos-Silva & Hovore, 2008: 12
punctiventris (Bates, 1885: 274)
sauria Santos-Silva & Hovore, 2008: 19
setosa Santos-Silva & Hovore, 2008: 17
sharonae Santos-Silva & Hovore, 2008: 16
simplex (Bates, 1885: 274)
spinifemora Santos-Silva & Hovore, 2008: 7
trifasciata (Bates, 1892: 157)
violacea Santos-Silva & Hovore, 2008: 4
vittata (Bates, 1880: 36)

Hovorestenia Santos-Silva, 2007: 14

cleidade Botero, 2020: 2
espilota Botero, 2020: 6
humeralis (Waterhouse, 1880: 295)
thalassina Santos-Silva & Hovore, 2008: 2

Novantinoe Santos-Silva & Hovore, 2007: 19 [RN]

Antinoe Thomson, 1864: 224 [JH; not Kinberg, 1856, Polychaeta]

agriloides (Bates, 1885: 272)
apiculatra Botero & Gutierrez, 2020: 2
bicolor (Thomson, 1864: 226)
chemsaki Santos-Silva & Hovore, 2007: 588
cotopaxiana Santos-Silva & Hovore, 2007: 594
cribristernis (Bates, 1885: 272)
cristinae Santos-Silva & Hovore, 2007: 598
darlingtoni (Fisher, 1942: 3)
decora Bezark & Santos-Silva, 2012: 413
denticornis (Bates, 1870: 439)
equatoriensis (Villiers, 1959: 74)
fabiolae Botero, Heffern & Santos-Silva, 2018: 4
falsa Heffern, Botero & Santos-Silva, 2023: 14
fulvopicta (Bates, 1885: 271)
germaini (Villiers, 1959: 73)

Costa Rica
 Mexico (VC)
 Mexico (Sinaloa, Jalisco)
 Mexico (OA)
 Mexico (Oaxaca)
 eEcuador (Loja)
 Mexico (VC)
 Mexico (CH, OA, QR, VC) – Panama
 Mexico (GR)
 Guatemala
 Honduras
 Mexico (SO)
 Mexico, El Salvador, Honduras, Nicaragua, Costa Rica (GU)
 Honduras
 Mexico (OA)
 Mexico (MEX, GR, NA)
 Guatemala, Honduras
 Mexico (GR)
 Mexico (Chiapas)
 Mexico (MO, OA)
 Mexico (OA)
 Mexico (VC)
 Mexico (CH), Guatemala
 Mexico (Hidalgo)
 Guatemala, Honduras
 Belize
 Guatemala
 Mexico (HI), Nicaragua
 Costa Rica (PA), Panama
 Mexico (HI, OA)
 Honduras
 Guatemala
 Guatemala, Costa Rica, Panama
 Guatemala
 Mexico, Guatemala, Honduras, Costa Rica
 Panama
 Guatemala

Colombia, Ecuador
 Colombia (Cauca)
 Ecuador
 Ecuador

Mexico (VC), Guatemala, Honduras
 Colombia (N Santander)
 Guianas, Colombia, wEcuador
 Colombia
 Ecuador
 Costa Rica, Panama (Darien)
 Guatemala
 Dominican Republic, Puerto Rico
 Panama
 Brazil (AM, PA)
 Ecuador
 Mexico (Oaxaca)
 Mexico (Veracruz)
 Guatemala
 Bolivia

guyanensis (Villiers, 1959: 68)
hefferni Santos-Silva & Hovore, 2007: 592
hovorei Santos-Silva, 2007: 593
iani Santos-Silva & Hovore, 2007: 601
jolyi Santos-Silva & Hovore, 2007: 587
lezamai Santos-Silva & Hovore, 2007: 599
lingafelteri Santos-Silva & Hovore, 2007: 583
mariahelenae Santos-Silva & Hovore, 2007: 593
mathani (Villiers, 1959: 69)
monnei Santos-Silva & Hovore, 2007: 582
morrisi Santos-Silva & Hovore, 2007: 586
noguerai Santos-Silva & Le Tirant, 2016: 300
oaxaquena Botero, Hefferm & Santos-Silva, 2018: 2
payettei Santos-Silva & Le Tirant, 2016: 298
pegnai (Hudepohl, 1989: 357)
peruviensis (Villiers, 1959: 70)
pilithorax Lingafelter, 2024: 3
pubescens Bezark, Santos-Silva & Botero, 2023: 9
puertoricensis (Lingafelter & Micheli, 2004: 46)
rileyi Santos-Silva & Hovore, 2007: 591
rufa (Villiers, 1959: 65)
solisi Santos-Silva & Hovore, 2007: 585
spinosa (Bates, 1885: 273)
striatiscapis Villiers, 1959: 74
thomasi Santos-Silva & Hovore, 2007: 584
tumidicollis (Villiers, 1959: 72)
unidentata (Villiers, 1959: 63)
vivida Botero & Almeida, 2019: 47
wappesi Santos-Silva & Hovore, 2007: 581

French Guiana, Brazil (AM)
 Mexico (OA)
 Costa Rica, Panama
 Colombia (Nariño, Amazonas), Peru
 Venezuela
 Colombia (Caquetá), Ecuador
 Panama
 Ecuador, Colombia (Nariño)
 Colombia
 Colombia
 Mexico (HI, PU)
 Mexico (CH)
 Mexico (Oaxaca)
 Nicaragua
 Bolivia
 Colombia, Brazil (AM), Ecuador, Peru,
 Dominican Republic (Pedernales, San Juan)
 Honduras (Yoro)
 Puerto Rico
 Colombia (Amazonas), Ecuador
 Venezuela
 Costa Rica (HE)
 Nicaragua, Costa Rica, Panama, Colombia (Chocó, Santander)
 Guatemala
 Peru
 Ecuador
 eEcuador
 Costa Rica (GU), Panama

Myopsocometes Santos-Silva & Tavakilian, 2009: 10
humeralis (Villiers, 1957: 410)
pseudohumeralis Santos-Silva & Tavakilian, 2009: 14

Brazil (BA, MG)
 Brazil (MG)

Oculipetilus Santos-Silva & Hovore, 2007: 16
brunneorufus (Thomson, 1861: 182)
pulcher (Melzer, 1926: 5)
mirabilis Villiers, 1959: 62

Brazil (RJ-RS)
 Brazil (MG, RJ)

Paracometes Villiers, 1957: 412
acutipennis (Buquet, 1851: 191)
birai (Hovore & Santos-Silva, 2007: 122)
eximius (Bates, 1885: 275)
mathani Villiers, 1958: 51
micans Santos-Silva & Tavakilian, 2009: 27
raberi Hefferm & Santos-Silva, 2016: 593
solangeae Botero & Almeida, 2019: 51
venustus (Bates, 1885: 276)
viridis Botero & Gutierrez, 2020: 5

French Guiana, Peru (Madre de Dios)
 Costa Rica (PA)
 Costa Rica, Panama
 Colombia (Santander)
 Colombia (Risaralda), Panama
 Panama
 wEcuador (Napo), Brazil (Para)
 Costa Rica, Panama
 Peru (Huanuco)

Villiersicometes Santos-Silva, 2003: 480
Microcometes Villiers, 1957: 410
absalom Tavakilian & Santos-Silva, 2012: 1
bijubatus (Gounelle, 1911: 251)
galileoae Botero & Almeida, 2019: 53
lineatus (Villiers, 1957: 412)
scellierae Dalens, 2013: 1
wagneri (Gounelle, 1911: 250)

French Guiana
 Brazil (PE)
 Brazil (ES)
 Brazil (BA, ES)
 French Guiana
 Brazil, Argentina (MI)

Dynamostini Lacordaire, 1868: 196**Aiurasyma** Martins & Galileo, 2001: 18**potira** Martins & Galileo, 2001: 20**santandereana** Botero & Almeida, 2019: 41

Colombia

Colombia (Santander)

Heteropalpini Villiers, 1961: 385**Heteropalpus** Buquet, 1843: pl. 118**pretiosus** Buquet, 1843: pl. 118**smaragdinus** Villiers, 1958: 40

Guyana, French Guiana, Brazil (AM)

Pseudocometes Villiers, 1957: 413**argutulus** (Buquet, 1851: 190)**scapularis** Bates, 1870: 441**bicoloripes** Villiers, 1958: 38**coeruleus** Bates, 1870: 442**basalis** Villiers, 1958: 38**harrisoni** Le Tirant & Santos-Silva, 2014: 2

French Guiana, Brazil (PA, AM, MT)

Colombia (Santander), wEcuador (Napó)

Peru

CERAMBYCIDAE

Latreille, 1802: 211

Parandrinae Blanchard, 1845: 134*Prionides aberrantes* Bates, 1869: 38**Erichsoniini** Thomson, 1861: 274*Erichsonitae* Thomson, 1861: 140 (key), 274**Erichsonia** Westwood, 1849: 210**dentifrons** Westwood, 1849: 211

Mexico (PU, VC), Guatemala, El Salvador, Honduras

Parandrini Blanchard, 1845: 134**Acutandra** Santos-Silva, 2002: 49**araucana** (Bosq, 1951: 191)**caterinoi** Lingafelter & Tishechkin, 2017: 406**degeerii** (Thomson, 1867: 111)**murrayi** (Lameere, 1912: 115)**scrobriculata** Zikán, 1948: 28**punctatissima** (Thomson, 1861: 84)**ubitiara** (Santos-Silva & Martins, 2000: 167)

Chile, Argentina (NE, LP)

wEcuador (Pichincha, Carchi)

Mexico?, Panama-c SAmer

Brazil

French Guiana, Brazil (AM)

Costa Rica (San Jose), Colombia

punctillata Schaeffer, 1929: 40**Birandra (Birandra)** Santos-Silva, 2002: 47**boucheri** Santos-Silva & Lezama, 2010: 403**lucanoides** (Thomson, 1861: 85)**colombica**: Vivas Berthier, 1942: 37 [Mld; not White, 1853]**mariahelenae** (Santos-Silva, 2002: 48)**punctata** (White, 1853: 2)**luciana** Thomson, 1861: 86**fabricii** Thomson, 1867: 117**silvaini** (Tavakilian, 2000: 150)

Costa Rica (AL, GU, HE, PA), Panama

Colombia, Venezuela

Jamaica

Panama, wEcuador, nSAmer

Trinidad & Tobago, Fr Guiana, Brazil, Colombia, Perú

Birandra (Yvesandra) Monné, 2006: 16

- angulicollis** (Bates, 1879: 2) Mexico-Panama
punctata: Bates, 1872: 166 [Mld; not White, 1853]
antioquensis (Cardona-Duque, Santos-Silva & Wolff, 2007: 40) Colombia
antonkozlovi Santos-Silva, Nascimento & Le Tirant, 2018: 753 Peru (Junin)
cribrata (Thomson, 1861: 87) Cuba
cubaecola (Chevrolat, 1862: 275) Cuba
lata (Bates, 1884: 226) Mexico (VC)
latreillei Santos-Silva & Shute, 2009: 24 Cuba, Hispaniola, Jamaica
laevis Schöenherr, 1817 (not Latreille, 1804)
laevis sensu auctorum (Monné 2006, part)
pinchoni (Villiers, 1979: 182) Martinique, Dominica
tavakiliani (Santos-Silva, 2002: 33) Puerto Rico

Neandra Lameere, 1912: 114 [NP]

- Isocerus* Illiger, 1801: 295 [NO]
brunnea (Fabricius, 1798: 49) e, c USA, se Canada
purpureus Herbst, 1799: 21
sayi Thomson, 1867: 114
quadricollis Thomson, 1867: 114
conformis Thomson, 1867: 115
dentata Thomson, 1867: 115
minuta Thomson, 1867: 116
ampliceps Casey, 1912: 216
gravidula Casey, 1912: 216
brunnea coloradensis Linsley, 1957: 2
brunnea quebecensis Abdullah, 1968: 75
marginicollis (Schaeffer, 1929: 40) swUSA (CA, AZ)
brunnea: Fall, 1901: 142 (Mld; not Fabricius, 1798)

Parandra (Hesperandra) Arigony, 1977: 163

- conspicua** Tippmann, 1960: 89 Ecuador, Bolivia
expectata Lameere, 1902: 69 Brazil, Paraguay, Argentina, Uruguay
montana Zikán, 1948: 27
imitatrix (Santos-Silva, 2005: 231) Brazil (MG, ES)
tucumana Zikán, 1948: 30 Argentina, Uruguay

Parandra (Parandra) Latreille, 1802: 160

- Gnathophorus* Kirby, 1837: 166
Hesperandra (Zikándra) Santos-Silva, 2003: 120
barclayi Santos-Silva, 2015: 1 Peru
brasilica Zikán, 1948: 31 Brazil (MG –RJ, SC, BA)
cribraria Zikán, 1948: 34
melzeri Zikán, 1948: 32
gilloglyi Santos-Silva & Lezama, 2010: 400 Panama, wEcuador
glaberrima Zikán, 1948: 35 Brazil (BA, GO)
glabra (Degeer, 1774: 352) Mexico-Argentina, Bolivia (CO, SC), W Indies
testaceus Fabricius, 1794: 437
ferruginea Sturm, 1826: 181
lineola Gory in Guérin-Méneville, 1831: pl. 42, fig.7
mandibularis Perty, 1832: 84
maxillosa Laporte, 1840: 387
lineolata Gory in Guérin-Méneville, 1844: 207
grandis Thomson, 1861: 79
columbica Thomson, 1861: 80
barbata Thomson, 1861: 95
occipitalis Thomson, 1867: 108
obsolescens Casey, 1912: 217
var. *translucida* Zikán, 1948: 37
lucida Zikán, 1948: 36
laevis Latreille, 1804: 253

humboldti (Santos-Silva, 2003: 123)
minuscula Zikán, 1948: 38
costalimai Zikán, 1948: 38
itatiayaensis Zikán, 1948: 39
monnei (Santos-Silva, 2001: 229)
separanda Zikán, 1948: 33
laevicollis Zikán, 1948: 33
zellibori Zikán, 1948: 34
solisi (Santos-Silva, 2007: 2)
thomasi (Santos-Silva, 2002: 955)
ubirajarai (Santos-Silva, 2001: 216)

Colombia, eEcuador, Peru
 Brazil (MG, RJ, SP)

Brazil (SP, RJ, SC)
 Brazil

Costa Rica, Panama
 Bolivia (SC)
 Brazil (SP, RJ, MG, SC)

Parandra (Tavandra) Santos-Silva, 2003: 125

brachyderes Lameere, 1902: 71
brevicollis Lameere, 1902: 70
galapagoensis Van Dyke, 1953: 127
colombica White, 1853: 3
gyllenhalii Thomson, 1867: 110
guianensis (Tavakilian, 2000: 168)
lalanecassouorum (Tavakilian, 2000: 165)
letiranti Santos-Silva & Vigneault, 2022: 74
longicollis Thomson, 1861: 83
gracillima Bates, 1869: 38
polita Say, 1835: 192
cylindrica Thomson, 1861: 82
santossilvai Lingafelter & Tishechkin, 2017: 403
scaritoides Thomson, 1861: 82
solangeae (Santos-Silva, 2003: 394)
villei Lameere, 1885: 3

Mexico (MI, CM)
 wEcuador, Galapagos Is

Nicaragua - Colombia, Venezuela, Ecuador

French Guiana
 French Guiana
 Peru (Junin)
 Mexico-Argentina, Bolivia (SC)

scUSA (LA, TX, VA, CO), Mexico-Bolivia (SC)

Bolivia (SC)
 Colombia
 Venezuela
 Honduras, Colombia, Venezuela, Ecuador

Prioninae Latreille, 1802: 212

Anacolini Thomson, 1857: 10

Allaiocerus Galileo, 1987: 618

metallicus Galileo, 1987: 619

Brazil (AM)

Anacolus Berthold, 1827: 395

Anacholus Gistel, 1848a: 427 [UE]

Geoprionus Lameere, 1890: cxxi

sanguineus (Lepeletier & Audinet-Serville in Latreille, 1825: 200) Costa Rica, Panama, Brazil (RJ)
lugubris Lepeletier & Audinet-Serville in Latreille, 1825: 200
praeustus Perty, 1832: 87
bimaculatus Ménéttriés, 1838: 130
lividus Ménéttriés, 1838: 131
nigricollis Ménéttriés, 1838: 131
menetriesi Buquet, 1840: 254
scapularis Buquet, 1840: 254
variabilis White, 1853: 23
nigrinus White, 1853: 24
melanocerus White, 1853: 24
xanthocerus White, 1853: 24
syntheticus Lameere, 1890: cxxii

Atrocolus Monné & Monné, 2008: 215

guarani Monné & Monné, 2011: 1859

mariahelene Monné & Monné, 2008: 216

Paraguay
 Brazil (BA)

- Biribellus** Galileo, 1987: 528
isabelae Santos-Silva, Hernandez & Galileo, 2018: 134
huedepohli (Galileo, 1987: 531)
martinsi Galileo, 1987: 529
punctatus Galileo, 1987: 531
 Peru (Loreto)
 French Guiana
 Brazil (RO), Peru
 Brazil (AM)
- Calloctenus** White, 1850: 12
pulcher White, 1850: 12
 var. *nigripennis* White, 1853: 58
 Colombia, Venezuela
- Chariea** Audinet-Serville, 1832: 197
birai Monné & Monné, 2015: 79
cyanea Audinet-Serville, 1832: 198
lepesmei Tippmann, 1956: 759
longispina Galileo & Martins, 1990: 41
 Peru
 French Guiana, Brazil (AM), Bolivia (LP)
 French Guiana
 French Guiana, nBrazil (PA)
- Cycloprionus** Tippmann, 1953: 200
flavus Tippmann, 1953: 202
ornatus Lane, 1972: 353
 French Guiana, Brazil (AM), Peru
- Episacus** Waterhouse, 1880: 291
pilosicollis Waterhouse, 1880: 291
 Colombia, Ecuador
- Flabellomorphus** Galileo & Martins, 1990: 44
longus Galileo & Martins, 1990: 45
 French Guiana, Brazil (AM)
- Galileoana** Chemsak, 1998: 24
opaca Chemsak, 1998: 25
 Mexico (TA)
- Homoeomyzo** Galileo, Komiya & Santos-Silva, 2018: 283
katsurai Galileo, Komiya & Santos-Silva, 2018: 285
 Venezuela (Merida)
- Hovorelus** Galileo & Monné, 2003: 38
adictus Galileo & Martins, 2010: 35
splendidus Galileo & Monné, 2003: 39
 Costa Rica (SJ)
 Peru, Bolivia (LP)
- Motilon** Botero, Galileo & Santos-Silva, 2019: 738
hirsutumidus Botero, Galileo & Santos-Silva, 2019: 740
 Colombia (Santander)
- Myzomorphus** Sallé, 1850: 429
Udeteromorphus Tippmann, 1960: 99
amabilis (Tippmann, 1960: 101)
 Bolivia (CO), Brazil (MG)
- flavipes* Galileo, 1987: 595
gounellei Lameere, 1912: 98
herteli Gilmour, 1960: 21
poultoni Lameere, 1912: 98
quadripunctatus (Gray in Griffith, 1831: pl.70, fig.1)
birai Bezark, Galileo & Santos-Silva, 2016: 14
necydaloidea Thomson, 1864: 279
pygmaeus Buquet, 1840: 254
quadrinotatus Gory, 1832: pl.31
quadrinotatus Ménétériés, 1838: 131
scutellatus Sallé, 1850: 429
scutellatus var. *apicalis* White, 1853: 25
scutellatus var. *bicolor* White, 1853: 26
scutellatus var. *plagiatus* White, 1853: 25
 Brazil (ES)
 Brazil (MG, RJ, SP)
 Colombia
 Brazil
 Costa Rica, Colombia, Venezuela, Trinidad & Tobago,
 French Guiana, Brazil (AM, BA-SC), wEcuador

scutellatus var. *scapularis* White, 1853: 25
scutellatus var. *thoracicus* White, 1853: 26
scutellatus var. *unicolor* White, 1853: 25
sparsimflabellatus Zajciw, 1963: 55 Brazil (RJ, SP)

Nicias Thomson, 1857: 136 [URN]

Hamadryades Thomson, 1857: 22 [wJH; not *Hamadryas* Hübner, 1806, Lepidoptera]
alurnoides (Thomson, 1857: 23) Guianas, Suriname, Trinidad & Tobago, nwBrazil (AM)

Nocalusa Santos-Silva & Galileo, 2018: 140

prodigiosa Santos-Silva & Galileo, 2018: 142 Bolivia (LP)
santossilvai Delahaye, 2019: 1 Colombia (Boyaca)

Oideterus Thomson, 1857: 15

Udeterus Thomson, 1858: 515
Temnesthes Bates, 1875: 51
andrarius (Galileo, 1987: 562) Colombia
birai Galileo, Komiya & Santos-Silva, 2018: 281 Colombia (Boyacá)
buquetii Thomson, 1857: 16 Colombia, Ecuador
crenatocerus (Galileo, 1987: 563) Costa Rica (SJ), Ecuador
dichotomus (Galileo, 1987: 565) Colombia (Antioquia), wEcuador
ecuadorensis Vlasak & Santos-Silva, 2022: 543 Ecuador (Azuay)
elegans (Waterhouse, 1880: 290) wEcuador (Morona-Santiago, Napo)
farallonensis Ascuntar-Osnas, 2018: 189 Colombia (Valle de Cauca)
inaequalis Galileo & Santos-Silva, 2015: 397 Ecuador
latithorax Botero, Galileo & Santos-Silva, 2019: 745 Colombia (Cauca)
leoninus Vlasak & Santos-Silva, 2022: 539 Ecuador (Azuay)
lobicollis (Bates, 1875: 52) Colombia
magnificus (Galileo, 1987: 567) Costa Rica, Panama
niger Botero, Galileo & Santos-Silva, 2019: 747 Colombia (Meta)
pallidus (Galileo, 1987: 569) Colombia
tibiaprocerus Botero, Galileo & Santos-Silva, 2019: 742 Colombia (Valle de Cauca)

Otheostethus Bates, 1872: 169

disjunctus Galileo, 1987: 517 Brazil (AM)
imposter Botero, Galileo & Santos-Silva, 2019: 748 Colombia (Cauca), W Ecuador
melanurus Bates, 1872: 170 Nicaragua, Costa Rica

Piesacus Galileo, 1987: 494

exiguus Galileo, 1987: 497 Colombia
magnus Galileo, 1987: 501 Colombia

Poekilosoma Audinet-Serville, 1832: 184

Poecilosoma: Laporte, 1840: 411 [ISS]
Ceroctenus Audinet-Serville, 1832: 196
Traulotes Gistel, 1848: 427 [UE]
carinatipenne Lane, 1941: 152 Brazil (PE, ES)
ornatum (Dalman, 1823: 62) Brazil (BA-RJ)
gagatinum Germar, 1823: 504
ornatipenne Audinet-Serville, 1832: 185
maculipenne Audinet-Serville, 1832: 186
abdominalis Audinet-Serville, 1832: 197
flamiger Perty, 1832: 87
semirufum Newman, 1838: 492
rufipenne Blanchard, 1843: 207
flaviventris Buquet in Guérin-Méneville, 1844: 215
unicolor Guérin-Méneville, 1844: 215
equestris Guérin-Méneville, 1844: 215
latifascia White, 1853: 58
mixtus White, 1853: 58

Prionapterus Guérin-Méneville, 1831: pl.42, fig.10*Halycidocrius* Berg, 1881: 62**breyeri** Bruch, 1929: 205

Paraguay, Argentina (MI)

staphylinus Guérin-Méneville, 1831: pl.42, fig.10

Paraguay, Argentina (BA, CD)

staphylinus: Guérin-Méneville in Audinet-Serville, 1832: 200 [ISS]*flavipennis* Guérin-Méneville in Audinet-Serville, 1832: 201*philippii* Berg, 1881: 64*philippii* var. *schulzi* Bruch, 1908: 202*staphylinus* var. *wagneri* Gounelle, 1911: 320*staphylinus* var. *schaeferi* Bosq, 1947: 293**suspectus** Galileo & Martins, 1990: 48

Paraguay

travassosi Lane, 1938: 263

Brazil (MS)

woltersi Bruch, 1925: 207

Argentina (CA)

Rhachicolus Galileo, 1987: 508**cristatus** Galileo, 1987: 510

Venezuela

Rhodocharis Lacordaire, 1868: 49**anacoloides** Lacordaire, 1868: 50

Brazil (RJ)

var. *bicolor* Tippmann, 1953: 204**Ucai** Galileo & Martins, 2009: 93**letiziae** Santos-Silva, 2014: 214

Brazil (MG)

nascimentoi Galileo & Martins, 2009: 95

Brazil (SP)

Xanthonicias Galileo, 1987: 511**prostrata** Galileo, 1987: 513

Brazil (AM, PA), Peru

Callipogonini Thomson, 1861: 323*Callipogonitae* Thomson, 1861: 293 (key), 323*Enoploceritae* Thomson, 1864: 290*Orthomegitae* Thomson, 1864: 294*Anacanthini* Thomson, 1864: 285*Ctenoscelinae* Pascoe, 1869: 661**Apotrophus** Bates, 1875: 48*Paranaecus* Thomson, 1877: 269**simplicicollis** Bates, 1875: 49

Brazil (SP, PR)

olivieri Thomson, 1877: 270**Callipogon (Callipogon)** Audinet-Serville, 1832: 140**barbatum** (Fabricius, 1781: 208)

Guatemala-Panama

var. *ornatum* Bates, 1879: 5*hauseri* Nonfried, 1892: 20*friedlaenderi* Nonfried, 1892: 22**beckeri** Lameere, 1904: 56

Mexico (DU, NA)

lemoinei Reiche, 1840: 275

Honduras-Colombia, Venezuela, Ecuador,

var. *kraatzi* Nonfried, 1890: 19

Peru

levchenkoi Srkrylnik, 2020: 128

Nicaragua (Nueva Segovia)

senex Dupont, 1832: pl.33

Mexico (GU, PU, VC)-El Salvador, Honduras

barbatum: Audinet-Serville, 1832: 142 [Mld; not Fabricius, 1781]**Callipogon (Callomegas)** Lameere, 1904: 64**limonovi** Titarenko, 2017: 155

Dominican Republic

proletarium Lameere, 1904: 66

Puerto Rico, Martinique

subsp. **shulzhenko**i Titarenko, 2017: 153

Cuba

sericeus (Olivier, 1795: [no 66] 16)

Cuba, Puerto Rico, Hispaniola

Callipogon (Dendroblaptus) Chevrolat, 1864: 179**barbiflavum** Chevrolat, 1864: 180

Cuba, Bahamas

Chorenta Gistel, 1848: viii*Anacanthus* Audinet-Serville, 1832: 165 [JH; not Gray, 1830, Actinopterygii [Pisces]]**biramiguelus** (Santos-Silva, 2004: 281)

Brazil (MT, RO), Peru

espiritosantensis (Seabra, 1941: 369)

Brazil (ES)

leonardi Audureau & Demez, 2013: 46

Peru (Huanuco)

reticulatus (Dalman in Schoenherr, 1817: 147)

Brazil (MG-RS), Bolivia (LP, SC), Argentina

costatus Audinet-Serville, 1832: 166**toulgoeti** Dalens, Touroult & Tavakilian, 2010: 215

French Guiana, Suriname, Brazil (AP)

Ctenoscelis Audinet-Serville, 1832: 134**acanthopus** (Germar, 1823: 467)

Brazil (BA-RS), Paraguay, Argentina

ater (Olivier, 1795: [no 66] 11)

Venezuela, Guianas, Brazil (AP), Ecuador

coeus (Perty, 1832: 86)

French Guiana, Brazil, Bolivia

dyrrhacus Buquet, 1843: 235*nausithous* Buquet, 1843: 236**Cubaecola** Lameere, 1912: 164**hoploderoides** Lameere, 1912: 164

Cuba

Enoplocerus Audinet-Serville, 1832: 146*Oenoplocerus* Gistel, 1848: 425 [UE]**armillatus** (Linnaeus, 1767: 622)

Costa Rica, Panama, South America (widely distributed)

octodentatus Schoenherr, 1817: 342*gigas* Csiki, 1909: 343**Hephialtes** Thomson, 1864: 285**mourei** Santos-Silva, 2004: 35

Brazil (PN, SP, RJ, SC)

ruber (Thunberg, 1822: 305)

Guadeloupe, French Guiana, Brazil

tricastatus Thomson, 1864: 286*badium* Thomson, 1865: 577**touroulti** Delahaye, 2020: 71

Guadeloupe, Jamaica

Orthomegas Audinet-Serville, 1832: 149**cinnamomeus** (Linnaeus, 1758: 389)Hispaniola, Trinidad, Colombia, Venezuela, Guianas,
Brazil, Ecuador, Peru, Bolivia (BN, LP, SC)*mucronatus* Fabricius, 1775: 160*cinctus* Voet, 1778: 16 [NN]*corticinus* Olivier, 1790: 294*spadiceus* Dalman in Schoenherr, 1817: 148*corticanum*: Williams, 1929: 145 [ISS for *corticinus*, Olivier, 1790]**folschveileri** Audureau, 2011: 82

Mexico (Guerrero)

fragosoi (Bleuzen, 1993: 19)

Guatemala, Nicaragua, Costa Rica, Panama

frischeiseni (Lackerbeck, 1998: 518)

Brazil, Peru, Bolivia (BN)

haxairei (Bleuzen, 1993: 19)

Colombia, Ecuador, Peru

irroratus (Lameere, 1915: 55)

Colombia (Magdalena), Ecuador (Loja)

jaspideus Buquet in Guérin-Méneville, 1844: 212

Brazil (PE-RS), Paraguay, Argentina

marechali (Bleuzen, 1993: 18)

Nicaragua, Costa Rica, Panama, Colombia

maryae (Schmid, 2011: 247)

French Guiana

monnei (Bleuzen, 1993: 18)

Mexico (VC, QR), Costa Rica

pehlkei (Lameere, 1904: 60)

Colombia, Peru

similis Gahan, 1894: 223

Brazil (BA-SC), Peru

joinvillei Ribeiro, 1935: 417**sylvainae** Audureau, 2011: 75

French Guiana, Venezuela (Aragua)

Navosoma Blanchard, 1843: 206*Naosoma* Gemminger & Harold, 1872: 2763 [UE]**luctuosum** (Schoenherr, 1817: 346)

Brazil (BA-RS), Paraguay, Argentina

huberti Buquet, 1840: xxviii

Uruguay

triste Blanchard, 1843: 206*blanchardii* Thomson, 1877: 270

Parachorenta Delahaye & Santos-Silva, 2016: 2
demezi Delahaye & Santos-Silva, 2016: 2

Peru (Junin)

Seticeros Perger & Santos-Silva, 2010: 30
aquilus (Thomson, 1865: 577)
convergens Vlasak & Santos-Silva, 2021: 1
granulocephalus Ramirez, Esteban & Santos-Silva, 2011: 109
tunupai Perger & Santos-Silva, 2010: 32

Colombia, Bolivia
 Ecuador (Pichincha)
 Costa Rica (SJ), Panama (Bocas del Toro)
 Bolivia (LP)

Spiloprionus Aurivillius, 1897: 241
sericeomaculatus Aurivillius, 1897: 242

Bolivia

Stictosomus Audinet-Serville, 1832: 153
Ergates Gistel, 1848: xi [UE / JH; not Audinet-Serville, 1832]
semicostatus Audinet-Serville, 1832: 154

French Guiana, Brazil (AM, PA), Ecuador

Calocomini Galileo & Martins, 1993: 81

Calocomus Audinet-Serville, 1832: 194
Alyce Gistel, 1848: 427 [UE]

desmaresti (Guérin-Ménéville, 1831: pl.42, fig.8)
hamatiferus Lacordaire in Audinet-Serville, 1832: 195
lunuliferus Drapiez, 1837: 53
bravardi Burmeister, 1865: 314
desmaresti caripariensis Tippmann, 1960: 97
 ab. *bimaculatus* Tippmann, 1960: 96
 ab. *conjunctus* Tippmann, 1960: 97
 ab. *melancholicus* Tippmann, 1960: 96

Bolivia (SC), Paraguay, Argentina (JU-LP)

kreuchelyi Buquet, 1840: 142
lycius Buquet, 1840: 142

Colombia

morosus White, 1850: 11
coriaceus Fairmaire, 1864: 270

Brazil (MS, GO, MG, SP), Bolivia (SC), Paraguay,
 Argentina (JU-RN)

rodingeri Tippmann, 1951: 304
rugosipennis Lucas, 1857: 181

Peru, Bolivia
 Brazil, Argentina

Ergatini Fairmaire in Jacquelin du Val, 1864: 117

Trichocnemis LeConte, 1851: 110
pauper (Linsley, 1957: 5)
spiculatus spiculatus LeConte, 1851: 110
californica White, 1853: 37
spiculigera White, 1853: 39
 subsp. **neomexicanus** (Casey, 1890: 491)
 var. *marmoratus* Cockerell, 1890: 161

swUSA (CA)
 wNorth America

 wcUSA, Mexico (BC)

Macrodoniini Thomson, 1861: 324

Macrodonitae Thomson, 1861: 294 (key), 324
Acanthinoderitae Thomson, 1864: 294
Ancistrotides Lacordaire, 1868: 56 (key)

Acalodegma Thomson, 1877: 261
Acadolegma: Lameere, 1919: 94 [ISS]
servillei (Blanchard in Gay, 1851: 452)
marginipennis Fairmaire, 1864: 270
bihamata Bates, 1869: 43
vidali Elgueta & Cerda, 2002: 12

Chile, Argentina (ME)

Chile

Acanthinodera Hope, 1834: 106 [NP]*Amallopodes* Lequien, 1833: [unpag. Classe IX, N° 74] [NO]*Malloderes* Dupont, 1835: pl.125*Malloderus*: Drapiez, 1841: 56 [ISS of *Malloderes* Dupont, 1835]**cumingii** Hope, 1834: 105

Chile

scabrosus Lequien, 1833: pl.74*mercurius* Erichson in Meyens, 1834: 266*microcephalus* Dupont, 1835: pl.125**Ancistrotus** Audinet-Serville, 1832: 135**aduncus** Buquet, 1853: xxiv

Brazil (ES, MG, RJ)

uncinatus (Klug, 1825: 454)

Brazil (MG-SC)

hamaticollis Audinet-Serville, 1832: 137**Chalcoprionus** Bates, 1875: 273**badeni** Bates, 1875: 274

Colombia (Antioquia, Cauca)

Macrodonia Lacordaire, 1830: 171*Macrodonia*: Gistel, 1848: 424 [ISS]**antonkozlovi** Santos-Silva, 2016: 126

Peru, Bolivia (LP)

batesi Lameere, 1912: 166

Guatemala-Panama

dejeani: Bates, 1879: 5 [Mld; not Gory, 1839]*dejeani borgmeieri* Tippmann, 1953: 190*laevis* Pouillaude, 1915: 46**castroi** Marazzi, Pavisi & Marazzi, 2008: 8

Guatemala, Honduras

cervicornis (Linnaeus, 1758: 38)

Colombia, Guianas-sBrazil, Peru, Bolivia (BN, SC),

cervicornis melzeri Tippmann, 1953: 188

eEcuador

crenata (Olivier, 1795: [No 66] 27)

Colombia, Venezuela, Fr Guiana, Suriname, Peru,

quadriscopinosus Schoenherr, 1817: 346 [URN]

Bolivia (CO, SC), Brazil

castanea Blanchard, 1848: 210*ehrenreichi* Kolbe, 1894: 42**dejeanii** Gory, 1839: 127

Colombia-Bolivia

flavipennis Chevrolat, 1833: 65

Brazil (BA-RS, GO), Paraguay, Argentina

impressicollis Blanchard, 1848: 210**itayensis** Simoens, 2006: 1

Peru

jolyi Bleuzen, 1994: 26

Venezuela

marechali Bleuzen, 1990: 9

Colombia, Ecuador

mathani Pouillaude, 1915: 44

wEcuador

zischkai Tippmann, 1960: 92

Brazil (AC), Peru, Bolivia

cambeforti Bleuzen, 1990: 9**Macrotomini** Thomson 1861: 312, not Laporte, 1832*Macrotomitae* Thomson, 1861: 290 (key), 312*Mallodonitae* Thomson, 1861: 318*Stenodontines* Lameere, 1902: 63*Prinobiini* Vives, 2000: 84**Allomallodon** Santos-Silva & Galileo, 2010: 66**bolivianus** Wappes & Santos-Silva, 2019: 2

Bolivia (SC)

hermaphroditus (Thomson, 1867: 103)

Colombia

popelairi (Lameere, 1902: 83)

Peru, Bolivia (SC)

Aplagiognathus Thomson, 1861: 320**hybostoma** Bates, 1879: 8

Mexico (GR, CH, OA), Guatemala, Honduras

spinosus (Newman, 1840: 194)

Mexico (ME, TL, OA, PU, VC), Guatemala

Archodontes Lameere, 1903: 216*Paramallus* Casey, 1912: 227**melanopus melanopus** (Linnaeus, 1767: 623)

seUSA (FL-TX)

cilipes Say, 1824: 328*simplicicollis* Haldeman, 1847: 30

- simplicicollis* var. *biimpressum* Haldeman, 1847: 30
 subsp. **aridus** Casey, 1924: 224 swUSA (CA, AZ), Mexico (BC)
 subsp. **serrulatus** (LeConte, 1854: 82) scUSA, Mexico
serratus: Thomson, 1867: 91 [ISS]

Basitoxus Audinet-Serville, 1832: 174

- Timandra* Gistel, 1848: 427 [UE]
Basitaxus: Desmarest in Chenu, 1860: 307 [ISS]
Baseotoxus Gemminger & Harold, 1872: 2768 [UE]
megacephalus (Germar, 1823: 468) Brazil (BA-RJ)
armatus Audinet-Serville, 1832: 175

Chiasmetes Pascoe, 1867: 411

- Chiasmus* Thomson, 1861: 318 [JH; not Mulsant & Rey, 1855, Hemiptera]
limae (Guérin-Méneville in Duperrey, 1830: 128) Ecuador, Peru, Chile
melitaeques Blanchard, 1843: 206
gracilicornis Buquet in Guérin-Méneville, 1844: 215

Curitiba Lameere, 1903: 26

- brunni** (Lameere, 1903: 26) Brazil (MT, PR-RS), Paraguay
scheerpeltzi Tippmann, 1953: 182

Hisarai Santos-Silva & Martins, 2005: 393

- seripierriae** (Santos-Silva & Martins, 2003: 255) Brazil (MT, AM)

Hovorodon Santos-Silva, Swift & Nearn, 2010: 21

- bituberculatus** (Palisot de Beauvois, 1819: 216) Dominican Republic, Cuba, West Indies
carptor Chevrolat, 1862: 273 Virgin Islands, Puerto Rico, Haiti,
hornebecki Chevrolat, 1862: 273 Saint Johns, Guadeloupe
maxillosus (Drury, 1773: 133) West Indies
santacruzensis (Santos-Silva & Hovore, 2004: 51) Bolivia (SC)
subcancellatus (Thomson, 1867: 102) Brazil

Ialyssus Thomson, 1864: 296

- Ialyssus*: Gemminger & Harold, 1872: 2763 [ISS]
tuberculatus (Olivier, 1795: [no 66] 20) Guianas, Brazil (AM, MA, PA)

Mallodon Lacordaire, 1830: 171

- Opheltes* Thomson, 1864: 306
Orthomallodon Linsley, 1957: 3
baiulus (Erichson, 1847: 138) Colombia, Venezuela, Fr Guiana, eEcuador,
occipitale Thomson, 1867: 93 Brazil, Peru, Bolivia (BN, CO, LP, SC)
columbianum Thomson, 1867: 98
chevrolatii chevrolatii Thomson, 1867: 94 Mexico-Colombia, Venezuela, Peru, Ecuador
 subsp. **galapagoensis** (Mutchler, 1938: 11) Galapagos Is (S. Cruz)
 subsp. **glabratus** (Linsley & Chemsak, 1966: 206) Galapagos Is (S. Cristobal)
 subsp. **vandykei** (Linsley & Chemsak, 1966: 206) Galapagos Is (Isabela)
dasystemus dasystemus (Say, 1823: 326) sUSA, Mexico-Colombia
costulata LeConte, 1851: 111
degeneratum Thomson, 1867: 95
debile Casey, 1912: 222
melanopus: Haldeman 1847: 30 [Mld; not Linnaeus, 1767]
spinibarbe: Haldeman 1847: 31 (Mld; not Linnaeus, 1758)
masticator Thomson, 1867: 99
angustatum Thomson, 1867: 100
guatemalensis Casey, 1912: 227
mandibularis Lackerbeck, 1998: 517 [JpH; not Gemminger, 1872]
baroni Casey, 1912: 223
socorrensis Linsley & Chemsak, 1966: 251
linsleyi Frago and Monné, 1995: 220 Peru
spinibarbis (Linnaeus, 1758: 390) Mexico-Argentina, Fr Guiana, Brazil (RO, MA, PI),
frangens Voet, 1778: 2 Bolivia (TR), introduced in Spain

- miles* Voet, 1778: 2
maxillosus Olivier, 1795: [no 66] 16
dentatus Fabricius, 1801: 263
similis Schoenherr, 1817: 345
gagatinus Germar, 1823: 468
germarii Thomson, 1867: 100
bonariense Thomson, 1867: 99
orbigny Thomson, 1867: 101
vermiculatus Hovore & Santos-Silva, 2004: 49
- Panama
- Mallodonhoplus** Thomson, 1861: 320
Mallodonoplus Gemminger & Harold, 1872: 2768 [UE]
nobilis Thomson, 1861: 321
- Colombia, Venezuela
- Mallodonopsis** Thomson, 1861: 317
mexicana Thomson, 1861: 317
serrata Thomson, 1861: 317
- Mexico-Colombia, Venezuela, Ecuador
- Mecosarthron** Buquet, 1840: 172
buphagus Buquet, 1840: 172
domingoensis (Fisher, 1932: 1)
gounellei (Lameere, 1903: 135)
tritomegas Lameere, 1920: 137
- Brazil (BA-PR)
Dominican Republic
Brazil (BA)
Brazil
- Neoma** Santos-Silva, Thomas & Wappes, 2011: 2
corrosa (Bates, 1879: 7)
- Mexico-Panama
- Neomallodon** Linsley, 1957: 2
arizonicus (Casey, 1912: 228)
remotus Linsley, 1934: 161
- swUSA (AZ), Mexico (SO, JA)
- Nothopleurus** Lacordaire, 1868: 125
castaneum (Casey, 1924: 225)
madericus (Skiles, 1978: 414)
arizonicus: Hovore & Giesbert, 1976: 350 [Mld; not Casey, 1912]
serratus (Thomson, 1865: 578)
lobigenis Bates, 1884: 235
gnatho LeConte, 1858: 81 [JpH; not White, 1853]
mandibulare Gemminger, 1872: 254 [RN for gnatho LeConte, 1858]
dentiger Leng, 1884: 9
komiya Santos-Silva & Martins, 2005: 394
subsulcatus (Dalman, 1823: 63)
gnatho White, 1853: 45
ebeninus Lacordaire, 1868: 125
- Mexico (BCN, BC)
swUSA (AZ), Mexico (CHA)
swUSA (CA, AZ), Mexico
- Mexico (YU), Honduras
- Parastrongylaspis** Giesbert, 1987: 147
linsleyi Giesbert, 1987: 148
thomasi Giesbert, 1992: 155
- Mexico (VC), Guatemala, (HU), Costa Rica
Mexico (CHS, VC), Guatemala (Huehuetenango)
- Physopleurus** Lacordaire, 1868: 120
Basitoxus (*Parabasitoxus*) Fragoso & Monné, 1995: 721
amazonicus (Fragoso & Monné, 1995: 723)
antonkozlovi Santos-Silva & Botero, 2016: 797
crassidens (Bates, 1869: 45)
dohrnii Lacordaire, 1868: 121
erikae Santos-Silva & Martins, 2009: 97
exiguus Santos-Silva & Martins, 2003: 248
longiscapus Lameere, 1912: 127
maillei Audinet-Serville, 1832: 175
mallei: Redtenbacher, 1867: 202 [ISS]
- Fr Guiana, Brazil, Peru, Bolivia (SC)
Colombia
French Guiana, Brazil (AM, RO, MT), Peru
Venezuela
Colombia
Brazil (MG), Bolivia (SC)
Peru, Colombia, Ecuador, Brazil, Bolivia (CO)
Brazil, Paraguay, Argentina

- rafaeli** Santos-Silva, 2006: 266
rugosus Gahan, 1894: 224
swifti Chalumeau, 2010: 113
tritomicrus Lameere, 1912: 126
ubirajarai Delahaye & Tavakilian, 2015: 131
villardi Lameere, 1902: 87
guatemalensis Casey, 1912: 227
maxillosus: Bates in Whympers, 1891: 37 [Mld; not Drury, 1773]

Brazil (AM)
 French Guiana, Brazil (AM, AP, PA)
 French Guiana, Brazil (AM, MA, RO)
 French Guiana
 Guatemala?, eEcuador, Peru

Protorma Waterhouse, 1880: 288

- costifer** (Thomson, 1877: 275)
scabrosa Waterhouse, 1880: 289
recurvatum Williams, 1929: 143

nSouth America, French Guiana

Stenodontes Audinet-Serville, 1832: 173

- chevolati** Gahan, 1890: 21
cubensis Casey, 1912: 224
parallelus Casey, 1912: 225
damicornis Chevrolat, 1862: 273 (not Linnaeus, 1771)
exsertus Horn, 1880: xvii (not Olivier, 1795)
mandibularis Leng, 1884: 9 (not Fabricius, 1801)
damicornis (Linnaeus, 1771: 532)
crenulatus Drury, 1773: 86
melanopus Drury & Westwood, 1837: 82
obesus Thomson, 1865: 578
exsertus (Olivier, 1795: [no 66] 17)
mandibularis Fabricius, 1801: 261
laevigatus Palisot de Beauvois, 1820: 227

seUSA (FL), Cuba, Puerto Rico, Bahamas

Jamaica, Puerto Rico

Puerto Rico, Hispaniola

Strongylaspis Thomson, 1861: 313

- antonkozlovi** Galileo & Santos-Silva, 2018: 2
aureus Monné & Santos-Silva, 2003: 33
batesi Lameere, 1903: 34
bolivianus Monné & Santos-Silva, 2003: 36
bullatus Bates, 1872: 167
championi Bates, 1884: 233
christianae Monné & Santos-Silva, 2003: 42
corticarius (Erichson in Schomburg, 1848: 571)
scobinatus Thomson, 1861: 313
scobinatus var. *belti* Bates, 1884: 233
lobulifer Bates, 1892: 145
gramreta Gilmour, 1956: 30
dohrni Lameere, 1903: 30
fryi Lameere, 1912: 133
graniger Bates, 1884: 233
hirticollis Tippmann, 1953: 183
kraepelini kraepelini Lameere, 1903: 28
 subsp. **parvula** Linsley & Chemsak, 1966: 209
macrotomoides Tippmann, 1953: 186
migueli Monné & Santos-Silva, 2003: 38
sericans Tippmann, 1953: 184
sericeus Zajciw, 1970: 2

Honduras
 Brazil (AM)
 Brazil (ES-SP), Paraguay, Argentina
 Bolivia (LP, SC)
 Mexico, Guatemala-Costa Rica
 Mexico (JA, GU, RQ, YU), Guatemala, Costa Rica
 Brazil (MG, SC, AM), Peru, Bolivia (SC)
 seUSA (FL?), Mexico-Panama, Cuba,
 Jamaica, Dominica, nSAmer

Mexico
 Brazil (MT)
 Panama
 Colombia
 wEcuador
 Galapagos Is
 Colombia
 Brazil (RO, MG), Ecuador
 Colombia
 Brazil (ES)

Xixuthrus Thomson, 1864: 296

- domingoensis** Fisher, 1936: 1

Hispaniola

Mallaspini Thomson, 1861: 302*Mallaspitae* Thomson, 1861: 286 (key), 302*Pyrodini* Harold, 1879: 165 (key), 174 (nomen nudum)**Charmallaspis** Galileo & Martins, 1992: 319**pulcherrima** (Perty, 1832: 86)

Colombia, Venezuela, eEcuador, Brazil (AM, RO, PA, MT), Peru, Bolivia (SC)

fastuosus Erichson, 1847: 139*heterocerus* Erichson, 1847: 139*petalocerus* White, 1853: 50*antennatus* White, 1853: 51*formosus* Bates, 1869: 51**smithiana** (White, 1850: 12)

Brazil (PA)

Esmeralda Thomson, 1861: 303**coerulea** (Schoenherr, 1817: 346)

Guyana, French Guiana, Brazil (AM, AP, PA)

columbinus Guérin-Méneville, 1844: 214*suavis* Thomson, 1861: 304*laetificus*: Melzer, 1919: 123 [Mld; not Bates, 1869: 56]**costulata** Bates, 1891: 158

Guyana, Brazil (AM, PA, MG)

laetifica Bates, 1869: 56

Guyana, French Guiana, Brazil (AM, RO), Peru

polita (Fragoso & Monné, 1988: 135)

Brazil (RO)

Hileolaspis Galileo & Martins, 1992: 395**auratus** (Linnaeus, 1758: 395)Venezuela, Guianas, Brazil (AM, MT, GO),
Peru, Bolivia (CO, LP, SC), Paraguay*bifasciatus* Linnaeus, 1767: 624*amazon* Voet, 1778: 3*amazonus* Fabricius, 1801: 262*nigricornis* Guérin-Méneville, 1855: 598*rubrozonatus* Lucas, 1857: 180*gratiosus* Bates, 1869: 51*nodicornis* Bates, 1869: 53*dispar* Bates, 1869: 54*candezei* Lameere, 1885: xii*insignis* Nonfried, 1894: 136**Insuetaspis** Galileo & Martins, 1992: 323**paradoxus** (Bates, 1869: 383)

Nicaragua, Costa Rica, Panama

insignis Bates, 1884: 238**Mallaspis** Audinet-Serville, 1832: 188*Ulpio* Gistel, 1848: 427 [UE]**scutellaris** (Olivier, 1795: [66] 14)Colombia, Venezuela, Guianas, eEcuador, Peru,
Brazil (AM, PA, MT), Bolivia (SC)*buckleyi* Waterhouse, 1880: 290**Oropyrodes** Galileo & Martins, 1992: 317**maculicollis** (Bates, 1891: 158)

Mexico (CHA, DU, SI, ZA)

Poecilopyrodes Galileo & Martins, 1992: 381**pictus** (Perty, 1832: 85)

Brazil (BA-SP), Bolivia

Praemallaspis Galileo & Martins, 1992: 306**argodi** (Lameere, 1909: 51)

Costa Rica (GU), Colombia

bourgoini Lameere, 1909: 52 (part, male)**batesi** (Lameere, 1909: 50)

wEcuador

inca Galileo & Martins, 1992: 316

Peru

leucaspis (Guérin-Méneville, 1844: 214)

Brazil (PR-RS), Argentina, Uruguay

rhombodera (Bates, 1879: 10)

Nicaragua, Costa Rica, Panama, Colombia, Venezuela

xanthaspis (Guérin-Méneville, 1844: 214)
bourgoini Lameere, 1909: 52 (part, female)

Colombia

Pyrodes Audinet-Serville, 1832: 186

nitidus (Fabricius, 1787: 128)
speciosus Olivier, 1795: [no 66] 31
angulatus Olivier, 1795: [no 66] 31
pallasii Germar, 1823: 469
aeneus Buquet, 1860: 618
speciosus var. *cupripennis* Heyne & Taschenberg, 1907: 238

Brazil (AL-RS), Paraguay, Argentina

Scatopyrodes Galileo & Martins, 1992: 326

angustus (Taschenberg, 1870: 193)
praecellens Bates, 1871: 376
aspericornis Haller & Delahaye, 2018: 98
beltii beltii (Bates, 1869: 49)
salvini Bates, 1869: 49
subsp. **fryi** (Lameere, 1909: 46)
iris (Bates, 1884: 237)
gounellei Lameere, 1912: 172
lampros (Bates, 1884: 236)
longiceps (White, 1853: 52)
moreletii (Lucas, 1851: lxxv)
samiatus Galileo & Martins, 1992: 381
tenuicornis tenuicornis (White, 1850: 11)
angusticollis Lucas, 1857: 179
subsp. **marginatus** (White, 1853: 49)
marginalis: Buquet, 1853: xlv [ISS]
cervicalis Casey, 1912: 256
trichostethus (Bates, 1879: 11)
vietus Galileo & Martins, 1992: 335

Costa Rica-Panama, Colombia, wEcuador

Mexico (OA)

Honduras, Nicaragua, Costa Rica, Panama, Colombia

Colombia, wEcuador

Mexico (DU, CHS), Guatemala

Guatemala

Mexico, Guatemala, Honduras

Guatemala

Honduras

swMexico (OA)

Guatemala, Honduras

Costa Rica, Panama

El Salvador, Honduras

Meroscelisini Thomson, 1861: 299

Meroscelisita Thomson, 1861: 285 (key), 299

Tragosomitae Thomson, 1864: 186

Monodesminae Gahan, 1890: 299

Closterides Lacordaire, 1868: 149

Andinotrichoderes Tippmann, 1960: 97

pellitus Tippmann, 1960: 98

Peru, Bolivia

Hyleoza Galileo, 1987: 259

Acanthocornis Monné & Monné, 2011: 1861

confusa Tavakilian & Galileo, 1991: 550
flavus Monné & Monné, 2011: 1862
lineata: Galileo, 1987: 261 [Mld; not Bates, 1869]
lineata (Bates, 1869: 48)
dialepta Galileo & Martins, 1988: 437

French Guiana, Brazil (AM, PA)

Brazil (RO, AM)

Lasiogaster Gahan, 1892: 255

costipennis Gahan, 1892: 256

Mexico, Guatemala, Belize

Meroscelisus Audinet-Seville, 1832: 157

Meroscelicus: Desmarest, 1860: 308 [ISS]

Syennesis Pascoe, 1888: 511

apicalis White, 1853: 26
opacus Buquet, 1860: 618
servillei Thomson, 1865: 577
dispar Pascoe, 1888: 512
thoracicus Seabra, 1942: 417

Brazil (ES-SC)

Brazil (SC)

Brazil (ES-RS), Paraguay, Argentina

Brazil (ES)

violaceus Audinet-Serville, 1832: 158
cyanescens Lacordaire, 1868: 48
zikani Melzer, 1919: 154

Brazil (BA-SC), Paraguay

Brazil (MG)

Microphorus Blanchard in Gay, 1851: 454

Microphorus: Desmarest, 1860: 307 [ISS]

calverti Philippi in Germain, 1897: 451

magellanicus Blanchard in Gay, 1851: 456

castaneus Blanchard in Gay, 1851: 457

penai Galileo, 1987: 195

Chile, Argentina (NE)

Chile, Argentina (RN-SC)

Chile

Monodesmus Audinet-Serville, 1832: 160

atratus Fisher, 1932: 3

callidioides Audinet-Serville, 1832: 161

inermis Galileo, 1987: 210

nothus Chevrolat, 1862: 269

Cuba

Cuba, Bahamas, Cayman Islands

"Amérique merid." ?

Jamaica

Polyzoa Audinet-Serville, 1832: 166

Autolytus Gistel, 1848: 426 [UE]

lacordairei Audinet-Serville, 1832: 167

dejeani: Gray in Griffith, 1831: pl.65, fig.3 [Mld; not Latreille, 1829]

Brazil (GO, BA-RS), Paraguay, Argentina, Uruguay

Quercivir Lameere, 1912: 37

dohrni Lameere, 1912: 37

gounellei Lameere, 1912: 38

zikani Melzer, 1919: 141

Brazil (RJ-SC)

Brazil (MG-RS)

Sarifer Kirsch, 1870: 373

flavirameus Kirsch, 1870: 374

seabrai Fragoso & Monné, 1982: 519

Colombia, eEcuador, Peru, Bolivia (CO, SC), Brazil, Argentina
 Dominican Republic

Tragosoma Audinet-Serville, 1832: 159

harrisii LeConte, 1851: 107

sodalis Casey, 1899: 98

parvicollis Casey, 1899: 99

repens Casey, 1924: 226

nigripenne Bates, 1892: 146

pilosicorne Casey, 1890: 492

soror Laplante, 2017: 4

spiculum Casey, 1890: 492

chiricahuae Linsley, 1959: 127

Northern USA, Canada to Mexico

Mexico (DU)

wUSA (CA, sOR)

USA (ID, WY, MO, WA, OR, CA, Canada (BC)

sRocky Mountains (New Mexico, sColorado), seArizona

Trichoderes Chevrolat, 1843: 35

Gistonycerus Gistel, 1848: xi [UE]

cylindroides (Bates, 1884: 231)

pini Chevrolat, 1843: 36

rugosus Bates, 1884: 236

Guatemala

Mexico (NL-ME, DU, VC) - Honduras

Mexico, Guatemala

Prionini Latreille, 1802: 212

Orthosomitae Thomson, 1864: 284

Titanitae Thomson, 1864: 292

Psalidognathitae Thomson, 1864: 280

Derobrachinae Pascoe, 1869: 661

Apterocaulus Fairmaire, 1864: 267

Micropsalis Burmeister, 1865: 314 [JH; not Meyer, 1859, Crustacea)

heterogama (Burmeister, 1861: 314)

germainii Fairmaire, 1864: 268

subsp. **durnfordii** Burmeister, 1879: 196

Argentina

Chile, Argentina

Braderochus Buquet, 1852: 658*Aulacocerus* White, 1853: 13**bezarki** Delahaye, 2022: 1**dentipes** (Chemsak, 1979: 127)*shuteae* Bleuzen, 1994: 53**hovorei** Santos-Silva & Martins, 2005: 237**jolyi** Bleuzen, 1994: 51**levoiturieri** (Buquet, 1842: 203)**mundus** (White, 1853: 13)**retrospinosus** Lameere, 1916: 233**salcedoi** Bleuzen, 1994: 52

Panama (Panama)

Honduras, Costa Rica, Panama, Colombia (Choco)

Colombia (Antioquia, Cundinamarca, Boyacá, Santander)

Venezuela, Guyana

Colombia (Caldas, Boyacá, Santander)

Venezuela

Colombia (Meta, Caquetá)

Venezuela

Callistoprionus Tippmann, 1953: 202**fasciatus** Tippmann, 1953: 203

Costa Rica, Panama

Derochrachus Audinet-Serville, 1832: 154*Pithocles* Thomson, 1864: 291*Braderochus*: Lacordaire, 1864: 291 (part) [MLD; not Buquet, 1852]**agyleus** Buquet, 1852: 657**apterus** Bates, 1879: 4**asperatus** Bates, 1878: 274**brevicollis** Audinet-Serville, 1832: 155**chemsaki** Santos-Silva, 2007: 74**cusucoensis** Santos-Silva, Mal, Van Roie & Jocque, 2018: 396**digueti** Lameere, 1915: 57**dohrni** Lameere, 1911: 268**drumonti** Santos-Silva, 2007: 48**geminatus** LeConte, 1853: 233*forreri* Bates, 1884: 230**granulatus** Bates, 1884: 230**hovorei** Santos-Silva, 2007: 19**inaequalis** (Bates, 1872: 167)*megalophthalmus* Tippmann, 1953: 194**leechi** Chemsak & Linsley, 1977: 512**lingafelteri** Santos-Silva, 2007: 88**longicornis** (Bates, 1872: 166)**megacles** Bates, 1884: 230*lepesmei* Tippmann, 1953: 196**moroni** Heffern & Santos-Silva, 2016: 570**procerus** Thomson, 1861: 324**smithi** Bates, 1892: 144**sulicornis** LeConte, 1851: 110*kuwerti* Nonfried, 1891: 273**thomasi** Santos-Silva, 2007: 48**wappesi** Santos-Silva, 2007: 32

Colombia, Guianas, wEcuador

Mexico (VC), Guatemala, El Salvador, Honduras, Panama

Costa Rica, Peru

seUSA

Mexico

Honduras

Mexico (NA)

Guatemala

Mexico (JA)

USA (AZ, CA, NM, TX), Mexico (BCN, BCS, SI, SO)

Mexico (JA, PU, TA, SLP), Honduras, Costa Rica

wUSA, Mexico

Mexico, Guatemala, El Salvador, Honduras,

Nicaragua, Costa Rica (GU)

swUSA Mexico (SO)

Mexico (VC)

Mexico-Panama, Colombia, Ecuador

Mexico (DU, NA), Guatemala

Mexico (Veracruz)

Mexico (OA, PU), Guatemala, Honduras

Mexico (GU, JA, SI)

Mexico-Nicaragua

eUSA (FL)

Panama

Orthosoma Audinet-Serville, 1832: 155*Orthosomus* Drapiez, 1842: 195**brunneum** (Forster, 1771: 37)*unicolor* Drury, 1773: 83*pennsylvanicus* Degeer, 1775: 99*cylindricus* Fabricius, 1781: 207*cylindroides* Gmelin, 1790: 1818*sulcatus* Olivier, 1795: [no 66] 39*amplians* Casey, 1912: 231*spadix* Casey, 1912: 231

eUSA, seCanada

Prionacalus White, 1845: 109*Prionocalus*: Thomson, 1864: 280 [ISS]**atys** White, 1850: 11*simonsi* Waterhouse, 1900: 504

Ecuador, Peru

cacicus (White, 1845: 110) Colombia, Ecuador, Peru
gunteri Gahan, 1894: 221
wallisi Taschenberg, 1870: 191 (female)
atys: Lacordaire, 1876: pl.81, fig.1 [Mld; not White, 1850]

demelti Quentin & Villiers, 1983: 224 Colombia
inermus Komiya & Santos-Silva, 2018: 19 Peru (Piura)
iphis White, 1850: 11 Ecuador

cacicus White, 1845: 110 (female)
buckleyi Waterhouse, 1872: 261
whitei Waterhouse, 1900: 505
emmae Kolbe, 1901: 480

uniformis Waterhouse, 1900: 505 Peru
whymperi Bates, 1892: 36 Ecuador

trigonodes Bates in Whymper, 1891: 37
giovannii Huedepohl, 1985: 117

woytkowskii (Heyrovsky, 1960: 162) Peru, Bolivia, Argentina (JU)

Prionus (Antennalia) Casey, 1912: 249

fissicornis Haldeman, 1847: 125 Canada, cUSA (MT-NM, TX)
transversus Casey, 1912: 223
thoracicus Casey, 1924: 223
fissicornis parviceps Casey, 1912: 250

Prionus (Homaesthesis) LeConte, 1873 : 288

arenarius Hovore, 1981:453 swUSA (TX, NM)
emarginatus Say, 1824:327 cUSA (CO, WY, NM)
innocuus LeConte, 1862:43
pubicollis Casey, 1912:254
debiliceps Casey, 1912:255
geminus Santos-Silva, Nearn & Swift, 2016: 34 USA (ID, UT, CO, AZ)
integer LeConte, 1851:107 cUSA (ID, NV, UT, CO, KS)
palparis Say, 1824:327 scUSA (AZ, NM, CO, KS, NE, OK)
simplex (Casey, 1912:253) cUSA (KS)
spinipennis Hovore & Turnbow, 1984:1 swUSA (NM, TX)
simplex (Casey, 1912: 253) w & cUSA (KS, NE, UT, NE, WY, CO, NM, AZ)
linsleyi Hovore, 1981: 455
rhodocerus Linsley, 1957: 10

Prionus (Neopolyarthron) Semenov, 1899: 255

cuneatus Casey, 1912: 247 c & seUSA, MT & CO s to TX & FL
robustus Casey, 1924: 222
debilis Casey, 1891: 21 cUSA
imbricornis (Linnaeus, 1767: 622) eUSA, NY to FL, w to KS & eTX
brevicornis: Palisot de Beauvois, 1819: 216, t.34, f.3 [Mld; not Fabricius, 1801]
imbricornis minus Casey, 1912: 248
imbricornis brunneus Casey, 1912: 248
diversus Casey, 1912: 247
beauvoisi Lameere, 1915: 60

Prionus (Prionus) Geoffroy, 1762: 198

Prionellus Casey, 1924: 209 [JH; not Kiefer, 1895, Diptera: Cecidomyiidae]

Hypoprionus Santos-Silva, Nearn & Swift, 2016: 8 [RN for *Prionellus* Casey, 1912]

Prionus (Riponus) Casey, 1912: 245

aztecus Casey, 1912: 246 Mexico (ZA, DU)

batesi Lameere, 1920: 144
mexicanus: Lameere, 1912: 245 [Mld; not Bates, 1884]

californicus Motschulsky, 1845: 89 wCanada (BC), wNAmerica e to ND, Mexico (BC, SO)
crassicornis LeConte, 1851: 108
curvatus LeConte, 1859: 19
horni Lameere, 1912: 243
alutaceus Casey, 1912: 237

<i>solidus</i> Casey, 1912: 238	
<i>spiculosus</i> Casey, 1912: 240	
<i>consors</i> Casey, 1912: 240	
<i>consors acomanus</i> Casey, 1912: 241	
<i>consors proximans</i> Casey, 1912: 241	
<i>angustulus</i> Casey, 1912: 241	
<i>californicus ineptus</i> Casey, 1912: 242	
<i>californicus punctulatus</i> Casey, 1912: 243	
<i>fissifrons</i> Casey, 1912: 243	
<i>texanus</i> Casey, 1912: 243	
<i>terminalis</i> Casey, 1912: 244	
<i>tristis</i> Casey, 1912: 236	
<i>serriger</i> Casey, 1924: 215	
<i>suspectus</i> Casey, 1924: 215	
<i>orbiceps</i> Casey, 1924: 216	
<i>humeralis</i> Casey, 1924: 216	
<i>fontinalis</i> Casey, 1924: 221	
<i>californicus compar</i> Casey, 1924: 217	
<i>californicus ovipennis</i> Casey, 1924: 217	
<i>spiculosus coloradensis</i> Casey, 1924: 219	
<i>scutellaris</i> Casey, 1924: 219	
<i>ineptus ambiguus</i> Casey, 1924: 219	
<i>ineptus uintanus</i> Casey, 1924: 220	
<i>spaldingi</i> Casey, 1924: 221	
<i>tumidus</i> Casey, 1912: 235	
<i>stultus</i> Casey, 1924: 221	
<i>stultus parvicollis</i> Casey, 1924: 222	
<i>nanus</i> Casey, 1924: 222	
evoluticornis Komiya & Nogueira, 2014: 3	Mexico (Jalisco)
flohri Bates, 1884: 227	Mexico (MI)
<i>hintoni</i> Linsley, 1935: 69	
hectori Le Tirant & Santos-Silva, 2023: 4	Mexico (Durango)
heroicus Semenov, 1907: 259 [RN]	swUSA (AZ, NM, CO)
<i>heros</i> Fall, 1905: 274 [JpH; not Semenov, 1900]	
<i>vastus</i> Casey, 1912: 236	
<i>tetricus</i> Casey, 1912: 237	
howdeni Chemsak, 1979: 127	Mexico (DU)
laticollis (Drury, 1773: 83)	eNAmer
<i>brevicornis</i> Fabricius, 1801: 260	
<i>kempi</i> Casey, 1912: 233	
<i>laticollis oblongus</i> Casey, 1912: 234	
<i>parvus</i> Casey, 1912: 234	
<i>frosti</i> Casey, 1924: 210	
<i>nigrescens</i> Casey, 1924: 211	
<i>densus</i> Casey, 1924: 211	
lecontei Lameere, 1912: 244	Canada (BC), wNAmer (CA), Mexico (BC)
mexicanus Bates, 1884: 227	wMexico
<i>townsendi</i> Casey, 1912: 246	
<i>curticollis</i> Casey, 1912: 246	
pocularis Dalman in Schoenherr, 1817: 148	Canada, eNAmer-TX
<i>laevigatus</i> Harris, 1837: 83	
<i>obliquicornis</i> LeConte, 1851: 108	
<i>curticornis</i> LeConte, 1851: 109	
<i>validiceps</i> Casey, 1912: 235	
<i>pocularis proluxus</i> Casey, 1912: 239	
<i>bicolor</i> Casey, 1912: 239	
poultoni Lameere, 1912: 177	Mexico
Psalidognathus Gray in Griffith, 1831: pl.6	
antonkozlovi Noguchi & Santos-Silva, 2016: 1	Peru
cerberus Santos-Silva & Komiya, 2012: 19	Colombia
deyrollei Thomson, 1877: xcvi	Colombia

erythrocerus Reiche, 1840: 358	Colombia
friendii Gray, 1831: pl.6, fig.14	Costa Rica, Panama, Colombia, Venezuela, Peru,
<i>superbus</i> Fries, 1834: 325	Ecuador, Brazil, Bolivia
<i>incas</i> Thomson, 1859: 42	
<i>boucardi</i> Thomson, 1874: 427	
<i>limenius</i> Erichson, 1847: 139	
<i>gloriosus</i> Thomson, 1880: lx	
modestus Fries, 1834: 327	Costa Rica-Colombia, Venezuela
<i>colombianus</i> Demelt, 1989: 243	
<i>modestus chocoensis</i> Salazar, 2005: 246	
<i>mygaloides</i> Thomson, 1859: 41 (identity unknown)	
<i>wallisi</i> Taschenberg, 1870: 191 (male)	
<i>limbatus</i> Taschenberg, 1870: 192	
<i>batesii</i> Thomson, 1877: 257	
<i>castaneipennis</i> Thomson, 1877: 260	
onorei Quentin & Villiers, 1983: 444	Colombia, wEcuador
pubescens Quentin & Villiers, 1983: 443	Peru
reichei Quentin & Villiers, 1983: 442	Ecuador, Peru
rufescens Quentin & Villiers, 1983: 446	Ecuador, Colombia
<i>victorsinyaevi</i> Lazarev & Murzin, 2019: 475	
sallei Thomson, 1859: ccxlv	Venezuela
thomsoni Lameere, 1885: ix	Colombia, Ecuador, Brazil (AM)
<i>mygaloides</i> Thomson, 1859: 41 (female)	
vershinini Zubov & Titarenko, 2019: 483	eEcuador

Titanus Audinet-Serville, 1832: 133

Percnopteris Gistel, 1848: 424 [UE]

giganteus (Linnaeus, 1771: 531)

Colombia, Guianas, Brazil (AM), eEcuador, Peru

Trichoprionus Fragoso & Monné, 1982: 521

aureopilosus Fragoso & Monné, 1982: 522

Dominican Republic

Solenopterini Lacordaire, 1868: 180

Poecilosomides Lacordaire, 1868: 171 (key), 180

Dérancistrines Lameere, 1912: 181

Derancistrachroma Lingafelter, 2015: 374

melanoleuca Lingafelter, 2015: 375

Dominican Republic

Derancistrus Audinet-Serville, 1832: 181

Harmosternus Gahan, 1890: 30

anthracinus (Gahan, 1890: 31)

coeruleus Lameere, 1912: 170

elegans (Palisot de Beauvois, 1805: 217)

hovorei Lingafelter & Woodley, 2007: 167

pilosus Devesa, Fonseca & Barro, 2017: 194

Cuba, Hispaniola

Cuba

Hispaniola

Dominican Republic

Cuba

Elateropsis Chevrolat, 1862: 269

antennata Galileo & Martins, 1994: 126

bahamica Galileo & Martins, 1994: 122

castanea (Zayas, 1975: 40)

caymanensis (Fisher, 1941: 109)

dichroma Lingafelter, 2015: 364

ebenina Chevrolat, 1862: 271

felleriae (Chemsak, 1983: 714)

femorata (Sallé, 1855: 270)

foliacea Galileo & Martins, 1994: 135

fulvipes (Chevrolat in Guérin-Ménéville, 1838: 282)

fimbriatus Chevrolat, 1862: 270

venustus Chevrolat, 1862: 270

julio Lingafelter & Micheli, 2004: 40

Hispaniola

Bahamas

Cuba

Cayman Islands

Dominican Republic

Jamaica, Bahamas

Belize (Twin Cays)

Hispaniola

Bahamas

Cuba

Puerto Rico

lineata (Linnaeus, 1758: 389)	Jamaica, Cuba, Guadeloupe
<i>fuliginosus</i> Fabricius, 1775: 160	
<i>subpunctatus</i> Chevrolat, 1862: 271	
<i>punctatus</i> Gahan, 1890: 27	
nigricornis (Fisher, 1941: 108)	Cayman Islands
nigripes (Fisher, 1941: 108)	Cayman Islands
peregrina Galileo & Martins, 1994: 118	Guadeloupe (?)
quinquenotata Chevrolat, 1862: 271	Jamaica, Cuba (?)
reticulata Gahan, 1890: 30	Cuba
rugosa Gahan, 1890: 28	seUSA (FL), Bahamas, Cuba (?)
scabrosa Gahan, 1890: 29	seUSA (FL), Cuba, Bahamas
<i>fuliginosus</i> : Chevrolat, 1862: 271 [Mld; not Fabricius, 1775]	
<i>castaneus</i> Zayas, 1975: 40	
<i>punctatus</i> : Zayas, 1957: 171 [Mld; not Gahan, 1890]	
sericeiventris Chevrolat, 1862: 270	Cuba
trimarginata (Cazier & Lacey, 1952: 8)	Bahamas
woodleyi Lingafelter, 2015: 365	Dominican Republic

Holonotus Thomson, 1861: 304

laevithorax (White, 1853: 54)	Mexico (VC), Guatemala, Honduras
<i>minor</i> Bates, 1884: 239	
latithorax Thomson, 1861: 305	Mexico (QR, OA)
nigroaeneus Bates, 1869: 57	Nicaragua, Costa Rica, Colombia
sternalis Gahan, 1894: 117	Guatemala, Costa Rica

Prosternodes Thomson, 1861: 307

cinnamipennis (Chevrolat, 1838: 281)	Cuba, Bahamas
<i>cinnamomipennis</i> : Gemminger in Gemminger & Harold, 1872: 2783 [ISS]	
cubanus Zayas, 1975: 29	Cuba

Solenoptera Audinet-Serville, 1832: 183

<i>Derancistrodes</i> Galileo & Martins, 1993: 96	
adusta Galileo & Martins, 1993: 448	Trinidad & Tobago
bilineata (Fabricius, 1775: 163)	W Indies (Puerto Rico, Virgin Islands)
canaliculata (Fabricius, 1787: 130)	St Lucia, St Vincent, Mustique, Trinidad,
<i>subcanaliculata</i> White, 1853: 53	Martinique, Guadeloupe
var. <i>asterius</i> Gahan, 1895: 86	
chalumeau Villiers, 1979: 23	St Martin
dominicensis (Gahan, 1890: 26)	Hispaniola, Cuba
<i>fraudulenta</i> Galileo & Martins, 1993: 445	
furfurosa (Galileo & Martins, 1993: 205)	Dominican Republic
helbi Lingafelter, 2015: 370	Dominican Republic
intermedia Gahan, 1890: 27	Colombia
luciae (Lameere, 1912: 171)	St Lucia
metallescens Thomson, 1861: 306	Martinique, Dominica
michelii (Chemsak, 1979: 125)	Puerto Rico
parandroides Lameere, 1885: xii	Cuba
quadri-lineata (Olivier, 1795: [no 66] 40)	Martinique, Guadeloupe
rugosa Lingafelter, 2015: 372	Dominican Republic
scutellata (Gahan, 1890: 25)	Cuba, Hispaniola
sulcicollis Thomson, 1861: 306	Martinique, Guadeloupe
<i>sulcipennis</i> : Thomson, 1878: 4 [ISS]	
thomae (Linnaeus, 1767: 623)	W Indies
<i>lateralis</i> Chevrolat, 1877: xxxi	
tomentosa Lingafelter, 2015: 373	Dominican Republic
touroulti Dalens & Delahaye, 2007: 32	St Lucie
vittata (Olivier, 1795: [no 66] 39)	Hispaniola
<i>oberthuri</i> Gahan, 1895: 85	

Sphenostethus Haldeman, 1847: 126*Hoplopteryx* Westwood, 1845: 40 [JH; not Agassiz, 1838, Actinopterygii [Pisces]]**taslei** (Buquet, 1841: xxxix)

eUSA

serripennis Haldeman, 1847: 126*denticulatus* Westwood, 1845: 40**Lepturinae** Latreille, 1802: 218*Dérécéphalides* Mulsant, 1839: 212*Stenocoritae* Thomson, 1864: 142**Acmaeopini** Della Beffa, 1915: 42*Cariliini* Zamoroka, 2022: 308**Brachysomida (Brachysomida)** Casey, 1913: 219**atra** (LeConte, 1850: 323)

swCanada, nwUSA (WA, ID, CO)

morata Casey, 1913: 222*aterrima* Casey, 1924: 276**bivittata** (Say, 1824: 416)

sCanada, eUSA

varians LeConte, 1850: 324*fusciceps* LeConte, 1850: 324*incertus* Bland, 1863: 321*oblongus* Casey, 1913: 218**californica** (LeConte, 1851: 101)

wUSA (CA, OR, WA, ID)

subaeneus LeConte, 1851: 101*tumida* LeConte, 1857: 63*fusca* LeConte, 1857: 62*subcyanea* LeConte, 1857: 63*lugens* LeConte, 1857: 62*viola* LeConte, 1860: 321*mollipilosa* LeConte, 1860: 321*pinguis* LeConte, 1873: 210*celestina* Casey, 1913: 222*corpulenta* Casey, 1913: 222*lanatula* Casey, 1913: 224*francisca* Casey, 1913: 225*californica proxima* Casey, 1913: 225*brevicornis* Casey, 1913: 226*trinitatis* Casey, 1913: 226*tumidiceps* Casey, 1913: 227*caerulea* Casey, 1913: 227*caerulea chalybea* Casey, 1913: 228*robustula* Casey, 1913: 228*protensicollis* Casey, 1913: 228*hirsuta* Casey, 1913: 228*lepidula* Casey, 1913: 229*versicolor* Casey, 1913: 229**nigripennis** (LeConte, 1850: 323)

eUSA, sc Canada

rugicollis Linsley & Chemsak, 1972: 135

ncUSA (Rocky Mts)

vittigera Linsley & Chemsak, 1972: 127

wUSA (CA)

corpulenta: Hopping, 1943: 119 [Mld; not Casey, 1913]**Brachysomida (Pseudogaurotina)** Plaviltstshikov, 1958: 720*Gaurotes*: Lacordaire, 1868: 442 (part) [Mld; in part; not LeConte, 1850]**abdominalis** (Bland, 1862: 270)

seCanada, neUSA

ab. *micans* Podany, 1962: 226**cressoni** (Bland, 1864: 69)

swCanada, wcUSA (Rocky Mts)

ab. *howdeni* Podany, 1962: 237ab. *amethystina* Podany, 1962: 238ab. *nigrita* Podany, 1962: 238subsp. **lecontei** (Casey, 1913: 219)

wUSA (Pacific Coast)

Gaurotes LeConte, 1850: 324**cyanipennis** (Say, 1824: 423)*laportei* Guérin-Méneville, 1831: pl.46, fig.6*servillei* Audinet-Serville, 1835: 214*ione* Newman, 1840: 30*leonardii* Haldeman, 1847: 60ab. *canadensis* Podany, 1962: 246ab. *aurata* Podany, 1962: 246**thoracica** (Haldeman, 1847: 60)

eNorth America

eNorth America

Gnathacmaeops Linsley & Chemsak, 1972: 135**pratensis** (Laicharting, 1784: 172)*strigilata* Fabricius, 1792: 341*longiceps* Kirby in Richardson, 1837: 187*semimarginata* Randall, 1838: 30*fulvipennis* Mannerheim, 1853: 251

North America (boreal regions)

Leptacmaeops Casey, 1913: 219*Leptacmaeops (Acmaeopsilla)* Casey, 1913: 240**barri** (Linsley & Chemsak, 1972: 120)**bivittatus** (Linsley & Chemsak, 1972: 121)**coniferae** (Hopping & Hopping, 1947: 233)**cubitalis** (LeConte, 1861: 355)*basalis* LeConte, 1873: 211*basalis dichroma* Casey, 1913: 231*cuneata* Casey, 1913: 232*auricollis* Casey, 1913: 232*elegantula* Casey, 1913: 232*quadrinotata* Casey, 1913: 233*tenuis* Casey, 1913: 233*temporalis* Casey, 1913: 233*minima* Casey, 1913: 234**falsus** (LeConte, 1860: 80)**ferreus** (Linsley & Chemsak, 1972: 115)**fraudis** (Linsley & Chemsak, 1972: 121)**funereus** (Linsley & Chemsak, 1972: 118)**impunctatus** (Hopping & Hopping, 1947: 222)**longicornis** (Kirby in Richardson, 1837: 185)*dorsalis* LeConte, 1859: 21*vincta* LeConte, 1861: 356*ligata* LeConte, 1873: 211*punctiventris* Casey, 1913: 238*alticola* Casey, 1913: 239*suturalis* Casey 1924: 277*oregonensis* Hopping & Hopping, 1947: 227*harneyensis* Hopping & Hopping, 1947: 228*bakeri* Hopping & Hopping, 1947: 229**militaris militaris** (LeConte, 1850: 322)subsp. **constans** (Linsley & Chemsak, 1972: 110)subsp. **variipes** (Casey, 1891: 38)*berkeleyensis* Hopping & Hopping, 1947: 226**nitidipennis** (Casey, 1913: 236)**placerensis** (Hopping & Hopping, 1947: 223)*sierrae* Hopping & Hopping, 1947: 224**robustus** (Hopping & Hopping, 1947: 234)**spurius** (LeConte, 1873: 228)**stolidus** (Casey, 1924: 277)

wcUSA (OR, NV, ID)

swUSA (AZ)

swCanada, wUSA (OR, CO)

wUSA (CA)

swUSA (CA), Mexico (BCN)

swUSA (CA)

wUSA (CA, NV)

wUSA (CA)

nwUSA (WA, OR)

wNorth America

wNorth America (Br Col, WA, OR, nCA)

wUSA (nCA)

wUSA (CA)

nwUSA (WA, OR)

wUSA (CA)

nwUSA (WA)

nwUSA (ID-CO)

wUSA (CA, NV)

subpilosus (LeConte, 1850: 322)	wNorth America (Br Col, WA, OR, CA, UT)
<i>lupina</i> LeConte, 1860: 321	
<i>intermedia</i> Casey, 1913: 236	
<i>pugetana</i> Casey, 1913: 237	
<i>quadriceps</i> Casey, 1913: 237	
thorpi (Linsley & Chemsak, 1972: 123)	wUSA (NV)
tuberculicollis (Linsley & Chemsak, 1972: 118)	swUSA (NM)
vanduzeei (Linsley & Chemsak, 1972: 122)	wUSA (CA)

Caraphiini Ohbayashi, Lin & Yamasako, 2016: 189

Caraphia Gahan, 1906: 75

<i>Noctileptura</i> Chemsak & Linsley, 1984: 281	
lingafelteri Ohbayashi & Yamasako, 2016: 210	Honduras, El Salvador, Nicaragua
seriata (Chemsak & Linsley, 1984: 283)	Mexico (CHS), Guatemala
squamosa (Chemsak & Linsley, 1984: 282)	Mexico (CHS)
warneri Wappes & Santos-Silva, 2018: 9	Guatemala (Zacapa)
woodruffi Wappes & Santos-Silva, 2018: 11	Guatemala, Honduras

Desmocerini Blanchard, 1845: 163

Desmocerus Dejean, 1821: 111

aureipennis aureipennis Chevrolat, 1855: 187	wUSA (CA, OR, NV)
<i>auripennis</i> : LeConte, 1857: 23 [ISS]	
subsp. cribripennis Horn, 1881: viii	wNAmer (Br Col, WA, OR, n CA)
subsp. lacustris Linsley & Chemsak, 1972: 11	nwUSA (OR)
subsp. piperi Webb, 1905: 104	wNAmer (n Rocky Mts)
californicus californicus Horn, 1881: vii	wUSA (CA)
subsp. dimorphus Fisher, 1921: 207	wUSA (CA)
palliatu s (Forster, 1771: 40)	eNorth America
<i>blandus</i> Fabricius, 1775: 182	
<i>cyaneus</i> Fabricius, 1775: 823	
<i>elongatus</i> Bland, 1862: 269	

Encyclopini LeConte, 1873: 326

Encyclops Newman, 1838: 392

<i>Microrhabdium</i> Kraatz, 1879: 118	
<i>Microrrhabdium</i> : Plaviltstshikov, 1936: 108 [ISS of <i>Microrhabdium</i> Kraatz, 1879]	
caerulea (Say, 1826: 280)	eNorth America
<i>pallipes</i> Newman, 1838: 392	
californica Van Dyke, 1920: 45	wUSA (CA, OR)

Evodinini Zamoroka, 2022: 303

Brachyta Fairmaire, 1868: 185

lanhami (Lewis, 1976: 227)	USA (Wyoming)

Evodinus LeConte, 1850: 325

monticola (Randall, 1838: 27)	eNorth America
<i>carolinensis</i> Casey, 1924: 275	
vancouveri Casey, 1913: 216	wCanada, Alaska, nwUSA

Metacmaeops Linsley & Chemsak, 1972: 137

- vittata** (Swederus, 1787: 198) eUSA
quadrivittata Schoenherr, 1817: 497
quadrivittata var. *pallida* Haldeman, 1847: 65
directa Newman, 1841: 71

Grammopterini Della Beffa, 1915: 42**Grammoptera** Audinet-Serville, 1835: 215

- Parallelina* Casey, 1913: 247
- exigua** (Newman, 1841: 73) neUSA
saucia LeConte, 1862: 40
- haematites** (Newman, 1841: 73) eNorth America-eCanada (Manitoba)
nana Newman, 1841: 73
ruficeps LeConte, 1862: 40
- militaris** (Chevrolat, 1855: 187) wUSA (CA), Mexico (BCN)
molybdica: LeConte, 1873: 218 (part) [Mld in part; not LeConte, 1851]
- molybdica** (LeConte, 1851: 101) wNorth America
- rhodopus** (LeConte, 1874: 68) wUSA (OR, CA, NV)
campanifera Casey, 1913: 256
- subargentata** (Kirby in Richardson, 1837: 184) North America (boreal)
similis Kirby in Richardson, 1837: 185
rufibasis LeConte, 1862: 40
quebecensis Couper, 1864: 88
filicornis Casey, 1913: 255

Lepturini Latreille, 1802: 218**Acmaeopsoidea** Linsley & Chemsak, 1976: 166

- rufula** (Haldeman, 1847: 60) neNorth America

Alosternida Podany, 1961: 27

- chalybaea** (Haldeman, 1847: 60) eUSA

Analeptura Linsley & Chemsak, 1976: 26

- lineola** (Say, 1824: 421) eNorth America
indirecta Newman, 1841: 71
cincta Haldeman, 1847: 63
cincta var. *obsoleta* Haldeman, 1847: 63
cincta var. *lateralis* Haldeman, 1847: 63

Anastrangalia Casey, 1924: 280

- haldemani** (Casey, 1891: 42) swUSA (AZ, NM), Mexico (DU)
lucifera Hopping, 1922: 163
- laetifica** (LeConte, 1859: 89) wNorth America, Mexico (BCN)
lugens LeConte, 1859: 89
- sanguinea** (LeConte, 1859: 89) sCanada, wUSA
boulderensis Casey, 1913: 252
apicata Casey, 24: 280
- sanguinolenta** (Linnaeus, 1761: 196) Palearctic, established in Argentina
variabilis (Degeer, 1775: 137)
bonariensis (Burmeister, 1865: 177)

Anoplodera Mulsant, 1839: 285**Anoplodera (Anoploderomorpha)** Pic, 1901: 69

- pubera** (Say, 1826: 279) eNorth America

- Bellamira** LeConte, 1873: 328
scalaris (Say, 1826: 278) eNorth America, Mexico (YU), Puerto Rico (?)
coarctatus Haldeman, 1847: 59
- Brachyleptura** Casey, 1913: 247
brevis (Kirby in Richardson, 1837: 182) eUSA
champlainsi Casey, 1913: 254
vagans: Swaine & Hopping, 1928: 63 (part) [Mld; not Olivier, 1800]
circumdata (Olivier, 1800: [no 73] 32) eUSA
subquadrata Casey, 1913: 251
dehiscens (LeConte, 1859: 89) wNorth America
rubrica (Say, 1824: 418) eNorth America
erythroptera Germar, 1823: 522
vagans (Olivier, 1800: [no 73] 31) eNorth America
cuneatula Casey, 1913: 253
fusella Casey, 1913: 254
puella Casey, 1913: 254
puella tetrica Casey, 1913: 255
- Cerrostrangalia** Hovore & Chemsak, 2005: 17
solisi Hovore & Chemsak, 2005: 18 Costa Rica (HE)
herrerae Hovore & Chemsak, 2005: 20 Costa Rica (HE, PA)
- Charisalia** Casey, 1913: 247
americana (Haldeman, 1847: 63) eUSA
- Chontalia** Bates, 1872: 233
cyanicollis Bates, 1872: 233 Guatemala, Nicaragua, Costa Rica
cyanipennis: Linsley & Chemsak, 1971: 23 [ISS]
cyanicolor: Linsley & Chemsak, 1971: 23 [ISS]
- Choriolaus** Bates, 1885: 283
Euryptera LeConte & Horn, 1883: 313 (part) [Mld in part; not Lepeletier & Audinet-Serville, 1828]
aegrotus Bates, 1885: 283 Mexico (OA)
auratus Giesbert & Wappes, 1999: 9 Guatemala
celestae (Chemsak & Linsley, 1974: 37) Mexico (CHS)
derhami Chemsak & Linsley, 1976: 40 Mexico (OA)
filicornis (Linsley & Chemsak, 1971: 4) Mexico (CHS), Guatemala, Honduras
flavirostris (Bates, 1880: 40) Guatemala, Costa Rica (AL)
fulveolus (Bates, 1885: 283) Mexico, Guatemala
gracilis (Chemsak & Linsley, 1974: 39) Costa Rica
hirsutus (Bates, 1885: 283) Mexico (CHS, OA, VC)
howdeni Giesbert & Wappes, 1999: 8 Mexico (CH)
latescens Bates, 1885: 284 Mexico (OA)
nigripennis Giesbert & Wappes, 1999: 10 Guatemala, Costa Rica (GU)
ruficollis (Pascoe, 1866: 289) Colombia
sabinoensis (Knull, 1954: 129) swUSA (AZ)
sulcipennis Linsley, 1970: 139 Mexico (VC)
suturalis Giesbert & Wappes, 1999: 11 Guatemala, Honduras
- Cyphonotida** Casey, 1913: 247
rostrata rostrata (Bates, 1872: 183) Mexico - Panama, Guiana, Colombia, Brazil (RO),
laevicollis (Bates, 1880: 39) Peru (Chiclayo), Ecuador, Bolivia (CH)
subsp. **borealis** Linsley & Chemsak, 1976: 135 swUSA (AZ), nMexico
ventralis: Casey, 1913: 260 [Mld; not Horn, 1894]
subsp. **ventralis** (Horn, 1894: 401) Mexico (BCS)
subsp. **texana** Giesbert & Hovore, 1998: 19 sUSA (TX)

Dorcasina Casey, 1913: 269**grossa** (LeConte, 1873: 225)**matthewsii** (LeConte, 1869: 384)*macrocera* Casey, 1913: 270

wUSA (CA)

wNorth America (Pacific Coast)

Etorofus Matsushita, 1933: 204**anthracinus** (LeConte, 1875: 174)*subcostata* Fall, 1907: 249**deletus** (LeConte, 1850: 328)**obliteratus** (Haldeman, 1847: 62)*perductor* Walker in Lord, 1866: 333*idahoensis* Casey, 1913: 259**plagiferus** (LeConte, 1873: 224)**plebejus** (Randall, 1838: 28)**propinquus** (Bland, 1865: 384)*regularis* Casey, 1913: 259*miniscula* Casey, 1913: 260**soror** (LeConte, 1873: 223)**subhamatus** (Randall, 1838: 44)*interrupta* Newman, 1841: 72*elegans* Haldeman, 1847: 63*armata* Haldeman, 1847: 63**vitiosus** (LeConte, 1854: 18)

wUSA (OR, CA)

neUSA

swCanada (Br Col), wUSA

wNorth America

seCanada, neUSA

wNorth America, Alaska

wUSA (CA)

seCanada, eUSA

Canada

Eurylemma Chemsak & Linsley, 1974: 40**auricollis** Chemsak & Linsley, 1974: 40

Mexico (CHS)

Euryptera Lepeletier & Audinet-Serville in Latreille, 1828: 687**albosterna** Chemsak & Linsley, 1974: 42**latipennis** Lepeletier & Aud.-Serville in Latreille, 1828: 688*latipennis* var. *virgata* Gounelle, 1911: 107*brasiliensis* Fuchs, 1956: 568**leonina** Gounelle, 1911: 108**nigrosuturalis** Melzer, 1935: 183**unilineatocollis** Fuchs, 1956: 567

Costa Rica

Brazil, Bolivia, Paraguay, Argentina

Brazil (GO)

Brazil (SC)

Brazil (SP, SC)

Fortuneleptura Villiers, 1979: 25**cameneni** Villiers, 1979: 26

Martinique

Idiopidonia Swaine & Hopping, 1928: 15**pedalis** (LeConte, 1861: 355)

eNorth America

Judolia Mulsant, 1863: 496**cordifera** (Olivier, 1800: [no 73] 25)var. *lunaris* Haldeman, 1847: 59*deceptiva* Casey, 1924: 283*longior* Casey, 1924: 284**gaurotoides gaurotoides** (Casey, 1893: 592)*vivarium* Casey, 1924: 282*knulli* Swaine & Hopping, 1928: 46subsp. **auripilis** Linsley & Chemsak, 1976: 50**impura** (LeConte, 1857: 64)**instabilis** (Haldeman, 1847: 59)*convexa* LeConte, 1850: 332*quadrata*: Horn, 1886: xiii [Mld; not LeConte, 1873]*flaviventris* Schaeffer, 1908: 342*pacifica* Casey, 1913: 249*trajecta* Casey, 1913: 250**montivagans montivagans** (Couper, 1864: 87)*sexmaculata*: Kirby in Richardson, 1837: 182 [Mld; not Linnaeus, 1758]

eUSA

wcUSA (Rocky Mts, ID)

wUSA (OR, CA, NV)

wUSA (OR, CA)

wNorth America, Mexico (DU)

North America (boreal regions)

- seminigra* Casey, 1924: 283
 subsp. **barberi** (Fall, 1907: 250)
quadrata (LeConte, 1873: 225)
scapularis (Van Dyke, 1920: 43)
 isabellae Hopping, 1922: 162
sexspilota (LeConte, 1859: 80)
 minuta Casey, 1924: 284
swainei swainei (Hopping, 1922: 163)
 subsp. **jacintana** (Linsley, 1940: 256)
- Leptochoriolaus** Chemsak & Linsley, 1976: 47
opacus Chemsak & Linsley, 1976: 47
- Leptura (Leptura)** Linnaeus, 1758: 397
Stenura Haldeman, 1847: 62 (part)
Strangalia: LeConte, 1850: 327 [Mld; not Audinet-Serville, 1835]
abdominalis (Haldeman, 1847: 63)
 atrovittata Bland, 1864: 255
hovorei Linsley & Chemsak, 1976: 103
kerniana Fall, 1907: 249
pacifica (Linsley, 1940: 255)
sequoiae (Hopping, 1934: 115)
- Lepturobosca** Reitter, 1913: 17
- Lepturobosca (Cosmosalia)** Casey, 1913: 267
chrysocoma (Kirby in Richardson, 1837: 179)
 auripilis LeConte, 1850: 339
 aureola Casey, 1913: 268
 auripilis densepilosa Casey, 1924: 281
nigrolineata nigrolineata (Bland, 1865: 383)
 subsp. **truxali** (Papp, 1955: 217)
- Lepturopsis** Linsley & Chemsak, 1976: 158
biforis (Newman, 1841: 70)
 laurentica Casey, 1913: 271
dolorosa (LeConte, 1861: 355)
- Lycidocerus** Chemsak & Linsley, 1976: 44
sanguineus Chemsak & Linsley, 1976: 45
- Lychochoriolaus** Linsley & Chemsak, 1976: 34
angustatus (Melzer, 1935: 183)
 rotundipennis (Fuchs, 1956: 570)
angustisternis (Gounelle, 1911: 111)
 var. *nigrum* Gounelle, 1911: 112
ater (Gounelle, 1911: 107)
aurifer (Linsley, 1970: 139)
costulatus (Bates, 1885: 284)
lateralis (Olivier, 1800: [no 73] 22)
 distans Germar, 1823: 524
 flavatra Blatchley, 1914: 92
 subintegra Casey, 1924: 285
lyciformis (Pascoe, 1866: 289)
mimulus (Bates, 1885: 285)
sericeus (Bates, 1885: 285)
similis (Linsley, 1970: 140)
xantho (Bates, 1885: 282)
- wUSA (OR, CA)
 wCanada-nc USA (CO)
 wUSA, Mexico (BCN)
- swUSA (CA), Mexico (BCN)
- wUSA (CA), Mexico (BCN)
 swUSA (CA)
- Costa Rica
- eUSA
- wUSA (CA)
 wUSA (OR, CA)
 swUSA (CA)
 wUSA (CA)
- Canada, wUSA, nUSA, Mexico
- wcUSA (NM, CO)
 swUSA (NM)
- eNorth America
- wNorth America (Pacific Coast)
- Costa Rica
- Brazil (SC)
- Brazil (GO), Bolivia (CO)
- Brazil (MG)
 Mexico (TA)
 Mexico (OA, VC)
 seUSA-TX, Mexico (TA, OA, VC, CHS)
- Colombia, Brazil (RO, MT), Bolivia (CO, SC)
 Mexico (TA-CHS)
 Panama
 Mexico (OA)
 Mexico (OA)

- Lycomorphoides** Linsley, 1970: 133
simulans Linsley, 1970: 133
 Costa Rica, Panama
- Lygistropteroides** Linsley & Chemsak, 1971: 21
longipennis (Bates, 1885: 286)
 Mexico (DU)
- Macrochoriolaus** Linsley, 1970: 134
elegans Linsley, 1970: 135
 Mexico (GR)
- Megachoriolaus** Linsley, 1970: 128
atripennis (Bates, 1870: 313)
ayalai Joly, Vigneault & Santos-Silva, 2017: 36
bicolor (Gounelle, 1911: 109)
chemsaki Linsley, 1970: 129
clarkei Monné & Monné, 2008: 47
cruentus (Martin, 1930: 70)
cruentata: Hopping, 1937: 27 [ISS]
cruneta: Knull, 1954: 129 [ISS]
*flammatu*s (Linsley, 1961: 137)
ignitus (Schaeffer, 1908: 341)
breviceps (Linsley, 1961: 139)
imitatrix Linsley, 1970: 131
lineaticollis Chemsak & Linsley, 1974: 36
nigricollis Chemsak & Linsley, 1974: 36
patricia (Bates, 1885: 286)
princeps Bates, 1885: 286
spiniferus (Linsley, 1961: 136)
sylvainae Audureau, 2010: 2
texanus (Knull, 1941: 388)
unicolor (Bates, 1892: 159)
venustus (Breme, 1844: 311)
yucatanus Giesbert & Wappes, 1999: 12
 Brazil (AM)
 Venezuela
 Brazil (GO), Bolivia (LP)
 Mexico (SI, JA, OA)
 Brazil (RO), Bolivia (SC)
 swUSA (AZ)
- flammatu*s (Linsley, 1961: 137)
 Mexico (MO)
 swUSA (AZ)
- imitatrix* Linsley, 1970: 131
 Mexico (SLP)
 Panama
- lineaticollis* Chemsak & Linsley, 1974: 36
 Mexico (OA)
- nigricollis* Chemsak & Linsley, 1974: 36
 Mexico (VC), Honduras, Costa Rica, Panama
- princeps* Bates, 1885: 286
 Guatemala, Honduras, Costa Rica, Panama
- spiniferus* (Linsley, 1961: 136)
 Nicaragua
- sylvainae* Audureau, 2010: 2
 USA (TX)
- texanus* (Knull, 1941: 388)
 Mexico (GR)
- unicolor* (Bates, 1892: 159)
 Colombia
- venustus* (Breme, 1844: 311)
 Mexico (YU, QR)
- Meloemorpha** Chemsak & Linsley, 1976: 177
aliena (Bates, 1880: 38)
 var. *erythrogaster* Bates, 1885: 278
 Mexico, Guatemala
- anomala* (Bates, 1885: 279)
 Guatemala
- Mimiptera** Linsley, 1961: 139
fulvella (Bates, 1885: 286)
planicoxis Bates, 1892: 159
costaricensis Melzer, 1935: 182
 Costa Rica, Panama
- Mordellistenomimus** Chemsak & Linsley, 1976: 43
nanus (Bates, 1885: 284)
 Mexico, Guatemala
- Nemognathomimus** Chemsak & Linsley, 1976: 42
angelicae Gutierrez & Noguera, 2017: 76
breviceps Giesbert, 1997: 39
micelbacheri Chemsak & Giesbert, 1986: 33
opacipennis Chemsak & Noguera, 1993: 88
pallidulus (Linsley, 1935: 82)
pubicollis Linsley, 1935: 83
wappesi Gutierrez & Noguera, 2017: 73
 Mexico (Hidalgo)
 Panama
 Mexico (JA)
 Mexico (JA)
 Mexico, Guatemala, El Salvador
- pubicollis* Linsley, 1935: 83
 Mexico (CHS, OA), Guatemala
- Neoalosterna** Podany, 1961: 27
capitata (Newman, 1841: 71)
rubida (LeConte, 1873: 224)
keeni Casey, 1913: 257
 eNorth America
 wNorth America

- Neobellamira** Swaine & Hopping, 1928: 15
delicata delicata (LeConte, 1874: 68) wUSA (OR, CA)
 subsp. **australis** Linsley & Chemsak, 1976: 5 swUSA (CA)
- Neoleptura** Thomson, 1861: 153
alpina Chemsak & Linsley, 1976: 186 Mexico (DU, SI)
auripennis Chemsak & Linsley, 1976: 183 Mexico (MI)
lecontei Thomson, 1861: 153 Mexico (OA)
minutipunctis Chemsak & Linsley, 1976: 185 Mexico (OA)
- Nivellia** Mulsant, 1863: 564
Trachysida Casey, 1913: 271
aspera aspera (LeConte, 1873: 228) Alaska, wUSA (OR, CO, NM)
 var. *parkeri* Hippisley, 1922: 66
 subsp. **brevifrons** (Howden, 1959: 158) seCanada, neUSA (MI, NY)
 subsp. **rufescens** (Linsley & Chemsak, 1976: 117) wUSA (CA)
mutabilis (Newman, 1841: 71) eNorth America-scCanada (Alberta)
luridipennis Haldeman, 1847: 63
quadricollis LeConte, 1850: 339
laetifia: Provancher, 1877: 620 [Mld; ISS for *laetifica* LeConte, 1859]
mutabilis ab. *provancheri* Aurivillius, 1912: 223 [URN for *Leptura laetifia* Provancher, 1877]
- Orthochoriolaus** Linsley & Chemsak, 1976: 36
chihuahuae (Bates, 1885: 285) swUSA (AZ), Mexico (CHA, DU)
huachucae Schaeffer, 1905: 164
batesi Linsley, 1961: 134
- Ortholeptura** Casey, 1913: 204
insignis (Fall, 1907: 251) wUSA (CA), Mexico (BCN)
obscura (Swaine & Hopping, 1928: 56) nwUSA (WA, OR, ID)
valida (LeConte, 1857: 64) wNorth America (Pacific Coast), Mexico (BCN)
oculea Casey, 1913: 204
- Platerosida** Linsley, 1970: 135
howdeni Linsley, 1970: 137 Mexico (DU)
- Pseudophistomis** Linsley & Chemsak, 1971: 35
pallida (Bates, 1872: 183) Nicaragua, Costa Rica (GU)
- Pseudostrangalia** Swaine & Hopping, 1928: 24
cruentata (Haldeman, 1847: 64) eNorth America-TX
maneei Casey, 1914: 367
- Pseudotypocerus** Linsley & Chemsak, 1971: 34
ater Chemsak & Linsley, 1981: 486 Costa Rica
inflaticollis Chemsak & Linsley, 1976: 174 Panama
nitidicollis Chemsak & Linsley, 1976: 172 El Salvador, Nicaragua
proxater Giesbert, 1997: 17 Panama
pubipennis (Bates, 1885: 279) Guatemala
rufiventris (Bates, 1872: 183) Mexico (VC), Guatemala, Nicaragua, Costa Rica, Panama
virescens Chemsak & Linsley, 1976: 173 Costa Rica, Panama
auricornis Chemsak & Linsley, 1981: 488
vittatus Chemsak & Linsley, 1981: 487 Panama
- Pygoleptura** Linsley & Chemsak, 1976: 59
brevicornis (LeConte, 1873: 226) wUSA (OR, CA)
carbonata (LeConte, 1861: 355) swCanada (Br Col), wUSA
nigrella nigrella (Say, 1826: 279) Canada, Alaska, nUSA
lacustris Casey, 1891: 43

praestans Casey, 1913: 267
serricornis Casey, 1924: 279
 subsp. **oregonensis** Linsley & Chemsak, 1976: 62 nwUSA (OR)

Stenelytrana Gistel, 1848: 432 [UE]

Stenura Dejean, 1835: 355 [JH; not Cuvier, 1829, *Aves*)
Leptura (*Megaleptura*) Casey, 1913: 267
emarginata (Fabricius, 1787: 158) eUSA
gigas (LeConte, 1873: 223) swUSA (TX), Mexico (CHA)
splendens (Knull, 1935: 191) swUSA (AZ)

Stenostrophia Casey, 1913: 248

amabilis (LeConte, 1857: 64) swCanada (Br Col), wUSA
coquilletti (Linell, 1897: 398) swUSA (CA)
tribalteata tribalteata (LeConte, 1873: 224) wUSA (CA, NV)
 subsp. **serpentina** (Casey, 1891: 41) wNorth America (Rocky Mts)
 subsp. **sierrae** Linsley & Chemsak, 1976: 113 wUSA (CA, OR)

Stictoleptura Casey, 1924: 280

Nephropis Gosse, 1840: 224 [NO]
Corymbia Des Gozis, 1886: 33; nec Walker, 1865
Aredolpona Nakane & N. Ohbayashi, 1957: 50
Melanoleptura Miroshnikov, 1998: 594
Paracorymbia subgen. *Batesiata* Miroshnikov, 1998: 594
canadensis canadensis (Olivier, 1800: [no73] 8) seCanada, eUSA
erythroptera Kirby in Richardson, 1837: 180
cinnamoptera Haldeman, 1847: 64
tenuicornis Haldeman, 1847: 64
 subsp. **cribripennis** (LeConte, 1859: 21) wCanada - CA
coccinea LeConte, 1873: 226
canadensis form *ebena* Leng, 1890: 197
cribripennis divisa Casey, 1924: 281
 subsp. **arizonensis** Linsley & Chemsak, 1976: 144 swUSA (AZ, NM)

Strangalepta Casey, 1913: 247

abbreviata (Germar, 1823: 523) eNorth America
vittata: Olivier, 1797: 523 [Mld; not Swederus, 1787]
semivittata Kirby in Richardson, 1837: 183
gulosa Kirby in Richardson, 1837: 184
nitidipennis Provancher, 1877: 616
vittata var. *saratogensis* Rau, 1935: 63

Strangalia Audinet-Serville, 1835: 220

Ophistomis Thomson, 1857: 319
Ophiostomis Gemminger & Harold, 1872: 2875
Strangalina Aurivillius, 1912: 245
Strangalidium Giesbert, 1997: 34
acuminata (Olivier, 1800: [no 73] 20) eNorth America
emaciata: Newman, 1841: 68 [Mld; not Bates, 1880]
unicolor Haldeman, 1847: 62
albicollis (Pascoe, 1860: 63) French Guiana, Brazil (PA, GO, RO), eEcuador,
irene (Gounelle, 1911: 103) Peru, Bolivia (SC)
anneae Chemsak & Linsley, 1981: 490 Costa Rica, Panama
antennata Schaeffer, 1908: 342 swUSA (AZ)
auripilis Chemsak, 1969: 6 Mexico (DU, SI)
beierli Giesbert, 1997: 21 Mexico (CHS)
beltii (Bates, 1872: 182) Honduras, Nicaragua, Costa Rica, Panama
maculifrons Giesbert, 1985: 276
benitoespinali Chalumeau, 1985: 148 W Indies (Montserrat)
biannulata (Linsley, 1935: 83) Mexico
bicolor (Swederus, 1787: 197) eUSA-Colorado

- bicolorata*: Turton, 1801: 352 [ISS]
bicolor Say, 1824: 418 [JpH; not Swederus, 1787]
simulans Casey, 1913: 278
bicolorella Chemsak, 1969: 2
pulchra Chemsak, 1969: 5
bivittata (Bates, 1870: 311)
paraensis Bates, 1870: 311
bonfilsi Villiers, 1979: 24
brachialis (Bates, 1885: 280)
nigrita Linsley, 1935: 110
cambrei Linsley & Chemsak, 1976: 20
cantharidis (Chemsak & Linsley, 1976: 174)
cavaventra Chemsak, 1969: 8
cavei Chemsak & Linsley, 1981: 489
chemsaki (Giesbert, 1997: 35)
debroizei Chalumeau & Touroult, 2005: 156
dolicops Chemsak, 1969: 3
doyeni Chemsak & Linsley, 1976: 223
eickworti Chemsak & Noguera, 1997: 12
elegans Giesbert, 1997: 22
emaciata (Bates, 1880: 39)
famelica famelica Newman, 1841: 68
obsoleta Haldeman, 1847: 61
obsoleta var. *flaviceps* Haldeman, 1847: 61
var. *confluenta* Haldeman, 1847: 61
ochreipennis Casey, 1913: 278
flavocincta (Thomson, 1861: 155)
latifasciata Melzer, 1926: 9
tristis Melzer, 1922: 5
fulvicornis (Bates, 1872: 183)
variabilis Melzer, 1926: 8
flavovittata Melzer, 1926: 10
rustica Melzer, 1926: 10
giesberti Gutierrez & Noguera, 2020: 96
guindoni Giesbert, 1989: 463
hamatipes Giesbert, 1986: 140
hondurae Chemsak & Linsley, 1979: 271
hovorei Giesbert, 1997: 24
ianswifti Hovore & Chemsak, 2005: 4
instabilis Giesbert, 1985: 285
insularis (Fisher, 1932: 56)
kunaia (Giesbert, 1997: 36)
lachrymans (Bates, 1885: 280)
lapidicina Giesbert, 1997: 25
linsleyana Giesbert, 1986: 142
linsleyi Giesbert, 1985: 280 [JpH; not Gressitt, 1951]
lourdesae Nearns & Swift, 2019: 152
lunai Santos-Silva, Van Roie & Jocque, 2021: 53
luteicornis (Fabricius, 1775: 197)
eversa Casey, 1913: 277
carolinae Casey, 1913: 277
lyrata (Redtenbacher, 1867: 190)
discophora Redtenbacher, 1867: 191
melampus (Bates, 1885: 280)
histrion Bates, 1885: 281
melanophthisis (Berg, 1889: 107)
melanura var. *nigripennis* Melzer, 1930: 191
melanostoma (Bates, 1870: 312)
melanura (Redtenbacher, 1867: 189)
dimidiata Redtenbacher, 1867: 189
var. *furcata* Melzer, 1930: 191
var. *atra* Gounelle, 1911: 107
- Mexico (SI, JA, CM)

French Guiana, Guyana, Brazil (AM, PA), eEcuador,
Bolivia (CO, SC)
Guadeloupe
Mexico (CHS, OA, QR, VC), Belize

seUSA (MS)
Nicaragua, Costa Rica, Panama
Mexico (JA, MI, OA, CHS)
El Salvador
Costa Rica (CA), Panama
W Indies (Dominica)
Mexico (OA, CHS), Guatemala
Mexico (JA, OA, CHS), Guatemala
Mexico (CHS)
Mexico (VC), Honduras, Costa Rica
Costa Rica
eUSA

Brazil, Bolivia (CO, SC)

Brazil (MG-SC), Paraguay, Argentina, Uruguay

Mexico (Chiapas, Oaxaca)
Costa Rica, Panama
Mexico (JA-CHS)
Honduras
Costa Rica
Honduras
Honduras, Costa Rica, Panama
W Indies (Dominica)
Guatemala (?), Costa Rica (CA), Panama
Guatemala
Guatemala
Panama

Costa Rica (Puntarenas)
Honduras (Cortés)
eNorth America-TX

Brazil (ES, RJ)

Mexico, Guatemala

Argentina, Uruguay

Brazil (AM)
Brazil (GO, RJ-RS), Argentina, Uruguay

- montivaga** Chemsak & Linsley, 1976: 226
monzoni Giesbert, 1997: 27
nigella (Bates, 1872: 233)
occidentalis Linsley & Chemsak, 1976: 15
ochroptera (Bates, 1870: 312)
opleri Chemsak & Linsley, 1976: 227
palaspina Chemsak, 1969: 3
pallifrons Giesbert, 1997: 28
panama Di Iorio, 2002: 76
dimidiatus Chemsak & Linsley, 1981: 487 [JpH; not Redtenbacher, 1867]
panamensis Giesbert, 1985: 278
penrosei Hovore & Chemsak, 2005: 8
pectoralis (Bates, 1885: 282)
picticornis (Bates, 1869: 384)
felix Bates, 1885: 282
pseudocantharidis Giesbert, 1985: 284
rubiginosa (Gounelle, 1911: 105)
rubricollis (Bates, 1870: 312)
sallaei (Bates, 1885: 280)
saltator (Bates, 1885: 281)
semifulva (Bates, 1870: 313)
sexnotata Haldeman, 1847: 61
montana Casey, 1891: 40
texana Casey, 1913: 276
evanescens Casey, 1913: 276
sexocellata Hovore & Chemsak, 2005: 5
sinaloae Chemsak & Linsley, 1981: 490 [RN]
gracilis Chemsak, 1969: 7 [JpH; not Gressitt, 1935]
solitaria Haldeman, 1847: 61
splendida (Aurivillius, 1920: 361)
strigosa Newman, 1841: 68
suavis (Melzer, 1926: 7)
succincta (Redtenbacher, 1867: 190)
auriflua (Redtenbacher, 1867: 190)
thoracica (Fleutiaux & Sallé, 1889: 465)
tricolor Vlasak & Santos-Silva, 2023: 1
turnbowi Hovore & Chemsak, 2005: 2
veracruzana Hovore & Chemsak, 2005: 7
virilis LeConte, 1873: 212
westcotti Chemsak & Linsley, 1976: 231
xanthomelaena Monné & Monné, 2005: 234
xanthotela (Bates, 1892: 158)
yoryinethae Nearn & Swift, 2019: 154
zacapensis Giesbert, 1997: 30
zikani (Melzer, 1922: 5)
 Mexico (DU, SI), Guatemala, Honduras, El Salvador, Nicaragua
 Guatemala
 Nicaragua, Costa Rica, Panama
 swUSA (AZ), Mexico (CHA)
 Guyana, French Guiana, Brazil (AM, MT), eEcuador
 Mexico (CHS), Guatemala, Costa Rica
 Mexico (SI, NA, JA), Guatemala
 Guatemala, Honduras
 Panama
 Panama
 wEcuador
 Mexico (CHS, OA, VC)
 Nicaragua, Costa Rica, Panama
 Costa Rica, Panama
 Brazil (MT, RO, GO), Bolivia (CO)
 Fr Guiana, Brazil (AM, RO, MT), Peru, Bolivia (CO)
 Mexico
 Costa Rica, Panama
 Brazil (AM, MT)
 sUSA (FL-AZ)
 Honduras, Nicaragua
 Mexico (SI, MI)
 seUSA
 Brazil (AM)
 seUSA (FL)
 French Guiana, Brazil (AM), eEcuador, Bolivia
 Brazil (ES, RJ)
 Guadeloupe
 wEcuador (Napo)
 Honduras
 Mexico (VC)
 scUSA (TX, OK)
 Mexico (NA)
 Brazil (MG, RO), Bolivia (SC)
 Mexico (GR)
 Costa Rica (Puntarenas)
 Guatemala
 Brazil (MG-SC)
Strophiona Casey, 1913: 248
laeta (LeConte, 1857: 64)
ostenta Casey, 1913: 265
nitens (Forster, 1771: 45)
zebra: Provancher, 1877: 614 [Mld; not Olivier, 1800]
zebrata: Haldeman, 1847: 62 [Mld; not Fabricius, 1801]
quagga Germar, 1823: 521
bellina Casey, 1913: 265
tigrina Casey, 1913: 266
reducta Casey, 1913: 266
 wUSA (WA-CA-NM)
 eNorth America-CO
 wUSA (WA, OR, CA), Mexico (BCN)
Toxoleptura Miroshnikov, 1998: 411
pernigra (Linell, 1897: 397)
 wUSA (s CA)

vexatrix (Mannerheim, 1853: 250)
quadrum LeConte, 1859: 88
convolvens Casey, 1913: 250
 sAlaska, wNorth America

Trigonarthris Haldeman, 1847: 65

Trigonarthrus Gistel, 1848: 432 [UE]

Leptura (*Cercolia*) Casey, 1913: 268

atrata (LeConte, 1850: 339)
liebecki Hopping, 1922: 164
proxima (Say, 1824: 420)
kempiana Casey, 1924: 281
subpubescens Kirby in Richardson, 1837: 180
minnesotana Casey, 1913: 269
 seUSA-TX, KS
 eNorth America
 eNorth America

Typocerus LeConte, 1850: 333

acuticauda acuticauda Casey, 1913: 274
thoracicus Casey, 1913: 274
 subsp. **standishi** Knull, 1938: 141
oklahomensis Hopping, 1940: 33 (part)
badius (Newman, 1841: 69)
balteatus Horn, 1878: 55
 subsp. **diana** Lewis, 2001: 11
confluens Casey, 1913: 272
caligans Casey, 1913: 273
deceptus Knull, 1929: 144
fulvocinctus Knull, 1956: 338
flavocinctus: Linsley & Chemsak, 1976: 84 [ISS]
gloriosus Hopping, 1922: 166
lugubris (Say, 1824: 419)
lunulatus lunulatus (Swederus, 1787: 197)
arcuata Olivier, 1800: [no 73] 32
lunata Fabricius, 1801: 360
lunatus fractus Hoffman, 1958: 220
 subsp. **texanus** Linsley & Chemsak, 1976: 84
octonotatus (Haldeman, 1847: 62)
sinuatus: LeConte, 1850: 335 [Mld; not Newman, 1841]
arapahoe Casey, 1924: 278
serraticornis Linsley & Chemsak, 1976: 69
sinuatus (Newman, 1841: 70)
brunnicornis LeConte, 1873: 214
brunnicornis inflatus Knull, 1959: 47
sparsus LeConte, 1878: 614
velutinus velutinus (Olivier, 1800: [no 73] 18)
fugax Fabricius, 1798: 153
tenuior Kirby in Richardson, 1837: 181
manitobensis Swaine & Hopping, 1928: 35
 subsp. **nobilis** (Newman, 1841: 69)
trimaculatus Champlain & Knull, 1922: 304
oklahomensis Hopping, 1940: 33 (part)
zebra (Olivier, 1800: [no 73] 19)
zebrata Fabricius, 1801: 364
carolina Weber, 1801: 91
aurigera Newman, 1841: 70
 eNorth America
 scUSA (KS-TX-MS)
 seUSA (GA, FL)
 wcNorth America
 swUSA (NM, TX)
 cUSA
 ecUSA
 seUSA (FL)
 wcUSA (CO, UT, NM, AZ)
 eNorth America
 eUSA
 scUSA (LA, TX, AR)
 ecUSA
 wcUSA (UT, ID, NV, OR, CO)
 seUSA-NM, CO, Mexico (CO)
 scCanada, ncUSA (Great Lakes)
 eNorth America
 seUSA-GA, OK
 eUSA-TX

Xestoleptura Casey, 1913: 248

behrensii (LeConte, 1873: 227)
cockerelli (Fall, 1907: 251)
crassicornis (LeConte, 1873: 227)
corusca Casey, 1913: 261
crassipes (LeConte, 1857: 65)
xanthogaster LeConte, 1859: 88
 swCanada (Br Col), wUSA
 wcUSA (AZ, UT, CO, NM)
 wUSA-ID
 wNorth America

- fasciventris* LeConte, 1861: 355
crassipes shastana Casey, 1913: 263
muliebris Casey, 1913: 263
vancouveri Casey, 1913: 263
octonotata (Say, 1824: 419) eNorth America
stictica Newman, 1841: 72
quadripunctata Haldeman, 1847: 64
octopunctata: Emmons, 1854: 127 [ISS]
tibialis (LeConte, 1850: 236) sCanada, nwUSA, Rocky Mts
hirtella LeConte, 1873: 226
columbica Casey, 1913: 261
miquelonensis Pic, 1922: 11
pictipennis Casey, 1924: 285

Necydalini Latreille, 1825: 401

- Atelopteryx** Lacordaire, 1868: 473
compsoceroides Lacordaire, 1868: 474 Brazil (RJ-RS), Paraguay, Argentina

- Callisphyrus** Newman, 1840: 1
Callisphyrus: Thomson, 1864: 151 [ISS]
apicicornis Fairmaire & Germain, 1859: 497 Chile, Argentina (NE)
vespa Fairmaire & Germain, 1861: 106
crassus Barriga & Peña, 1994: 93 Chile
ficheti Barriga & Peña, 1994: 93 Chile
fritzi Cerda, 1968: 101 Chile
leptopus Philippi, 1859: 673 Chile, Argentina (NE-SC)
semicaligatus Fairmaire & Germain, 1859: 496
schytei Philippi, 1862: 412
schythei: Philippi & Philippi, 1864: 380 [ISS of *schytei* Philippi, 1862]
macropus Newman, 1840: 1 Chile, Argentina (NE)
auriventris Cerda, 1993: 13
molorchoides (Guérin-Méneville, 1838: 66) Chile, Argentina (NE)
annulatus Philippi & Philippi, 1864: 380
odyneroides Fairmaire & Germain, 1864: 385 Chile, Argentina (NE)
uretai Cerda, 1963: 3
pepsioides Barriga & Peña, 1994: 92 Chile
rufiventer Philippi, 1859: 673 Chile
concolor Fairmaire & Germain, 1861: 105
testaceipes Fairmaire & Germain, 1864: 286
asphaltinus Fairmaire & Germain, 1859: 497

- Cauarana** Lane, 1974: 528
iheringi (Gounelle, 1910: 46) Brazil

- Hephaestion** Newman, 1840: 10
annulatum Philippi, 1859: 672 Chile, Argentina (NE)
auratum Cerda, 1968: 103 Chile
bullocki Cerda, 1968: 102 Chile
chalybeum Philippi, 1865: 653 Chile
corralensis Philippi & Philippi, 1864: 379 Chile
cyanopterum Philippi & Philippi, 1864: 377 Chile
flavicornis Philippi & Philippi, 1864: 378 Chile
fuscescens Philippi & Philippi, 1864: 379 Chile
holomelas Philippi & Philippi, 1864: 379 Chile
lariosi Bosq, 1951: 194 Chile
nigricornis Fairmaire & Germain, 1861: 105 Chile
ocreatum Newman, 1840: 10 Chile, Argentina (NE)
pallidicornis Fairmaire & Germain, 1859: 493 Chile
tolhuaca Cerda, 1995: 75 Chile

versicolor Philippi, 1859: 671
violaceipennis Fairmaire & Germain, 1861: 105
iopaterus Philippi & Philippi, 1864: 368

Chile
 Chile, Argentina (NE)

Hephaestioides Zajciw, 1961: 217
cyanipennis Zajciw, 1961: 218

Brazil (RJ)

Mendesina Lane, 1974: 526
carinithorax (Mendes, 1938: 118)

Brazil (GO)

Necydalis Linnaeus, 1758: 421
Gymnopteron Schrank, 1798: 373
acutipennis Van Dyke, 1923: 51
barbarae Rivers, 1890: 112
cavipennis LeConte, 1873: 204
diversicollis diversicollis Schaeffer, 1932: 152
laevicollis: Van Dyke, 1923: 52 [Mld; not LeConte, 1869]
 subsp. **californica** Linsley, 1940: 279
laevicollis LeConte, 1869: 383
laevicollis seminiger Linsley, 1940: 277
mellita (Say, 1835: 194)
melitta: Hamilton, 1895: 338 [ISS]
americanus Haldeman, 1847: 44
rudei Linsley & Chemsak, 1972: 19

wUSA (CA, OR)
 wUSA (CA)
 wNorth America, Mexico (BC)
 wNorth America
 wUSA (CA)
 wNorth America
 eNorth America
 wUSA (CA)

Parahephaestion Melzer, 1930: 192
brasiliensis (Melzer, 1923: 8)
malleri (Melzer, 1930: 191)
mimicus Ferreira, Correa, Monné & Monné, 2014: 292
zikani (Melzer, 1923: 7)

Brazil (MG)
 Brazil (SC)
 Brazil (Minas Gerais)
 Brazil (MG)

Planopus Bosq, 1953: 78
laniniensis Bosq, 1953: 8
lugubris Prosen, 1962: 147
octaviusbarrosi Cerda, 1968: 102

Chile, Argentina (NE)
 Chile

Rhathymoscelis Thomson, 1861: 160
batesi Lane, 1965: 277
haldemani: Bates, 1885: 287 [Mld; not Thomson, 1861]
dormei Gounelle, 1910: 48
haldemani Thomson, 1861: 161
melzeri Costa Lima, 1922: 22
mortieri Dalens & Touroult, 2014: 63
peruibensis Lane, 1951: 8
rothschildi Lane, 1965: 281
taunayi Lane, 1936: 772
wheeleri Lane, 1974: 524
zikani Melzer, 1931: 54

Guatemala
 Brazil (MG)
 Mexico (GR)
 Brazil (RJ)
 French Guiana
 Brazil (SP)
 Mexico (OA)
 Brazil (SP)
 Guyana, French Guiana
 Brazil (AM)

Stenorhopalus Blanchard in Gay, 1851: 477 [RN]
Platynocera Blanchard in Gay, 1851: 471 [JH; not Blanchard, 1847, Chrysomelidae]
Stenorrhopalus: Gemminger & Harold, 1872: 2880 [ISS]
andina Cerda, 1968: 104
annulata Philippi & Philippi, 1864: 381
bicolor Philippi, 1865: 652
flavicans (Fairmaire & Germain, 1859: 495)
gracilipes (Blanchard in Gay, 1851: 469)
gracilis (Blanchard in Gay, 1851: 478)
lepturoides Blanchard in Gay, 1851: 473
macer (Newman, 1840: 10)

Chile
 Chile
 Chile
 Chile
 Chile, Argentina (NE)
 Chile, Argentina (NE)
 Chile
 Chile, Argentina

monsalvei Cerda, 1954: 94	Chile
nigriceps Philippi, 1859: 673	Chile
opaca (Fairmaire & Germain, 1859: 494)	Chile
rubriceps Blanchard in Gay, 1851: 472	Chile
rufofemorata (Fairmaire & Germain, 1859: 494)	Chile
rugosa (Fairmaire & Germain, 1861: 106)	Chile, Argentina (NE)
valdiviensis Cerda, 1995: 76	Chile
virescens (Fairmaire & Germain, 1859: 495)	Chile

Ulochaetes LeConte, 1854: 82

leoninus LeConte, 1854: 82	wNorth America (Br Col, WA, ID, OR, CA), Mexico (BC)

Oxymirini Danilevsky in Althoff & Danilevsky, 1997: 8**Anthophylax** LeConte, 1850: 326*Anthophilax*: LeConte in Agassiz, 1850: 236 [ISS]

cyaneus (Haldeman, 1847: 151)	eNorth America
<i>malachiticus</i> Haldeman, 1847: 64	
hoffmani Beutenmüller, 1903: 518	seUSA
viridis LeConte, 1850: 326	eNorth America
<i>viridis viridipennis</i> Casey, 1918: 416	

Neanthophylax Linsley & Chemsak, 1972: 78*Anthophilax*: Horn in Leng, 1890: 98 (part) [Mld in part; not LeConte, 1850]

mirificus (Bland, 1865: 382)	wNorth America (Rocky Mts), Costa Rica?
<i>venustus</i> Bland, 1865: 383	
<i>costaricensis</i> Bates, 1885: 277	
pubicollis Linsley & Chemsak, 1972: 81	wcUSA (ID)
subvittatus (Casey, 1891: 37)	wcUSA (CO)
tenebrosus tenebrosus (LeConte, 1873: 208)	wUSA (OR, CA)
subsp. nigrolineatus (Van Dyke, 1917: 36)	swCanada, nwUSA (WA, OR)
subsp. orientalis Linsley & Chemsak, 1972: 81	nwUSA (OR, UT)

Proanthophylax Zamoroka, 2022: 303

attenuatus (Haldeman, 1847: 59)	seCanada, neUSA

Pidoniini Zamoroka, 2022: 308**Leptalia** LeConte, 1873: 204

macilenta (Mannerheim, 1853: 253)	wAlaska, wNAmer (Pacific Coast, ID)
<i>frankenhaeuseri</i> Mannerheim, 1853: 252	
<i>fuscicollis</i> LeConte, 1857: 65	

Pidonia (Ceratopidonia) Linsley & Chemsak, 1976: 119

quadrata (Hopping, 1931: 233)	swCanada (Br Col), nwUSA

Pidonia (Pidonia) Mulsant, 1863: 570*Grammoptera*: Thomson, 1864: 141 [Mld; not Audinet-Serville, 1835]*Pseudopidonia* Pic, 1900: 81*Hapalosalia* Casey, 1913: 200*Pidnota*: Bayer & Shenefelt, 1969: 5 [ISS]

aurata (Horn, 1860: 570)	eUSA
densicollis (Casey, 1914: 366)	eUSA
nitidicollis Horn, 1860: 570	eNorth America
ruficollis (Say, 1824: 421)	eNorth America
<i>sphaericollis</i> Say, 1826: 280	
<i>allecta</i> Newman, 1841: 73	

paupercula Newman, 1841: 72
straussi Webb, 1908: 41
vibex fragilis Casey, 1913: 202
lineicornis Casey, 1913: 201
laeviceps Casey, 1913: 202
scripta (LeConte, 1869: 384) wNorth America
vibex Newman, 1841: 72 eNorth America

Pidonia (Thesalia) Casey, 1891: 36
gnathoides (LeConte, 1873: 228) swCanada (Br Col), wUSA
lisa Leng, 1890: 108
rubriceps Casey, 1913: 198

Rhagiini Kirby, 1837: 178
Rhagiadae Kirby in Richardson, 1837: 178
Pachytini Portevin, 1934: 119

Centrodera LeConte, 1850: 325
Rhamnusium: Haldeman, 1847: 58 (not Latreille, 1829)
Parapachyta Casey, 1913: 216
autumnata Leech, 1963: 173 wUSA (CA)
dayi Leech, 1963: 178 wUSA (WA, ID, OR, CA)
decolorata (Harris, 1841: 93) eNorth America
rubidus Haldeman, 1847: 58
decolorata lacustris Casey, 1918: 416
minima Linsley & Chemsak, 1972: 40 wcUSA (CO)
nevadica nevadica LeConte, 1873: 205 wUSA
 subsp. **arizonica** Linsley & Chemsak, 1972: 42 swUSA (AZ)
oculata oculata Casey, 1913: 202 wUSA (c CA)
nevadica: Fall, 1901: 148 [Mld; not LeConte, 1873]
arida Van Dyke, 1946: 89
 subsp. **blaisdelli** Van Dyke, 1927: 102 wUSA (s CA)
osburni Knull, 1947: 73 wUSA (CA)
quadrimaculata (Champlain & Knull, 1922: 147) eUSA (OH)
spurca (LeConte, 1857: 63) wNorth America (Br Col, WA, OR, CA, UT), Mexico (BC)
cervinus Walker, 1866: 332
sublineata LeConte, 1862: 40 eUSA
tenera Casey, 1913: 203 wUSA (CA)
pilosa Van Dyke, 1927: 101

Comacmaeops Linsley & Chemsak, 1972: 88
brunnea (Knull, 1962: 107) swUSA (TX)
parva Linsley & Chemsak, 1972: 89 Mexico (HI, GR)

Pachyta Dejean, 1821: 112
Argaleus LeConte, 1850: 319
Acmaeops; C. G. Thomson, 1866: 55 [Mld; not LeConte, 1850]
Anthophylax; Blessig, 1873: 232 [MLd; not LeConte, 1850]
Neopachyta Bedel, 1906: 93 [URN for *Pachyta*: Audinet-Serville, 1835]
Pachyta (Linsleyana) Podany, 1964: 43
armata LeConte, 1873: 207 wUSA (Pacific Coast)
lamed (Linnaeus, 1758: 391) Europe, Siberia
pedella Degeer, 1775: 129
spadicea Paykull, 1800: 101
lamed ab. *bohémica* Sláma, 1963: 55
 subsp. **litrata** Kirby in Richardson, 1837: 178 Alaska, Canada, wUSA
nitens LeConte, 1850: 319
conflagrata Motschulsky, 1860: 147
lamed americana Podany, 1964: 50

Piodes LeConte, 1850: 318**coriacea** LeConte, 1850: 318

nwUSA (WA, OR, ID), Canada (sc Br Col)

Pseudoxylosteus Sama, 1993: 12**ornatus** (LeConte, 1873: 205)

wUSA (OR, CA)

Rhagium Fabricius, 1775: 182*Latmius* Rafinesque, 1815: 117 [UE]*Stencorus*: Lamarck, 1817: 312 [Mld; ISS for *Stenocorus*, not Geoffroy, 1762]*Hargium* Samouelle, 1819: 210*Harpium*: Reitter, 1913: 6 [ISS of *Hargium* Samouelle, 1819]*Allorhagium* Kolbe, 1884: 270**inquisitor inquisitor** (Linnaeus, 1758: 393)

Holarctic: North America (boreal regions)

lineatus Olivier, 1800: [no 69] 13*investigator* Mannerheim, 1852: 283*californicum* Casey, 1913: 195*crassipes* Casey, 1913: 195*parvicorne* Casey, 1913: 195*boreale* Casey, 1913: 195*cariniventre* Casey, 1913: 196*thoracicum* Casey, 1913: 196*montanum* Casey, 1913: 197*mexicanum* Casey, 1913: 197*canadense* Podany, 1964: 30*americanum* Podany, 1964: 32*quadricostatum* Podany, 1964: 34*nigra* Podany, 1978: 4**Tomentgaurotes** Podany, 1962: 242**batesi** (Aurivillius, 1912: 194) [RN]

Mexico

donacioides Bates, 1880: 37 [JpH; not Kraatz, 1879: 85]*batesi* m. *mexicana* Podany, 1962: 243**maculosus** (Bates, 1885: 277)

Mexico (HI, CHS)

multiguttatus (Bates, 1892: 158)

Mexico (GR, PU)

ab. *nigrita* Podany, 1962: 244**ochropus** (Bates, 1880: 37)

Mexico

plumbeus Chemsak & Linsley, 1963: 85

Mexico (OA, VC)

Rhamnusiini Sama in Sama & Sudre, 2009: 383 (not Rhamnusiini Althoff and Danilevsky, 1997: 9)**Acmaeops** LeConte, 1850: 235**discoideus** (Haldeman, 1847: 60)

eNorth America

proteus proteus (Kirby in Richardson, 1837: 186)

North America (montane regions)

sublineata Haldeman, 1847: 60*gibbula* LeConte, 1861: 356*pinicola* Schaeffer, 1908: 341*parkeri* Casey, 1913: 242*lacustrina* Casey, 1913: 242*obsoleta* Casey, 1913: 243*puncticeps* Casey, 1913: 243*aurora* Casey, 1913: 244*coloradensis* Casey, 1913: 244*cavicollis* Casey, 1913: 244*scutellata* Casey, 1924: 276subsp. **durangoensis** Linsley & Chemsak, 1972: 98

Mexico (DU)

Anthophylax LeConte, 1850: 326*Anthophilax*; LeConte in Agassiz, 1850: 236

attenuatus (Haldeman, 1847: 59) seCanada, neUSA
cyaneus (Haldeman, 1847: 151) eNorth America
malachiticus Haldeman, 1847: 64
hoffmani Beutenmüller, 1903: 518 seUSA
viridis LeConte, 1850: 326 eNorth America
viridis viridipennis Casey, 1918: 416

Enoploderes (Enoploderes) Faldermann, 1837: 309

Pyrotrichus Leconte, 1862: 41
Xylostylon Reitter, 1879: 82
vitticollis (LeConte, 1862: 41) wNorth America (Pacific Coast)
cribripennis Casey, 1913: 198

Sachalinobiini Danilevsky, 2010: 43

Sachalinobia Jacobson, 1899: 39

Pseudopachyta Swaine & Hopping, 1928: 16
rugipennis (Newman, 1844: 476) eCanada, neUSA

Stenocorini Thomson, 1861

Stenocoridae Hope, 1834: 106
Toxotini LeConte & Horn, 1883: 313 [JH; not Toxotidae Günther, 1860, Perciformes]

Stenocorus (Eutoxotus) Casey, 1913: 206

schaumii (LeConte, 1850: 320) seCanada, neUSA
schaumii var. *croceus* Leng, 1890: 68

Stenocorus (Stenocorus) Geoffroy, 1762: 221

Endemus Gistel, 1848: xi [URN]
Stenochorus: Reitter, 1913: 6 [ISS]
Toxotus Dejean, 1821: 112
Minaderus Mulsant, 1863: 467
alteni Giesbert & Hovore, 1998: 16 California
copei Linsley & Chemsak, 1972: 54 swUSA (NM)
cylindricollis (Say, 1824: 417) eNorth America
dives Newman, 1841: 68
atratus Haldeman, 1847: 58
dentipennis Haldeman, 1847: 58
flavolineatus (LeConte, 1854: 18) swCanada (Br Col), nwUSA
flavolimbatus: LeConte, 1857: 23 [ISS]
nubifer (LeConte, 1859: 80) wNorth America
lateralis Casey, 1891: 37
pacificus Casey, 1913: 209
tenellus Casey, 1913: 210
hesperus Casey, 1913: 210
parviceps Casey, 1913: 210
truncatulus Casey, 1913: 211
apiciventrus Casey, 1913: 211
rufipennis Casey, 1913: 212
plagiatus Casey, 1924: 273
uteanus Casey, 1924: 273
marginellus Casey, 1924: 274
morio Casey, 1924: 274
spinosus Hopping, 1940: 32
obtusus (LeConte, 1873: 206) swCanada, nwUSA
brevicollis Casey, 1913: 214
testaceus Linsley & Chemsak, 1972: 51 wcUSA (UT)
trivittatus (Say, 1824: 422) scCanada, nc USA

- vestitus** (Haldeman, 1847: 59) wNorth America
vestitus var. *ater* Leng, 1890: 68
virgatus LeConte, 1874: 67
aureatus Casey, 1913: 213
aureatus gilvicornis Casey, 1913: 213
sericatus Casey, 1913: 213
subpinguis Casey, 1913: 213
oregonensis Casey, 1913: 214
flaccidus Casey, 1913: 212
- vittiger** (Randall, 1838: 29) seCanada, neUSA
trivittatus; Haldeman, 1847: 58 (not Say, 1824)
trivittatus var. *nigripes* Haldeman, 1847: 58
virgatus; Leng, 1890: 69 (not LeConte, 1874)

- Toxotopsis** Casey, 1913: 206
cinnamoptera (Randall, 1838: 45) neUSA-TX
aesculi Haldeman, 1847: 59

Xylosteini Reitter, 1913: 5

- Leptorhabdium** Kraatz, 1879: 118
Leptorrhadium: Ganglbauer, 1881: 686 [ISS]
Leptorhabdium: Ganglbauer, 1881: 716 [ISS]
Psilorhabdium Kraatz, 1879: 118
pictum (Haldeman, 1847: 58) eUSA

Spondylidinae Audinet-Serville, 1832: 123

Spondylii Audinet-Serville, 1832: 123
 (*Spondylinae*, auct)

Asemini Thomson, 1861: 259

Criocephalites Fairmaire in Jacquelin du Val, 1864: 125
Criomorphaires Planet, 1924: 232
Tetropiina Seidlitz, 1891: 179

- Arhopalus** Audinet-Serville, 1834: 77
Criocephalum Dejean, 1835: 328
Criocephalus: Mulsant, 1839: 63 [ISS of *Criocephalum* Dejean, 1835]
- asperatus** (LeConte, 1859: 19) wNorth America-Honduras
honduranus Casey, 1912: 265
filitarsis Casey, 1912: 266
- cubensis** (Mutchler, 1914: 346) Cuba
foveicollis (Haldeman, 1847: 35) Canada, nUSA
agreste: Kirby in Richardson, 1837: 170 [Mld; not Fabricius, 1787]
impressus Gemminger & Harold, 1872: 2789 [NN]
lacustrinus Casey, 1912: 267
cervinus Casey, 1912: 267
- hesperus** Chemsak & Linsley, 1965: 141 swUSA (CA)
hispaniolae (Fisher, 1942: 4) Dominican Republic
montanus (LeConte, 1873: 170) wcUSA (UT, CO, AZ, NM, TX), Mexico
spissicornis Casey, 1912: 264
spissicornis longicornis Casey, 1912: 264
gracilipes Casey, 1912: 265
cavicollis Casey, 1912: 266
coloradensis Casey, 1924: 231
- nubilus** (LeConte, 1850: 36) seUSA, Bahamas, Jamaica
obsoletus (Randall, 1838: 27) eUSA, Canada-Honduras
rusticus: Haldeman, 1847: 35 [Mld; not Linnaeus, 1758]
obscurus LeConte, 1850: 36
mexicanus Thomson, 1861: 260

productus (LeConte, 1850: 36)
elongatus Casey, 1924: 230
propinquus Casey, 1924: 230
rusticus (Linnaeus, 1758: 395)

wNorth America-Honduras

Europe, Asia, introduced in ne N America.

Asemum Eschscholtz, 1830: 66

Liasemum Casey, 1912: 262
australe LeConte, 1850: 35
champlainianus Casey, 1924: 231
caseyi Linsley, 1957: 13
glabrellum Bates, 1892: 146
nitidum LeConte, 1873: 169
mokelumne Casey, 1912: 262
striatum (Linnaeus, 1758: 396)
agreste Fabricius, 1787: 152
atrum Eschscholtz, 1830: 66
moestum Haldeman, 1847: 35
moestum var. *obsoletum* Haldeman, 1847: 35
moestum var. *brunneum* Haldeman, 1847: 35
substriatum Haldeman, 1847: 36
juvencum Haldeman, 1847: 36
fuscum Haldeman, 1847: 36
gracilicorne Casey, 1912: 258
ebenum Casey, 1912: 258
curtipenne Casey, 1912: 258
amputatum Casey, 1912: 259
parvicorne Casey, 1912: 260
fulvipenne Casey, 1912: 260
costulatum Casey, 1912: 261
pugetanum Casey, 1912: 261
brevicorne Casey, 1912: 261
carolinum Casey, 1924: 227
stocktonense Casey, 1924: 227

eUSA

wUSA (CA, OR), Mexico (BC)
 Mexico (GU), Guatemala, Honduras
 wNorth America (WA, OR, CA)

Europe, Asia, North America-Honduras

Megasemum Kraatz, 1879: 97

Nothorhina LeConte, 1873: 169
Nothorhina: Leng, 1884: 63 [ISS of *Nothorhina* LeConte, 1873]
asperum (LeConte, 1854: 18)
aspera impressa Casey, 1912: 264
aspera rectipennis Casey, 1912: 264
uteanus Casey, 1924: 231

wUSA, Mexico (SO)

Tetropium Kirby in Richardson, 1837: 174

Criomorphus Mulsant, 1839: 58 [JH; not Curtis, 1831, Hemiptera]
Isarthron Dejean, 1835: 329
abietis Fall, 1912: 320
auripilis Bates, 1885: 435
beckeri Franz, 1955: 324
cinnamopterum (Kirby in Richardson, 1837: 174)
fuscum (Fabricius, 1787: 154)
guatemalanum Bates, 1892: 147
guatemalenum: Aurivillius, 1912: 19 [ISS]
opacipenne Bates, 1885: 435
opacum Franz, 1955: 323
parallelum Casey, 1891: 23
parvulum Casey, 1891: 24
alaskanum Fall, 1926: 201
pilosicorne Linsley, 1935: 71
schwarzianum Casey, 1891: 24
schwerdtfegeri Franz, 1955: 324

wUSA (WA, OR, CA)
 swUSA (AZ), Mexico (VC)
 Guatemala
 seCanada, neUSA
 Europe, eCanada (Introduced)
 Guatemala

Mexico (VC)
 Guatemala, Honduras
 wcUSA (CO, AZ, NM)
 ncUSA (CO, MN), wCanada, Alaska

Mexico (ME)
 eUSA (PA, MI, GA), Canada (Ontario)
 Guatemala

velutinum LeConte, 1869: 382 nwUSA, swCanada
columbianum Casey, 1912: 268
hexagonum Casey, 1912: 228
boreale Casey, 1924: 228

Atimiini LeConte, 1873: 322

Atimia Haldeman, 1847: 56
confusa (Say, 1826: 276) eUSA-TX
tristis Haldeman, 1847: 56
dorsalis LeConte, 1869: 385 wUSA (Pacific Coast), Mexico (BC)
gannoni Hovore & Giesbert, 1974: 139 wUSA (CA)
helenae Linsley, 1934: 25 wUSA (CA)
hoppingi Linsley, 1939: 75 nwUSA (WA, OR)
huachucae Champlain & Knull, 1922: 148 swUSA (AZ)
maritima Linsley, 1939: 70 wUSA (CA)
mexicana Linsley, 1934: 24 Mexico (ME)
vandykei Linsley, 1939: 74 swUSA (NM)
Paratimia Fisher, 1915: 78
conicola Fisher, 1915: 78 wUSA (CA, OR)

Saphanini Gistel, 1848: [8]
 Saphanidae Gistel, 1848: [8]

Michthisoma LeConte, 1850: 30
Michthisoma: LeConte, 1873: 332 [ISS]
Mychthisoma Gemminger & Harold, 1873: 2998 [UE]
heterodoxum Leconte, 1850: 30 seUSA (NC, GA)

Spondylidini Audinet-Serville, 1832: 123

Neospondylis Sama, 2005: 2
Spondylis: amer. auct. [Mid; not Fabricius, 1775]
mexicanus (Bates, 1879: 15) Mexico (CHA, ME, OA, VC)
erebea Casey, 1912: 220
upiformis (Mannerheim, 1843: 304) wNorth America, Mexico
laticeps LeConte, 1850: 233
collaris Casey, 1912: 218
robustula Casey, 1912: 219
subpubescens Casey, 1912: 219
basalis Casey, 1912: 220
parva Casey, 1924: 226

Scaphinus LeConte, 1851: 100
muticus (Fabricius, 1801: 265) seUSA
sphaericollis LeConte, 1847: 93

Cerambycinae Latreille, 1802: 211

Acangassuini Galileo & Martins, 2001: 95

Acangarana Nascimento & Bravo, 2018: 578
santossilvai Nascimento & Bravo, 2018: 578 Brazil (BA)

Acangassu Galileo & Martins, 2001: 97
diminuta Galileo & Martins, 2001: 97 Brazil (RJ)

Achrysonini Lacordaire, 1868: 203, 231
 Achrysonides Lacordaire, 1868: 203 (key), 231

Abyarachryson Martins, 2002: 51

signaticolle (Blanchard in Gay, 1851: 491)

Chile

Achryson Audinet-Serville, 1834: 572

Phrygion Gistel, 1848: 428 [UE]

Trichomallus Lacordaire, 1868: 338

chacoense Di Iorio, 2003: 2

Argentina

foersteri Bosq, 1953: 1

Brazil, Paraguay, Argentina, Uruguay

immaculipenne Gounelle, 1909: 305

French Guiana, Brazil (AP, GO, MA, MT, PE), eEcuador,
Colombia, Bolivia (BN, CO, SC)

unicolor Gounelle, 1909: 599

immaculipenne var. *humero-maculatum* Tippmann, 1960: 107

jolyi Monné, 2006: 158

Venezuela

concolor Joly, 2000: 175

lineolatum Erichson, 1847: 142

wEcuador (Galapagos Is.), Peru, Bolivia, Chile,
Bolivia (SC)

scutellatum Kirsch, 1889: 37

galapagoensis Linell, 1898: 259

galapagoensis darwini Linsley & Chemsak, 1966: 213

galapagoensis flavescens Linsley & Chemsak, 1966: 213

lineolatum var. *andinum* Tippmann, 1960: 108

lutarium Burmeister, 1865: 175

Brazil (GO, MT), Bolivia (CO), Paraguay, Argentina

lineolatum var. *nigricans* Tippmann, 1960: 109

maculatum Burmeister, 1865: 175

Brazil, Bolivia (SC), Paraguay, Argentina, Uruguay

var. *fuscum* Plavilstshikov, 1927: 108

maculipenne (Lacordaire, 1868: 338)

Brazil, Bolivia (SC)

setosum Zajciw, 1963: 60

meridionale Martins, 1976: 75

Brazil (PR, SC)

peracchii Martins, 1976: 74

Brazil (RJ)

philippii Germain, 1897: 560

Chile

pictum Bates, 1870: 248

Venezuela, Guyana, Suriname, French Guiana, Colombia,
Brazil (AM, RR), eEcuador, Peru, Bolivia (SC)

quadrinaculatum (Fabricius, 1792: 328)

ornatipenne Perroud, 1855: 383

hirsutulum Bates, 1870: 248

kartaboensis Fisher, 1944: 1

griseopubescens Monné, 1972: 109

surinamum (Linnaeus, 1767: 632)

sUSA. West Indies-South America

surinamensis: Olivier, 1795: [67] 42 [ISS]

surinam: Leng, 1885: 117

longicollis Degeer, 1775: 117

simplex Voet, 1778: 22

circumflexus Fabricius, 1787: 144

pallens Fabricius, 1792: 297

var. *chontalense* Bates, 1872: 171

undulatum Burmeister, 1865: 175

Brazil, Bolivia (SC), Paraguay, Argentina, Uruguay

unicolor Bruch, 1908: 203

Brazil, Bolivia (SC), Paraguay, Argentina, Uruguay

uniforme Martins & Monné, 1975: 274

Bolivia (SC)

Araespor Thomson, 1878: 14

longicollis Thomson, 1878: 15

Cuba?, Fiji

angustulus Fairmaire, 1881: 474

Cerdaia Monné, 2006: 159

Pehuenia Cerda, 1980: 65 (preoccupied; Roth, 1902 Mammalia)

lunata (Germain, 1898: 749)

Chile

testacea (Cerda, 1980: 65)

Chile

Cotyachryson Martins, 2002: 65

- cinereus** Blanchard in Gay, 1851: 493 (not Villers, 1789) Chile
philippii Porter, 1925: 218
gayi Plavilstshikov, 1921: 110
inspergatus (Fairmaire & Germain, 1859: 509) Chile
obscurus Germain, 1898: 649
sulcicorne (Germain, 1898: 649) Chile

Drascalia Fairmaire & Germain, 1864: 387

- Acanthachryson* Bruch, 1921: 354
praelonga Fairmaire & Germain, 1864: 388 Chile, Argentina (CA, NE)
vianai Monné, 1969: 279
spinithorax Bruch, 1921: 355

Enosmaeus Thomson, 1878: 9

- Pseudoeme* Fisher, 1932: 4
cubanus Thomson, 1878: 10 Cuba, Hispaniola, Puerto Rico
poolei Fisher, 1932: 5
miserum Thomson, 1878: 8

Esseiachryson Martins, 2002: 57

- minutum** (Blanchard in Gay, 1851: 492) Chile

Geropa Casey, 1912: 305

- concolor** (LeConte, 1873: 176) swUSA (TX), Mexico
aequicollis Casey, 1912: 306

Huequenina Cerda, 1986: 33 [RN]

- Angolia* Cerda, 1980: 64 [JH; not Malloch, 1934, Diptera]
araucana (Cerda, 1980: 64) Chile, Argentina
livida (Germain, 1898: 739) Chile, Argentina

Neoachryson Monné & Monné, 2004: 133

- castaneum** Monné & Monné, 2004: 134 Argentina (ME)

Xenocompsa Martins, 1965: 94

- flavonitida** (Fairmaire & Germain, 1859: 507) Chile, Argentina (NE)
bifasciatum Philippi & Philippi, 1860: 251
martinsi Cerda, 1980: 65 Chile
semipolita (Fairmaire & Germain, 1859: 508) Chile
pallidicornis Fairmaire & Germain, 1864: 387

Ysachron Garcia, Botero & Santos-Silva, 2021: 91

- pilosus** Garcia, Botero & Santos-Silva, 2021: 93 Colombia (Atlantico)

Agallissini LeConte, 1873: 321**Agallissus** Dalman, 1823: 66

- Agallissus*: Thomson, 1864: 205 [ISS]
Aplectrus Duponchel & Chevrolat in Orbigny, 1841: 12
Cryptopleura LeConte, 1850: 6
lepturoides (Duponchel & Chevrolat, 1841: 12) swUSA (TX), Mexico-Honduras
grata Haldeman, 1853: 363
clytoides Lacordaire, 1869: 134
melaniodes Dalman, 1823: 66 Mexico-Honduras, Costa Rica
 var. *quadrifasciatus* White, 1853: 61
 var. *concolor* Bates, 1880: 67
 var. *trifasciatus* Bates, 1880: 67

Osmopleura Linsley, 1964: 194
chamaeropsis (Horn, 1893: 138)

seUSA (TX, SC, GA, FL)

Zagymnus LeConte, 1873: 204
clerinus (LeConte, 1873: 321)
floridanus Casey, 1912: 376
rugicollis Chemsak & Linsley, 1968: 38
variatus Chemsak & Linsley, 1968: 39

seUSA (TX, GA, SC, FL), Cuba

Belize
wMexico (SI)

Alanizini Di Iorio, 2003: 1

Alanizus Di Iorio, 2003: 1
tortuosus Di Iorio, 2003: 6

Argentina (LR)

Anaglyptini Lacordaire, 1868: 84

Anaglyptides Lacordaire, 1868: 404 (key) [NP / JH; not Anaglyptisidae Gistel, 1848, Buprestidae, NO]

Aphysotes Bates, 1885: 307
Amphysotes: Linsley, 1935: 87 [ISS]
santossilvai Noguera & Gutierrez, 2019: 2
tubericollis Bates, 1885: 308

Mexico (Veracruz)
Honduras, Costa Rica, Panama, Brazil?

Clytoderus Linsley, 1935: 89
pygmaeus Linsley, 1935: 90

Mexico (ME)

Cyrtophorus LeConte, 1850: 29
Cystophorus: Packard, 1890: 521 [ISS]
Cirtophorus: Chagnon, 1905: 35 [ISS]
Cryptophorus: Perry, 1975: 59 [ISS]
verrucosus (Olivier, 1800: [no 70] 67)
verucosus: Perry, 1975: 59 [ISS]

eUSA-TX

Diphyrama Bates, 1872: 187
singularis Bates, 1872: 188

Guatemala, Honduras, Nicaragua, Costa Rica, Panama, wEcuador

Microclytus LeConte, 1873: 320
compressicollis (Laporte & Gory, 1837: 106)
compressicornis: Leng, 1918: 207 [ISS]
gibbulus LeConte, 1850: 234
niger LeConte, 1850: 29
gazellula: Horn, 1884: 148 [Mld; not Haldeman, 1847]
insinuans Casey, 1893: 591
frosti Casey, 1912: 375
gazellula (Haldeman, 1847: 42)

neNorth America

neNorth America

Pempteurys Bates, 1885: 304
sericans Bates, 1885: 304

Guatemala, Costa Rica, Panama

Tilloclytus Bates, 1885: 303
Tillomorpha: Chevrolat, 1860: 503 [Mld; not Blanchard in Gay, 1851]
balteatus (Chevrolat, 1860: 503)
baoruco Lingafelter, 2011: 66
bruneri Fisher, 1932: 60
clavipes Bates, 1885: 304
cleroides (White, 1855: 290)
conradti Bates, 1892: 164
cubae Fisher, 1932: 63

Mexico (VC), Honduras, Costa Rica
Dominican Republic
Cuba
Guatemala
Colombia, Venezuela
Guatemala
Cuba

geminatus (Haldeman, 1847: 42)	neNorth America
<i>duplicatus</i> LeConte, 1850: 29	
haematocephalus (Chevrolat, 1862: 534)	Mexico (OA, VC)
minutus Fisher, 1932: 62	W Indies (Puerto Rico, St. John)
<i>puertoricensis</i> Fisher, 1935: 51	
neiba Lingafelter, 2011: 69	Dominican Republic
nivicinctus (Chevrolat, 1862: 264)	Cuba
pilosus Zayas, 1975: 144	Cuba
rufipes Fisher, 1942: 20	Cuba
<i>elongatus</i> Zayas, 1975: 143	

Basipterini Fragoso, Monné & Seabra, 1987: 201

Basiptera Thomson, 1864: 204	
<i>Baseoptera</i> Gemminger & Harold, 1872: 2976 [UE]	
<i>Anosternus</i> Burmeister, 1879: 198	
<i>Basipterus</i> : Bruch, 1918: 355 [ISS]	
castaneipennis Thomson, 1864: 205	Brazil (MS), Paraguay, Argentina
<i>sanguinolentus</i> Burmeister, 1865: 162	

Diastrophosternus Gounelle, 1911: 233	
bruchii Gounelle, 1911: 234	Paraguay, Argentina (MI, SE)

Bimiini Lacordaire, 1868: 464 *Sibyllini* Cerda, 1973: 115

Adalbus Fairmaire & Germain, 1859: 490	
crassicornis Fairmaire & Germain, 1859: 490	Chile, Argentina (NE)
<i>flavipennis</i> Fairmaire & Germain, 1859: 491	
<i>dimidiatipennis</i> Fairmaire & Germain, 1859: 492	
<i>proteus</i> Germain, 1900: 901	
Lautarus Germain, 1900: 863	
concinus (Philippi & Philippi, 1859: 670)	Chile, Argentina (RN-SC)
<i>laevigata</i> Philippi & Philippi, 1864: 376	
<i>dancoi</i> Lameere, 1900: 112	
<i>dankoi</i> : Bruch, 1912: 194 [ISS of <i>dancoi</i> Lameere, 1900]	
Phantazoderus Fairmaire & Germain, 1864: 391	
frenatus Fairmaire & Germain, 1864: 392	Chile, Argentina (CT)

Zehra Özdikmen, 2008: 661	
<i>Sibylla</i> Thomson, 1858: 406 [JH; Stål, 1856, Mantodea]	
<i>Sybylla</i> : Thomson, 1864: 148 [ISS of <i>Sibylla</i> Thomson, 1858]	
coemeterii (Thomson, 1856: 482)	Chile, Argentina (RN, NE)
flavosignata (Fairmaire & Germain, 1859: 489)	Chile
integra (Fairmaire & Germain, 1859: 488)	Chile, Argentina (NE)
krahmeri (Cerda, 1973: 119)	Chile
livida (Germain, 1900: 890)	Chile

Bothriospilini Lane, 1950: 370

Bothriospila Aurivillius, 1923: 437	
elegans Aurivillius, 1923: 438	Brazil (BA-SP), Paraguay
pulcherrima Martins & Galileo, 2012: 332	Brazil (CE, BA)

- Chlorida** Audinet-Serville, 1834: 31
Tetracanthus Hope, 1835: 107
Musimon Gistel, 1848: xi [UE]
cincta Guérin-Ménéville, 1844: 259
costata Audinet-Serville, 1834: 32
curta Thomson, 1857: 288
parvula Thomson, 1861: 243
denticulata Buquet, 1860: 623
fasciata Bates, 1870: 263
festiva (Linnaeus, 1758: 389)
spinosus Degeer, 1775: 100
sulcatus Sulzer, 1776: 45
africanus Voet, 1778: 17
inexpectata Martins, Galileo & Oliveira, 2011: 276
obliqua Buquet, 1852: 655
spinosa Aurivillius, 1887: 191
transversalis Buquet in Guérin-Ménéville, 1844: 221
- Mexico-Colombia, eEcuador
Brazil, Paraguay, Argentina, Uruguay
French Guiana, Brazil (AM, MA), eEcuador, Bolivia (PA)
- Guianas, eEcuador
Brazil (AM)
seUSA (FL), W Indies, Central America, South America
- Brazil (MA)
Colombia
Colombia, Ecuador, Bolivia (SC)
Colombia
- Chrotoma** Casey, 1891: 27
dunniana Casey, 1891: 27
- swUSA (TX-CA), Mexico (BC)
- Delemodacrys** Martins & Napp, 1979: 91
mourei Martins & Napp, 1979: 93
- French Guiana, Brazil (AP, PA)
- Gnaphalodes** Thomson, 1861: 235
trachyderoides Thomson, 1861: 236
var. *inermis* Bates, 1884: 243
- swUSA (TX), Mexico-Panama
- Knulliana** Linsley, 1962: 109
Cerasphorus: Dejean, 1835: 326 [Mld; not Audinet-Serville, 1834]
Chion: Newman, 1840: 23 [Mld; not Scopoli, 1777]
cincta cincta (Drury, 1773: 85)
balteatus Degeer, 1775: 111
garganicus: Chevrolat, 1852: 650 [ISS of *garganicus* Fabricius, 1775]
rusticus Fabricius, 1781: 228
ruricola Gmelin, 1790: 1860
quadriscopinosus Haldeman, 1847: 32
filicorne Casey, 1924: 256
subsp. **sonorensis** (Schaeffer, 1908: 332)
subsp. **spinifera** (Fabricius, 1792: 275)
ochracea Bates, 1885: 243
cinnamomea Fleutiaux & Sallé, 1889: 463
cinnamomea: Leng & Mutchler, 1914: 445 [ISS of *cinnamomea* Fleutiaux & Sallé, 1889]
- eNAmer-TX, Mexico (NL, SO, CO)
- swUSA (TX, AZ), Mexico (SO)
seUSA, Mexico, W Indies (Bahamas)
- Pseudeburia** Botero, 2015: 2
albolineata (Fisher, 1944: 4)
- Colombia, Venezuela
- Ranqueles** Gounelle, 1906: 140
gounellei Bosq, 1947: 296
mus Gounelle, 1906: 141
steparius Di Iorio, 1996: 142
- Argentina (CA-CD), Bolivia (SC)
Argentina (CA-ME)
Argentina (NE)
- Scapanopygus** Gounelle, 1913: 203
cinereus Gounelle, 1913: 204
- Argentina (SE), Bolivia (SC)
- Taygayba** Martins & Galileo, 1998: 49
venezuelensis Martins & Galileo, 1998: 50
- Venezuela

Timbaraba Monné & Napp, 2004: 509
dispar Monné & Napp, 2004: 510

Venezuela

Callichromatini Swainson, 1840: 293
Terambidae Gistel, 1848: [8]

Callichroma Latreille, 1816: 24

Pallene Gistel, 1848: 428 [UE]
Diotecon Schmidt, 1924: 300
Schwarzerion Schmidt, 1924: 300
Challichroma: Zikán & Wygodzinsky, 1948: 31 [ISS]
Mionochroma (Schmidtianum) Podany, 1965: 40

atroviride Schmidt, 1924: 319

Colombia

auricomum (Linnaeus, 1767: 629)

Colombia, French Guiana, Brazil (MT)

suturalis Fabricius, 1781: 212

suturatus: Gmelin, 1790: 1824 [ISS of *suturalis* Fabricius, 1781]

auricomum cyanescens Schmidt, 1924: 320

auricomum rubescens Schmidt, 1924: 320

auricomum viridescens Schmidt, 1924: 320

auronicum: Williams, 1931: 226 [ISS]

auriconium: Caldeira & Vieira, 1938: 11 [ISS]

aurocomum: Buck, 1959: 590 [ISS]

batesi Gahan, 1894: 118

Honduras, Nicaragua, Costa Rica, Panama

cosmicum: Bates, 1872: 186 [Mld; not White, 1853]

brachiale Bates, 1870: 334

Brazil (AM)

collarti Fuchs, 1959: 2

Colombia (Boyaca), Brazil (ES, RJ-SC)

magnificum Napp & Martins, 2009: 345

cosmicum White, 1853: 158

Honduras, Nicaragua, Costa Rica

cyanomelas White, 1853: 164

Mexico-Panama

distinguendum Gounelle, 1911: 165

Brazil (MG-PR)

euthalia Bates, 1879: 403

Panama

gounellei gounellei Achard, 1910: 279

French Guiana

subsp. **rubricrus** Schmidt, 1924: 317

Brazil (AM, MT)

gisteli Schmidt, 1923: 276

Brazil (ES)

hoffmannsi Schmidt, 1924: 316

Brazil (AM)

holochlorum holochlorum Bates, 1872: 185

Mexico (JA-CHS)-Colombia, Venezuela

opiparum Bates, 1874: 222

chiriquina Bates, 1879: 402

compressipes Casey, 1912: 314

regalis Casey, 1912: 314

carinatum Schmidt, 1924: 387

subsp. **melancholicum** Bates, 1872: 186

Mexico (PU, VC, QR)

ab. *rufovarum* Aurivillius, 1912: 312

iris iris Taschenberg, 1870: 194

Costa Rica, Panama, Trinidad, Colombia, Venezuela

purpuratum Lameere, 1884: 106

fulgens Lameere, 1884: 106

trilineatum octolineatum Podany, 1965: 37

subsp. **trilineatum** Bates, 1879: 403

Ecuador, Peru, Bolivia, Brazil, Paraguay, Argentina

minimum Podany, 1965: 36

Nicaragua

omissum Schmidt, 1924: 313

Brazil (ES-SC)

onorei Giesbert, 1998: 60

eEcuador

seiunctum Schmidt, 1924: 314

Peru, Bolivia (SC)

sericeum (Fabricius, 1792: 253)

Brazil, Paraguay, Argentina, Uruguay, Bolivia (BN, LP, SC)

velutinum (Fabricius, 1775: 167)

Venezuela, Guianas, cBrazil (MT), West Indies

spectabilis Voet, 1778: 12

porphyrogenitum Bates, 1870: 333

nigricans Aurivillius, 1908: 2

viridipes Bates, 1879: 404

Costa Rica, Panama, Colombia, eEcuador (Orellana)

Cnemidochroma Schmidt, 1924: 299

buckleyi (Bates, 1879: 404)

Ecuador, Peru, Bolivia (SC)

coeruleum (Achard, 1910: 280)
fulgidum Schmidt, 1924: 380
lopesi Fragoso & Monné, 1989: 209
ohausi (Schmidt, 1924: 381)
phyllopoidea (Schmidt, 1924: 381)
phyllopus (Guérin-Ménéville, 1844: 220)
corvina Burmeister, 1865: 169

Cotychroma Martins & Napp, 2005: 17
acaguassu Martins & Napp, 2005: 17

Linsleychroma Giesbert, 1998: 61
monnei Giesbert, 1998: 61

Mionochochroma Schmidt, 1924: 299
aterrimum (Gounelle, 1911: 172)
aureotinctum (Bates, 1870: 335)
aurosum (Schmidt, 1924: 308)
carmen Napp & Martins, 2009: 290
chloe (Gounelle, 1911: 167)
complanatum Nascimento, Botero & Santos-Silva, 2024: 2
decipiens (Schmidt, 1924: 311)
elegans (Olivier, 1790: 298)
var. gahani Aurivillius, 1912: 311
equestre (Gounelle, 1911: 170)
electrinum (Gounelle, 1911: 176)
flachi (Schwarzer, 1923: 257)
guyanense Juhel & Dalens, 2017: 28
novellum (Bates, 1885: 293)
ocreatum (Bates, 1870: 335)
pseudovittatum (Schwarzer, 1923: 258)
rufescens (Gahan, 1895: 113)
aureotinctum Bates, 1870: 335
rufitarsis (Schwarzer, 1929: 356)
spinosissimum (Schmidt, 1924: 313)
subaurosum (Zajciw, 1966: 347)
subnitescens (Gounelle, 1911: 171)
subnitens: Podany, 1965: 40 [ISS]
tavakiliani Juhel & Dalens, 2017: 25
vittatum (Fabricius, 1775: 166)
viridiaurea Degeer, 1775: 145
ochropus Voet, 1778: 12
aureum Gmelin, 1790: 1877
rugicollis Guérin-Ménéville, 1844: 220
assimilatum White, 1853: 158
scitulum Pascoe, 1866: 292
vittatum f. *rufiventris* Schmidt, 1924: 305
wilkei (Schmidt, 1924: 309)

Monnechroma Napp & Martins, 2005: 434
Xenochroma Schmidt, 1924: 300 [JH; not Warren, 1902, Lepidoptera]
azureum (Demets, 1976: 136)
hovorei (Giesbert, 1998: 62)
seabrai (Fragoso & Monné, 1989: 210)
subpulvereum (Schmidt, 1924: 379)
subcomosum Schmidt, 1924: 380
difficilis Schwarzer, 1929: 357
tibiale (Giesbert, 1987: 36)
uniforme (Gounelle, 1911: 169)
schmidtii Melzer, 1926: 11

Suriname, French Guiana, Brazil (PA)

Brazil (DF, MT)
 Brazil (ES-SP)
 Brazil (GO, MS, MT)
 Brazil (BA-RS), Paraguay, Argentina, Uruguay

Brazil (ES)

Panama

Brazil (SP, PR)
 Mexico, Panama, Colombia (SU), Guianas, Peru, Bolivia (SC)
 Brazil
 Colombia
 Brazil (BA-RS), Paraguay, Argentina
 Brazil (Roraima)
 Brazil (BA, ES)
 Guadeloupe, Grenada, Dominica, St. Lucia

Brazil (GO, MG-RJ)
 Brazil (MA, MS), Paraguay, Argentina, Uruguay, Bolivia
 Brazil (ES-SC)
 French Guiana (Roura, Korou)
 Nicaragua, Costa Rica, Panama
 Fr Guiana, Colombia, Brazil (AM), Peru, eEcuador
 Colombia (SU), Brazil (BA, ES, RJ, SP)
 W Indies (St. Lucia, St. Thomas, Guadeloupe,
 Martinique), Mexico (VC)
 Bolivia
 Peru
 Peru, Bolivia (LP, SC), Brazil (AM, MA, MT)
 Brazil (MG, RJ, SP, PR)

French Guiana (Roura, Kaw)
 Mexico-Brazil

Panama, Ecuador

Mexico, Guatemala, Nicaragua, Costa Rica
 Costa Rica
 Brazil (MG)
 Brazil (MG-SP)

Costa Rica
 Brazil (ES-SC)

Philematium Thomson, 1864: 171

- femorale** (Olivier, 1790: 297) Africa, introduced in Cuba
albitarsis Fabricius, 1801: 267
leucodactyla Chevrolat, 1862: 257
festum (Gmelin, 1790: 1823) [RN] Africa, introduced in Guadeloupe
festivus Fabricius, 1775: 166 [JpH; not Linnaeus, 1758, Bothrospilini]

Plinthocoelium Schmidt, 1924: 300

- Plinthocoelium*: Arnett, 1962: 860 [ISS]
Callichroma: LeConte, 1850: 37 [Mld; not Latreille, 1816]
chilensis (Blanchard in Gay, 1851: 465) Chile(?), Mexico
sapphira Bates, 1879: 402
cobaltinum (LeConte, 1873: 195) Mexico (BC)
columbinum Guérin-Méneville, 1838: 282 Cuba, Hispaniola, Jamaica, Bahamas, Puerto Rico
virens: Drury, 1773: 89 [Mld; not Linnaeus, 1758]
domingoense Fisher, 1922: 52
koppei Schmidt, 1924: 385 Mexico
schwarzi (Fisher, 1914: 97) swUSA (TX), Mexico
schwartzi: Vogt, 1949: 143 [ISS]
suaveolens suaveolens (Linnaeus, 1768: 224) seUSA (DE-FL-TX)
elegans: Haldeman, 1847: 31 [Mld; not Olivier, 1790]
splendidum LeConte, 1850: 37
virescens Leng, 1886: 61
plicatum: Craighead, 1923: 64 [Mld; not LeConte, 1853]
subsp. **plicatum** (LeConte, 1853: 233) swUSA (TX, NM, AZ), Mexico (SO)
smaragdina Casey, 1912: 314
*suaveolens smaragdinoide*s Schmidt, 1924: 384
xanthogastrum (Bates, 1880: 45) Nicaragua, Costa Rica

Xystochroma Schmidt, 1924: 299

- bouvieri** (Gounelle, 1911: 174) Panama, Colombia, Brazil, Paraguay
buprestoides (Bates, 1885: 293) Mexico (VC)
chloropus (Bates, 1879: 404) Costa Rica (LI, PA), Panama, Venezuela
clypeatum (Schwarzer, 1923: 256) Costa Rica, Panama, Venezuela
echinatum Napp & Martins, 2005: 208 Brazil (RJ, SP)
femoratum Napp & Martins, 2005: 208 Brazil (RS, MG)
gracilipes (Bates, 1879: 404) Brazil
planipenne Schmidt, 1924: 303
cuprisuturatum Zajciw, 1965: 552
incomptum Napp & Martins, 2005: 208 Venezuela
luteotarsis Bezark & Santos-Silva, 2023: 2 wEcuador (Napo)
minutum (Zajciw, 1965: 551) Brazil (RJ)
neglectum (Gounelle, 1911: 172) Brazil (GO, ES-SP)
equestriforme Schmidt, 1924: 302
roeri Podany, 1965: 35
setigerum (Schmidt, 1924: 302) Colombia
touroulti Juhel & Dalens, 2017: 32 French Guiana (Roura, Saul)
zikani (Zajciw, 1965: 553) Brazil (RJ, SP)

Callidiini Kirby in Richardson, 1837: 170**Callidiellum** Linsley, 1940: 254

- cupressi** (Van Dyke, 1923: 48) wUSA (CA)
rufipennis (Motschulsky, 1861: 19) Japan, introduced in wCanada, NE USA
nigromaculatum Kano, 1933: 274
japonicum Plavilstshikov, 1933: 126 [JsH; not Lacordaire, 1869]
plavilstshikovi Matsushita, 1933: 439 [RN for *japonicum* (in *Semanotus*)]
virescens Chemsak & Linsley, 1966: 152 swUSA (AZ, CA)

- Callidium** Fabricius, 1775: 187
Meridion des Gozis, 1886: 32
Callidium (Callidostola) Reitter, 1913: 37
angustipennis Chemsak, 1964: 187 wUSA (CA, NV)
antennatum antennatum Newman, 1838: 393 eNorth America-WY
atennatum: LeConte, 1850: 34 [ISS]
 subsp. **hesperum** Casey, 1912: 288 wNorth America-ID, CO
vancouverense Van Dyke, 1927: 104
californicum Casey, 1912: 289 wUSA (CA)
cicatricosum Mannerheim, 1853: 246 wNorth America (Alaska-OR, ID), Rocky Mts.
subopacum Swaine, 1919: 12E
duodecimsignatum Perroud, 1855: 385 Brazil
frigidum Casey, 1912: 289 eNorth America
lacustre Casey, 1912: 289
hoppingi Linsley, 1957: 33 wNorth America (Br Col-ID, UT)
juniperi Fisher, 1920: 157 wcUSA (OK, NM, UT)
leechi Linsley & Chemsak, 1963: 209 wUSA (CA)
powelli Linsley & Chemsak, 1963: 207 wUSA (CA)
pseudotsugae Fisher, 1920: 155 wUSA (CA, OR)
pseudotsuga: Essig, 1850: 34 [ISS]
schotti Schaeffer, 1917: 184 neUSA, sCanada
sempervirens Linsley, 1942: 192 wUSA (CA)
sequoiarium Fisher, 1920: 156 wUSA (CA)
sequoiae: Cushman, 1922: 6 [ISS]
sequarium: Keen, 1952: 47 [ISS]
sequoiarum: Furniss & Carolin, 1977: 299 [ISS]
texanum Schaeffer, 1917: 185 eUSA-AZ, CA, NV
janthinum: Leng, 1884: 113 [Mld; not LeConte, 1850]
vandykei Linsley, 1957: 287 wUSA (CA)
pallidum: Van Dyke, 1928: 111 [Mld; not Say, 1823]
violaceipenne Linsley & Chemsak, 1963: 208 wUSA (CA)
violaceum (Linnaeus, 1758: 395) Europe, Asia, eNAmer, introduced in Uruguay
janthinum LeConte, 1850: 34
viridocyaneum Linsley & Chemsak, 1963: 208 wcUSA (SD)
- Calydon** Thomson, 1864: 263
Callidium: Blanchard in Gay, 1851: 497 [Mld; not Mulsant, 1839]
globithorax (Fairmaire & Germain, 1861: 108) Chile, Argentina (NE, CT)
skottsbergi Aurivillius, 1911: 189
skottsbergi nigricollis Schwarzer, 1930: 106
submetallicum (Blanchard in Gay, 1851: 497) Chile, Argentina (RN-SC)
- Elatotrypes** Fisher, 1919: 38
hoferi Fisher, 1919: 39 wcUSA (CO, NV)
cicatricosum: Leng, 1884: 112 [Mld; not Mannerheim, 1853]
- Meriellum** Linsley, 1957: 287 [RN]
Merium: LeConte, 1873: 296 [Mld; not Kirby, 1837]
proteus (Kirby in Richardson, 1837: 172) w & neNorth America, (AL, ID, CO)
simile Kirby in Richardson, 1837: 172
bifossulatum Casey, 1912: 287
- Phymatodes (Phymatodes)** Mulsant, 1839: 47 (not Dejean, 1835)
Poecilium Fairmaire in Jacquelin du Val, 1864: 134
Phymatodes (Melasmetus) Reitter, 1913: 39
Phymatodes (Phymatoderus) Reitter, 1913: 39
Phymatodes (Phymatodellus) Reitter, 1913: 40
Phymatodina Casey, 1912: 281
Microcallidium Casey, 1912: 283
Pseudopoecilium Planet, 1924: 226

Paraphymatodes Plavilstshikov, 1934: 215

Reitteroderus Sama, 1991: 124 [URN]

aeneus LeConte, 1854: 18

wNorth America (Pacific Coast)

aereus (Newman, 1838: 393)

eNorth America

pallipes Haldeman, 1847: 37

amoenus (Say, 1824: 413)

eNorth America

coccineicollis Haldeman, 1847: 39

amoenus hudsonicus Casey, 1912: 284

ater LeConte, 1884: 22

eNorth America (Nova Scotia-PA)

blandus (LeConte, 1859: 79)

wUSA (CA, OR)

blandus picipes Linsley, 1934: 165

blandus propinquus Linsley, 1934: 181

concolor Linsley, 1934: 181

wUSA (CA)

decussatus (LeConte, 1857: 61)

wNorth America (Pacific Coast)

juglandis Leng, 1890: 214

fasciopilosus Van Dyke, 1920: 33

dimidiatus (Kirby in Richardson, 1837: 173)

eUSA, wNorth America (Alaska, CA, ID)

kalmi Schoenherr, 1817: 442

palliatu Haldeman, 1847: 41

mannerheimi LeConte, 1857: 60

frosti Casey, 1924: 240

fulgidus Hopping, 1928: 246

swCanada (British Colombia), nwUSA (WA)

rainieri Van Dyke, 1937: 113

grandis Casey, 1912: 277

wNorth America (Pacific Coast), AZ, Mexico (BC)

lecontei Linsley, 1938: 109 [RN for *obscurum* LeConte, 1859]

obscurum LeConte, 1859: 79 [JpH; not Fabricius, 1787]

hardyi (Van Dyke, 1928: 112)

Canada (British Columbia)

hirtellus (LeConte, 1873: 172)

wUSA (CA, OR, ID, WY), wCanada, Mexico (BC)

densipennis Casey, 1912: 284

ursae Knull, 1940: 556

huetheri Wappes & Santos-Silva, 2019: 2

Canada, neUSA (Maine, New York)

infuscatus (LeConte, 1859: 285)

wUSA (CA, OR)

lengi Joutel, 1911: 200

eNorth America (Atlantic Coast), Texas

maculicollis LeConte, 1878: 614

eUSA-wNorth America (Br Col-CA)

elongatus Hopping, 1937: 8

nigerrimus Van Dyke, 1920: 35

wUSA (CA, ID)

nigrescens Hardy & Preece, 1927: 190

nwUSA (OR)

oregonensis Chemsak, 1963: 39

nitidus LeConte, 1874: 66

wNorth America (Pacific Coast, ID)

crucialis Casey, 1912: 282

elegans Casey, 1912: 282

exilis Casey, 1912: 283

collaris Casey, 1924: 240

mohavensis Linsley & Chemsak, 1963: 210

obliquus Casey, 1891: 26

wNorth America (Pacific Coast)

harfordi Casey, 1912: 279

var. *latifasciatus* Hardy & Preece, 1927: 191

australis Chemsak, 1963: 40

posticus Van Dyke, 1920: 36

shareeae Cope, 1984: 63

swUSA (NM)

testaceus (Linnaeus, 1758: 396)

Europe, eNorth America

variabilis Linnaeus, 1761: 192

var. *ventralis* Haldeman, 1847: 37

tysoni Chemsak & Linsley, 1984: 73

wUSA (CA)

varius (Fabricius, 1776: 232)

eNAmer-swUSA (TX, AZ, UT)

varians: Bland, 1862: 275, 276 [ISS]

versicolor Gmelin, 1790: 1852

subfasciellum White, 1855: 322

albofasciatum Bland, 1862: 274

semicircularis Bland, 1862: 275

varius diffidens Casey, 1912: 280

latipennis Casey, 1912: 280

- vilitatis** Linsley, 1940: 253 wUSA (CA, OR, ID)
vile LeConte, 1873: 172 [JpH; not Newman, 1841, as *Callidium*]
vulneratus (LeConte, 1857: 60) wNorth America (Pacific Coast), Idaho
concinus Casey, 1912: 278

Physocnemum Haldeman, 1847: 38

- Dularius* Thomson, 1861: 258
andreae (Haldeman, 1847: 36) eNorth America (Atlantic Coast)
luscus Thomson, 1861: 259
andrea: Rohwer, 1921: 440 [ISS]
brevilineum (Say, 1824: 413) eNorth America-TX
compressipes Casey, 1912: 269
densum Casey, 1912: 270
pictum Casey, 1924: 239
longitarse Casey, 1924: 239
angulatum Casey, 1924: 239
violaceipenne Hamilton, 1896: 286 neNorth America

Pnigomenus Bosq, 1951: 195

- kuscheli** Bosq, 1951: 196 Chile

Poecilium Fairmaire, 1864: 134

- lividum** Rossi, 1794: 98 Europe, eUSA (introduced NY, MA, PA, VA)

Pronocera Motschulsky, 1859: 494

- Pronocerus*: Motschulsky, 1875: 148 [ISS]
Pseudophymatodes Pic, 1901: 12
Protocallidium Csiki, 1904: 99
Potocallidium: Reitter, 1912: 38 [ISS of *Protocallidium* Csiki, 1904]
Gonocallus LeConte, 1873: 171
collaris collaris (Kirby in Richardson, 1837: 171) eNorth America-WA, Alaska
lepidus LeConte, 1850: 34
subsp. **lecontei** Chemsak, 1963: 38 wUSA (CA)

Ropalopus Mulsant, 1839: 40

- Rhopalopus*: Redtenbacher, 1845: 110 [ISS]
Euryoptera Horn, 1860: 571
sanguinicollis (Horn, 1860: 571) neUSA, sCanada

Semanotus Mulsant, 1839: 54

- Sympiezocera* Lucas, 1851: cvi
Xenodorum Marseul, 1856: 48
Hylotrupes: LeConte, 1873: 296 [Mld; not Audinet-Serville, 1834]
Anocomis Casey, 1912: 271
Anacomis: Leng, 1920: 275 [ISS of *Anocomis* Casey, 1912: 271]
Hemicallidium Casey, 1912: 274
amethystinus (LeConte, 1853: 234) wNorth America (Pacific Coast)
amplus amplus (Casey, 1912: 273) British Columbia to sCalifornia, Pacific
ampla angusta Casey, 1912: 273 Coast e to continental divide
ampla obliuosa Casey, 1924: 237
ampla terracensis Casey, 1924: 237
amplus sequoiae (Van Dyke, 1923: 51) wUSA (CA), VA (Falls Church, introduced?)
australis Giesbert, 1993: 146 Guatemala
basalis (Casey, 1924: 237) British Columbia-cCalifornia
lignus thujae Van Dyke, 1927: 103
conformis (Casey, 1912: 236) Oregon, California, Idaho, Utah, Arizona
japonicus Lacordaire, 1869: 47 Japan, Canada (British Colombia, introduced)
juniperi (Fisher, 1915: 77) wUSA (AZ, CA, NV, ID)
lignus (Fabricius, 1787: 153) eCanada & US, s to Oklahoma & eTexas
russicum Stephens, 1831: 248

- nicolas* White, 1855: 321
linea parvicollis Casey, 1912: 272
ligneous: Craighead, 1923: 44 [ISS]
litigiosus (Casey, 1891: 25)
terminatus (Casey, 1912: 274)
canadensis Casey, 1924: 238
- Pacific Coast, British Columbia to sCalifornia
 Alaska to Nova Scotia, south to Colorado

Thrichocalydon Bosq, 1951: 58
havrylenkoi (Bosq, 1951: 58)

Chile, Argentina (NE)

Xylocrius LeConte, 1873: 172
Hylocrius: Lameere, 1883: 38 [ISS]
agassizi (LeConte, 1861: 357)
agassii: LeConte, 1861: 357 [IOS]
agassizi: Gemminger in Gemminger & Harold, 1872: 2917 [ISSPU]
agassizii: LeConte, 1873: 173 [ISS]
cribratus LeConte, 1873: 172

wNorth America (Br Col-CA, ID, AZ, NM), Rocky Mts
 wUSA (CA, NV)

Callidiopini Lacordaire, 1868: 340
 Callidiopsides Lacordaire, 1848: 204 (key), 340

Ceresium Newman, 1842: 322
Diatomocephala Blanchard, 1853: 266
Rhaphidera Perroud, 1855: 336
Rhaphidodera Gemminger in Gemminger & Harold, 1872: 2831 [UE of *Rhaphidera* Perroud, 1855]
Pneumida Thomson, 1864: 191
compressipenne (Fisher, 1932: 35)
flavipes (Fabricius, 1792: 327)
simplex Gyllenhal in Schoenherr, 1817: 178

Haiti
 Mexico?

Cerambycini Latreille, 1802: 211
Cerambycina Latreille, 1802: 211

Atiaia Martins & Monné, 2002: 186
consobrina (Gahan, 1892: 19)
testaceicornis (Melzer, 1923: 7)

Venezuela, Suriname, French Guiana, Brazil (AP, MA)
 Brazil (GO, MT, ES-SC)

Bothrocerambyx Schwarzer, 1929: 353
Parabrasilianus Fragoso, 1970: 99
nevermanni Schwarzer, 1929: 353
macrocephalus Fragoso, 1970: 99

Costa Rica-wEcuador

Hamaederus Santos-Silva, García and Botero, 2021: 5
allofasciatus Santos-Silva, García and Botero, 2021: 25
bipartitus (Buquet, 1860: 624)
dozieri Martins & Galileo, 2010: 565
fasciatus (Martins & Monné, 1975: 275)
fragosoi Martins & Monné, 2002: 238
fraterculus (Martins, 1979: 26)
glaberrimus (Martins, 1979: 26)
glabricollis (Bates, 1870: 251)
inconstans (Gounelle, 1913: 208)
mirim Martins & Monné, 2002: 230
pactor (Lameere, 1885: lxi)
murinus Gahan, 1892: 22
pisinnus (Martins & Monné, 1975: 276)

French Guiana (Kaw)
 French Guiana, Suriname, Brazil, eEcuador, Bolivia
 Trinidad & Tobago
 eEcuador, Bolivia (SC)
 French Guiana, Brazil (AP)
 Bolivia (Santa Cruz), Paraguay
 Brazil (AM, MG, ES, RJ)
 Brazil (AM, RR), Peru, eEcuador, Bolivia (CO, SC)
 Brazil (SC, RS), Argentina, Uruguay
 French Guiana, Brazil (AM)
 Brazil, Bolivia (SC), Paraguay, Argentina, Uruguay
 Paraguay, Argentina (SA)

plicatus (Olivier, 1790: 299)
luridipennis Gahan, 1892: 22
rugosus (Olivier, 1795: [no 67] 11)
rusticus (Gounelle, 1909: 608)

yucatecus (Chemsak & Noguera, 1997: 6)
barauna Martins & Monné, 2002: 239
confusus Martins & Monné, 2002: 243

Hirtobrasilianus Fragoso & Tavakilian, 1985: 231

matogrossensis (Fragoso, 1971: 8)
seabrai (Fragoso & Tavakilian, 1985: 232)
villiersi (Fragoso & Tavakilian, 1985: 235)

Juiaparus Martins & Monné, 2002: 166

batus batus (Linnaeus, 1758: 390)
datus: Linnaeus, 1764: 69 [ISS]
spinosus Goeze, 1777: 464
 var. *carthagenae* Gahan, 1892: 21
 subsp. **lacordairei** (Gahan, 1892: 20)
erythropus (Nonfried, 1895: 305)
lasiocerus (Gahan, 1892: 22)
mexicanus (Thomson, 1861: 196)
castaneus Bates, 1870: 250
punctulatus (Gahan, 1892: 21)

Jupoata Martins & Monné, 2002: 195

antonkozlovi Nascimento & Botero, 2018: 2
brenesi Duran & Martins, 2012: 52
costalimai (Zajciw, 1966: 105)
divaricata Martins & Galileo, 2011: 190
garbei (Melzer, 1922: 4)
germana Martins, Galileo & Oliveira, 2011: 277
gigas Martins & Monné, 2002: 212
jaechi Schmid, 2014: 325
paraensis Martins & Monné, 2002: 200
peruviana (Tippmann, 1960: 111)
robusta Martins & Monné, 2002: 203
rufipennis (Gory in Guérin-Méneville, 1831: pl.44, fig.1)

spinosa Martins & Galileo, 2008: 56

Paratiaia Dalens & Giuglaris, 2012: 35

hulini Dalens & Giuglaris, 2012: 37

Peruanus Tippmann, 1960: 110

serricornis Tippmann, 1960: 111

Plocaederus Dejean, 1835: 321 [RN]

Hamaticherus: Audinet-Serville, 1834: 15 [Mld; not Dejean, 1821]
Hammatocerus Gistel, 1848: 427 [UE of *Hamaticherus*: Audinet-Serville, 1834]
Hammaticherus: White, 1853: 125 [ISS of *Hamaticherus* Audinet-Serville, 1834]
Hammatochaerus Gemminger in Gemminger & Harold, 1872: 2800 [UE of *Hamaticherus*: Audinet-Serville, 1834]
Brasilianus (*Brasilianus*) Jacobson, 1924: 238
Macrobrasilianus Fragoso, 1971: 7
bellator (Audinet-Serville, 1834: 15)
macrus Bates, 1870: 251

Mexico, Guatemala (IZ), Costa Rica,
 Venezuela, Suriname, French Guiana, Brazil, Bolivia (CO, SC)
 French Guiana, Brazil (PA)
 French Guiana, Brazil (AM, MG, GO), Bolivia (SC), Peru

Mexico (QR, YU), Guatemala, Honduras, Nicaragua,
 Costa Rica?, Brazil (DF, PB, PE, BA), Bolivia (SC), Argentina

French Guiana, Brazil (MT), Bolivia (CO), Peru
 Venezuela, French Guiana, Brazil (AM, MT), eEcuador, Peru
 French Guiana, Suriname, Brazil (AP)

Honduras-Panama, Colombia, Venezuela, Fr Guiana
 Brazil, Bolivia (CO, BN, SC)

Brazil, Bolivia, Colombia, Paraguay, Argentina
 Colombia
 French Guiana, Brazil, eEcuador, Bolivia (SC)
 Mexico-Brazil, Bolivia (LP)

Brazil (MG, ES, RJ)

Costa Rica (Alajuela)
 Costa Rica
 Brazil (SP-SC, RJ), Bolivia (SC)
 Bolivia (SC)
 Brazil
 Brazil (MA)
 Brazil (AP, RO)
 Bolivia (CO)
 Brazil (PA)
 French Guiana, Peru
 Costa Rica, Colombia (AT), Brazil
 Mexico-Panama, Colombia, Fr Guiana, Suriname, eEcuador,
 Bolivia, Brazil (AM-SC), Argentina (MI)
 French Guiana

French Guiana

eEcuador, Peru

French Guiana, Suriname, Brazil, eEcuador

Potiaxixa Martins & Monné, 2002: 219**gounellei** (Zajciw, 1966: 106)**intermedia** (Martins, 1979: 27)**longipennis** (Zajciw, 1966: 107)

French Guiana, Suriname, Brazil (GO, SP)

Brazil (BA, SP)

French Guiana Brazil (RJ)

Sphallotrichina Martins & Monné, 2002: 148**Amphelictus** Bates, 1884: 242**aibussu** Martins & Monné, 2005: 57*abaiba* Martins & Monné, 2005: 58**aielloae** Eya & Chemsak, 2003: 19**antonkozlovi** Santos-Silva & Botero, 2017: 3**astales** Martins & Monné, 2005: 49**bicolor** Chemsak & Linsley, 1964: 223**brevidens** Chemsak & Linsley, 1964: 223**caliginosus** Martins & Monné, 2005: 59**castaneus** Chemsak & Linsley, 1964: 225**cribripennis** Chemsak Linsley, 1964: 221**curoei** Eya & Chemsak, 2003: 22**fortunensis** Eya & Chemsak, 2003: 14*jumerim* Martins & Monné, 2005: 48**fuscipennis** Eya & Chemsak, 2003: 1*novellus* Martins & Monné, 2005: 53**gilloglyi** Eya & Chemsak, 2003: 16**hispidus** Martins & Monné, 2005: 58**hovorei** Eya & Chemsak, 2003: 7**melas** Bates, 1884: 242**milleri** Chemsak & Linsley, 1964: 222**panamensis** Chemsak & Linsley, 1964: 224**parvipunctus** Eya & Chemsak, 2003: 10**potiaiuba** Martins & Monné, 2005: 56**rugiscapus** Fuchs, 1976: 57**scabrosus** Eya & Chemsak, 2003: 11**secus** Martins & Monné, 2005: 60

Brazil (MT), Peru (Junin)

Panama

Colombia(Bogota)

Ecuador

Mexico (GR), Costa Rica, Panama

Honduras, Costa Rica, Panama

Peru

Venezuela, Colombia, French Guiana, Ecuador, Brazil, Bolivia

Colombia, Ecuador

Costa Rica (AL, CA, GU), Panama

Costa Rica (AL, GU), Panama, Ecuador

Colombia

Panama

Bolivia (LP)

Costa Rica (AL, GU, PA)

Mexico

Costa Rica, Colombia

Costa Rica (CA, GU, PA, SJ), Panama

Peru

Venezuela

Colombia

Costa Rica, Panama, Colombia, Ecuador, Bolivia

Bolivia (CO, LP, SC)

Butherium Bates, 1870: 255**erythropus** (Lucas, 1857: 187)

Brazil (PE-SC), Bolivia (SC), eEcuador, Paraguay, Argentina

Cevaeria Tavakilian, 2004: 2**estebani** Tavakilian, 2004: 5

French Guiana, Bolivia (SC)

Coleoxestia Aurivillius, 1912: 64 [RN]*Xestia* Audinet-Serville, 1834: 16 [JH; not Hübner, 1818, Lepidoptera]**anthracina** Martins & Monné, 2005: 143**apeara** Galileo & Santos-Silva, 2016: 126**armata** (Gounelle, 1909: 615)**atrata** (Gounelle, 1909: 612)*nigra* Lane, 1956: 12**aurigena** Martins & Monné, 2005: 129**beckeri** Galileo, Martins & Santos-Silva, 2015: 100**bettellaorum** Galileo & Santos-Silva, 2016: 66**brevipennis** (Bates, 1870: 256)**chemsaki** Santos-Silva & Wappes, 2017: 3**cinnamomea** (Gounelle, 1909: 615)**clarkei** Santos-Silva & Wappes, 2017: 2**corvina** (Germar, 1823: 508)*scabricolle* Nonfried, 1895: 307**curoei** Eya & Chemsak, 2005: 9**denticornis** (Gahan, 1892: 29)**diamantina** Nascimento & Santos-Silva, 2018: 2

French Guiana, Brazil (PA), Bolivia (SC)

Brazil (DF)

Brazil (PA, GO, MT, MS)

Colombia, French Guiana, Brazil (GO, PR), Bolivia (SC)

wEcuador

Brazil (BA)

Bolivia (SC)

Brazil (AM)

Peru (Cusco)

Brazil (GO, MS, SP), Paraguay, Argentina

Bolivia (Santa Cruz)

Brazil, Bolivia (SC), Paraguay, Argentina,

Uruguay

Panama, Costa Rica

Brazil (BA, ES, RJ, PE), Bolivia (SC)

Brazil (Bahia)

duraneli Audureau, Tavakilian & Neouze, 2024: 69

ebenina Melzer, 1935: 174

errata Martins & Monné, 2005: 172

eyai Santos-Silva & Wappes, 2017: 3

exotica Martins & Monné, 2005: 151

fasciola Martins & Monné, 2005: 131

femorata (Gounelle, 1909: 613)

fragosoi Santos-Silva & Wappes, 2017: 7

glabripennis (Bates, 1870: 256)

globulicollis (Gahan, 1892: 31)

semipubescens: Zikán & Zikán, 1944 [Mld; not Melzer, 1923]

guttula Martins & Monné, 2005: 147

guyanensis Audureau, Tavakilian & Neouze, 2024: 49

hovorei Santos-Silva & Wappes, 2017: 9

illex (Gounelle, 1909: 611)

julietae Galileo & Martins, 2006: 706

kuratai Eya & Chemsak, 2005: 12

lissonota Fragoso, 1993: 338

moromokoi Galileo & Santos-Silva, 2016: 129

nigripes Martins & Monné, 2005: 175

nigropicea (Bates, 1870: 256)

nitida (Bates, 1872: 172)

nitidissima Eya & Chemsak, 2005: 27

olivieri Fragoso, 1993: 336

pirrensis Eya & Chemsak, 2005: 1

polita (Waterhouse, 1880: 486)

pubicornis (Gounelle, 1909: 610)

rachelae Eya & Chemsak, 2005: 3

rafaeli Santos-Silva & Wappes, 2017: 11

rubromaculata (Gounelle, 1909: 612)

bimaculata Fuchs, 1955: 48

rufosemivittata Tippmann, 1960: 113

sanguinipes (Bates, 1884: 242)

semipubescens Melzer, 1923: 4

setigera Melzer, 1926: 6

sobrina Melzer, 1923: 4

spinifemorata Fragoso, 1993: 333

spinipennis spinipennis (Audinet-Serville, 1834: 17)

subsp. **interiorana** Fragoso, 1993: 333

spinosa Galileo & Martins, 2010: 34

striatepunctata Eya & Chemsak, 2005: 20

sylvainae Audureau, Tavakilian & Neouze, 2024: 65

thomasi Eya & Chemsak, 2005: 23

tupunhuna Martins & Monné, 2005: 140

vittata (Thomson, 1861: 192)

confusa Lacordaire, 1868: 271

longipennis Gahan, 1892: 31

waterhousei (Gounelle, 1909: 614)

denticollis Melzer, 1920: 430

weemsi Galileo & Santos-Silva, 2016: 63

French Guiana (Saul, Kaw)

Brazil, Bolivia (SC), Paraguay, Argentina (MI)

Brazil (BA-SP, PR), Bolivia (SC)

Peru (Ucayali)

Brazil (MG, RJ), Paraguay

Argentina

Fr Guiana, Brazil (GO, ES, MA, SP), Bolivia (CO, SC), Paraguay

Brazil (Rondonia)

French Guiana, Brazil (AP, PA, MA, RO, AM), Bolivia (SC), Peru

Brazil (ES, RJ, GO)

Brazil (MG)

French Guiana (Regina, Kaw, Approuague)

wEcuador (Pichincha)

Brazil, Bolivia (SC)

Bolivia (SC, CO), Peru

Mexico (VC), Guatemala, El Salvador, Honduras

Mexico (VC)-Costa Rica, Colombia

Brazil (AM)

Brazil (PR), Bolivia (SC), Argentina

Brazil (PA)

Mexico-Colombia, Ecuador, Brazil, Bolivia

Panama

French Guiana, cBrazil (MT), Bolivia (SC)

Panama

eEcuador, Brazil, Bolivia (SC)

Brazil (GO, PE-RJ), Bolivia (SC), Peru, Paraguay Argentina

Costa Rica, Panama, French Guiana, Peru

Brazil (PR)

Honduras, Nicaragua-Colombia, French Guiana

wEcuador, Brazil (GO), Peru

Bolivia (SC), Peru

Guatemala-Panama, Venezuela, Ecuador

Brazil (ES-SC), Paraguay

Brazil (PR, SP, SC)

Brazil (RJ-SC)

French Guiana, Brazil (MT)

French Guiana, Brazil (BA-RS), Bolivia (SC, CO), Paraguay,

Argentina (MI), Uruguay

Brazil (PA, MT, RR)

Brazil (BA)

Panama

French Guiana

Panama

French Guiana, Brazil (PA)

Guatemala, Honduras, Costa Rica, Panama, Fr Guiana,

seBrazil, Bolivia (SC), Paraguay, Argentina

Brazil (GO, MT, CE-RS), Bolivia (SC), Paraguay,

Argentina, Uruguay

Trinidad & Tobago

Criodion Audinet-Serville, 1834: 571

Criodon: Chenu, 1870: 313 [ISS]

Criocton: Gounelle, 1909: 609 [ISS]

antennatum Gahan, 1892: 24

cinereum (Olivier, 1795: [no 66] 35)

dejeani Gahan, 1892: 25

fulvopilosum Gahan, 1892: 23

murinum Nonfried, 1895: 206

rhinoceros Bates, 1870: 253

Venezuela, wEcuador (Imbabura)

Costa Rica (AL, LI, PA), Puerto Rico?, Venezuela,

Colombia, Guianas, Bolivia (SC)

Brazil (ES-SP)

French Guiana, Brazil (AM), Peru, Bolivia

Guatemala, Costa Rica

Brazil (PA, MA, AM), Ecuador, Peru

spinosum Galileo, Martins & Santos-Silva, 2015: 373

subpubescens Martins & Monné, 2005: 187

tomentosum Audinet-Serville, 1834: 572

angustatum Buquet, 1852: 358

pilosum Lucas, 1857: 188

hirsutum Bates, 1870: 253

torticolle Bates, 1870: 252

tuberculatum Gahan, 1892: 25

Bolivia (SC)

Brazil (AM)

Brazil, Paraguay, Argentina

French Guiana, Brazil (RO, BA, MA), Bolivia (BN, SC),
Paraguay, Argentina

Guatemala, Panama, French Guiana, Brazil, eEcuador, Bolivia (CO)

Ischionorox Aurivillius, 1922: 405

antiqua Aurivillius, 1922: 406

Argentina (ME, SE)

Iuati Martins & Galileo, 2010: 84

spinithorax Martins & Galileo, 2010: 85

Peru, Brazil (RO)

Macrambyx Fragoso, 1982: 145

suturalis (Gory, 1832: pl. 1)

feisthamelii Buquet, 1852: 355

French Guiana, Brazil (AM, PA, MT), eEcuador

Melathemma Bates, 1870: 258

polita Bates, 1870: 258

Brazil (AM), eEcuador

Metacriodion Fragoso, 1970: 97

capixaba Fragoso, 1970: 97

pictum (Waterhouse, 1880: 292)

Brazil (ES)

French Guiana, eEcuador, Peru, Bolivia (SC)

Ochrodion Fragoso, 1982: 144

gahani (Gounelle, 1909: 609)

quadrimaculatum (Gahan, 1892: 27)

sexmaculatum (Buquet in Guérin-Ménéville, 1844: 228)

sommeri Gahan, 1892: 27

tavakiliani Martins & Monné, 2005: 22

testaceum (Gahan, 1892: 26)

Brazil (GO, MG, SP)

Brazil (MG, RJ)

Brazil (ES-PR, MG, SP)

French Guiana

Brazil (ES-SP), Peru

Paracriodion Fragoso, 1982: 147

modestum (Buquet, 1852: 357)

pubicolle Melzer, 1931: 52

morrisi Monné, 2014: 141

romani (Aurivillius, 1926: 1)

Brazil (ES-PR)

Bolivia (SC)

Fr Guiana, Colombia, eEcuador, Brazil (AM, MT)

Parasphallenum Fragoso, 1982: 145

fulguratum (Chabrillac, 1857: 196)

litteratum Gahan, 1892: 28

Brazil

Poeciloxestia Lane, 1965: 269

bivittata (Buquet, 1852: 356)

omega Zajciw, 1967: 197

carlislei Fragoso, 1978: 134

coriacea Martins & Monné, 2005: 90

dorsalis (Thomson, 1861: 193)

elegans (Gory, 1833: pl. 64)

hirsutiventris Fragoso, 1978: 133

lanceolata Fragoso, 1978: 153

lanei Fragoso, 1978: 125

lateralis (Erichson, 1847: 140)

melzeri Lane, 1965: 270

sagittaria: Melzer, 1923: 5 [Mld; not Bates, 1872]

minuta Fragoso, 1978: 131

Brazil (RJ-SC)

Colombia

Brazil (AM)

Brazil (BA-RS), Paraguay

Brazil (PE-RS)

Peru, Bolivia (CO, SC)

Mexico (QR)-Panama

Brazil (MT, RR), Bolivia (SC)

Peru, Bolivia (SC), French Guiana

Brazil (RO, ES, MG, RJ), Peru, Bolivia

Brazil (PE-RS, MS)

nitida Haller & Santos-Silva, 2023: 363
ochrotaenia (Bates, 1870: 257)
paraensis Lane, 1965: 274
paralela Fragoso, 1978: 129
plagiata (Waterhouse, 1880: 293)
rugosicollis Fragoso, 1978: 126
sagittaria (Bates, 1872: 173)
santossilvai Devesa & Wappes, 2020: 73
signatipennis (Melzer, 1923: 5)
suturalis (Perty, 1832: 90)
travassosi Fragoso, 1978: 149

Sphallambyx Fragoso, 1982: 145

chabrilacii (Thomson, 1857: 123)
toledopizai Melzer, 1934: 70
mexicanum Galileo & Martins, 2006: 706
superbum (Aurivillius, 1910: 147)

Sphallenopsis Fragoso, 1981: 145

pilosovittata (Bates, 1872: 172)

Sphallenum Bates, 1870: 253

tuberosum Bates, 1870: 255

Sphallopterus Fragoso, 1982: 146

batesi Fragoso, 1982: 147

Sphallotrichus Fragoso, 1982: 145

bidens (Fabricius, 1801: 271)
lugubris Voet, 1806: 27
castanopterum Erichson in Schomburg, 1848: 571
femorale Bates, 1870: 254
hirsuticorne Fragoso, 1995: 188
puncticolle puncticolle (Bates, 1870: 254)
 subsp. **robustus** (Bates, 1872: 172)
sculpticolle (Buquet, 1852: 356)
sericeotomentosus Fragoso, 1995: 188
setosus (Germar, 1823: 507)
spadiceus (Gahan, 1892: 29)
setosum: Bondar, 1928: 33 [Mld; not Germar, 1823]

Xestiodion Fragoso, 1981: 379

annulipes (Buquet in Guérin-Méneville, 1844: 228)
pictipes (Newman, 1838: 396)
octomaculatum Nonfried, 1894: 137
similis (Melzer, 1920: 428)

Venezuela (Carabobo)
 Brazil (AM, PA)
 Trinidad, Venezuela, French Guiana, Brazil (PA), Bolivia
 Brazil (RO, PA, MS, GO, DF, MG, SP)
 Peru, eEcuador
 eEcuador, Bolivia (SC)
 Nicaragua-nSouth America
 eEcuador
 Brazil (SP, SC)
 Brazil (MT, MG-RS), Bolivia (SC), Argentina
 Brazil (MT, SP, PR)

Brazil (MG, RJ, SP, PR)

Mexico (VC), Guatemala, Costa Rica, Panama, Colombia
 Colombia, eEcuador, Peru, Brazil (AC), Bolivia

Nicaragua, Costa Rica, Panama

French Guiana, Brazil, eEcuador

Brazil (PA)

Guianas, Brazil (AP, AM, PA), Bolivia (SC)

eEcuador
 French Guiana, Brazil (AM, PA), Bolivia (SC)
 Nicaragua, Costa Rica, French Guiana
 Colombia
 Venezuela, Brazil (widespread), Bolivia (SC)
 Brazil (widespread), Paraguay, Argentina
 Brazil (MA, GO, ES-PR), Argentina

Brazil (BA-SC), Bolivia (SC), Paraguay
 French Guiana, Brazil (GO, MT, BA-SC)

Brazil (MG, ES, SP)

Cleomenini Lacordaire, 1869: 97

Cléoménides Lacordaire, 1868: 405 (key)

Dere White, 1855: 248

thoracica White, 1855: 249

China, Laos, introduced seUS (Georgia)

Clytini Mulsant, 1839: 70

Amyipunga Martins & Galileo, 2011: 154

armaticollis (Zajciw, 1964: 305)
barbarae Schmid, 2011: 249

Bolivia (SC), Argentina (JU)
 Peru

canescens (Martins & Galileo, 2005: 10)
moritzii (Thomson, 1861: 225)

Colombia
 Colombia (Boyaca), Venezuela

Anthoboscus Chevrolat, 1860: 455
Clytanthus Thomson, 1864: 190
oculatus Giesbert, 1992: 158
tricolor (Chevrolat, 1835: 75)

Mexico (CHS)
 Mexico (CHA)-Panama

Ayriclytus Martins & Galileo, 2011: 235
bolivianus Martins & Galileo, 2011: 237
gracilis (Zajciw, 1958: 244)
macilentus (Bates, 1872: 187)
simoni (Lameere, 1893: 274)

Mexico (TB), Bolivia (SC)
 Brazil (SP, PR), Paraguay
 Nicaragua, Costa Rica, Panama, Colombia
 Venezuela

Calloides LeConte, 1873: 319
lorquini (Buquet, 1860: 629)
nobilis nobilis (Harris, 1837: 84)
 subsp. **mormonus** Schaeffer, 1911: 124
 biformis Casey, 1912: 358
 muliebris Casey, 1912: 358
 coloradensis Casey, 1912: 358
regalis (Chevrolat, 1860: 488)

wUSA (CA, NV, OR)
 eNorth America
 swUSA (AZ, CO, UT)

Cetimaju Galileo & Martins, 2007: 346
abare Galileo & Martins, 2007: 347

Colombia

Chlorophorus Chevrolat, 1863: 290
annularis (Fabricius, 1787: 156)

Asia, USA & Brazil (introduced)

Clytoleptus Casey, 1912: 350
Clytanthus: LeConte, 1873: 319 [Mld; not Thomson, 1864]
albofasciatus (Laporte & Gory, 1836: 96)
 gracilicornis Casey, 1912: 371
 tristis Casey, 1912: 371

eNorth America

Clytus Laicharting, 1784: 88
Clytanus Rafinesque, 1815: 117 (UE)
blaisdelli Van Dyke, 1920: 39
canadensis Hopping, 1928: 264
chemsaki Hovore & Giesbert, 1974: 142
clitellarius (Van Dyke, 1920: 40)
marginicollis Laporte & Gory, 1836: 41
 vespoides Haldeman, 1847: 40
 carolinensis Casey, 1912: 372
montesuma Laporte & Gory, 1836: 42
 montezuma White, 1855: 264
pacificus (Van Dyke, 1920: 38)
planifrons (LeConte, 1874: 67)
ruricola (Olivier, 1800: [no 70] 65)
 hamatus Say, 1824: 423
 catulus Casey, 1912: 370

wUSA (CA)
 wNorth America (Br Col, OR, ID, CO)
 wUSA (CA)
 wUSA (CA)
 eNorth America

Mexico

wNorth America (Pacific Coast)
 wNorth America (Pacific Coast)
 eNorth America

Cotyclytus Martins & Galileo, 2011: 127
amazonicus (Fuchs, 1975: 1)
arrigadai Galileo, Martins & Santos-Silva, 2014: 4
basalis (Chevrolat, 1861: 384)
cristatus (Chevrolat, 1861: 384)
curvatus (Germar, 1821: 171)

Brazil (AM)
 Bolivia (LP), Peru (SM)
 Venezuela
 Colombia
 Brazil, Paraguay, Argentina (BA, ER), Uruguay

discretus (Melzer, 1934: 223)
distinctus (Zajciw, 1963: 425)
dorsalis (Laporte & Gory, 1836: 23)
lebasii (Chevrolat, 1861: 381)
magicus (Perty, 1832: 93)
niger (Aurivillius, 1920: 366)
parumnotatus (Zajciw, 1963: 176)
patagonicus (Bruch, 1911: 169)
peruvianus (Schmid, 2009: 279)
potiuna (Galileo & Martins, 2007: 350)
regularis (Chevrolat, 1861: 385)
scenicus (Pascoe, 1866: 294)
 columbianus Fuchs, 1963: 451
sobrinus (Laporte & Gory, 1836: 29)
stillatus (Aurivillius, 1908: 4)
suturalis (Fuchs, 1963: 453)

Brazil (RJ)
 Brazil (RJ)
 Brazil (GO, ES, RJ)
 Costa Rica, Panama, Colombia, Venezuela
 Brazil (BA-SP)
 Brazil (BA)
 Argentina (JU, SA, TU, CA)
 Argentina (CT, CH)
 Peru (Junin)
 Peru (Cuzco)
 Trinidad & Tobago, Venezuela
 Panama, Colombia, Venezuela

Brazil, Bolivia (SC), Paraguay, Argentina, Uruguay
 Bolivia (SC), Paraguay
 Brazil (BA)

Dexithea Thomson, 1864: 185

fabricii (Chevrolat, 1860: 490)
humeralis Chemsak & Noguera, 2001: 50
klugii (Laporte & Gory, 1836: 51)

Mexico (ME, VC)
 Mexico (MX, NL, CS, OA)
 Mexico-Costa Rica

Euryscelis Dejean, 1835: 331

suturalis (Olivier, 1800: [no 70] 62)
 dejeanii Chevrolat, 1862: 530
 megalopus Casey, 1924: 271
 subtropica Casey, 1924: 271

seUSA (FL), W Indies (Bahamas, Hispaniola,
 Puerto Rico, Cayman Islands)

Glycobius LeConte, 1873: 319

Arhopalus: Lacordaire, 1869: 64 [Mld; not Audinet-Serville, 1834]
Plagionotus LeConte & Horn, 1883: 304 (not Mulsant, 1842)
speciosus (Say, 1824: 290)
 hayii Gray in Griffith, 1831: pl. 65, fig. 6
 haiji: Gray in Griffith, 1832: 118 [ISS of *hayii* Gray in Griffith, 1831]
 westermanni Motschulsky, 1856: 23

neUSA, sCanada

Isotomus Mulsant, 1863: 143

Caloclytus Fairmaire in Jacquelin du Val, 1864: 145
comptus (Mannerheim in Hummel, 1825: 36)
 perspicillus Fischer, 1832: 438
 pubicollis Laporte & Gory, 1838: 73
 insularis Laporte & Gory, 1838: 74

Europe, Hispaniola (introduced)

Itaclytus Martins & Galileo, 2011: 163

justini (Chevrolat, 1861: 382)
olivaceus (Laporte & Gory, 1836: 30)
 burmeisteri Chevrolat, 1862: 57
tumulifer (Aurivillius, 1908: 3)

Costa Rica, Panama, Colombia, Venezuela
 Brazil (GO, MT, BA-SC), Paraguay

Bolivia (SC)

Mecometopus Thomson, 1861: 222

aesopus (Chevrolat, 1860: 502)
aurantisignatus Zajciw, 1964: 307
batesii (White, 1855: 257)
bicinctus Aurivillius, 1920: 367
centurio Chevrolat, 1862: 58
 accensus Chevrolat, 1862: 59
globicollis (Laporte & Gory, 1836: 32)
 trogodytes Laporte & Gory, 1836: 33
 curtus Laporte & Gory, 1836: 34
 crassicornis Chevrolat, 1862: 519

Mexico (VC, TB), Guatemala, Nicaragua, Costa Rica
 French Guiana, Brazil (PA)
 Brazil (PA, AM), Ecuador
 Brazil (ES-SP), Argentina (MI)
 Brazil (ES-RS), Argentina (MI), Uruguay

French Guiana, Brazil (AM, PA, MA)

hauseri Bezark, Santos-Silva & Galileo, 2016: 588
latithorax Martins & Galileo, 2008: 276
leprieuri (Laporte & Gory, 1836: 29)
consanguineus Chevrolat, 1862: 523
martinsi Galileo & Santos-Silva, 2016: 137
melanion Bates, 1885: 300
mundus (Chevrolat, 1860: 498)
palmatus (Olivier, 1800: [no 70] 29)
festivus Chevrolat, 1862: 520
polygenus Thomson, 1861: 223
remipes Bates, 1885: 300
riveti Gounelle, 1910: 16
 var. *pilosa* Gounelle, 1910: 16
wallacei (White, 1855: 259)
cauaburi Martins & Galileo, 2011: 210
wappesi Santos-Silva & Galileo, 2016: 138

Megacheuma Mickel, 1919: 198

brevipenne brevipenne (LeConte, 1873: 197)
melanosticum Mickel, 1919: 199
 subsp. **tiemanni** Hovore, 1979: 459

Megacyllene Casey, 1912: 348

Cyllene Newman, 1840: 7 [JH; not Gray, 1834, Gasteropoda]

abnormis (Aurivillius, 1920: 365)
 var. *montana* Tippmann, 1953: 217
acuta (Germar, 1821: 170)
exsanguis Chevrolat, 1862: 527
consimilis Chevrolat, 1862: 52
anacantha (Chevrolat, 1862: 52)
andesiana (Casey, 1912: 352)
angulata (Fabricius, 1775: 192)
amazonica Bates, 1870: 395
boliviana Chevrolat, 1862: 525
cayennensis Laporte & Gory, 1836: 10
caracasensis Chevrolat, 1862: 380
chiliensis Laporte & Gory, 1836: 11
chilensis Blanchard in Gay, 1851: 486
ziczac Voet, 1778: 21
angulifera (Casey, 1912: 354)
comanchei Rice & Morris, 1992: 200
antennata (White, 1855: 252)
eurystethus LeConte, 1858: 82
astecus (Chevrolat, 1860: 489)
bella Zubarán & Di Iorio, 2017: 87
bonplandi (Gounelle, 1911: 185)
boryi (Laporte & Gory, 1836: 12)
minuta Chevrolat, 1862: 62
caryae (Gahan, 1908: 141)
castanea (Laporte & Gory, 1836: 10)
castroi Prosen, 1947: 255
cryptofasciata Di Iorio, 1998: 5
chalybeata (White, 1855: 250)
cleroides (Melzer, 1931: 194)
congener (Laporte & Gory, 1836: 8)
patruelis Chevrolat, 1862: 53
costaricensis (Thomson, 1861: 218)
decora (Olivier, 1800: [no 70] 63)
charus Say, 1835: 193
infaustus LeConte, 1850: 17
 ab. *castelnaui* Aurivillius, 1912: 384

Bolivia (CO)
 Nicaragua, Costa Rica (GU), Panama
 French Guiana, Brazil (AM, PA)

Peru
 Mexico (VC)
 Guatemala, Honduras
 Suriname, French Guiana, Brazil (GO, PA)

French Guiana, Brazil, eEcuador, Peru, Bolivia
 Panama
 Colombia, wEcuador

Guianas, Brazil (AP, AM, RO), Bolivia (CO, SC), Peru

Brazil (AM)

wUSA (UT, NV)

swUSA (CA)

Bolivia

Brazil (GO, MT, BA-RS), Bolivia (SC), Paraguay,
 Argentina (SA-BA), Uruguay

Brazil (RJ-RS), Argentina (SA)

Ecuador, Peru

Mexico-Panama, W Indies (Dominica), French Guiana,
 Brazil (AM, MA), Chile, Bolivia (BN, SC),
 Venezuela, Colombia

cNorth America (Alberta-KS, TX)

swUSA (CA-TX), Mexico (BC, SO, CO)

Mexico (MI, VC, MO, GR, CM)

Argentina (MI)

Brazil (MG, PR, RJ, SC, SP), Argentina (SA-MI)

Brazil (MG, RJ, SP, SC, RS), Argentina, Uruguay

eNorth America-TX, Mexico

Brazil (MG, SP, SC), eArgentina (MI-BA), Paraguay
 Argentina (SA-RN)

Brazil (ES, PA, SC, SP)

Brazil (ES, SP, PR)

Brazil (MG, RJ, RS, SC, SP)

Costa Rica

eNorth America-TX, Alberta

- ab. *horni* Aurivillius, 1912: 384
 ab. *mediana* Aurivillius, 1912: 384
chara kansana Casey, 1912: 355
chara solida Casey, 1912: 355
chara genitiva Casey, 1912: 355
designata (Chevrolat, 1862: 50)
ebenina Monné & Napp, 2004: 323
ellifranziana (Fuchs, 1961: 448)
falsa (Chevrolat, 1862: 51)
 acutus: Laporte & Gory, 1836: 9 [Mld; not Germar, 1821]
gaucha Martins & Galileo, 2011: 58
giesberti Botero, Santos-Silva & Wappes, 2019: 4
globosa Aragao & Monné, 2011: 167
guarani Aragao & Monné, 2011: 161
hoffmanni (Laporte & Gory, 1836: 13)
horioni Tippmann, 1960: 133
 ab. *bifasciata* Tippmann, 1960: 134
 ab. *suturaalba* Tippmann, 1960: 134
insignita Perroud, 1855: 388
lanei (Tippmann, 1953: 218)
latreillei (Laporte & Gory, 1836: 91)
 insignita (Perroud, 1855: 388)
lutosa (LeConte, 1861: 356)
magna Di Iorio, 1997: 389
melanaspis (Chevrolat, 1862: 378)
 melanaspis: Lucas, 1862: xcvi [ISS]
mellyi (Chevrolat, 1862: 54)
 ab. *modesta* Tippmann, 1960: 135
multiguttata (Burmeister, 1865: 176)
 megaspilota Martins, 1974: 153
murina (Burmeister, 1879: 201)
neblinosa Di Iorio, 1995: 320
nebulosa Laporte & Gory, 1836: 11
 spinifera (Newman, 1840: 8)
nevermanni Martins & Galileo, 2008: 272
panamensis (Bates, 1885: 295)
powersi Linsley & Chemsak, 1963: 211
 infausta: Hopping, 1937: 445 [Mld; not LeConte, 1850]
proxima (Laporte & Gory, 1836: 5)
 elongata Chevrolat, 1862: 379
punensis Martins & Galileo, 2008: 273
quinquefasciata (Melzer, 1931: 55)
robiniae (Forster, 1771: 43)
 pictus Drury, 1773: 91
 flexuosum Fabricius, 1775: 191
 robineae: McCorquodale, 2010: 469 [ISS]
robusta Linsley & Chemsak, 1963: 211
rotundicollis Zajciw, 1963: 174
rufipes (Laporte & Gory, 1836: 8)
rufofemorata Di Iorio, 1997: 394
sahlbergi (Aurivillius, 1913: 237)
snowi snowi (Casey, 1912: 353)
 subsp. **zuniana** (Casey, 1912: 353)
spixii (Laporte & Gory, 1836: 92)
tafivallensis Di Iorio, 1998: 9
trifasciata Viana, 1994: 165
unicolor Fuchs, 1955: 49
 lateripilosa Zajciw, 1963: 171
unicoloricollis Fuchs, 1961: 447
 Brazil (MG, RJ, SP)
 Brazil (SC)
 Costa Rica
 Brazil (GO, BA-RS), Paraguay,
 Argentina (FO, MI), Uruguay
 Brazil (RS)
 Mexico (Nayarit)
 Brazil (PA), Argentina
 Argentina, Uruguay
 Brazil (AM, PR-RS, SP), Paraguay
 Bolivia
 Brazil (RS, PR, SP), Argentina, Uruguay
 Brazil (SP- RS, PR)
 Brazil (MG, PR, RJ, RS, SC, SP), Uruguay,
 Argentina (BA)
 wcUSA (CO, KS, IA)
 Argentina (SA, CA, LR)
 Colombia, Venezuela, eEcuador, Peru, Bolivia (SC)
 Brazil (MG-RS), Bolivia (CO, SC), Paraguay,
 Argentina (BA), Uruguay
 Bolivia, Argentina
 Paraguay, ncArgentina (SA, ER, SE, SF), Uruguay
 Brazil (RJ), Bolivia (SC), Argentina (SA, TU)
 Bolivia, Chile, Paraguay, Argentina, Uruguay
 Costa Rica
 Costa Rica, Panama
 wcUSA (ND)
 Venezuela, Brazil, Paraguay, Bolivia (CO, SC)
 Argentina (SA-MI, SL)
 Peru
 Bolivia (LP), Chile, Argentina (SA, JU)
 eNorth America, ID
 swUSA (NM, AZ)
 Argentina (TU)
 Brazil, Argentina, Uruguay
 Argentina (CA, CO, SA, SL, TU)
 Brazil
 wUSA (CO, AZ), nMexico
 swUSA (NM)
 Brazil, Paraguay, Argentina, Uruguay
 Argentina (TU)
 Argentina (TU, CA)
 Brazil (RJ, RS), Paraguay,
 Argentina (CO, ER, MI), Uruguay
 Brazil (SC)
 Bolivia (SC)

Miriclytus Martins & Galileo, 2011: 240
miri (Galileo & Martins, 2007: 347)

quadrifasciatus (Chevrolat, 1861: 386)
solidicornis Bates, 1885: 300
triangularis Martins & Galileo, 2011: 243

Costa Rica, Panama, Colombia
 Bolivia (SC)

Neoclytus Thomson, 1860: 67 [URN for *Rhopalomerus* Chevrolat, 1860]

Rhopalopachys Chevrolat, 1860: 457

Rhopalomerus Chevrolat, 1860: 457 [wJH; not *Ropalomera* Wiedemann, 1824 / JsH; not Blanchard, 1849, Curculionidae]

Plagithmysus Horn, 1875: 150

Plagitmesus: Schaufuss, 1915: 859 [ISS of *Plagithmysus* Horn, 1875]

acteon (Chevrolat, 1860: 499)

actaeon Bates, 1880: 58

Mexico (VC), Guatemala, Honduras, Nicaragua (NS)

acuminatus acuminatus (Fabricius, 1775: 194)

eNAmer-Manitoba-TX, Argentina

erythrocephalum Fabricius, 1787: 156

americanus Gmelin, 1790: 1854

aspericollis Germar, 1823: 517

erythrocephalus: Shufeldt, 1884: 334 [ISS]

subsp. **hesperus** Linsley, 1935: 163

wUSA (TX-CO), Mexico

anama Galileo & Martins, 2007: 350

wEcuador

angelicus Van Dyke, 1927: 107

wUSA (CA)

approximatus (LeConte, 1862: 42)

cUSA (OK, MO, KS)

araneiformis (Olivier, 1800: [no 70] 61)

Hispaniola, Puerto Rico, Guadeloupe, Saba

koehlini Hagenbach, 1822: 12

Turks & caicos

augusti (Chevrolat, 1835: 73)

swUSA (TX), Mexico, Guatemala

angusti: Bates, 1885: 301 [ISS]

abbreviatus Schaeffer, 1908: 340

dubius Chevrolat, 1835: 74

bahamicus Cazier & Lacey, 1952: 36

Bahamas

balteatus LeConte, 1873: 201

wNorth America (Pacific Coast)

magnus: Van Dyke, 1927: 109 [Mld; not Schaeffer, 1904]

interruptus: Van Dyke, 1927: 109 [Mld; not LeConte, 1873]

cacicus (Chevrolat, 1860: 493)

Mexico-Panama

caprea (Say, 1824: 424)

USA CA, AZ, UT

gibbicollis Laporte & Gory, 1836: 24

elevatus Laporte & Gory, 1836: 32

chevrolatii (Laporte & Gory, 1836: 26)

Cuba

clavipes (Chevrolat, 1860: 495)

Guatemala

conjunctus (LeConte, 1857: 61)

wNorth America (Pacific Coast)

conjunctus occiduus Casey, 1912: 369

tularensis Casey, 1912: 369

curtulus (Chevrolat, 1860: 497)

Mexico

englemani Giesbert, 1989: 270

Panama

fraterculus Martins & Galileo, 2008: 273

Venezuela

hoegei (Bates, 1880: 56)

Mexico (PU, SLP, VC, CHS), Guatemala, Honduras, Costa Rica

horridus (LeConte, 1862: 42)

eNAmer-TX

confusus Van Dyke, 1937: 115

longipes: LeConte, 1873: 200 [Mld; not Drury, 1773]

kirbyi: Hopping, 1932: 558 [Mld; not Aurivillius, 1912]

fulguratus Casey, 1912: 367

impar (Germar, 1823: 571)

Brazil (BA, ES-SC)

interruptus LeConte, 1873: 201

wUSA (CA)

irroratus (LeConte, 1858: 26)

swUSA (CA), Mexico (BC)-Honduras

morosus Chevrolat, 1860: 501

jekeli (White, 1855: 254)

longipes: Laporte & Gory, 1836: 16 [Mld; not Drury, 1773]

jibacoense Zayas, 1975: 137

Cuba

jouteli jouteli Davis, 1904: 34

eUSA (NJ-VA, SC, TN)

subsp. **simplarius** Blatchley, 1917: 240

seUSA (GA, FL)

longipes (Drury, 1773: 84)

seUSA (GA, FL), Cuba, Jamaica

drurii Fabricius, 1775: 181

angulatum Fabricius, 1792: 335

rhombifer Olivier, 1800: [no 70] 46

hopei Laporte & Gory, 1836: 18

magnus Schaeffer, 1904: 224	swUSA (CA), Mexico (BC)
modestus modestus Fall, 1907: 81	wUSA (CA)
<i>carus</i> Fall, 1907: 81	
subsp. zebratus Van Dyke, 1927: 108	wUSA (CA, OR)
mucronatus mucronatus (Fabricius, 1775: 193)	eUSA-TX, Mexico (CO)
<i>luscum</i> Fabricius, 1798: 152	
<i>maculosus</i> Gmelin, 1790: 1854	
<i>humeralis</i> Newman, 1838: 394	
<i>luscus strictulus</i> Casey, 1912: 369	
subsp. vogti Linsley, 1957: 35	swUSA (TX, AZ), Mexico (NL)
muricatus muricatus (Kirby in Richardson, 1837: 177)	North America (boreal)
<i>leucozonus</i> Laporte & Gory, 1838: 90	
<i>muricatus</i> Haldeman, 1847: 41	
<i>longipes</i> Kirby in Richardson, 1837: 176 (not Drury, 1773)	
<i>ascendens</i> LeConte, 1878: 462	
<i>kirbyi</i> Aurivillius, 1912: 392	
<i>macronatus</i> : Alexander, 1958: 48 [ISS]	
subsp. infans Casey, 1912: 368	wUSA (CA, OR)
nubilus Linsley, 1933: 93	wUSA (CA)
<i>modestus</i> Fall, 1907: 81 (part)	
pallidicornis Fisher, 1932: 58	Haiti
peninsularis Schaeffer, 1905: 133	Mexico (BC)
personatus Chemsak & Linsley, 1974: 132	Costa Rica
podagricus (White, 1855: 254)	Hispaniola
provoanus Casey, 1924: 272	wUSA (Pacific Coast-UT)
<i>basalis</i> Van Dyke, 1927: 106	
<i>basillaris</i> Van Dyke, 1929: 136	
pubicollis Fisher, 1932: 59	Cuba
purus Bates, 1885: 302	Mexico (VC), Guatemala
pusillus (Laporte & Gory, 1836: 22)	Guiana, Suriname, Colombia, Brazil, Peru,
<i>guianensis</i> Laporte & Gory, 1836: 22	Bolivia (LP, SC), Paraguay, Argentina, Uruguay
<i>tapajonus</i> Bates, 1870: 395	
resplendens Linsley, 1935: 163	wUSA (CA)
rufitarsis (Chevrolat, 1860: 494)	Guatemala
rufus (Olivier, 1800: [no 70] 28)	Costa Rica, Panama-nArgentina, Colombia, Venezuela
var. <i>meridionalis</i> Aurivillius, 1926: 3	Guyana, French Guiana, Brazil, Bolivia (SC), Paraguay
scutellaris (Olivier, 1790: 266)	eNAmer-KS-TX
<i>elegans</i> Haldeman, 1847: 40	
senilis (Fabricius, 1798: 152)	seUSA (GA, FL), Cuba, Bahamas
<i>cordifer</i> Klug, 1829: 13	
<i>devastator</i> Laporte & Gory, 1836: 17	
<i>rufescens</i> Laporte & Gory, 1836: 16	
smithi Bates, 1892: 164	Mexico (NA-OA)
steelei Chemsak & Linsley, 1978: 138	Mexico (Revillagigedo Islands, Socorro Island)
tenuiscriptus Fall, 1907: 82	wUSA (CA, AZ, UT), Mexico
torquatus LeConte, 1873: 200	swUSA (TX), Mexico
unicolor (Laporte & Gory, 1836: 34)	Ecuador, Peru, Chile
<i>longipes</i> : Laporte & Gory, 1836: 16 [Mld; not Drury, 1773]	
vanduzeei Van Dyke, 1927: 107	swUSA (AZ)
ypsilon Chevrolat, 1862: 63	Brazil (SC, RS), Paraguay, Argentina, Uruguay
<i>famelicus</i> Burmeister, 1865: 176	

Ochraethes Chevrolat, 1860: 454 [COS]

Ochroesthes: Chevrolat, 1860: 472 [IOS]

Ochraesthes Thomson, 1861: 219 [ISS]

Ochrestes: Lacordaire, 1869: 65 [ISS]

Ochresthes: Bates, 1880: 50 [ISS]

Clytopsis Casey, 1912: 350

Ochraethes: Casey, 1912: 356 [FR]

brevicornis (Chevrolat, 1860: 480)

virescens Chevrolat, 1860: 481

Mexico (DF, MO, MX, PU)

cinereolus (Bates, 1892: 162) <i>octomaculata</i> Chemsak & Noguera, 2001: 51	Mexico (JA, GU, GR, VC, OA)
citrinus (Chevrolat, 1860: 474) <i>sigmoideus</i> Bates, 1885: 298	swUSA (TX), Mexico-Honduras
confusus Perez-Flores & Toledo-Hernandez, 2022: 9	Mexico (Puebla, Tabasco, Oaxaca, Chiapas)
dimidiaticornis (Chevrolat, 1860: 487) <i>nimbata</i> Casey, 1912: 373	Mexico
litura Bates, 1885: 298	Guatemala
nevadensis Heffern, Botero & Santos-Silva, 2020: 180	wUSA (Nevada)
nigrescens Chemsak & Linsley, 1974: 134	Mexico (DU)
nigroapicalis Perez-Flores & Toledo-Hernandez, 2022: 13	Mexico (Jalisco, Nayarit, Zacatecas)
nigropunctatus (Chevrolat, 1860: 486)	Mexico
obliquus (Chevrolat, 1860: 473) <i>zebratus</i> Bates, 1885: 298	Mexico (HI, PU, TA, CH, VC), Guatemala, Honduras
obscuricornis Bates, 1892: 163	Mexico (GR, HI)
palmeri Bates, 1880: 52	Mexico (JA, SLP)
picticornis Bates, 1880: 52	Guatemala
pollinosus (Chevrolat, 1835: 71)	Mexico (CHS, VC)-Panama
skillmani Wappes, Santos-Silva & Botero, 2018: 2	Mexico (Oaxaca)
sommeri (Chevrolat, 1835: 72) <i>tibialis</i> Laporte & Gory, 1836: 71 <i>circuliferus</i> Chevrolat, 1860: 472 <i>circulifer</i> : Aurivillius, 1912: 386 [ISS of <i>circuliferus</i> Chevrolat, 1860] <i>giesberti</i> Botero, Santos-Silva & Wappes, 2019: 2	Mexico (SI, PU, JA, HI, GU, OA)
tomentosus (Chevrolat, 1860: 479)	Mexico (PU)
tulensis Bates, 1892: 163	Mexico (JA, HI)
umbratilis Bates, 1885: 297	Guatemala
viridiventris (Chevrolat, 1860: 479) <i>nigritus</i> Bates, 1892: 162 <i>clerinus</i> Bates, 1892: 162	Mexico (GR, OA)
z-littera (Chevrolat, 1860: 476) <i>z-litterata</i> : Linsley, 1935: 86 [ISS] <i>cristoforii</i> Chevrolat, 1860: 477 <i>christofori</i> : Aurivillius, 1912: 386 [ISS of <i>cristoforii</i> Chevrolat, 1850]	Mexico (MO, VC)

Pirangoclytus Martins & Galileo, 2011: 181

amaryllis (Chevrolat, 1861: 387) <i>jansonii</i> Bates, 1870: 399	Nicaragua-Panama, Colombia, Guyana, French Guiana
chaparensis Martins & Galileo, 2011: 186	Bolivia (SC)
flavius (Bates, 1870: 399)	Venezuela, Brazil (AM, PA)
fraternus Martins & Galileo, 2011: 186	Bolivia (BE)
granulipennis (Zajciw, 1963: 178)	Brazil (AM, PA), Peru
insignis (Chevrolat, 1862: 65) <i>palmaris</i> : White, 1855: 260 [Mld; not Olivier, 1800] <i>palmaris</i> : Lameere, 1884: 91 [Mld; not Olivier, 1800]	Brazil (MG, ES-SC), Paraguay, Argentina
jauffreti Martins & Galileo, 2011: 192	Brazil (PA)
laetus (Fabricius, 1801: 348) <i>femoralis</i> Fuchs, 1963: 454	Colombia?, Peru, Brazil (PA)
latecinctus (Bates, 1870: 398)	Brazil (AM), Bolivia (SC)
mniszechii (Chevrolat, 1862: 64) <i>mendosus</i> Galileo & Martins, 1996: 58	Brazil (MG, ES, RJ, SP, PR, SC, RS), Paraguay, Argentina
nubicollis (Zajciw, 1964: 308)	Brazil (AM), Peru
placens (Chevrolat, 1862: 64)	Brazil (RJ)
purus (Bates, 1870: 398) <i>ellifranzae</i> Fuchs, 1963: 456	Brazil (AM, RO), Bolivia (LP)
rubefactus (Bates, 1870: 398)	Colombia, Brazil (AM)
sulphureus (Di Iorio, 2006: 17)	Peru (Satipo), Bolivia
triangularis (Laporte & Gory, 1836: 31) <i>rhinotragoides</i> (Thomson, 1861: 224) <i>amabilis</i> Chevrolat, 1862: 521 <i>maronensis</i> Chevrolat, 1862: 522 <i>funereus</i> Chevrolat, 1862: 523	French Guiana, Brazil (RR, PA)

ycoca (Galileo & Martins, 2007: 347)

Brazil (AM)

Placoclytus Chemsak & Linsley, 1974: 129

championi (Bates, 1885: 302)

distortus (Chevrolat, 1860: 500)

virgulatus Chemsak & Linsley, 1974: 130

Mexico (CHS), Guatemala, Honduras

Mexico

Mexico (ME, MI)

Placosternus Hopping, 1937: 447

crinicornis (Chevrolat, 1860: 460)

var. *sanguinipes* Chevrolat, 1860: 460

similiguttatus Chevrolat, 1862: 380

difficilis (Chevrolat, 1862: 263)

crinicornis: Horn, 1880: 134 [Mld; not Chevrolat, 1860]

reducta Casey, 1912: 351

filicornis Casey, 1912: 352

erythropus (Chevrolat, 1835: 4)

mexicanus Laporte & Gory, 1836: 6

variegatus Laporte & Gory, 1836: 6

guttatus (Chevrolat, 1860: 459)

USA (NY, TX, CA), Jamaica, Hawaii, Haiti, Marquesas Islands

Mexico-Colombia, Venezuela

sUSA (CA-FL), Mexico, Honduras, Cuba, Bahamas

swUSA (TX), Mexico-Costa Rica

Mexico-Colombia, Venezuela, Brazil (MG)

Rostroclytus Martins & Galileo, 2011: 158

capixaba (Napp & Monné, 2006: 41)

rondonianus (Napp & Monné, 2006: 40)

turuna (Galileo & Martins, 2007: 349)

Brazil (ES, BA)

Brazil (MT, RO), eEcuador

French Guiana, Brazil (AM, PA)

Sarosesthes Thomson, 1864: 185

Arhopalus: LeConte, 1873: 319 [Mld; not Audinet-Serville, 1834]

fulminans (Fabricius, 1775: 192)

eNAmer

Tanyochraethes Chemsak & Linsley, 1965: 148

anthophilus (Chevrolat, 1860: 485)

clathratus (Chevrolat, 1860: 483)

hololeucus (Bates, 1892: 163)

minca Galileo & Martins, 2007: 349

ochrozona (Bates, 1885: 299)

smithi Chemsak & Linsley, 1965: 151

tilden Chemsak & Linsley, 1965: 148

truquii (Chevrolat, 1860: 484)

Mexico (OA)

Mexico

Mexico (CO)

Colombia

Guatemala-Costa Rica

Mexico (JA)

swUSA (TX)

Mexico

Trichoxys Chevrolat, 1860: 454

abbreviatus Bates, 1880: 50

apelles (Newman, 1838: 394)

atripes (Chevrolat, 1860: 469)

bilineatus (Chevrolat, 1860: 461)

hirtellus (Chevrolat, 1860: 467)

ochraetheoides Linsley, 1935: 85

labyrinthicus (Chevrolat, 1860: 463)

longipes Chemsak & Linsley, 1974: 135

melanotelus (White, 1855: 273)

flexus Chevrolat, 1860: 468

pellitus (White, 1855: 272)

penrosei Lingafelter & Wappes, 2012: 158

rubripes (White, 1855: 273)

sulphurifer (Chevrolat, 1860: 470)

viridicollis (Chevrolat, 1860: 464)

vitticollis (Laporte & Gory, 1836: 7)

fortunatus Chevrolat, 1860: 465

westwoodii (Chevrolat, 1860: 471)

Mexico, Guatemala, Honduras

Mexico (CHS), Honduras

Mexico

Mexico (OA, GR)

Mexico

Mexico (DU, OA, CM), Honduras

Mexico (OA)

Mexico

Mexico (OA)

Mexico (SI, DU, LA)

Mexico (OA)

Mexico (ME, PU)

Mexico, Guatemala, Honduras, Costa Rica, Panama

Mexico (DU, GU, OA, ZA)

Mexico (ME, OA, VC)

Triodoclytus Casey, 1913: 387*Paraclytus*: Casey, 1912: 351 [Mld; not Bates, 1884]*Synclytus* Lucas, 1920: 480**lanifer** (LeConte, 1873: 198)

wUSA (CA, OR)

brevitarsis Casey, 1912: 375*crucialis* Casey, 1912: 375**Tylcus** Casey, 1912: 348**hartwegii** (White, 1855: 252)

swUSA (TX, AZ), Mexico, Guatemala

Unaiuba Martins & Galileo, 2011: 169**aulai** (Bruch, 1911: 168)

Brazil (AM)?, Bolivia (LP), Argentina (SF)

interruptus: Van Dyke, 1927: 109 [Mld; not LeConte, 1873]**beltiana** (Bates, 1885: 301)

Nicaragua, Costa Rica

lebasii: Bates, 1872: 186 [Mld; not Chevrolat, 1861]**bruchi** (Melzer, 1927: 570)

Brazil (SP-RS)

catarina (Napp & Monné, 2006: 39)

Brazil (SC, SP)

flava Martins & Galileo, 2011: 176

Venezuela, Brazil (AM)

giesberti (Chemsak & Noguera, 1993: 86)

Mexico (JA)

icterica (Gounelle, 1911: 187)

Brazil (GO)

ion (Chevrolat, 1860: 496)

Mexico (ME)-Nicaragua, Costa Rica (GU)

jon Chevrolat, 1860: 496var. *ionides* Bates, 1885: 300**ludicrus** (Melzer, 1934: 224)

Brazil (SC)

m-fasciata Schmid, 2015: 17

Brazil (RJ)

pinima (Galileo & Martins, 2007: 349)

Peru, Bolivia (CO)

sarukhani (Chemsak & Noguera, 1993: 87)

Mexico (JA)

vitticollis (Aurivillius, 1920: 365)

Peru

vitellina (Martins & Galileo, 2008: 274)

Costa Rica (GU)

zonata (Martins & Galileo, 2008: 273)

Guatemala

Xylotrechus (Rusticoclytus) Vives, 1977: 130**annosus annosus** (Say, 1826: 277)

eNAmer-Rocky Mts

annosus emotus (Brown, 1952: 335)

wNAmer (Br Col-CA, CO)

nauticus (Mannerheim, 1843: 305)

wUSA (Pacific Coast), Mexico (BC)

gramineus Haldeman, 1847: 40**Xylotrechus (Xylotrechus)** Chevrolat, 1860: 456**aceris** Fisher, 1917: 215

neNorth America

albonotatus Casey, 1912: 361

wUSA (CA), Mexico (BC)

cinereus Van Dyke, 1920: 41*abietis* Van Dyke, 1929: 136**bowditchi bowditchi** Hopping, 1928: 247

wUSA (AZ, UT, CO)

subsp. **hoppingi** Linsley, 1957: 35

wUSA (NM, CO)

mormonus: Hopping, 1932: 540 [Mld; not LeConte, 1861]*obliteratus* Hopping, 1932: 542 (part)**colonus** (Fabricius, 1775: 191)

eNorth America-TX

coloreum: Fabricius, 1801: 345 [ISS]*campestre* Olivier, 1800: [no 70] 65*villicum* Olivier, 1800: [no 70] 64*terminans* Fabricius, 1798: 151*upsilon* Stephens, 1831: 244*agrestis* LeConte, 1850: 28**convergens** LeConte, 1873: 198

eNorth America

durangoensis Chemsak & Linsley, 1974: 137

Mexico (DU)

gemellus Casey, 1893: 590

cUSA (IN)

hovorei Swift, 2007: 287

USA (sCalifornia)

insignis LeConte, 1873: 199

wUSA (WA, OR, CA), Mexico (BC)

obliteratus: Leng, 1887: 199 [Mld; not LeConte, 1873]*planifrons*: Fall, 1901: 147 [Mld; not LeConte, 1874]

- diruptus* Casey, 1912: 367
 var. **incongruens** Casey, 1912: 366
integer (Haldeman, 1847: 41)
 fuscus: LeConte, 1850: 27 [Mld; not Kirby, 1837, as *Clytus*]
 frosti Van Dyke, 1937: 114
lengi Schaeffer, 1908: 340
mormonus (LeConte, 1861: 357)
 obliteratus: Hopping, 1932: 534 [Mld; not LeConte, 1873]
nitidus (Horn, 1860: 570)
nunenmacheri Van Dyke, 1920: 43
 uniformis Casey, 1924: 270
obliteratus LeConte, 1873: 199
quadrinaculatus (Haldeman, 1847: 41)
quercus Schaeffer, 1905: 163
rameyi Alten, 2014: 1
robustus Hopping, 1941: 29
sagittatus sagittatus (Germar, 1821: 171)
 sagittarius: Thomson, 1861: 226 [ISS]
 pubescens Haldeman, 1847: 40
 cylindrus Casey, 1912: 364
 salebrosus Casey, 1912: 364
 subsp. **chiricahuae** Chemsak, 1959: 114
sartorii (Chevrolat, 1860: 492)
schaefferi Schott, 1926: 224
undulatus (Say, 1824: 291)
 sayi Laporte & Gory, 1836: 55
 interruptus Laporte & Gory, 1836: 57
 lunulatus Kirby in Richardson, 1837: 175
 undatus Kirby in Richardson, 1837: 176
 fuscus Kirby in Richardson, 1837: 176
 longitarsis Casey, 1912: 362
- wUSA (CA)
 neNorth America
 wNorth America (Pacific Coast)
 wNorth America (Yukon-CA, UT)
 neUSA-TX
 nwUSA (OR)
 wUSA (Rocky Mts)
 neNorth America
 swUSA (AZ, NM), nwMexico (CHA, SI)
 Utah
 wUSA (AZ, CO)
 eNorth America-NM
 swUSA (AZ), Mexico (DU)
 Mexico (NL, VC), Guatemala, Honduras
 neNorth America
 neNorth America-Alaska, Br Colombia- CA, CO

Ygapema Martins & Galileo, 2011: 224

- accentifer** (Gounelle, 1910: 15)
arixi (Martins & Galileo, 2005: 10)
boliviana (Belon, 1899: 156)
clavata (Chevrolat, 1861: 386)
delicata (Gounelle, 1911: 188)
errata (Martins & Galileo, 2008: 274)
michelleae Schmid, 2011: 250
mulleri (Fuchs, 1955: 50)
plaumanni (Fuchs, 1966: 9)
- Ecuador
 Colombia
 Bolivia (SC)
 Venezuela
 Brazil (GO, PE)
 Colombia
 Peru
 Brazil (RJ-RS), Argentina (SA-CO)
 Brazil (PR, SC), Argentina

Compsocerini Thomson, 1864: 260

Acabyara Napp & Martins, 2006: 64

- aruama** Napp & Martins, 2006: 65
- French Guiana, Colombia, Brazil (RO), Ecuador

Achenoderus Napp, 1979: 582

- octomaculatus** (Fairmaire & Germain, 1861: 107)
- Chile, Argentina (NE, CT)

Aglaoschema Napp, 1994: 658

- acauna** Napp 2008
albicorne (Fabricius, 1801: 269)
apixara Napp, 2007: 810
basale (Melzer, 1933: 369)
camusi Dalens, Tavakilian, & Touroult, 2010: 82
collorata (Napp, 1993: 653)
concolor (Gounelle, 1911: 177)
- French Guiana, Brazil (PA)
 Venezuela, French Guiana, Brazil (PA, MA)
 Brazil (MA, BA, ES, MG)
 Argentina (JU, SE)
 French Guiana
 Brazil (MA, CE, RO)
 Brazil (GO)

cyaneum (Pascoe, 1860: 62)
bicoloricorne Fuchs, 1959: 3
dulce (Napp & Martins, 1988: 483)
erythrocephala (Napp & Martins, 1988: 484)
geoffroyi Dalens, Tavakilian, & Touroult, 2010: 88
haemorrhoidale (Germar, 1823: 496)
inca Napp, 2007: 802
mimos Napp, 2008: 354
mourei (Napp, 1993: 655)
potiguassu Napp, 2008: 357
prasinipenne (Lucas, 1857: 185)
nigricorne Bates, 1870: 393
tibiale Aurivillius, 1920: 364
prasiniventre (Gounelle, 1911: 178)
quieci Dalens, Tavakilian, & Touroult, 2010: 86
rondoniense Napp, 2008: 353
ruficeps (Bates, 1870: 393)
rufiventre (Germar, 1823: 495)
erythrogaster White, 1853: 146
tarnieri (Bates, 1870: 392)
ventrale (Germar, 1823: 494)
viridipenne Thomson, 1861: 254
vinolentum Dalens, Tavakilian, & Touroult, 2010: 84
violaceipenne (Aurivillius, 1897: 244)

Brazil (AM, PA), Peru

Brazil (MS)
 Brazil (SP-RS), Argentina
 French Guiana
 Brazil (BA-PR), Argentina, Bolivia (SC)
 Colombia, Peru
 Brazil (RO)
 Brazil (BA)
 Argentina
 Brazil (PR-RS), Bolivia (SC)

Brazil (BA-ES)
 French Guiana
 Brazil (RO)
 Brazil (MG-RS)
 Brazil (ES-RS), Argentina

French Guiana, Brazil (PA)
 Brazil (BA-RS), Bolivia (SC), Paraguay, Argentina
 Brazil
 French Guiana
 Brazil (SC)

Caperonotus Napp, 1993: 657
cardinalis (Bates, 1870: 393)
guianensis Dalens & Touroult, 2009: 236
superbus (Aurivillius, 1897: 245)
tucurui Napp & Monné, 2008: 26

Brazil (AM), Peru
 French Guiana
 Colombia (BO), Brazil, Ecuador
 Brazil (PA)

Chaetosopus Napp & Martins, 1988: 480
contiguus Napp & Martins, 1988: 483
infalsatus Napp & Martins, 1988: 481
violaceus (Martins, 1973: 208)

Brazil (PR)
 Brazil (MG, RJ)
 Brazil (SP)

Chloethe Bates, 1867: 24
Chimoreia Lane, 1956: 15
brachyptera Zajciw, 1963: 416
ingae Bates, 1867: 24
mandibularis Lane, 1956: 16
lalanecassoui Dalens, Tavakilian, & Touroult, 2010: 90
scabrosa Zajciw, 1963: 418

Brazil (MS, PR, SC)
 French Guiana, Brazil (AM), eEcuador, Peru,
 Bolivia (LP, SC)
 French Guiana
 Brazil (ES, RJ, MS, PR, SC, RS), Argentina (MI)

Compsoceridius Bruch, 1908: 207
gounellei (Bruch, 1908: 208)

Brazil (PR-RS), Paraguay, Argentina, Uruguay

Compsocerus Lacordaire, 1830: 175
Orthostoma White, 1853: 146 (part)
Compsocera Thomson, 1861: 253
Orthostoma (*Orthostomidius*) Bruch, 1908: 209
barbicornis Audinet-Serville, 1834: 62
opacipennis Gounelle, 1910: 140
bicoloricornis Schwarzer, 1923: 258
chevrolati Gounelle, 1910: 141
deceptor Napp, 1976: 20
barbicornis: Melzer, 1918: 420 [Mld; not Audinet-Serville, 1834]
parviscopus (Burmeister, 1865: 169)
vicinus Bosq, 1951: 100
proximus Napp, 1977: 97

Brazil (ES, RJ)
 Brazil (ES)
 Brazil (PR-RS)
 Brazil (MG, RJ)
 Argentina (JU-CA)
 Brazil (PR), Bolivia, Argentina (SA)

violaceus (White, 1853: 147)
igneum White, 1853: 147
aulica Thomson, 1861: 253
thyrsoptera Burmeister, 1865: 169
equestris: Gounelle, 1911: 79 [Mld; not Guérin-Méneville, 1844]

Brazil (GO, BA-RS), Bolivia, Paraguay,
 Argentina, Uruguay

Compsopyris Dalens, Touroult & Tavakilian, 2010: 49
pereuræ Dalens, Touroult & Tavakilian, 2010: 50

French Guiana

Cosmisomopsis Zajciw, 1960: 135
viridis Zajciw, 1960: 136

Brazil (PB, BA), Argentina (SA, MI)

Cosmoplatidius Gounelle, 1911: 233
abare Napp & Martins, 2006: 474
bilineatus (Buquet, 1841: 154)
sellatus (White, 1853: 82)
ochraceus Linsley, 1961: 5
lycoides Guérin-Méneville, 1844: 233
annulipes (Blanchard in D'Orbigny, 1846: 207)
simulans (Bates, 1870: 428)
mandibularis Gounelle, 1911: 234

Peru, Brazil (AM, PA, MG), Bolivia (SC)
 Mexico, Guatemala, Honduras, Nicaragua,
 El Salvador, Costa Rica, Panama,
 Trinidad, Colombia
 Guianas, Brazil (AM, GO, MG, SP), Bolivia (SC)
 French Guiana, Brazil (AM, GO, PA, RO), Ecuador,
 Peru, Bolivia (SC)

Dilocerus Napp, 1980: 193
brunneus Napp & Martins, 2006: 247
marinonii Napp, 1980: 195

Bolivia (SC)
 Bolivia (SC), Argentina (JU)

Ecoporanga Napp & Martins, 2006: 245
achira Napp & Martins, 2006: 246
cooperi Monné & Monné, 2014: 2371
wallacei Monné & Monné, 2014: 2371

Bolivia (SC)
 Peru (Amazonas)
 eEcuador

Goatacara Napp & Martins, 2006: 33
boliviana Napp & Martins, 2006: 34

Bolivia (SC)

Hylorus Thomson, 1864: 261
armatus (Chabrillac, 1857: 199)
hamaticornis Chevrolat, 1859: 28

Brazil (GO, MG, RJ)

Maripanus Germain, 1898: 653
quadrimaculatus (Germain, 1892: clxvi)
decoratus Germain, 1898: 656

Chile, Argentina (NE)

Mimochariergus Zajciw, 1960: 57
carbonelli Zajciw, 1960: 58
fluminensis Napp & Mermudes, 1999: 82

Brazil (RJ), Uruguay
 Brazil (RJ)

Orthostoma Lacordaire, 1830: 174
Maxillaria Gistel, 1848: x [URN]
Orthoschema Thomson, 1861: 253
Orthoschema (*Orthoprasis*) Aurivillius, 1910: 159
abdominale (Gyllenhal in Schoenherr, 1817: 157)
tenuicorne Bates, 1870: 392
chryseis (Bates, 1870: 393)
vittata (Aurivillius, 1910: 156)

Colombia, Brazil, eEcuador, Paraguay
 Peru, Bolivia (SC, TR), Argentina
 Suriname, French Guiana, Brazil (AP, PA, PI)
 Venezuela

Protuberotonotum Barriga & Cepeda, 2004: 6
roitmani Barriga & Cepeda, 2004: 6

Chile

Rosalia (Rosalia) Audinet-Serville, 1834: 561*Charmides* Gistel, 1848: 427 [UE]**funnebris** Motschulsky, 1845: 87

wNorth America (NM, CA-Alaska)

alpina: LeConte, 1852: 177 [Mld; not Linnaeus, 1758]*funnebris mandibularis* Casey, 1912: 313*funnebris acomana* Casey, 1912: 313**Upindauara** Napp & Martins, 2006: 32**bella** Napp & Martins, 2006: 33

Brazil (RO)

Curiini LeConte, 1873: 304**Curius** Newman, 1840: 17**chemsaki** Nearn & Ray, 2006: 51

Colombia, Venezuela

dentatus Newman, 1840: 17

seUSA (MD-FL)

concinatus Haldeman, 1847: 43**panamensis** Bates, 1885: 268

Panama

punctatus (Fisher, 1932: 55)

Cuba, Haiti

Dichophyiini Gistel, 1848a: [8]*Dichophyidae* Gistel, 1848: [8]**Allodemus** Zajciw, 1962: 200**centromaculatus** Zajciw, 1968: 553

Brazil (ES)

tricolor (Perty, 1832: 91)

Brazil (BA, PB-SP, MS), Bolivia (SC), Paraguay,

flavofasciatus Zajciw, 1962: 200

Argentina, Uruguay

Alloesia Chevrolat, 1863: 761**bicolor** Waterhouse, 1880: 488

eEcuador

bivittata Chevrolat, 1863: 763

Venezuela

chlorophana Chevrolat, 1863: 762

Costa Rica (PA), Panama, Colombia

var. *aeneipenne* Chevrolat, 1863: 762var. *hilaris* Chevrolat, 1863: 762var. *nitidipenne* Chevrolat, 1863: 762**vittata** (Fabricius, 1801: 309)

Brazil

Amoaba Napp & Martins, 2006: 35**plumosa** Napp & Martins, 2006: 36

Ecuador

Callideriphus Blanchard in Gay, 1851: 487*Callideriphus* Bruch, 1912: 202**grossipes** Blanchard in Gay, 1851: 487

Brazil, Bolivia (SC), Argentina (BA, CH, ER)

var. *brasiliensis* Melzer, 1923: 10*rubricollis* Melzer, 1934: 79subsp. **flavipennis** Melzer, 1934: 78

Brazil (SC, RS)

signaticollis Melzer, 1934: 80m. *frontalis* Fuchs, 1961: 8**tucumanus** Napp & Martins, 2002: 128

Argentina (TU)

Chrysoprasus Audinet-Serville, 1834: 5*Cosmetes* Gistel, 1848: 428 [UE]*Cosmetis* Gistel, 1848: viii [UE of *Chrysoprasus*]*Chrysoprasus* Perty, 1832: 89**aeneicollis** (Buquet in Guérin-Méneville, 1844: 226)

French Guiana, Brazil (PA)

ignicollis Bates, 1870: 417**aeneiventris** Bates, 1870: 416

Brazil, Paraguay, Argentina, Uruguay

abyara Napp & Martins, 1998: 477

Brazil (RO, AM, PA)

- airi** Napp & Martins, 1997: 36
atrata Bates, 1872: 190
aurata Aurivillius, 1910: 164
aureicollis White, 1853: 149
 brevicornis Bates, 1870: 415
aurigena (Germar, 1823: 496)
 latemarginata Zajciw, 1960: 349
auriventris auriventris Redtenbacher, 1868: 195
 chrysogastra Bates, 1870: 416
 subsp. **longipes** Aurivillius, 1910: 163
 chlorota Gounelle, 1911: 214
azurearegina Clarke, 2015: 3
basalis Chevrolat, 1859: 27
beraba Napp & Martins, 1997: 20
bicolor (Olivier, 1790: 258)
 flavicollis Martins, 1964: 53
bipartita Zajciw, 1963: 281
birai Galileo, Santos-Silva & Le Tirant, 2015: 106
catarina Napp & Martins, 1998: 489
chalybea Redtenbacher, 1868: 195
chevrolati Lameere, 1884: 108
collaris Chevrolat, 1859: 27
concolor Redtenbacher, 1868: 194
 punctiventris Bates, 1870: 417
cuiciuna Napp & Martins, 1998: 468
dutreuxi Lameere, 1884: 108
festiva Audinet-Serville, 1834: 7
 var. *caerulescens* Gounelle, 1911: 215
globulicollis Zajciw, 1958: 252
grupiara Napp & Martins, 2009: 76
guerrerensis Bates, 1892: 167
hirtula White, 1853: 150
 jacintha Bates, 1880: 65
hispidula Bates, 1870: 416
hypocrita Erichson, 1847: 142
 auronitens Bates, 1870: 411
 bouchardi Pascoe, 1866: 292
 sthenias Bates, 1870: 411
 var. *chalybeomera* Aurivillius, 1910: 170 *nomen nudum*
 var. *leptosthenias* Bates, 1892: 167
ibaca Napp & Martins, 1997: 23
icuara Napp & Martins, 1998: 470
imitatrix Galileo, Martins, Le Tirant & Santos-Silva, 2014: 2
itaiuba Napp & Martins, 1997: 22
linearis Bates, 1870: 417
marta Napp & Martins, 1999: 151
maryhowardi Clarke, 2015: 4
melanostetha Bates, 1870: 414
moerens White, 1853: 150
 floralis Bates, 1870: 415
morana Napp & Martins, 2009: 79
nana Bates, 1870: 414
nigrina Bates, 1870: 417
nigristernis Zajciw, 1960: 291
nitidisternis Zajciw, 1960: 350 [COS]
 nitidiventris: Zajciw, 1960: 350 [IOS]
 nitidisternis: Zajciw, 1962: 450 [FR]
nymphula Bates, 1870: 417
obiuna Napp & Martins, 1997: 28
pacifica Napp & Martins, 1995: 907
para Napp & Martins, 1998: 483
pilosa Galileo & Martins, 2003: 32
 Brazil (BA), Bolivia (CQ, SC), Argentina (SA, TU)
 Venezuela
 Brazil (RS), Bolivia (TR), Uruguay, Argentina (SA)
 Colombia, Guianas, Brazil (AM, AC, PA)
 Brazil (MG, GO, MA-RS), Bolivia (SC, TR),
 Paraguay, Argentina, Uruguay
 Brazil (ES-RS), Paraguay, Argentina
 Brazil (BA, GO)
 Bolivia (SC)
 Brazil, Bolivia (SC), Paraguay, Argentina
 French Guiana, Brazil (PA)
 Brazil (BA, ES)
 French Guiana, Brazil (AM, PA)
 Panama
 Brazil (SC)
 Brazil (PA, RJ, SP, MG)
 Colombia
 Brazil (ES, MS)
 Brazil (GO, MG-RS), Bolivia (SC) Paraguay,
 Argentina, Uruguay
 Venezuela
 Venezuela
 Costa Rica (LI), Panama, French Guiana, Brazil, Bolivia (SC)
 Brazil (BA, PB)
 Brazil (RO)
 Mexico (GR)
 Nicaragua-Panama, Venezuela, eEcuador, Bolivia (LP)
 Brazil (AM)
 Mexico-Uruguay, Bolivia (CO, LP, SC, TR), Ecuador, Brazil
 Brazil (RO), Bolivia (BN)
 Brazil (PA)
 Bolivia (LP)
 French Guiana, Brazil (AM, PA)
 Brazil (BA-RS), Paraguay, Argentina
 Colombia
 Bolivia (SC)
 Brazil (AM, PA)
 Venezuela, French Guiana, Brazil (AM, PA, MA)
 Bolivia (SC)
 French Guiana, Brazil (PA)
 Brazil (ES, RJ)
 Brazil (RJ)
 Brazil (PB)
 Brazil (GO-RS), Argentina, Uruguay
 Brazil (MT)
 wEcuador
 Brazil (PA)
 Colombia

piriana piriana Napp & Martins, 1999: 155
 subsp. **margarita** Napp & Martins, 1999: 159
pitanga Napp & Martins, 1999: 159
poticuara Napp & Martins, 1997: 19
potiuna Napp & Martins, 1997: 19
principalis Napp & Martins, 2009: 78
punctulata Bates, 1870: 413
quadrimaculata Gounelle, 1913: 419
reticulicollis Zajciw, 1958: 254
ritcheri Gounelle, 1913: 226
 aspericollis Melzer, 1931: 56
 parumbilobata Zajciw, 1960: 351
rotundicollis Bates, 1870: 411
rubricollis Napp & Martins, 2006: 36
rugulicollis Bates, 1870: 417
sapphirina Gounelle, 1911: 214
seticornis Bates, 1880: 65
 sobrina: Bates, 1872: 190 [Mld; not Bates, 1870]
sobrina Bates, 1870: 415
suturalis Lameere, 1884: 307
suturella White, 1853: 149
tendira Napp & Martins, 1998: 470
timapeba Napp & Martins, 1997: 25
tobiuna Napp & Martins, 1998: 482
tybyra Napp & Martins, 1998: 479
valida Bates, 1870: 416
variabilis Zajciw, 1958: 256
viridis Fisher, 1944: 8
vittata Aurivillius, 1910: 164

Eriphosoma Melzer, 1922: 10

barbiellinii Melzer, 1922: 11
bipartitum (Buquet in Guérin-Ménéville, 1844: 226)
 var. *axillaris* Melzer, 1922: 11
jacobi Fuchs, 1961: 17
marcela Napp & Monné, 2006: 232
mermudes Napp & Monné, 2006: 232

Erythrochiton Zajciw, 1957: 305

jucundum (Gounelle, 1913: 225)
 ab. *dalessandroi* Prosen, 1947: 256
nigrosignatum Zajciw, 1957: 307
rubronigrum Napp & Santos, 1996: 238
sellatum (Buquet in Guérin-Ménéville, 1844: 226)
 plagiatus White, 1855: 293

Erythropterus Melzer, 1934: 76

amabilis Melzer, 1934: 76
boliviensis Clarke, 2007: 155
cuiassi Napp & Monné, 2005: 57
kochi Clarke, 2007: 156
urucuri Martins & Galileo, 2004: 229

Eupempelus Bates, 1870: 401

illuminus Mermudes & Napp, 2001: 250
olivaceus Bates, 1870: 401
rileyorum Galileo, Martins & Santos-Silva, 2015: 380
spinithorax Mermudes & Napp, 2001: 251

Colombia
 Venezuela
 Venezuela
 Brazil (PA)
 French Guiana, Brazil (PA)
 Trinidad & Tobago (Trinidad)
 French Guiana, Brazil (AM, AP, PA, PB, PE, MA)
 Colombia
 Brazil (PB)
 Brazil (PB), Bolivia (SC, TR), Paraguay,
 Argentina (SE, TU)

Costa Rica, Panama, French Guiana, Brazil, Peru
 Panama
 Brazil (RJ, SP)
 Brazil (GO, MG, MS), Bolivia (CQ)
 Nicaragua, Costa Rica

Brazil (AM), Bolivia (CO)
 Venezuela
 Colombia, Venezuela
 Brazil (MG), eEcuador (Loja)
 Brazil (ES, RJ)
 Bolivia (SC)
 Brazil (BA, MG), Bolivia (SC)
 Brazil, Bolivia (CQ)
 Brazil
 Venezuela
 Colombia, Venezuela

Brazil (RJ, SP)
 Brazil (MG-RJ)

Brazil (SC), Paraguay
 Brazil (ES)
 Brazil (BA, MG)

Bolivia (SC, TR), Argentina, Uruguay

Brazil (ES, RJ)
 Brazil (MG, ES)
 Brazil (MG-RS), Paraguay, Argentina

Brazil (ES-RS), Paraguay, Argentina
 Bolivia (SC)
 Brazil (RO)
 Bolivia (SC)
 Venezuela

Bolivia (LP, SC)
 Brazil (AM)
 Panama
 eEcuador

- Homogenes** Thomson in Chevrolat, 1863: 751
albolineatus (Buquet in Guérin-Méneville, 1844: 226) Brazil (BA, RJ)
leprieurii (Buquet in Guérin-Méneville, 1844: 226) French Guiana, Brazil (AM, MT, GO), Peru
thoracicum White, 1853: 111
rubricolle Bates, 1870: 410
mimus Napp & dos Santos, 1996: 433 Brazil (RO)
rubrogaster Napp & dos Santos, 1996: 434 Brazil (RO, MT)
- Mallosoma** Audinet-Serville, 1834: 68
Dichophyia Gistel, 1848: 428 [UE]
piptadeniae Giacomel, 1976: 2 Brazil (SP-SC)
scutellare White, 1853: 110 French Guiana, Brazil (AM, MA), Peru
zonatum (Sahlberg, 1823: 52) Brazil (GO, MT, PE-RS), Bolivia (SC, TR)
vinculatus Germar, 1823: 501 Paraguay, Argentina, Uruguay
elegans Audinet-Serville, 1834: 69
fuligineum Newman, 1840: 7
- Monneclles** Napp & dos Santos, 1999: 281
apollinarii (Gounelle, 1913: 420) Costa Rica, Panama, Colombia
- Neopoeciloderma** Monné & Martins, 1981: 186
Poeciloderma: Jacquelin du Val in Sagra, 1857: 267 [Mld; not White, 1853]
lepturoides (Jacquelin du Val in Sagra, 1857: 267) Cuba, Hispaniola
- Plectrocerum** Dejean, 1835: 330
baracoana (Zayas, 1975: 162) Cuba
spinicorne (Olivier, 1800: [no 70] 68) Dominican Republic, Bahamas
cribratum Sallé, 1856: 689
woodruffi Lingafelter, 2024: 25 Dominican Republic (Puerto Plata)
- Poeciloderma** White, 1853: 122
Olbius Thomson, 1864: 204
sexfasciatum (Olivier, 1790: 265) Jamaica, Dominican Republic
quadrifasciatus Schoenherr, 1817: 460
- Potisingaba** Napp & Martins, 2009: 73
panama Napp & Martins, 2009: 75 Panama
- Pseudotholalmus** Guerrero in Lingafelter & Micheli, 2004: 43
bicolor (Sallé, 1856: 687) Dominican Republic
divisus (Chevrolat, 1858: 210) Cuba
major (Gahan, 1895: 117) Jamaica
terminalis (White, 1853: 123) Jamaica
woodleyi Lingafelter, Micheli & Guerrero, 2004: 44 Puerto Rico
- Purpuricenopsis** Zajciw, 1968: 551
humeralis Zajciw, 1968: 552 Brazil (ES)
- Solangebira** Santos-Silva, Botero & Nascimento, 2023: 5
Eryphus: Perty, 1832: 91 [Mld, not Klug, 1829]
bipunctatus (Perty, 1832: 91) Brazil (MG-RS), Paraguay, Argentina (MI)
atricollis Melzer, 1931: 56
bivittatus (Melzer, 1934: 77) Argentina (TU), Uruguay
carinatus (Zajciw, 1970: 265) Brazil (RJ)
carioca (Napp & Martins, 2002: 87) Brazil (RJ)
flavicollis (Fisher, 1938: 135) Brazil (SC, RS), Uruguay
laetus (Blanchard in Gay, 1851: 488) Chile, sArgentina (RN-CT)
picticollis (Gounelle, 1911: 216) Brazil (GO, RJ, PA, RS), Argentina (MI)
m. quadripunctatus Fuchs, 1961: 8

m. *reductus* Fuchs, 1961: 8
marginatus (Zajciw, 1970: 266)
tacuarembó (Napp & Martins, 2002: 85)
transversalis (Fairmaire & Germain, 1864: 389)

Brazil (SP)
 Brazil (RS), exallUruguay
 Chile

Stratone Thomson, 1864: 335

Paracalydon Zajciw, 1961: 219

aurantia Galileo & Martins, 1992: 60
rufotestacea Thomson, 1864: 336
transversalis (Chevrolat, 1863: 752)
succinctum Zajciw, 1961: 220

Paraguay
 French Guiana, Brazil (AM)
 French Guiana, Brazil (PA), Peru

Tacyba Napp & Martins, 2002: 90

tenuis (Blanchard in Gay, 1851: 489)
clathratus Fairmaire & Germain, 1860: 5
niger Philippi & Philippi, 1864: 383
testaceicornis Fairmaire & Germain, 1859: 505
maculata (Cerde, 1988: 69)

Chile, Argentina (CT, RN)

Tobipuranga Napp & Martins, 1996: 201

aspera Martins, Galileo & Santos-Silva, 2015: 276
auricollis (Dalman in Schoenherr, 1817: 156)
nigriventris Bates, 1870: 413
auripes (Bates, 1870: 413)
beltii (Bates, 1872: 190)
belti: Gemminger in Gemminger & Harold, 1872: 2954 [ISS]
chlorogaster (Aurivillius, 1910: 165)
ignea (Bates, 1870: 413)
longicornis (Bates, 1870: 412)
frontalis Kirsch, 1875: 286
ruficoxis (Bates, 1870: 412)
ybyra Napp & Martins, 1996: 205

Brazil (BA)
 Guyana, French Guiana, Brazil (PA)

Brazil (AM, PA), eEcuador
 Nicaragua, Costa Rica, Panama

French Guiana
 French Guiana
 Peru, Brazil (AM), eEcuador

eEcuador, Peru, Bolivia (LP, SC), Brazil (AM-MT)
 Peru, Brazil

Trichrous Chevrolat, 1858: 210

basalis (White, 1853: 122)
brevicornis Zayas, 1975: 148
dimidiatipennis (Chevrolat, 1838: 282)
eryphoides Lingafelter, 2024: 19
fisheri Monné & Giesbert, 1992: 251
bicolor: Fisher, 1932: 70 [Mld; not Sallé, 1856]
irroratus (Olivier, 1800: [no 70] 70)
jaegeri Chevrolat, 1858: 211
jamaicensis Chevrolat, 1858: 211
lineolatus (White, 1853: 122)
leucogrammus White, 1855: 294
nigripes Fisher, 1942: 21
pilipennis Chevrolat, 1862: 262
prasinus Cazier & Lacey, 1952: 41
violaceipennis Fisher, 1942: 22
vittatus Fisher, 1932: 69

Jamaica
 Cuba
 Cuba, Bahamas
 Dominican Republic (Pedernales)
 Hispaniola

Cuba, Hispaniola
 Dominican Republic
 Jamaica
 Jamaica

Dominican Republic
 Cuba, Bahamas
 Bahamas
 Dominican Republic
 Cuba

Unabiara Napp & Martins, 2002: 71

collaris (Philippi & Philippi, 1864: 382)
nigerrima (Di Iorio, 2002: 69)

Chile
 Argentina

Unatara Martins & Napp, 2007: 195

atinga Martins & Napp, 2007: 196
polylepis Vlasak & Santos-Silva, 2022: 3

Colombia
 Ecuador (Azuay)

Diorini Lane, 1950: 373**Diorus** White, 1853: 135*Salobra* Lane, 1939: 74**biapiculatus** White, 1853: 135*discreta* Lane, 1939: 75

French Guiana, Brazil (ES, SP, GO, AC, MS), Bolivia (SC)

Dodecosini Aurivillius, 1912: 132*Olexandrellaeini* Zajciw, 1959: 605**Diringsiella** Martins & Galileo, 1991: 134**femoralis** Martins & Galileo, 1991: 135

Brazil (SC)

Dodecosis Bates, 1867: 27**nigricornis** Martins & Galileo, 1991: 135**saperdina** Bates, 1867: 27

Brazil (AM, PA)

French Guiana, Brazil (AC, AP, PA)

Monneella Martins, 1985: 172**bicolor** Martins, 1985: 173

Brazil (MG, ES)

Olexandrella Zajciw, 1959: 606**bondili** Giuglaris & Dalens, 2014: 79**frederici** Dalens, Giuglaris & Tavakilian, 2010: 106**rafaeli** Galileo & Martins, 2011: 577**serotina** Zajciw, 1959: 606

French Guiana

French Guiana

Brazil (RO)

Brazil (RJ)

Dryobiini Linsley, 1964: 7**Anisotyma** Napp & Monné, 2009: 30**soteri** Napp & Monné, 2009: 30 new species

El Salvador

Dryobius LeConte, 1850: 23**sexnotatus** Linsley, 1957: 287

eNorth America

sexfasciatum Say, 1824: 415 [JpH; not Olivier, 1790 (as *Callidium*)]**Ornithia** Thomson, 1864: 213**mexicana** (Sturm, 1843: 354)*chevrolatii* Guérin-Méneville, 1844: 228**zapotensis** Tippmann, 1960: 135

swUSA (TX), Mexico, Honduras, Nicaragua

Costa Rica, Panama

Mexico, Guatemala, Honduras, El Salvador, Nicaragua

Eburiini Blanchard, 1845: 145*Hétéropsides* Lacordaire, 1868: 405**Beraba** Martins, 1997: 67**angusticollis** (Zajciw, 1961: 121)**cheilaria** (Martins, 1967: 51)**decora** (Zajciw, 1961: 123)**erosa** (Martins, 1981: 209)**grammica** (Monné & Martins, 1992: 273)**hovorei** Botero, 2015: 4**inermis** Martins & Galileo, 2002: 9**iuba** Martins, 1997: 69**limpida** Martins, 1997: 70**longicollis** (Bates, 1870: 264)**marica** Galileo & Martins, 1999: 193**moema** Martins, 1997: 69**odettae** Martins & Galileo, 2008: 56

Brazil (RJ)

Brazil (MT, MS), Bolivia (CO, SC)

Brazil (MA, GO, MT)

Brazil (BA, MG)

Brazil (MG, ES)

wEcuador

Colombia (CU, AM)

Colombia (Bolívar), wEcuador

Colombia (Bolívar), Venezuela

Venezuela, Brazil (AM)

Colombia (AT, MA, SA)

wEcuador

French Guiana

pallida Galileo & Martins, 2008: 50
piriana Martins, 1997: 68
spinosa (Zajciw, 1967: 527)
tate Galileo & Martins, 2010: 368

Cupanoscelis Gounelle, 1909: 618
clavipes Gounelle, 1909: 619
heteroclita Gounelle, 1909: 619
inermis Monné & Martins, 1992: 271
latitibialis Monné & Martins, 1992: 270
sanmartini Martins & Monné, 1975: 279
serrana Martins & Galileo, 1999: 808

Dioridium Zajciw, 1961: 217
Mocajuba Lane, 1972: 358
borgmeieri (Lane, 1972: 358)
hirsutum Zajciw, 1961: 218

Eburella Monné & Martins, 1973: 152
cauera (Galileo & Martins, 1999: 194)
crucena Botero & Santos-Silva, 2022: 2
longicollis Martins & Galileo, 1999: 807
migueli Botero, 2015: 7
pinima Martins, 1997: 67
pumicosa Monné & Martins, 1973: 152

Eburia Lacordaire, 1830: 177
Dissacanthus Hope, 1835: 107
Dissacantha: Thomson, 1864: 240 [ISS of *Dissacanthus* Hope, 1835]
Coeleburia Thomson, 1861: 237
Drymo Thomson, 1864: 242
aegrota Bates, 1880: 21
minutivestis Chemsak & Linsley, 1973: 347
aliciae Noguera, 2002: 17
amabilis Boheman, 1859: 150
angeldiazi Perez, Toledo & Villagomez, 2018: 290
bahamicae Fisher, 1932: 11
baroni Bates, 1892: 148
bimaculata (Voet, 1778: 16)
bonairensis Gilmour, 1968: 115
brevicornis Chemsak & Linsley, 1973: 339
brevispinis Bates, 1880: 21
affluens Chemsak & Linsley, 1973: 338
brunneicomis Chemsak & Linsley, 1973: 340
cacapyra Martins, 1999: 246
caymanensis Fisher, 1941: 109
var. *obsoleta* Fisher, 1948: 226
championi Bates, 1880: 20
charmata Martins, 1981: 207
chemsaki Noguera, 2002: 31
cinerea Franz, 1959: 189
cinereopilosa Fisher, 1932: 13
clara Bates, 1884: 245
concisispinis Fisher, 1941: 111
confusa Zayas, 1975: 61
copei Noguera, 2002: 36
crinita Noguera, 2002: 38
cruciata (Linsley, 1935: 73)
cubae Fisher, 1932: 16
decemmaculata (Fabricius, 1775: 181)
quinquemaculatus Fabricius, 1792: 296

Bolivia (SC)
Panama, Colombia (Atlántico, Bolivar)
Peru
Bolivia (SC)

Brazil (MA, GO), Bolivia (SC), Argentina
Brazil, Bolivia (SC, TR), Paraguay, Argentina
Brazil (BA, MG)
Brazil (BA, MG)
Venezuela
Brazil (GO)

Brazil (PA), eEcuador, Bolivia (CO)
Brazil

French Guiana, Brazil (AM)
Bolivia (Santa Cruz)
Bolivia (SC)
Colombia
Peru, Bolivia (SC)
Brazil (MT, MS, RO), Bolivia (SC)

Mexico (VC, YU), Guatemala, Nicaragua, Costa Rica (GU)

Mexico (MO, JA)
Panama
Mexico (MI)
Bahamas
Mexico (GR, MI, OA, VC)
W Indies (Antigua)
Curaçao, Bonaire, Suriname
Mexico (YU, QR), Belize
Mexico (VC, QR), Nicaragua

Mexico (YU, QR), Belize
wEcuador
W Indies (Cayman Islands)

Mexico (CHS)-Costa Rica
Brazil (ES), Paraguay (San Pedro)
Mexico (JA, MO)
Peru
Florida, Cuba
Mexico
W Indies (Cayman Islands)
Cuba
Costa Rica
Nicaragua, Panama, Colombia
Mexico (GU, MI, ME)
Mexico (QR), Guatemala, Cuba
W Indies

- dejeani** Gahan, 1895: 94
didyma (Olivier, 1795: [no 67] 125)
pulverea Chevrolat, 1862: 266
distincta Haldeman, 1847: 150
elegans Chemsak & Linsley, 1973: 342
elongata Fisher, 1932: 18
fisheri Russo, 1930: 144
frankiei Noguera, 2002: 48
giesberti Noguera, 2002: 52
girouxae Le Tirant & Santos-Silva, 2016: 3
haldemani LeConte, 1851: 102
hovorei Noguera, 2002: 58
inarmata Chemsak & Linsley, 1973: 343
inexpectata Touroult, 2012: 71
insulana Gahan, 1895: 93
jamaicae Fisher, 1942: 6
juanitae Chemsak & Linsley, 1970: 300
megalops Chemsak & Linsley, 1973: 346
lanigera lanigera Linell, 1898: 259
amabilis: Howard, 1889: 192 [Mld; not Boheman, 1859]
subsp. **costaricensis** Martins & Galileo, 2012: 311
laticollis Bates, 1880: 22
sinaloae Chemsak & Linsley, 1970: 302
latispina Chemsak & Linsley, 1973: 344
lewisi Fisher, 1948: 225
linsleyi Lacey, 1949: 1
longicornis Fisher, 1932: 9
maccartyi Noguera, 2002: 71
macrotaenia Bates, 1880: 20
marginalis Fisher, 1947: 29
mutata Bates, 1884: 245
mutica LeConte, 1853: 233
manca LeConte, 1858: 24
tumida LeConte, 1873: 181
nigrovittata Bates, 1884: 246
nigrovittata Linsley, 1935: 73
conspersa Horn, 1894: 399
octomaculata Chevrolat, 1862: 265
ovicollis LeConte, 1873: 180
quadricollis Casey, 1924: 259
densa Casey, 1924: 259
paraegrota Chemsak & Linsley, 1973: 348
pecki Touroult, 2014: 87
pedestris White, 1853: 88
pellacia Zayas, 1975: 69
perezi Chemsak & Giesbert, 1986: 22
pilosa (Erichson in Meyens, 1834: 267)
bauri Linell, 1898: 260
proletaria: Blair, 1933: 481 [Mld; not Erichson, 1847]
rospigliosii Bréthes, 1925: 15
pinarensis Zayas, 1975: 69
pirkli Lingafelter, Touroult & Hodecek, 2024: 2
portoricensis Fisher, 1932: 15
porulosa Bates, 1892: 149
var. *porifera* Bates, 1892: 149
postica White, 1853: 89
powelli Chemsak & Linsley, 1970: 301
pseudostigma Lingafelter & Nearn, 2007: 182
quadrigeminata (Say, 1826: 275)
quadrimaculata (Linnaeus, 1767: 626)
ramphygeus Linnaeus, 1767: 633
binodosa Gahan, 1895: 95
Guadeloupe, Martinique
Cuba, Dominican Republic
seUSA, Bahamas
Mexico (QR)
Cuba
Cuba, Hispaniola
Costa Rica, Panama
Honduras
Mexico (GR)
sUSA (FL-NM), Mexico (TA, NL)
Guatemala (Izabal), Honduras, Costa Rica, Panama
Mexico (SI, JA)
Lesser Antilles (Martinique)
Martinique, St. Vincent
Jamaica
Mexico (SI, JA, CO, OA)
wEcuador (Galapagos Islands)
Costa Rica (GU)
Mexico, Guatemala, Honduras, Nicaragua, Costa Rica
Mexico (NA)
W Indies (Cayman Islands)
swUSA (AZ), nMexico (CHA)
Cuba
Mexico (JA, CO, GU, OA)
Mexico (CHS)-El Salvador, Nicaragua
Cuba
Panama
swUSA (TX), Mexico
Mexico
Cuba, Guadeloupe, Dominica, Barbados
swUSA (TX), Mexico (TA, SLP)
Mexico (SI, JA, CO)
Barbados, West Indies
Mexico, Belize, Guatemala, Honduras, Nicaragua, CR, Panama
Cuba
Mexico (JA, MO, GU)
wEcuador (Galapagos Islands), Peru, Bolivia, Chile
Cuba, Jamaica
Dominican Republic (Pedernales)
Puerto Rico
Mexico (NL, YU, QR, CHS), Belize, Honduras
Jamaica
Mexico (SO, SI, JA)
Dominican Republic
eNorth America, introduced in Cuba and Argentina
Cuba, Puerto Rico, Virgin Is, Guadeloupe

- quadrinotata** (Latreille, 1811: 165)
speciosa Blanchard, 1843: 208
ramsdeni Fisher, 1932: 14
ribardoi Noguera, 2002: 102
rufobrunnea Perroud, 1855: 367
schusteri Giesbert, 1993: 137
semipubescens (Thomson, 1861: 238)
meinerti Aurivillius, 1912: 79
nigrovittata: Aurivillius, 1893: 184 [Mld; not Bates, 1884]
sericea Sallé, 1855: 271
sexnotata Boheman, 1859: 151
stigma (Olivier, 1795: [no 67] 126)
duvalii Chevrolat, 1862: 266
submutata Chemsak & Linsley, 1973: 352
terroni Noguera, 2002: 118
tetrastalacta White, 1853: 89
maculatus Drury, 1773: 84
quadrimaculatus: Panzer in Drury, 1788: 141 [Mld; not Linnaeus, 1767]
thoracica White, 1853: 92
virginensis Gilmour, 1963: 77
velmae McCarty, 1993: 336
- Eburiaca** Martins, 1999: 162
sinopia Martins, 1999: 153
- Eburiola** Thomson, 1864: 203
ciferrii Lingafelter, 2024: 7
geminata (Fabricius, 1787: 144)
maculosus Olivier, 1790: 305
erythrocephala Thomson, 1864: 203
hispaniolae Fisher, 1932: 72
konstantinovi Lingafelter, 2024: 9
- Eburodacrys** White, 1853: 93
Eburogutta Gemminger & Harold, 1872: 2815 [UE]
Oncoptera Lacordaire, 1868: 297
Sarquinopus Martins, 1970: 45
aenigma Galileo & Martins, 2006: 181
alini Napp & Martins, 1980: 77
amazonica Melzer, 1927: 561
anae Garcia, Botero & Martinez, 2019: 127
angeli Garcia, Botero & Martinez, 2019: 129
apua Martins & Galileo, 2005: 769
asperula Bates, 1880: 23
assimilis Gounelle, 1909: 625
ayri Galileo & Martins, 2006: 184
bezarki Botero, 2017: 504
biffipradorum Martins & Galileo, 2012: 558
bilineata Joly, 1992: 139
boteroi Ferreira, Ferreira & Bravo, 2023: 11
callixantha Bates, 1872: 174
campestris Gounelle, 1909: 633
catarina Galileo & Martins, 1992: 1
cincora Martins, Galileo & Oliveira, 2011: 278
coalescens Bates, 1884: 247
costai Gounelle, 1909: 628
crassimana Gounelle, 1909: 621
crassipes Martins & Galileo, 2008: 58
cunusaia Martins, 1997: 66
decipiens Gounelle, 1909: 626
- Colombia, wEcuador-Chile
- Cuba
Mexico (OA)
Guatemala, wEcuador
Mexico (CHS), Guatemala, Honduras
Venezuela
- Cuba, Jamaica, Hispaniola
wEcuador
seUSA (FL), Cuba, Mexico-Costa Rica,
Hispaniola, Bahamas
Mexico (CHS), Guatemala, Honduras
Mexico (YU, QR)
Bahamas, Jamaica
- W Indies (Virgin Is), Curaçao, Suriname
- Mexico (VC)
- Brazil (MA, MT, MG)
- Dominican Republic (San Juan)
Jamaica, Dominican Republic
- Dominican Republic (Pedernales, Barahona)
- Brazil (RO, MT)
Brazil (MG-SP)
Brazil (PA)
Colombia (Bolívar)
Colombia (Bolívar)
Bolivia (CO, SC)
Mexico-Panama, Colombia (MA), Venezuela
Brazil (GO, MA, MT, SP), Bolivia (SC)
Colombia (Tolima)
Brazil (Paraná)
Brazil (RR)
Colombia (Sucre), Venezuela
Brazil (Bahia)
Mexico (JA, CO, OA), Nicaragua, Panama, Colombia, Venezuela
Brazil, Bolivia (BN, SC), Paraguay, Argentina
Brazil (SC)
Brazil (MA)
Mexico, Guatemala, Honduras, Nicaragua, CR, Panama, Colombia
Brazil (GO)
Colombia, Brazil (MA, DF, RO, PB), Bolivia (SC), Paraguay,
Argentina, Venezuela
French Guiana
Brazil, Bolivia (SC, TR), Paraguay
Brazil (GO, MA)

- dubitata** White, 1853: 95
subaffinis White, 1853: 95
- eburioides** (White, 1853: 114)
arcifera Bates, 1870: 271
 var. *concolor* Gounelle, 1909: 620
- eduardoi** Botero, 2017: 502
- elegantula** Gounelle, 1909: 631
- errata** Galileo & Martins, 2010: 370
- eurytibialis** Monné & Martins, 1992: 265
- flexuosa** Gounelle, 1909: 627
- fortunata** Lameere, 1884: 87
- fraterna** Galileo & Martins, 2010: 371
- gaucha** Galileo & Martins, 1992: 4
- gigas** (Gounelle, 1909: 629)
longilineata var. *gigas* Gounelle, 1909
longilineata gigas Napp & Martins, 1980: 84
- granipennis** Gounelle, 1909: 629
- guttata** Martins & Galileo, 2005: 6
- havanensis** Chevrolat, 1862: 267
- hirsutula** Bates, 1870: 269
- inaequalis** Galileo & Martins, 2009: 164
- laevicornis** Bates, 1884: 247
- lancinata** Napp & Martins, 1980: 81
- lanei** Zajciw, 1958: 233
- lenkoi** Napp & Martins, 1980: 81
- lepida** Martins, 1973: 206
- longilineata** White, 1853: 93
basicornis Dohrn, 1882: 373
- luederwaldti** Melzer, 1922: 4
- lugubris** Gounelle, 1909: 622
- mancula** White, 1853: 94
- martinezi** Martins, 1997: 66
- mcgavini** Pett, 2019: 674
- megaspilota** White, 1853: 95
- monticola** Monné & Martins, 1973: 149
- moruna** Martins, 1997: 66
- nemorivaga** Gounelle, 1909: 623
curialis Gounelle, 1909: 624
hesperidis Chemsak & Linsley, 1970: 304
- notula** Gounelle, 1909: 632
- obscura** Martins, 1973: 204
- perspicillaris** (Erichson in Schomburg, 1848: 572)
cacica Bates, 1870: 267
- pilicornis** Fisher, 1944: 5
- pinima** Martins, 1999: 365
- prolixa** Monné & Martins, 1992: 266
- puella** (Newman, 1840: 196)
- pumila** Monné & Martins, 1992: 268
- punctipennis** White, 1853: 94
- putia** Galileo & Martins, 2006: 183
- quadridens** (Fabricius, 1801: 308)
virgo Newman, 1840: 196
citreo guttata Thomson, 1861: 240
- raripila** Bates, 1870: 270
laticlavata Monné & Martins, 1973: 150
- rhabdota** Martins, 1967: 48
- rubicunda** Monné & Martins, 1992: 267
- rufispinis** Bates, 1870: 269
- sanguinipes** Gounelle, 1909: 632
- santossilvai** Botero, 2017: 502
- seabrai** Zajciw, 1958: 235
- seminigra** Gounelle, 1909: 622
- Brazil, Bolivia (SC), Paraguay, Argentina
- Brazil (ES-RS), Paraguay, Argentina
- Brazil (Amazonas)
 Brazil (GO, MT, RO), Bolivia (SC)
 Bolivia (SC)
 Brazil (MT)
 Brazil, Bolivia (SC), Argentina (CH)
 Brazil, Bolivia (SC)
 Bolivia (SC)
 Brazil (RS), Bolivia (SC)
 Guyana, French Guiana, Brazil
- Brazil (GO, MA, MT), eEcuador, Bolivia, Colombia
 Colombia
 Cuba, Mexico-Panama, Colombia, Venezuela, Brazil, Bolivia, Paraguay
 Brazil (AM, PA)
 Bolivia (SC)
 Nicaragua, Panama, Venezuela
 Brazil (ES)
 Peru (Junin), Bolivia (BN)
 Brazil (BA-SP)
 Brazil (AM), eEcuador
 Brazil, Bolivia (SC), Paraguay, Uruguay, Argentina
- Brazil (MA-SP)
 Brazil (GO), Bolivia (SC)
 Brazil (GO, MT, MG-RS)
 Bolivia, Argentina (SA), Venezuela (JU)
 Paraguay (President Hayes)
 Brazil (AM)
 Brazil (MG)
 Colombia
 Mexico, Guatemala, Honduras, Nicaragua, Colombia,
 Brazil, Venezuela, Bolivia (SC, TR), Paraguay
- Brazil (PA, AM, MA, GO, MG, SP, MS), Bolivia
 Brazil (GO, MA, SP, MS)
 Guyana, French Guiana, Brazil (AM, PA), Peru
- Nicaragua, Panama, Colombia, Venezuela, Brazil
 Brazil (PA)
 Brazil (MA, RO, MT)
 Guyana, French Guiana, Brazil (BA, PA)
 Brazil (BA-ES, MT), Bolivia (SC)
 French Guiana, Brazil (RO, GO, BA-PR), Paraguay
 Bolivia (SC)
 Colombia, French Guiana, Brazil (MA, PA, MT), Peru,
 Bolivia (BN, SC)
- French Guiana, Ecuador, Peru, Bolivia (SC), Brazil (PA)
- Brazil (PB, PE)
 Brazil (GO, MT)
 Colombia, Fr Guiana, Brazil (AM, AP), Peru, Bolivia
 Brazil (RO, DF, GO, MT), Bolivia (BN, SC), Colombia
 Colombia (Atlántico, Bolívar), Venezuela
 Brazil (PR, MA-BA, SP), Bolivia (SC), Argentina (SA)
 Brazil (BA, GO, MA, MT, MG, SP), Paraguay (San Pedro)

separata Martins, Galileo & Oliveira, 2011: 278
sexguttata Lameere, 1884: 87
sexmaculata (Olivier, 1790: 305)
 var. *approximata* Aurivillius, 1926: 2
silviamariae Galileo & Martins, 2006: 181
skillmani Galileo, Martins & Santos-Silva, 2015: 378
stahli Aurivillius, 1893: 181
sticticollis Bates, 1874: 220
sulfurifera Gounelle, 1909: 630
 amabilis Galileo & Martins, 2009: 145
sulphureosignata (Erichson, 1847: 140)
 var. *umbrosa* Kirsch, 1875: 285
 longipilis Bates, 1870: 268
superba Napp & Martins, 1980: 79
translucida Galileo & Martins, 2010: 370
trilineata (Aurivillius, 1893: 183)
triocellata (Stål, 1857: 63)
 mexicana Thomson, 1861: 239
 mexicana var. *interrupta* Bates, 1884: 247
truncata Fuchs, 1956: 572
 asperipennis Zajciw, 1963: 421
tuberosa Gounelle, 1909: 625
vidua (Lacordaire, 1868: 298)
 grossipes Martins, 1970: 46
vittata (Blanchard in D'Orbigny, 1847: 20)
wappesi Galileo, Martins & Santos-Silva, 2015: 376
xirica Martins & Galileo, 2005: 769
yolandae Botero, 2017: 500

Eburodacrystola Melzer, 1928: 146
 pickeli Melzer, 1928: 146

Eburostola Tippmann, 1960: 115
 amazonica Tippmann, 1960: 116

Eleutho Thomson, 1864: 242
 consobrina (Jacquelin du Val in Sagra, 1857: 265)
 pedestris White, 1853: 88 (part)
 consobrinoides Vitali, 2007: 42
 stroheckeri (Knull, 1949: 104)

Erosida Thomson, 1861: 242
 delia Thomson, 1861: 242
 elegans Lacordaire, 1876: pl. 85 [date doubtful]
 formosa (Blanchard in D'Orbigny, 1846: 208)
 ab. *conjunctula* Tippmann, 1960: 166
 gratiosa (Blanchard in D'Orbigny, 1846: 208)
 lineola (Fabricius, 1781: 228)
 brasiliensis Gmelin, 1790: 1860
 yucatana Giesbert, 1985: 82

Heterops Blanchard, 1842: 51
 cubaecola Fisher, 1947: 36
 dimidiatus (Chevrolat, 1838: 283)
 subangulata Chevrolat, 1838: 283
 bipartitus Lacordaire, 1869: 128
 lanieri (Chevrolat, 1838: 283)
 lasnieri Chevrolat, 1862: 264
 bicolor Fisher, 1936: 346
 duvali Fisher, 1947: 35

Brazil (MA)
 Brazil (GO, PB-RS), Bolivia, Paraguay, Argentina
 South America (widely distributed)

Peru
 Bolivia (SC)
 Brazil, Bolivia (SC), Uruguay, Argentina
 Nicaragua, Costa Rica
 Colombia, French Guiana, Brazil, Bolivia

Trinidad, Colombia, Guyana, French Guiana, eEcuador,
 Brazil (AP, AM), Peru, Bolivia (BN, SC)

Peru, Brazil (MT), eEcuador, Bolivia (BN, LP, SC)
 Brazil (PB)
 Brazil (BA-RS)
 Mexico-Colombia, Venezuela

Brazil, Bolivia (SC), Paraguay (Ñeembucu), Argentina

Brazil, Argentina
 Brazil (SP-SC), Argentina, Uruguay

Brazil, Bolivia (SC), Paraguay, Argentina, Uruguay
 Bolivia (SC)
 Bolivia (SC)
 Colombia

Brazil, Bolivia (SC)

Brazil (PA)

Cuba, Jamaica

Jamaica
 seUSA (FL)

Colombia, Venezuela, Brazil (BA), Bolivia (SC)

Brazil (PA, MA, MS), Bolivia (LP, SC)

Brazil, Bolivia, Paraguay, Uruguay, Argentina
 Venezuela, Brazil

Mexico (JA, QR)

Cuba
 seUSA (FL), Bahamas, Cuba

Cuba

loreyi (Duponchel, 1837: 309)
robusta Cazier & Lacey, 1952: 43

Cuba
 Bahamas

Neoeburia Galileo & Martins, 2006: 179
turuna Galileo & Martins, 2006: 179

Peru

Pantomallus Lacordaire, 1868: 286

Opades Lacordaire, 1868: 288

costipennis (Buquet in Guérin-Méneville, 1844: 221)
vittipennis Bates, 1870: 261
costifera Waterhouse, 1880: 486

costulatus (Bates, 1870: 265)

fuliginea Bates, 1872: 173

inermis Fleutiaux & Sallé, 1889: 461

martinezi Martins & Galileo, 2002: 6

morosus (Audinet-Serville, 1834: 10)

villosicornis Lacordaire, 1868: 287

pallidus Aurivillius, 1923: 440

piruatinga Martins, 1997: 76

proletarius (Erichson, 1847: 140)

ravati Touroult & Deknuydt, 2022: 339

reclusus (Martins, 1981: 209)

rugosus Martins & Galileo, 2005: 767

sordidus (Burmeister, 1865: 165)

titinga Galileo & Martins, 2004: 325

tristis (Blanchard in D'Orbigny, 1846: 208)

crassicorne Martins, 1981: 208

Colombia, Suriname, French Guiana, eEcuador,
 Brazil (AM, MA, RR), Peru

French Guiana, Peru, Brazil (AM)

Mexico (VC, CHS)-Panama

Lesser Antilles (Grenada, Guadeloupe, Martinique, Montserrat)

Colombia

Brazil, Paraguay, Uruguay, Argentina

Brazil (MG-SC)

Brazil (PA, MA)

Peru, Bolivia (SC)

Lesser Antilles (Martinique)

Brazil (MT, SP), Bolivia (LP, SC)

Bolivia (SC)

Brazil (MA, CE-PR), Bolivia (SC, TR), Paraguay,
 Uruguay, Argentina

Bolivia (SC), Paraguay (San Pedro)

Brazil (MT, ES), Bolivia (SC), Paraguay (San Pedro)

Pronuba Thomson, 1861: 241

Microspiloma Bates, 1867: 24

decora Thomson, 1861: 241

dorilis (Bates, 1867: 25)

gracilis Hovore & Giesbert, 1990: 792

incognita Hovore & Giesbert, 1990: 789

lenkoi Monné & Martins, 1974: 25

Brazil (BA-RS), Paraguay, Argentina

Colombia, Brazil, eEcuador, Bolivia

Honduras, Costa Rica

Guatemala, Honduras, Costa Rica, Panama

Brazil (MS), Bolivia (SC)

Quiacaqua Martins, 1997: 70

abacta (Martins, 1981: 206)

taguaiba Martins, 1997: 71

vespertina (Monné & Martins, 1973: 147)

Brazil (MG, ES)

Brazil (AM, MA, PA)

Brazil (MG, ES)

Simplexeburia Martins & Galileo, 2010: 589

divisa Martins & Galileo, 2010: 590

Brazil (AM)

Solangella Martins, 1997: 73

lachrymosa (Martins & Monné, 1975: 280)

meridana (Bates, 1872: 174)

micromacula Martins, 1997: 74

Bolivia (SC)

Venezuela

wEcuador

Styliceus Lacordaire, 1868: 291

sericata Pascoe, 1859: 16

amazonica Thomson, 1861: 210

sericans Lacordaire, 1868: 292

Mexico (JA)-Panama, French Guiana, Suriname,

Brazil (AM, AP, PA, RO, MA, MT), eEcuador,

Bolivia (CO, SC)

Susuacanga Martins, 1997: 60

blancaneau (Bates, 1880: 20)

blancaneauxi Bates, 1884: pl. 17, fig. 5

boteroi Le Tirant & Santos-Silva, 2016: 1

Mexico, Guatemala, Belize, Honduras, El Salvador

Mexico (GR)

- falli** (Linsley, 1940: 257)
semipubescens: Fall, 1909: 163 [Mld; not Thomson, 1861]
- hatsueae** (Chemsak & Giesbert, 1986: 21)
- maculicornis** (Bates, 1870: 266)
- marcelae** Botero, 2015: 11
- octoguttata** (Germar, 1821: 168)
 ab. *basibiguttata* Tippmann, 1960: 115
 ab. *inguttata* Tippmann, 1960: 115
 ab. *melanescens* Tippmann, 1960: 115
 ab. *basiquadriguttata* Tippmann, 1960: 115
 ab. *quadriristata* Tippmann, 1960: 115
unicolor Bates, 1870: 265
- opaca** (Chemsak & Linsley, 1973: 347)
- patruelis** (Bates, 1884: 244)
- poricollis** (Chemsak & Linsley, 1973: 351)
- rotundipenne** (Bates, 1884: 245)
- stigmatica** (Chevrolat, 1834: fasc. 3, N° 60)
perforata LeConte, 1873: 180
- ulkei** (Bland, 1862: 270)
- wappesi** (Noguera, 2002: 123)
- swUSA (CA, AZ), Mexico (BC, SO)
- Mexico (JA, GR, MI, OA)
- Brazil (ES-SC)
- Mexico
- Brazil, Bolivia, Peru, Paraguay, Argentina
- Mexico (JA, YU, QR), Guatemala, Honduras
- Mexico
- Mexico
- Mexico (DU, VC, PU, OA)
- swUSA (TX, AZ), Mexico
- swUSA (AZ), Mexico
- Guatemala, Honduras
- Tumiditarsus** Zajciw, 1961: 124
- cicatricornis** Zajciw, 1961: 125
- Argentina (FO)
- Uncieburia** Martins, 1997: 72
- nigricans** (Gounelle, 1909: 618)
rogersi var. *nigricans* Gounelle, 1909: 618
cornuta Aurivillius, 1925: 505
- quadrilineata** (Burmeister, 1865: 165)
- rogersi** (Bates, 1870: 266)
subcornuta Fuchs, 1955: 47
- Brazil, Bolivia (SC, TR), Paraguay (Concepcion)
- Brazil, Bolivia, Paraguay, Argentina, Uruguay
- Brazil (MG, RR, SP), Bolivia (SC), Argentina
- Volxemia** Lameere, 1884: 85
- dianella** Lameere, 1884: 86
- seabrai** Zajciw, 1968: 539
- solangeae** Monné & Monné, 2018: 492
- Brazil (ES, RJ)
- Brazil (ES)
- Brazil (São Paulo)
- Ectenessini** Martins, 1998: 82
- Acanthonessa** Napp & Martins, 1982: 355
- quadrispinosa** (Melzer, 1931: 192)
- Brazil (PB-SP)
- Bomarion** Gounelle, 1909: 674
- achrostum** Napp & Martins, 1982: 378
- affabile** Napp & Martins, 1982: 380
- amborensis** Galileo & Martins, 2008: 50
- anormale** (Thomson, 1867: 145)
- aureolatum** Martins, 1968: 21
- boavidai** Martins, 1968: 18
- carenatum** Martins, 1962: 150
- caudatum** Martins & Galileo, 2012: 331
- fraternum** Napp & Martins, 1982: 379
- heteroclitum** (Thomson, 1867: 137)
- lineatum** Gounelle, 1909: 675
- signatipenne** Gounelle, 1909: 675
- Peru, Bolivia (SC)
- Brazil (ES)
- Bolivia (SC)
- Brazil (BA)
- Bolivia (SC)
- Brazil (MG-PN)
- Bolivia (CO, SC)
- Bolivia (SC)
- Brazil (SP)
- Brazil (ES, SP)
- Brazil (GO, BA-ES)
- Brazil (PE, BA)
- Cotynessa** Martins & Galileo, 2006: 175
- abatinga** Martins & Galileo, 2006: 175
- Bolivia (SC)

- Ectenessa** Bates, 1885: 257
andrei Martins & Galileo, 1996: 292
angusticollis (Buquet, 1860: 627)
fenestratum Thomson, 1865: 572
sexmaculata Bates, 1885: 257
argodi Belon, 1902: 15
aurantiaca Martins, Galileo & Santos-Silva, 2015: 272
canoi Perez-Flores & Santos-Silva, 2022: 1
caputnigra Nascimento & Botero, 2018: 427
decorata (Melzer, 1935: 173)
fenestrata (Gounelle, 1909: 601)
quadrifasciatus Zajciw, 1961: 104
guttigera (Lucas, 1857: 183)
gymnopennis Dalens & Giuglaris, 2012: 331
lurida Martins, 1973: 203
melanicornis Napp & Martins, 1982: 374
mornacai Touroult & Poirier, 2021: 20
nitida Bates, 1885: 258
ocellata (Gounelle, 1909: 600)
ornatipennis Tippmann, 1960: 109
quadrifasciata (Burmeister, 1865: 168)
scansor (Gounelle, 1909: 675)
spinipennis (Buquet, 1860: 626)
villardi Belon, 1902: 13
wappesi Galileo & Santos-Silva, 2016: 135
zamalloe Galileo & Martins, 2008: 49
Brazil (RS)
Brazil (ES-SC)
Brazil (BA, GO, MG, SP)
Brazil (BA)
Guatemala (Petén)
Colombia (Antioquia)
Brazil (MG-PR)
Brazil (BA, ES, SP)
Brazil (GO, MT, CE-ES)
French Guiana
Trinidad
Brazil (BA-PR)
Lesser Antilles (Martinique)
Mexico (VC)-Nicaragua, Costa Rica
Brazil (MA, MT, GO, SP), Paraguay
Peru, Brazil (MT), Bolivia
Bolivia (SC), Brazil, Paraguay, Argentina
Brazil (GO, BA-RJ, PR)
French Guiana, Brazil, Peru, Bolivia (BN, SC)
Brazil (GO, MA, MG), Bolivia (SC, TR)
Panama
Bolivia (SC)
- Ectenesseca** Martins & Galileo, 2005: 765
clavula Martins & Galileo, 2005: 766
Brazil (RO)
- Ectenessidia** Gounelle, 1909: 603
metallica Napp & Martins, 2006: 32
nigriventris (Belon, 1902: 15)
varians, var. *cyaneipennis* Gounelle, 1909: 604
varians (Gounelle, 1909: 604)
var. *simplicipennis* Gounelle, 1909: 604
Brazil
Brazil (GO, MA, MG), Bolivia (SC), Argentina
Brazil, Bolivia (SC)
- Eurymerus** Audinet-Serville, 1834: 566
eburioides Audinet-Serville, 1834: 566
flavosignatus White, 1853: 115
var. *nigricans* Tippmann, 1960: 109
Brazil (GO, PE-RS), Bolivia (SC),
Paraguay, Argentina, Uruguay
- Lembu** Galileo, Martins & Santos-Silva, 2014: 5
dieguezi Galileo, Martins & Santos-Silva, 2014: 6
Paraguay
- Lissoeme** Martins, Chemsak & Linsley, 1966: 207
maculata Martins & Galileo, 1998: 48
testacea Martins, Chemsak & Linsley, 1966: 209
Brazil (BA)
Venezuela
- Meryeurus** Martins & Galileo, 1998: 115
servillei Martins & Galileo, 1998: 117
Brazil (MG), Bolivia (SC)
- Mirador** Martins, Santos-Silva, Galileo & Limeira De Oliveira, 2014: 603
ayrti Martins, Santos-Silva, Galileo & De Oliveira, 2014: 603
bravoi Nascimento & Santos-Silva, 2018: 5
Brazil (MA)
Brazil (Bahia)
- Niophis** Bates, 1867: 27
Trumais Gounelle, 1909: 605
Apomethia Martins, Chemsak & Linsley, 1966: 210

aper (Germar, 1823: 510)
antennata (Martins, Chemsak & Linsley, 1966: 211)
brusteli Dalens & Touroult, 2014: 9
bucki Martins & Monné, 1973: 24
coptorhina Bates, 1867: 28
coptorrhina Bates, 1870: 245
neotropica (Martins, 1961: 190)
picticornis (Martins, 1964: 195)
rufula (Gounelle, 1909: 605)

Brazil
 Costa Rica, Panama
 French Guiana
 Brazil (ES, RJ)
 French Guiana, Brazil (MA, PA)

Costa Rica, Panama, Peru
 Brazil (AM, PA, RO)
 Brazil (GO, MA), Paraguay

Paralissoeme Dalens & Touroult, 2010: 288
maculipennis Dalens & Touroult, 2010: 289

French Guiana

Paraniophis Dalens & Touroult, 2014: 6
signatipes Dalens & Touroult, 2014: 7

French Guiana

Tricheurymerus Zajciw, 1961: 106
obscurus (Prosen, 1947: 254)
quadristigma (Gounelle, 1909: 602)

Bolivia (SC), Paraguay, Argentina
 French Guiana, Brazil (RO, GO, MA, MT),
 Bolivia (SC), Paraguay, Argentina

Elaphidiini Thomson, 1864: 235
Elaphidionitae Thomson, 1864: 235
Elaphidiini Ivie, 1985: 303
Sphérionides Lacordaire, 1868: 203 (key)
Stenosphenini LeConte, 1873: 316

Adiposphaerion Martins & Napp, 1992: 471
rubrum Martins & Napp, 1992: 473

French Guiana, Brazil (AM, AC), eEcuador

Aetheibidion Martins, 1968: 327
hirtellum (Gounelle, 1913: 215)

Bolivia (SC, TR), Paraguay, Argentina (SA, SE)

Alicianella Noguera, 2006: 165
Aliciana Noguera, 2005: 65 [JH; not Clarke, 1978]
quadrimaculata (Noguera, 2005: 66)

Mexico (CH)

Ambonus Gistel, 1848: xi [UE/SN]
Trichophorus: Audinet-Serville, 1834: 17 [JH; not Temminck, 1821, Aves]
Crocidastus Pascoe, 1867: 319

albomaculatus (Burmeister, 1865: 167)
distinctus (Newman, 1840: 6)
electus (Gahan in Gahan & Arrow, 1904: 254)

Bolivia (SC, TR), Argentina, Uruguay
 French Guiana, Brazil, Bolivia, Paraguay, Argentina
 Honduras, Nicaragua, Panama, Colombia, Suriname, Brazil,
 Bolivia (SC,TR), Argentina
 Brazil, Bolivia (BN, SC, TR), Paraguay, Argentina
 Brazil, Bolivia (SC), Paraguay, Argentina
 wArgentina (ME)

interrogationis (Blanchard in Orbigny, 1846: 208)
lippus (Germar, 1823: 508)
proximus (Berg, 1889: 117)

Amethysphaerion Martins & Monné, 1975: 290

Ametisphaerion: Martins, 2005: 294 [ISS]
Amethysphaerion: Martins, 2005: 373 [ISS]

eximium Martins & Napp, 1992: 466
falsum Martins, 1995: 747

wEcuador
 Colombia (Atlantico), Venezuela

trinidatense: Martins & Napp, 1992: 470 [Mld; not Gilmour, 1963]

guarani Martins & Napp, 1992: 468
jocosum Martins & Napp, 1992: 468
martinsi Telnov & Roosileht, 2023: 696

Paraguay, Argentina
 Brazil (ES)
 wEcuador (Manabi)
 Brazil (PR), Bolivia (SC)

nigripes Martins & Monné, 1975: 290
submetallicum Martins & Napp, 1992: 468

Brazil (MG)

trinidadensis (Gilmour, 1963: 90)
tuna Martins, 2005: 373

Trinidad
 eEcuador

Amorupi Martins, 2005: 260
fulvoterminata (Berg, 1889: 113)
hudepohli (Martins, 1974: 144)

Brazil (GO, MT, AP-RJ, SP), Bolivia (SC), Argentina
 Bolivia (SC)

Aneflomorpha Casey, 1912: 291

Anepsyra Casey, 1912: 291

aculeata (LeConte, 1873: 184)
australis Linsley, 1942: 37
brevipila Chemsak & Noguera, 2005: 20
cazieri Chemsak, 1962: 107
cribellata (Bates, 1892: 152)
crinita Chemsak & Linsley, 1975: 202
crypta Lingafelter, 2022: 13
delongi (Champlain & Knull, 1922: 147)
exilis Chemsak & Noguera, 2005: 22
fisheri Linsley, 1936: 475
giesberti Chemsak & Linsley, 1975: 201
wappesi Chemsak & Noguera, 1997: 7
gilana Casey, 1924: 243
parkeri Knull, 1934: 334
gracilis (Linsley, 1935: 75)
grandicollis (Linsley, 1942: 40)
hovorei Chemsak & Noguera, 2005: 23
linearis LeConte, 1859: 80
longipennis Casey, 1912: 294
parowana Casey, 1924: 242
testacea Casey, 1924: 243
elongata Linsley, 1936: 473
californica Linsley, 1936: 476
linsleyae Chemsak, 1962: 105
longispina Chemsak & Noguera, 2005: 24
longitudinis Chemsak & Noguera, 2005: 25
luteicornis Linsley, 1957: 285
mexicana (Linsley, 1935: 74)
minuta Chemsak, 1962: 103
modica Chemsak & Noguera, 2005: 27
monzoni Wappes, Botero & Santos-Silva, 2018: 8
paralinear Lingafelter, 2022: 21
parvipunctata Chemsak & Noguera, 2005: 28
preclara Chemsak & Linsley, 1975: 203
pueblae Chemsak & Noguera, 2005: 29
rectilinea rectilinea Casey, 1924: 243
spinicornis Linsley, 1935: 147
duncani Linsley, 1936: 472
citrana Chemsak, 1960: 149
rosaliae Linsley, 1942: 38
ruficollis Chemsak & Linsley, 1975: 203
rufipes Chemsak & Linsley, 1968: 31
seminuda Casey, 1912: 294
semirufa Linsley, 1935: 146
sinaloae (Linsley, 1935: 145)
martini Chemsak & Linsley, 1968: 32
subpubescens (LeConte, 1862: 41)
tenuis (LeConte, 1854: 81)
texana Linsley, 1936: 473
werneri Chemsak, 1962: 106
unispinosa Casey, 1912: 295
arizonica Linsley, 1936: 475

swUSA (TX)
 Mexico (BC)
 Mexico (MI)
 swUSA (AZ)
 Mexico (GU, OA)
 Mexico (MI, ME)
 Arizona
 seUSA (FL, GA)
 Mexico (CHA)
 swUSA (TX)
 Mexico (SI, JA, CHS), Honduras, Nicaragua

 swUSA (AZ)

 Mexico (ME)
 Mexico (BC)
 Mexico (JA)
 wUSA (OR, CA, NV, UT, NM), Mexico (BC)

 swUSA (AZ)
 Mexico (OA)
 Mexico (CHA)
 swUSA (AZ)
 Mexico (ME)
 swUSA (AZ)
 Mexico (YU)
 Guatemala (Baja Verapaz)
 Arizona, New Mexico
 Mexico (OA, PU)
 Mexico (CHS)
 Mexico (PU)
 swUSA (AZ, NM, TX), Mexico (BC, SI, JA, CO)

 swUSA (AZ)
 Mexico (BC)
 Mexico (SI, DU)
 Mexico (SI, MI, OA)
 swUSA (TX)
 Mexico (OA, CHS), Guatemala
 Mexico (SI)

 eUSA
 swUSA (TX), Mexico
 swUSA (NM, TX), Mexico (CO)

 swUSA (AZ), Mexico (CHA)

volitans (LeConte, 1873: 186)
wappesi Chemsak & Noguera, 2005: 30
yumae Giesbert & Hovore, 1976: 97

Mexico (BC)
 Mexico (NA)
 swUSA (AZ)

Aneflus LeConte, 1873: 185

Protaneplus Linsley, 1934: 233

Axestinus LeConte, 1873: 177

Proteinidium Bates, 1892: 149

basicornis Linsley, 1936: 471
bullocki Chemsak & Giesbert, 1986: 28
calvatus Horn in Leng, 1885: 132
cylindricollis Bates, 1892: 147
glabropunctatus Chemsak & Linsley, 1963: 84
humeralis Chemsak & Linsley, 1963: 90
levettei (Casey, 1891: 29)
 levetti: Linsley, 1936: 475 [ISS]
longissimus (Bates, 1885: 250)
maryannae Chemsak & Linsley, 1968: 27
minutivestis Chemsak & Linsley, 1963: 85
monzoni Heffern & Santos-Silva, 2023: 339
nivarius Chemsak & Linsley, 1963: 91
obscurus (LeConte, 1873: 177)
 brevicorne Bates, 1892: 150
paracalvatus Knull, 1955: 221
 prosopidis Linsley, 1957: 20
 paraclavatus: Chemsak & Linsley, 1982: 19 [ISS]
pilosicornis Chemsak & Linsley, 1965: 26
planus Franz, 1954: 219
poriferus Giesbert, 1993: 139
prolixus prolixus LeConte, 1873: 203
 subsp. **fisheri** Knull, 1934: 335
 subsp. **insoletus** Chemsak & Linsley, 1963: 88
protensus protensus (LeConte, 1858: 82)
 cochisensis Casey, 1912: 296
 subsp. **pallidus** Tyson, 1968: 142
pubescens (Linsley, 1934: 233)
rugicollis Linsley, 1935: 74
sericatus Chemsak & Linsley, 1968: 26
sonoranus Casey, 1924: 241
 obscurus: Leng, 1885: pl.2, fig.27 [Mld; not LeConte, 1873]
variegatus Chemsak & Linsley, 1963: 93
zilchi Franz, 1954: 218

Mexico (SI)
 Mexico (JA)
 swUSA, Mexico (BC, SO, SI)
 Mexico (VC)
 Mexico (YU)
 Mexico (ME)
 swUSA (AZ), Mexico

Mexico (VC)
 Mexico (SI)
 Mexico (SLP, TB)-Panama
 Guatemala (Zacapa)
 Mexico (JA, OA, VC, CHS)
 swUSA (AZ-TX), Mexico (CHA)

swUSA (AZ), Mexico

Guatemala, Costa Rica, Panama (Chiriqui)
 El Salvador, Costa Rica
 Mexico (CHS)
 Mexico (BC)
 swUSA (AZ, NM), Mexico (SO)
 swUSA (TX), Mexico
 swUSA (CA-TX), Mexico (BC, SO)

swUSA (AZ, CA)
 Mexico (JA, VC, YU)-Panama
 Mexico
 Mexico (YU)
 swUSA (AZ, TX), Mexico (SO)

Mexico (YU)
 El Salvador

Anelaphus Linsley, 1936: 464

Elaphidionoides Linsley, 1957: 283

Peranoplium Linsley, 1957: 17

Gymnopsyra Linsley, 1937: 67

Gymnopsyra: Lingafelter, 1998: 64 [ISS of *Gymnopsyra* Linsley, 1937]

albofasciatus (Linell, 1897: 393)
 linelli Casey, 1924: 246
albopilus Chemsak & Noguera, 2003: 58
asperus (Knull, 1962: 105)
 aspera: Van Pelt, 2002: 128 [ISS]
badius Chemsak, 1991: 478
belkini Skiles, 1985: 307
bravoi Galileo & Martins, 2010: 34
brevidens (Schaeffer, 1908: 333)
 quadricolle Casey, 1924: 246
brummermannae Lingafelter, 2020: 7
bupalpus (Chemsak, 1991: 477)
cerussatus (Newman, 1841: 111)

swUSA (AZ, NV, CA)

Mexico (JA)
 swUSA (TX, NM, AZ)

Mexico (JA, SI)
 swUSA (TX)
 Brazil (BA)
 swUSA (CA-TX), Mexico (BC)

Arizona
 Mexico (JA)
 Bolivia (SC, TR), Argentina

- martinsi* Monné, 2006: 166
fasciatus Martins, 2005: 308
- cinereus** (Olivier, 1800: [no 70] 69)
subtropicum Casey, 1924: 245
nanum: Gahan, 1895: 103 [Mld; not Fabricius, 1792]
- cinnabarinus** (Fisher, 1942: 11)
- colombianus** Martins & Galileo, 2003: 178
colombianus Chemsak & Noguera, 2003: 62
- cordiformis** Tyson, in Bezark, Tyson & Schiff, 2013: 275
- crispulus** (Fisher, 1947: 30)
- curacaoensis** Gilmour, 1968: 133
- daedaleus** (Bates, 1874: 219)
- debilis** (LeConte, 1854: 442)
- dentatus** Chemsak, 1962: 110
- erici** Santos-Silva, 2021: 375
- eximium** (Bates, 1885: 250)
- erakyr** Galileo, Martins & Santos-Silva, 2015: 378 [RN]
maculatus Galileo, Martins & Santos-Silva, 2014: 280 [JsH; not Chemsak & Noguera, 1993]
- fasciatum** (Fisher, 1932: 28)
truncatipenne Fisher, 1941: 113
- giesberti** Chemsak & Linsley, 1979: 269
- guttiventre** (Chevrolat, 1862: 261)
- hirtus** Chemsak & Noguera, 2003: 61
- hispaniolae** (Fisher, 1932: 30)
- hoferi** (Knull, 1934: 69)
- inermis** (Newman, 1840: 29)
truncatum Haldeman, 1847: 33
griseus Bates, 1885: 249
yucatanus Fuchs, 1961: 4
- inflaticollis** Chemsak, 1959: 165
- inornatus** (Chemsak & Linsley, 1979: 270)
- izabalensis** Santos-Silva, 2021: 377
- jansoni** Linsley, 1961: 7
- lanuginosus** (Bates, 1885: 250)
- lingafelteri** Touroult, 2014: 88
- maculatum** (Chemsak & Noguera, 1993: 76)
- magnipunctatus** (Knull, 1934: 12)
phoracanthoides Linsley, 1937: 68
chemsaki Linsley, 1963: 98
- michelbacheri** Linsley, 1942: 42
- misellus** (Bates, 1885: 251)
- moestus** (LeConte, 1854: 442)
laterale Casey, 1914: 365
pinorum (Casey, 1914: 365)
- mutatus** (Gahan, 1890: 32)
tomentosum Chevrolat, 1862: 260 (part)
lanatum: Leng, 1890: 214 [Mld; not Chevrolat, 1862]
pilosum Fisher, 1932: 36
- nanus** (Fabricius, 1792: 300)
thomae Gahan, 1895: 104
- nitidipennis** Chemsak & Linsley, 1968: 33
- niveivestitus** (Schaeffer, 1905: 132)
niveipenne: Schaeffer, 1908: 327 [ISS]
- panamensis** Linsley, 1961: 39
- piceus** (Chemsak, 1962: 111)
- pilosus** Chemsak & Noguera, 2003: 62
- praeclarus** Lingafelter, 2008: 359
- pumilus** (Newman, 1840: 29)
- punctatus** (LeConte, 1873: 185)
- robi** Hrabovsky, 1987: 135
- rotundus** Vlasak & Santos-Silva, 2020: 458
- savinai** Audureau, 2021: 8
- seUSA (FL), Bahamas, Cuba, Hispaniola, Jamaica
- Cuba
Colombia (BO), Brazil (MA)
- Panama
Puerto Rico, Dominican Republic
Curaçao
Mexico, Guatemala, Honduras, Nicaragua, Costa Rica
swUSA (TX), Mexico, Honduras
swUSA (AZ)
Mexico (VC), Nicaragua (Granada)
Mexico (OA, TB), Honduras
Bolivia (SC)
Cuba, Bahamas, Cayman Islands
- Mexico (VC), Guatemala, Honduras
Cuba
Mexico (MO, MI, PU, OA)
Hispaniola
swUSA (AZ), Mexico
sUSA (GA-TX), Bahamas, Guadeloupe,
Greater Antilles, Mexico (VC)-Nicaragua
- swUSA (CA)
Honduras
Guatemala (Izabal)
Honduras, Nicaragua, Costa Rica
Guatemala, Costa Rica (GU)
Grenada, St Vincent, Grenadines, WI
Mexico (JA)
swUSA (TX, NM, AZ)
- Mexico (BC)
Guatemala-Panama
sUSA (NC, SC, TX-AZ), Mexico (CO)
- seUSA (FL), Cuba, Puerto Rico, Bahamas
- W Indies (Puerto Rico, Virgin Islands)
- Mexico (CO, SI, MO, JA, MI, OA), Guatemala (Zacapa)
swUSA (TX)
- Panama
swUSA (CA, AZ, UT), Mexico (SO, JA)
Guatemala (Zacapa), Honduras
Dominican Republic
eUSA-TX
Mexico (BC)
French Guiana, Brazil (AM, PA, RO, MT, MA, AP)
Honduras (Francisco Morazán)
Nicaragua (Granada), Costa Rica (Guanacaste)

similis (Schaeffer, 1908: 334)
hoferi Knull, 1934: 69
nanulum Casey, 1924: 247
tuckeri Casey, 1924: 247

souzai (Zajciw, 1964: 433)

sparsus Martins & Galileo, 2003: 178

spurcus (LeConte, 1854: 442)

steveni Santos-Silva, 2021: 373

subdepressus (Schaeffer, 1904: 222)

subfasciatus (Gahan, 1895: 103)

subinermis Linsley, 1957: 286

antennatus Chemsak, 1959: 166

submoestus Linsley, 1942: 42

subseriatus (Bates, 1885: 250)

tikalinus Chemsak & Noguera, 2003: 62

transversus (White, 1853: 101)

trinidadensis Martins & Galileo, 2010: 566

tuckeri (Casey, 1924: 247)

nanulum Casey, 1924: 247

undulatus (Bates, 1880: 25)

vandenberghiei Devesa, Lingafelter & Santos-Silva, 2021: 1

velteni Vitali, 2009: 352

vernus Chemsak, 1991: 479

villosus (Fabricius, 1792: 302)

pulverulentum Olivier, 1800: [no 70] 69

putator Peck, 1819: 307

arctum Newman, 1840: 29

parallelus Newman, 1840: 29

pruinsum Guérin-Méneville, 1844: 225

rusticus LeConte, 1850: 14

oblitum LeConte, 1850: 14

abruptus Casey, 1912: 301

villosus scutularis Casey, 1912: 302

lacustris Casey, 1912: 302

medialis Casey, 1912: 302

medialis canadensis Casey, 1912: 303

medialis densicollis Casey, 1912: 303

defectus Casey, 1912: 303

molliculus Casey, 1912: 304

breviusculus Casey, 1914: 364

militaris Casey, 1914: 364

davisi Skiles, 1985: 308

yucatecus Chemsak & Noguera, 2003: 64

zacapensis Santos-Silva, 2021: 380

swUSA (CA-AZ), Mexico

Panama (Cocle), French Guiana, Brazil, Bolivia (SC), Argentina
 Colombia

swUSA (TX), Mexico

Mexico (Chiapas)

swUSA (AZ), Mexico (BC)

Guadeloupe

swUSA (TX), Mexico

swUSA (AZ), Mexico (BC, SO)

Costa Rica (LI), Panama, Colombia (BO, AT)

Guatemala

Jamaica

Trinidad & Tobago, Trinidad

swUSA (CA-TX)

sMexico, Guatemala, Honduras, Nicaragua, Costa Rica

Nicaragua (Rivas)

Dominican Republic (fossil)

Mexico (JA)

eNorth America-TX, Mexico (TA), Cuba

Anopliomorpha Linsley, 1936: 465

antennata Chemsak & Noguera, 1993: 73

antillara (Fisher, 1932: 42)

xylebora Cazier & Lacey, 1952: 21

monticola Fisher, 1935: 191

gracilis Chemsak & Noguera, 1993: 74

hirsuta (Linsley, 1935: 76)

reticollis (Bates, 1885: 254)

rinconia (Casey, 1924: 248)

Mexico (JA, NA)

Haiti, Bahamas, Cuba

Mexico, Honduras

Mexico (ME, GR, MO, SI), Honduras, Costa Rica (GU), Colombia (BO)

Mexico-Honduras, Costa Rica (GU, PA)

swUSA (AZ), Mexico (BC, CO)

Anoplocurius Fisher, 1920: 153

altus Knull, 1942: 224

canotiae Fisher, 1920: 154

incompletus Linsley, 1942: 47

swUSA (TX, NM, AZ)

swUSA (AZ), Mexico (SO)

swUSA (CA), Mexico (BC)

Apoclausirion Martins & Napp, 1992: 475

nigricorne Martins & Napp, 1992: 475

Brazil (MT)

Aposphaerion Bates, 1870: 275*Xenoibidion* Martins, 1968: 323**fasciatum** (Martins, 1971: 1434)**longicollis** Bates, 1870: 275**nigritum** Galileo & Martins, 2010: 368**punctulatum** Martins & Napp, 1992: 470**unicolor** (White, 1855: 233)*uniforme* Berg, 1889: 112

Brazil (GO)

French Guiana, Brazil (MA, PA, AM, MT)

Bolivia (SC)

Brazil (RO, AM, PA)

Costa Rica, Panama-Colombia, eSAmer-Argentina

Appula Thomson, 1864: 245**aliena** Martins, 1981: 210**argenteoapicalis** Fuchs, 1961: 8**diamantinensis** Franceschini, 2002: 22**eduardae** Franceschini, 2002: 21**lateralis** (White, 1853: 113)**melancholica** Gounelle, 1909: 650**nigripes** Bates, 1870: 279**santarensis** Franceschini, 2002: 19**sericatulula** Gounelle, 1909: 649**undulans** (White, 1853: 114)

Brazil (MT, RO), Bolivia (SC)

Brazil, Peru, Bolivia (BN, CO, LP, SC)

Brazil (MT, PA), Bolivia (SC)

Brazil (MT, GO, MS)

French Guiana, Brazil

Brazil, Bolivia, (CO, SC), Paraguay

French Guiana, Brazil (PA, RO), Bolivia (LP, SC)

Brazil (PA)

Brazil, Paraguay

Brazil (BA, MG, ES, RJ)

Apyrauna Martins, 2005: 247**annulicornis** Martins, 2005: 249**maculicorne** (Germain, 1898: 665)*larsoni* Cerda, 1980: 63

Brazil, Bolivia (SC), Argentina

Chile

Astromula Chemsak & Linsley, 1965: 145**nitidum** Chemsak & Linsley, 1965: 147

swUSA (CA)

Atharsus Bates, 1867: 25**nigricauda** Bates, 1867: 25

Colombia, Brazil (PA, MA, MT), Bolivia (CO, SC)

Atylostagma White, 1853: 97**politum** White, 1853: 97*glabrum* Schaeffer, 1909: 99

swUSA (AZ), Mexico-Panama, Colombia, Brazil? (SP)

Centrocerum Chevrolat, 1861: 189**divisum** Martins & Monné, 1975: 283**exornatum** (Newman, 1841: 111)*argentinum* Burmeister, 1865: 174**hirsuticeps** Bosq, 1952: 95**richteri** Bruch, 1911: 167**variatum** (Newman, 1841: 94)*elegans* Chevrolat, 1861: 190var. *puberulum* Chevrolat, 1861: 190var. *hirsutum* Chevrolat, 1861: 191var. *jocosum* Chevrolat, 1861: 191

Brazil (SC, RS)

Argentina

Argentina (JU, TU)

Argentina (CT)

Brazil (GO, MG-RS), Bolivia (SC),

Paraguay, Argentina (MI)

Cicatrishaerion Lingafelter, Morris, Skillman, and Santos-Silva, 2021: 2**belizensis** Bezark & Lingafelter, 2022: 215**rileyi** Lingafelter, Morris, Skillman, and Santos-Silva, 2021: 3**wappesi** Lingafelter, Morris, Skillman, and Santos-Silva, 2021: 3

Belize (Belize, Stann Creek)

Mexico (Oaxaca)

Mexico (Quintana Roo, Yucatan)

Clausirion Martins & Napp, 1984: 63**bicolor** Galileo & Martins, 2000: 160**comptum** Martins & Napp, 1984: 63

French Guiana, Brazil (MG, PA)

Guyana, French Guiana, Brazil (RO, MT), Bolivia (CO)

Conosphaerion Linsley, 1935: 77*Conosphaerion* Linsley, 1961: 173

concolor concolor Linsley, 1935: 78
 subsp. **bicolor** Chemsak & Linsley, 1967: 289
 subsp. **piceum** Linsley, 1935: 141
spinipenne Chemsak & Linsley, 1967: 289

Mexico (SO, MO, CM, ME, JA, GR, PU, CHS, OA)
 Mexico (SO)
 Mexico (SI)
 Panama

Cotyperiboenum Galileo & Martins, 2010: 387
antennarium Galileo & Martins, 2010: 387

Bolivia (SC)

Cratericus Galileo & Martins, 2012: 298
divaricatus Galileo & Martins, 2012: 299

Jamaica

Curtomerus Stephens, 1839: 275
Cylindera Newman, 1833: 509 [JH; not Westwood, 1831, Cicindelidae]
Lampromerus Thomson, 1861: 202
Cyrtomerus Gemminger in Gemminger & Harold, 1872: 2836 [UE]
Cylindrodera Gemminger in Gemminger & Harold, 1872: 2922 [UE of *Cylindera* Newman, 1833: 509]
Sotenus Sharp, 1878: 205

brunneus (Kirsch, 1889: 37)
fasciatus (Fisher, 1932: 49)
flavus (Fabricius, 1775: 191)
pilicornis Fabricius, 1792: 327
luteum Stephens, 1831: 249
pallida Newman, 1833: 510
setiger Sharp, 1878: 205
subflavus Chemsak, 1966: 213

Ecuador
 seUSA (FL), Cuba
 seUSA (FL), Honduras, W Indies, Hawaii, Tahiti,
 Guyana, Suriname, Venezuela, Brazil (PE,SC)

glaber (Fisher, 1932: 51)
lingafelteri Galileo & Martins, 2011: 577
piraiuba Martins & Galileo, 2006: 176
politus Martins, 1995: 743
puncticollis (Fisher, 1932: 50)
purus Martins, 1974: 150

Cuba
 Bolivia (SC)
 Colombia
 Colombia
 Haiti
 Bolivia (SC)

Elaphidion Audinet-Serville, 1834: 66
Elaphidium Agassiz, 1846: 135 [UE]
Cycliopleurus Hope, 1835: 107
Centrocerum: Thomson, 1864: 244 [Mld; not Chevrolat, 1861]

albosignatum Chevrolat, 1862: 259
androsense Fisher, 1942: 7
angustatum Zayas, 1975: 79
antiguense Vlasak, 2019: 442
auricomum Lingafelter, 2008: 366
bahamicae Cazier & Lacey, 1952: 15
bidens (Fabricius, 1787: 143)
bispinosus Gmelin, 1790: 1859
cayamae Fisher, 1932: 24
clavis Linsley, 1957: 284
conspersum Newman, 1841: 110
excelsum: Zayas, 1975: 86 [Mld; not Gahan, 1895]
costipenne Fisher, 1932: 39
cristalense Zayas, 1975: 82
cryptum Linsley, 1963: 79
cubae Fisher, 1932: 27
curacaoae Gilmour, 1968: 128
densevestitum Fisher, 1942: 10
diffflatus Zayas, 1975: 84
depressum Zayas, 1975: 83
elongatum Fisher, 1942: 14
excelsum Gahan, 1895: 101
frisevestitum Fisher, 1942: 13
fullonium Newman, 1841: 110
confusum Fisher, 1932: 32

Cuba
 Bahamas, Dominican Republic
 Cuba
 West Indies (Antigua)
 Dominican Republic
 Bahamas
 America

Cuba
 seUSA (SC-FL)
 W Indies

Haiti
 Cuba
 seUSA (FL), Bahamas
 Cuba
 Curaçao
 Jamaica
 Cuba
 Cuba
 Cuba
 Guadeloupe
 Cuba
 Haiti

glabratum (Fabricius, 1775: 180) <i>mite</i> Newman, 1840: 27 <i>insulare</i> Newman, 1840: 27 <i>cobbeni</i> Gilmour, 1963: 81 <i>hummelincki</i> Gilmour, 1963: 84	W Indies
glabriusculum (Bates, 1885: 251)	Panama
inclusum Vitali, 2007: 30	Hispaniola, Dominican Republic (Fossil)
irroratum (Linnaeus, 1767: 633) <i>ordinatum</i> Newman, 1840: 26 <i>tessellatum</i> Newman, 1840: 26 <i>insulare</i> : Gilmour, 1963: 81 [Mld; not Newman, 1840] subsp. debieni Chalumeau & Touroult, 2005: 754	USA, Mexico-Panama, W Indies, Bahamas
iviei Lingafelter, 2008: 367	St-Martin, St-Barthélemy, Puerto Rico
jamaicensis Fisher, 1932: 40	Cuba, Dominican Republic
jaragua Lingafelter, 2024: 11	Jamaica
jibacoense Zayas, 1975: 92	Dominican Republic (Pedernales)
knulli Linsley, 1957: 18	Cuba
laeve White, 1853: 102	seUSA (FL)
lanatum Chevrolat, 1862: 260	Honduras
lewisi Fisher, 1941: 111	Cuba, Bahamas
linsleyi Knull, 1960: 7	W Indies (Cayman Islands)
liviae Devesa & Grillo, 2016: 39	swUSA (TX)
manni Fisher, 1932: 21 <i>wickhami</i> Fisher, 1935: 192	Cuba
mayesae Ivie, 2007: 58	Bahamas
michelii Ivie, 2007: 56	Puerto Rico
mimeticum Schaeffer, 1905: 132 <i>mineticum</i> : Schaeffer, 1905: 132 [IOS] <i>mimeticum</i> : Schaeffer, 1905: errata [COS] <i>mimectum</i> : Linsley & Martin, 1933: 180 [ISS] <i>elaphidionoides</i> Fuchs, 1961: 2	Puerto Rico
mucronatum (Say, 1824: 427) <i>glabratum</i> : Newman, 1840: 27 [Mld; not Fabricius, 1775] <i>nebulosum</i> Guérin-Méneville, 1844: 225 <i>muricatum</i> Haldeman, 1847: 33 <i>muricatum</i> var. <i>vestitum</i> Haldeman, 1847: 34	swUSA (TX), Mexico (JA, QR), Belize, Honduras
nearnsi Lingafelter, 2008: 370	eNAmer-TX
niveonotatum Zayas, 1975: 96	Dominican Republic
pauropilosum Zayas, 1975: 98	Cuba
pseudonomon Ivie, 1985: 312 <i>glabratum</i> : Gahan, 1895: 100 (part) [Mld; not Fabricius, 1775] <i>glabratum</i> : Chemsak, 1966: 212 (part) [Mld; not Fabricius, 1775] <i>insulare</i> Chemsak, 1966: 212 [Mld; not Newman, 1840]	Cuba
quadrituberculatum Chevrolat, 1862: 259	Virgin Islands
robustum Vlasak & Santos-Silva, 2021: 1	Cuba, Bahamas
rotundipenne Fisher, 1932: 23	Lesser Antilles (Antigua)
scabricolle (Bates, 1872: 175)	Dominican Republic
scaramuzzai Fisher, 1951: 77	Nicaragua, Costa Rica, Panama
spinicorne (Drury, 1773: 92) <i>insularis</i> Gmelin, 1790: 1859 <i>armatus</i> Voet, 1806: 27	Cuba
splendidum Fisher, 1932: 19	W Indies (Greater Antilles, St. Martin)
tectum LeConte in Schwarz, 1878: 414	Cuba, Hispaniola
thompsoni Fisher, 1941: 112	seUSA (FL)
tozanum Vitali, 2009: 224	W Indies (Cayman Islands)
tomentosum Chevrolat, 1862: 260	Dominican Republic (fossil)
truncatipenne Fisher, 1941: 113	W Indies (Greater Antilles, Montserrat)
tuberculicolle Fisher, 1932: 25	W Indies (Cayman Islands)
uncinatum Zayas, 1975: 105	Cuba, Jamaica
unispinosum Fisher, 1942: 9	Cuba
wappesi Lingafelter, 2008: 361	Cuba
	Dominican Republic

williamsi Chemsak, 1967: 185

Bahamas

Elaphidionopsis Linsley, 1936: 467
fasciatipennis Linsley, 1936: 467

swUSA (TX), Mexico (CO)

Enaphalodes Haldeman, 1847: 151
Romaleum White, 1855: 309
Hypermallus Lacordaire, 1868: 302
Thersalus Pascoe, 1865: 372

antonkozlovi Lingafelter & Santos-Silva, 2018: 2

Costa Rica (Cartago), Panama (Bocas del Toro)

archboldi Lingafelter & Chemsak, 2002: 571

seUSA (FL)

atomarius (Drury, 1773: 93)

eNAmer- AZ, Mexico (VC)-Honduras

marylandicus Fabricius, 1775: 179

marylandius: Fabricius, 1801: 306 [ISS of *marylandicus* Fabricius, 1775]

marilandicum: Haldeman, 1847: 32 [ISS of *marylandicus* Fabricius, 1775]

pulverulentus Degeer, 1775: 299

variegatus Goeze, 1777: 481

multicolor Gmelin, 1790: 1857

bispinosus Pascoe, 1863: 562

bispinus: Lacordaire, 1868: 303 [ISS of *bispinosus* Pascoe, 1863]

thoracicum Casey, 1912: 297

decipiens Bates, 1884: 248

bingkirki Lingafelter & Santos-Silva, 2018: 4

Nicaragua

birai Bezark, 2015: 75

Ecuador

boyacanus Martins, 2005: 287

Panama, Costa Rica, Colombia (BO)

coronatus (White, 1853: 100)

Mexico-Costa Rica

cortiphagus (Craighead, 1923: 69) (larva)

AZ-eUSA, Mexico (SO)

cylindricus Knoll, 1927: 116

cunninghami Lingafelter & Santos-Silva, 2018: 9

Mexico (BCS)

hispicornis (Linnaeus, 1767: 634)

USA, Mexico (Sonora, Mexico, Tamaulipas, Oaxaca)

spinicornis: Chevrolat, 1861: 248 [ISS]

simplicicollis Haldeman, 1847: 151

lecontei Haldeman, 1847: 151

operarium White, 1855: 309

procerum LeConte, 1859: 88

monzoni Lingafelter & Santos-Silva, 2018: 7

Guatemala

niveitectus (Schaeffer, 1905: 160)

swUSA (AZ), Mexico

rufulus (Haldeman, 1847: 32)

eNorth America, AZ

mancum Casey, 1912: 298

crinicornis Casey, 1912: 298

seminitidus (Horn in Leng, 1885: 130)

swUSA (AZ, CA)

senex Bates, 1884: 248

Mexico, Guatemala, Nicaragua

taeniatus (LeConte, 1854: 81)

swUSA (TX), Mexico (TA)

Etymosphaerion Martins & Monné, 1975: 285
unicolor Martins & Monné, 1975: 285

Bolivia (SC)

Eurysthea Thomson, 1861: 247

Euristhea: Lacordaire, 1868: 321 [ISS]

Paramallocera Aurivillius, 1912: 100

Mallocera: Lacordaire, 1869: 321 [Mld; not Thomson, 1861]

antonkozlovi Botero & Santos-Silva, 2017: 4

Colombia (Cundinamarca)

barsevskisi Botero & Santos-Silva, 2017: 7

Colombia (Cundinamarca)

caesariata (Martins, 1995: 746)

Venezuela

cribripennis (Bates, 1885: 256)

Costa Rica-Colombia, Ecuador, Peru

hirca (Berg, 1889: 116)

Bolivia (SC), Argentina (JU, SA, CA)

hirta (Kirby, 1818: 441)

Brazil (DF, PB-RS), Paraguay, Argentina, Uruguay

vau Berg, 1889: 115

oblita Lameere, 1890: clxxii

ilinizae (Kirsch, 1889: 38)

Ecuador

angusticollis Bates in Whympere, 1891: 37

koepcke (Franz, 1956: 137)
lacordairei (Lacordaire, 1869: 321)
latefasciata (Fonseca-Gessner, 1990: 837)
llinasi Taboada-Verona & Botero, 2018: 392
magnifica Martins, 1985: 174
martinsi (Fonseca-Gessner, 1990: 834)
nakagomei Botero, Heffern & Santos-Silva, 2018: 8
nearnsi Botero & Santos-Silva, 2017: 15
nicolai (Aurivillius, 1908: 2)
nogueirai Botero, Heffern & Santos-Silva, 2018: 5
obliqua (Audinet-Serville, 1834: 18)
parva Martins & Galileo, 2013: 575
punctata (Fonseca-Gessner, 1990: 839)
robertsi (Fonseca-Gessner, 1990: 833)
rotundicollis (Martins, 1995: 744)
sordida (Erichson, 1847: 140)
 dysoni White, 1853: 106
squamifera (Martins, 1967: 45)
subandina (Fonseca-Gessner, 1990: 836)
tatianakozlovae Botero & Santos-Silva, 2017: 11
vandenberghei Santos-Silva, Heffern & Botero, 2022: 532

Ecuador, Peru
 Brazil, Paraguay, Argentina
 Ecuador
 Colombia (Quindio)
 Bolivia
 Bolivia (CO)
 Colombia (Valle de Cauca)
 wEcuador (Carchi)
 Peru, Bolivia (BN, SC), Argentina (JU)
 Mexico (Guanajuato)
 Brazil (MG-RJ), Paraguay
 Ecuador (Loja)
 Ecuador
 Ecuador, Peru
 Colombia
 Colombia, Venezuela, eEcuador, Peru, Bolivia (SC)

Peru, Ecuador
 Bolivia
 Colombia (Bogota)
 Nicaragua (Jinotega)

Eustromula Cockerell, 1906: 242 [RN]
Eustroma LeConte, 1873: 186 [JH; not Hübner, 1825, Lepidoptera]
keiferi Linsley, 1934: 108
validum (LeConte, 1858: 82)
 huachucae Casey, 1924: 245
 politum Casey, 1924: 246

Mexico (Tres Marias Is)
 swUSA (CA-TX), Mexico (BC)

Hemilissopsis Lane, 1959: 306
clenchi Lane, 1959: 306
fernandezae Hovore & Chemsak, 2006: 46

French Guiana, Brazil (PA, RO), Ecuador
 Costa Rica (GU), Panama

Heteronyssicus Tavakilian & Dalens, 2014: 39
aureopilosus (Lacey, 1949: 4)
 quadriguttatus Martins, 2005: 67

Brazil (AM, PA, MT, RO), eEcuador,
 Peru, Suriname, French Guiana

Hoplogrammicusum Gounelle, 1913: 210
 cinnamomeum Gounelle, 1913: 211

Argentina (SE)

Ironeus Bates, 1872: 178
curoei Santos-Silva, Botero & Le Tirant, 2018: 194
duplex Bates, 1872: 179
mutatus Bates, 1885: 255
pulcher Bates, 1880: 29

Mexico (GR)
 Mexico (JA, OA), Guatemala, Honduras, Nicaragua, Costa Rica
 Mexico (VC), Honduras
 Mexico-Panama, Venezuela, Bolivia (SC), Peru (SM)

Iuaca Galileo & Martins, 2000: 162
 nigromaculata Galileo & Martins, 2000: 163

Bolivia (SC)

Jampruca Napp & Martins, 1982: 362
nigricornis Napp & Martins, 1982: 364
tyligma Napp & Martins, 1982: 365

Brazil (MG, ES)
 Brazil (BA, MG)

Lanephus Martins, 2005: 288
njumanii (Haldeman, 1848: 375)
 bidens: Newman, 1840: 25 [Mld; not Fabricius, 1787]
 newmanii: LeConte, 1850: 16 [ISS]

Brazil (MA, MT), Bolivia (SC)

Lingafelterellus Santos-Silva & Galileo, 2017: 346**barclayi** Bezark & Santos-Silva, 2023: 474**birai** Santos-Silva & Galileo, 2017: 349**clarkei** Santos-Silva & Galileo, 2017: 347

wEcuador (Loja)

Colombia (Valle del Cauca)

Bolivia (SC)

Linsleyonides Skiles, 1985: 316**albomaculatus** (Champlain & Knoll, 1922: 146)**chemsaki** Skiles, 1985: 317**guerreroi** Lingafelter, 2024: 13**portoricensis** (Fisher, 1932: 33)

seUSA (FL), Cuba, Bahamas

Jamaica

Dominican Republic (Pedernales)

Puerto Rico, Dominican Republic

Maesicus Audureau, 2021: 4**lasombraensis** Audureau, 2021: 5

Nicaragua (Matagalpa)

Magaliella Galileo & Martins, 2008: 25**punctata** Galileo & Martins, 2008: 25

Brazil (ES)

Mallocera Audinet-Serville, 1834: 567**amazonica** Bates, 1870: 278*aureotincta* Linsley, 1934: 198**glauca** Audinet-Serville, 1834: 567*sericata* Newman, 1840: 5**ramosa** Gounelle, 1909: 647**simplex** White, 1853: 113*pickeli* Melzer, 1931: 52**spinicollis** Bates, 1872: 179**umbrosa** Gounelle, 1909: 648

Trinidad, French Guiana, Brazil (AM, MA, PA, MT), Peru,

eEcuador, Bolivia (PN, SC)

Guianas, Brazil (AM, PE-SC), Bolivia (SC), Paraguay,

Argentina

Brazil, Bolivia (SC), Paraguay, Argentina

Brazil (PE-ES), Bolivia (TR)

Nicaragua-Panama

Brazil, Bolivia (SC, TR), Paraguay, Argentina

Meganeflus Linsley, 1961: 180**fulvipennis** (Bates, 1892: 148)

Mexico (VC, SLP), Belize

Mephritus Pascoe, 1866: 479*Nephalius*: Lacordaire, 1868: 319 [Mld; not Newman, 1841]**adelphus** (Martins, 1973: 207)**amictus** (Newman, 1841: 93)*cinerascens* Lucas in Castelnau, 1857: 186**apicatus** (Linsley, 1935: 140)**apicepullus** Galileo & Martins, 2011: 578**auricolle** Tavakilian & Martins, 1991: 193**blandus** (Newman, 1841: 112)*detritum* Lameere, 1890: clxxii**bonasoi** Galileo, Martins & Santos-Silva, 2014: 276**callidioides** (Bates, 1870: 272)*diabolicus* (Lameere, 1890: clxxi)**castaneus** Martins & Napp, 1992: 464**citreus** Napp & Martins, 1982: 85**costae** Garcia & Nascimento, 2020: 2**destitutus** Napp & Martins, 1982: 83**eleandroi** Galileo, Martins & Santos-Silva, 2014: 279**estoni** Galileo & Martins, 2011: 580**flavipes** (Gounelle, 1909: 641)**fraterculus** Martins & Napp, 1992: 464**genuinus** Napp & Martins, 1982: 81**guttatus** Napp & Martins, 1982: 82**hovorei** Santos-Silva & Lingafelter, 2021: 1**meyeri** Galileo, Martins & Santos-Silva, 2014: 278**paucispinum** (Lameere, 1890: clxx)**punctulatus** Galileo, Martins & Santos-Silva, 2014: 277**quadrinaculatus** Martins & Napp, 1992: 462**serius** (Newman, 1841: 93)

eBrazil (MG)

eBrazil (MA, GO, ES-SP)

Costa Rica, Panama, Colombia (BO, AT), Brazil (RO)

Brazil (AM)

French Guiana, Brazil (RO, AM)

Guyana, French Guiana, Brazil, Bolivia (LP, SC), Paraguay

Bolivia (SC)

Brazil

Peru

Brazil (BA)

Colombia (Bolívar)

Brazil (GO, MA, MT)

Bolivia (SC)

Brazil (AM)

Brazil (GO, BA-SP)

Peru

Brazil (RJ-PR)

Brazil (MG), Bolivia (SC)

Ecuador (Napo)

Bolivia (SC)

Brazil (GO, MG-PR), Bolivia (SC, TR), Paraguay

Bolivia (SC)

Bolivia (CO)

Brazil (BA, GO, ES-SP)

vescus Galileo & Martins, 2011: 578	Brazil (AM)
Metironeus Chemsak, 1991: 470	
hesperus Chemsak, 1991: 470	Mexico
hovorei hovorei Chemsak, 1991: 471	Mexico (JA, OA), Guatemala, Nicaragua
subsp. ruficollis Chemsak, 1991: 473	eMexico (YU, QR), Guatemala
Micraneflus Linsley, 1957: 284	
imbellis (Casey, 1914: 363)	swUSA (AZ, CA), Mexico (BC)
Micranoplium Linsley, 1957: 18	
<i>Anoplium</i> Haldeman, 1847: 34 (part)	
unicolor (Haldeman, 1847: 34)	eUSA
<i>cinerascens</i> LeConte, 1850: 15	
Micropsyrassa Linsley, 1961: 170	
<i>Haplosphaerion</i> Linsley, 1961: 173	
bimaculata (Bates, 1872: 176)	Mexico-Costa Rica
doyeni Chemsak & Giesbert, 1986: 26	Mexico (Colima, Jalisco, Oaxaca)
glabrata Martins & Chemsak, 1966: 123	Mexico (OA)
meridionalis Martins, 1974: 143	Brazil (SP, PR), Bolivia (SC), Paraguay
minima Martins & Chemsak, 1966: 122	Honduras, El Salvador, Costa Rica
nitida Martins & Chemsak, 1966: 122	Mexico (SLP, CHS), Guatemala, Honduras
opaca Martins & Chemsak, 1966: 124	Mexico (GR, PU)
pilosella (Bates, 1892: 153)	Mexico, Guatemala
reticulata Martins & Chemsak, 1966: 124	Mexico (MI, GR, MO, PU)
stellata Martins & Chemsak, 1966: 126	Mexico (OA)
Miltesthus Bates, 1872: 177	
<i>Aulacoscapus</i> Linsley, 1935: 148	
marginatus Bates, 1872: 178	Guatemala, Honduras, Nicaragua, Costa Rica, Panama
<i>ataxiiformis</i> Linsley, 1935: 148	
Minipsyrassa Martins, 1974: 141	
bicolor Martins, 1974: 142	Bolivia (LP, SC)
guanabarina Martins & Napp, 1992: 473	Brazil (RJ)
Morphaneplus Martins & Napp, 1992: 465	
prolixus Martins & Napp, 1992: 465	Bolivia (SC, TR), Paraguay, Argentina (SA, JU)
Neaneplus Linsley, 1957: 19	
opacicornis Linsley, 1957: 285	Texas, New Mexico, Mexico (Chihuahua)
<i>brevispinus</i> Chemsak, 1962: 109	
fuchsii (Wickham, 1905: 170)	wUSA (AZ, CA, UT, TX), Mexico (BC)
Neomallocera Martins & Napp, 1992: 460	
opulenta (Newman, 1841: 94)	Brazil (ES-SC), Paraguay
Neoperiboeum Linsley, 1961: 171	
juanitae Chemsak, 1991: 476	Mexico (JA, CM, GR), Guatemala
villosulum (Bates, 1872: 176)	Mexico (VC), Honduras, Nicaragua, Costa Rica, Panama
Nephalioides Linsley, 1961: 172	
nigriventris (Bates, 1874: 220)	Mexico-Costa Rica
rutilus (Bates, 1872: 177)	Mexico-Costa Rica
Nephalius Newman, 1841: 93	
<i>Miopteryx</i> Blanchard in Orbigny, 1843: 209	

cassus (Newman, 1841: 94)
levigatus Martins & Galileo, 2012: 332
spiniger (Blanchard in Orbigny, 1847: 209)

Costa Rica (PA), French Guiana, Brazil (GO, MT, MA-PR)
 Brazil (PB)
 Brazil (GO, MT), Bolivia (SC, TR), Paraguay,
 Argentina, Uruguay

Nesanoplium Chemsak, 1966: 214

dalensi Chalumeau & Tourout, 2005: 90
puberulum (Fleutiaux & Sallé, 1889: 464)
spinosum Botero, Bezark & Santos-Silva, 2020: 158

St. Lucie
 W Indies (widely distributed)
 Honduras (Islas de las Bahía)

Nesiosphaerion Martins & Napp, 1982: 62

caymanensis (Fisher, 1948: 225)
charynae Lingafelter, 2008: 361
insulare (White, 1853: 109)
testaceum (Fisher, 1932: 45)

W Indies (Cayman Islands)
 Dominican Republic
 Jamaica
 Haiti, Dominican Republic

Nesodes Linsley, 1935: 72

insularis Linsley, 1935: 74

Mexico (Revillagigedo Island)

Nyssicostylus Melzer, 1923: 5

melzeri Chemsak & Martins, 1966: 193
overalli Galileo & Martins, 1990: 12
paraba Martins, 2005: 87
subopacus (Bates, 1885: 257)
phthisicus Bates, 1885: 257
aurivillii Melzer, 1923: 6

Venezuela
 Brazil (PA)
 Bolivia (SC)
 Brazil

Nyssicus Pascoe, 1859: 17 [RN]

Holacanthus White, 1853: 96 [JH; not Lacépède, 1802, Actinopterygii [Pisces]]

Lampracantha Thomson, 1861: 244 [RN for *Holacanthus* White, 1853]

Lampracanthus: Thomson, 1861: 376 [ISS of *Lampracantha* Thomson, 1861: 244]

contaminatus Martins, 2005: 74
fernandezi Joly & Martinez, 1981: 102
granulatus Tavakilian & Dalens, 2014: 32
lobatus Tavakilian & Dalens, 2014: 35
mendosus Martins, 2005: 73
quadriguttatus: Buquet, 1860: 627 [MId; not Swederus, 1787]
quadriguttatus (Buquet, 1860: 627)
rosalesi Joly & Martinez, 1981: 107
topographicus Linsley, 1935: 109
setosus Lacey, 1949: 7

Bolivia (CO)
 Venezuela
 French Guiana, Brazil (Amapá)
 French Guiana
 Brazil
 Ecuador, French Guiana, Venezuela
 Honduras, Costa Rica, Panama

Orion Guérin-Ménéville, 1844: 229

maurus (Newman, 1841: 111)
patagonus Guérin-Ménéville, 1844: 229
lachesis Blanchard, 1843: 209
lacordairei Ritsema, 1889: 144
brunneus Guérin-Ménéville, 1844: 229

Brazil (RJ, RS), Argentina, Uruguay

Orwellion Skiles, 1985: 311

Elaphidionoides Linsley, 1963: 86 (part)

fasciatum Skiles, 1985: 314
gibbulum gibbulum (Bates, 1880: 25)
 subsp. **arizonense** (Casey, 1891: 28)
lineatum Skiles, 1985: 313
occidentalis (Giesbert & Hovore, 1976: 95)

Mexico (OA, VC, QR), Guatemala, Belize, Honduras
 Mexico-Costa Rica
 swUSA (AZ, NM), Mexico (CHA, SO)
 Mexico (QR), Honduras
 swUSA (AZ, CA), Mexico (BC)

Pantonyssus Bates, 1870: 276

bitinctus Gounelle, 1909: 646
erichsonii (White, 1853: 108)
flavipes Fisher, 1944: 6

Colombia (SU), Bolivia (SC), Brazil (MT, MS, GO, MA, SP)
 French Guiana, Brazil (PA)
 Costa Rica (GU), Venezuela

glabricollis Fuchs, 1961: 7
nigriceps Bates, 1870: 276
obscurus Martins, 2005: 372
pallidus Martins, 1995: 742
puncticollis Martins, 1995: 741
santossilvai Martins, 2005: 150
suturale Martins & Galileo, 2003: 178

Brazil (PA)
 Venezuela, Colombia, Brazil, Bolivia (SC)
 wEcuador
 Colombia
 wEcuador
 Brazil (AM, RO, MT)
 Colombia

Paranyssicus Martins, 2005: 75

conspicillatus (Erichson, 1847: 141)
quadrinus Bates, 1870: 271
quadriguttatus (Buquet, 1860: 627)
tresorensis Dalens, 2011: 11

French Guiana, Brazil (BA, AM, MA, CE. TO), Peru, Bolivia,
 eEcuador
 French Guiana

Parapantonyssus Galileo & Martins, 2010: 367

ipiri Galileo & Martins, 2010: 368

Guatemala

Parasphaerion Martins & Napp, 1992: 461

granulosum Martins & Napp, 1992: 462

Suriname

Parastizocera Linsley, 1961: 176

procera (Erichson in Schomburg, 1848: 572)
suturale Pascoe, 1866: 479
rubricollis Fisher, 1944: 6

Mexico (YU)-Panama, Grenada, Colombia, Venezuela,
 Brazil

Parelaphidion Skiles, 1985: 310

Elaphidionoides Linsley, 1963: 86 (part)
aspersum (Haldeman, 1847: 32)
vicinum Haldeman, 1847: 33
flumineus Casey, 1912: 300
incertus externus Casey, 1912: 300
compactus Casey, 1914: 364
incertum (Newman, 1840: 28)
neglectum LeConte, 1850: 13
brevicornis Casey, 1912: 300
obsolescens Casey, 1924: 244

eUSA-TX

eNAmer-TX

Periboeum Thomson, 1864: 245

Nephalius: Thomson, 1861: 245 [Mld; not Newman, 1841]
acuminatum (Thomson, 1861: 245)
atylodes Salvador, 1978: 19
birai Nascimento & Mermudes, 2023: 12
bolivianum Martins & Monné, 1975: 289
dilectum Napp & Martins, 1984: 128
guttigerum Napp & Martins, 1984: 127
maculatum Magno, 1987: 433
metallicum Magno, 1987: 431
obscuricorne Martins & Monné, 1975: 288
ocellatum Gounelle, 1909: 640
maculatum Magno, 1987: 433
paraense Napp & Martins, 1984: 128
piliferum (Erichson, 1847: 141)
latericum Gounelle, 1909: 638
pubescens (Olivier, 1790: 309)
ebeninum Bates, 1870: 274
santossilvai Nascimento & Mermudes, 2023: 41
spinosum Galileo & Martins, 2010: 386
terminatum (Perroud, 1855: 374)
umbrosum Gounelle, 1909: 640

Brazil (widespread), Paraguay

Brazil (Bahia)
 Bolivia (SC)
 eEcuador, Brazil (BA)
 Brazil (ES)
 Argentina (TU)
 Brazil (RO, MT)
 Peru (San Martin), Bolivia
 Bolivia, Brazil, Paraguay, Argentina

French Guiana, Brazil (PA)
 Peru, Bolivia (SC), Brazil

Trinidad, Venezuela, Guianas, Brazil (AM, MA),
 eEcuador, Peru, Bolivia
 Brazil (Amazonas, Para)
 Bolivia (SC)
 Brazil (ES-RS), Bolivia (LP), Uruguay, Argentina
 Brazil (GO, MT, MG), Bolivia (SC)

- vicinum** (Perroud, 1855: 377)
Panama, Colombia, Bolivia (Chapare)
- Piezophidion** Galileo & Martins, 1992: 59
bordoni Martins, 2005: 92
intricatum Galileo & Martins, 1992: 60
punctatum Martins, 2005: 93
simplex Martins, 2005: 94
thoracicum Martins, Galileo & de-Oliveira, 2009: 506,
Venezuela
Brazil (MS), Paraguay, Bolivia (SC, TR)
Brazil (RS, SC), Bolivia (SC)
wEcuador
Brazil (MA)
- Pilisphaerion** Martins & Napp, 1992: 470
exoticum Martins & Napp, 1992: 471
French Guiana, Brazil (PA)
- Poecilomallus** Bates, 1892: 151
longispinis Devesa, Lingafelter & Santos-Silva, 2021: 5
palpalis Bates, 1892: 151
Nicaragua (Granada)
Mexico (YU), Guatemala, Nicaragua, Costa Rica
- Protomallocera** Martins & Napp, 1992: 460
hilairei (Gounelle, 1909: 648)
Suriname, Brazil, Bolivia (SC), Paraguay
- Protosphaerion** Gounelle, 1909: 634
loreum Gounelle, 1909: 636
pictum Martins, 2005: 325
punctatum Martins, 2005: 324
signatipenne Gounelle, 1909: 636
variabile Gounelle, 1909: 635
 var. *bimaculata* Gounelle, 1909: 635
 var. *bivitta* Gounelle, 1909: 635
 var. *fuscipes* Gounelle, 1909: 635
 var. *seminigra* Gounelle, 1909: 635
French Guiana, Brazil (GO, MT)
Bolivia (SC)
Bolivia (SC)
French Guiana, Brazil (AM, MA), Peru, Bolivia (SC)
Brazil (GO, MT, BA-RS), Bolivia (SC), Argentina,
Uruguay
- Pseudomallocera** Zajciw, 1961: 219
auriflua (Klug, 1825: 460)
assimilis Zajciw, 1961: 220
Brazil (ES, MG)
- Pseudoperiboeum** Linsley, 1935: 77
lengi (Schaeffer, 1909: 101)
 pullum Knoll, 1958: 185
subarmatum Linsley, 1935: 77
swUSA (AZ), Mexico (SO)
Mexico (NA-GR, PU)
- Psyrassa** Pascoe, 1866: 481
Pseudibidion Casey, 1912: 291
Hemistizocera Linsley, 1961: 172
Stizocera: Haldeman, 1847: 43 [Mld; not Audinet-Serville, 1834]
Megapsyrassa Linsley, 1961: 176
Pseudaneflus Chemsak & Linsley, 1963: 85
aliena (Linsley, 1934: 235)
androwi Wappes, Botero & Santos-Silva, 2018: 4
angelicae Toledo, 2005: 12
atkinsoni (Chemsak & Giesbert, 1986: 31)
audureaui Heffern, Botero & Santos-Silva, 2020: 182
auricomis (Chemsak & Linsley, 1963: 86)
basicornis Pascoe, 1866: 482
belangeri Santos-Silva, Botero & Le Tirant, 2018: 199
bicolor Garcia & Toledo-Hernández, 2022: 199 [RN]
 linsleyi Toledo-Hernández, 2002: 58 [JsH; not Chemsak & Giesbert, 1986 (as *Megapsyrassa*)]
brevicornis Linsley, 1934: 164
 basicornis: Schaeffer, 1905: 161 [Mld; not Pascoe, 1866]
 sallei: Linsley & Martin, 1933: 180 [Mld; not Bates, 1885]
Mexico (JA, CHS, VC), Belize
Belize, Nicaragua, Panama
Mexico (CHS, OA)
Mexico (JA, CHS), Guatemala (Zacapa), Costa Rica
Nicaragua (Rivas)
Mexico (YU)
Mexico, Belize, El Salvador, Honduras, Nicaragua, CR
Mexico (GR)
Mexico (JA)
swUSA (TX)

- castanea** Bates, 1880: 28
texana Schaeffer, 1905: 160
- cerina** Toledo, 2005: 20
- chamelae** Toledo, 2005: 23
- chemsaki** Toledo, 2002: 57
- chiapaneca** (Giesbert, 1993: 142)
- clavigera** Toledo, 2005: 21
- cribricollis** (Bates, 1885: 253)
punctulata Bates, 1892: 152
- crupina** Garcia & Toledo, 2022: 199 [RN]
testacea Giesbert, 1993: 140 [JsH; not Linsley, 1935 (as *Megapsyrassa*)]
cuprina García & Toledo, 2023: 500 [UE]
- cylindricollis** Linsley, 1935: 144
- ebenina** Linsley, 1935: 143
- garciai** Santos-Silva, Botero & Le Tirant, 2018: 196
- graciliatra** Toledo, 2005: 30
- jaumei** (Fisher, 1935: 193)
- katsurae** Chemsak & Noguera, 1993: 77
- levicollis** Chemsak & Noguera, 1993: 78
- linei** Garcia & Santos-Silva, 2024: 450
replacement name for *wappesi* Garcia & Santos-Silva, 2022: 6
- linsleyi** (Chemsak & Giesbert, 1986: 29)
- lisitskyi** Santos-Silva et. al., 2019: 2
- ludmilakozlovae** Santos-Silva et. al., 2017: 494
- maesi** Audureau, 2010: 4
- megalops** Chemsak & Noguera, 1993: 79
- meridionalis** Martins, 2005: 370
- nigricornis** Bates, 1892: 153
- nigripes** Linsley, 1935: 78
- nigroaenea** Bates, 1892: 153
- obscuriventris** Garcia & Santos-Silva, 2022: 10
- ocularis** Garcia & Santos-Silva, 2022: 12
- oaxacae** Toledo, 2002: 60
- olegkozlovi** Santos-Silva et. al., 2017: 497
- peninsularis** Santos-Silva, Botero & Perez-Flores, 2024: 203
- pertenuis** (Casey, 1924: 248)
pertenius: Frost, 1969: 95 [ISS]
- proxima** Toledo, 2005: 45
- puncticollis** (Chemsak & Linsley, 1963: 87)
- rufescens** Nonfried, 1894: 139
- rufofemorata** Linsley, 1935: 79
- sallaei** Bates, 1885: 255
- sonorensis** Garcia & Santos-Silva, 2022: 8
- sthenias** Bates, 1892: 152
- subglabra** Linsley, 1935: 142
- subpicea** (White, 1853: 109)
- testacea** Linsley, 1935: 144
- tympanophora** Bates, 1885: 255
- tysoni** Bezark & Santos-Silva, 2023: 5
- unicolor** (Randall, 1838: 42)
- unisucra** Santos-Silva et. al., 2017: 498
- vandenberghai** Wappes, Botero & Santos-Silva, 2018: 2
- vandevenderi** Wappes, Botero & Santos-Silva, 2018: 6
- woodleyi** Lingafelter, 2008: 363
- xestioides** (Bates, 1872: 177)
- zacki** Botero, Bezark & Santos-Silva, 2020: 161
- USA (TX), Mexico
- Guatemala, Honduras
- Mexico (GR, JA)
- Mexico (CHS), Guatemala
- Mexico (CHS)
- Costa Rica, Panama
- Mexico (VC, QR)
- Mexico (CHS), Nicaragua, Guatemala, Honduras, Costa Rica (LI)
- Mexico (SI, MI, JA)
- Guatemala, (BV, SU), El Salvador, Honduras
- Mexico (Tamaulipas)
- Honduras
- Cuba, Bahamas
- Mexico (JA)
- Mexico (JA)
- Mexico (MI)
- Mexico (JA)
- Peru (La Libertad)
- Colombia (Boyaca)
- Nicaragua
- Mexico (SO, SI, JA, MO)
- wEcuador
- Mexico (JA, GR)
- Mexico (JA, ME)
- Mexico (CM, GR)
- Mexico (Jalisco)
- Guatemala (Zacapa)
- Mexico (OA)
- Honduras (Cortes)
- Mexico (Quintana Roo)
- eUSA
- Mexico (CHS), Guatemala, Honduras
- Mexico (OA), Honduras
- Brazil (AM)
- Mexico (ME)
- swUSA (TX), Mexico, Costa Rica (GU)
- Mexico (Sonora)
- Mexico (JA, GR)
- Panama
- Honduras, Nicaragua, Costa Rica
- Guatemala-Panama, French Guiana
- Mexico (VC), Guatemala, Honduras, Nicaragua
- Guatemala (Suchitepequez)
- eUSA-TX
- Colombia (Atlantico, Bolivar, Sucre)
- Nicaragua (Rivas)
- Mexico (SO)
- Dominican Republic
- Mexico (OA), Guatemala-Panama, Colombia
- Mexico (YU, QR), Guatemala (Peten)
- Psyrassaforma** Chemsak, 1991: 473
- janzeni** Chemsak, 1991: 475
- nitida** Chemsak, 1991: 474
- Guatemala (Zacapa), Costa Rica
- Mexico (VC, QR, GR), Guatemala, Honduras, Nicaragua

Rhomboidederes Zajciw, 1963: 278*Moureana* Zajciw, 1967: 529**iuba** Galileo & Martins, 2010: 386**minutus** Napp & Martins, 1984: 132**ocellicollis** Zajciw, 1963: 279**ravidus** (Gounelle, 1909: 639)*reticulicollis* Zajciw, 1963: 280**unicolor** (Zajciw, 1967: 529)

Bolivia (SC)

Colombia, Guianas, Ecuador, Brazil, Bolivia (SC)

Brazil (ES)

Brazil (GO, ES-RS), Paraguay, Uruguay, Argentina

Brazil (PA)

Romulus Knull, 1948: 82**globosus** Knull, 1948: 83

seUSA (FL)

Sphaerioeme Martins & Napp, 1992: 473**rubristerna** Martins & Napp, 1992: 474

Suriname, Brazil

Sphaerion Audinet-Serville, 1834: 68*Sphoerion*: Thomson, 1864: 244 [ISS]*Cyrtoma* Gistel, 1848: 428 [UE]*Cyrtama* Gistel, 1848: xi [UE]*Pinax* Gistel, 1848: xi [UE]**costae** Garcia & Nascimento, 2020: 4**cyanipenne** Audinet-Serville, 1834: 68**exutum** (Newman, 1841: 93)*ducale* Bates, 1870: 272*dubius* Lane, 1951: 1**inermis** White, 1853: 108*myrrheum* Gounelle, 1909: 637*aduncum* Napp & Martins, 1984: 129**iuasanga** Galileo, Martins & Santos-Silva, 2015: 441**lentiginosum** Berg, 1889: 119**lingafelteri** Galileo & Santos-Silva, 2016: 133**rusticum** Burmeister, 1865: 167**sladeni** Gahan in Gahan & Arrow, 1904: 253

Colombia (Atlantico, Bolivar)

Brazil (PB-SC, PR), Paraguay, Bolivia (SC)

swUSA (TX)?, Mexico (CHS, YU)-Argentina

Brazil, Bolivia (BN, SC, TR), Paraguay, Uruguay,
Argentina

Bolivia (SC)

Bolivia (SC, TR), nArgentina (CO), Uruguay

Bolivia (SC)

Argentina, Bolivia (TA), Uruguay

Brazil (GO, MA, MT), Bolivia (SC, TR), Paraguay

Sphaerionillum Bates, 1885: 256**castaneum** Chemsak & Linsley, 1967: 42**pictum** Bates, 1885: 256**quadrisignatum** Bates, 1885: 257

Mexico (OA), Guatemala

Mexico (VC, QR, CHS), Guatemala

Mexico (VC)

Stenelaphus Linsley, 1936: 477**alienus** (LeConte, 1875: 173)

swUSA (AZ, NM), Mexico

Stenosphenus Haldeman, 1847: 39*Stenosphenopsis* Linsley, 1935: 95**beyeri** Schaeffer, 1905: 163**bivittatus** Giesbert & Chemsak, 1989: 276**cordovanus** Giesbert & Chemsak, 1989: 293**cribripennis** **cribripennis** Thomson, 1861: 372subsp. **novatus** Horn, 1885: 178*lucanus* Casey, 1912: 346**debilis** Horn, 1885: 179*comus* Bates, 1892: 169*pruddeni* Casey, 1912: 346*aridus* Linsley, 1935: 166*nigricornis* Fisher, 1946: 90**dolosus** Horn, 1885: 179*longicollis* Casey, 1891: 34*castaneus* Casey, 1924: 269**gaumeri** Bates, 1892: 169**insulicola** Fisher, 1942: 24

swUSA (AZ, NM)

Mexico (CHS, TB, QR), Guatemala, Honduras

Mexico (JA, OA, SI, MI)

Mexico, Honduras, Costa Rica (GU)

Mexico (BC)

swUSA (CA-UT), Mexico (BC, DU)

swUSA (TX), Mexico

Mexico (YU, QR)

Cuba

langurioides langurioides Bates, 1885: 313
langurioides Aurivillius, 1912: 443 [ISS]
nitidicollis Linsley, 1935: 95
 subsp. **wappesi** Giesbert & Chemsak, 1989: 283
lineatus lineatus Bates, 1885: 313
 subsp. **costaricensis** Giesbert & Chemsak, 1989: 285
lugens LeConte, 1862: 41
hirsutipennis Bates, 1872: 191
maccartyi Giesbert & Chemsak, 1989: 289
notatus (Olivier, 1800: [no 70] 61)
deflendum Newman, 1840: 6
discoideus Sturm, 1826: 199
discicollis Dejean, 1835: 330
pinorum Casey, 1924: 268
ochraceus ochraceus Bates, 1872: 190
 subsp. **sexlineatus** Bates, 1892: 169
penicilliventris Giesbert & Chemsak, 1989: 292
proruber Giesbert & Chemsak, 1989: 280
protensus Bates, 1880: 66
rubidus Linsley, 1935: 94
rufipes Bates, 1872: 191
sublaevicollis Bates, 1892: 168
sobrius (Newman, 1840: 30)
sobrinus: Fisher, 1946: 94 [ISS]
amabile Newman, 1841: 112
subtilis Bates, 1880: 66
lepidus Horn, 1885: 179
basicornis Linsley, 1934: 60
arizonicus Linsley, 1935: 165
blairi Linsley, 1935: 94
rossi Linsley, 1942: 45
piceus Knull, 1947: 253
texanus Knull, 1947: 254
suturalis Bates, 1872: 191
trispinosus Bates, 1872: 191
ebeninus Bates, 1872: 234
erythroderus Bates, 1885: 313
vitticollis Bates, 1892: 169

Mexico, Guatemala, Honduras, Costa Rica

Mexico (CHS, QR), Nicaragua
 Mexico (CHS), Guatemala
 Costa Rica
 swUSA (TX), Mexico

Mexico
 eNorth America-TX

Mexico-Costa Rica
 Mexico (YU)
 Mexico (CHS)
 Mexico (JA, OA, GR)
 Mexico, Guatemala, El Salvador, Costa Rica (PA)
 Mexico
 Mexico

swUSA (AZ, NM, TX), Mexico, Guatemala, Honduras

Mexico (MI, PU, OA)
 Mexico-Costa Rica

Mexico (VC, CHS, TB), Guatemala, Honduras

Stizocera Audinet-Serville, 1834: 107

Stizocera: Thomson, 1861: 188 [ISS]
Nesostizocera Linsley, 1961: 170
Nephalius: Lacordaire, 1868: 319 [Mld in part; not Newman, 1841]
Castiale Pascoe, 1866: 480

armata Audinet-Serville, 1834: 107
armigera (White, 1853: 107)
asyka Galileo & Martins, 2004: 326
atiaia (Martins & Napp, 1983: 89)
bisignata Zajciw, 1958: 237
boliviensis Galileo & Santos-Silva, 2016: 130
boyi Melzer, 1927: 562
caymanensis Fisher, 1941: 114
consobrina Gounelle, 1909: 642
curacaoae Gilmour, 1968: 139
rugulosa Galileo & Martins, 2000: 160
daudini Chalumeau & Touroult, 2005: 751
debilis Galileo & Martins, 2010: 33
delicata Lingafelter, 2004: 2
diversispinis Zajciw, 1962: 197
dozieri (Fisher, 1947: 33)
elegantula (Perroud, 1855: 381)
viridipennis Pascoe, 1866: 480

Brazil (BA-RS, MS), Bolivia (SC), Paraguay, Argentina
 Brazil (BA, ES-SC)
 Bolivia (TR), Paraguay
 Brazil (ES)
 Brazil (AM, PA, RO), Bolivia (LP)
 Bolivia (SC)
 Brazil (AM, RO), eEcuador, Bolivia, Paraguay
 W Indies (Cayman Island)
 Brazil (GO, MA, BA-RS)
 Curaçao, Colombia

Martinique
 Brazil (BA)
 Bolivia (SC)
 Brazil (ES, RJ)
 Haiti
 Brazil (GO, MT-RJ), Paraguay

evanescens Vitali, 2011: 340
floridana Linsley, 1949: 154
fragilis (Bates, 1870: 274)
geniculata (Pascoe, 1866: 479)
horni Melzer, 1923: 6
howdeni Gilmour, 1963: 87
ichilo Lingafelter, 2004: 6
ignea Martins et al 2015: 604
insolita Gilmour, 1968: 141
insulana (Gahan, 1895: 106)
punctiventris Cazier & Lacey, 1952: 25
jamaicensis Vitali, 2007: 46
jassuara (Martins & Napp, 1983: 89)
juati Martins & Napp, 1983: 87
kawensis Galileo & Martins, 2009: 146
laceyi Linsley, 1934: 234
lingafelteri Martins, Galileo & Santos-Silva, 2015: 274
lissonota (Bates, 1870: 274)
longicollis Zajciw, 1963: 277
meinerti (Aurivillius, 1900: 409)
tricolor Gounelle, 1909: 644
melanura (Erichson in Schomburg, 1848: 572)
mojuba Martins & Napp, 1983: 85
nigroapicalis Fuchs, 1961: 6
nigroflava Zajciw, 1965: 88
pantonyssoides Zajciw, 1968: 540
phtisica Gounelle, 1909: 643
plicicollis (Germar, 1823: 506)

plumbea Gounelle, 1909: 645
poeyi (Guérin-Méneville, 1838: 284)
var. conspicillata Gounelle, 1909: 644
punctatissima Martins, 2005: 190
rugicollis (Guérin-Méneville, 1844: 233)
ruthveronae Taboada-Verona & Botero, 2020: 1
seminigra Martins & Napp, 1983: 84
spinicornis (Fairmaire, 1864: 274)
spiniformis: Bruch, 1912: 191 [ISS]
sublaevigata Zajciw, 1962: 198
submetallica (Chemsak & Linsley, 1968: 29)
suturalis (Martins & Napp, 1992: 464)
tristis (Guérin-Méneville, 1844: 233)
vanzwaluwenburgi Fisher, 1932: 46)
wagneri (Gounelle, 1913: 21)
wappesi Nascimento, 2018: 181

Terpnissa Bates, 1867: 25

listropterina Bates, 1867: 25

Trichophoroides Linsley, 1935: 139

Eutrichophoroides Linsley, 1961: 174
Neotrichophoroides Linsley, 1961: 179
albisparsus (Bates, 1872: 175)
aurivillii (Linsley, 1961: 179)
decipiens (Bates, 1880: 26)
dozieri (Fisher, 1932: 38)
jansoni (Bates, 1885: 252)
niveus Linsley, 1935: 140
pilicornis (Fuchs, 1961: 1)
signaticolle (Chevrolat, 1862: 261)
variolosum (Fisher, 1947: 32)

Dominican Republic (fossil)
 seUSA (FL)
 Brazil (RJ-SC), Bolivia (SC), Paraguay
 Colombia (MAG, AT), Venezuela, Trinidad, Brazil (RR)
 Brazil (SP, PR)
 Trinidad
 Bolivia (SC)
 Brazil (MA)
 Curaçao
 Cuba, Jamaica, Bahamas

 Jamaica
 Brazil (BA, ES, RJ)
 Brazil (BA-RJ), Bolivia (SC)
 French Guiana
 Mexico (Veracruz), Guatemala, Belize
 Brazil (BA)
 Panama, Colombia (BO), French Guiana, Brazil, Bolivia (BN, SC)
 Brazil (ES, RJ)
 Venezuela, Brazil (GO, MT, MA-SP), Bolivia (SC), Paraguay

 Guyana, French Guiana
 Brazil (ES-SP)
 French Guiana, Brazil (RR)
 Bolivia (SC), nArgentina (SA)
 Brazil (ES), eEcuador
 Brazil (GO, BA-SP), Paraguay
 Mexico-Argentina, Brazil (MA), Uruguay,
 Bolivia (SC, TR)
 Brazil (GO, MA), Bolivia (SC)
 Cuba, Costa Rica (PA), Panama, Colombia,
 Venezuela,, French Guiana, Brazil, Bolivia (SC)
 Brazil (MG)
 Nicaragua-Colombia
 Colombia (Bolivar)
 Brazil (BA)
 Bolivia (TR), Argentina (SE-SL)

 Brazil (PB-RJ), Bolivia (SC)
 Mexico (SI-CHS), Guatemala
 wEcuador, Peru
 Brazil, Bolivia (SC, TR), Paraguay, Argentina
 Puerto Rico, Virgin Islands (St. Croix)
 Paraguay, Argentina
 Bolivia (Santa Cruz)

Mexico (CHS), Costa Rica, Panama, eEcuador,
 French Guiana, Brazil, Bolivia (BN, LP, SC), Argentina

Mexico (JA)-Costa Rica
 Panama
 Mexico (JA), Guatemala, Belize, Honduras, Nicaragua, Costa Rica
 Haiti
 Honduras, Nicaragua, Costa Rica
 Mexico (MO), Guatemala, Honduras, Nicaragua, Costa Rica
 Mexico (OA, QR, YU) , Guatemala, Honduras
 Cuba, Bahamas, Hispaniola
 Cuba

Tropimerus Giesbert, 1987: 359**cyaneus** Giesbert, 1987: 360**hovorei** Giesbert, 1987: 360

Mexico (CHS)

El Salvador, Costa Rica

Urimaso Galileo, Rosa & Santos-Silva, 2020: 298 [RN]*Anama* Martins, 2005: 258 [JH; not Newton & Chandler, 1989, Pselaphinae]**limpidus** (Martins, 2005: 260)

Panama, French Guiana, Brazil (AM, MT)

Urorcites Thomson, 1878: 21**cribripennis** Thomson, 1878: 22

Chile

Eligmodermmini Lacordaire, 1869: 337*Éligmodermides* Lacordaire, 1868: 337**Acanthoibidion** Lane, 1959: 17**chevrolatii** (White, 1855: 219)

Venezuela

venezuelensis Lane, 1959: 18**Eligmoderma** Thomson, 1864: 246**aragua** Martins & Galileo, 2009: 210

Venezuela

convexicolle Aurivillius, 1923: 441

Venezuela

ibidionoides Thomson, 1864: 247

Colombia

spinicolle Aurivillius, 1923: 441**lara** Galileo & Martins, 2012: 297

Venezuela

minuta Martins & Galileo, 2009: 211

Venezuela, Trinidad & Tobago

politum Nonfried, 1895: 310

Panama

trifasciatum Aurivillius, 1923: 440

Venezuela

ziczac Nonfried, 1895: 310

Panama

Hosticus Galileo, Rosa & Santos-Silva, 2020: 300 [RN]*Alienus* Galileo & Martins, 2010: 388 [JH; not Handlirsch, 1906, Paoliida; not Bridwell, 1919, Hymenoptera]**curiosus** (Galileo & Martins, 2010: 388)

Brazil (ES)

Limozota Pascoe, 1866: 482**virgata** Pascoe, 1866: 482

Colombia, Venezuela

Tucanti Martins & Galileo, 2009: 355**plumicornis** Martins & Galileo, 2009: 355

Venezuela

Erlandiini Aurivillius, 1912: 12**Erlandia** Aurivillius, 1904: 205**inopinata** Aurivillius, 1904: 206

Bolivia (SC), Paraguay, Argentina (TU)

megacephala Di Iorio, 1998: 1**mexicana** Noguera & Chemsak, 2001: 369

Mexico

Eumichthini Linsley, 1940: 368**Eumichthus** LeConte, 1873: 190**oedipus** LeConte, 1873: 190

wNorth America (Pacific Coast)

var. *ater* Hardy & Preece, 1927: 188var. *ruber* Hardy & Preece, 1927: 188*funerbrus* Van Dyke, 1920: 34*malkini* Fisher, 1942: 51

Poecilobrium Horn in LeConte & Horn, 1883: 291

chalybeum (LeConte, 1873: 189)
rugosipenne Linell, 1897: 395
minutum Casey, 1924: 261
gibsoni Hopping, 1931: 234

wNorth America (Br Col, CA, CO, ID-NM)

Graciliini Mulsant, 1839: 99**Araeotis** Bates, 1867: 26

fragilis Bates, 1867: 26

Brazil (PA)

Aruama Martins & Napp, 2007: 191

incognita Martins & Napp, 2007: 192
viridis Martins & Napp, 2007: 191

Brazil
 Bolivia (SC)

Caribbomerus Vitali in Vitali & Rezbanyai-Reser, 2003: 11 [RN]

Merostenus White, 1855: 244 [JH; not Walker, 1837, Hymenoptera]

asperatus (Fisher, 1932: 52)
attenuatus (Chevrolat, 1862: 263)
brasiliensis (Napp & Martins, 1984: 57)
charynae (Micheli, 2003: 192)
decoratus (Zayas, 1975: 121)
elieri Devesa & Santos-Silva, 2021: 530
elongatus (Fisher, 1932: 54)
jaliscanus Heffern, Santos-Silva & Nascimento, 2021: 365
mexicanus (Napp & Martins, 1984: 55)
moulini Touroult & Poirier, 2021: 18
picturatus (Napp & Martins, 1984: 57)
productus (White, 1855: 244)
tuberculatus Fisher, 1942: 15
similis (Fisher, 1932: 53)
zayasi Devesa & Santos-Silva, 2021: 533

Haiti, Dominican Republic
 W Indies
 Brazil (BA)
 Puerto Rico
 Cuba, Dominican Republic
 Cuba
 Cuba, Dominican Republic
 Mexico (Jalisco)
 Mexico (DU)
 Lesser Antilles (Martinique)
 Jamaica
 Jamaica
 W Indies (Antigua, Barbuda), Dominica
 Cuba

Elaphopsis Audinet-Serville, 1834: 101

earina Martins & Napp, 1989: 57
rubida Audinet-Serville, 1834: 101

Brazil (ES)
 Brazil (ES, RJ)

Gracilia Audinet-Serville, 1834: 81

Nothrus Haldeman, 1847: 43
Aphelocera Gistel, 1856: 376
Oesyophila Bedel, 1894: 156
minuta (Fabricius, 1781: 235)
pygmaeum Fabricius, 1792: 323
picea Fabricius, 1792: 317
vini Panzer, 1799: 10
fuscus Haldeman, 1847: 43
approximata Fairmaire, 1883: clix
obliquata Horn, 1885: 174
albanica Csiki, 1931: 278

Europe, introduced in eUSA,
 Argentina and Uruguay

Hypexilis Horn, 1885: 173

longipennis Linsley, 1935: 82
pallida Horn, 1885: 173
howdeni (Napp & Martins, 1984: 56)

Mexico (ME)
 swUSA (TX), Mexico (NL)

Lianema Fall, 1907: 85

tenuicornis Fall, 1907: 86

Mexico (BC)

- Parommidion** Martins, 1974: 151
extricatum Martins, 1974: 152
inauditum Napp & Martins, 1984: 52
 Brazil (GO), Bolivia (SC), Paraguay
 Argentina (CD, CA)
- Penichroa** Stephens, 1839: 270
Exilia Mulsant, 1863: 131 [JH; not Conrad, 1860, Mollusca]
Liagrica Costa, 1855: 59
fasciata (Stephens, 1831: 250)
bipunctatum Zoubkoff, 1833: 336
fasciolatum Krynický, 1834: 170
timidum Ménétries, 1832: 288
champlaini Knull, 1941: 695
 Europe, Asia, nUSA (NY, PA, ID)
- Perigracilia** Linsley, 1942: 48
delicata Knull, 1942: 225
exigua (Zayas, 1975: 122)
tenuis Linsley, 1942: 49
 swUSA (AZ)
 Cuba
 Mexico (BC)
- Raglicia** Martins, Galileo & Santos-Silva, 2015: 275
monnei Martins, Galileo & Santos-Silva, 2015: 276
 Brazil (BA)
- Sulcogracilia** Bezark & Santos-Silva, 2022: 586
mexicana Bezark & Santos-Silva, 2022: 586
 Mexico (Nuevo Leon)
- Hesperophanini** Mulsant, 1839: 61
- Hesperophanina** Mulsant, 1839: 61
- Alastos** Napp & Martins, 1982: 358
batesi (Pascoe, 1888: 493)
improvisus Moxey, 1965: 241
pascoei Martins & Galileo, 1999: 97
 Costa Rica-eEcuador, Venezuela, Bolivia (SC)
 Bolivia (LP), Ecuador
- Anatinomma** Bates, 1892: 150
alveolatum Bates, 1892: 151
bispinosum Aurivillius, 1916: 337
brevicornis Fisher, 1944: 1
insularis Chemsak & Linsley, 1964: 217
 Mexico (SLP, VC, TB, CHS), Guatemala, Honduras
 Mexico (PU, YU), Guatemala, Honduras, Costa Rica, Panama
 Guatemala, Nicaragua, Costa Rica
 Mexico (Cozumel Island), Honduras (Islas de la Bahía)
- Anoplomerus** Guérin-Méneville, 1844: 224
buqueti Belon, 1890: ix
globulicollis Buquet, 1860: 625
gracilis Bates, 1870: 260
rotundicollis Guérin-Méneville, 1844: 224
 Brazil, Paraguay, Argentina, Uruguay
 French Guiana, Brazil (AP, PA)
 Brazil (ES-PR), Bolivia (SC), Paraguay, Argentina
- Austranoplum** Chemsak & Linsley, 1963: 209
concolor Chemsak & Linsley, 1963: 210
 Mexico (OA, YU)
- Austrophanes** Chemsak & Linsley, 1963: 218
robustum Chemsak & Linsley, 1963: 218
 Mexico (JA, OA)
- Brittonella** Fisher, 1932: 7
chardoni Fisher, 1932: 8
 Puerto Rico
- Brothylus** LeConte, 1859: 80
consersus LeConte, 1859: 285
 wUSA (CA, OR)

- gemmulatus** LeConte, 1859: 80
castaneus Casey, 1924: 253
consors Casey, 1924: 254
longicollis Casey, 1924: 254
wUSA (OR, UT), Mexico (SI)
- Cacophrissus** Bates, 1885: 252
Knullanoplium Linsley, 1957: 16
maculipennis Chemsak & Linsley, 1963: 221
pauper Bates, 1885: 252
subpubescens Schaeffer, 1909: 100
duncani Knull, 1927: 117
insoletum Linsley, 1942: 43
pubescens Chemsak & Linsley, 1963: 220
Mexico (GR)
swUSA (AZ), Mexico (BC, SI)
- Catoptronotum** Zajciw, 1959: 610
bipenicillatum Zajciw, 1959: 611
Brazil (MG, RJ, PR)
- Cetimaïque** Martins & Galileo, 1999: 72
trinodosa Martins & Galileo, 1999: 74
Brazil (ES)
- Corupella** Martins & Napp, 2007: 191
asperata Martins & Napp, 2007: 191
Brazil (SC, RJ)
- Dubiefostola** Tavakilian & Monné, 1991: 161
auricollis Tavakilian & Monné, 1991: 161
French Guiana, Brazil (MT)
- Eucrossus** LeConte, 1873: 174
villicornis LeConte, 1873: 175
phoenicis Casey, 1924: 249
swUSA, Mexico (SO, CHA, BC)
- Eusapia** Gounelle, 1909: 687
amazonica (White, 1855: 240)
rubiginosa Gounelle, 1909: 688
guyanensis Huedepohl, 1988: 526
matogrossensis Huedepohl, 1988: 525
French Guiana, Suriname, Brazil (PA, GO, MA-ES),
Bolivia (LP, SC), Paraguay
Colombia, French Guiana, Brazil (AM, PA)
Brazil (MT)
- Grammicosum** Blanchard in Orbigny, 1846: 209
flavofasciatum Blanchard in Orbigny, 1847: 209
Chile, Argentina (RN-SC)
- Haplidus** LeConte, 1873: 175
laticeps Knull, 1941: 317
parvulus Chemsak & Linsley, 1963: 230
pubescens Chemsak & Linsley, 1964: 219
testaceus LeConte, 1873: 176
testaceous: Garnett, 1918: 177 [ISS]
breviceps Casey, 1924: 250
swUSA (TX), Mexico (CO)
Mexico (ZA)
Mexico (DU)
wUSA (CA, ID, AZ, NM)
- Hesperanoplium** Linsley, 1957: 18
antennatum (Linsley, 1932: 115)
notabile (Knull, 1947: 72)
wUSA (CA)
wUSA (CA)
- Hesperiburia** Tavakilian & Monné, 1991: 166
balouporum Tavakilian & Monné, 1991: 168
blancheti Dalens & Tavakilian, 2009: 4
brachypa (Bates, 1870: 260)
leduci Touroult & Demez, 2014: 2
French Guiana
French Guiana
French Guiana, Brazil (PA), Bolivia (BN, SC)
Peru

- Hesperophanes** Dejean, 1835: 328
Anoplium Haldeman, 1847: 34
Stromatium: LeConte, 1873: 301 [Mld; not Audinet-Serville, 1834]
pubescens (Haldeman, 1847: 34) eNorth America
- Hesperophanoschema** Zajciw, 1970: 263
hirsutum Zajciw, 1970: 264 Brazil (ES)
- Hesperophymatus** Zajciw, 1959: 613
chydaeus Martins & Monné, 1975: 277 Bolivia (SC), Argentina (SA)
limexylon Zajciw, 1959: 614 Brazil (RJ)
- Heteraneplus** Chemsak & Linsley, 1963: 226
castaneus Chemsak & Linsley, 1963: 227 Mexico (QR)
- Liosteburia** Tavakilian & Monné, 1991: 158
bleuzeni Tavakilian & Monné, 1991: 158 French Guiana, Brazil (AM)
- Liostola** Zajciw, 1962: 241
nitida Zajciw, 1962: 242 French Guiana, Brazil (AM, AP, RO, MT), eEcuador
- Makromastax** Santos-Silva, Botero & Le Tirant, 2018: 201
mandibularis (Chemsak & Linsley, 1963: 229) Mexico (MO, PU)
nitidus Chemsak & Linsley, 1963: 228
- Malcho** Mondaca & Beeche, 2022: 2
chilense (Cerde, 1968: 105) Chile
- Malobidion** Schaeffer, 1908: 336
auricome Chemsak & Linsley, 1963: 211 Mexico (YU), Honduras
brunneum Schaeffer, 1908: 337 wUSA (UT, AZ), Mexico (SO)
uteanum Casey, 1924: 258
palpalis Linsley, 1932: 114
grande Chemsak & Linsley, 1963: 211 Mexico (OA), Guatemala, Honduras
- Meganoplium** Linsley, 1940: 258
imbelle (LeConte, 1881: 27) swUSA (CA), Mexico (BC)
- Megosmidus** Hovore, 1988: 5
tuberculatus Hovore, 1988: 6 Mexico (BC)
- Nesophanes** Chemsak, 1967: 184
fulgidum Chemsak, 1967: 184 Bahamas
- Ochrus** Lacordaire, 1868: 225
Jabaquara Lane, 1956: 1
Eurymeropsis Zajciw, 1960: 397
chapadense Napp & Martins, 1982: 367 Brazil (MA, MT)
duplicatus Napp & Martins, 1982: 368 Brazil (PA, MT)
grammoderus Lacordaire, 1868: 225 French Guiana, Suriname, Brazil (AM, PA), eEcuador
fuscofasciata Zajciw, 1960: 398
ornatus (Fisher, 1935: 189) W Indies (Guadeloupe, St. Lucia)
tippmanni (Lane, 1956: 1) Brazil (ES-RS)
bucki Fuchs, 1961: 5
trifasciatus Dalens & Touroult, 2011: 333 French Guiana

- Oraphanes** Chemsak & Linsley, 1984: 283
binotatum Chemsak & Linsley, 1984: 284 Mexico (CM)
- Osmidus** LeConte, 1873: 177
guttatus LeConte, 1873: 178 swUSA (CA, AZ, NV), Mexico (BC, OA, SO)
obscorellus Casey, 1924: 255
vestitus Casey, 1924: 255
- Paracorupella** Martins & Galileo, 2009: 529
pallida Martins & Galileo, 2009: 530 Venezuela
- Paraliostola** Tavakilian & Monné, 1991: 163
durantoni Tavakilian & Monné, 1991: 164 French Guiana, Brazil (AM, MT)
nigramacula Martins & Galileo, 2010: 588 Brazil (RO)
- Parandraceps** Giesbert, 1998: 75
turnbowi Giesbert, 1998: 75 Dominican Republic
- Perilasius** Bates, 1880: 17
brunneus Franz, 1954: 217 Guatemala, El Salvador
championi Bates, 1880: 18 Mexico (CHS), Guatemala, Honduras
- Piezosecus** Martins & Galileo, 2003: 225
tymaiuba Martins & Galileo, 2003: 226 Brazil (MG, SP, ES)
- Phrynocris** Bates, 1867: 26
notabilis Bates, 1867: 26 Costa Rica, Fr Guiana, Brazil (AM, RO, PA, MA, MT, MS, GO), eEcuador
- Phymatoderus** Blanchard in Orbigny, 1847: 209
bizonatus Blanchard in Orbigny, 1847: 209 Chile, Argentina (NE)
- Potiaete** Martins & Galileo, 1999: 60
maculata Martins & Galileo, 1999: 61 Brazil (ES)
- Stromatium** Audinet-Serville, 1834: 80
Solenophorus Mulsant, 1839: 65
alienum Pascoe, 1857: 95 Brazil (ES)
longicorne (Newman, 1842: 246) Asia, USA (introduced)
asperulum White, 1855: 300
auratum (Böber, 1793: 135) Europe, introduced in North America, Cuba, South America
fulvum Villers, 1789: 256 [JpH; not Scopoli, 1763 (as *Cerambyx*)]
unicolor Olivier, 1800: [no 70] 58
inerme Tournier, 1872: 260
pallidum Zoubkoff, 1833: 336
platyfemur Chevrolat, 1882: 57
strepens Fabricius, 1798: 150
- Thecladoris** Gounelle, 1909: 616
tylonotoides Gounelle, 1909: 617 Brazil (GO, RR, MT)
- Tippmannia** Monné, 2006: 180 [RN]
Dolichopterus Tippmann, 1953: 335 [JH; not Hall, 1859 Eurypterida]
bucki Lane, 1973: 112 Costa Rica, Panama, eEcuador, Brazil (MT), Argentina (TU, LR), Bolivia (SC)
olivascens Lane, 1973: 113 Brazil (MG, ES), Argentina (MI)
rahamusioides Tippmann, 1953: 337 Brazil (MG-SC)

Trichoferus Wollaston, 1854: 427

campestris (Faldermann, 1835: 435)
flavopubescens Kolbe, 1886: 219
rusticus Ganglbauer, 1887: 133
turkestanicus Heyden, 1886: 193

Europe, Asia, Oriental, introduced in Canada

Tylonotus Haldeman, 1847: 37

bimaculatus Haldeman, 1847: 38
masoni (Knull, 1928: 11)

eNorth America-TX, AZ
 eUSA

Vilchesia Cerda, 1980: 63

valenciai Cerda, 1980: 63

Chile

Xeranoplium Linsley, 1957: 15

bicolor Chemsak & Linsley, 1963: 224
flavofemoratum Chemsak & Linsley, 1963: 226
gracilis (Fisher, 1932: 43)
peninsulare Chemsak & Linsley, 1963: 223
pubescens Chemsak & Giesbert, 1986: 25
puncticolle Chemsak & Linsley, 1963: 224
ruficolle Chemsak & Linsley, 1963: 225
tricallosum (Knull, 1938: 140)
gracile Linsley, 1957: 16

Mexico (GR)
 Mexico (GR)
 Cuba
 Mexico (BC)
 Mexico (JA)
 Mexico (JA, CM)
 Mexico (PU)
 USA (AZ, CO)

Zamodes LeConte, 1873: 187

obscurus LeConte, 1873: 188

eUSA (PA)

Zathecus Bates, 1867: 26

Ochrus: Moxey, 1965: 240 [Mid; not Bates, 1867]
graphites Bates, 1867: 26

Brazil (AM, MT), Bolivia (SC), eEcuador

Hexoplonini Martins, 2006: 22**Calycibidion** Martins, 1971: 1432

multicavum Martins, 1971: 1433
rubricolle Galileo & Martins, 2010: 4
bicolor Martins, Santos-Silva, Galileo & Limeira-de-Oliveira, 2014: 376
turbidum Napp & Martins, 1985: 122

Brazil (BA)
 Brazil (BA, PI)
 Brazil (BA)
 Brazil (BA)

Ctenoplion Martins, 1967: 60

x-littera (Thomson, 1865: 575)

Brazil (GO, MA, PE-RS), Bolivia (SC), Paraguay,
 Argentina

Epacroplon Martins, 1967: 54

armatipes (Martins, 1962: 280)
cruciatum (Aurivillius, 1899: 262)

Bolivia (SC)
 Brazil (MA, BA-RS), Paraguay, Argentina

Glyptoceridion Martins, 1959: 270

quincunx (Thomson, 1867: 162)

Brazil (AM, PA), Peru, Bolivia (PN)

Glyptoscapus Aurivillius, 1899: 264

bivittatus Gounelle, 1909: 660
flaveolus (Bates, 1870: 285)
letiziae Nascimento & Santos-Silva, 2018: 3
pallidulus (White, 1855: 234)
cicatricosus Aurivillius, 1899: 264
vanettii Martins, 1959: 270

Brazil (MG)
 Colombia, Brazil (AM, PA), eEcuador,
 Brazil (MG)
 Panama, Colombia (BO), French Guiana, Brazil (PA), Peru,
 Argentina

Gnomidolon Thomson, 1864: 219**amaurum** Martins, 1967: 194**analogum** Martins, 1967: 192**basicoeruleum** Martins, 1962: 127**bellulus** Martins, 2006: 128**bellus** Martins & Galileo, 2002: 13**biarcuatum** (White, 1855: 228)*excelsum* Martins, 1962: 274**bipartitum** Gounelle, 1909: 661**bonsae** Martins, 1967: 268**bordoni** Joly, 1991: 17**brethesi** Bruch, 1908: 204**cingillum** Martins, 1967: 186**colasi** Martins, 1967: 221**conjugatum** (White, 1855: 231)*eganum* Bates, 1870: 287**cruciferum** (Gounelle, 1909: 659)**denticorne** Bates, 1892: 155**elegantulum** Lameere, 1885: 88*bituberculatum* Thomson, 1864: 219 [JpH; not Audinet-Serville, 1834 (as *Ibidion*)]**franciscoi** Garcia, 2019: 2**fraternum** Martins, 1971: 1426**friedi** Clarke, 2007: 258**fuchsi** Martins, 1971: 129**galileoae** Audureau, 2015: 61**gemuseusi** Clarke, 2007: 261**glabratum** Martins, 1962: 273**gounellei** Martins, 1967: 295**gracile** (Gounelle, 1909: 658)**grantsaui** Martins, 1967: 234**guianense** (White, 1855: 225)*meinerti* Aurivillius, 1900: 410**hamatum** Linsley, 1935: 479**humerale** Bates, 1870: 287**ignicolor** Napp & Martins, 1985: 126**incisum** Napp & Martins, 1985: 127**insigne** Martins, 1967: 180**insulicola** Bates, 1885: 260*elegantulum*: Aurivillius, 1900: 410 [Mld; not Lameere, 1884]*piceicollis* Linsley, 1935: 481*seabrai* Martins, 1960: 2**laetabile** Bates, 1885: 260**lansbergei** (Thomson, 1867: 159)**longipenne** Martins, 1967: 225**maculicorne** Gounelle, 1909: 661**melanosomum** Bates, 1870: 288*costaricense* Martins, 1962: 272**meridanum** Napp & Martins, 1985: 129**musivum** (Erichson, 1847: 141)*subeburneum* White, 1855: 234*clymene* Thomson, 1867: 161*confusum* Fisher, 1944: 6**nanum** Martins, 1962: 269**nigritum** Martins, 1967: 188**nympha** Thomson, 1865: 575**oeax** Thomson, 1867: 160**opacicolle** Napp & Martins, 1985: 124**ornaticolle** Martins, 1960: 6**pallidicauda** Gounelle, 1909: 662**parallelum** Clarke, 2007: 257**peruvianum** Martins, 1960: 5

Peru

Brazil (ES, RJ)

Mexico (CHS, QR), Guatemala, El Salvador, Costa Rica

Bolivia

Colombia (AT, BO)

Guyana, French Guiana, Colombia, Brazil (AM), Peru

Brazil (GO, BA-SP), Bolivia (SC)

Bolivia (SC)

Venezuela

Brazil (GO, MT), Bolivia (TR), Paraguay, Argentina

wEcuador

Peru

Colombia, French Guiana, Brazil (AM),

eEcuador, Peru, Bolivia (CO, SC)

Peru, Brazil (GO, PB, BA, MG), Bolivia (SC)

Panama

Brazil (GO, BA-RS), Paraguay, Argentina

Panama (Panama), Colombia (Atlantico, Bolivar)

Brazil (PA)

Bolivia (SC)

Bolivia (SC)

Peru

Bolivia (SC)

Colombia, Brazil (PA)

Brazil (BA)

Brazil (GO, MT)

Venezuela, Bolivia (SC), Brazil (PR), Paraguay

Colombia, Venezuela, Guiana, Brazil

Costa Rica, Panama, Colombia (AT, BO)

Panama, Fr Guiana, Peru, Brazil (PA)

Brazil (MG)

Venezuela, Trinidad & Tobago

Brazil (BA, ES)

Panama, Colombia, Venezuela, Brazil (PA)

Honduras-Panama

Venezuela, Brazil (AM)

Colombia

French Guiana, ncBrazil (AM, GO)

Guatemala-Panama, nSAmer- eEcuador, Bolivia (SC)

Venezuela

Venezuela, Guyana, French Guiana, eEcuador, ncBrazil (AM, MA),

Peru, Bolivia (SC)

Bolivia (SC)

wEcuador

Brazil (ES-RS)

Guyana, French Guiana, Suriname

wcBrazil (RO, MT)

Panama, Colombia (BO), Brazil (RJ-RS), Paraguay, Argentina

Peru, Bolivia (BN, SC), Brazil (MA, AC-RS), Paraguay

Bolivia (SC)

Brazil (MA), Peru

picipes Bates, 1870: 287
picticorne Martins, 1971: 134
pictum (Audinet-Serville, 1834: 106)
pilosum Martins, 1962: 271
primarium Martins, 1967: 190
proseni Martins, 1962: 270
proximum Martins, 1960: 4
pubicolle Joly, 1990: 211
pulchrum Martins, 1960: 7
rubricolor Bates, 1870: 286
 pygmaeum Martins, 1962: 275
simplex (White, 1855: 230)
 dubium Bates, 1870: 290
sinopium Martins, 2006: 179
subfasciatum Martins, 1967: 184
suturale (White, 1855: 222)
 tricolor Linsley, 1935: 481
sylvarum (Bates, 1892: 155)
tomentosum Martins, 1971: 131
ubirajarai Joly, 1990: 174
varians Gounelle, 1909: 662
 micans Fisher, 1937: 146
 micans var. *brunneicaudatum* Fisher, 1937: 147
 addictum Melzer, 1935: 175
wappesi Martins, 2006: 178

Hexocycnidolon Martins, 1960: 27

unoculum (Bates, 1870: 292)
 vulcani Martins, 1960: 27
 hylaeanum Martins, 1962: 134

Hexoplon Thomson, 1864: 219

Gnomidolon: Lacordaire, 1868: 330 [Mld; not Thomson, 1864]

affine (Thomson, 1865: 575)
 consanguineum Aurivillius, 1899: 261
albipenne Bates, 1872: 179
 colombianum Martins, 1959: 340
annulatum Martins & Galileo, 2011: 192
anthracinum Martins, 1967: 135
armatum Aurivillius, 1899: 263
bellulum Galileo & Martins, 2010: 387
bucki Martins, 1967: 106
calligrammum Bates, 1885: 259
 smithi Bates, 1892: 154
carissimum (White, 1855: 223)
cearense Martins & Galileo, 1999: 301
ctenostomoides Thomson, 1867: 162
eximium Aurivillius, 1899: 260
illuminum Napp & Martins, 1985: 124
immaculatum Galileo & Martins, 2009: 161
integrum Tippmann, 1960: 118
juno Thomson, 1865: 575

leucostictum Martins, 1959: 343
longispina Aurivillius, 1899: 261
lucidum Martins, 1962: 267
navajasi Martins, 1959: 344
 eganum: Linsley, 1935: 480 [Mld; not Bates, 1870]
nigricolle Gounelle, 1909: 657
nigritarse Aurivillius, 1899: 262
nigropiceum Martins, 1959: 343

French Guiana, ncBrazil (AM, PA), Bolivia
 wEcuador
 Brazil (GO-RS), Bolivia (SC), Paraguay, Argentina
 Argentina (TU)
 eBrazil (BA)
 Costa Rica?, Brazil (MT), Bolivia (SC)
 Bolivia (SC), Argentina (SA, JU)
 Venezuela
 cBrazil (MT), Bolivia (SC), Paraguay, Argentina
 Panama, Colombia, Venezuela, Peru, Brazil (AM),
 Bolivia (SC)
 Guyana, French Guiana, Brazil (AM, PA)

Brazil (PA, MT)
 Peru, Brazil (AM, PA), Bolivia (SC)
 Panama, Colombia, Venezuela

Mexico (VC)-Honduras
 Brazil (BA, ES)
 Venezuela
 Brazil (GO, MT, MG, SC, PB-RS), Bolivia (SC),
 Paraguay, Argentina, Uruguay

Bolivia (SC), Brazil (RO)

French Guiana, Brazil (AM, RO, PA), eEcuador, Peru

Brazil (MG-RJ)

Guatemala-Colombia, Venezuela

Bolivia (SC)
 Peru
 Brazil (GO, MT, MG, SP)
 Bolivia (SC)
 Brazil (BA-RJ)
 Mexico (JA, MO, CM, NA, GR, VC, OA, CHS),
 Guatemala, Honduras
 French Guiana, Brazil (MA), Peru, Bolivia (SC)
 Brazil (CE)
 Brazil (BA-RS), Argentina (MI)
 Brazil (MG, ES)
 Brazil (RO)
 Ecuador
 Bolivia (SC)
 Brazil (GO, MT, BA-PR), Peru, Bolivia (SC),
 Paraguay, Argentina
 Colombia
 Brazil (RJ, SP)
 wEcuador
 Panama

Brazil (PA, GO, MT)
 Brazil (PE-SC)
 Paraguay

praetermissum Bates, 1870: 442
 var. *simplex* Gounelle, 1909: 657
lanei Martins, 1959: 345
reinhardti Aurivillius, 1899: 262
rosalesi Martins, 1971: 1423
rubriceps Martins & Galileo, 2013: 572
scutellare Napp & Martins, 1985: 123
speciosum speciosum Fisher, 1937: 145
 subsp. **ferruginosum** Martins, 1959: 347
umbrinum (Martins, 1971: 1421)
uncinatum Gounelle, 1909: 659
venus Thomson, 1864: 219

Isostenygra Martins & Galileo, 1999: 315
monnei Martins & Galileo, 1999: 317

Neognomidolon Martins, 1967: 39
pereirai (Martins, 1960: 8)
poecilum Martins, 1967: 43

Notosphaeridion Martins, 1960: 153
brevithorax (Martins, 1960: 3)
scabrosum (Gounelle, 1909: 663)
umbrinum Martins, 1971: 1421
vestitum Martins, 1960: 154

Ophtalmoplion Martins, 1965: 119
aurivillii Martins, 1965: 128
diversum Martins, 1965: 123
impunctatum Martins, 1965: 126
inermis Martins, 1965: 124
nigricorne Napp & Martins, 1985: 118
simile Martins, Galileo & Limeira-de-Oliveira, 2009: 507
spinosum Martins, 1965: 121

Paratetroplon Audureau, 2015: 61
michelroberti Audureau, 2015: 62

Pronoplion Martins, 1967: 317
rubriceps (Gounelle, 1909: 662)

Pseudoplion Martins, 1971: 1418
oculatum Martins, 1971: 1419
rasile Napp & Martins, 1985: 116
transversum Napp & Martins, 1985: 114

Spinoplion Napp & Martins, 1985: 119
bicolor Napp & Martins, 1985: 121
inusitatum Napp & Martins, 1985: 119
tutoia Martins, 2006: 190

Stenygra Audinet-Serville, 1834: 95
angustata (Olivier, 1790: 252)
coarctatus Fabricius, 1801: 349
apicalis Gounelle, 1911: 225
brevispinea Delfino, 1985: 500
conspicua (Perty, 1832: 91)
tricolor Audinet-Serville, 1834: 97
contracta Pascoe, 1862: 355
cosmocera White, 1855: 221
euryarthron Delfino, 1985: 497

Colombia, Brazil

Peru, Brazil (GO, BA-SP)
 Venezuela
 Ecuador (Napo)
 Brazil (BA, MG)
 Brazil, Bolivia, Paraguay, Argentina
 Brazil (MA, MS, SP, PR), Paraguay
 Venezuela
 Argentina, Brazil, Peru, Bolivia (SC), Paraguay
 Colombia, French Guiana

Brazil (AM), Bolivia (SC)

Brazil (SP)
 Brazil (MG)

Brazil (SP, PR), Argentina
 Brazil, Bolivia (SC, TR), Paraguay, Argentina
 Venezuela
 Brazil (PB, BA)

Brazil (RJ)
 Brazil (ES, RJ)
 Brazil (MT)
 Guyana, French Guiana, Brazil, Bolivia (SC)
 Brazil (BA)
 Brazil (MA), Paraguay
 Brazil (RJ)

Peru

Brazil (MA, GO, MT), Bolivia (SC), Paraguay, Argentina

Brazil (BA, MG)
 Brazil (RN)
 Brazil (BA, MG)

Brazil (BA)
 Brazil (BA, MG)
 Bolivia

Guyana, French Guiana, Brazil (AM, PA)

Brazil (BA-SC), Argentina
 Peru
 Brazil (AM, PB-RS), Bolivia (PN), Paraguay,
 Argentina
 eEcuador, Brazil (AM), Peru
 Brazil, Peru, Bolivia (PN, SC), Paraguay, Argentina
 Peru

globoicollis Kirsch, 1889: 38
histrion Audinet-Serville, 1834: 97
histrion nigrina Franz, 1954: 220
holmigreni Aurivillius, 1908: 5
seabrai Delfino, 1985: 498
setigera (Germar, 1823: 516)

Ecuador
 Mexico, Guatemala, Honduras, El Salvador,
 Nicaragua, Costa Rica
 Brazil (PA), Peru
 Peru
 Brazil, Bolivia (SC), Paraguay, Argentina

Tapuruia Lane, 1973: 149
beebei (Fisher, 1944: 7)
felisbertoi Lane, 1973: 150
jolyi Napp & Martins, 1985: 118

Venezuela, Guianas, Brazil (AM), Ecuador
 French Guiana, Brazil (AM, PA), Bolivia (SC)
 Panama, Colombia (SU), Venezuela

Tetraibidion Martins, 1967: 307
aurivillii (Gounelle, 1909: 656)
aeneonigrum Fisher, 1937: 147
concolor Martins, 2006: 210
ephimerum Martins, 1967: 312
sahlbergi (Aurivillius, 1899: 260)

Brazil (PE-RS, GO), Bolivia (SC), Paraguay, Argentina

Bolivia (SC)
 Brazil (SP, SC)
 Brazil (RJ)

Tetroplon Aurivillius, 1899: 259
caudatum caudatum Aurivillius, 1899: 259
 subsp. **nigricornis** Bruch, 1926: 340

Peru, Brazil, Bolivia (SC), Paraguay, Argentina
 Bolivia, Argentina (SA, CD)

Trichoplon Martins, 1967: 66
extremum (Martins, 1959: 341)

Brazil (PA, MG-RJ)

Uirassu Martins & Galileo, 2010: 438
beckeri Martins & Galileo, 2010: 439

Brazil (BA)

Holopleurini Chemsak & Linsley, 1974: 183

Holopleura LeConte, 1873: 193
marginata LeConte, 1873: 194
helena LeConte, 1873: 194

wNorth America (Br Col-CA)

Hyboderini Linsley, 1940: 371

Hybodera LeConte, 1873: 191
debilis LeConte, 1874: 66
tuberculata LeConte, 1873: 191

wUSA (CA, OR)
 wNorth America (Pacific Coast)

Megobrium LeConte, 1873: 192
edwardsi LeConte, 1873: 193

wUSA (CA)

Pachymerola Bates, 1892: 161
mariaeugeniae Noguera, 2005: 68
ruficollis ruficollis Giesbert, 1987: 44
 subsp. **humeralis** Giesbert, 1987: 47
toledo Chemsak & Noguera, 1997: 9
vitticollis Bates, 1892: 161
wappesi Giesbert, 1993: 143

Mexico (OA)
 Mexico (SI, JA, NA, CM, OA, CHS, QR), El Salvador,
 Guatemala,, Honduras, Nicaragua
 Costa Rica
 Mexico (CHS)
 Mexico (JA, GR, OA)
 Guatemala

Pseudopilema Linsley, 1940: 373
hoppingi (Van Dyke, 1920: 36)

wUSA (CA)

Hylotruperini Rose, 1983: 48**Hylotrupes** Audinet-Serville, 1834: 77

bajulus (Linnaeus, 1758: 396)
 var. *bullatus* Haldeman, 1847: 36
inaequalis Casey, 1924: 233
latus Casey, 1924: 233
nematocerus Casey, 1924: 234
puncticollis Casey, 1924: 234
incertus Casey, 1924: 234
pedicellatus Casey, 1924: 235
minutus Casey, 1924: 235
caudata Degeer, 1775: 86
linneiana Laicharting, 1784: 69
livida Mulsant, 1839: 56
puella Villa, 1833: 36
similis Marsham, 1802: 335

Europe, introduced in eNorth America,
 Brazil, Argentina, Uruguay

Ideratini Martins & Napp, 2009: 216**Ideratus** Thomson, 1864: 183

Beaveria Lane, 1970: 51 [JH; not Lee, 1965, Trematoda]

Beaveriella Napp & Martins, 2005: 434 [RN for *Beaveria* Lane, 1970]

cyanipennis (Thomson, 1864: 183)
nactus (Lane, 1970: 52)
sagdus (Monné & Martins, 1972: 76)
virginiae (Dalens & Tavakilian, 2006: 711)

Colombia
 Brazil (RO, MG)
 Brazil (MG, PA)
 French Guiana

Lissonotini Swainson in Swainson & Shuckard, 1840: 289, 291**Lissonotus** Dalman in Schoenherr, 1817: 364

andalgalensis Bruch, 1908: 218
biguttatus Dalman in Schoenherr, 1817: 159
bisignatus Dupont, 1836: 13
confinis Aurivillius, 1915: 325
corallinus Dupont, 1836: 11
 m. *nigriventris* Fuchs, 1966: 13
cruciatus Dupont, 1836: 8
ephippiatus Bates, 1870: 437
equestris (Fabricius, 1787: 153)
 unidentatus Olivier, 1795: [no 67] 20
 cinctus Panzer in Voet, 1798: 2
 cingulatus Panzer in Voet, 1798: 2
 biserratus Voet, 1806: 29
 shepherdi Pascoe, 1859: 16
fallax Bates, 1870: 436
flabellicornis (Germar, 1823: 504)
flavocinctus flavocinctus Dupont, 1836: 9
 subsp. **multifasciatus** Dupont, 1836: 10
 subsp. **puncticollis** Bates, 1885: 333
 multifasciatus: Leng, 1886: 62 [Mld; not Dupont, 1836]
 lucanus Casey, 1912: 317
kuaiuba Martins & Galileo, 2004: 232
nigrofasciatus Aurivillius, 1925: 508
princeps Bates, 1870: 438
rubidus White, 1853: 63
rubripes Tippmann, 1960: 150
rugosus Fuchs, 1958: 53
simplex Bates, 1870: 438

Bolivia (TR), Paraguay, Argentina (CA, SE, ME)
 Brazil
 French Guiana, Brazil (RO, ES)
 Brazil (PA)
 Panama, Colombia, Venezuela

French Guiana
 Brazil (AM), Peru
 Venezuela, Guyana, French Guiana, Suriname,
 Brazil (RR, AM, PA, MT), Ecuador, Peru
 introduced in Barbados

Brazil (AM), Bolivia (SC)
 Brazil, Bolivia (SC), Paraguay, Argentina
 Colombia, Venezuela, Bolivia
 Mexico-Panama
 swUSA (CA-TX), Mexico (BC, GU)

Venezuela
 Venezuela
 Bolivia
 Brazil (PA)
 Brazil (AL, BA)
 Argentina
 Brazil (AM)

spadiceus Dalman, 1823: 65	Brazil (DF, BA-RS), Paraguay, Argentina
<i>purpuratus</i> Germar, 1823: 503	
unifasciatus Gory in Guérin-Ménéville, 1831: pl 43, fig. 1	Brazil (ES, RJ), Bolivia (LP, SC)
<i>abdominalis</i> Dupont, 1836: 12	
zellibori Tippmann, 1953: 331	Brazil (PA)

Luscosmodicini Martins, 2003: 30

Luscosmodicum Martins, 1970: 47

beaveri Martins, 1970: 48	Colombia, Brazil (MA, AM - SP)

Methiini Thomson, 1860: 127

Methiitae Thomson, 1860: 5 (key), 127

Coleomethia Linsley, 1940: 32

australis Hovore, 1987: 14	Mexico (OA)
bezarki Galileo & Martins, 2009: 162	Costa Rica (GU)
chemsaki Hovore, 1987: 9	Mexico (BC)
crinicornis Hovore, 1987: 11	Mexico (JA)
mexicana Chemsak & Linsley, 1964: 161	Mexico (HI)
xanthocollis (Knull, 1935: 98)	swUSA (TX)
<i>evaniformis</i> Knull, 1937: 306	

Cyanomethia Philips & Ivie, 1998: 60

pseudothonalmus Philips & Ivie, 1998: 60	W Indies (Virgin Islands)

Methia Newman, 1842: 418 [RN]

Thia Newman, 1840: 18 [JH; not Oken, 1815, Annelida; not Leach, 1816, Crustacea]

Staphylinoeme Gounelle, 1913: 197

Tessaropa Haldeman, 1848: 375

Dysphaga LeConte, 1852: 143

Tessaroptes Gemminger in Gemminger & Harold, 1873: 3063 [UE of *Tessaropa* Haldeman, 1847]

acostata Linsley, 1940: 287	swUSA (AZ)
aestiva Fall, 1907: 86	wUSA (CA)
<i>mormona</i> : Fall, 1901: 151 [Mld; not Linell, 1896]	
<i>fragilis</i> Linsley, 1932: 121	
argentina Bruch, 1918: 20	Paraguay (Boqueron), nwArgentina (LR, CA)
arizonica Schaeffer, 1908: 352	swUSA (AZ)
batesi Chemsak & Linsley, 1971: 120	Mexico
<i>Callia</i> (?) Bates, 1885: 425	
bicolor (Horn, 1885: 196)	swUSA (TX)
bicolorata Linsley, 1962: 34	Mexico
<i>bicolor</i> : Linsley, 1935: 72 [Mld; not Horn, 1885]	
boliviana (Martins & Galileo, 2006: 174)	Bolivia (SC)
brevis Fall, 1929: 58	swUSA (AZ, CA), Mexico (BC)
carinata Linsley, 1940: 289	swUSA (AZ)
carioca (Martins, 1981: 13)	Brazil (RJ)
curvipennis Chemsak & Linsley, 1965: 143	swUSA (CA)
debilis (Horn, 1895: 246)	Mexico (BC)
dentata Chemsak & Linsley, 1964: 58	Mexico (DU)
dubia Linsley, 1940: 286	swUSA (AZ)
dolichoptera Lingafelter, 2010: 26	Dominican Republic
elizabeth (Bezark, in Bezark, Tyson & Schiff, 2013: 274)	Panama
elongata (Galileo & Martins, 2009: 162)	Brazil (RO)
enigma Martins, 1981: 12	Paraguay
falli Martin, 1920: 215	swUSA (CA)
fischeri Melzer, 1923: 5	Brazil (BA, ES-RS, MT), Paraguay
<i>incauta</i> Lane, 1939: 73	
flavicornis Casey, 1924: 257	swUSA (AZ)
flavomera Nascimento & Bravo, 2018: 580	Brazil (Bahia)

- guanabarina** (Martins, 1981: 13)
hispaniolae (Lingafelter, 2010: 266)
jamaicensis Philips & Ivie, 1998: 71
juniperi Linsley, 1937: 64
knulli Linsley, 1940: 288
lata Knull, 1958: 282
lineata Linsley, 1935: 72
longipennis Martins, 1997: 167
luctuosa (Zayas, 1975: 54)
 taina Zayas, 1975: 53
lycoides Chemsak & Linsley, 1971: 120
maculosa Chemsak & Linsley, 1964: 56
martinsi Noguera & Gutierrez, 2019: 5
mineira (Martins, 1981: 14)
mormona Linell, 1897: 399
 mormonica Casey, 1924: 257 [ISS]
 delicata Casey, 1924: 257
necydalea (Fabricius, 1798: 148)
 necydalina: Fabricius, 1801: 332 [ISS]
 pusilla Newman, 1840: 18
 dejeanii Haldeman, 1847: 42
 constricticollis Schaeffer, 1908: 351
 impressicollis Chemsak, 1966: 211
 insularum Chemsak, 1966: 210
 pallida Fisher, 1932: 6
 pulchra Chemsak & Linsley, 1964: 159
 punctata LeConte, 1873: 240
 rhizophorae Chemsak & Feller, 1988: 181
nigra Bezark & Santos-Silva, 2022: 589
occidentalis Chemsak & Linsley, 1964: 59
pallidipennis Linsley, 1942: 32
picta Linsley, 1942: 29
 separata Linsley, 1942: 30
robusta Linsley, 1940: 285
similis Bezark & Santos-Silva, 2019: 77
subarmata Linsley, 1942: 31
subvittata Chemsak & Linsley, 1964: 55
tenuipes (Haldeman, 1847: 126)
 ventralis Haldeman, 1848: 375
 laevis LeConte, 1873: 240
 apicalis Casey, 1914: 371
tlaxcalaensis Perez-Flores, 2022: 291
trium Gilmour, 1968: 100
tubuliventris (Gounelle, 1913: 198)
violaceipennis Chemsak & Linsley, 1964: 158
vittata Chemsak & Linsley, 1964: 57
- Brazil (RJ)
 Dominican Republic
 Jamaica
 swUSA (CA)
 swUSA (AZ)
 swUSA (TX)
 Mexico (ME)
 Brazil (PI, MG)
 Cuba
- Mexico (VC)
 Mexico (HI)
 Mexico (Oaxaca)
 Brazil (MG)
 wUSA (AZ, NM, UT, CO), Mexico (CHA, CO)
- seUSA, swUSA (TX), Mexico,
 Belize, West Indies, Barbados, Bahamas
- Guatemala (Quetzaltenango)
 Mexico (SO, SI)
 Mexico (BC)
 Mexico (BC)
- swUSA (CA)
 eEcuador
 Mexico (BC)
 Mexico (HI), Costa Rica (GU)
 eUSA-TX
- Mexico (Tlaxcala)
 Curaçao, Bonaire, Aruba, Venezuela
 Argentina (SE)
 Mexico (CHA)
 Mexico (PU)
- Neoxela** Botero, Bezark & Santos-Silva, 2022: 599 [RN]
 Xela Botero, Bezark & Santos-Silva, 2020: 163 [JH; not Jell, 1990, Trilobita]
 tysoni (Botero, Bezark & Santos-Silva, 2020: 164)
- Guatemala (Quetzaltenango)
- Paratessaropa** Zajciw, 1957: 301
 brachyptera Zajciw, 1957: 302
- Brazil (RJ)
- Pseudomethia** Linsley, 1937: 65
 arida Linsley, 1937: 67
- swUSA (AZ, CA), Mexico (SO)
- Styloxus** LeConte, 1873: 239
 Idoemea Horn, 1880: 137
 Malthophia Casey, 1912: 308
 angelesae Noguera, 2005: 63
- Mexico (OA, MO)

bicolor (Champlain & Knull, 1922: 145)
ruficeps Van Dyke, 1927: 100
fulleri fulleri (Horn, 1880: 138)
texana Schaeffer, 1908: 351
 subsp. **californicus** (Fall, 1901: 256)
oculata Casey, 1912: 309
fuscus Chemsak & Linsley, 1964: 51
lucanus LeConte, 1873: 240
oblatipilis Chemsak & Linsley, 1964: 50
parvulus Chemsak & Linsley, 1964: 50

swUSA (CA, AZ, NM)
 swUSA (TX)
 wUSA (CA, OR), Mexico (BC)
 Mexico (VC)
 Mexico (BC, SO, SI)
 swUSA (sTX), Mexico (TA)
 Mexico (SLP)

Molorchini Gistel, 1848: [9]

Merionoedopsis Gounelle, 1911: 113
aeneiventris Gounelle, 1911: 115
brevipennis Melzer, 1934: 214
zamalloae Clarke, 2015: 2

Brazil, Paraguay, Argentina
 Brazil (PR, SC), Bolivia (SC), Paraguay, Argentina (JU)
 Bolivia (SC)

Molorchus Fabricius, 1792: 356

Heliomanes Newman, 1840: 17
Glaphyra Newman, 1840: 19
Laphyra Newman, 1842: 418 [URN for *Glaphyra* Newman, 1840]
Caenoptera C.G.Thomson, 1859: 150
Linomius Mulsant, 1863: 226
Sinolus Mulsant, 1863: 228
Conchopterus Fairmaire in Jacquelin du Val, 1864: 153

bimaculatus bimaculatus Say, 1824: 428
affinis J.E. LeConte, 1824: 172
obscurus LeConte, 1850: 21
 subsp. **californicus** Linsley, 1963: 161
 subsp. **ceanothinus** Linsley, 1963: 161
 subsp. **celti** Knull, 1930: 101
 subsp. **corni** Haldeman, 1847: 45
ruficollis LeConte, 1850: 21
sanguinicollis Chevrolat, 1862: 257
 subsp. **semiustus** (Newman, 1840: 19)
eburneus Linsley, 1931: 37
longicollis LeConte, 1873: 193
minor Linnaeus, 1758: 421

eNorth America-TX
 wUSA (CA)
 wUSA (CA)
 neUSA
 seUSA, Cuba
 sUSA (FL-TX)
 wUSA (CA)
 wUSA
 Europe (introduced in Brazil)

Necydalopsini Lacordaire, 1868: 493

Nécýdalopsoides Lacordaire, 1868 405 (key, 493)

Altitudarium Vlasak & Santos-Silva, 2022: 6
andinum Vlasak & Santos-Silva, 2022: 8

Ecuador (Pichincha)

Austronecydalopsis Barriga & Cepeda, 2007: 23
curkovici Barriga & Cepeda, 2007: 24
iridipennis (Fairmaire & Germain, 1864: 386)

Chile
 Chile

Eucharassus Bates, 1885: 308

bicolor Melzer, 1934: 75
chemsaki Monné, 2007: 206
confusus Galileo & Martins, 2001: 101
dispar Bates, 1885: 309
flavotibiale Galileo & Martins, 2001: 98
hovorei Monné, 2007: 208
lingafelteri Monné 2007: 208
nevermanni Melzer, 1934: 74
nigratus Martins & Galileo, 2009: 531

Costa Rica
 Costa Rica (PA)
 Venezuela
 Costa Rica, Panama
 Colombia
 Costa Rica (PA)
 Panama
 Costa Rica
 Colombia

nisseri Aurivillius, 1891: 100
wappesi Monné, 2007: 209

Colombia
 Panama, Guatemala

Lissozodes Bates, 1870: 408
basalis (White, 1855: 213)

Brazil (AM, PA), Colombia, Ecuador

Methicula Chemsak & Linsley, 1971: 117
Abaiba Martins & Napp, 2007: 193
dimidiata Chemsak & Linsley, 1971: 118
dimorphica Martins & Napp, 2007: 193

Colombia, eEcuador

Necydalopsis Blanchard in Gay, 1851: 473
trizonata Blanchard in Gay, 1851: 474
cyanipennis Fairmaire & Germain, 1861: 106

Chile

Neozodes Zajciw, 1958: 249
signatus Zajciw, 1958: 250

French Guiana, Brazil (AM), eEcuador

Ozodes Audinet-Serville, 1834: 98
flavitaris Gounelle, 1911: 211
ibidiinus Bates, 1870: 409
infuscatus Bates, 1870: 409
malthinoides Bates, 1870: 410
multituberculatus Bates, 1870: 409
nodicollis Audinet-Serville, 1834: 99
sexmaculatus Zajciw, 1967: 531
xanthophasma Bates, 1872: 189

Brazil (GO), Paraguay
 Brazil (PA)
 French Guiana, Brazil (RR, MA, PA), Bolivia (SC)
 French Guiana, Brazil (RO, MA, AM), Bolivia (SC)
 Guatemala, Honduras, Nicaragua, CR, Panama, Brazil (BA)
 Brazil (GO, MG-SP)
 Brazil (ES, RJ)
 Honduras, Nicaragua, Costa Rica, Panama

Parepimelitta Bruch, 1918: 23
barriai (Cerde, 1968: 106)
femoralis (Fairmaire & Germain, 1859: 499)
valdiviensis Philippi & Philippi, 1859: 674
gounellei Bruch, 1918: 24

Chile
 Chile, Argentina (NE)

Piruapsis Galileo & Martins, 2006: 708
antennatus Galileo & Martins, 2006: 709
nigellus (White, 1855: 217)
tubericornis Vlasak & Santos-Silva, 2022: 4
vestitus (White, 1855: 217)

Trinidad
 Venezuela
 Ecuador (Azuay)
 Venezuela

Sthelenus Buquet, 1859: 621
ichneumoneus Buquet, 1860: 622
braconinus Bates, 1870: 315
morosus Pascoe, 1862: 356

Colombia, French Guiana, Brazil (AM), Bolivia, Ecuador
 Venezuela

Neocorini Martins, 2005: 240

Aleiphaquilon Martins, 1970: 47
castaneum (Gounelle, 1911: 190)
unicolor Martins, 1970: 48
eburneum Mermudes & Monné, 1999: 83
myrmex Napp & Martins, 1984: 51
plaumanni Martins, 1975: 17
rugosum Martins & Galileo, 1994: 686
taeniatum Mermudes & Monné, 1999: 83
tasyba Galileo & Martins, 2009: 340
tricolor Martins, 1975: 16
una Mermudes & Monné, 1999: 84

Brazil, Bolivia (SC, TR), Paraguay, Argentina (FO)
 Brazil (RJ)
 Colombia
 Brazil (PR, SC), Bolivia (SC)
 Brazil (BA, RS), Bolivia (SC)
 Brazil (BA)
 Bolivia (SC)
 Brazil (RJ), Bolivia (SC)
 Brazil (RJ)

Coscinedes Bates, 1885: 258**elpis** Santos-Silva, 2022: 2**gracilis** Bates, 1885: 259**oaxacae** Martins & Galileo, 2006: 176

Guatemala (Zacapa)

sMexico, Guatemala, Honduras, Nicaragua, Panama

Mexico (OA)

Fregolia Gounelle, 1911: 192**listropteroideis** Gounelle, 1911: 192

Brazil, Argentina (MI)

Marauna Martins & Galileo, 2006: 176**abati** Galileo & Martins, 2007: 205**bucki** Galileo & Martins, 2007: 203**punctatissima** Martins & Galileo, 2006: 176

Paraguay

Brazil (RS)

Bolivia (SC)

Myrmeocorus Martins, 1975: 14**allodapus** Martins, 1975: 15

Brazil (SC)

Neocoridolon Melzer, 1930: 188**borgmeieri** Melzer, 1930: 188

Brazil (ES-SC)

Neocorus Thomson, 1864: 220**diversipennis** Belon, 1903: 50**ibidionoides** (Audinet-Serville, 1834: 98)*ibidionides* Gounelle, 1909: 685**zikani** Melzer, 1920: 434

Brazil (RJ, SP, MG), Bolivia (SC), Argentina

French Guiana, Brazil (GO, RJ-RS), Bolivia (SC, TR),

Paraguay, Argentina

Brazil (MG)

Obrini Mulsant, 1839: 95**Obrium** Dejean, 1821: 110*Phyton* Newman, 1840: 19*Diozodes* Haldeman, 1847: 42**albifasciatum** Bates, 1872: 182**angulosum** Bates, 1885: 269**arciferum** Bates, 1885: 270**asperatum** Joly, 2010: 703**balteatum** Hovore & Chemsak, 1980: 41**batesi** Hovore & Chemsak, 1980: 40**beckeri** Knull, 1962: 105**bifasciatum** Martins & Galileo, 2003: 18**californicum** Van Dyke, 1920: 37**cantharinum** (Linnaeus, 1767: 673)**cicatricosum** Gounelle, 1909: 686**circunflexum** Martins & Galileo, 2003: 19**clavijoi** Joly, 2010: 704**clerulum** Bates, 1885: 270**constricticollis** Schaeffer, 1908: 338**cordicollis** Bates, 1870: 308**costaricum** Hovore & Chemsak, 1980: 47**cribripenne** Bates, 1885: 271**cruciferum** Bates, 1885: 270**dimidiatum** Hovore & Chemsak, 1980: 45**discoideum** (LeConte, 1873: 190)**dominicum** Linsley, 1957: 85**giesberti** Hovore & Chemsak, 1980: 37**glabrum** Knull, 1937: 41**latecinctum** Joly, 2010: 705**maculatum** (Olivier, 1800: [No 68] 32)*pallidum* Say, 1824: 412*limum* Newman, 1840: 18*pallidum*: LeConte, 1850: 22 [ISS of *pallidum* Say, 1824]

Mexico (VC) - Panama, wEcuador

Panama, Costa Rica (PA)

Guatemala

Venezuela

Mexico (DU)

Mexico (GR, OA), Honduras

swUSA (TX)

Argentina (BA)

wUSA (CA, OR)

Europe, Asia, Argentina (introduced)

Brazil, Paraguay, Argentina, Bolivia (SC)

Peru

Colombia (SU), Venezuela, Bolivia (SC)

Panama, Colombia (SU)

swUSA (AZ), Mexico (BC, CHA)

Panama, Costa Rica (PA), Venezuela, Brazil (Pará, Goiás)

Costa Rica, Panama (Chiriqui)

Mexico (OA, TB), Guatemala

Mexico (SI-VC)

Mexico (DU)

swUSA (AZ), Mexico, Nicaragua, Costa Rica

Mexico (BC, SO)

Mexico (BC, SI)

swUSA (TX)

Venezuela

Canada-Honduras, Costa Rica (GU)

- litturatum* Bates, 1885: 268
howdeni Knull, 1955: 139
mozinnae Linell, 1897: 395
multifarum Berg, 1889: 109
obliquum Martins & Galileo, 2003: 21
peculiare Martins & Galileo, 2011: 192
peninsulare Schaeffer, 1908: 338
brunneum Schaeffer, 1904: 223 [JsH; not Fabricius, 1792, in *Saperda*]
piperitum Bates, 1885: 269
planicolle Hovore & Chemsak, 1980: 49
quadrifasciatum Zajciw, 1965: 90
rubidum LeConte, 1850: 21
ruficollis Bates, 1885: 270
rufulum Gahan, 1908: 142
rubrum: Leng, 1885: 136 [Mld; not Newman, 1838]
semidiffusum Joly, 2010: 705
trifasciatum Bosq, 1951: 98
vicinum Gounelle, 1909: 686
xanthum Hovore & Chemsak, 1980: 43
swUSA (TX), Mexico (TA)
Brazil (RS), Paraguay, Argentina (MI)
Colombia
Trinidad & Tobago
Mexico (BC)
Panama
Mexico (NA)
Brazil (RJ)
eNorth America
Mexico (DU, JA, SI, SO), Honduras, Nicaragua, Costa Rica
eNorth America
Venezuela
French Guiana, Brazil (MA, BA, MT, SP), Bolivia (SC),
Argentina, Uruguay
Brazil (MG, BA, GO, PE), Bolivia (SC), Argentina (SA)
Mexico (CHS), Guatemala

Oemini Lacordaire, 1868: 216

- Oemides* Lacordaire, 1868: 216
Oeminae Pascoe, 1869: 498
Oemini Gounelle, 1909: 592

Amphelissoeme Martins, 1981: 15

- viridescens** Martins, 1981: 15
Brazil (BA)

Aponoeme Martins, 1985: 171

- Apanoeme* Martins & Galileo, 1998: 47
amazonica Martins, 1985: 171
castanea Martins & Galileo, 1997: 47
Brazil (AM)
Brazil (MS), Paraguay

Argentinoeme Bruch, 1911: 164

- pseudobscura** Di Iorio, 1995: 279
schulzi Bruch, 1911: 165
Argentina (ER)
Brazil (MT), Bolivia (SC, TR), Argentina

Atenizus Bates, 1867: 2

- Ceratoeme* Melzer, 1920: 426
apicalis Dalens & Touroult, 2014: 4
capixaba Martins, 1981: 10
castaneus Martins, 1981: 10
hylaeanus Martins, 1981: 11
laticeps Bates, 1867: 28
plaumanni Tippmann, 1960: 105
simplex Bates, 1884: 240
taunayi Melzer, 1920: 426
vittipennis Tippmann, 1960: 106
French Guiana
Brazil (ES)
Colombia, Venezuela
Brazil (MA, AM)
Honduras, El Salvador, Costa Rica, Panama, Brazil
Brazil (MS, PR), Bolivia (SC)
Honduras-Panama, Venezuela, French Guiana, Brazil (MA)
Brazil (MG, SP, PA)

Austroeme Martins, Chemsak & Linsley, 1966: 217

- femorata** Martins, 1997: 108
gentilis (Gounelle, 1909: 592)
fissithorax Gounelle, 1909: 593
modesta (Gounelle, 1909: 593)
Brazil (PI)
Brazil (GO, MA-RJ), Bolivia (SC)
Brazil (AC, GO), Uruguay

Biraoeme Santos-Silva, Nascimento & Botero, 2023: 1927

- costata** (Martins & Galileo, 2005: 765)
unicolor (Martins, 1981: 14)
Bolivia (SC)
Venezuela

- Chromoeme** Chemsak & Linsley, 1967: 36
angustissima (Buquet, 1857: 412) Brazil (ES-RS), Argentina, Uruguay
- Eudistenia** Fall, 1907: 82
costipennis Fall, 1907: 83 swUSA (CA)
- Euryprosopus** White, 1853: 136
clavipes White, 1853: 137 Brazil (ES-SP)
alexianus Buquet, 1853: 257
dardanus Buquet, 1853: 258
apicalis Buquet, 1853: 259
nigripennis Buquet, 1853: 260
cyanipennis Buquet, 1853: 260
chabrillaci Buquet, 1857: 411
opacipennis Martins, 1973: 202
- Gounelloeme** Monné & Martins, 1974: 22
Gounellea Martins, Chemsak & Linsley, 1966: 213 [JH; not Lane, 1964, Lamiinae]
echinoscapus (Gounelle, 1913: 196) Argentina (SE, SL)
- Haplidoeme** Chemsak & Linsley, 1965: 142
punctata Chemsak & Linsley, 1971: 118 Mexico (HI)
schlingeri Chemsak & Linsley, 1965: 143 swUSA (CA), Mexico (BC)
- Kalore** Martins & Galileo, 2006: 173
asanga Martins & Galileo, 2006: 174 Bolivia (SC)
minima Galileo & Martins, 2011: 576 Brazil (AM)
- Liberadaxia** Alten, Alten & Ramey, 2009: 1
deslauriersi Alten, Alten & Ramey, 2009: 1 Arizona , Utah
- Limernaea** Thomson, 1878: 20
Lymernaea: Thomson, 1878: 21 [ISS]
Sphagoeme Aurivillius, 1893: 178
acuta (Martins & Galileo, 1994: 685) Brazil (MG)
aurivillii (Gounelle, 1909: 598) Brazil, Paraguay
lineata (Martins, 1981: 16) Suriname, French Guiana
ochracea (Fisher, 1927: 23) Mexico (CHS), Costa Rica, Panama, Colombia
glabricollis Chemsak & Linsley, 1964: 218
paraensis (Martins, 1977: 84) French Guiana, Brazil (AM, PA)
picta Thomson, 1878: 21 Brazil
nigrotibialis Martins, 1973: 203
premarginata (Dalens & Touroult, 2014: 2) French Guiana
sahlbergi (Aurivillius, 1893: 179) Brazil (MT, BA-SC), Bolivia (SC)
bicolor Zajciw, 1960: 130
suturalis (Martins, 1977: 86) French Guiana, Brazil (PA, MA, MT)
- Macroeme** Aurivillius, 1893: 177
condyla (Martins, 1971: 60) Brazil (BA, MG)
cylindrica (Thomson, 1857: 122) Brazil (BA-ES)
decorata Buquet, 1860: 625
plana (Perty, 1832: 89) Brazil (MG, RJ)
chabrillacii Thomson, 1857: 121
priapica (Thomson, 1857: 121) Brazil, Bolivia (SC), Argentina, Paraguay, Uruguay
similis Martins & Galileo, 2011: 190 Bolivia (SC)
sobrina Gounelle, 1909: 595 Brazil (GO, MA, MT), Paraguay
vittipennis (Melzer, 1934: 213) French Guiana, Brazil (RR, AM, PA, MT)

Malacopterus Audinet-Serville, 1834: 565*Malacomacrus* White, 1853: 41*Malacoptera*: Chenu, 1870: 312 [ISS]*Ganimus* LeConte, 1873: 173**pavidus** (Germar, 1823: 506)*pallens* White, 1853: 41**tenellus** (Fabricius, 1801: 335)*lineatus* Guérin-Méneville, 1844: 222*mexicanus* Thomson, 1861: 248*vittatus* LeConte, 1873: 173

Brazil (GO, BA-RS), Paraguay, Argentina, Uruguay

swUSA (CA, AZ)-Colombia, Brazil, Bolivia (LP, SC)

Cuba, Guadeloupe, Jamaica, Dominican Republic

Martinsia Chemsak & Linsley, 1967: 35**ackermanni** Dalens & Robin, 2023: 1**cordigera** Touroult, Dalens & Tavakilian, 2010: 13**scabrosa** Chemsak & Linsley, 1967: 35

French Guiana (Apatou, la Trinite, Roura)

French Guiana, Brazil (Amapa)

Brazil (BA, MA), Bolivia (SC), Argentina (SA)

Metalloeme Touroult, Dalens & Tavakilian, 2010: 7**viridescens** Touroult, Dalens & Tavakilian, 2010: 11

French Guiana

Methioeme Zajciw, 1963: 56**brevipennis** Zajciw, 1963: 57

Brazil

Methioides Chemsak & Linsley, 1967: 31**cicatricosa** Chemsak & Linsley, 1967: 33

Brazil (BA)

Mimoeme Chemsak & Linsley, 1967: 37**lycoides** Chemsak & Linsley, 1967: 39**pseudamerica** Touroult, Dalens & Tavakilian, 2010: 6

Venezuela

French Guiana

Necydalosaurus Tippmann, 1960: 119**durantoni** Touroult & Tavakilian, 2008: 338**ichneumonides** Touroult & Tavakilian, 2008: 340**mysticus** Tippmann, 1960: 120

French Guiana

French Guiana

Panama, French Guiana, Peru

Neoeme Gounelle, 1909: 595**annulicornis** (Buquet, 1860: 627)*picticornis* Bates, 1870: 245var. *dubia* Melzer, 1928: 144**bouvieri** Gounelle, 1909: 595**hudepohli** (Martins & Monné, 1975: 270)**opaca** Zajciw, 1958: 446**pallida** (Buquet, 1860: 626)**quinquelineata** Zajciw, 1958: 448French Guiana, Brazil (AM, MA, BA-SC),
eEcuador, Paraguay, Bolivia (CO, SC)French Guiana, Brazil (MA, PA-PR), Peru, Bolivia (SC)
Bolivia (SC), Argentina (SA)

French Guiana, Brazil (AP, RO, MT), eEcuador

Brazil (ES, RJ)

Brazil (ES)

Nesoeme Linsley & Chemsak, 1966: 209**kuscheli** Linsley & Chemsak, 1966: 211

Ecuador (Galapagos Islands)

Ocroeme Martins, Chemsak & Linsley, 1966: 213**aspericollis** Martins, Chemsak & Linsley, 1966: 214**nana** (Bates, 1870: 247)**recki** (Melzer, 1931: 191)**tricolor** Martins, 1980: 227

Venezuela

Brazil (AM, RO, PA, MA)

Brazil, Bolivia (SC), Paraguay, Argentina, Uruguay

Brazil (MA, MT)

Oeme Newman, 1840: 8*Sclerocerus* LeConte, 1850: 20**costata** LeConte, 1873: 174*strangulata* Horn, 1880: 133*minutivestis* Casey, 1924: 251*californica* Linsley, 1934: 162

wUSA, Mexico

- subsp. **abietis** Chemsak, 1965: 352
rigida rigida (Say, 1826: 274)
linearis Harris, 1837: 85
indecora Newman, 1840: 8
subsp. **deserta** Casey, 1924: 252
strangulata: Craighead, 1923: 40 [Mld; not Horn, 1880]
incertula Casey, 1924: 252
subobsoleta Casey, 1924: 253
truncata Casey, 1924: 253
hirsuta Van Dyke, 1927: 99
rotundicollis Linsley, 1932: 116
- Paramartinsia** Martins & Galileo, 2005: 764
quadrimaculata Martins & Galileo, 2005: 765
- Paranoplium** Casey, 1924: 250
gracile gracile (LeConte, 1881: 27)
densicollis Casey, 1924: 250
subsp. **laticolle** (Linsley, 1934: 163)
- Paratemnopsis** Martins, 1978: 134
ambiguus (Melzer, 1927: 141)
- Phrynoeme** Martins, 1980: 228
Ochroeme (*Phrynoeme*) Martins, 1980: 228
cucullata (Gounelle, 1913: 199)
- Placoeme** Chemsak & Linsley, 1964: 45
vitticollis Chemsak & Linsley, 1964: 45
wappesi Galileo & Martins, 2010: 33
- Proeme** Martins, 1978: 118
asimoni Touroult, Dalens & Tavakilian, 2010: 4
bella Martins, 1978: 125
bucki (Melzer, 1931: 51)
cyanescens (Aurivillius, 1910: 145)
latipennis (Lane, 1973: 372)
lyciformis Martins, 1978: 124
plagiata (Buquet, 1860: 622)
rufithorax Aurivillius, 1893: 180
rufoscapus (Aurivillius, 1910: 145)
seabrai Martins, 1978: 120
- Sepaicuttea** Lane, 1972: 355
fisheri Lane, 1972: 356
- Sphalloeme** Melzer, 1928: 143
costipennis Melzer, 1928: 143
mexicana Galileo, Martins & Santos-Silva, 2015: 384
- Stenoeme** Gounelle, 1909: 597
aguilari Galileo & Martins, 2010: 32
annularis Martins, 1980: 224
bellarmini Gounelle, 1909: 598
furca Nascimento & Bravo, 2018: 581
iheringi Gounelle, 1909: 597
kempfi Martins, 1980: 223
- swUSA (CA)
eUSA-TX
- wUSA (TX, UT, AZ, CO)
- Bolivia (SC)
- wUSA (CA)
- wUSA (CA)
- Brazil (RJ-SC)
- Paraguay, Argentina
- Mexico (VC, QR), Guatemala, Costa Rica (GU)
Bolivia (SC)
- French Guiana
Brazil (AM)
Brazil (BA-RS, ES)
Brazil (ES)
Colombia, Ecuador
Brazil (MT)
Brazil (BA-RS), Paraguay, Argentina
- Brazil (MG-SC)
Brazil (PA, MT)
- Mexico (VC), Guatemala
- Honduras?, Brazil (BA, MG, ES-SC), Argentina (MI)
Mexico (NL)
- Brazil (SP), Paraguay
Brazil (BA, MG, ES)
Brazil (BA)
Brazil (BA)
Brazil (GO, PE)
Brazil (ES)

Temnopsis Audinet-Serville, 1834: 90**castanea** Martins, 1978: 129**fasciata** Galileo & Martins, 2003: 475**forticornis** (Tippmann, 1960: 102)**fuscipennis** Martins, 1978: 133**jolyi** Martins, 1978: 132**ignota** Santos-Silva, Nascimento & Botero, 2023: 1932**latifascia** Martins & Monné, 1975: 271**martinezi** Martins, 1985: 170**megacephala** (Germar, 1823: 509)*taeniatus* Audinet-Serville, 1834: 91var. *fuscipes* Lacordaire, 1868: 220**nigripes** Aurivillius, 1893: 179**oculata** Zajciw, 1960: 129*apicalis* Tippmann, 1960: 102**rubricollis** Martins, Galileo & Limeira-de-Oliveira, 2009: 510**spiculata** Botero and Santos-Silva, 2022: 9

Brazil (MT, BA, MG, RJ), Bolivia (SC), Argentina

Brazil (PA)

Brazil (GO, ES)

Brazil (PA, AM)

Venezuela

Brazil (Pernambuco, Amazonas)

Brazil (GO, MA, PE-RS), Bolivia (SC), Paraguay, Argentina

Bolivia (SC), Argentina (SL)

Brazil (CE, RN-RS), Paraguay, Argentina

Brazil (AM, BA-RJ), Peru

French Guiana, Brazil (PA, MT), Bolivia (SC)

Brazil (MA)

Bolivia (Beni)

Tristachycera Bates, 1872: 170*Trichachycera* Gilmour, 1968: 89**viridis** Bates, 1872: 171

Nicaragua, Costa Rica, Panama

Vandykea Linsley, 1932: 118**tuberculata** Linsley, 1932: 118

wUSA (CA)

Wappesoeme Galileo, Martins & Santos-Silva, 2015: 382**camiri** Galileo, Martins & Santos-Silva, 2015: 383

Bolivia (SC)

Xanthoeme Martins, 1980: 225**signaticornis** (Melzer, 1920: 421)

Brazil (BA-SC)

Opsimini LeConte, 1873: 294**Dicentrus** LeConte, 1880: 195*Paraopsimus* Champlain & Knull, 1926: 205**bidentatus** (Champlain & Knull, 1926: 205)**bluthneri** LeConte, 1880: 195*blunthneri* Deyrup, 1977: 181 [ISS]

nwUSA (OR)

wNorth America (Pacific Coast)

Opsimus Mannerheim, 1843: 305**quadrilineatus** Mannerheim, 1843: 305*quadrilineatus biplectralis* Casey, 1924: 229

wNorth America (Pacific Coast)

Oxycoleini Martins & Galileo, 2003: 52**Equescollum** Nascimento, Botero & Lezama, 2019: 2**birai** Nascimento, Botero & Lezama, 2019: 3

Costa Rica (SJ, GU, PA), Panama (Chiriqui)

Oxycoleus Lacordaire, 1868: 485*Stenoptrellus* Bates, 1870: 314*Merionoeda*: Bates, 1885: 287 [Mld; not Pascoe, 1858]*Oxylopsebus* Clarke, 2008: 62**bicolor** (Melzer, 1934: 214)**brachypterus** (Clarke, 2008: 66)**brasiliensis** (Tippmann, 1953: 223)**carinatipennis** (Zajciw, 1964: 249)**clavipes** Lacordaire, 1868: 485**culicinus** (Bates, 1870: 315)

Nicaragua, Honduras, Costa Rica

Bolivia (SC)

Brazil (RJ-SC)

Brazil (MG-SC)

Mexico (OA)

Costa Rica, Panama, Brazil (AM)

flavipes Martins & Galileo, 2006: 178
gratiosus (Bates, 1885: 287)
laetus Julio, 1997: 3
mirabilis Nascimento & Santos-Silva, 2021: 359
piceus Giesbert, 1993: 144
ruficollis (Zajciw, 1964: 250)
schusteri Perez-Flores & Santos-Silva, 2022: 3
similis Nascimento & Santos-Silva, 2021: 362

Bolivia (SC)
 Mexico (DU, VC)
 Brazil (MG, RO)
 Mexico (Chiapas), Guatemala (Baja Verapaz)
 Guatemala, Costa Rica (PA)
 Brazil (ES)
 Guatemala (Izabal)
 Panama (Chiriqui), Costa Rica (Guanacaste)

Tethlimmena Bates, 1872: 185

aliena Bates, 1872: 185
basalis Gahan, 1895: 111
obscura (Julio, 1997: 4)

Mexico (TB), Guatemala-Panama
 W Indies (St. Vincent)
 Brazil (GO, MT)

Wappesia Nascimento & Santos-Silva, 2021: 356

cyaneus (Martins & Galileo, 2005: 770)
gahani (Gounelle, 1911: 168)
tristis (Melzer, 1933: 373)
latipennis (Zajciw, 1964: 253)

Bolivia (CO)
 Brazil (MT, GO)
 Brazil (MG, SC)

Paraholopterini Martins, 1997: 201

Paraholopterus Cerda & Cekalovic, 1986: 189

nahuelbutensis Cerda & Cekalovic, 1986: 190

Chile

Phlyctaenodini Lacordaire, 1868: 370

Phlycténodides Lacordaire, 1868: 370

Ambeodontus Lacordaire, 1868: 374

Marileus Germain, 1897: 555

tristis Fabricius, 1775: 186
chiloensis Germain, 1897: 557

New Zealand, Tasmania, Chile

Ancylodonta Blanchard in Gay, 1851: 494

Semnus Lacordaire, 1868: 376

almeidai Mendes, 1946: 235
apipema Martins & Galileo, 2006: 175
glabripennis Zajciw, 1970: 502
nitidipennis Germain, 1898: 781
tristis: Fairmaire & Germain, 1859: 510 [Mld; not Blanchard, 1851]
phlyctaenioides Lacordaire, 1868: 376
tristis Blanchard in Gay, 1851: 494
granulata Germain, 1898: 762

Brazil (MG, RJ, SP)
 Bolivia (SC)
 Uruguay
 Chile
 Brazil (GO, MG, RJ)
 Chile

Ommidion Newman, 1840: 196

Ommatidion Gemminger & Harold, 1872: 2826 [UE]

mirim Martins, 1998: 10
modestum Newman, 1840: 196

Brazil (RJ)
 Brazil

Parasemnus Martins, 1998: 26

regalis Germain, 1894: 453

Chile

Phoracanthini Newman, 1840: 2

Phoracantha Newman, 1840: 19

recurva Newman, 1840: 19
semipunctata (Fabricius, 1775: 180)
inscripta Germar, 1848: 226

Australia. Introduced in swUSA (CA), Mexico, Brazil
 Australia. Introduced in swUSA (CA), Mexico (BC),
 Brazil, Ecuador, Bolivia (SC)

Piezocerini Lacordaire, 1868: 324*Piezocérides* Lacordaire, 1868: 204 (key), 324*Zelliboriinae* Lane, 1951: 5**Haruspicina** Martins, 1976: 199**Acruspex** Martins, 1976: 225*spinipennis* (Zajciw, 1970: 591)

French Guiana, Brazil (BA-ES)

Haruspex Thomson, 1864: 221*bivittis* (White, 1855: 220)Costa Rica-Panama, French Guiana, Brazil, Peru,
Bolivia (SC), Paraguay, Argentina*maculicornis* Bates, 1870: 281*agnatus* Melzer, 1934: 71*inermis* Belon, 1903: 48*ornatus* Bates, 1870: 281*pallidus* Gounelle, 1909: 652*brevipes* (White, 1855: 218)

Brazil (GO, BA-SC), Ecuador (Napo, Sucumbios)

celatus Lane, 1970: 59

Colombia

daithmus Martins, 1976: 207

Colombia

inscriptus Gahan, 1895: 107

Mexico-Colombia, Venezuela, Trinidad,

insularis Fisher, 1935: 195

W Indies (Barbados, Grenada)

similis Fisher, 1935: 196*insulsus* Martins & Galileo, 2005: 766

Costa Rica (GU), Panama

lineolatus Bates, 1870: 280

Venezuela, eEcuador, Guianas, Peru,

laevifemoratus Waterhouse, 1880: 294

Brazil (AM, AC), Bolivia (SC)

mentitus Martins, 1976: 214

Bolivia (LP, SC)

modestus (White, 1855: 239)

French Guiana, Brazil (AM, PA, GO)

pictilis Martins, 1976: 203

Brazil (BA, MG, RJ, SP)

quadripustulatus Gounelle, 1909: 651

Brazil, Bolivia (SC), Paraguay, Argentina, Uruguay

submaculatus (White, 1855: 220)

Colombia

Piezocerina Lacordaire, 1868: 204 (key), 324**Alienosternus** Martins, 1976: 230*cristatus* (Zajciw, 1970: 592)

Brazil (PI, GO, MA, MT)

metallicus Martins, 1976: 232

Brazil (MT)

sanjacintero Garcia, Botero & Martinez, 2019: 3

Colombia (Bolívar)

simplex Martins, 1976: 236

Argentina (SA, LR, SJ)

solitarius (Gounelle, 1909: 655)

Brazil (MA, GO, MG, MT)

wappesi Garcia, Botero & Martinez, 2019: 5

Bolivia (Santa Cruz)

Cicatrizocera Martins, 1976: 239*bilistrata* (Lane, 1959: 303)

French Guiana, Brazil (AM, PA)

Colynthaea Thomson, 1878: 5*coriacea* (Erichson in Schomburg, 1848: 573)

Guyana, French Guiana, Brazil (MA, PI-SC, MT)

grossa Thomson, 1878: 6**Gorybia** Pascoe, 1866: 481*abnormalis* Galileo & Martins, 2013: 6

Bolivia (SC)

acuta Martins, 1976: 332

Brazil (ES)

adiaphora Martins, 1976: 325

Brazil (GO, PE-RS)

alboapex Martins, 1976: 328

Venezuela

alveolata Galileo & Martins, 2013: 4

Bolivia (SC)

amazonensis Martins & Galileo, 2010: 590

Brazil (AM)

apatheia Martins, 1976: 355

Brazil (MG, ES, RJ, SP), Paraguay, Argentina

maculosa Martins, 1976: 353*armata* Martins, 1976: 314

Honduras?, Colombia, Venezuela

asyka Galileo & Martins, 2013: 2

Bolivia (SC)

bahiensis Galileo & Martins, 2010: 2
calcitrata Martins, 1976: 322
castanea (Gounelle, 1909: 653)
bispinosa Martins, Galileo & de-Oliveira, 2009: 510
chontalensis (Bates, 1880: 30)
clarkeorum Wappes, Botero and Santos-Silva, 2019: 6
echinata Martins, 1976: 320
florida Galileo & Martins, 2013: 6
galileoae Wappes, Botero and Santos-Silva, 2019: 4
guenda Galileo & Martins, 2013: 4
hirsutella Martins, 1976: 313
inarmata Galileo & Martins, 2013: 4
instita Martins, 1976: 305
invicta Martins, 1976: 317
lissonota Martins, 1976: 319
longithorax Galileo & Martins, 2013: 4
martes Pascoe, 1866: 481
martinsi Wappes, Botero and Santos-Silva, 2019: 2
minima Martins, 1976: 357
montana Martins & Galileo, 2007: 176
orygma Martins, 1976: 344
pallida Martins, 1976: 346
palpalis Martins, 1976: 349
picturata Martins, 1976: 352
pilosa Martins, 1976: 332
procera Martins, 1976: 312
proxima Martins, 1976: 336
pusilla (Bates, 1870: 282)
quadrispinosa Galileo & Martins, 2008: 51
reclusa Martins, 1976: 341
rondonia Galileo & Martins, 2010: 2
ruficauda (Gounelle, 1909: 654)
rugosa Martins, 1976: 358
semiopaca Martins, 1976: 311
senticosa Martins, 1976: 324
separata Martins, 1976: 339
simplicior (Bates, 1870: 282)
stomias Martins, 1976: 348
sulcata Martins & Galileo, 2010: 590
suturella Martins, 1976: 342
thoracica Martins, 1976: 330
tibialis Martins, 1976: 328
tuberosa Galileo & Martins, 2013: 2
umbella Martins, 1976: 356
veneficella Martins, 1976: 307
wappesi Galileo & Martins, 2013: 6
zonula Martins, 1976: 343

Hemilissa Pascoe, 1858: 238

bifasciata Garcia, Botero & Martinez, 2019: 7
birai Galileo, Bezark & Santos-Silva, 2016: 10
catapotia Martins, 1976: 293
claudiae Garcia, Botero & Martinez, 2019: 11
cornuta Bates, 1870: 284
laevigata Thomson, 1878: 3
emblema Martins, 1976: 284
erikae Garcia, Botero & Martinez, 2019: 9
fabulosa Martins, 1985: 175
gummosa (Perty, 1832: 90)
opaca Martins, 1976: 289
picturata Galileo & Martins, 2000: 164
quadrispinosa Gounelle, 1913: 213

Brazil (BA)
 Argentina (FO)
 Brazil (MA, MG, PI, GO, DF, SP, MT, MS, RS)

Nicaragua-Panama
 Bolivia (SC)
 Brazil (ES)
 Bolivia (SC)
 Bolivia (SC)
 Bolivia (SC)
 Brazil (BA, ES)
 Bolivia (SC)
 Brazil (GO, MA-MG), Bolivia (SC)
 Brazil (BA, MG, ES), Bolivia (SC)
 Brazil (MA, ES)
 Bolivia (SC)
 Brazil (BA-SC), Paraguay, Argentina
 Bolivia (SC)
 Brazil (PE)
 French Guiana
 Brazil (AP)
 Peru
 Brazil (PR-RS)
 Brazil (SP), Bolivia (SC)
 Brazil (MS)
 Brazil (AM, MT)
 Brazil (BA, MG, SP, RS, MS), Paraguay
 French Guiana, Brazil (AM, PA)
 French Guiana, Bolivia (SC),
 Guatemala-Panama
 Brazil (RO)
 Brazil (GO, MA, MT, MG, SP)
 Brazil (MA, BA)
 French Guiana, Brazil (AC), Bolivia (SC)
 Brazil (MG)
 Brazil (BA)
 Brazil (RO, GO, MT, BA, MG, ES, RJ)
 Brazil (RJ)
 Brazil (AM)
 French Guiana, Brazil (MA, MT), Bolivia (SC)
 Argentina (SA)
 Costa Rica (PA), Panama, Venezuela
 Bolivia (SC)
 Brazil (BA, RS)
 Brazil (GO, MG, MT), Bolivia (SC)
 Bolivia (SC)
 Brazil (MG, SP)

Colombia (Bolívar)
 Brazil (RO)
 French Guiana, Brazil (AP, PA, MT)
 Colombia (Bolívar)
 French Guiana, Brazil (AM, MT), Peru, Bolivia (SC)

Venezuela, Bolivia (SC)
 Colombia (Bolívar)
 Venezuela
 Brazil, Bolivia (SC), Paraguay, Argentina
 Colombia, Venezuela, Guianas, Brazil
 Venezuela
 Brazil (AM, MT), Peru, Bolivia (BN, SC), Argentina

rufa Melzer, 1934: 73
sulcicollis Bates, 1870: 284
undulaticollis Zajciw, 1960: 399
violascens? (Perty, 1832: 90)

Costa Rica
 Costa Rica, French Guiana, Brazil, Bolivia (BN, SC), Argentina
 Brazil (ES)
 Brazil (BA)

Migmocera Martins, 1976: 237
flavicauda (Bates, 1885: 258)

Guatemala

Migorybia Martins, 1985: 175
miranda Martins, 1985: 175
santossilvai Garcia, Botero & Martinez, 2019: 15

Venezuela
 Colombia (Bolívar)

Othnocerus Martins, 1976: 276
aethes Martins, 1976: 277

Brazil (ES)

Pharcidodes Martins, 1976: 359
divisus Martins, 1976: 362
nigripennis Martins, 1985: 177
rubiginosus (Thomson, 1878: 4)
 var. *apicalis* Gounelle, 1909: 653
suturalis (Gounelle, 1909: 653)

Brazil (RJ, PR)
 Brazil (BA)
 Brazil (BA-RJ)
 Brazil (RO, GO, MT, MG), Bolivia (SC), Paraguay, Argentina

Piezarina Martins, 1976: 250
smaragdina Martins, 1976: 250

Costa Rica, Panama, French Guiana,
 Brazil (AM, PA, MA, MT), Bolivia (SC)

Piezasteria Martins, 1976: 245
helenae Martins, 1985: 176
sternalis Martins, 1976: 246

Costa Rica, Colombia
 French Guiana, Brazil (GO, MT, ES), Bolivia (SC)

Piezocera Audinet-Serville, 1834: 92
Pyrgotes Bates, 1867: 27
advena Martins, 1976: 268
aenea (Bates, 1867: 27)
araujosilvai Melzer, 1935: 174
ataxia Martins, 1976: 267
bivittata Audinet-Serville, 1834: 93
costula Martins, 1976: 264
flavipennis (Zajciw, 1970: 593)
gratiosa Lameere, 1893: 273
monochroa Bates, 1885: 258
 serraticollis Linell, 1897: 394
nodicollis Melzer, 1934: 72
rufula Martins & Galileo, 2010: 567
silvia Galileo & Martins, 2000: 163

Venezuela
 Brazil (AM)
 Brazil (BA-RJ), Paraguay
 French Guiana, Brazil (PA, MT, BA), Bolivia (SC)
 Brazil (BA-SC), Paraguay
 Brazil (MS, SP), Bolivia (SC)
 Brazil (PA), Peru, Bolivia (SC)
 Venezuela
 swUSA (TX), Mexico (CHS, VC, OA)-Costa Rica
 Brazil (ES-RS), Paraguay
 Trinidad & Tobago
 Colombia

Piezogenista Martins, 1976: 255
callytra Martins, 1976: 257

Brazil (BA)

Pseudocolynthaea Martins, 1976: 244
pectoralis Martins, 1976: 244

Brazil (BA-ES, PR), Argentina (MI)

Thyellocerus Martins, 1976: 248
fulgidipennis (Gounelle, 1909: 652)

French Guiana, Brazil (AM, GO, MT), Bolivia (SC, TR),
 Peru, Paraguay, Argentina

Zelliboria Lane, 1951: 5
daedalea (Perty, 1832: 98)

Guyana, French Guiana, Brazil

Platyarthrini Bates, 1870: 419*Coelarthrides* Lacordaire, 1868: 405 (key); 1869: 139 *Nomen nudum***Platyarthron** Guérin-Méneville, 1844: 230*Coelomarthron* Thomson, 1861: 199*Coelarthron* Lacordaire, 1869: 142 [UE of *Coelomarthron* Thomson, 1861]*Platyarthrum* Agassiz, 1846: 295 [UE]**bilineatum** Guérin-Méneville, 1844: 230

Mexico (VC), Guatemala, Honduras

chilense (Thomson, 1861: 200)

Nicaragua, Costa Rica

quadrinotatum Bates, 1869: 385**laterale** Bates, 1885: 316

Nicaragua, Costa Rica

rectilineum Bates, 1880: 70

Mexico (CHS), Guatemala

semivittatum Bates, 1885: 316

Costa Rica, Panama

villiersi Delfino, 1985: 500

wEcuador

Plectromerini Nearn & Branham, 2008: 19**Plectromerus** Haldeman, 1847: 43*Pentomacrus* White, 1855: 297*Curiosa* Micheli, 1983: 262**acunai** (Fisher, 1936: 344)

Cuba

bidentatus Fisher, 1942: 16

Dominican Republic

dentipes (Olivier, 1790: 268)

SE USA to CA, Cuba, Bahamas

dentatum JE Leconte, 1824: 172*scambus* Newman, 1841: 79*costatus* Cazier & Lacey, 1952: 30**dezayasi** Nearn & Branham, 2008: 28

Nicaragua

distinctus (Cameron, 1910: 186)

Haiti, Dominican Republic

crenulatus Cazier, 1952: 1)**dominicanus** (Micheli, 1983: 262)

Dominican Republic

exis Zayas, 1975: 123

Cuba, Dominican Republic, Jamaica

fasciatus (Gahan, 1895: 109)

St Vincent, Grenada, Montserrat, Grenadines

femoratus (Fabricius, 1792: 316)

Jamaica

femoratus White, 1855: 297**giesberti** Nearn & Branham, 2008: 36

Guatemala

grimaldii Nearn & Branham, 2005: 19

Dominican Republic (fossil)

hovorei Nearn & Branham, 2008: 38

Honduras, Nicaragua, Costa Rica (GU)

josephi Nearn & Branham, 2008: 40

Dominican Republic

lingafelteri Micheli & Nearn, 2005: 25

Dominican Republic

michelii Nearn & Branham, 2008: 42

Grand Cayman Island

morrisi Nearn & Branham, 2008: 43

Panama

navassae Nearn & Steiner, 2006: 63

Navassa Island

ornatus Fisher, 1947: 34

Cuba

pinicola Zayas, 1975: 125

Cuba

pseudoexis Vitali & Haxaire, 2007: 60

Jamaica

pumilus Cazier & Lacey, 1952: 33

Cuba, Bahamas

ramosi Micheli & Nearn, 2005: 30

Puerto Rico, Virgin Islands

roncavei Nearn & Miller, 2009: 56

Honduras

serratus (Cameron, 1910: 185)

Haiti, Dominican Republic

tertiarius Vitali, 2004: 453

Dominican Republic (fossil)

thomasi Nearn & Branham, 2008: 51

Haiti

turnbowi Nearn & Branham, 2008: 52

Dominican Republic

unidentatus Fisher, 1942: 17

Jamaica

wappesi Giesbert, 1985: 81

Mexico (QR), Honduras, Jamaica

Pleiarthrocerini Lane, 1950: 371**Pleiarthrocerus** Bruch, 1914: 340**opacus** Bruch, 1914: 341

Brazil (AP, PB, PE, BA), Bolivia (SC), Argentina (SA, TU)

Plesioclytini Wappes & Skelly, 2015: 2**Plesioclytus** Giesbert, 1993: 129**morrissi** Wappes & Skelly, 2015: 3

se USA (Georgia)

relictus Giesbert, 1993: 129

seUSA (FL)

Proholopterini Monné, 2012: 44**Neholopterus** Martins & Monné, 1998: 59**antarcticus** (Aurivillius, 1910: 148)

Chile, Argentina

ochraceus (Bruch, 1918: 14)

Argentina (CT)

reedi (Bruch, 1918: 16)

Argentina (ME)

richteri (Bruch, 1918: 18)

Argentina (CT)

Proholopterus Monné, 2012: 44 [RN]*Holopterus* Blanchard in Gay, 1851: 475 [JH; not Brehm, 1845, Aves]**annulicornis** (Philippi & Philippi, 1859: 674)

Chile, Argentina (NE, SC)

araneipes Fairmaire & Germain, 1859: 500**chilensis** (Blanchard in Gay, 1851: 476)

Chile

laevigatus (Philippi & Philippi, 1859: 675)

Chile

compressicornis Fairmaire & Germain, 1859: 501**Stenophantes** Burmeister, 1861: 314**herrerae** Cerda, 1987: 187

Chile

longipes Burmeister, 1861: 314

Bolivia, Argentina

cujanus Burmeister, 1865: 174*sublineatus* Fairmaire, 1864: 273**martinezi** Cerda, 1980: 91

Argentina (NE)

patagonicus Bruch, 1918: 12

Argentina (CT)

Psebiini Lacordaire, 1868: 479*Psébiides* Lacordaire, 1868: 403 (key), 479*Gracilaires* Mulsant, 1839: 99 (part)*Leptideites* Fairmaire in Jacquelin du Val, 1864: 193*Cambainae* Lane, 1951: 12*Nathriini* Linsley, 1963: 153**Dodecocerus** Dalens & Touroult, 2008: 305**poirieri** Dalens & Touroult 2008: 305

French Guiana

Fron dipedia Martins & Napp, 1984: 321**charma** Martins & Napp, 1984: 322

Brazil (SC)

Hovorea Chemsak & Noguera, 1993: 72**chica** Chemsak & Noguera, 1993: 73

Mexico (JA)

Nathriobrium Hovore, 1980: 115**methioides** Hovore, 1980: 116

swUSA (TX)

Nathrius Bréthes, 1916: 76*Leptidea* Mulsant, 1839: 105 [JH; not Billberg, 1820, Lepidoptera]*Leptideella* Strand, 1936: 169 [RN for *Leptidea* Mulsant, 1839]*Deuteroleptidea* Paclt, 1946: 169 [RN for *Leptidea* Mulsant, 1839]**brevipennis** (Mulsant, 1839: 105)*minuta* Motschulsky, 1845: 84*manca* LeConte, 1850: 24*rufipennis* Dufour, 1851: 351*porteri* Bréthes, 1916: 77Europe; introduced in wUSA, Argentina,
Chile, Uruguay**Paraleptidea** Gounelle, 1913: 218*Cambaia* Lane, 1951: 12*Necydaliella* Zajciw, 1960: 55**femorata** Gounelle, 1913: 219**longitarsis** (Lane, 1951: 13)**sanmartini** (Zajciw, 1960: 56)*femorata*: Monné & Zajciw, 1970: 30 [Mld; not Gounelle, 1913]

Argentina (SE)

Brazil (RJ, SP)

Brazil (RS), Argentina (ER), Uruguay

Pseudocephalini Aurivillius, 1912: 154*Ametrocephalita* Thomson, 1861: 256**Pseudocephalus** Newman, 1842: 353*Pseudocephala*: Pascoe, 1862: 361 [ISS]*Ametrocephala* Blanchard in Gay, 1851: 480*Orthocephala* Thomson, 1861: 257 [URN for *Pseudocephalus* Newman]*Orthocephalus*: Pascoe, 1862: 361 [ISS for *Orthocephala* Newman]*Attodera* Thomson in Pascoe, 1862: 361 [URN for *Orthocephala* Newman]*Amethrocephala*: Thomson, 1864: 139 [ISS for *Ametrocephala* Blanchard in Gay, 1851]**monstrosus** (Blanchard in Gay, 1851: 481)

Chile

auromaculatus Cerda, 1980: 66**Pteroplatini** Thomson, 1861: 138**Aphylax** Lacordaire, 1869: 165**lyciformis** (Germar, 1823: 502)*mentiens* Lacordaire, 1869: 165*lyciformis bahiae* Aurivillius, 1926: 3Brazil (GO, BA-RS, MS), Paraguay, Argentina,
Uruguay**Corynellus** Bates, 1885: 318**arrogans** (Buquet, 1840: 287)**aureus** Linsley, 1961: 6**cinnabarinus** Chemsak & Linsley, 1979: 269**elianae** Santos-Silva & Wappes, 2020: 4**lampyrimorphus** Swift, 2008: 5**lutescens** Noguera & Gutierrez, 2019: 7**mimulus** Bates, 1885: 319**ochraceus** Bates, 1885: 319**rebecca** Santos-Silva & Wappes, 2020: 2

Colombia

Colombia

Guatemala-Costa Rica

Panama (Panama)

Costa Rica (GU)

Mexico (Veracruz)

Mexico

Costa Rica, Panama

Bolivia (SC)

Cosmoplatus Aurivillius, 1891: 101**brasilianus** Zajciw, 1963: 62**peruvianus** Aurivillius, 1891: 102**polis** Hernandez, Santos-Silva & Nascimento, 2019: 88

Brazil (AM)

Peru, Bolivia (SC)

Peru (Loreto)

Deltosoma Thomson, 1864: 258**fernandezi** Dalens & Giuglaris, 2014: 6**flavidum** Aurivillius, 1925: 489**guatemalense** Bates, 1880: 72**humeralis** Dalens & Giuglaris, 2014: 4

French Guiana, Brazil (RO)

Costa Rica, Panama

Mexico (CHS)-Honduras, Costa Rica (PA)

French Guiana

lacordairei Thomson, 1864: 258
xerophilum Di Iorio, 1995: 208
hovorella Di Iorio, 2003: 6

French Guiana, Brazil (AC, AM), Ecuador, Bolivia (SC)
 Brazil (SP, PA, MA, MG), Bolivia (SC), Paraguay

Nubosoplatus Swift, 2008: 2
inbio Swift, 2008: 3

Costa Rica (GU), Panama

Pteroplatus Buquet, 1840: 287
anchora Belon, 1903: 52
antonkozlovi Santos-Silva & Botero, 2020: 2
fasciatus Buquet, 1841: 151
gracilis Buquet, 1840: 287
rostainei Buquet, 1840: 287
caudatus Martins & Galileo, 2013: 573
luculentus Botero, Santos-Silva & Bezark, 2019: 81
pallidicolor Martins & Galileo, 2013: 575
pulcher Buquet, 1840: 287
rostainei Buquet, 1840: 287
suturalis Buquet, 1840: 287
fasciatus Buquet, 1841: 151
elegans Buquet, 1841: 152
dimidiatipennis Buquet, 1841: 153
nigriventris Breme, 1844: 309
transversalis Breme, 1844: 309
atroviolaceus Kirsch, 1889: 39
caudatus Martins & Galileo, 2013: 573
quadriscolatus Bates, 1880: 73
terminalis Bates, 1885: 317
variabilis Sallé, 1849: 430

Bolivia (CO, LP, SC)
 Panama (Bocas del Toro)

Colombia (BO, CU, QU, SA), Peru (Junin)

Colombia (Cesar), Ecuador (Loja)
 Peru (Cajamarca)
 Colombia (BO, CU, NS, PU), Ecuador (Loja, Napo)

Mexico, Guatemala, Honduras, Nicaragua

Colombia, Venezuela

Thelgetra Thomson, 1864: 258
adusta (Burmeister, 1865: 165)
latipennis Thomson, 1864: 258
radiatus Haase, 1893: est 13

Brazil, Bolivia (CO), Paraguay, Argentina, Uruguay
 Brazil (BA-RS), Paraguay, Argentina, Uruguay

Rhinotragini Thomson, 1861: 133

Acatinga Santos-Silva, Martins & Clarke, 2010: 606
boucheri (Tavakilian & Peñaherrera-Leiva, 2005: 28)
gallardi (Peñaherrera-Leiva & Tavakilian, 2004: 126)
maia (Newman, 1841: 92)
alboscuteolata Fisher, 1947: 4
quinquemaculata (Zajciw, 1966: 89)

French Guiana
 French Guiana, Trinidad & Tobago
 Brazil (BA-RS), Argentina, Uruguay

Brazil (MT, RO), Peru

Acorethra Bates, 1873: 126
aureofasciata Gounelle, 1911: 164
chrysaspis Bates, 1873: 126

Brazil (GO)
 Brazil (MG, ES, RJ, SP)

Acutiphoderes Clarke, 2015: 24
baeri (Gounelle, 1913: 222)
 ab. *flavonotata* Gounelle, 1913: 223
 ab. *biannulata* Gounelle, 1913: 223
necydalea (Linnaeus, 1758: 399)
glauescens Linnaeus, 1767: 642
nitida Degeer, 1775: 153
odyneroides White, 1855: 196

Brazil (RS), Bolivia, Paraguay, Argentina, Uruguay

Brazil (PA, GO), French Guiana, Peru, Ecuador

Acyderophes Clarke, 2015: 30
fulgida (Chemsak & Linsley, 1979: 76)

Mexico (VC)-Costa Rica

Acyphoderes Audinet-Serville, 1834: 549

- abdominalis** (Olivier, 1800: [no 74] 8)
olivieri Bates, 1870: 328
amboroensis Clarke, 2013: 374
auricapilla Fisher, 1947: 3
azureopallescens Tippmann, 1953: 210
aurulenta (Kirby, 1818: 443)
sericinus White, 1855: 195
abdominalis: Gahan, 1895: 111 [Mld; not Olivier, 1800]
carinicollis Bates, 1873: 119
var. *nigricans* Gounelle, 1911: 150
crinita (Klug, 1825: 474)
moestus Bates, 1873: 117
hirtipes (Klug, 1825: 473)
femoratus Klug, 1825: 475
brachialis Pascoe, 1862: 369
rufofemorata Fisher, 1930: 12
rubrohirsutotibialis Tippmann, 1953: 210

Nicaragua-Panama, Brazil (AM, GO, MT),
Guyana, French Guiana, eEcuador, Peru, Bolivia (SC)
Bolivia (SC)
Brazil (SP, PR), Paraguay

Brazil (GO, BA-RS), Argentina, Uruguay

Brazil (GO, BA-RS), Bolivia (SC), Paraguay,
Argentina, Uruguay
Brazil (MA, ES-RS), Bolivia, Paraguay,
Argentina
Brazil (BA-RS), Argentina

Bolivia (SC)

Adepimelitta Clarke, 2016: 28

- debilis** (Gounelle, 1911: 59)
eupheme (Lameere, 1884: 89)
cazieri Fisher, 1952: 4

Brazil (GO, BA, MG), Bolivia (BO)
Brazil (SC)

Aechmutes Bates, 1867: 23

- armatus** Gounelle, 1911: 120
boliviensis Clarke, 2011: 71
lycoides Bates, 1867: 23
subandinus Clarke, 2011: 74

Peru
Bolivia (SC)
Panama, Suriname, Brazil (AM, RO)
Bolivia (SC)

Agaone Pascoe, 1859: 22

Cantharoxylum Linsley, 1934: 346
Cantharoxylum: Neave, 1939: 572 [ISS of *Cantharoxylum* Linsley, 1934]

- amazonica** Bezark, Santos-Silva & Martins, 2011: 62
bicolor (Linsley, 1934: 347)
notabilis (White, 1855: 199)
peruviensis (Fisher, 1952: 10)
punctilla Martins & Santos-Silva, 2010: 404

Brazil (PA)
Panama
Guyana, French Guiana, Brazil, Ecuador, Peru,
Ecuador, Peru, Bolivia (SC), Brazil (AM, RO)
Brazil (BA, ES, MG, RJ)

Amborotragus Clarke, 2013: 390

- vestigepimeron** Clarke, 2013: 392

Bolivia (SC)

Ameriphoderes Clarke, 2015: 38

- acutipennis** (Thomson, 1861: 179)
amoena (Chemsak & Linsley, 1979: 74)
argenteolineata Santos-Silva & Bezark, 2016: 543
ayalai (Chemsak & Linsley, 1988: 124)
bayanicus (Giesbert, 1991: 381)
cribricollis (Bates, 1892: 160)
magna (Giesbert, 1991: 381)
parva (Chemsak & Linsley, 1979: 79)
prolixa (Chemsak & Linsley, 1979: 78)
suavis (Bates, 1885: 290)
velutina (Bates, 1885: 290)
yucateca (Bates, 1892: 159)

Mexico (CM, OA, VC)-Honduras
Mexico (SI, NA, JA, OA), Guatemala (Zacapa)
Mexico (CH), Guatemala
Mexico (JA)
Costa Rica, Panama
Mexico, Guatemala, Costa Rica
Mexico (CHS), Guatemala (HU)
Mexico (SI, NA, JA)
Mexico (CM)
swUSA (sTX), Mexico-Costa Rica
Guatemala, Honduras
Mexico (CA, CHS, QR, YU), Honduras

Amerispheca Clarke, 2015: 50

- delicata** (Horn, 1894: 400)

Mexico (BC)

- Anomaloderes** Clarke, 2015: 27
itaiuba (Martins & Galileo, 2004: 230) Venezuela
- Anomalotragus** Clarke, 2010: 240
morrisi Clarke, 2010: 242 Bolivia (SC)
recurvielytra Clarke, 2010: 241 Bolivia (SC)
- Antennommata** Clarke, 2010: 243
brunnea Joly, Vigneault & Santos-Silva, 2017: 24 Venezuela
costata Clarke, 2010: 244 Bolivia (SC)
- Apostropha** Bates, 1873: 130
curvipennis Bates, 1873: 130 Brazil (MG-SC)
bivitticollis Zajciw, 1963: 245
- Brachyphoderes** Clarke, 2015: 53
dehiscens (Chemsak, 1997: 15) El Salvador
longicollis (Chemsak & Noguera, 1993: 80) Mexico (JA)
- Bromiades** Thomson, 1864: 165
brachyptera (Chevrolat in Guérin-Méneville, 1838: 285) Cuba, Mexico-Colombia
meridionalis Fisher, 1930: 14
- Caprichasia** Clarke, 2013: 246
serjaniaphila Clarke, 2013: 247 Bolivia (SC)
tommyi (Hovore, 1989: 250) Guatemala, Nicaragua, Costa Rica, Panama
- Carenoptomerus** Tavakilian & Peñaherrera-Leiva, 2003: 280
guyanensis Tavakilian & Peñaherrera-Leiva, 2003: 280 French Guiana
- Catorthontus** Waterhouse, 1880: 487
collaris Waterhouse, 1880: 487 eEcuador, Brazil (AM)
- Chariergodes** Zajciw, 1963: 241
anceps (Melzer, 1927: 563) Brazil (MG-SC)
carinicollis (Zajciw, 1963: 241) Brazil (ES-SP)
flava (Zajciw, 1963: 243) Brazil (RJ)
lingafelteri Wappes & Santos-Silva, 2017: 10 Costa Rica (GU), Panama
turrialbae (Giesbert, 1991: 388) Costa Rica
- Charisia** Champion, 1892: 161 [RN]
Charis Newman, 1840: 21 [JH; not Hübner, 1816, Lepidoptera]
bleuzeni Peñaherrera-Leiva & Tavakilian, 2003: 208 French Guiana
durantoni Peñaherrera-Leiva & Tavakilian, 2003: 206 French Guiana
euphrosyne (Newman, 1840: 21) Brazil (ES, RJ)
hirsutipennis Zajciw, 1973: 14
melanaria (Gounelle, 1911: 159) Brazil (GO, RJ)
mneme (Newman, 1841: 90) Brazil (ES-SC)
ornaticollis (Zajciw, 1973: 13) Brazil (ES, RJ)
- Chrysaethe** Bates, 1873: 27
amboroensis (Clarke, 2010: 253) Bolivia (SC)
amoena (Gounelle, 1911: 124) Brazil (GO), Paraguay
laceyi Fisher, 1952: 11
asperiventris (Bates, 1872: 184) Brazil (MG-RJ)
atrata (Bates, 1872: 184) Brazil (GO, ES-RS)
subsp. *guianensis* (Tavakilian & Peñaherrera-Leiva, 2005: 29) French Guiana

atrocephala (Fisher, 1947: 1)
aurantipennis (Giesbert, 1991: 387)
aurata (Bates, 1870: 320)
aureicollis (Aurivillius, 1920: 363)
 ab. *discinotata* Aurivillius, 1920: 363
beltiana (Bates, 1872: 184)
cyanipennis (Bates, 1872: 184)
globulicollis (Melzer, 1935: 181)
iodes (Bates, 1885: 288)
jorgei (Tavakilian & Peñaherrera-Leiva, 2003: 305)
lazzoi Clarke, 2013: 380
ochraceicollis (Zajciw, 1965: 121)
panamensis Bezark & Santos-Silva, 2016: 239
smaragdina (Bates, 1870: 320)
viriditincta (Giesbert, 1991: 387)

Chrysommata Peñaherrera-Leiva & Tavakilian, 2003: 190
keithi (Tavakilian & Peñaherrera-Leiva, 2003: 304)
lauracea (Peñaherrera-Leiva & Tavakilian, 2003: 193)

Clepitoides Clarke, 2009: 570
anae Clarke, 2009: 571
crocata (Bates, 1873: 39)
gerardi Clarke, 2009: 573
neei Clarke, 2009: 573
pallidicornis (Zajciw, 1966: 346)
picturata (Gounelle, 1911: 24)
thomasi Santos-Silva, Martins & Clarke, 2013: 411

Corallancyla Tippmann, 1960: 137
durantoni Peñaherrera-Leiva & Tavakilian, 2003: 177
neotropica Tippmann, 1960: 138

Crossomeles Chemsak & Noguera, 1993: 82
acutipennis Chemsak & Noguera, 1993: 84
aureopilis (Fisher, 1953: 16)
copei Nearn & Swift, 2022: 40
oscarcastilloi Nearn & Swift, 2022: 42

Cylindrommata Tippmann, 1960: 122
aurantia Monné & Mermudes, 2009: 2644
longissima Tippmann, 1960: 124
lustrata Monné & Mermudes, 2009: 2645
susanae Monné & Mermudes, 2009: 2646
willersi Santos-Silva & Martins, 2013: 25

Eclipta Bates, 1873: 29
abertlenci (Tavakilian & Peñaherrera-Leiva, 2005: 32)
aegrota (Bates, 1872: 233)
amabilis (Melzer, 1934: 216)
amanoaphila Peñaherrera-Leiva & Tavakilian, 2003: 201
anoguttata (Bates, 1873: 35)
astrigae (Tavakilian & Peñaherrera-Leiva, 2003: 296)
atripes (Fisher, 1952: 13)
bilineaticollis (Zajciw, 1965: 124)
bipunctata (Melzer, 1934: 219)
birai Bezark, et. al. 2015: 66
bistriaticollis (Zajciw, 1965: 125)
bivittata (Fuchs, 1961: 11)
brachialis (Bates, 1873: 31)

Brazil (RJ-SC)
 Nicaragua, Costa Rica, Panama
 Brazil (AM), Bolivia (SC)
 Brazil (ES, RJ)

Nicaragua, Costa Rica
 Nicaragua-Panama
 Brazil (SC)
 Panama
 French Guiana
 Bolivia (SC)
 French Guiana, Peru, Bolivia
 Panama
 French Guiana, Brazil (AM)
 Mexico (GR)

French Guiana
 French Guiana

Bolivia (SC)
 Brazil (MG, RJ)
 Bolivia (SC)
 Bolivia (SC)
 Brazil (MG, ES, RJ)
 Brazil (ES, RS)
 Brazil (SC, MS, ES, PA), Paraguay, Argentina

French Guiana
 Brazil (SP, PR, SC)

Mexico-Costa Rica, Panama
 Mexico (VC, JA-YU)
 Mexico (Quintana Roo)
 Costa Rica (Puntarenas)

Brazil (RJ, SP)
 Brazil (SC, SP)
 Brazil (MG)
 Brazil (MG, RJ)
 Brazil (SC)

French Guiana
 Nicaragua
 Brazil (RS), Argentina, Uruguay
 French Guiana
 Brazil (RJ-PR)
 French Guiana
 Brazil (SC)
 Brazil (RJ)
 Brazil (PR-RS)
 Brazil (SP)
 Brazil (RJ)
 Brazil (SC)
 Brazil (RJ, SP)

- brevipennis** (Melzer, 1934: 217)
 var. *flavofemorata* Fisher, 1937: 150
 var. *fulvipes* Fisher, 1947: 50
 var. *sanguinicollis* Fisher, 1947: 50
- castanea** (Bates, 1873: 29)
- championella** (Bates, 1880: 42)
rubriventris Linsley, 1934: 347
- cribripennis** (Bates, 1873: 33)
- curtipennis** (Zajciw, 1966: 325)
- cyanea** (Bates, 1885: 288)
- dendensis** Nascimento & Santos-Silva, 2018: 1
- discolor** (Gounelle, 1911: 136)
- eirene** (Newman, 1841: 92)
- eperuaphila** (Tavakilian & Peñaherrera-Leiva, 2005: 31)
- erythrodera** (Bates, 1873: 33)
- faurei** Peñaherrera-Leiva & Tavakilian, 2003: 198
- ficta** Bezark, Martins & Santos-Silva, 2013: 188
- flavicollis** (Bates, 1873: 30)
- fritschei** (Gounelle, 1913: 386)
- gracilis** (Fisher, 1952: 15)
- guanensis** (Peñaherrera-Leiva & Tavakilian, 2004: 131)
- lanuginosa** (Bates, 1873: 32)
- lateralis** (Fisher, 1952: 12)
- liturifera** (Bates, 1873: 31)
lutifera Blackwelder, 1946: 576
- lucida** Bezark, Martins & Santos-Silva, 2013: 189
- malacodermoides** (Peñaherrera-Leiva & Tavakilian, 2003: 200)
- malthinoides** (Bates, 1870: 319)
- melzeri** (Zajciw, 1967: 199)
- minuens** (Giesbert, 1991: 390)
- nais** (Gounelle, 1911: 130)
- nearnsi** Wappes & Santos-Silva, 2017: 3
- nigriventris** (Melzer, 1934: 218)
 m. *impunctata* Fuchs, 1961: 15
- notaticollis** (Gounelle, 1911: 133)
- notatipes** (Tavakilian & Peñaherrera-Leiva, 2005: 33)
- perplexa** (Gounelle, 1911: 132)
- prolixa** (Bates, 1873: 32)
- pseudoruficollis** (Tavakilian & Peñaherrera-Leiva, 2005: 30)
- quadrispinosa** (Gounelle, 1913: 387)
- ramulicola** (Gounelle, 1911: 131)
- ricei** Wappes & Santos-Silva, 2017: 2
- ruficollis** (Bates, 1870: 319)
- sallaei** (Bates, 1885: 289)
- seabrai** (Zajciw, 1960: 132)
- semiflammea** Gounelle, 1911: 137
bicolor Fuchs, 1961: 15
 m. *puncticollis* Fuchs, 1961: 15
 m. *transversefasciata* Fuchs, 1961: 16
- seminigra** (Gounelle, 1911: 134)
- signaticollis** (Melzer, 1922: 6)
- socia** (Melzer, 1934: 217)
- subcastanea** (Zajciw, 1966: 324)
- taraleaphila** (Tavakilian & Peñaherrera-Leiva, 2003: 294)
- thoracica** (Bates, 1873: 30)
- transversemaculata** (Tavakilian & Peñaherrera-Leiva, 2005: 34)
- vitticollis** (Bates, 1873: 34)
holosericea Zajciw, 1967: 321
- Brazil (SP-RS), Paraguay, Argentina
- Brazil (RJ)
 Mexico-Costa Rica
- Brazil (MG-PR)
 Brazil (RJ)
 Mexico (VC, OA)
 Brazil (Bahia)
 Brazil (GO, ES), Bolivia
 Brazil (BA-RJ)
 French Guiana
 Brazil (RJ, SP)
 French Guiana, Brazil (RO)
 Costa Rica (GU)
 Brazil (RJ-PN)
 Colombia
 Paraguay
 French Guiana
 Brazil (ES, RJ)
 Brazil (SC)
 Brazil (MG-SP)
- Costa Rica (Colon), Panama
 French Guiana
 Brazil (AM)
 Brazil (RJ)
 Panama
 Brazil (GO)
 Panama
 Brazil (SC)
- Brazil (GO, MG, RJ, SC), Paraguay
 French Guiana
 Brazil (GO)
 Brazil (PR)
 French Guiana
 Colombia
 Brazil (GO)
 Costa Rica (GU)
 Brazil (AM)
 Mexico (VC)-Panama
 Brazil (ES, RJ)
 Brazil (GO, SP-SC)
- Brazil (GO)
 Brazil (ES-RS)
 Brazil (MG-SC)
 Brazil (ES, RJ)
 French Guiana
 Brazil (MG-RS)
 French Guiana
 Brazil (MG, RJ, SP, PR)
- Ecliptoides** Tavakilian & Peñaherrera-Leiva, 2005: 37
- azadi** (Tavakilian & Peñaherrera-Leiva, 2003: 299)
- bauhiniae** (Peñaherrera-Leiva & Tavakilian, 2004: 138)
- French Guiana
 French Guiana

bivitticollis (Fisher, 1952: 7)
curvatovittata Fuchs, 1961: 12
eunomia (Newman, 1841: 92)
 var. *nigrilatera* Gounelle, 1911: 126
fanchonae (Tavakilian & Peñaherrera-Leiva, 2003: 293)
giuglarisi (Peñaherrera-Leiva & Tavakilian, 2004: 136)
hogani Martins, Santos-Silva & Clarke, 2012: 494
hovorei (Tavakilian & Peñaherrera-Leiva, 2003: 303)
julietae Clarke, 2009: 567
lauraceae (Peñaherrera-Leiva & Tavakilian, 2004: 132)
monostigma (Bates, 1869: 384)
pilosipes (Peñaherrera-Leiva & Tavakilian, 2004: 141)
plaumanni (Fuchs, 1961: 13)
pseudovicinus Clarke, 2013: 395
pusillus (Gounelle, 1911: 38)
collarti Fuchs, 1959: 1
quadrivittatus (Melzer, 1922: 9)
rouperti (Tavakilian & Peñaherrera-Leiva, 2005: 38)
rufulus (Melzer, 1934: 76)
schmidi Martins, Santos-Silva & Clarke, 2012: 487
tavakiliani Martins, Santos-Silva & Clarke, 2012: 491
titoi Clarke, 2009: 567
vandenberghiei Wappes & Santos-Silva, 2017: 13
vargasi Clarke, 2009: 569
vasconezi (Peñaherrera-Leiva & Tavakilian, 2004: 137)
vicinus (Melzer, 1927: 564)

Ecliptophanes Melzer, 1934: 219

bucki (Melzer, 1934: 219)
chacunfrancozi (Tavakilian & Peñaherrera-Leiva, 2003: 307)
laticornis (Melzer, 1922: 7)
scopipes (Zajciw, 1965: 126)
silvai (Zajciw, 1958: 241)
tommyi (Hovore, 1989: 250)

Ephippiotragus Clarke, 2013: 384

thomasi Clarke, 2013: 388
wappesi Clarke, 2013: 386

Epimelitta Bates, 1870: 330

Charis Newman, 1840: 21
bicolor (Bates, 1873: 124)
lestradei Peñaherrera-Leiva & Tavakilian, 2003: 203
penicillata Casari & Santos-Silva, 2016: 379
prodigiosa Casari & Santos-Silva, 2016: 372
rufiventris Bates, 1870: 331
scoparia (Klug, 1825: 469)
acutipennis Fisher, 1947: 54
meliponica Bates, 1870: 331
miranda Tippmann, 1960: 128

Epipoda Clarke, 2014: 383

abeli Clarke, 2014: 385
vanini Clarke, 2014: 388

Erratamelitta Clarke, 2016: 23

erato (Newman, 1840: 21)
bicolor (Bates, 1873: 124)
eliasi Clarke, 2016: 26

Brazil (SC)

Brazil (BA-RS), Paraguay, Argentina

French Guiana

French Guiana

Brazil (SC)

French Guiana

Bolivia (SC)

French Guiana

Nicaragua, Costa Rica, Panama

French Guiana

Brazil (SC, MG, SP, RS)

Bolivia (SC)

Brazil (GO, BA-RJ)

Brazil (MG)

French Guiana

Argentina (SA)

Brazil (ES, BA, SC)

Brazil (RO)

Bolivia (SC)

Nicaragua, Costa Rica (LI)

Bolivia (SC)

French Guiana

Brazil (MG)

Brazil (RS)

French Guiana

Brazil (RJ, SP), Paraguay

Brazil (RJ)

Brazil (PB)

Guatemala, Honduras, Nicaragua, Costa Rica, Panama

Bolivia (SC)

Bolivia (SC)

Brazil (ES, RJ)

French Guiana, nwBrazil (AM), eEcuador, Peru

Brazil (RS, SC)

Brazil (ES, SP)

Brazil (RO, AM)

Guyana, Brazil (AM, PA), Bolivia (SC), Peru

Bolivia (SC)

Brazil (PA)

Brazil (ES, RJ)

Brazil (ES)

Erythroplatys White, 1855: 201

boliviensis Clarke, 2011: 56
cardinalis Monné & Fragoso, 1990: 730
corallifer White, 1855: 202
rugosus (Lucas, 1857: 182)
tricolor Lane, 1951: 15
simulator Gounelle, 1911: 118

Bolivia (SC)
 Brazil (MT)
 Brazil (PA, GO), Bolivia (SC)
 eBrazil (SP)

Brazil (GO), Peru, Bolivia (SC)

Etimasu Santos-Silva, Martins & Clarke, 2010: 612

cosmipes (Peñaherrera-Leiva & Tavakilian, 2003: 183)

French Guiana, Brazil (AM)

Exepimelitta Clarke, 2016: 11

consobrina (Melzer, 1931: 1)
nigerrima var. *flavipubescens* Fisher, 1947: 56
lestradei (Peñaherrera-Leiva and Tavakilian, 2003: 203)
mimica (Bates, 1873: 123)
nigerrima (Bates, 1892: 160)
windsori Clarke, 2016: 15

Honduras, Costa Rica

French Guiana, Brazil (PA)
 Brazil (RJ)
 Mexico (VC)-Costa Rica
 Bolivia (SC)

Fissipoda Clarke, 2014: 376

barbicrus (Kirby, 1818: 443)
aaede Newman, 1841: 91
manni (Fisher, 1930: 15)

Brazil (MG-PR), Bolivia (SC), Paraguay, Argentina

Bolivia (BN)

Forficuladeres Clarke, 2015: 34

forficulifera (Gounelle, 1913: 388)
propinquus Linsley, 1934: 350
sexualis (Linsley, 1934: 349)

Costa Rica (GU), Panama, Colombia

Mexico-Panama

Giesberteclepta Santos-Silva, Bezark & Martins, 2012: 69

costipennis (Giesbert, 1991: 391)
monteverdensis (Giesbert, 1991: 392)
morrisoni (Bezark & Santos-Silva, 2016: 242)
unicolor Vlasak & Santos-Silva, 2020: 464

Panama
 Costa Rica
 wEcuador
 wEcuador (Pichincha)

Giesberticus Wappes & Santos-Silva 2019: 12

longiventris Wappes & Santos-Silva, 2019: 13

Bolivia (CO, SC)

Grupiara Martins & Santos-Silva, 2010: 406

viridis (Gounelle, 1911: 36)

Brazil (BA, GO, SP-RS), Bolivia (SC), Paraguay, Argentina

Ischasia Thomson, 1864: 163

cuneiformis Fisher, 1952: 3
ecclinusae Peñaherrera-Leiva & Tavakilian, 2004: 120
exigua Fisher, 1947: 52
feuilleti Peñaherrera-Leiva & Tavakilian, 2003: 194
indica Giesbert, 1991: 393
linsleyi Giesbert, 1996: 330
mareki Peñaherrera-Leiva & Tavakilian, 2004: 124
martinsi Wappes & Santos-Silva, 2017: 11
nevermanni Fisher, 1947: 53
nigripes Zajciw, 1973: 74
picticornis Zajciw, 1973: 74
pouteriae Peñaherrera-Leiva & Tavakilian, 2004: 123
rufina Thomson, 1864: 163
sabatieri Peñaherrera-Leiva & Tavakilian, 2004: 122
valida Gounelle, 1911: 155
 var. *atra* Gounelle, 1911: 156
viridithorax Peñaherrera-Leiva & Tavakilian, 2004: 121

Brazil (PR, SC)
 French Guiana
 Venezuela
 French Guiana
 Costa Rica
 Costa Rica (PA), Panama
 French Guiana, Brazil (AM)
 Panama, Costa Rica (CA, GU)
 Costa Rica, Panama
 Brazil (SC)
 Brazil (RJ-SC)
 French Guiana
 Brazil (ES-RS)
 French Guiana
 Brazil (MT-BA)

French Guiana

Ischasioides Tavakilian & Peñaherrera-Leiva, 2003: 303
berkovae Martins, Santos-Silva & Clarke, 2012: 511
crassitarsis (Gounelle, 1911: 156)
 m. atrocephala Fuchs, 1956: 571
 m. nigrovittata Fuchs, 1956: 571
 brasiliensis Fisher, 1947: 2
giesberti Santos-Silva, Bezark & Martins, 2012: 72
gounellei Tavakilian & Peñaherrera-Leiva, 2003: 311

Brazil (ES, SP)
 Brazil (GO, MT, BA-RS)

eEcuador
 French Guiana

Isthmiade Thomson, 1864: 166
braconides (Perty, 1832: 94)
 hephestionoides Thomson, 1864: 166
buirettei Tavakilian & Peñaherrera-Leiva, 2005: 44
cylindrica Zajciw, 1972: 137
ichneumoniformis Bates, 1870: 326
 ab. rufithorax Tippmann, 1960: 127
laevicollis Tippmann, 1953: 215
 carinifrons Zajciw, 1972: 138
 var. rubrosignata Tippmann, 1953: 215
macilenta Bates, 1873: 122
mariahelenae Clarke, 2013: 376
martinsi Clarke, 2009: 586
modesta Gounelle, 1911: 153
necydalea (Linnaeus, 1758: 399)
 glauescens Linnaeus, 1767: 642
 nitida Degeer, 1775: 153
parabraconides Giesbert, 1991: 394
perpulchra Linsley, 1961: 65
planifrons Zajciw, 1972: 137
rubra Bates, 1873: 121
rugosifrons Zajciw, 1972: 582
vitripennis Giesbert, 1991: 396
zamalloae Clarke, 2009: 582

Brazil (GO, BA-RS), Paraguay, Argentina

French Guiana
 Brazil (ES)
 Costa Rica (LI), Fr Guiana, Brazil (AM, PA, GO, MS),
 Peru, Bolivia
 Brazil (Pará), Peru, Bolivia (SC)

Brazil, Uruguay
 Bolivia (SC)
 Bolivia (SC)
 Brazil (GO)
 Suriname, French Guiana

Costa Rica (GU, PA), Panama
 Panama
 Brazil (ES), Bolivia (SC, TR)
 Brazil (GO, ES-SC)
 Brazil (SP-SC)
 Panama
 Bolivia (SC)

Iyanola Lingafelter & Ivie, 2013: 269
romei (Touroult, 2011: 1)

Santa Lucia, Lesser Antilles

Katerinaella Vlasak & Santos-Silva, 2018: 386
boliviensis Vlasak & Santos-Silva, 2024: 442
costaricensis Vlasak & Santos-Silva, 2018: 387

Bolivia (Santa Cruz)
 Costa Rica (Puntarenas)

Klugiatragus Clarke, Spooner & Willers, 2015: 2
laticornis (Klug, 1825: 469)
 melete Newman, 1841: 91

Brazil (BA-SC), Paraguay, Argentina

Laedorcari Santos-Silva, Clarke & Martins, 2011: 184
fulvicollis (Lacordaire, 1868: 503)
 obscuripennis Zajciw, 1963: 254
 rubroscutellaris Tippmann, 1960: 121
pubipennis (Fisher, 1952: 16)
vestitipennis (Zajciw, 1963: 252)

Colombia, Peru, Brazil, Bolivia

Peru
 Brazil (RJ)

Lygrocharis Melzer, 1927: 566
neivai Melzer, 1927: 567
nigripennis Mendes, 1938: 117
setosus Bezark & Santos-Silva, 2017: 590

Brazil (RJ-PR)
 Brazil, Paraguay, Uruguay
 Ecuador

Mimommata Peñaherrera-Leiva & Tavakilian, 2003: 181
mollardi Peñaherrera-Leiva & Tavakilian, 2003: 181
pernauti Tavakilian & Peñaherrera-Leiva, 2003: 282

French Guiana
 French Guiana

Monneus Magno, 2001: 1**longiventris** Magno, 2001: 2

Bolivia

Neophygopoda Melzer, 1933: 371**nigritarsis** Gounelle, 1911: 164**tibialis** Melzer, 1933: 371

Brazil (BA, MG)

Bolivia (SC, TR), Argentina (TU)

Neoregostoma Monné & Giesbert, 1992: 250 [NN]*Oregostoma* Audinet-Serville, 1833: 555 (part),**bettelai** Clarke, 2010: 261**coccineum** (Gory in Guérin-Méneville, 1831: pl. 44, fig. 7)*rubricorne* Audinet-Serville, 1834: 553**discoideum** (Audinet-Serville, 1834: 552)**erythrocallum** (Lane, 1940: 1)**fasciatum** (Aurivillius, 1920: 363)**giesberti** Clarke, 2007: 154**luridum** (Klug, 1825: 470)var. *pallipes* Aurivillius, 1920: 362m. *flavum* Fuchs, 1961: 9**salazari** Esteban & Santos-Silva, 2015: 2**spinipenne** (Fuchs, 1961: 9)**unicolor** (Aurivillius, 1920: 362)

Bolivia (SC)

Brazil (ES-RS)

Brazil (MG, RJ)

Brazil (GO)

Paraguay

Bolivia (SC)

Brazil (GO, RJ-PR), Paraguay, Argentina, Uruguay

Costa Rica, Panama

French Guiana

Brazil

Neothomasella Santos-Silva & Bezark, 2018: 449 [RN]*Thomasella* Santos-Silva, Bezark & Martins, 2012: 70 [JH; not Fredericks, 1928, Brachiopoda]**igniventris** (Giesbert, 1991: 389)

Panama

Odontocera Audinet-Serville, 1834: 546**albicans** (Klug, 1825: 471)**albitarsis** Melzer, 1922: 9**annulicornis** Magno, 2001: 3**armipes** Zajciw, 1963: 246**aurocincta aurocincta** Bates, 1873: 42var. *nigroapicalis* Fisher, 1947: 52subsp. **arizonensis** Linsley, 1961: 163**auropilosa** Tippmann, 1953: 212**barnouini** Peñaherrera-Leiva & Tavakilian, 2003: 171**beneluzi** Peñaherrera-Leiva & Tavakilian, 2003: 170**bettyae** Bezark, Martins & Santos-Silva, 2013: 187**bilobata** Zajciw, 1965: 127**bisulcata** Bates, 1870: 326*flavocalceata* Gounelle, 1911: 148**buscki** Fisher, 1930: 4**chrysostetha** Bates, 1870: 320**cinctura** Bezark, Martins & Santos-Silva, 2013: 183**clara** Bates, 1873: 38*carinicolis* Linsley, 1934: 348**colon** (Bates, 1870: 319)*morii* Tavakilian & Peñaherrera-Leiva, 2003: 289**compressipes** White, 1855: 191*planitibialis* Fisher, 1953: 15**cylindrica** Audinet-Serville, 1834: 548**darlingtoni** Fisher, 1930: 9**dice** Newman, 1841: 91**dispar** Bates, 1870: 321**elllanocarti** Wappes & Santos-Silva, 2019: 9**fasciata** (Olivier, 1800: [no 74] 10)*vitrea* Audinet-Serville, 1834: 547*chrysozone* White, 1855: 192**furcifera** Bates, 1870: 323

Brazil (ES, RJ)

Brazil (MG-RJ)

French Guiana, Brazil (MG)

Brazil (AM)

Mexico (NA, JA, MI, ME, GR, CM, VC, OA, CHS), Honduras

swUSA (AZ), Mexico (SO, SI)

Peru, Bolivia (SC)

French Guiana, Peru

French Guiana

eEcuador

Brazil (BA, ES, RJ)

French Guiana, cBrazil (RO, PA, GO, MT)

Panama

Brazil(AM, PA), French Guiana, eEcuador, Bolivia (CO, SC)

Costa Rica (AL)

Mexico (CHS, OA, ME)-Costa Rica

French Guiana, Brazil (AM, PA)

Brazil (AM, PA, MT), eEcuador, Peru, Bolivia (SC)

Brazil (BA-SP)

Colombia

Brazil (GO, BA-RS)

Panama, Brazil (AM)

Panama (Panama)

Nicaragua-Colombia, Brazil (MA, GO, MT, BA, MG, ES, SP, MS)

Guianas, eEcuador, Peru, Bolivia (CO, SC), Argentina

French Guiana, Brazil (AM, PA, MT), Peru, Bolivia (BN)

- fuscicornis** Bates, 1885: 289
galileoae Wappes & Santos-Silva, 2017: 4
globoicollis Zajciw, 1971: 19
hilaris Bates, 1873: 43
punctata Bates, 1870: 323 [Mld; not Klug, 1825]
hirundipennis Zajciw, 1962: 423
javieri Tavakilian & Peñaherrera-Leiva, 2003: 287
leucothea Bates, 1873: 42
limula Bezark, Martins & Santos-Silva, 2013: 184
lineatocollis Melzer, 1934: 220
ab. crucifera Tippmann, 1960: 126
longipennis Zajciw, 1962: 418
magnifica Bezark & Santos-Silva, 2017: 588
malleri Melzer, 1934: 221
margaritacea (Fabricius, 1801: 349)
mellea White, 1855: 188
margaritacea Fabricius, 1801: 372
sulfureicauda Gounelle, 1911: 146
m. flava Fuchs, 1916: 16
meridiana Fisher, 1953: 14
molorchoides (White, 1855: 200)
nthomsai Wappes & Santos-Silva, 2017: 7
nigriclavus Bates, 1873: 41
nigroaurantia Perez-Flores & Santos-Silva, 2022: 5
nigrovittata Tavakilian & Peñaherrera-Leiva, 2003: 283
ochracea Monné & Magno, 1988: 447
ornaticollis Bates, 1870: 323
parallela White, 1855: 189
paniculata Monné & Magno, 1988: 446
petiolata Bates, 1873: 44
poecilopoda White, 1855: 191
basalis Aurivillius, 1925: 483
punctata (Klug, 1825: 471)
quiniaphila Peñaherrera-Leiva & Tavakilian, 2003: 167
satatieri Tavakilian & Peñaherrera-Leiva, 2003: 289
scabricollis Melzer, 1934: 222
signatipennis Zajciw, 1971: 20
simplex White, 1855: 189
cinctiventris Bates, 1870: 321
skelleyi Wappes & Santos-Silva, 2017: 8
solangae Magno, 2001: 2
stangei Wappes & Santos-Silva, 2017: 6
subtilis Monné & Magno, 1988: 446
tibialis Zajciw, 1971: 19
tridentifera Gounelle, 1913: 221
triliturata Bates, 1870: 324
triplaris Fisher, 1930: 3
triplehorni Wappes & Santos-Silva, 2015: 180
trisignata Gounelle, 1911: 145
tuberculata Zajciw, 1967: 530
tumidicollis Zajciw, 1965: 128
typhoeus Fisher, 1947: 5
villosa Monné & Magno, 1988: 444
virgata Gounelle, 1911: 141
vittipennis Bates, 1873: 37
subpunctata Zajciw, 1970: 63
zeteki Fisher, 1930: 6
zikani Melzer, 1927: 565
gibbicollis Zajciw, 1964: 435
- Mexico (JA, NAY, TA, VC, CHS), Guatemala (HU)
Mexico (Guerrero)
Brazil (MT, RO)
Brazil (PA, RO), Bolivia, wEcuador (Napo)
- Peru
French Guiana
Brazil (ES-SC)
Costa Rica (GU)
Brazil (ES-SC)
- Brazil (PA)
Ecuador
Brazil (MG-SC)
South America
French Guiana, Brazil (AM, GO, MT), Peru,
eEcuador, Bolivia
- Argentina (SA)
Costa Rica-Brazil (AM), French Guiana
Guatemala (Zacapa)
Brazil (RJ-RS)
Guatemala (Petén)
French Guiana
Brazil (MT)
French Guiana, Brazil (AP, PA), Bolivia (SC), Peru
French Guiana, Brazil (PA)
- Brazil (GO, ES, RJ, MT)
Guyana, French Guiana, Brazil (PA)
- French Guiana, Brazil (PA, RO, BA, ES), Ecuador
French Guiana
French Guiana
Costa Rica, Panama
Peru
French Guiana, Brazil (MA, AM, PA, RO), Bolivia (CO)
- Costa Rica (PU)
Brazil (ES)
Venezuela (AR)
French Guiana, cBrazil (MT)
Brazil (ES, RJ)
Brazil, Argentina (MI)
French Guiana, Brazil (MA, PA)
Panama, Colombia
Nicaragua
French Guiana, Brazil (PA, GO)
Brazil (MG)
Brazil (RJ)
Brazil
French Guiana, Brazil (MT)
Brazil (GO, ES-SC), Argentina
eBrazil (MG, RJ)
- Costa Rica, Panama
Brazil (MG, RJ, SP)
- Brazil (MG), Argentina?, Uruguay?
- Odontocroton** Clarke, 2018: 3
apicalis (Klug, 1825: 472)

flavicauda (Bates, 1873: 40)
 var. *notatisternis* Gounelle, 1911: 142
flavirostris (Melzer, 1930: 195)
melzeri (Fisher, 1952: 8)
monnei (Zajciw, 1968: 48)
quinquecallosus (Zajciw, 1963: 248)
rufifrons (Fisher, 1937: 151)

sanguinolentus (Bates, 1873: 39)
septemtuberculatus (Zajciw, 1963: 250)
soror (Gounelle, 1911: 143)

Odontogracilis Clarke, 2015: 57
cracentis (Chemsak & Noguera, 1997: 7)
exilis (Fisher, 1947: 51)
gracilis (Klug, 1825: 472)
 var. *perplexa* Melzer, 1922: 9
elegans Guérin-Méneville, 1831: pl. 44, fig. 9
mudgei Bezark & Santos-Silva, 2023: 481
violaceus (Santos-Silva, Bezark & Martins, 2012: 78)

Odontomelitta Clarke, 2016: 3
apicula (Bates, 1885: 289)
postimelina (Giesbert, 1996: 334)

Ommata White, 1855: 194
andina Clarke, in Santos-Silva, Martins & Clarke, 2010: 604
buddemeyerae Clarke, 2010: 247
elegans White, 1855: 194
hirtipes Zajciw, 1965: 122
nigricollis Santos-Silva, Martins & Clarke, 2010: 602
tibialis Fuchs, 1961: 10

Optomerus Giesbert, 1996: 327
bispeculifer (White, 1855: 190)
roppai (Magno, 1995: 554)

Oregostoma Audinet-Serville, 1834: 551
bipartitum (Bates, 1873: 26)
 var. *basinotata* Melzer, 1934: 215
nigripes Audinet-Serville, 1833: 552
nitidiventre (Gounelle, 1911: 123)
puniceum (Newman, 1838: 495)

Ornistomus Thomson, 1864: 166
bicinctus Thomson, 1864: 167
simulatrix Clarke, 2011: 69

Oxylymma Pascoe, 1859: 21
Oxycalymma Gemminger & Harold, 1872: 2888 [UE]
birai Wappes & Santos-Silva, 2019: 4
caeruleocincta Bates, 1885: 436
championi Bates, 1885: 288
durantoni Peñaherrera-Leiva & Tavakilian, 2003: 172
faurei Peñaherrera-Leiva & Tavakilian, 2003: 175
gibbicollis Bates, 1873: 23
lepida Pascoe, 1859: 22
pallida Santos-Silva, Bezark & Martins, 2012: 76
rileyi Heffern, Botero & Santos-Silva, 2020: 187
soniae Wappes & Santos-Silva, 2019: 2

Brazil (PR, SC), Bolivia (TA), Paraguay,
 Argentina (MI, CH, CO, ER)
 Brazil (BA, ES)
 Brazil (SC)
 Uruguay
 Bolivia (SC, TR), Argentina (CO)
 Brazil (PR, SC, RS), Argentina (MI, CO, ER),
 Paraguay, Uruguay?
 Brazil (BA, MG, ES, RJ, SP)
 Bolivia (TR), Argentina (SA, TU)
 Brazil (GO, MG, ES, SP)

Mexico (JA)
 Mexico (CHS)-Panama
 Brazil (ES-RS)

Mexico (Veracruz)
 Costa Rica (GU)

Panama, Ecuador, Bolivia
 Mexico (CHS)

Bolivia (SC)
 Bolivia (SC)
 Mexico-Panama, Colombia, Venezuela, Fr Guiana
 Brazil (SC)
 Brazil (ES)
 Brazil (SC)

Panama, Guyana, French Guiana, Brazil (MA, PA, MT)
 French Guiana, Brazil (MT)

Brazil (MG-RS), Paraguay, Argentina

Brazil (RJ, SP, SC)
 Brazil (GO)
 Brazil (ES, RJ)

Brazil (ES-RS), Bolivia (SC), Argentina, Uruguay
 Bolivia (SC)

Brazil (Bahia)
 Panama, Costa Rica
 Guatemala
 French Guiana, Brazil (PA)
 French Guiana
 Brazil (BA)
 Brazil (PA)
 Brazil (RO)
 Panama (Bocas del Toro)
 Bolivia (Santa Cruz)

sudrei Peñaherrera-Leiva & Tavakilian, 2003: 174
surinamensis Wappes & Santos-Silva, 2019: 5
telephorina Bates, 1870: 316
tuberculicolle Fisher, 1947: 48

French Guiana, Brazil (AM)
 Suriname (Sipaliwini)
 Brazil (AM), Ecuador
 Costa Rica, Panama (Canal Zone)

Oxyommata Zajciw, 1970: 153
collaris (Audinet-Serville, 1834: 553)

Brazil (ES)

Panamapoda Clarke, 2014: 348
panamensis (Giesbert, 1996: 332)

Panama

Pandrosos Bates, 1867: 23
Leptorrhopala Kolbe, 1893: 253
phtisicus (Klug, 1825: 460)
exilis White, 1855: 201
proximus Mermudes & Napp, 2009: 62

Costa Rica (LI), Panama, Brazil (AM, GO, MT, BA)

Brazil (MA, MT)

Paraeclipta Clarke, 2011: 234
albopilosa Wappes & Santos-Silva, 2019: 7
bicoloripes (Zajciw, 1965: 204)
cabrujai Clarke, 2011: 237
clementecruzi Clarke, 2011: 239
croceicornis (Gounelle, 1911: 25)
ecuadorensis Bezark & Santos-Silva, 2017: 586
flavipes (Melzer, 1922: 60)
jejuna (Gounelle, 1911: 128)
kawensis (Peñaherrera-Leiva & Tavakilian, 2004: 128)
longipennis (Fisher, 1947: 2)
melgarae Clarke, 2011: 241
moscosoi Clarke, 2011: 246
rectipennis (Zajciw, 1965: 202)
soumourouensis (Tavakilian & Peñaherrera-Leiva, 2003: 308)
tenuis (Burmeister, 1865: 173)
tomhacketti Clarke, 2011: 244
unicoloripes (Zajciw, 1965: 205)
vandenberghai Wappes & Santos-Silva, 2019: 8

Bolivia (Santa Cruz)
 Brazil (RJ, SP, BA, MG, SC)
 Bolivia (SC)
 Bolivia (SC)
 Brazil (Goiás), Bolivia (SC)
 Ecuador
 Brazil (MG-RJ), wEcuador (Guayas)
 Brazil (GO)
 French Guiana
 Brazil (SC)
 Bolivia (SC)
 Bolivia (SC, TR)
 Brazil (SC), Paraguay, Argentina (BA)
 French Guiana
 Brazil, Paraguay, Argentina, Uruguay
 Bolivia (SC)
 Brazil (SC), Argentina (MI)
 Nicaragua (Nueva Segovia)

Paramelitta Clarke, 2014: 355
aglaia (Newman, 1840: 22)
 var. *rufofemorata* Gounelle, 1911: 162
wappesi Clarke, 2014: 357

Brazil (MG, ES)

Bolivia (SC)

Paraphygopoda Clarke, 2014: 349
nappae Clarke, 2014: 353
viridimicans Fisher, 1952: 2

Bolivia (SC)

Brazil

Parischasia Tavakilian & Peñaherrera-Leiva, 2005: 45
chamenoisi Tavakilian & Peñaherrera-Leiva, 2005: 48
ligulatipennis (Gounelle, 1911: 158)

French Guiana
 Brazil (RO-MG)

Pasiphyle Thomson, 1864: 164
Pasyphile: Lacordaire, 1868: 508 [ISS]
Pasiphyle: Bates, 1873: 130 [ISS]
mystica Thomson, 1864: 164

Brazil (GO, MG-SP)

Phespia Bates, 1873: 127
cercerina (Bates, 1870: 325)
corinna (Pascoe, 1866: 290)
corynna: Lacordaire, 1869: 508 [ISS]

French Guiana, Brazil (AM, PA, MT)
 Guatemala-Colombia

gibbosa Magno, 1992: 789
simulans Bates, 1873: 127

French Guiana, Brazil (RO)
 Brazil (BA-SC)

Phygopoda Thomson, 1864: 164

agdae (Martins, Galileo & Santos-Silva, 2015: 280)
birai Wappes & Santos-Silva, 2021: 6
boliviensis Clarke, 2017: 7
carellii Wappes & Santos-Silva, 2021: 8
chaquensis Clarke, 2017: 9
exilis (Melzer, 1933: 372)
fugax Thomson, 1864: 164
fulvitaris Gounelle, 1911: 163
hirsuta Wappes & Santos-Silva, 2021: 4
ingae Peñaherrera-Leiva & Tavakilian, 2004: 143
jacobi Fuchs, 1961: 16
longiscopifera Clarke, 2017: 5

Brazil (BA)
 Brazil (Pará)
 Bolivia (SC)
 Brazil (Pará)
 Bolivia (TA, SC)
 Argentina
 Brazil (BA-SC)
 French Guiana, Brazil (AP, PA)
 Venezuela (Merida)
 French Guiana
 Brazil (SC, RS), Argentina, Paraguay
 Bolivia (SC)

Phygomelitta Clarke, 2014: 359

triangularis (Fuchs, 1961: 6)

Brazil

Phygopoides Peñaherrera-Leiva & Tavakilian, 2003: 184

maxwelli Clarke, 2017: 11
pradosiae Peñaherrera-Leiva & Tavakilian, 2003: 187
talsiaphila Peñaherrera-Leiva & Tavakilian, 2003: 189

Bolivia (SC)
 French Guiana
 Suriname, Brazil (PA)

Pseudacorethra Tavakilian & Peñaherrera-Leiva, 2007: 84

zischkai (Tippmann, 1960: 130)

French Guiana, Brazil (AP, AM, PA, MA), eEcuador, Bolivia

Pseudagaone Tippmann, 1960: 124

cerdai (Tavakilian & Peñaherrera-Leiva, 2007: 84)
suturafissa Tippmann, 1960: 126
williamsi Santos-Silva, Bezark & Martins, 2012: 67

French Guiana
 Bolivia (SC)
 Brazil (RO)

Pseudisthmiade Tavakilian & Peñaherrera-Leiva, 2005: 39

larrei Tavakilian & Peñaherrera-Leiva, 2005: 40

French Guiana

Pseudophygopoda Tavakilian & Peñaherrera-Leiva, 2007: 103

albitarsis (Klug, 1825: 475)
longipennis Zajciw, 1963: 423
subvestita (White, 1855: 190)

Brazil, Bolivia

French Guiana, Brazil (AM, MG, PA, ES)

Pyrpotyra Santos-Silva, Martins & Clarke, 2010: 614

albitarsis (Galileo & Martins, 2010: 7)
capixaba Santos-Silva, Martins & Clarke, 2010: 602
paradisiaca (Tippmann, 1953: 213)
paraensis Santos-Silva, Martins & Clarke, 2010: 617
pytinga Santos-Silva, Martins & Clarke, 2010: 617

Brazil (AM, RO)
 Brazil (ES)
 Colombia, French Guiana, Peru
 Brazil (PA)
 Brazil (PA)

Rashelapso Clarke, Martins & Santos-Silva, 2012: 256

durantoni (Peñaherrera-Leiva & Tavakilian, 2004: 142)
schmidi Clarke, Martins & Santos-Silva, 2012: 257

French Guiana
 Brazil (MT)

Rhinobatesia Clarke, 2018: 14

rugicollis (Bates, 1880: 43)
nevermanni Fisher, 1930: 8

Mexico (VC), Guatemala, Honduras, Costa Rica

Rhinotragus Germar, 1823: 513

analis Audinet-Serville, 1834: 550
antonioi Clarke, 2011: 62

Brazil
 Bolivia (SC)

- bilineatus** Joly, Vigneault & Santos-Silva, 2017: 26
bizonatus Gounelle, 1911: 117
 ab. rufithorax Tippmann, 1960: 121
conformis Monné & Fragoso, 1990: 732
dorsiger Germar, 1823: 513
 marginatus Perty, 1832: 94
 anceps Newman, 1838: 495
 apicalis Guérin-Méneville, 1844: 236
 var. collaris Melzer, 1930: 193
 var. vittatus Melzer, 1930: 194
 var. amparensis Melzer, 1930: 194
festivus Perty, 1832: 94
 suturalis Audinet-Serville, 1834: 550
 var. immaculipennis Gounelle, 1911: 116
longicollis Bates, 1880: 41
 apicalis: Bates, 1872: 183 [Mld; not Guérin-Méneville, 1844]
lucasii Thomson, 1861: 178
 zikani Melzer, 1930: 194
 m. boliviensis Fuchs, 1961: 9
 sanctijacobi Huedepohl, 1984: 409
martinsi Peñaherrera-Leiva & Tavakilian, 2003: 178
monnei Clarke, 2011: 65
robustus Peñaherrera-Leiva & Tavakilian, 2003: 179
sulphureus Giesbert, 1991: 385
trilineatus White, 1855: 200
trizonatus Blanchard in Griffith, 1832: pl. 66, fig. 1
- Venezuela
 Brazil (GO), Bolivia

 Brazil (MT)
 Brazil (GO, MT, BA-RS), Bolivia, Argentina, Uruguay

 Brazil (GO, MG-SP)

 Nicaragua-Panama
 Venezuela, French Guiana, Brazil (AM, RO, MT),
 Bolivia (SC), wEcuador

 Suriname, Brazil (AM)
 Bolivia (SC)
 French Guiana
 Panama
 Brazil (PA, RO)
 South America

Rhopalessa Bates, 1873: 28

- clavicornis** (Bates, 1873: 28)
 nigricollis Zajciw, 1969: 405
 nigrotarsis Fisher, 1937: 149
demissa (Melzer, 1934: 215)
hirticollis (Zajciw, 1958: 239)
irwini Wappes & Santos-Silva, 2017: 2
moraguesi (Tavakilian & Peñaherrera-Leiva, 2003: 309)
pilosicollis (Zajciw, 1966: 345)
subandina Clarke, Martins & Santos-Silva, 2011: 328
- Brazil, Paraguay, Argentina, Uruguay

 Brazil (RJ-RS), Paraguay
 Brazil (BA, PB)
 Argentina
 French Guiana
 Bolivia (SC, TR), Argentina (SA, TU)
 Bolivia (SC)

Saltanecydalopsis Barriga & Cepeda, 2007: 28

- Rhinion* Wappes & Santos-Silva, 2017: 2
irwini Barriga & Cepeda, 2007: 28
parkeri Wappes & Santos-Silva, 2017: 5
- Argentina

Sphecomorpha Newman, 1838: 396

- Sphecogaster* Lacordaire, 1868: 471
chalybea Newman, 1838: 397
 biplagiatus Lacordaire, 1868: 472
faurei Tavakilian & Peñaherrera-Leiva, 2007: 109
murina (Klug, 1825: 473)
rufa Gounelle, 1911: 151
vespiventris (Bates, 1880: 43)
 synoecae Chemsak & Noguera, 1997: 8
- Suriname, French Guiana, Brazil (PA)

 French Guiana
 Brazil (GO-RS), Bolivia (SC), Paraguay, Argentina
 Brazil (GO), Bolivia
 Mexico (OA), Guatemala

Stenochariergus Giesbert & Hovore, 1989: 348

- doriana** Giesbert & Hovore, 1989: 348
hollyae Giesbert & Hovore, 1989: 349
- Costa Rica (PA), Panama
 Costa Rica

Stenopseustes Bates, 1873: 131

- aeger** Bates, 1873: 131
 gibbicollis Fisher, 1947: 5
- Brazil

josemartii (Zayas, 1956: 113)
lingafelteri Clarke, 2013: 398
sericinus Bates, 1880: 44
transversus Santos-Silva & Bezark, 2016: 544

Cuba
 Bolivia (SC)
 Mexico, Guatemala, Costa Rica (CA)
 Mexico (VC)

Stultutragus Clarke, 2010: 255
bifasciatus (Zajciw, 1965: 123)
cerdai (Peñaherrera-Leiva & Tavakilian, 2003: 197)
clarkei Santos-Silva & Martins, 2013: 22
crotonaphilus Clarke, 2010: 259
endoluteus Bezark, Santos-Silva & Martins, 2011: 65
estebani Audureau & Demez, 2014: 13
fenestratus (Lucas, 1857: 182)
linsleyi (Fisher, 1947: 47)
mataybaphilus Clarke, 2010: 257
nigricornis Fisher, 1947: 51
poecilus (Bates, 1873: 35)
 var. *maculicollis* Fisher, 1947: 51
romani (Aurivillius, 1919: 3)
tippmanni Santos-Silva, Bezark & Martins, 2012: 73
ventriguttatus Santos-Silva, Bezark & Martins, 2012: 74
xantho (Bates, 1873: 35)

Brazil (ES)
 French Guiana
 Brazil (SC, SP)
 Bolivia (TR), Argentina
 Brazil (BA)
 Peru
 Brazil (GO, BA-SP), Paraguay
 Costa Rica, Panama
 Bolivia (SC)
 Brazil
 Brazil
 Brazil (AM, MT)
 Brazil (SP)
 Brazil (MG)
 Brazil (MG, PR, SC)

Sulcommata Peñaherrera-Leiva & Tavakilian, 2003: 210
durantoni Peñaherrera-Leiva & Tavakilian, 2003: 210
ruficollis Tavakilian & Peñaherrera-Leiva, 2003: 281

French Guiana
 French Guiana

Thouvenotiana Peñaherrera-Leiva & Tavakilian, 2003: 164
ichneumona Peñaherrera-Leiva & Tavakilian, 2003: 164

French Guiana

Tomopterchasia Clarke, 2013: 400
sullivanorum Clarke, 2013: 402

Bolivia (SC)

Tomopteropsis Peñaherrera-Leiva & Tavakilian, 2003: 165
cerdai Peñaherrera-Leiva & Tavakilian, 2003: 166

French Guiana, Brazil (Rondonia)

Tomopterus Audinet-Serville, 1834: 544
albopilosus Zajciw, 1964: 423
 ornatipennis Zajciw, 1971: 314
aurantiacosignatus Zajciw, 1969: 411
basimaculatus Zajciw, 1964: 425
 tuberculicollis Zajciw, 1964: 427
brevicornis Giesbert, 1996: 325
clavicornis Magno, 1995: 556
consobrinus Gounelle, 1911: 166

exilis Chemsak & Linsley, 1979: 70
flavofasciatus Fisher, 1947: 56
grossefoveolatus Zajciw, 1964: 426
kunayala Giesbert, 1996: 322
larroides White, 1855: 177
 vittipennis Fisher, 1930: 17
 subvespoides Zajciw, 1971: 316
longicornis Zajciw, 1969: 413
obliquus Bates, 1870: 329
pictipennis Zajciw, 1969: 415
quadratipennis Bates, 1873: 128
 arisana Matsushita & Tamanuki, 1942: 81
 (the specimen described was likely an introduction; this taxon has not been reported since 1942)
rufotibialis (Zajciw, 1968: 541)

Brazil (ES-SP)

 French Guiana, Brazil (ES)
 Bolivia, Argentina (TU)

 Mexico (CHS), Nicaragua, Costa Rica, Panama
 French Guiana, Brazil (AM, PA, RO)
 Trinidad & Tobago, French Guiana, Brazil (MA, PA, RO,
 MT, ES, GO), Peru, Bolivia
 Mexico (QR)
 Brazil, Paraguay, Argentina, Uruguay
 Panama, French Guiana, Brazil (AP, PA)
 Panama
 Brazil (PA, GO, MT), Bolivia, Paraguay, Argentina

 Brazil (RJ)
 French Guiana, Brazil, Peru, Paraguay, Argentina
 Peru
 Brazil (RJ)

 Brazil (ES)

- seabrai** Magno, 1995: 559
servillei Magno, 1995: 555
similis Fisher, 1930: 19
staphylinus Audinet-Serville, 1833: 545
 pretiosus Newman, 1840: 21
 vespoides: Burmeister, 1865: 173 [Mld; not White, 1855]
 quadratiennis: Costa Lima, 1936: 302 [Mld; not Bates, 1873]
 tuberculatus Zajciw, 1971: 313
tetraspilotus Magno, 1995: 557
vespoides White, 1855: 176
- Brazil (ES, RJ)
 French Guiana, Brazil (MA, PA)
 French Guiana, Brazil (MA, AM, AP, PA), Bolivia
 Brazil (ES-RS), Bolivia (SC), Argentina, Uruguay
- Brazil (RO, AM), Peru
 Mexico-Panama

Xenocrasis Bates, 1873: 131

- anamarcelae** Tavakilian & Peñaherrera-Leiva, 2003: 276
badeni Bates, 1873: 132
 apicicornis Fisher, 1952: 6
fereyi Tavakilian & Peñaherrera-Leiva, 2003: 277
panamensis Giesbert, 1991: 383
politipennis (Zajciw, 1971: 305)
- French Guiana
 Brazil (ES-RS)
- French Guiana
 Panama
 French Guiana, Brazil (AM)

Xenocrasoides Tavakilian & Peñaherrera-Leiva, 2003: 279

- soukai** Tavakilian & Peñaherrera-Leiva, 2003: 276
- French Guiana

Rhopalophorini Blanchard, 1845: 152

Aguassay Napp & Mermudes, 2001: 6

- collaris** (Klug, 1825: 459)
- Brazil (PA, RO)

Allorhopaliella Martins, Galileo & Santos-Silva, 2015: 377

- boliviana** Martins, Galileo & Santos-Silva, 2015: 377
- Bolivia (CO)

Argyrodines Bates, 1867: 24

- aurivillii** (Gounelle, 1905: 295)
pulchella Bates, 1867: 24
- Brazil (GO, MG), Bolivia (SC)
 French Guiana, Brazil (AM)

Brachylophora Clarke, 2011: 155

- auricollis** (Bruch, 1918: 26)
- Brazil (PB), Bolivia (SC, TR), Paraguay, Argentina (SA)

Closteropus Guérin-Ménéville, 1844: 222

- argentatus** Bates, 1879: 418
blandus Guérin-Ménéville, 1844: 223
herteli Tippmann, 1960: 131
 herteli flavitarsis Tippmann, 1960: 132
speciosus (Klug, 1825: 457)
- Venezuela
 Brazil
 eEcuador, Peru, Bolivia (SC)
- Brazil (ES)

Contractus Bezark & Santos-Silva, 2022: 227

- bicolor** Bezark & Santos-Silva, 2022: 230
setosus Bezark & Santos-Silva, 2022: 227
- wEcuador (Manabí)
 wEcuador (Loja)

Coremia Audinet-Serville, 1834: 22

- plumipes** (Pallas, 1772: 5)
 hirtipes Olivier, 1800: [no 68] 14
signaticollis Buquet in Guérin-Ménéville, 1844: 232
- Nicaragua, Costa Rica, Suriname, Fr Guiana, Brazil,
 eEcuador, Bolivia (SC)
 Brazil (GO, MG-SP)

Cosmisoma Audinet-Serville, 1834: 19

- Cosmius* Perty, 1832: 89 [JH; not Duméril, 1805, Diptera]
Camnus Gistel, 1848: viii [URN for *Cosmius* Perty, 1832]
Cosmosoma; Gemminger & Harold, 1872: 2948 [UE]
acuminatum Zajciw, 1958: 246
- Brazil (PA, RO), Peru

aeneicollis Erichson in Schomburg, 1848: 572
subvirescens White, 1855: 214
semicupreum Chevrolat, 1859: 28
albohirsutotibialis Fuchs, 1966: 11
ammiralis (Linnaeus, 1767: 625)
plumifer Voet, 1806: 26
formosa Blanchard in D'Orbigny, 1846: 209
diana Bates, 1870: 404
angustipenne Zajciw, 1958: 247
argyreum Bates, 1870: 405
batesi Zajciw, 1962: 304

brullei (Mulsant, 1863: 215)
nodicollis Burmeister, 1865: 171
cambaia Monné & Magno, 1988: 6
capixaba Monné & Magno, 1988: 4
chalybeipenne Zajciw, 1962: 293
compsoceroides Gounelle, 1911: 205
cyaneum cyaneum Gounelle, 1911: 207
 subsp. **psilocerum** Monné & Magno, 1988: 13
 subsp. **rubriventre** Monné & Magno, 1988: 14
debile Monné & Magno, 1988: 11
fasciculatum (Olivier, 1800: [no 68] 14)
leprieurii Buquet in Guérin-Méneville, 1844: 231
flavipes Zajciw, 1962: 297
gratum Monné & Magno, 1988: 9
hirtipes Zajciw, 1962: 299
humerales Bates, 1870: 407
leucomelas Monné & Magno, 1988: 7
lineatum (Kirsch, 1875: 285)
lineellum Bates, 1870: 405
lividum Monné & Magno, 1988: 10
luteoviridis Vlasak & Santos-Silva, 2018: 385
martyr Thomson, 1861: 180
 martyra Bates, 1872: 189
 nudicorne Bates, 1892: 166
militaris Giesbert & Chemsak, 1993: 54
nitidipenne Zajciw, 1962: 295
ochraceum (Perty, 1832: 89)
persimile Gounelle, 1911: 209
pulcherrimum Bates, 1870: 406
plumicorne (Drury, 1782: 74)
reticulatum Bates, 1885: 311
 alboscutellata Linsley, 1935: 92
rhaptos Giesbert & Chemsak, 1993: 56
scopipes (Klug, 1825: 457)
scopulicorne (Kirby, 1818: 442)
seabrai Monné & Magno, 1988: 2
speculiferum (Gory in Guérin-Méneville, 1831: pl. 4, fig. 2)
taunayi Melzer, 1923: 4
tenellum Aurivillius, 1920: 368
tibiale Aurivillius, 1920: 367
titania Bates, 1870: 407
violaceum Zajciw, 1962: 290
viridescens Galileo & Martins, 2010: 4

Cynoderus (Cynoderus) Audinet-Serville, 1834: 101

brevicollis Giesbert & Chemsak, 1993: 49
chlorizans Chevrolat, 1859: 56
 var. *concolor* Gounelle, 1911: 202
 var. *semirufus* Gounelle, 1911: 202
copei Giesbert & Chemsak, 1993: 50

Guyana, French Guiana, Brazil (AP, PA)

Peru

Guianas, Trinidad, Brazil (AM, MT, GO), Peru,
 eEcuador, Bolivia (SC)

French Guiana, Peru, Brazil (AM, AC)

Brazil (AM), Peru, Bolivia (CO, SC)

Brazil (RO, GO, MG-SC)

Brazil, Bolivia (SC, TR), Paraguay, Argentina, Uruguay

Brazil (MG, ES)

Brazil (ES)

Brazil (SP, MT)

Brazil (GO, MG, SP)

Brazil (GO, MS)

Brazil (PB)

Brazil (RO, MT), Bolivia (SC), Paraguay, Argentina

Brazil (RO)

French Guiana, Brazil (AM, PA)

Brazil (SC)

Brazil (MT)

Brazil (MG-SP)

Brazil (MG-SC)

Brazil (MT)

Brazil (RO, MT), Peru

French Guiana, Brazil (AM, PA, MT, GO, MS)

Brazil (BA, MG, MS)

Costa Rica (PU)

Guatemala-Panama

Costa Rica, Panama

Brazil (SC, RS), Uruguay

Brazil, Bolivia (SC), Paraguay, Argentina (MI)

Brazil (GO, SP)

Brazil (AM)

Honduras-Colombia

Mexico-Panama

Panama, Colombia

Brazil (SP)

Brazil (MG-RJ)

Brazil (BA, MG)

French Guiana, Brazil (AM)

French Guiana, Brazil (AM)

Brazil (PB-RS)

Brazil (ES, RJ)

Nicaragua-Panama

Brazil (PA)

Brazil (BA)

Mexico (JA)

Brazil (BA, GO, RJ-RS)

Mexico (GR, JA)

expeditus Chevrolat, 1859: 55
guatemalicus Giesbert & Chemsak, 1993: 50
intincta (Pascoe, 1866: 291)
lividus Giesbert & Chemsak, 1993: 51
metallicus Bezark, Santos-Silva & Galileo, 2016: 590
moestulus (Pascoe, 1866: 292)
rufithorax Gounelle, 1911: 202
tenuatus Audinet-Serville, 1834: 102
 taeniatus: Lacordaire, 1868: 112
virginiae Giesbert & Chemsak, 1993: 51
wappesi Santos-Silva & Tavakilian, 2023: 46

Colombia, wEcuador
 Guatemala
 Colombia
 Mexico (GR, CM)
 Venezuela
 Colombia
 Brazil (PB-ES)
 Brazil (GO, BA-RS), Bolivia (SC), Paraguay,
 Argentina, Uruguay
 Mexico (CHS, OA)
 Bolivia (Santa Cruz)

Cynoderus (Ulododerus) Gounelle, 1911: 203

barbatus Gounelle, 1911: 203
dispar Gounelle, 1911: 205

Costa Rica-Panama, Brazil (GO, PR), Bolivia (SC)
 Brazil (BA, ES)

Dihammaphora Chevrolat, 1859: 50

Dihammaphora Chevrolat, 1859: 51-54 [COS]
Diammaphora: Chevrolat, 1859: 50 [IOS]
Diammaphora: Bates, 1870: 403 [ISS of *Dihammaphora* Chevrolat, 1859]
Diammatophora Gemminger in Gemminger & Harold, 1872: 2947 [UE]
Dihammaphora Bruch, 1912: 201
Dihammaphora: Aurivillius, 1912: 429 [FR]

aepytus Chevrolat, 1859: 64
arnai Bosq, 1951: 102
auratopilosa Bruch, 1908: 214
aurea Ferreira & Mermudes, 2024: 2
auricollis Martins, 1981: 211
aurovittata Bates, 1880: 61
 var. *debilis* Melzer, 1935: 184
binodula Chevrolat, 1859: 54
bivittata Gounelle, 1911: 197
bivitticollis Zajciw, 1964: 436
brasileira Napp & Mermudes, 2010: 879
brevis Chevrolat, 1859: 54
bruchii Aurivillius, 1922: 423
chaquensis Bosq, 1951: 101
chontalensis Bates, 1872: 188
cruzi Ferreira & Mermudes, 2024: 4
cylindricollis Chemsak & Noguera, 1993: 85
densiserrata Clarke, 2015: 13
dilmanappae Clarke, 2015: 7
dispar Chevrolat, 1859: 52
erecta Bezark & Santos-Silva, 2023: 358
espinotibia Clarke, 2015: 14
falsa Napp & Mermudes, 2010: 873
fosterorum Clarke, 2015: 11
glabripennis Gounelle, 1911: 196
gracilicollis Chevrolat, 1859: 53
 gracilicornis: Lacordaire, 1869: 109
 gracilicollis Aurivillius, 1912: 430
gutticollis Gounelle, 1913: 389
hispida Bates, 1885: 308
ibirijarai Mermudes, 1998: 98
laterilineata Zajciw, 1965: 9
lineigera Chevrolat, 1859: 53
marginicollis Chevrolat, 1859: 51
meissneri Melzer, 1934: 222
mineira Napp & Mermudes, 2010: 886
minuta Chevrolat, 1859: 53
nigrita Chevrolat, 1859: 52

Brazil (RS), Paraguay, Argentina (SE, ER, BA)
 Argentina (TU)
 Argentina (CA)
 Honduras (Atlantida)
 Bolivia, Argentina (SA, TU, SE)
 Mexico (Chiapas), Guatemala, Honduras, Nicaragua, Costa Rica

Brazil (RS), Argentina, Uruguay
 Brazil (GO, PE, BA), Uruguay
 Uruguay
 Brazil (ES, BA, MG), Paraguay
 South America
 Paraguay, Argentina
 Bolivia (SC), Argentina (TU, CH)
 Nicaragua, Costa Rica, Panama
 Brazil (Mato Grosso do Sul)
 Mexico (JA)
 Bolivia (SC)
 Bolivia (SC)
 swUSA (TX), Mexico, Guatemala
 Ecuador (Manabi)
 Bolivia (SC, TA)
 Brazil (SC, SP, PR), Paraguay
 Bolivia (SC)
 Brazil (GO)
 Brazil (MG), Bolivia (SC, TR)

Colombia
 Mexico (OA, GR)
 Panama, Colombia
 Brazil (PB)
 Panama, Colombia
 Brazil (PA, RJ)
 Brazil (SC, RS)
 Brazil (MG)
 Colombia
 Brazil (PR-RS), Paraguay

- nigrovittata** Fisher, 1937: 151
nitidicollis Bates, 1870: 403
parana (Gemminger, 1873: 146)
 perforata: Burmeister, 1865: 173 [Mld; not Klug, 1825]
paraperforata Clarke, 2015: 8
perforata (Klug, 1825: 459)
peruviana Martins, 1981: 212
pilcomayoensis Clarke, 2015: 10
pilosifrons Gounelle, 1911: 195
pusilla Bates, 1870: 403
ruficollis Chevrolat, 1859: 52
rufipennis Bezark & Santos-Silva, 2022: 234
scutata Gounelle, 1911: 199
signaticollis Chevrolat, 1859: 51
 var. *basinotata* Gounelle, 1911: 195
 var. *bipunctata* Gounelle, 1911: 195
 var. *furcata* Gounelle, 1911: 195
 var. *intermedia* Gounelle, 1911: 195
 var. *interrupta* Gounelle, 1911: 195
 var. *punctata* Gounelle, 1911: 195
 var. *sejuncta* Gounelle, 1911: 195
uncinata Napp & Mermudes, 2010: 875
vittatithorax Gounelle, 1911: 198
- Dihammaphoroides** Zajciw, 1967: 202
 jaufferti Galileo & Martins, 2003: 476
 sanguinicollis Zajciw, 1967: 202
- Dirocoremia** Marques, 1994: 311
 bruchi (Gounelle, 1905: 227)
 ingae (Marques, 1994: 312)
 simplicipes (Gounelle, 1911: 183)
 tupizai Perger & Guerra, 2015: 145
- Disaulax** Audinet-Serville, 1834: 562
 hirsuticornis (Kirby, 1818: 442)
- Esquarre** Bezark & Santos-Silva, 2020: 6
 recta Bezark & Santos-Silva, 2020: 6
- Gurubira** Napp & Marques, 1999: 35
 apicalis (Fuchs, 1966: 10)
 atramentarius (White, 1855: 208)
 vidua Chevrolat, 1859: 59
 axillaris (Klug, 1825: 458)
 erythromos Napp & Marques, 1999: 43
 spectabilis (Martins & Napp, 1989: 59)
 tristis (Chevrolat, 1859: 58)
 violaceomaculatus (Gounelle, 1911: 200)
- Haenkea** Tippmann, 1953: 220
 atra (Chevrolat, 1855: 180)
 thoracica (Chevrolat, 1855: 179)
 scheerpeltzi Fuchs, 1958: 52
 zischkai Tippmann, 1953: 222
- Ischionodonta** Chevrolat, 1859: 58
 Brachyrhopala Burmeister, 1865: 171
 Brachyrhopala Gemminger in Gemminger & Harold, 1872: 2915 [UE of *Brachyrhopala* Burmeister, 1865]
 amazona (Chevrolat, 1859: 63)
- Brazil (SC), Argentina, Paraguay (Guaira)
 Panama, Brazil (AM, PE)
 Argentina
- Bolivia (SC)
 Brazil (PA, RO)
 Peru, Bolivia (SC), wEcuador (Napo)
 Bolivia (TA)
 Brazil (GO, SP)
 French Guiana, Brazil (AM, CE, PA)
 Brazil
 wEcuador (Loja)
 Brazil (GO)
 Brazil (GO, MG, RS), Argentina, Uruguay
- Brazil (SP, MG)
 Brazil (GO, BA)
- French Guiana, Brazil (PA)
 Brazil (RJ)
- Brazil (SC, RS), Argentina, Uruguay
 Brazil (SP-RS), Argentina (CO)
 Brazil (PA, MG, BA-SP), Bolivia (SC, TR), Argentina
 Bolivia (PO)
- Brazil (GO, MG-RJ), Paraguay
- wEcuador
- Colombia, Ecuador
 Brazil (PA, AM)
- French Guiana, Brazil (BA, GO, MG-PR)
 Brazil (PA)
 Peru
 Brazil (PR-RS), Argentina, Uruguay
 Brazil, Argentina, Uruguay
- Brazil (BA, ES, RJ, PR, SC, MS)
 Costa Rica, Panama, Venezuela
- Brazil (AM), Bolivia (SC), Peru, eEcuador
- French Guiana, Brazil (AM, RO)

- brasiliensis** (Chevrolat, 1859: 62)
colombiana Napp & Marques, 1999: 116
earina Napp & Marques, 1998: 128
iridipennis (Chevrolat, 1859: 26)
 aurivitta Burmeister, 1865: 172
lansbergei (Lameere, 1884: 107)
mexicana Giesbert & Chemsak, 1993: 59
paraibensis Napp & Marques, 1998: 131
platensis (Chevrolat, 1859: 63)
 aenesceus Burmeister, 1865: 172
 aenesceus: Lacordaire, 1869: 42 [ISS of *aenesceus* Burmeister, 1865]
 plaumanni Fisher, 1937: 152
pustulosa (White, 1855: 206)
rufomarginata (Fisher, 1937: 153)
semirubra (Burmeister, 1865: 172)
 versicolor: Berg, 1886: 239 [Mld; not Chevrolat, 1859]
serratula Napp & Marques, 1999: 117
serripes (Bates, 1872: 188)
smaragdina (Martins & Napp, 1989: 63)
spinicornis (Zajciw, 1970: 839)
torquata (Chevrolat, 1859: 63)
versicolor (Chevrolat, 1859: 62)
 dimidiata Chevrolat, 1859: 63
viridinigra Napp & Marques, 1998: 128
- Kozlovellus** Galileo & Santos-Silva, 2017: 178
 bicolor Galileo & Santos-Silva, 2017: 181
- Lathusia** Zajciw, 1959: 278
 ferruginea (Bruch, 1908: 213)
 parvipilipes (Zajciw, 1959: 279)
- Listroptera** Audinet-Serville, 1834: 71
 carbonaria Chevrolat, 1855: 178
 germari White, 1855: 209
 tenebricosa (Olivier, 1790: 309)
 tenebrosum Fabricius, 1792: 322
 aterrima Germar, 1823: 497
 angulata White, 1855: 208
- Meringodes** Wappes & Lingafelter, 2010: 34
 solangeae Wappes & Lingafelter, 2010: 34
- Merocoremia** Marques, 1994: 345
 monnei Marques, 1994: 350
- Muxbalia** Giesbert & Chemsak, 1993: 60
 monzoni Giesbert & Chemsak, 1993: 60
- Parozodes** Aurivillius, 1897: 245
 erythrocephalus Aurivillius, 1897: 246
 pilosus Fuchs, 1956: 573
- Potiapua** Napp & Monné, 2009: 31
 antonia Napp & Monné, 2009: 33
- Brazil (AM)
 Colombia
 Brazil (PA)
 Venezuela, Brazil (GO, ES-RS), Bolivia (SC, TR),
 Argentina, Uruguay
 Venezuela
 Mexico (JA, CHS)
 Brazil (PB)
 Brazil (MG-RS), Uruguay
- Venezuela
 Brazil (ES-SC)
 Argentina (CA, SA)
- Brazil (PA, RO), Bolivia (SC)
 Nicaragua-Panama, Colombia
 Brazil (BA, ES, MS)
 Brazil (ES)
 Peru, Chile
 Nicaragua-Colombia, Brazil, Bolivia (SC, TR)
- Brazil (ES)
- Costa Rica (AL)
- Brazil (CE, BA, SP), Bolivia (BO, SC, TR), Paraguay,
 Argentina (SA)
 Brazil (PB)
- Venezuela, eEcuador, Bolivia (SC)
- Mexico (VC)-eEcuador, Uruguay, Argentina,
 French Guiana, Brazil (MA), Bolivia (SC)
- Bolivia (SC)
- Brazil (BA, ES)
- Guatemala
- Brazil (BA)
 Brazil (MS)
- Brazil (ES)

Rhopaliella Monné, 2006: 178 [RN]*Rhopalina* Monné, 1989: 740 [JH; not Tinkham, 1939, Orthoptera]**bicolorata** Monné, 1989: 740**discicollis** (Chevrolat, 1859: 60)

Brazil (BA, MG, SP)

Brazil (ES)

Rhopalophora Audinet-Serville, 1834: 100*Rhopalophorus*: LeConte, 1873: 307 [ISS]*Tinopus* LeConte, 1850: 19**angustata** Schaeffer, 1905: 162**bicolorella** Knull, 1934: 336**casignata** Martins & Napp, 1989: 62**collaris** (Germar, 1823: 498)*sanguinicollis* Audinet-Serville, 1834: 101*bicolor* Guérin-Méneville, 1839: 330**cupricollis** Guérin-Méneville, 1844: 235*laevicollis* (LeConte, 1873: 193)**dyseidia** Martins & Napp, 1989: 60**eximia** Bates, 1892: 166**lineicollis** Chevrolat, 1859: 60**longipes** (Say, 1824: 426)*porosa* White, 1855: 296**meeskei** Casey, 1891: 30**miniatocollis** Chevrolat, 1859: 61**neivai** Mendes, 1940: 380**nigriventris** Bates, 1885: 310**occipitalis** Chevrolat, 1859: 59**paraensis** Martins & Napp, 1989: 58**peruana** Martins, Galileo & Santos-Silva, 2015: 380**prolixa** Monné, 1989: 737**prorubra** Knull, 1944: 91**pulverulenta** Guérin-Méneville, 1844: 235**punctatipennis** Linsley, 1935: 92**rubecula** Bates, 1880: 62*venezuelensis*: Bates, 1874: 224 [Mld; not Chevrolat, 1859]**rugicollis** **rugicollis** (LeConte, 1858: 83)*rugulosus*; Knull, 1934: 336subsp. **hovorei** Giesbert & Chemsak, 1993: 43**santacruzensis** Clarke, 2015: 3**serripennis** Giesbert & Chemsak, 1993: 43**tenuis** (Chevrolat, 1855: 181)*incrustata* Chevrolat, 1859: 62**venezuelensis** Chevrolat, 1859: 60**yucatana** Giesbert & Chemsak, 1993: 46

swUSA (TX), Mexico (NL, CO, TA)

swUSA (AZ), Mexico (BC)

wEcuador

Brazil (BA-RS), Bolivia (SC, TR), Paraguay,

Argentina, Uruguay

swUSA (TX), Mexico-Costa Rica

wEcuador, Peru (Lambayeque)

Mexico (HI, GR)

Mexico, El Salvador

eNAmer-TX

swUSA (NM, AZ, SD)-Guatemala, Honduras

Mexico

Brazil (SP-RS)

Guatemala

Brazil (PB-BA)

Brazil (MA, PA)

Peru

Brazil (BA, MG)

swUSA (AZ), Mexico (SO)

Colombia

Mexico, Guatemala

Mexico (CHS)-Costa Rica

swUSA (TX, AZ), Mexico, Guatemala

Mexico (BC)

Bolivia (SC)

Mexico (SI, NA, ME, PU, MO, GR, CM, OA)

Mexico-Costa Rica

Venezuela

Mexico (YU, QR)

Rhopalophorella Linsley, 1942: 57**fasciata** (LeConte, 1873: 171)*bicincta* Horn, 1895: 245

Mexico (BC)

Thalusia Thomson, 1864: 168**atrata** (Melzer, 1918: 432)**erythromera** (Audinet-Serville, 1834: 23)

Brazil (ES, MG)

Brazil (MG-RS), Paraguay

Timabiara Napp & Mermudes, 2001: 61**bahiensis** Napp & Mermudes, 2001: 63

Brazil (BA, MG)

Smodicini Lacordaire, 1868: 405*Smodicides* Lacordaire, 1868: 405**Marupia** Martins & Galileo, 2006: 174**castanea** Martins & Galileo, 2006: 174

Bolivia (SC)

Metaphrenon Martins, 1975: 330*Smodicum*: Zayas, 1975: 46 [Mld; not Haldeman, 1847]**impressicolle** (Lacordaire, 1869: 146)*impressicolle* Thomson, 1878: 9**lucidum** (Olivier, 1800: [no 70] 59)*elevatum* Schoenherr, 1817: 459

Cuba, Puerto Rico, Hispaniola

Hispaniola

Nesosmodicum Martins, 1971: 57**gracile** (Melzer, 1923: 3)

Brazil (MG-SP)

Smodicum Haldeman, 1847: 38**angusticolle** Aurivillius, 1919: 2**brunneum** Thomson, 1878: 7*similare* Thomson, 1878: 8*subcylindricum* Thomson, 1878: 7**clancularium** Martins, 1975: 351**confusum** Martins, 1985: 169**cucujiforme** (Say, 1826: 277)*cylindrides* Newman, 1838: 394*argentinum* Bruch, 1911: 170*convergens* Casey, 1912: 269**depressum** Thomson, 1878: 6**dinellii** Bruch, 1911: 172*missionum* Bruch, 1911: 174**longicorne** Martins, 1975: 346**pacificum** Linsley, 1934: 107*pacificum peninsulare* Linsley, 1942: 27*arizonarium* Knull, 1966: 136**parandroides** Bates, 1884: 241**recticolle** Martins, 1975: 338**semipubescens** Gounelle, 1911: 127*bonariense* Bruch, 1911: 171**texanum** Knull, 1966: 137**torticolle** Martins, 1975: 355French Guiana, Brazil (AM, GO, MT), Bolivia (SC)
Dominican Republic, Colombia, Ecuador, Peru,
Brazil

Mexico (QR), Costa Rica

Venezuela

eUSA-TX, Guadeloupe, introduced inSAmer

Brazil (MG-RS)

Brazil (BA-RS), Bolivia (SC), Paraguay, Argentina

Brazil (MG-SC), Bolivia (SC)

swUSA (AZ, CA), Mexico (BC, NA)

Mexico (DU, CA, CHS, VC), Guatemala, Honduras, Nicaragua

Paraguay (Alto Paraguay), Argentina (SE)

Peru, Brazil (GO, SP), Bolivia (SC), Paraguay, Argentina

swUSA (TX)

Panama, Colombia

Stenhomalini Miroshnikov, 1989: 742**Stenhomalus** White, 1855: 243**taiwanus** Matsushita, 1933: 307

Japan, China, Taiwan, se US (AL, GA)

Stenoderini Pascoe, 1867: 311

(as Stenoderinae; to be replaced by Rhagiomorphini Newman, 1841: 34)

Ptérosténides Lacordaire, 1868: 410**Syllitus** Pascoe, 1859: 24**beltrani** Cerda, 1968: 105**chilensis** Cerda, 1953: 136**cilindricus** Germain, 1899: 256**elguetai** Cerda, 1991: 263**pseudocupes** (Fairmaire & Germain, 1864: 393)**schajovskoi** Bosq, 1953: 73

Chile

Chile

Chile

Chile

Chile

Chile, Argentina (NE)

Stenopterini Gistel, 1848: [9]**Callimoxys** Kraatz, 1863: 105*Calimoxys*: Gosling, 1986: 155 [ISS]**fuscipennis** (LeConte, 1861: 356)*sanguincolis fuscipennis*: Tyson, 1966: 203 [ISS]**nigrinus** Williams & Hammond in Hammond & Williams, 2011: 283 Oklahoma, Texas, Florida

wNorth America (Pacific Coast)

- nigrinus*: Williams & Hammond in Hammond & Williams 2011: 283 [IOS]
nigrinus: Williams & Hammond, 2012: 92 [FR]
ocularis Hammond & Williams, 2011: 280 cNorth America (type locality, Iowa)
pinorum Casey, 1924: 261 seNorth America (North Carolina, South Carolina, Georgia)
sanguinicollis (Olivier, 1800: [no 74] 9) eNorth America-TX, Mexico (Nuevo Leon)

Callimus Mulsant, 1846: [17]

- Pilema* LeConte, 1873: 191
Callimellum Strand, 1928: 2
cyanipennis (LeConte, 1873: 192) wUSA (CA, OR, ID)
variipes Casey, 1912: 311
dehiscens Casey, 1912: 312
ruficollis (LeConte, 1873: 192) wNorth America (Pacific Coast), Mexico (BC)
longicollis Casey, 1912: 310
opacipennis Casey, 1912: 311

Sydacini Martins,

in Martins, Santos-Silva, Galileo & Limeira-de-Oliveira, 2014: 381

Sydax Lacordaire, 1868: 335

- Syaax*: Melzer, 1935: 176 [ISS]
amazonicus Martins, 1971: 59 Brazil (AM)
confragus Martins, 1971: 60 Venezuela
gibbus Joly, 1985: 47 Colombia, Venezuela
inexpectatus Martins, 1981: 16 Brazil (ES, SP)
flechtmanni Martins & Galileo, 2012: 557
stramineus Lacordaire, 1869: 336 Colombia, Brazil, Bolivia (SC)
fuscolineatus Melzer, 1935: 176

Thyrsiini Marinoni & Napp, 1984: 44

Thyrsia Dalman, 1819: 117

- lateralis** Dalman, 1819: 118 Brazil (RJ, SP)
piranga Galileo & Martins, 2006: 707 Bolivia (SC)

Tillomorphini Lacordaire, 1868: 405

- Tillomorphides* Lacordaire, 1868: 405
Tillomorphini Pascoe, 1869: 554

Arawakia Villiers, 1981: 105

- inopinata** Villiers, 1981: 106 Guadeloupe

Bonfilsia Villiers, 1979: 98

- barbadensis** Touroult, 2014: 85 Barbados, West Indies
dominica Touroult & Poirier, 2021: 16 Lesser Antilles (Dominica)
pejoti Chalumeau & Touroult, 2004: 189 Martinique
tricolor Villiers, 1979: 98 Guadeloupe
woodruffi Touroult, 2014: 85 St Lucia, West Indies

Calliclytus Fisher, 1932: 65

- Lamproclytus* Fisher, 1932: 67
biguttatus (Sallé, 1856: 688) Dominican Republic
elegans (Fisher, 1932: 68) Puerto Rico, Dominican Republic
oakleyi Fisher, 1935: 52
macoris Lingafelter, 2011: 63 Dominican Republic
schwarzi Fisher, 1932: 66 Cuba
wappesi Miroshnikov, 2020: 262 Dominican Republic (San Pedro)

Epipodocarpus Bosq, 1951: 193
andinus Bosq, 1951: 194

Chile

Epropetes Bates, 1870: 400

amazonica Galileo & Martins, 2000: 166
atlantica Martins, 1975: 9
bolivianus Galileo & Martins, 2008: 53
detrerrima Martins & Napp, 1984: 436
elongata Martins, 1975: 11
hirsuta Martins & Napp, 1984: 437
howdenorum Galileo & Martins, 2000: 165
latifascia (White, 1855: 218)
metallica Martins, 1975: 12
ozodiformis Martins & Napp, 1984: 438
serrana Martins & Napp, 1984: 434
tristis Martins & Galileo, 2013: 578
variabile Martins & Galileo, 2005: 10
velutina Martins, 1975: 10
zonula Martins & Napp, 1984: 435

Brazil (AM)
 Brazil (MG-SC)
 Bolivia (SC), wEcuador (Napo)
 Brazil (PR)
 French Guiana, Brazil (PA)
 Brazil (RJ, SP)
 Colombia
 French Guiana, Brazil (PA, MT)
 Brazil (MT)
 Brazil (MS)
 Brazil (MG, RJ)
 Panama
 Colombia
 Brazil (MG, SP, RJ)
 Brazil (MG, SP)

Euderces LeConte, 1850: 30

Eplophorus Chevrolat, 1861: 248
Apelocera Chevrolat, 1862: 61 [UE of *Eplophorus* Chevrolat, 1861]
Apilocera: Chevrolat, 1862: 535 [ISS of *Apelocera* Chevrolat, 1962: 61]
Cleozona Bates, 1874: 223

acutipennis Bates, 1885: 305
andersoni Giesbert & Chemsak, 1997: 225
aspericollis (Chemsak, 1969: 311)
auricaudus Giesbert & Chemsak, 1997: 227
azureus Giesbert & Chemsak, 1997: 228
basimaculatus Giesbert & Chemsak, 1997: 230
batesi Giesbert & Chemsak, 1997: 231
bellus Giesbert & Chemsak, 1997: 233
bicinctus bicinctus (Linsley, 1935: 88)
balli Knull, 1935: 192
 subsp. *peninsularis* (Linsley, 1942: 56)
biplagiatus Giesbert & Chemsak, 1997: 235
boucardi (Chevrolat, 1862: 535)
brailovskyi Giesbert & Chemsak, 1997: 237
cleriformis (Bates, 1885: 306)
breviformis Bates, 1892: 165
auricomis Chemsak, 1969: 309
cribellatus (Bates, 1885: 306)
cribripennis Bates, 1892: 165
fenyesi Linsley, 1957: 37
crotonicus Santos-Silva, 2021: 1
dilutus Martins, 1975: 18
dimidiatipennis (Melzer, 1932: 216)
disparicrus Giesbert & Chemsak, 1997: 244
ecuadorensis Botero, Bezark & Santos-Silva, 2020: 169
elvira Giesbert & Chemsak, 1997: 245
grossistriatus Giesbert & Chemsak, 1997: 246
guatemalenus Giesbert & Chemsak, 1997: 247
guerini (Chevrolat, 1862: 535)
hefferni Vlasak & Santos-Silva, 2020: 467
hoegei (Bates, 1885: 305)
howdeni Chemsak, 1969: 314
laevicauda Bates, 1885: 304
cribratus Bates, 1885: 304
lineatus Bezark & Santos-Silva, 2022: 591
linsleyi Giesbert & Chemsak, 1997: 252

Guatemala
 Mexico (GR)
 Mexico (Michoacán, Colima, Nayarit, Oaxaca)
 Mexico (OA, GR)
 Guatemala
 Mexico (DU, NA, JA, HI, CM, CO, MI, PU, GR, OA)
 Mexico (PU, OA)
 Guatemala, Honduras
 swUSA (AZ), Mexico
 Mexico (BC)
 Mexico (PU, OA)
 Mexico (CHS)-Costa Rica
 Mexico (HI, SLP)
 Mexico-Panama

Costa Rica, Panama
 Mexico (NA-GR, MO), Costa Rica (GU)

Guatemala (Zacapa)
 Bolivia (SC)
 Nicaragua, Costa Rica
 Mexico (OA, CHS)-Nicaragua, Honduras
 wEcuador (Manabi)
 Mexico (OA)
 Mexico (VC)
 Guatemala, Honduras
 Colombia
 Honduras (Francisco Morazán)
 Mexico (VC, CHS)
 Mexico (DU, HI)
 Mexico (OA, CHS), Guatemala

Mexico (Mexico)
 Costa Rica, Panama

- longicollis** (Linsley, 1935: 88)
magnus (Bates, 1885: 305)
nelsoni Chemsak, 1969: 315
noguerai Giesbert & Chemsak, 1997: 256
obliquefasciatus Giesbert & Chemsak, 1997: 257
parallelus LeConte, 1873: 202
paraposticus Giesbert & Chemsak, 1997: 259
perplexus Giesbert & Chemsak, 1997: 260
picipes (Fabricius, 1787: 157)
picipes occidentalis Linsley, 1957: 38
pini (Olivier, 1800: [no 70] 71)
piniadeus Fabricius, 1801: 353
var. *testaceipes* Haldeman, 1847: 41
posticus (Pascoe, 1866: 295)
postipallidus Giesbert & Chemsak, 1997: 264
propinquus Giesbert & Chemsak, 1997: 265
proximus Giesbert & Chemsak, 1997: 266
pulcher (Bates, 1874: 223)
var. *rufipes* Bates, 1885: 307
pusillus Giesbert & Chemsak, 1997: 269
reichei LeConte, 1873: 202
exilis Casey, 1893: 591
reticulatus (Bates, 1885: 306)
rubellus (Bates, 1885: 307)
sculpticollis (Bates, 1885: 306)
spinicornis (Chevrolat, 1835: 4)
elegans Laporte & Gory, 1837: 124
succinus Giesbert & Chemsak, 1997: 275
tibialis Giesbert & Chemsak, 1997: 275
turnbowi Giesbert & Chemsak, 1997: 277
velutinus (Fisher, 1931: 100)
venezuelensis Giesbert & Chemsak, 1997: 279
waltli (Chevrolat, 1862: 62)
wappesi Giesbert & Chemsak, 1997: 280
westcotti Hovore, 1988: 13
yucatecus (Bates, 1892: 165)
- Mexico (SI-GR)
Guatemala
Mexico (SI, MI-CHS)
Mexico (QR, YU), Belize
Mexico (GR)
Mexico (BC)
Colombia
Mexico (GR, OA, MO)
eNorth America-OK, TX
- eUSA-TX
- Panama, Colombia
Mexico (OA)
Mexico (OA)
Guatemala
Mexico (SO), Guatemala, Honduras, Nicaragua
- Mexico (CHS)-Costa Rica
ncUSA-TX, Mexico
- Mexico (VC, CHS), Guatemala, Belize
Guatemala, Nicaragua
Guatemala
Mexico, Guatemala, Honduras
- Guatemala, Costa Rica (GU)
Mexico (VC, CHS), Guatemala
Mexico (CHS), Guatemala
Honduras
Venezuela
Brazil
Mexico (CHS), Guatemala
Mexico (BC)
Mexico (YU)
- Gourbeyrella** Lane, 1959: 191
alexisi Chalumeau & Touroult, 2004: 191
madininae Chalumeau & Touroult, 2004: 192
romanowskii (Fleutiaux & Salle, 1889: 464)
- Guedeloupe
Martinique
Guadeloupe
- Licracantha** Lingafelter, 2011: 58
formicaria Lingafelter, 2011: 60
- Dominican Republic
- Mygalobas** Chevrolat, 1862: 66
corticina (Chevrolat, 1862: 60)
ferrugineus Chevrolat, 1862: 66
- Brazil (RJ, SP)
- Neotillomorpha** Miroshnikov, 2020: 390
myrmicaria (Fairmaire & Germain, 1859: 503)
- Chile
- Pentanodes** Schaeffer, 1904: 222
albofasciatus Fisher, 1932: 64
baldwini Heffern, Botero & Santos-Silva, 2023: 9
clavatus Heffern, Botero & Santos-Silva, 2023: 5
dietzii Schaeffer, 1904: 222
nicaraguensis Heffern, Botero & Santos-Silva, 2020: 342
tropipennis (Chemsak, 1977: 124)
xanthocollis (Chemsak, 1977: 125)
- Cuba
Panama (Chiriqui)
Ecuador (Pichincha)
swUSA (TX)
Nicaragua (Nueva Segovia)
Nicaragua, Costa Rica (PA), Panama, Ecuador
Panama, Colombia

Tetranodus Linell, 1897: 396*Tetranodes*: Schaeffer, 1904: 223 [ISS]**angulicollis** Chemsak, 1969: 307**copei** Chemsak & Linsley, 1988: 126**niveicollis** Linell, 1897: 396*mexicanus* Linsley, 1935: 90**reticeps** (Bates, 1880: 59)**rugipennis** Chemsak, 1969: 306

Honduras, Costa Rica

Mexico (JA, NA, OA)

swUSA (TX), Mexico (OA, VC)

Mexico (CHS), Guatemala, Costa Rica

Mexico (SI)-Guatemala

Tilloglomus Martins, 1975: 18**spectabilis** Martins, 1975: 19

Brazil (PA, MG, SC)

Tillomorpha Blanchard in Gay, 1851: 482**lineoligera** Blanchard in Gay, 1851: 483*roitmani* Cerda, 1993: 14

Chile

Tillomorphites Vitali, 2011: 24**elachys** (Martins & Galileo, 2013: 576)

Ecuador

Torneutini Thomson, 1861: 139*Torneutitae* Thomson, 1861: 139 (key)*Thaumasides* Thomson, 1864: 314**Coccoderus** Buquet, 1840: 293**amazonicus** Bates, 1870: 249**biguttatus** Martins, 1985: 173**bisignatus** Buquet, 1840: 294**costae** Ferreira, Ferreira & Bravo, 2023: 13**guianensis** Tavakilian & Monné, 2002: 27**longespiniornis** Fuchs, 1964: 7*spinosus* Lane & Martins, 1965: 17**novempunctatus** (Germar, 1823: 505)*tuberculatus* Buquet, 1840: 295**pittieri** Joly, 2017: 52**sexguttatus** Waterhouse, 1880: 292**sexmaculatus** Buquet, 1840: 295**sicki** Lane, 1949: 36**speciosus** Gounelle, 1909: 606*teixeirai* Lane, 1939: 74**spinulicornis** Joly, 2017: 52**timbaraba** Martins & Duran, 2012: 24

Costa Rica (AL, CA), Venezuela, French Guiana,

Bolivia (SC), Brazil (AM, PA)

Brazil (MT), Bolivia

Guyana, French Guiana, Brazil (AC, AM, MA, PA), Venezuela

Brazil (Bahia)

French Guiana

Venezuela, French Guiana, Peru, Brazil (AM, MA, MT, MG)

Brazil, Bolivia (SC, TR), Paraguay, Argentina, Uruguay

Venezuela (AR)

Colombia, Venezuela, eEcuador, Peru

Brazil (BA-RJ)

Brazil (PA, GO, MT)

Brazil

Venezuela (BO)

Costa Rica (AL)

Diploschema Thomson, 1858: 404**maculata** Martins & Monné, 1980: 342*brunneum* Martins & Monné, 1980: 343**mandibulare** Fuchs, 1964: 6*klagesi* Lane, 1966: 86**rotundicollis** (Audinet-Serville, 1834: 29)*costicollis* Audinet-Serville, 1834: 29*flavipennis* Thomson, 1858: 406*fulvipennis*: Lacordaire, 1868: 240**weyrauchi** Lane, 1966: 80

Suriname, Guyana, French Guiana, Brazil (AM, PA)

Panama, Colombia, French Guiana, Peru,

Brazil (AM, PA, MA, MT), Bolivia (SC), Paraguay

Brazil (GO, MT, PE-RS), Paraguay, Argentina, Uruguay

Venezuela, French Guiana, Brazil (AM), Ecuador, Peru

Bolívia (CO)

Diploschemopsis Joly, 2016: 370**howdeni** (Martins & Monné, 1980: 343)

Colombia, Venezuela

Dragomiris Gounelle, 1913: 206*Monrosia* Bosq, 1953: 31**major** Martins & Monné, 1980: 347**orientalis** Zubaran, 2019: 338**quadricornutus** Gounelle, 1913: 207*subandinus* (Bosq, 1953: 32)

Argentina (SE)

Argentina

Bolivia (SC), Argentina (CA, LR, ME, RN, SE)

Dragoneutes Martins & Monné, 1980: 347**baculus** (Gounelle, 1913: 202)**obscurus** (Guérin-Ménéville, 1843: 301)**pilosus** Monné, 2004: 249

Bolivia, Paraguay, Argentina (SE)

Argentina (NE, CT, PA)

Argentina (LR, SE)

Gigantotrichoderes Tippmann, 1953: 197*Mielkea* Zajciw, 1965: 85**brunnea** Joly, 2017: 42**conicicollis** Tippmann, 1953: 199**cummingi** Botero, Le Tirant & Santos-Silva, 2018: 806**flabellicornis** (Zajciw, 1965: 87)

Venezuela (AM)

Mexico-Colombia, eEcuador, Peru

Mexico (VC)

Guatemala, Costa Rica-Colombia, Guianas, Brazil (PA-MA), Bolivia (SC)

Gnathopraxitheia Seabra & Tavakilian, 1986: 227**sarryi** Seabra & Tavakilian, 1986: 229

Venezuela, French Guiana, Brazil (MA, AP, PA),

eEcuador, Peru, Bolivia

Lophoschema Monné, 2007: 408**guayapa** (Di Iorio, 2003: 20)

Argentina (SA)

Macellidiopygus Gounelle, 1913: 204**debilis** Gounelle, 1913: 205

Argentina (SE)

Praxitheia Thomson, 1864: 254*Praxythea*: Gounelle, 1909: 606 [ISS]*Phaenicocerus* Audinet-Serville, 1834: 28 (part)**angusta** Lane, 1966: 91**beckeri** Martins & Monné, 1980: 340**borgmeieri** Lane, 1938: 95**chavantina** Lane, 1949: 34**derourei** (Chabrillac, 1857: 196)*collare* Burmeister, 1865: 166**fabricii** (Audinet-Serville, 1834: 29)*japuhya* Lane, 1956: 5**guianensis** Tavakilian & Monné, 2002: 13**javetii** (Chabrillac, 1857: 195)*mourei* Lane, 1938: 92**lanei** Joly, 1999: 184**melzeri** Lane, 1956: 8*javetii*: Lane, 1938: 90 [Mld; not Chabrillac, 1857]**morvanae** Tavakilian & Monné, 2002: 15**peruviana** Lane, 1966: 88**seabrai** Tavakilian & Monné, 2002: 18**thomsonii** (Chabrillac, 1857: 195)**thouvenoti** Tavakilian & Monné, 2002: 22**travassosi** Lane, 1939: 73

Brazil (BA-RJ)

eEcuador, Brazil (AM), Venezuela

Venezuela, French Guiana, eEcuador, Brazil

French Guiana, Brazil (GO, MA, MT-MG)

Brazil (GO, MA, PE-RS), Bolivia (SC, TR),

Paraguay, Argentina, Uruguay

Brazil (RJ), Bolivia (SC)

French Guiana, Brazil (MT)

Brazil (RJ-SC)

Venezuela, Brazil (MA)

Brazil (GO, MG)

French Guiana, Peru

Venezuela, Peru, Brazil (PA, MA, MT)

French Guiana

Brazil (MG-SC)

French Guiana, Brazil (PA)

Costa Rica, Venezuela, Colombia, Guianas, Brazil (AM, MT),

eEcuador, Bolivia

Psygmatocherus Perty, 1828: 737*Phaenicocerus* Latreille, 1829: 113*Phoenicocerus*: Latreille in Cuvier, 1832: 475 [ISS of *Phaenicocerus* Latreille, 1829]*Badariottia* Giglio-Tos, 1893: 1**guianensis** Tavakilian & Monné, 2002: 24**pubescens** Bruch, 1926: 338

French Guiana, Ecuador

Argentina (CA)

wagleri Perty, 1828: 740
suturalis Perty, 1832: 88
dejeanii Gray in Griffith, 1831: pl. 65, fig. 3
gianelli Giglio-Tos, 1893: 4
elegans Lane, 1939: 74

Brazil (AL-RS, MA, MG), Bolivia (SC), Paraguay, Argentina

Spathopygus Lacordaire, 1868: 239
eburioides (Blanchard in D'Orbigny, 1847: 209)

Argentina (NE, CT)

Thaumasus Reiche, 1853: 420
gigas (Olivier, 1792: 267)

Guatemala-Colombia, Brazil (AM), Ecuador

Torneucerus Martins & Monné, 1980: 344
armatus Martins & Monné, 1980: 345

Guianas, Brazil (AC, RO, PA, MT), Venezuela

Torneutes Reich, 1837: 9
pallidipennis Reich, 1837: 12
bouchanti Buquet, 1843: 299

Brazil (MA-AL, SP, PR, MS), Bolivia (SC), Paraguay, Argentina, Uruguay

Torneutopsis Martins & Monné, 1980: 341
translucida Martins & Monné, 1980: 341

French Guiana, Brazil (AM)

Xenambyx Bates, 1879: 14
lansbergei (Thomson, 1865: 576)
laticauda Bates, 1879: 14
laticauda meridionalis Franz, 1954: 216

Guatemala-Panama, Colombia, Venezuela, Guianas, Brazil (PA, MT, GO), Ecuador, Bolivia (SC)

Trachyderini Dupont, 1836: 1
Purpuricenitae Thomson, 1861: 203
Megaderitae Thomson, 1861: 213
Metopocoilitae Thomson, 1864: 255
Sternacanthitae Thomson, 1864: 259
Tropidosomitae Thomson, 1864: 256
Poecilopéplides Lacordaire, 1869: 147
Dorcacérides Lacordaire, 1869: 192
Sténaspides Lacordaire, 1868: 404
Tyloses LeConte, 1873: 315

Ancylocerina Thomson, 1864: 210
Ancylocérides Lacordaire, 1869: 135
Ancylocerini LeConte, 1873: 308

Ancylocera Audinet-Serville, 1834: 107
Ancylocera: Burmeister, 1865: 172 [ISS]
Ancylocera: Zajciw, 1972: 58 [ISS]
amplicornis Chemsak, 1963: 107
bicolor (Olivier, 1800: [no 68] 32)
rugicollis Fabricius, 1801: 317
lividipennis Haldeman, 1847: 44
brevicornis Casey, 1893: 586
bicolor spissicornis Casey, 1924: 262
bruchi Viana, 1971: 162
cardinalis (Dalman, 1823: 67)
purpurea Perty, 1832: 93
michelbacheri Chemsak, 1963: 108
nigella Gounelle, 1913: 421
sallei Buquet, 1857: 332
sergioi Monné & Napp, 2001: 993
spinula Monné & Napp, 2001: 994

Mexico (CHS)-Honduras
 seUSA-TX, Nicaragua

Argentina (SE, TU)
 Brazil (GO, PB-RS), Paraguay, Argentina, Uruguay

Mexico (SI, JA, MO, OA)
 Colombia, Panama
 Mexico (YU)
 Costa Rica (LI), Brazil (MG, RO, PA)
 Colombia

Arapari Martins, Galileo & Santos-Silva, 2015: 281
bellus Martins, Galileo & Santos-Silva, 2015: 283

Brazil (BA)

Assycuera Napp & Monné, 2001: 978
macrotela (Bates, 1880: 68)
rugicollis: Bates, 1872: 191 [Mld; not Fabricius, 1801]
marcelae Martins & Galileo, 2010: 569
rubella (Bates, 1892: 170)
scabricollis (Chemsak, 1963: 106)
waterhousei (White, 1855: 211)

Mexico (MO, PU, CHS)-Costa Rica

Trinidad & Tobago
 Mexico (JA, GR)
 Mexico (ME)
 French Guiana, Brazil (AM)

Callancyla Aurivillius, 1912: 446 [RN]
Callopisma Thomson, 1864: 212 [JH; not Duméril, 1853, Reptilia]
Lallancyca Viana, 1971: 189
atrocoerulea Zajciw, 1970: 27
bimaculata (Gounelle, 1911: 221)
capixaba Monné, 1997: 100
cribellum (Bates, 1885: 315)
croceicollis (White, 1855: 292)
ruficollis Bates, 1870: 419
curvicollis (Buquet, 1857: 138)
malleri Fuchs, 1966: 11
onorei Hovore & Chemsak, 2005: 48
tucumana Viana, 1971: 184

Brazil (RJ)
 Brazil (GO), Bolivia, Paraguay, Argentina (MI)
 Brazil (ES)
 Panama
 French Guiana, Brazil (PA, MT), Bolivia (SC)

Brazil (ES-RS), Argentina
 Brazil (BA-SC)
 wEcuador
 Bolivia (SC), Argentina (TU)

Ceralocyna Viana, 1971: 165
aliciae Hovore & Chemsak, 2005: 45
amabilis Monné & Napp, 1999: 34
coccinea Monné & Napp, 1999: 30
cribricollis (Bates, 1885: 314)
foveicollis (Buquet, 1854: 345)
fulvicornis (Burmeister, 1865: 172)
fulvipes Viana, 1971: 173
marcelae Hovore & Chemsak, 2005: 50
margareteae Martins & Galileo, 1994: 78
militaris (Gounelle, 1911: 218)
nigricollis (Gounelle, 1911: 218)
nigricornis (Gounelle, 1911: 217)
nigropilosa Monné & Napp, 1999: 33
onorei Hovore & Chemsak, 2005: 48
parkeri (Chemsak, 1964: 108)
seticornis (Bates, 1870: 418)
terminata (Buquet, 1854: 344)
variegata Monné & Napp, 1999: 35
venusta Martins & Galileo, 2010: 569

Mexico (JA)
 Brazil (PA)
 Brazil (BA)
 Mexico (MO, PU, JA, GR, VC, CHS), Nicaragua, CR (SJ)
 Colombia, Paraguay, Argentina, Uruguay

Bolivia (TR), Argentina (SA, TU, ME)
 eEcuador
 Brazil (TO, MG), Bolivia (SC)
 Brazil (GO, MI)
 Brazil (GO, MG, ES), Bolivia (SC)
 Brazil, Uruguay
 Brazil (SP,RJ)
 wEcuador
 Mexico (OA)
 Brazil (PA, AP)
 Brazil
 Brazil (RO), Colombia
 Trinidad & Tobago

Cercoptera Spinola, 1839: pl. 12
banonii Spinola, 1839: pl. 12
sanguinicollis Gounelle, 1911: 219

Costa Rica, Venezuela, French Guiana
 Brazil (GO)

Exallancyla Monné & Napp, 2000: 356
tuberculicollis (Aurivillius, 1920: 369)
tubericollis Viana, 1971: 190

Peru, Bolivia (SC), Brazil (RO)

Mimonneticus Monné & Napp, 2000: 355
guianae Monné & Napp, 2000: 356

French Guiana, Brazil (PA)

Trachyderina Dupont, 1836: 1**Aegoidus** Buquet, 1838: 253*Oegoidus*: Guérin-Méneville, 1844: 218 [ISS]*Aegoidius*: Lacordaire, 1869: 197 [ISS]**calligrammus** Bates, 1885: 331

Panama

debauvei (Guérin-Méneville, 1838: 287)

Panama, Colombia, Guianas, Brazil (RR), Venezuela

venustus Newman, 1840: 3**earlii** Guérin-Méneville, 1840: 334

Colombia

pacificus Tippmann, 1960: 142

Peru

ab. *corallithorax* Tippmann, 1960: 144**peruvianus** Buquet, 1838: 254

Ecuador, Peru,

peruanus Erichson, 1847: 139**weyrauchi** Tippmann, 1953: 316

Peru

Aethecerinus Fall & Cockerell, 1907: 154 [RN]*Aethecerus* Chevrolat, 1862: 532 [JH; not Wesmael, 1844, Hymenoptera]**hornii** (Lacordaire, 1869: 184)

seUSA (FL)

latecinctus (Horn, 1880: 134)

swUSA (CA, AZ), Mexico (BC)

wilsonii (Horn, 1860: 570)

swUSA (TX)

Allocerus Lacordaire, 1830: 173*Albocerus*: Gistel, 1848: 427 [ISS]*Tropidosoma* Perty 1832: 35**bicarinatus** (Monné & Monné, 1998: 531)

Argentina

dilaticornis Gory, 1832: 384

French Guiana, Brazil (AM)

penniferum Bates, 1870: 423**spencei** (Kirby, 1818: 438)

Brazil (GO, BA-RS), Paraguay, Argentina, Uruguay

Allopeplus Zajciw, 1961: 222**cordifer** Zajciw, 1961: 222

Brazil (AM)

Amannus LeConte, 1858: 24**atriplicis** Linsley, 1957: 160

swUSA (TX)

pectoralis LeConte, 1858: 25

swUSA (AZ, CA, NV), Mexico (BC)

vittiger LeConte, 1858: 24

wUSA (TX, NM, AZ, UT)

brevis Casey, 1924: 267**Amphionthe** Bates, 1879: 395**brevicollis** Bates, 1885: 291

Mexico (Chiapas), Guatemala (Petén)

caudalis Schwarzer, 1929: 359

Costa Rica

chiriquina Achard, 1913: 38

Costa Rica (AL, GU), Panama

dejeani Gounelle, 1912: 115

French Guiana

doris Bates, 1879: 396

Colombia, Peru

oberthuri Achard, 1913: 35

Costa Rica (AL, GU, LI), Colombia

Ancylosternus Dupont in Audinet-Serville, 1834: 49**annulicorne** Martins & Galileo, 2010: 85

Brazil (MT)

morio morio (Fabricius, 1787: 133)

Colombia, Venezuela, French Guiana

scutellaris Olivier, 1795: [no 67] 16subsp. **albicornis** Erichson, 1847: 139

Peru, cBrazil (RO, GO, MT), Bolivia (SC)

Andrachydes Huedepohl, 1985: 36**transandinus** (Tippmann, 1953: 324)

Ecuador, Peru

Andraegoidus Aurivillius, 1920: 369**cruentatus** (Dupont, 1838: 26)

Brazil (RS), Paraguay, Argentina, Uruguay

cardinalis Dupont, 1838: 28*humeralis* Aurivillius, 1920: 370

- distinguendus** Huedepohl, 1985: 46
fabricii Dupont, 1838: 1
 fulvipennis Dupont, 1838: 9
 formosus Galileo & Martins, 2010: 35
homoplatus (Dupont, 1838: 26)
 humeralis Aurivillius, 1908: 7
 hassenteufeli Fuchs, 1958: 52
lacordairei (Dupont, 1838: 10)
 latreillei Dupont, 1838: 11
 nigripes Dupont, 1838: 12
 simplicipennis Dupont, 1838: 29
 testaceus Dupont, 1838: 13
 globicollis Bates, 1870: 432
 impunctipennis Bates, 1870: 432
 punctipennis Huedepohl, 1985: 50
laticollis Tippmann, 1953: 314
nigrofasciatus Gory, 1832: pl.43, fig. 3
 audouinii Dupont, 1838: 2
 gloriosus Dupont, 1838: 4
 var. *malleri* Tippmann, 1953: 320
 var. *binigromaculatus* Tippmann, 1953: 321
 var. *cordiger* Tippmann, 1953: 321
 var. *dimidiatus* Tippmann, 1953: 321
 var. *bisbiflavomaculatus* Tippmann, 1953: 322
 var. *flavocinctus* Tippmann, 1953: 322
 variegatus Perty, 1832: 88
 variegatus biflavomaculatus Tippmann, 1953: 323
richteri Bruch, 1908: 215
rufipes (Fabricius, 1787: 133)
 var. *axillaris* Dupont, 1838: 8
 var. *brunnipennis* Dupont, 1838: 9
 boisduvalii Dupont, 1838: 5
 ebeninus Dupont, 1838: 7
 zonatus (Dalman, 1823: 63)
 cinctus Dupont, 1838: 6
 equestris Dupont, 1838: 5
translucidus Botero & Monné, 2011: 58
- Brazil (MG)
 Brazil, Bolivia (SC)
- Brazil, Paraguay, Argentina, Uruguay
- Trinidad & Tobago, Venezuela,
 French Guiana, Brazil (AM, PA)
- Colombia
 Brazil (GO, MT, PR, CE-RS), Bolivia (BN, SC),
 Paraguay, Argentina, Uruguay
- Bolivia (LP), Argentina (CA, JU, SA, TU), Paraguay (Chaco)
 Venezuela, Brazil (GO, MS, BA-RS), Bolivia (LP, SC),
 Paraguay, Argentina
- Bolivia (SC)
- Athetesis** Bates, 1870: 428
angulicollis (Zajciw, 1961: 402)
prolixa Bates, 1870: 428
- French Guiana, Suriname, Brazil (MA, PA)
 Brazil (AM), Peru
- Axestoleus** Bates, 1892: 180
meridionalis (Bates, 1880: 87)
quinquepunctatus Bates, 1892: 181
- Mexico (JA, VC, OA)-Costa Rica
 Mexico (JA, GR, MO, CM, OA)
- Batus** Thunberg, 1822: 307
Lophonocerus Latreille in Cuvier, 1829: 112
Lophocerus Chenu, 1870: 311
barbicornis (Linnaeus, 1764: 68)
 guianus Goeze, 1777: 464
 speciosus Voet, 1778: 12
 barbicornis itaitubensis Tippmann, 1953: 227
 ab. *picticornis* Tippmann, 1953: 228
hirticornis (Gyllenhal in Schoenherr, 1817: 176)
 hirticornis Kirby, 1818: 441
 tuberculicollis Chabrillac, 1857: 198
 ab. *melancholicus* Tippmann, 1953: 228
latreillei (White, 1853: 83)
 barbicornis: Olivier, 1795: [no 67] 8 [Mld; not Linnaeus, 1764]
- Guyana, French Guiana, Colombia, Venezuela, Ecuador,
 Brazil (AC, AM), Peru, Bolivia (BN, PN, SC)
- Brazil (BA-RS), Paraguay, Argentina
- Brazil (BA-RJ)

Batyle Thomson, 1864: 201*Batyleoma* Casey, 1912: 326**ignicollis ignicollis** (Say, 1824: 412)*sanguinicolle* Germar, 1823: 515*seclusa* Casey, 1912: 327*punctipennis* Casey, 1912: 328*acomana* Casey, 1912: 328subsp. **australis** Linsley, 1957: 33subsp. **oblonga** Casey, 1912: 328**knowltoni** Knull, 1968: 233**laevicollis** Bates, 1892: 181**rufiventris** Knull, 1928: 126**suturalis suturalis** (Say, 1824: 411)*miniaturum* Germar, 1823: 515*rubrum* Newman, 1838: 383*fontinalis* Casey, 1912: 330subsp. **cylindrella** Casey, 1893: 587*ruber* LeConte, 1858: 82subsp. **infuscatus** Linsley, 1957: 33subsp. **melanicollis** Linsley, 1957: 34subsp. **pearsalli** (Bland, 1862: 272)subsp. **remota** (Casey, 1924: 264)subsp. **rutilans** (LeConte, 1850: 18)

wUSA (TX, MT, CO, ID)-OH

seUSA (AL, MS, FL)

wUSA (AZ, UT)

wUSA (UT)

Mexico (JA, GR, VC, QR, YU)

swUSA (AZ)

e-swNAmer

swUSA (TX)

wUSA (CO)

swUSA (TX), Mexico (CHA)

ncNorth America (CO-Alberta, Saskatchewan)

wUSA (NV, UT)

swUSA (AZ, NM)

Callistochroma Eya, 2015: 363**cacica** (Bates, 1885: 319)**chrysiptera** Eya, 2015: 365**flavofasciatum** (Chemsak & Hovore in Eya & Tyson, 2011: 65)**lampros** (Bates, 1885: 321)*tricolor*: Bates, 1880: 75 [Mld; not Waterhouse, 1840]**rutilans** (Bates, 1869: 384)**viridipenne** (Latreille, 1811: 163)**viridipurpureum** Eya, 2015: 365

Colombia, Peru

Panama

Costa Rica (AL, GU, PA), Panama

Panama

Mexico-Nicaragua, Costa Rica, Panama

Colombia, Ecuador

Colombia

Ceragenia Audinet-Serville, 1834: 32*Ceratogenia* Gistel, 1848: 432 [UE]*Cerogenia* Gemminger in Gemminger & Harold, 1872: 2964 [UE]**aurulenta** Monné & Martins, 1991: 199**bicornis** (Fabricius, 1801: 274)*striatus* Olivier, 1795: [no 67] 27**insulana** Fisher, 1943: 12**leprieurii** Buquet in Guérin-Méneville, 1844: 219*spinipennis* Bates, 1870: 427

Brazil (PA, MT)

Venezuela, eEcuador, Guianas, Brazil, Bolivia (SC)

Costa Rica, Panama, Colombia

Costa Rica (PA), French Guiana, Suriname, Brazil (AM, PA)

Cervilissa Monné & Monné, 2000: 1**versicolor** Monné & Monné, 2000: 2

Brazil (MG)

Charinotes Dupont in Audinet-Serville, 1834: 39**fasciatus** Dupont in Audinet-Serville, 1834: 40

Brazil (MG-RJ)

Chemsakia Linsley, 1967: 168**semicostata** (Bates, 1872: 195)**subarmata** Linsley, 1967: 170

Mexico (OA)-Nicaragua

Mexico (CHS)

Chemsakiella Monné, 2006: 179 [RN]*Linsleyella* Chemsak, 1984: 114 [JH; not Rohr, 1980, Mollusca: Gastropoda]**michelbacheri** Chemsak, 1984: 117**ricei** Chemsak, 1984: 115**virens** (Bates, 1885: 323)

Mexico (CO, ZA)

swUSA (TX, NM)

Mexico (MO, HI, PU, OA)

Chevrolatella Zajciw, 1969: 119*tripunctata* (Chevrolat, 1863: 759)*ornaticollis* Chevrolat, 1863: 759

Brazil (PB-RS, GO, MS), Bolivia (TR), Paraguay, Argentina

Chlorotherion Zajciw, 1962: 202*consimile* Zajciw, 1962: 203*punctatus* Monné, 1998: 303

Brazil (SP)

Brazil (MG)

Chydarteres Huedepohl, 1985: 72*bicolor* (Voet, 1778: 10)*costatus* (Aurivillius, 1908: 7)*dimidiatus dimidiatus* (Fabricius, 1787: 133)*scapularis* Dupont, 1836: 47*conformis* Dupont, 1836: 9*ocellatus* Dohrn, 1879: 459 (part)subsp. *altissimus* Huedepohl, 1985: 79subsp. *notatus* (Dupont, 1836: 50)subsp. *taeniatus* (Germar, 1823: 512)*octolineatus* (Thunberg, 1822: 305)*germarii* Dupont, 1836: 41*herteli* Tippmann, 1953: 330*striatellus* Huedepohl, 1985: 82

French Guiana, Brazil (widespread)

Argentina (CH, SE)

Colombia, Guianas-Argentina, Bolivia (SC), Uruguay

Peru

Brazil (MG, ES-SP)

Brazil, Bolivia, Paraguay, Argentina, Uruguay

Brazil (MG-PR)

Brazil (BA)

French Guiana, Brazil (GO, MT, BA-RS),

Paraguay, Argentina, Uruguay

Bolivia (SC), Argentina

Brazil (MG, ES, RJ, SP)

Cosmocerus Guérin-Ménéville, 1844: 219*strigosus* Guérin-Ménéville, 1844: 219

Brazil (MG-RS), Argentina (MI)

Crioprosopus Audinet-Serville, 1834: 53*Callona* Waterhouse, 1840: 228*amoenus* Jordan, 1895: 220*baldwini* Eya, 2020: 2*championi* Bates, 1885: 320*iridescens*: Bates, 1880: 74 [Mld; not White, 1853]*chiriquiensis* Eya, 2015: 383*gaumeri* Bates, 1892: 172*hondurensis* Eya, 2015: 385*iridescens* White, 1853: 80*nietii* Chevrolat, 1857: 103*nietoi* Bates, 1880: 74*plagiatus* (Waterhouse, 1877: 12)*rimosus* (Buquet, 1840: 142)*splendens* LeConte, 1854: 441*saundersii* White, 1853: 79*servillei* Audinet-Serville, 1834: 54*divisus* Bates, 1885: 320*thoracicus* White, 1853: 78*basileus* Bates, 1880: 75*nigricollis* Bates, 1892: 173*thoracica* White, 1853: 78*praestans* Casey, 1912: 320*praestans semiplicatus* Casey, 1912: 320*tricolor* (Waterhouse, 1840: 228)*wappesi* Eya, 2015: 396

Costa Rica

Costa Rica (PU), Panama (Chiriqui)

Guatemala

Panama

Mexico (Yucatan)

Honduras

Guatemala

Mexico (VC, OA), Costa Rica

Guatemala (Zacapa)

swUSA (TX), Mexico (CHA)

Mexico, Honduras, Nicaragua

Mexico (Veracruz), Honduras

Mexico (CO, OA, YU)

Venezuela

Guatemala

Crossidius LeConte, 1851: 102*Oxoplus* LeConte, 1862: 41**ater** LeConte, 1861: 356**coralinus coralinus** LeConte, 1862: 42subsp. **ascendens** Linsley, 1957: 43subsp. **caeruleipennis** Linsley, 1957: 43subsp. **coccineus** (Casey, 1893: 588)subsp. **ferruginosus** Chemsak & Linsley, 1959: 178*coralinus* subsp. *feruginosus*: Monné, 1994: 42 [ISS]subsp. **fulgidus** Chemsak & Linsley, 1959: 179subsp. **jocosus** (Horn, 1885: 175)subsp. **monoensis** Linsley & Chemsak, 1961: 39subsp. **obfuscipennis** Chemsak & Linsley, 1959: 179subsp. **parviceps** (Casey, 1924: 264)subsp. **ruficollis** Linsley, 1943: 147subsp. **tejonicus** Chemsak & Linsley, 1959: 178subsp. **temprans** Linsley & Chemsak, 1961: 39**discoideus discoideus** (Say, 1824: 411)*pulchrior* Bland, 1862: 272subsp. **blandi** Casey, 1893: 589subsp. **sayi** Casey, 1912: 340*sayi bilenticulatus* Casey, 1912: 340*submetallicus* Casey, 1912: 341**grahami** Morris & Wappes, 2013: 3**hirtipes hirtipes** LeConte, 1854: 18subsp. **allgewahri** LeConte, 1878: 461subsp. **bechteli** Linsley & Chemsak, 1961: 59subsp. **brunneipennis** Linsley, 1943: 148subsp. **cerarius** Chemsak & Linsley, 1959: 177subsp. **flavescens** Chemsak & Linsley, 1959: 180subsp. **francesae** Chemsak & Linsley, 1959: 181subsp. **immaculatus** Chemsak & Linsley, 1959: 182subsp. **immaculipennis** Chemsak & Linsley, 1959: 180subsp. **macswaini** Linsley & Chemsak, 1961: 58subsp. **nigripennis** Chemsak & Linsley, 1959: 180subsp. **nubilus** Linsley, 1957: 42subsp. **rhodopus** Linsley, 1955: 54subsp. **rubescens** Linsley & Chemsak, 1961: 58subsp. **setosus** Chemsak & Linsley, 1959: 181subsp. **wickhami** Casey, 1912: 337*truncatellus* Casey, 1912: 338*curticollis* Casey, 1924: 265*parallelus* Casey, 1924: 265**humeralis humeralis** LeConte, 1858: 24subsp. **quadrivittatus** Penrose, 1974: 251**hurdi** Chemsak & Linsley, 1959: 176**mexicanus** Chemsak & Noguera, 1997: 10**militaris** Bates, 1892: 177*inflaticollis* Linsley, 1957: 159**moestus** (Bates, 1885: 323)**mojavensis mojavensis** Linsley, 1955: 63subsp. **linsleyi** Chemsak, 1959: 112**pulchellus** LeConte, 1861: 356*palmeri* Bates, 1880: 81*nitidicollis* Casey, 1891: 33*pulchellus sinuosus* Casey, 1912: 339*pulchellus retractus* Casey, 1912: 339*pulchellus vegasensis* Casey, 1912: 339*debilis* Casey, 1912: 339*lanaticollis* Casey, 1912: 339**punctatus** LeConte, 1873: 197*crassipes* Casey, 1891: 32

wUSA

wUSA (AZ, NM, UT, CO)

swUSA (CA)

swUSA (CA)

wUSA (UT)

swUSA (CA)

wUSA (UT)

wUSA (CO)

wUSA (CA)

wUSA (ID)

wUSA (UT)

wUSA (CA)

swUSA (CA)

wUSA (CA, NV)

wNorth America (CO-Canada)

wNorth America (Alberta, UT)-cMexico

wNorth America (Rocky Mts)

Georgia

nwUSA (OR, WA)

wUSA (ID, UT, WY)

wUSA (NV)

wUSA (NV)

wUSA (NV)

wUSA (CA)

wUSA (CA)

wUSA (CA, NV, OR)

wUSA (NV)

wUSA (NV)

nwUSA (WA, ID, WY)

wUSA (CA)

wUSA (CA)

wUSA (NV)

wUSA (CA)

swUSA (AZ, NV, UT)

swUSA (TX, NM)-Mexico

swUSA (TX)

swUSA (AZ, NM)

Mexico (CO, ZA, NL)

swUSA (TX, NM)-Mexico (DU)

Mexico

swUSA (CA)

Mexico (BC)

w, cNorth America, Mexico (CHA, NL, ZA)

wNorth America

- plagiatus* Casey, 1912: 336
hirsuticollis Casey, 1924: 266
vinosus Casey, 1924: 266
rubens (Bates, 1885: 323) Mexico (DU, GU, ME, JA, MI, GR)
fulva Bates, 1892: 174
tuberculicollis Bates, 1892: 175
subopacus (Chemsak & Linsley, 1982: 74) Mexico (PU, GR)
suturalis suturalis LeConte, 1858: 83 swUSA (TX, NM, AZ), Mexico (SO, CO)
longipennis Casey, 1891: 31
aegrotus Bates, 1892: 178
 subsp. **intermedius** LeConte, 1873: 196 swUSA (AZ, NV), Mexico (SO)
 subsp. **melanipennis** Penrose, 1984: 62 swUSA (TX)
 subsp. **minutivestis** Linsley, 1957: 44 swUSA (CA)
 subsp. **pubescens** Linsley, 1957: 44 swUSA (CA)
testaceus testaceus LeConte, 1851: 102 swUSA (CA), Mexico (BCN)
 subsp. **australis** Linsley, 1942: 61 Mexico (BCN)
 subsp. **maculicollis** Casey, 1912: 337 swUSA (CA)
wappesi Skillman, 2023: 2 swUSA (Texas; Presidio County)

- Cryptobias** Dupont in Audinet-Serville, 1834: 35
Cryptobius Chenu, 1870: 311
Nosophloeus Dupont, 1836: 15
Nosophaeus Dupont, 1838: ix [ISS of *Nosophloeus* Dupont, 1836]
Dimacherus Gistel, 1848: 432 [URN]
coccineus Dupont in Audinet-Serville, 1834: 36 Brazil (RJ, SP)
concinus Dupont, 1836: 16
ocellatus Dohrn, 1879: 459 (part)

- Ctenodes** Olivier, 1808: 779
Brachypotes Gistel, 1848: 432 [URN]
decemmaculata Olivier, 1808: 781 French Guiana, Brazil (AM, RO, PA, MA)
miniata Klug, 1825: 455
minuta: Latreille in Cuvier, 1836: 108 [ISS of *miniata* Klug, 1825]
geniculata Klug, 1825: 456 Brazil (GO, MG, MT)
thoracicus Redtenbacher, 1867: 201
guianensis Dalens, Tavakilian & Touroult, 2009: 201 French Guiana
zonata Klug, 1825: 454 French Guiana, Brazil (PA, AM)
isabellina Bates, 1870: 424

- Cyphosterna** Chevrolat, 1863: 756
Dioxiotes Chevrolat, 1863: 757
Neotaronomis Chemsak & Linsley, 1982: 71
atropurpureum (Chemsak & Noguera, 2001: 51) Honduras
quadrilineata Chevrolat, 1863: 757 Mexico (SI, OA, CHS, YU)
australis Chemsak & Linsley, 1982: 74
sinaloae (Chemsak & Linsley, 1982: 72) Mexico (SI, NA, JA, CHS)
sinaloanum Eya, 2024: 87 [UE]

- Deltaspiopsis** Eya, 2019: 47
disparilis (Bates, 1891: 160) Mexico (widespread)
variabilis (Bates, 1891: 161) Mexico (PU, GR, OA)

- Deltaspis** Audinet-Serville, 1834: 7 Mexico (NAY)
aeruginis Chemsak, Hovore & Eya in Eya, 2017: 182 Mexico
auromarginata Audinet-Serville, 1834: 8 Mexico
cyanipes Bates, 1885: 322 Mexico (DU, SI, GR, PU)
rubriventris Bates, 1880: 77 Mexico (GR)
rufostigma Bates, 1892: 173 Mexico (VC, GR, MO)
thoracica White, 1853: 148

Dendrobias Dupont in Audinet-Serville, 1834: 41*Lacaena* Gistel, 1848b: ix [URN]*Dendrobias*: LeConte, 1858: 40 [ISS]**mandibularis mandibularis** Dupont in Audinet-Serville, 1834: 42 swUSA (TX-CA), Mexico (BC, MI, CM), Honduras*testaceus* Dupont, 1836: 24*basalis* Dupont, 1840: 6*quadrimaculatus* Dupont, 1836: 22*spinicollis* Bates, 1885: 332*debilicollis* Casey, 1912: 316*peninsularis* Casey, 1912: 316subsp. **reductus** Casey, 1912: 316 swUSA (CA, AZ), Mexico (BC)subsp. **virens** Casey, 1912: 316 swUSA (TX)**maxillosus** Dupont in Audinet-Serville, 1834: 44 Martinique**steinhauseni** Huedepohl, 1987: 199 Honduras, Nicaragua, Costa Rica**Deretrachys** Huedepohl, 1985: 27**chilensis** (Bosq, 1949: 79) Chile*penai* Cerda, 1953: 135**juvencus** (Dupont, 1840: 7) Colombia**montanus** (Tippmann, 1953: 327) Peru*itzingeri* Tippmann, 1953: 328**pellitus pellitus** (Kirsch, 1889: 39) Colombia, Ecuador, Peru*vermiculatus* Bates in Whympier, 1891: 38*bonplandi* Gounelle, 1910: 17subsp. **meridionalis** Huedepohl, 1985: 33 Ecuador**villiersi** Huedepohl, 1985: 29 Ecuador, Peru**Desmoderus** Dupont in Audinet-Serville, 1834: 37*Didymaenus* Thomson, 1861: 211**variabilis** Dupont in Audinet-Serville, 1834: 38 Brazil (GO, BA-RJ)**Dicranoderes** Dupont, 1836: 25**annulatus** Dupont, 1836: 26 Brazil (GO, BA-SP), Bolivia (SC)**Dorcacerus** Dejean, 1821: 105*Dorcadocerus*: Germar, 1823: 501 [ISS]**barbatus** (Olivier, 1790: 300) Mexico?-Brazil, Ecuador, Bolivia (BN, SC), Argentina*auricomus* Germar, 1821: 168**Drychateres** Huedepohl, 1985: 65**bilineatus** (Olivier, 1795: [no 67] 17) Brazil (widely distributed), Bolivia (SC),*scabricollis* Dalman, 1823: 64 Paraguay, Argentina, Uruguay*dejeani* Dupont, 1838: 15*solieri* Dupont, 1838: 16*duponti* Dupont, 1838: 17*olivieri* Dupont, 1838: 18*puncticollis* Dupont, 1838: 20*vauthieri* Dupont, 1838: 22*dorbignyi* Dupont, 1838: 23*nigripennis* Dupont, 1838: 24*signaticollis* Dupont, 1838: 25**Elytroleptus** Dugès, 1879: 182**apicalis** (LeConte, 1884: 24) swUSA (AZ-TX), Mexico**divisus** (LeConte, 1884: 23) Texas, Mexico (CO, NL, SLP, TM)*dichromaticus* Linsley, 1961: 13**floridanus** (LeConte, 1862: 42) eNorth America-TX**grandis** Linsley, 1935: 97 eMexico (ME, MO, VC)-Costa Rica**humeralis** Linsley, 1961: 14 Mexico (CHA)

ignitus LeConte, 1884: 24
luteicollis Skiles & Chemsak, 1982: 66
immaculipennis Knull, 1935: 99
 var. *obliquus* Knull, 1950: 91
peninsularis Hovore, 1988: 16
limpianus Skiles & Chemsak, 1982: 67
luteus Dugès, 1879: 185
davisi Knull, 1940: 558
lineatus Knull, 1950: 91
metallicus (Nonfried, 1894: 140)
nigripennis Bates, 1885: 318
pallidus (Thomson, 1861: 255)
alfredi Dugès, 1879: 185
villosus Linsley, 1961: 15
peninsularis Hovore, 1988: 16
quadricostatus Grzymala & Miller, 2013: 39
rufipennis (LeConte, 1884: 23)
longipennis Bates, 1885: 318
eros Bates, 1885: 318
scabricollis Bates, 1892: 172
similis Chemsak & Linsley, 1965: 197

Arizona, Mexico (CH, SO)

Arizona, Texas, Mexico (DU, OA)

swUSA (Tex)

USA (AZ-TX), Mexico, Guatemala, Honduras

Honduras

Mexico (OA)

Mexico

Mexico (BC)

Mexico (MO), Guatemala (Zacapa)

swUSA (AZ)-Mexico

Mexico, Honduras

Mexico (PU, OA)

Entomosterna Chevrolat, 1863: 752

Dithymia Chevrolat, 1863: 753

cruentata Chevrolat, 1863: 753

kovariki Wappes & Santos-Silva, 2020: 2

ruficollis Chemsak & Hovore in Eya, 2010: 2

Mexico (VC, CHS), Guatemala

Belize (Orange Walk, Stann Creek)

Mexico (MI, GR)

Eriocharis Aurivillius, 1912: 483 [RN]

Eriosoma Blanchard, 1843: 207 [JH; not Leach, 1818, Hemiptera]

devestivus Monné & Martins, 1973: 75

lanaris (Blanchard in D'Orbigny, 1847: 207)

flavocomus Fairmaire, 1864: 272

aurulentus Burmeister, 1865: 162

richardii (Dupont, 1838: 32)

costatus Dupont, 1838: 33

haematicus Fairmaire, 1864: 271

Peru

Bolivia, Argentina

Brazil, Argentina

Eriphus Audinet-Serville, 1834: 88

Eryphus Klug, 1829: 7

Capricornus Gistel, 1848: ix [URN]

bahiensis Chevrolat, 1863: 749

bisignatus (Germar, 1823: 516)

luctuosus Chevrolat, 1863: 750

niger Fuchs, 1974: 243

cardinalis Monné & Fragoso, 1996: 115

clarkei Tippmann, 1960: 141

dimidiatus White, 1855: 293

estebani Touroult, Dalens & Tavakilian, 2012: 76

flavus Touroult, Dalens & Tavakilian, 2012: 73

giuglarisi Touroult, Dalens & Tavakilian, 2012: 77

haematoderus Chevrolat, 1863: 750

immaculicollis Audinet-Serville, 1834: 89

lineatocollis Chevrolat, 1863: 750

xanthoderus Bates, 1870: 429

longicollis Zajciw, 1961: 403

mathani Touroult, Dalens & Tavakilian, 2012: 78

metallicus Zajciw, 1960: 141

mexicanus Audinet-Serville, 1834: 89

unipunctatus Buquet in Guérin-Méneville, 1844: 226

petronillae Touroult, Dalens & Tavakilian, 2012: 73

Brazil (BA, ES)

Brazil (GO, BA, MG-SP)

Brazil (RO, MT)

Bolivia

French Guiana, Brazil (PA), Ecuador, Peru, Bolivia (CO, SC)

French Guiana

French Guiana

French Guiana

Bolivia

Brazil (GO-SC)

French Guiana, Brazil (PA)

Bolivia (SC), Argentina (SA, TU)

Peru (Amazonas)

Brazil (ES, RJ)

Brazil (ES, RJ)

French Guiana

prolixus Bates, 1872: 193
rubellus Martins & Galileo, 2004: 230
rubricollis Klug 1829: 82
 purpuratus Chevrolat, 1863: 748
 brasiliensis Schaufuss, 1871: 210
rufomaculatus Touroult, Dalens & Tavakilian, 2012: 73
smaragdinus Monné & Fragoso, 1996: 116
variegatus Monné & Fragoso, 1996: 117
viridis Monné & Fragoso, 1996: 116

Galissus Dupont, 1840: 1

Panchylissus Waterhouse, 1880: 294
azureus Monné & Martins, 1981: 186
cyaneipennis (Waterhouse, 1880: 295)
 rubiventris Martins & Galileo, 2010: 592
cyanopterus Dupont, 1840: 1
nigrescens Martins, Galileo & Ramirez, 2012: 198
nigriventris (Lane, 1965: 289)
rubiventris Martins & Galileo, 2010: 592

Gambria Chevrolat, 1863: 760

bicolor (Chevrolat, 1863: 758)
leucozona Bates, 1880: 86
nigripennis (Chevrolat, 1863: 760)

Georgiana Aurivillius, 1912: 450 [RN]

Georgia Thomson, 1857: 21 [JH; not Baird & Girard, 1853, Squamata]
xanthomelaena (White, 1856: 408)
 citrina Thomson, 1857: 21

Giesbertella Chemsak & Hovore in Eya, 2010: 4

mimetica Chemsak & Hovore in Eya, 2010: 4

Giesbertia Chemsak & Linsley, 1984: 284

rugosa Chemsak & Linsley, 1984: 286

Gonyacantha Thomson, 1858: 407

rubronigra Thomson, 1858: 498
 nigrorubra: Lacordaire, 1869: 212 [ISS]
 richteri Fischer, 1888: 490

Gortonia Hovore, 1987: 151

linsleyi Hovore, 1987: 152
sumideroensis Wappes & Santos-Silva, 2020: 5

Hoegea Bates, 1885: 326

distigma Bates, 1885: 327

Ischnocnemis Thomson, 1864: 199

brevis Eya, 2024: 74
caerulescens Bates, 1885: 328
costipennis Thomson, 1864: 199
 tripunctata Thomson, 1864: 199
cyaneus Bates, 1892: 178
edmundi Eya, 2024: 72
eyai Chemsak & Noguera, 1997: 11
glabra Chemsak & Linsley, 1988: 132
sexualis Bates, 1885: 328
similis Chemsak & Noguera, 1997: 12

Nicaragua
 Venezuela
 Brazil (PR-RS), Paraguay, Argentina

French Guiana
 French Guiana, Brazil (PA, RO)
 Brazil (BA, MG)
 Brazil (MG, ES)

Brazil (MT)
 Honduras, Costa Rica, Panama, Colombia, Ecuador,
 Bolivia
 French Guiana, Brazil (AP, PA), Ecuador
 Costa Rica (LI)
 Ecuador
 Bolivia (SC)

Mexico (VC)
 Mexico (SO, CM, YU)
 Brazil, Paraguay, Argentina

French Guiana, Brazil (AM, GO)

Panama

Mexico (MO, MI, GR)

Brazil (ES-SC)

Costa Rica, Panama
 Mexico (Chiapas)

Mexico (VC, CHS)

Mexico (Michoacan, Guerrero)
 Mexico (JA, GR, PU), Costa Rica (GU)
 Mexico

Mexico (MO, OA)
 Mexico (Chiapas)
 Mexico (JA)
 Mexico (JA)
 Mexico (JA, GU, PU), Costa Rica (GU)
 Mexico (JA)

subviridis Chemsak & Hovore in Eya, 2010: 9

Guatemala

Lissonomimus Viana & Martinez, 1992: 28

Pujolia Lane, 1973: 380 [JH; not Levasseur, 1968, Coleoptera: Staphylinidae]

Laneiella Monné, 2006: 179

auratopilosus Di Iorio, 1998: 28

Argentina (CH)

megaderinus (Lane, 1973: 382)

Brazil (GO), Paraguay, Argentina

narciso Viana & Martinez, 1992: 30

Lissonoschema Martins & Monné, 1978: 65

fasciatum (Fisher, 1944: 9)

Venezuela, French Guiana

macrocolumn Martins & Monné, 1978: 65

Brazil (ES), Bolivia (CO)

solangeae Monné & Monné, 2000: 161

Brazil (MG)

Lissonotypus Thomson, 1864: 211

Lissonotypus Gemminger in Gemminger & Harold, 1872: 2982 [UE]

brasiliensis (Buquet, 1860: 622)

Brazil (ES, RJ)

tetraspilatus (White, 1853: 64)

Brazil (ES, RJ), Argentina (MI)

quadrisignatus Buquet, 1860: 621

Lophalia Casey, 1912: 333

Entomosterna: LeConte, 1873: 314 [Mld; not Chevrolat, 1863]

cavei Chemsak & Hovore in Eya, 2010: 14

El Salvador

cyanicollis (Dupont, 1838: 59)

swUSA (TX, AZ)-Mexico

nigricollis Eya, 2024: 27

Mexico (Michoacan, Morelos)

prolata Chemsak & Linsley, 1988: 127

Mexico (SI-GR)

quadrivittata (Bates, 1892: 179)

Mexico (JA, GR)

Lophaliomorpha Eya, 2024: 29

cribricollis (Bates, 1892: 179)

Mexico (GR)

luteicollis (Bates, 1885: 329)

Mexico (SI, JA, GU)

Mannophorus LeConte, 1854: 442

forreri Bates, 1885: 327

swUSA (AZ), Mexico (CHA, DU)

laetus LeConte, 1854: 442

swUSA (TX), Mexico (SLP, VC)

cribellatus Bates, 1892: 179

ferreus Bates, 1880: 82

minor (Bates, 1880: 83)

Mexico (PU, CHS)

tricostatus Eya, 2024: 49

Mexico (Chiapas, Oaxaca)

virgulatus virescens (Eya, 2010: 10)

Mexico (GR, OA)

virgulatus virgulatus Chemsak, 1987: 145

Mexico (PU OA)

Martinsellus Huedepohl, 1985: 131

signatus (Gyllenhal in Schoenherr, 1817: 177)

Brazil (GO, MS, BA-RS), Bolivia (SC), Paraguay,
Argentina, Uruguay

Megapurpuricenus Eya, 2015: 398

magnificus (LeConte, 1875: 173)

swUSA (AZ), Mexico (CHA)

Metaleptus Bates, 1872: 192

angulatus (Chevrolat, 1834: 67)

Mexico-Costa Rica

marginellus Bates, 1872: 193

binoculus Bates, 1872: 193

binoculatus Linsley, 1935: 98

coccinatus Bates, 1872: 193

batesi Horn, 1885: 174

swUSA (AZ, CA), Mexico

hondurae Nonfried, 1894: 138

Honduras

lecontei (Casey, 1912: 325)

Honduras

pyrrhulus Bates, 1880: 79

Mexico (MO, CHS, OA), Guatemala

Metopocoilus Audinet-Serville, 1832: 170*Metopocoellus*: Laporte, 1840: 410 [ISS]*Metopocoelus*: Lacordaire, 1869: 244 [ISS]*Coptocephalus* Gray in Griffith, 1832: 113*Elaterosoma* Tippmann, 1953: 205**corumbaensis** Lane, 1956: 8*rojasi*: Lane, 1943: 102 [Mld; not Sallé, 1853]**giganteus** Nonfried, 1894: 137**longissimum** (Tippmann, 1953: 206)**maculicollis** Audinet-Serville, 1832: 171*brasiliensis* Gray in Griffith, 1832: 113**picticornis** Melzer, 1923: 3**quadrispinosus** (Buquet, 1860: 619)var. *basimaculatus* Tippmann, 1953: 208**rojasi** Sallé, 1853: 650

Brazil

Brazil (AM)

Venezuela

Brazil (BA, SP-RS, RJ)

Brazil (MG-SP)

Brazil (BA, SP-RS), Argentina

Venezuela

Micropelta Zajciw, 1961: 399**rugosicollis** Zajciw, 1961: 400.

Peru, Brazil (RO), Bolivia (SC)

Microteroschema Eya, 2024: 77**parvum** Eya, 2024: 78**pseudolaetum** Eya, 2024: 80

Mexico (Chiapas)

Mexico (Oaxaca)

Molitones Gounelle, 1913: 422**flavipennis** Gounelle, 1913: 423

Colombia

Monneellus Huedepohl, 1985: 136*Hudepohlellus* Chemsak & Hovore in Eya, 2010: 5**rhodopus** (Bates, 1870: 431)*vagus* Melzer, 1927: 571**semilunatus** (Chemsak & Hovore in Eya, 2010: 6)

Venezuela, French Guiana, eEcuador, Brazil (AM, MT),

Peru, Bolivia (SC)

Costa Rica (PA)

Muscidora Thomson, 1864: 202**alutacea** (Bates, 1885: 323)**bezarki** Eya, 2019: 32**coriacea** Eya, 2019: 33**marginella** (Bates, 1891: 160)**nigrescens nigrescens** Chemsak, 1959: 113subsp. **clinei** Eya, 2019: 38**nigripennis** (Bates, 1880: 77)**similis** Eya, 2019: 41**tricolor** Thomson, 1864: 202**tumacacorii** (Knull, 1944: 91)

Mexico (SI-PU)

Mexico (Puebla, Oaxaca)

Mexico (Oaxaca)

Mexico (SI, SO, DU)

Mexico (CHA, DU, SI, NAY, JA)

Mexico (Jalisco)

Mexico (ME, MO, PU, GR, CHS, OA, VC)

Mexico (Sinaloa, Sonora)

Mexico-Costa Rica

swUSA (AZ), Mexico (Sonora)

Neochrysoprasia Franz, 1969: 1**zajciwi** Franz, 1969: 1

Brazil (SP), Bolivia (TR), Paraguay

Neocrossidius Chemsak, 1959: 131**trivittatus** (Bates, 1880: 82)

Mexico (DU, DF, CO, MI)

Neogalissus Monné & Martins, 1981: 187**pelidnos** Monné & Martins, 1981: 188

Suriname, French Guiana, Brazil (AM, PA)

Neomegaderus Monné, 2006: 179 [RN]*Megaderus* Dejean, 1821: 106 [JH; not Rafinesque, 1815, Actinopterygii [Pisces]]**bifasciatus** Dupont, 1836: 5*corallifer* Newman, 1840: 195**stigma** (Linnaeus, 1758: 395)ab. *bimaculatus* Tippmann, 1960: 151

USA?, Guatemala, Honduras

Nicaragua-Argentina, Bolivia (BN, SC)

ab. interruptefasciatus Tippmann, 1960: 151
latifasciatus Bates, 1870: 438

Neotaphos Fisher, 1937: 324

Uragus Guérin-Ménéville, 1844: 230 [JH; not Rafinesque, 1815, Coelenterata; not Keyserling & Blasius, 1840, Aves]

Vianuragus Monné, 2006: 179 [RN for *Uragus* Guérin-Ménéville, 1844]

hamaticollis (Guérin-Ménéville, 1844: 231)

Argentina

rachelis Fisher, 1936: 325

Chile

Neoxoplus Eya, 2019: 22

cruentus (LeConte, 1862: 42)

USA (CA), Mexico (BCS)

cruentatus: Horn, 1894: 338 [ISS]

marginatus LeConte, 1862: 42

ivae (Beierl & Barchet-Beierl, 1999: 5)

USA (CA), Mexico (BCN)

Noguerana Chemsak & Linsley, 1988: 129

aliciae Chemsak & Linsley, 1988: 130

Mexico (JA)

rodriguezae Noguera, 2005: 69

Mexico (MO)

Nothoprodontia Monné & Monné, 2004: 239

boliviana Monné & Monné, 2004: 240

French Guiana, Bolivia (CO)

Oxymerus Dupont in Audinet-Serville, 1834: 50

aculeatus aculeatus Dupont, 1838: 38

Brazil

confusus Dupont, 1838: 39

nigricornis Dupont, 1838: 40

klugii Dupont, 1838: 44

subsp. **lebasi** Dupont, 1838: 47

subsp. **meridionalis** Huedepohl, 1979: 23

Nicaragua-nSamer, sW Indies, Jamaica, Cuba

cSouth America, Bolivia (SC, TR)-Uruguay

basalis (Dalman, 1823: 65)

Venezuela, Guyana, French Guiana, Brazil, Bolivia (SC, TR, TO)

deletus Dupont, 1838: 48

bruchi bruchi Gounelle, 1913: 229

Brazil (MT, RS), Paraguay, Argentina

subsp. **seabrai** Huedepohl, 1985: 142

Brazil (GO)

chevrolatii Dupont, 1838: 36

Brazil (PR-RS), Paraguay, Argentina, Uruguay, Bolivia (SC)

obliquatus Burmeister, 1865: 163

saundersii Waterhouse, 1886: 500

flavescens flavescens Thunberg, 1822: 304

Brazil (DF, RJ-RS), Paraguay, Argentina

luteus Aurivillius, 1912: 482

quadrioculatus Schaller, 1783: 289

porcatus Weber, 1801: 88

rivulosus Germar, 1823: 512

subsp. **abdominalis** Dupont, 1838: 37

Brazil (BA-SP)

lateriscriptus Burmeister, 1865: 164

subsp. **australis** Huedepohl, 1979: 34

Argentina, Uruguay

subsp. **nigriventris** Dupont, 1838: 43

French Guiana, Brazil

subsp. **occidentalis** Huedepohl, 1979: 34

Peru, Bolivia (SC)

lineatus Dupont, 1838: 41

Colombia, French Guiana, Brazil (BA, MA, RR, SP)

approximatus Dupont, 1838: 44

elongatus Dupont, 1838: 45

distinguendus Dupont, 1838: 48

aculeatus lineatus Huedepohl, 1979: 20

pallidus Dupont, 1838: 49

Brazil (RJ), Argentina, Uruguay

punctatus Gounelle, 1911: 240

Brazil (GO, MG, MT)

vianai Huedepohl, 1979: 51

Argentina (CD)

virgatus Gounelle, 1913: 228

Brazil (RS), Paraguay, Argentina, Uruguay

Ozodera Dupont, 1840: 10

callidioides Dupont, 1840: 42

Colombia

xanthospilos Dupont, 1840: 10

bipartita Buquet, 1840: 111

Palaeotrachyderes Tippmann, 1960: 147 <i>Paleotrachyderes</i> : Chemsak, Linsley & Noguera, 1992: 84 [ISS] laticornis Tippmann, 1960: 148	Panama
Parabatyle Casey, 1912: 326 sanguiniventris (Chevrolat, 1863: 754)	Mexico (VC)
Paraethecerus Bruch, 1926: 342 sexmaculatus Bruch, 1926: 343	Argentina (CA)
Paragortonia Chemsak & Noguera, 2001: 52 discoidea (Linsley, 1935: 98) leptoforma Chemsak & Noguera, 2001: 52	Mexico (ME) Mexico (OA)
Paramannophorus Eya, 2024: 51 skillmani (Chemsak & Hovore in Eya, 2010: 7)	Mexico (OA)
Parathetesis Linsley, 1961: 7 convergens (Bates, 1892: 171)	Mexico (GR, CM)
Parevander Aurivillius, 1912: 453 [RN] <i>Evander</i> : Lacordaire, 1869: 160 [Mld; not Thomson, 1861] hovorei Giesbert, 1984: 59 nietii (Guérin-Méneville, 1844: 257) <i>nietoi</i> Gemminger & Harold, 1872: 2964 nobilis (Bates, 1872: 192) unicolor (Bates, 1880: 71) xanthomelas (Guérin-Méneville, 1844: 258)	swUSA (TX), Mexico (TA, CO, NL, SLP) Mexico (VC), Guatemala Mexico, Honduras, Nicaragua, Costa Rica Costa Rica Mexico (PU, OA, GR), Guatemala, Honduras, Costa Rica
Paroxoplus Chemsak, 1959: 111 <i>Oxoplus</i> : Lacordaire, 1869: 179 [Mld; (not LeConte, 1862)] ornaticollis (Lacordaire, 1869: 180) poecilus (Bates, 1880: 80)	Mexico (GR, PB, MO, OA) Mexico (OA)
Parozodera Bruch, 1940: 116 chemsaki Huedepohl, 1985: 25 farinosa (Burmeister, 1865: 161) <i>hamaticollis</i> : Tippmann, 1953: 209 [Mld; not Guérin-Méneville, 1844]	Argentina (SA) Argentina (SL, ME, RN)
Perarthrus LeConte, 1851: 101 linsleyi (Knull, 1942: 226) pallida (Schaeffer, 1905: 132) vittatus LeConte, 1851: 102	swUSA (AZ, NV, CA), Mexico (BCN) Mexico (BC) swUSA (CA), Mexico (BCN)
Phaedinus Dupont in Audinet-Serville, 1834: 38 abnormalis Tippmann, 1953: 317 carbonelli Monné, 1999: 26 corallinus Gounelle, 1911: 237 flavipes (Thunberg, 1822: 306) <i>microthorax</i> Perty, 1832: 88 hirtipes Tippmann, 1960: 144 lanio Guérin-Méneville, 1838: 287 margaritae Pineda, 2015: 67 martii (Perty, 1832: 86) <i>biplagiatus</i> Buquet, 1840: 142 <i>moestus</i> Newman, 1840: 195 pictus White, 1853: 65 rubrus Galileo & Martins, 2010: 390 schaufussi Nonfried, 1890: 20	Brazil (SC) Brazil (PE, BA) Brazil (GO) Brazil (GO, MG-SP) Bolivia French Guiana, Brazil (MA), Bolivia (SC) Venezuela Brazil (GO, MG-SC), Argentina Venezuela, Bolivia wEcuador Colombia

- tricolor** Dupont in Audinet-Serville, 1834: 39
var. *superbus* Tippmann, 1953: 317
m. *bicoloricornis* Fuchs, 1961: 96
French Guiana, Brazil (AM), Ecuador
- Phimosia** Bates, 1870: 420
ebenina Bates, 1870: 421
Brazil (PA, RO, MT), eEcuador
- Phoenicus** Lacordaire, 1869: 174
sanguinipennis Lacordaire, 1869: 174
Dominican Republic, Central America?
- Phoenidnus** Pascoe, 1866: 293
lissonotoides Pascoe, 1866: 293
Panama, Colombia, cBrazil (MT), Bolivia (SC)
- Pilostenaspis** Eya, 2015: 399
copei Eya, 2015: 399
lateralis (LeConte, 1884: 22)
pilosella (Bates, 1892: 173)
Mexico (OA)
swUSA (TX)
Mexico (GR, DF)
- Placoschema** Chemsak & Hovore in Eya, 2010: 15
dimorphum Chemsak & Hovore in Eya, 2010: 16
Arizona, Mexico (CHA, DU, HI, ME)
- Pleuromenus** Bates, 1872: 194
baccifer Bates, 1872: 194
Mexico-Costa Rica
- Plionoma** Casey, 1912: 333
Sphaenothecus: LeConte, 1873: 316 [Mld; not Dupont, 1838]
basalis (Horn, 1894: 401)
rubens (Casey, 1891: 34)
suturalis (LeConte, 1858: 25)
degener Casey, 1912: 334
Mexico (BC)
swUSA (TX-CA), Mexico (BC)
swUSA (TX-CA), Mexico (BC, CO)
- Poecilopeplus** Dejean, 1835: 319
Cinclida Gistel, 1848: 427 [UE]
batesi White, 1853: 56
corallifer (Sturm, 1826: 79)
versicolor Laporte, 1840: 412
flavescens Rosenberg, 1898: 92
fontanieri (Lucas, 1857: 178)
haemopterus (Lucas, 1857: 178)
intricatus (Blanchard in D'Orbigny, 1847: 207)
martialis Rosenberg, 1898: 92
tardifi Michard, 1887: 139
Brazil (PA, MS)
Brazil (MG-RS), Argentina
Ecuador
Colombia, Venezuela
Brazil (MG-RS, GO), Argentina
Bolivia (SC)
Costa Rica, Panama
Colombia
- Polyschisis** Audinet-Serville, 1834: 564
Polychisis: Gistel, 1848: xi [ISS]
Epitelus Gistel, 1848: xi [UE]
Polyschisus Blackwelder, 1946: 578
hirtipes (Olivier, 1792: 460)
melanaria White, 1853: 145
rufitarsalis Waterhouse, 1880: 294
rufitarsis; Lameere, 1883: 33
tucumana Di Iorio, 2003: 7
Panama (Darien), French Guiana, Brazil (PA)
Brazil (ES, RJ, SP)
Ecuador, Brazil (AM, GO, RO), Bolivia
Argentina (TU)
- Prodontia** Audinet-Serville, 1834: 64
dimidiata Audinet-Serville, 1834: 65
Brazil (RJ-SC), Argentina
- Pseudodeltaspis** Linsley, 1935: 99
carolinae Audureau, 2008: 2
cyanea Linsley, 1935: 99
punctipennis Chemsak & Hovore in Eya, 2010: 17
Nicaragua
Mexico (SI, ME), Guatemala
Guatemala, Honduras, Costa Rica (GU)

Pseudoeriphus Zajciw, 1961: 405*Pseuderiphus* Villiers, 1971: 344**fulvicollis** Fabricius, 1792: 324*collaris* Erichson in Schomburg, 1848: 572*balachowskyi* Villiers, 1971: 344*ochraceicollis* Zajciw, 1961: 407**robustus** Tavakilian & Dalens, 2008: 193**sanguinicollis** Zajciw, 1961: 406

Guyana, Fr Guiana, Ecuador, Brazil (AP, PA, MT, RO, CE)

French Guiana

Brazil (AM)

Pseudophimosia Delfino, 1990: 695**eburioides** (White, 1853: 61)**sexlineata** (Buquet, 1860: 624)

Colombia, Venezuela

Colombia

Pseudostenaspis Melzer, 1932: 420**hermanni** Melzer, 1932: 421

Brazil (SP)

Pteracantha Newman, 1838: 392*Amallocerus* Guérin-Ménéville, 1844: 218**agrestis** Monné & Monné, 2002: 75**fasciata** Newman, 1838: 393*spinus* Guérin-Ménéville, 1844: 218

Brazil (MG)

Brazil (BA, ES, RJ)

Pteroplatidius Linsley, 1961: 8**octocostatus** (Bates, 1880: 73)

Mexico (VC)

Purpuricen Dejean, 1821: 105*Acanthoptera* Latreille, 1829: 114*Acanthoptera*: Gray, 1832: 103 [ISS of *Acanthoptera* Latreille, 1829]*Acanthopterus*: Guérin-Ménéville, 1844: 223 [ISS of *Acanthoptera* Latreille, 1829]*Cyclodera* White, 1846: 510*Hamadrias* Gistel, 1848: 427 [UE]*Philagathes* Thomson, 1864: 196**axillaris** Haldeman, 1847: 31**dimidiatus** LeConte, 1884: 23**humeralis** (Fabricius, 1798: 143)**linsleyi** Chemsak, 1961: 183**opacus** (Knull, 1937: 306)**paraxillaris** MacRae, 2000: 150

eNorth America

swUSA (CA)

eNorth America

swUSA (TX)

swUSA (NM, TX)

eNorth America

Rachidion Audinet-Serville, 1834: 54*Rhachidion* Germar in Guérin-Ménéville, 1839: 330*Rachidium* Chenu, 1870: 310*Calodus* Lucas, 1857: 184**nigritum** Audinet-Serville, 1834: 55

Brazil (MG)

obesum Newman, 1840: 195*granulicollis* Chabrilac, 1857: 198*varians* Lucas, 1857: 185**ramulicorne** Lacordaire, 1869: 213

Brazil (GO, MT, MG), Paraguay

Brazil

Retrachydes Huedepohl, 1985: 68**thoracicus thoracicus** (Olivier, 1790: 300)*morio*: Dalman in Schoenherr, 1817: 365 [Mld in part; not Fabricius, 1787] Brazil (DF, GO, MT, MA-RS), Bolivia, Paraguay, Argentina, Uruguay*virens* Thunberg, 1822: 306m. *testaceus* Fuchs, 1961: 96subsp. **densepilosus** Huedepohl, 1985: 72subsp. **sulcatus** (Burmeister, 1865: 162)

Bolivia (SC)

Brazil (MS), Bolivia, Paraguay, Argentina, Uruguay

Rhoduleptus Linsley, 1962: 123**comis** (Bates, 1892: 175)

Mexico (SO-OA)-Honduras

- femoratus** (Schaeffer, 1909: 384)
gracilior Fall, 1909: 164
nigripennis Giesbert, 1993: 147
umbrosus Chemsak & Linsley, 1982: 391
- Schizax** LeConte, 1873: 195
senex LeConte, 1873: 196
senax: Craighead, 1923: 80 [ISS]
- Scythroleus** Bates, 1885: 324
picticornis Bates, 1885: 325
- Seabraellus** Huedepohl, 1985: 60
gracilis Huedepohl, 1985: 60
splendidior Huedepohl, 1985: 63
- Seabraia** Zajciw, 1958: 257
sanguinicollis Zajciw, 1958: 259
zajciwi Lane, 1965: 282
- Seabriella** Zajciw, 1960: 138
fasciata Zajciw, 1960: 139
- Sphaenothecus** Dupont, 1838: xii
Sphenothecus: White, 1853: 85 [ISS]
Sphoenothecus: Thomson, 1864: 205 [ISS]
Taranomis Casey, 1912: 333
Ischnocnemis LeConte, 1873: 316 [Mld; not Thomson, 1864]
argenteus Bates, 1880: 84
bilineatus (Gory in Guérin-Ménéville, 1831: pl. 45, fig. 9)
bivittata Dupont, 1838: 58
nematocera Casey, 1924: 268
cylindricollis (Casey, 1924: 267)
facetis Chemsak & Noguera, 1998: 21
maccartyi Chemsak & Noguera, 1998: 20
picticornis Bates, 1880: 84
vandenberghai Wappes & Santos-Silva, 2020: 8
toledo Chemsak & Noguera, 1998: 19
trilineatus Dupont, 1838: 57
tomentosus Dupont, 1838: 56
lateralis Bates, 1885: 329
- Steinheil** Lane, 1973: 377
mandibularis Lane, 1973: 379
- Stenaspis** Audinet-Serville, 1834: 51
Smileceras LeConte, 1850: 8
castaneipennis Dupont, 1838: 52
lingafelteri Eya, 2021: 16
pilosella Bates, 1892: 173
solitaria (Say, 1824: 410)
unicolor Dupont, 1840: 11
lugubris Casey, 1912: 318
superba Aurivillius, 1908: 5
validicornis Casey, 1912: 319
verticalis verticalis Audinet-Serville, 1834: 52
superbus Newman, 1838: 493
subsp. **arizonicus** Casey, 1912: 318
subsp. **insignis** Casey, 1924: 262
- swUSA (AZ)-Mexico (SO, SI)
Mexico (CHS), Guatemala
Mexico (OA)
swUSA (CA-TX)
Mexico (SI, OA)
French Guiana, Brazil (ES, PE, PB-MG)
Brazil (BA, ES)
Brazil (AM, RO, MT), Peru
French Guiana, Brazil (PA)
French Guiana, Brazil (RJ)
Mexico (SI, MI-CHS)-Costa Rica
swUSA (CA-TX), Mexico-Nicaragua
Arizona, Mexico (Sonora)
Guatemala, Honduras, Nicaragua, Costa Rica
Mexico (JA, SI)
Mexico (PU, MI-VC, OA)-Honduras
Nicaragua (Nueva Segovia)
Mexico (CHS, OA), Honduras, Costa Rica
swUSA (TX), Mexico (VC, SI, OA)
Panama, Colombia
Mexico (OA)
Mexico (Chiapas)
Mexico (GR)
swUSA (CA, AZ, NM, TX), Mexico (BC, SO, DU, CO)
Bolivia
Mexico (GR)
Mexico (MO, PU, SO, VC), Honduras
swUSA (AZ)
swUSA (TX)

- Stenobatyle** Casey, 1912: 326
Leptobatyle Linsley, 1935: 101
eburata (Chevrolat, 1863: 755) Mexico-Costa Rica
trucidata Chevrolat, 1863: 755
unicostata Casey, 1912: 332
gracilis Chemsak, 1980: 116 Mexico (JA, GR, MO, OA)
inflaticollis (Linsley, 1935: 101) Mexico (ME, GR)
miniatocollis (Chevrolat, 1863: 756) Mexico (SO-OA, VC)
cribrata Casey, 1912: 331
prolixa (Bates, 1892: 180) Mexico (JA-CHS)
- Sternacanthus** Audinet-Serville, 1832: 172
allstoni Bates, 1870: 426 Brazil (AM, PA)
batesi Pascoe, 1862: 355 Brazil (AM, PA)
piticornis Thomson, 1861: 209 Peru, Bolivia (PN)
piticornis Pascoe, 1857: 95 eEcuador, Peru, Brazil, Bolivia (LP, PN)
sexmaculatus Bates, 1870: 426 Brazil (PA)
undatus (Olivier, 1795: [no 67] 32) Guyana, French Guiana, Brazil, Peru
unifasciatus Aurivillius, 1922: 162 Brazil (PA)
- Stiphilus** Buquet, 1840: 172
quadripunctatus Buquet, 1840: 172 Brazil (RJ)
quadrisignatus Thomson, 1864: 297
- Streptolabis** Bates, 1867: 23
hispidoides Bates, 1867: 23 French Guiana, Brazil (AM, RO, MT), eEcuador, Peru, Bolivia (SC)
- Tamenes** Gounelle, 1912: 133
sarda Gounelle, 1912: 134 Panama
transversus Bezark, Santos-Silva & Galileo, 2016: 597 Panama
- Trachelissa** Aurivillius, 1912: 449 [RN]
Trachelia Audinet-Serville, 1834: 25 [JH; not Scopoli, 1769, Aves]
Loxodromus Gistel, 1848a: 432 [UE for *Trachelia* Audinet-Serville, 1834]
Loxodromus Gistel, 1848b: 132 [URN for *Trachelia* Audinet-Serville, 1834]
Hippias Gistel, 1848b: 185 [URN for *Trachelia* Audinet-Serville, 1834]
bella Quintino & Monné, 2014: 516 Bolivia (SC)
maculicollis (Audinet-Serville, 1834: 26) Brazil (GO, MG, MS, ES, RJ, SP, PR, SC, RS),
var. *rufiventris* Gounelle, 1911: 227 Paraguay, Argentina, Uruguay
opaca Quintino & Monné, 2014: 519 Argentina
pustulata (Audinet-Serville, 1834: 25) Brazil (MT, GO, BA-SP, PR)
octolineata Audinet-Serville, 1834: 26
rugosipennis (Gounelle, 1911: 228) Brazil (GO, BA, MG, ES)
- Trachyderes (Trachyderes)** Dalman in Schoenherr, 1817: 364
armatus Monné & Martins, 1973: 71 Brazil, Paraguay
badius Dupont, 1840: 9 Colombia
spadiceus Dupont, 1840: pl. 36
cauaburi Huedepohl, 1985: 101 Brazil (AM)
cingulatus Klug, 1825: 456 Brazil (AM, RO, PA, MA, GO), Peru, Bolivia (BN, PN, SC)
reichii Dupont, 1836: 31
reichei peruvianus Tippmann, 1953: 323
ab. *reducta* Tippmann, 1960: 146
distinctus Bosq, 1951: 105 Bolivia, Paraguay, Argentina (TU)
cochabambae Tippmann, 1960: 146
elegans elegans Dupont, 1836: 30 Mexico-Panama
subpilosus Bates, 1880: 89
var. *eximius* Bates, 1885: 332
subsp. **blandus** Dupont, 1840: 8 Mexico (TB), Costa Rica, Colombia, Venezuela

subsp. **nigerrimus** Huedepohl, 1985: 124

hermani Huedepohl, 1985: 104

hilaris Bates, 1880: 90

colombiana Lane, 1973: 374

latecinctus Martins, 1975: 88

leptomerus leptomerus Aurivillius, 1908: 6

subsp. **batesi** Martins, 1975: 87

subsp. **boliviensis** Aurivillius, 1908: 6

melas Bates, 1870: 432

pacificus Huedepohl, 1985: 117

politus Bates, 1870: 432

succinctus succinctus (Linnaeus, 1758: 391)

zonarius Houttuyn, 1766: 566

cayennensis Dupont, 1836: 34

transversalis Dupont, 1836: 35

intermedius Dupont, 1836: 35

rubripes Dupont, 1836: 37

interruptus Dupont, 1836: 38

subfasciatus Dupont, 1836: 38

nigricornis Aurivillius, 1908: 6

subsp. **duponti** Aurivillius, 1912: 481

m-ornata Tippmann, 1960: 146

subsp. **flaviventris** Aurivillius, 1908: 6

nigricornis: Martins, 1975: 83 [Mld; not Aurivillius, 1908]

subsp. **melzeri** Schwarzer, 1929: 363

Peru

Panama, Colombia

Costa Rica, Colombia, wEcuador

Brazil (AM)

Peru

Ecuador

Peru, Bolivia (SC)

Colombia, French Guiana, Brazil (PA)

wEcuador

Mexico-Colombia, Venezuela, French Guiana

Honduras-Argentina, Bolivia (BN, LP, PN, SC),

W Indies (widely distributed)

Brazil, Paraguay, Argentina

Peru

Brazil (MS), Paraguay, Argentina

Trachyderomorpha Tippmann, 1960: 149

notabilis Tippmann, 1960: 150

Peru, Bolivia

Tragidion Audinet-Serville, 1834: 541

Trichoscelis Bates, 1885: 324

agave Swift & Ray, 2008: 7

annulatum LeConte, 1858: 83

peninsulare peninsulare Schaeffer, 1908: 339

peninsulare californicum Linsley, 1940: 137

armatum LeConte, 1858: 25

texanum Schaeffer, 1932: 152

armatum brevipenne Linsley, 1957: 33

auripenne Casey, 1893: 586

fulvipenne: Casey, 1893: 586 [Mld; not Say, 1824]

hirsuticolle Casey, 1912: 321

parowanum Casey, 1924: 263

bicolor Bates, 1885: 324

cyanovestis Chemsak & Linsley, 1979: 268

carinatum Thomson, 1861: 204

coquus (Linnaeus, 1758: 393)

lynceum Fabricius, 1775: 191

fulvipenne Say, 1824: 414

melzheimeri Germar, 1823: 502

coquus filicornis Casey, 1912: 323

fulvipenne nubifer Casey, 1912: 323

fulvipenne levipes Casey, 1912: 323

apicatum Casey, 1912: 323

deceptum Swift & Ray, 2008: 17

densiventre Casey, 1912: 322

dichromaticum Linsley, 1957: 38

gracilipes Linsley, 1940: 136

USA (CA), Mexico (BCN)

swUSA (TX, AZ, CA), Mexico (BCN, BCS)

swUSA (TX-CA), Mexico (SO, CH, BCN)

swUSA (AZ, NM, UT)

Mexico, Guatemala, Honduras

Mexico

eNorth America-NM

swUSA (AZ, NM, TX), Mexico (SO, CH, DU)

swUSA (AZ, NM, TX), Mexico (SO, CH)

Mexico (GR, JA, OA)

swUSA (CA), Mexico (Baja California)

Triacetelus Bates, 1892: 176

Paramphionthe Zajciw, 1964: 437

emarginatus (Chevrolat, 1863: 758)

Mexico (YU)

sericatus Bates, 1892: 176
moestula Zajciw, 1964: 438
viridipennis Chemsak & Linsley, 1976: 217

Mexico, Guatemala, El Salvador, Honduras

Mexico (MI)

Tuberorachidion Tippmann, 1953: 332

lanei Tippmann, 1953: 335
pumilio (Gounelle, 1911: 242)
zellibori Tippmann, 1953: 334

Brazil (MG-SP)
 Brazil (GO, BA, ES, MG, SP, PR)

Tylosis LeConte, 1850: 9

dimidiata Bates, 1892: 177
hilaris Linsley, 1957: 34
jimenezii Dugès, 1879: 186
maculatus LeConte, 1850: 9
sellatus LeConte, 1858: 25
robusta Casey, 1912: 342
argus Casey, 1912: 342
sexualis Casey, 1912: 343
texana Casey, 1912: 343
subtruncata Casey, 1912: 343
brevicollis Casey, 1912: 344
medialis Casey, 1912: 344
medialis bifasciata Casey, 1912: 344
conjuncta Casey, 1912: 344
conjuncta parva Casey, 1912: 345
nigricollis Chemsak & Hovore in Eya, 2010: 18
oculatus LeConte, 1850: 9
puncticollis Bates, 1885: 325
angusticollis Bates, 1885: 325
maculata: Bates, 1880: 81 [Mld; not LeConte, 1850]
sellata: Bates, 1880: 81 [Mld; not LeConte, 1858]
puncticollis arizonicus Linsley, 1957: 34
suturalis White, 1853: 141

triangularis Monné & Martins, 1981: 188

Mexico (YU)
 Mexico
 swUSA (TX), Mexico (CO, DU, GU)
 swUSA (AZ-TX), Mexico (SO)

Mexico (HI)
 swUSA (TX), Mexico (DU, ME, PU, VC)
 swUSA (AZ), Mexico

USA (New Mexico), Mexico (CHA, ZA, SLP, JA, AG,
 MI, GU, TA, OA)
 Mexico (DU)

Unachlorus Martins & Galileo, 2008: 5

rafaeli Monné & Monné, 2018: 459
viridis Martins & Galileo, 2008: 6

Brazil (AC)
 Brazil (MA, PA)

Viracocha Le Tirant & Santos-Silva, 2015: 2

limogesii Le Tirant & Santos-Silva, 2015: 3

Peru

Weyrauchia Tippmann, 1953: 226

aeruginosa Monné, 2004: 313
marcelae Martins & Galileo, 2008: 5
marinezae Martins & Galileo, 2008: 2
nobilis Tippmann, 1960: 142
viridimicans Tippmann, 1953: 227
 ab. *rubra* Tippmann, 1960: 141

Brazil (BA)
 Brazil (BA)
 Brazil (MG), Bolivia (SC)
 Peru
 Peru

Xylocaris Dupont in Audinet-Serville, 1834: 47

hirsutus Botero, 2015: 21
oculata Dupont in Audinet-Serville, 1834: 48
elegantulus Dupont, 1838: 30
argentinus Bruch, 1908: 216

Argentina
 Brazil (MG-RS), Paraguay, Argentina, Uruguay

Zalophia Casey, 1912: 335

auricomis (Chemsak & Linsley, 1979: 267)
funbris (Bates, 1880: 85)
spissicornis Casey, 1912: 336

Honduras
 Mexico (CHS), Guatemala, Ecuador

Zenochloris Bates, 1885: 311**barbicauda** Bates, 1892: 168**densepunctata** Fuchs, 1976: 58**freyi** Fuchs, 1966: 36**major** Chemsak & Hovore in Eya, 2010: 19**paradoxa** Bates, 1885: 312**vandykei** Linsley, 1935: 92

Mexico (GR), Costa Rica (AL)

Mexico (PU)

Mexico (PU)

Costa Rica (GA, HE, LI)

Costa Rica (GU), Panama

Mexico (SI)

Zonotylus Gahan in Grimshaw, 1898: 9**interruptus** (Olivier, 1790: 307)

Colombia, French Guiana, Brazil (PA)

Tropidini Galileo & Martins, 2007: 7**Compsina** Martins & Galileo, 2007: 6**Aneuthetochorus** Martins, 1968: 25**bivestitus** (Martins, 1962: 149)**conjunctus** Napp & Martins, 1984: 53**punctatus** Martins, Galileo & Limeira-de-Oliveira 2009: 509**simplex** Martins, 1970: 46

Brazil (RJ, SP)

Colombia, French Guiana, Brazil (AP, RJ), Ecuador,

Bolivia (SC), Peru (Pasco)

Brazil (MA)

French Guiana, Brazil (AP)

Aphatum Bates, 1870: 308**rufulum** (White, 1855: 234)

Brazil (AM, PA)

Asynapteron Martins, 1970: 1151**andinum** Juarez-Noe & Gonzalez-Coronado, 2023: 397**contrarium** Martins, 1971: 1472**eburnigerum** (Aurivillius, 1899: 265)**equatorianum** (Martins, 1960: 89)**glabriolum** (Bates, 1872: 180)**inca** (Martins, 1962: 95)**ranthum** Martins, 1970: 1155

Peru (Piura)

eEcuador

Guyana

wEcuador

Mexico, Nicaragua, Panama, Colombia, Ecuador

Peru

wEcuador

Cecaibidion Galileo & Martins, 2001: 94**bivittatum** Galileo & Martins, 2001: 95

Panama

Cephaloplon Martins & Napp, 1986: 236**pedunculatum** Martins & Napp, 1986: 237

Trinidad & Tobago, Venezuela

Cicatrion Martins, 1970: 965**calidum** Martins & Napp, 1986: 235**constricticollis** (Martins, 1962: 296)**unicolor** Martins, Galileo & Santos-Silva, 2015: 277

Brazil (BA, MG)

Brazil (BA, SP)

Brazil (BA)

Compsa Perty, 1832: 92**albomaculata** Martins, 1962: 282**albopicta** Perty, 1832: 92**amoena** Fisher, 1937: 148**curtula** Martins & Napp, 1986: 230**diringshofeni** (Martins, 1960: 173)**inconstans** Gounelle, 1909: 669**leucozona** (Bates, 1885: 261)**macra** (Thomson, 1867: 154)*delicatum* Linsley, 1935: 486**monrosi** (Prosen, 1961: 125)**montana** Martins, 1971: 1465

Colombia

Brazil (GO, BA-RS), Peru, Paraguay, Argentina

Brazil (BA-SC), Bolivia (SC), Paraguay, Argentina

Peru, Brazil (RO), Paraguay

Brazil (MG, SP)

Brazil

Costa Rica, Panama

Panama, Trinidad & Tobago, Colombia, Venezuela

Brazil, Paraguay, Argentina, Uruguay

Brazil (PB, BA)

multiguttata Melzer, 1935: 178
lineatoguttata Melzer, 1935: 179
 var. *confluens* Melzer, 1935: 179
nebulosa Martins, 1970: 1010
nipha Martins, & Napp, 1986: 231
peruviensis Audureau, 2022: 54
quadriguttata (White, 1855: 226)
 ? **flavofasciata** (Thomson, 1867: 152)
 ? **latifascia** Martins, 1970: 1029

Corimbion Martins, 1970: 883

antennatum Martins & Galileo, 2014: 495
balteum Martins, 1970: 891
caliginosum Martins, 1970: 896
kuckartzi Santos-Silva, Galileo & Wappes, 2015: 2
ledezmae Santos-Silva, Galileo & Wappes, 2015: 4
martinsi Giesbert, 1998: 50
mutabile Bezark, Santos-Silva & Galileo, 2016: 591
nigroapicatum Martins, 1970: 893
supremum Martins, 1970: 889
terminatum Martins, 1970: 897
wappesi Garcia & Santos-Silva, 2022: 401
vulgare Martins, 1970: 885

Dodecaibidion Martins, 1962: 91

bolivianum Martins & Galileo, 2012: 202
brasiliense Martins, 1962: 92
modestum Martins, 1970: 993
ornatipenne Martins, 1970: 991

Engyum Thomson, 1864: 216

Phormesium Thomson, 1864: 217
aurantium Martins, 1970: 941
carinatum Martins, 1970: 931
crassum Martins, 1970: 934
euchare (Martins, 1960: 55)
fasciatum Martins, 2009: 51
fusiferum (Audinet-Serville, 1834: 106)
eudesmoides Thomson, 1864: 218
howdeni Martins & Napp, 1986: 227
linsleyi Martins, 1970: 942
ludibriosum Martins, 1970: 939
albinum: Gounelle, 1909: 668 [Mld; not Bates, 1870]
martinsi Audureau, 2015: 64
melanodacrys (White, 1855: 235)
oculare Martins, 2009: 45
quadrinotatum Thomson, 1864: 217
transversum Martins, 1970: 944
vicinum Martins, et al, 2015: 607
virgulatum (Bates, 1880: 31)

zonarium Martins & Napp, 1986: 228

Hadroibidion Martins, 1967: 48

nanum (Gounelle, 1911: 226)
pullum (Martins, 1962: 93)
vulgare Martins & Napp, 1986: 230

Brazil, Bolivia (SC), Paraguay, Argentina

Bolivia (SC), Argentina
 Venezuela
 Peru (Pasco)
 nSouth America, Bolivia (BN, CO, LP, SC), Paraguay
 Colombia, Venezuela
 Brazil (GO, BA-SC), Bolivia

Ecuador (Manabi, Loja)
 Brazil (BA)
 Venezuela
 Bolivia (SC)
 Bolivia (SC)
 Guatemala, Honduras, Costa Rica
 wEcuador
 Colombia (Sucre), Bolivia (QC, SC), Brazil (RO)
 Venezuela
 Colombia, Brazil (RR)
 Guatemala (El Progreso, Zacapa)
 Brazil (BA-PR)

Bolivia (SC)
 Brazil (RJ)
 Brazil (BA, GO), Paraguay
 Brazil (RJ)

French Guiana, Brazil
 Brazil (BA, ES)
 Brazil (PE)
 Venezuela, Brazil
 Bolivia (SC)
 Brazil (BA-RJ)

Colombia
 Peru
 Brazil (MA, GO, BA-SP)

Peru
 Brazil (PA, MT)
 Colombia
 Brazil (BA-RS), Bolivia (SC), Peru (Junin), Paraguay, Argentina
 French Guiana, Brazil (BA, PE, RN)
 Brazil (BA, MA)
 Mexico (TB), Guatemala, Colombia, Venezuela, Peru-Brazil (ES),
 Bolivia (SC)
 Mexico (CHS)

Brazil (GO), Bolivia (SC), Peru
 Brazil (MS)
 Brazil (BA)

Heterachthes Newman, 1840: 9*Ibidion (Heterachthon)* Thomson, 1867: 134 [UE]*Heterachthon*: Aurivillius, 1912: 110 [ISS of *Heterachthon* Thomson, 1867]*Heterachthes*: Aurivillius, 1912: 110 [ISS]*Brydaeon* Thomson, 1867: 134**aeneolus** Bates, 1885: 267**annulicornis** Martins, 2009: 189**antonkozlovi** Santos-Silva & Botero, 2107: 581**beatrizae** Noguera, 2005: 67**bilineatus** (Bates, 1885: 262)**boliviensis** Garcia & Santos-Silva, 2022: 410**caceresae** Santos-Silva, Van Roie & Jocque, 2021: 39**candidus** (Bates, 1885: 261)**castaneus** Martins, 1970: 1301**concretus** Martins, 1970: 1286**congener** Martins, 1965: 215**delicatus** Martins, 2009: 191**designatus** Martins, 1970: 1321**dimidiatus** (Thomson, 1865: 571)**ebenus** Newman, 1840: 9*floridanus* Casey, 1912: 307*exilissimus* Casey, 1912: 307**erineus** Martins, 1970: 1312**exiguus** Martins, 2009: 193**ascinatus** Martins, 1971: 1477**figuratus** Martins, 1970: 1219**flavicornis** (Thomson, 1865: 571)*bonariensis* (Thomson, 1865: 572)*implicatum* Thomson, 1867: 148*sexsignatus* (Thomson, 1865: 572)*bellus* Gounelle, 1909: 672**fraterculus** Martins & Napp, 1986: 240**gratiosus** Martins, 1970: 1237**gutta** Martins, 2009: 193**hildebranti** Galileo & Santos-Silva, 2016: 395**howdeni** Martins, 1970: 1327**hystricosus** Martins, 1971: 173**integripennis** (Bates, 1885: 262)*usingeri* Linsley, 1935: 81**inustus** Gounelle, 1909: 670**laeicollis** (Germar, 1823: 511)*phoracanthoides* White, 1855: 232*quadrifoveolatum* Chabrillac, 1857: 197*vitreus* Martins, 1962: 293**lateralis** Martins, 1962: 295**lemniscus** Martins, 1970: 1229**leucoacnus** Martins, 1970: 1334**longiscapus** Martins, 1970: 1231**martinsi** Hovore, 1988: 10**mediovittatus** Martins, 1962: 292**mucuni** Martins & Galileo, 1999: 306**myrrheus** Gounelle, 1910: 15**neocompsoides** Giesbert, 1998: 45**nigrocinctus** Bates, 1872: 182**nobilis** LeConte, 1862: 41**noguerae** Galileo & Santos-Silva, 2016: 398**pallidipennis** (Thomson, 1865: 573)**paraiba** Martins, 2009: 193**pelonioides** (Thomson, 1867: 149)*longipilis* Bates, 1870: 304**picturatus** Martins, 1970: 1288**plagiatus** (Burmeister, 1865: 174)

Mexico (VC)

Bolivia (SC)

Colombia (Antioquia)

Mexico (MO)

Guatemala, Costa Rica

Bolivia (La Paz)

Honduras (Cortés)

Panama

Brazil (MG)

Costa Rica, Colombia

Peru, Bolivia (SC)

French Guiana, Brazil (PE)

Mexico (VC, OA, CHS), Honduras

Brazil (RJ-PR), Paraguay

sUSA (FL-TX), Mexico-Uruguay, Cuba, Bahamas

Mexico (SI, OA)

Bolivia (SC)

Venezuela

Peru

Brazil, Paraguay, Uruguay, Argentina

Brazil

Mexico (CHS, JA, OA)-Costa Rica

Brazil (AM)

Bolivia (SC)

Mexico (JA, CO)

Mexico (NL, TA)

Brazil (RJ)

Mexico (JA, DU, HI, NL, ME, TL, PU, ZA, VC)

Brazil (MA, MG, GO)

Brazil (BA-RJ)

Panama, Colombia, Brazil (PA)

Ecuador

Mexico (HI)

Brazil (BA)

Mexico (BC)

Brazil (AM), Peru

wEcuador

Ecuador

Mexico, Guatemala, Honduras, Costa Rica (GU)

Guatemala, Nicaragua, Costa Rica

swUSA (TX)

Mexico (MI)

Peru

Brazil (PB)

French Guiana, Brazil (AM, AP, PA)

Guatemala, Honduras, Panama (Bocas del Toro)

Bolivia (SC), nwArgentina (JU, CD, ME, TU), Uruguay

polingi (Fall, 1925: 182)
quadrinaculatus Haldeman, 1847: 43
 var. *pallidus* Haldeman, 1847: 43
 rotundipenne White, 1855: 233
 evanescens Thomson, 1867: 148
 fluvialis Casey, 1912: 308
rafaeli Galileo & Martins, 2011: 328
rubricolor Melzer, 1935: 180
rugosicollis Martins, 1970: 1330
sablensis Blatchley, 1920: 68
 apicalis (Blair, 1933: 481
 arubae Gilmour, 1968: 146
sejunctus Gounelle, 1909: 673
sexguttatus (Audinet-Serville, 1834: 105)
signaticollis (Thomson, 1865: 572)
similis Martins, 1965: 213
skillmani Galileo & Santos-Silva, 2016: 396
spilotus Martins, 1971: 170
symbolus Martins, 1970: 1257
taquatinga Martins, 2009: 192
tenellus (Burmeister, 1865: 175)
texanus Linsley, 1957: 159
tysiphonis (Thomson, 1867: 137)
 decipiens Bates, 1870: 303
unituberosus Martins & Galileo, 1999: 306
vauriae Martins, 1971: 175
v-flavum Martins, 2009: 177
viticulus Martins, 1970: 1332
wappesi Martins & Napp, 1986: 239
w-notatus Linsley, 1935: 80
xenocerus Martins, 1960: 174
x-notatus (Linsley, 1935: 109)
 fisheri Linsley, 1935: 485
zapopana Heffern, Santos-Silva & Nascimento, 2018: 527

Heterocompsa Martins, 1965: 95

aquilonia Giesbert, 1998: 48
eburata Martins, 1970: 914
formosa (Martins, 1962: 284)
geniculata (Thomson, 1865: 571)
 heteracantha Martins, 1962: 286
nigripes (Martins, 1962: 283)
seabrai (Martins, 1962: 285)
stellae (Martins, 1962: 145)
truncaticornis (Martins, 1960: 87)

Hormathus Gahan, 1890: 32

Trinoplion Zayas, 1975: 115
albisetosus Lingafelter, 2024: 18
bicolor (Zayas, 1975: 116)
cinctellus Gahan, 1890: 33
giesberti Lingafelter & Nearn, 2007: 180

Kolonibidion Martins, 2009: 77

femoratum (Martins, 1971: 1457)

Microibidion Martins, 1962: 135

bimaculatum Mehl, Galileo, Martins & Santos-Silva, 2015: 38
exculptum Martins, 1962: 137
exiguum Martins, 1962: 136
fiuzai Santos-Silva, et. al. 2020: 13
fluminense (Martins, 1962: 146)

swUSA (AZ), Mexico (SO)
 eNorth America

Brazil (AM)
 Costa Rica
 Mexico (DU), swUSA (AZ)
 USA, Belize, Aruba, Colombia, Ecuador (Galapagos)

French Guiana, Brazil (PA, GO, MT), Bolivia (SC)
 Brazil (BA-RJ)
 Colombia, Venezuela
 Bolivia (SC)
 Mexico (JA)
 nArgentina (TU)
 Brazil (BA)
 Brazil (DF, SP)
 nArgentina (JU-BA), Bolivia (SC)
 swUSA (TX)
 French Guiana, Brazil (AM), Peru, Bolivia (SC)

Bolivia (SC)
 Colombia
 Peru (Pasco), Bolivia (SC)
 Mexico (CO-VC), Guatemala, Honduras
 Mexico (YU, QR), Guatemala (Peten)
 Mexico (SO, NA, MI, JA, MO, PU, ME, OA), Guatemala
 ncArgentina (CD)
 Mexico, Belize, Honduras

Mexico (Jalisco)

Mexico, Guatemala, Nicaragua, Panama
 Bolivia (SC)
 Bolivia (TR), Paraguay, Argentina (SE, FO)
 Brazil (BA, SP), Paraguay, Argentina

Brazil (BA, SP)
 Bolivia (TR), Argentina (TU)
 Brazil (PR, SP)
 Brazil (ES-RJ)

Dominican Republic (Pedernales, San Juan)
 Cuba
 Dominican Republic
 Dominican Republic

Bolivia (MA, SC), Brazil (PB, MS), Paraguay, Argentina

Bolivia (SC, MG), Paraguay
 Brazil (SP-RS, PR), Paraguay, Argentina
 Brazil (BA-RS), Bolivia (SC). Paraguay, Argentina
 Brazil (Espírito Santo)
 Brazil (BA-RJ)

kawense Audureau, 2015: 64
mimicum Martins, 1971: 161
morrisi Santos-Silva & Galileo, 2017: 291
muticum (Martins, 1962: 147)
rubicundulum (Gounelle, 1913: 214)
vlasaki Audureau, 2022: 55

Monzonia Giesbert, 1998: 44

sanmarcosana Giesbert, 1998: 45

Neocompsa Martins, 1965: 96

agnosta Martins, 1970: 1081
alacris (Bates, 1885: 264)
albopilosa (Martins, 1962: 142)
aspasia Martins, 1974: 148
bimaculata Martins & Napp, 1986: 231
bravo Heffern, Botero & Santos-Silva, 2020: 335
chemsaki Martins, 1970: 1117
chiapaensis Martins & Galileo, 2014: 497
clerochroa (Thomson, 1867: 156)
 tenuatum Bates, 1885: 263
 semirufum Bates, 1885: 265
comula Martins, 1970: 1058
cylindricollis (Fabricius, 1798: 146)
 clavipes Fabricius, 1801: 316
 submaculatus Lameere, 1884: 100
dysthymia Martins, 1970: 1074
eburioides (Thomson, 1867: 152)
exclamationis (Thomson, 1861: 201)
 interrogationis Thomson, 1864: 216 [NN]
 exclamationis: Craighead, 1923: 77 [ISS]
fefeyei Joly, 1991: 67
flavoquadripunctata Botero and Santos-Silva, 2022: 6
fulgens (Fisher, 1932: 48)
gaumeri (Bates, 1892: 156)
giesberti Martins & Napp, 1986: 233
glaphyra Martins, 1970: 1100
habra Martins, 1970: 1065
intricata Martins, 1970: 1088
leechi Martins, 1970: 1072
lenticula Martins, 1970: 1103
limatula Martins & Napp, 1986: 235
lineolata (Bates, 1870: 301)
 dilaticornis Melzer, 1935: 177
longipilis Martins & Galileo, 2002: 17
macroscina Martins, 1970: 1086
macrotricha Martins, 1970: 1091
magnifica Martins, 1971: 167
mendezi Giesbert, 1998: 46
mexicana (Thomson, 1865: 573)
 hippopsioides Bates, 1885: 265
 ignobile Bates, 1885: 265
 townsendi Linell, 1896: 395
micromacula Martins & Galileo, 1999: 304
mimosa Martins, 1971: 1467
monnei Bezark & Santos-Silva, 2019: 6
muira Martins & Galileo, 2014: 497
obliqua Bezark & Santos-Silva, 2023: 478
obscura Martins, 2009: 128
pallida Martins & Galileo, 2010: 567
pilosa Garcia & Santos-Silva, 2022: 404

French Guiana
 Bolivia (SC), Argentina (JU)
 Bolivia (Tarija)
 Brazil (ES, RJ, SC)
 Argentina (SE)
 Peru (Pasco)

Guatemala

Mexico (SI, NA, JA, CM, OA)
 Mexico-Honduras
 Brazil (BA-RJ), Bolivia (SC), Paraguay
 Costa Rica, Panama (Bocas de Toro), wEcuador
 Guatemala, Honduras, Nicaragua, Costa Rica
 wUSA (Texas)
 Mexico (JA, MO, NA)
 Mexico (CHS)
 Mexico, Guatemala

Costa Rica
 W Indies (Jamaica-Trinidad), Venezuela

Mexico (NL)
 Colombia, Venezuela
 swUSA (TX), Mexico

Venezuela, Brazil (MA)
 Mexico (Jalisco)
 Dominica, Guadeloupe
 Mexico (YU)
 Honduras, El Salvador (Chalatenango), Costa Rica
 Costa Rica, Panama, Colombia (AT, BO)
 Venezuela
 Mexico (SLP, VC)
 Peru
 Bolivia (SC), Venezuela
 French Guiana, Brazil (RD, MT)
 Costa Rica-Colombia, French Guiana, Ecuador, Peru,
 Brazil (AM, RO, MA, BA, ES, RJ, PR), Bolivia (SC)
 Colombia
 Mexico (SI)
 Mexico (GU, MO, OA, CHS), Guatemala, Honduras, Venezuela
 Guatemala
 Guatemala
 swUSA (TX), Mexico, Guatemala, Honduras, Nicaragua,
 Costa Rica

wEcuador
 Colombia, Venezuela, Bolivia (SC)
 Mexico (Oaxaca)
 Ecuador (Loja)
 Mexico (Nayarit)
 Colombia
 Trinidad & Tobago, Venezuela
 Paraguay (Itapua)

ptoma Martins, 1971: 1115
puncticollis puncticollis (LeConte, 1873: 188)
 subsp. **asperula** (Bates, 1885: 266)
 subsp. **orientalis** Martins & Chemsak, 1966: 466
pysma Martins, 1970: 1136
quadriplagiata (LeConte, 1873: 189)
griseolum Bates, 1892: 156
pubescens Casey, 1924: 260
lecontei Linsley, 1957: 87
ruatana (Bates, 1892: 155)
santarensis Martins & Galileo, 1998: 51
schneppi Wappes & Santos-Silva, 2016: 1
sericans (Bates, 1885: 264)
serrana (Martins, 1962: 140)
sinaloana (Linsley, 1935: 484)
soniae Garcia & Santos-Silva, 2022: 407
spinosa Martins, 1970: 1050
squalida (Thomson, 1867: 151)
tenuissima (Bates, 1885: 266)
textilis (Thomson, 1865: 573)
mexicanum: Bates, 1880: 32 [Mld; not Thomson, 1865]
thelgema Martins, 1971: 166
tuberosa Martins, 1970: 1098
tucumana (Martins, 1962: 290)
turnbowi Giesbert, 1998: 47
ventricosa (Bates, 1885: 264)
veracruzana Martins, 1971: 1470
v-flavum (Melzer, 1931: 54)
vogti Martins, 1970: 1126
wappesi Giesbert, 1998: 47
werneri Martins, 1970: 1083

Opsibidion Martins, 1960: 115

albifasciatum Giesbert, 1998: 49
albinum (Bates, 1870: 307)
micron Martins, 1960: 118
flavocinctum Martins, 1960: 116

Paracompsa Martins, 2009: 103

flavofasciata (Thomson, 1867: 152)
latifascia (Martins, 1970: 1029)

Pubescibidion Martins, 2009: 67

pubescens Martins, 2009: 68

Pygmodeon Martins, 1970: 1163

andreae (Germar, 1823: 511)
amabile Thomson, 1867: 138 (part)
boreale Martins, 1971: 1474
buscki (Linsley, 1935: 482)
cribripenne (Bates, 1880: 32)
chiriquinum Bates, 1885: 266
ditelum (Bates, 1872: 181)
excelsum Martins & Napp, 1986: 238
involutum (Bates, 1870: 304)
latevittatum (Bates, 1885: 262)
m-littera (Martins, 1962: 294)
mutabile (Melzer, 1935: 179)
obscurum Martins, Galileo & Santos-Silva, 2015: 279
obtusum (Bates, 1874: 221)
 var. *segregatum* Bates, 1885: 265

Mexico (OA, CHS)
 Mexico (BC), Guatemala (HU)
 swUSA (AZ), wMexico (SO-GR)
 swUSA (TX), Mexico (NL, TA, SLP, VC, OA, CHS)
 Mexico (YU, QR)
 Mexico (BC, GR, MO)

Honduras (Roatan Island)
 Brazil (PA)
 Bolivia (SC)
 Panama
 Brazil (MS, AL), Argentina
 Mexico (SI, OA)
 Panama (Chiriqui)
 Guatemala, Honduras, Nicaragua, Costa Rica, Panama
 Mexico-Colombia (MA), Venezuela
 Mexico (widespread)
 Mexico-Costa Rica

Honduras, Costa Rica, Panama
 Guatemala, Honduras, Nicaragua, Costa Rica, Colombia
 Argentina (JU, TU)
 Mexico
 Costa Rica, Panama
 Mexico (VC)
 Costa Rica
 Bolivia (SC)
 Mexico (Oaxaca), Guatemala, Honduras
 Mexico (SO, SI)

Panama
 Venezuela, Peru (Junin), Brazil (AM, PA, MT, MA), Bolivia (SC)

Brazil (BA-RS), Paraguay, Argentina

Colombia, Venezuela
 Brazil (GO, BA-SC), Bolivia

Bolivia (SC)

Brazil (BA-RS)

Mexico (ME)
 Panama
 Honduras, Costa Rica, Panama

Nicaragua-Panama, Ecuador (Quito)
 Costa Rica
 Guianas, Brazil (MA, PA, AM), Peru, Bolivia (SC)
 Mexico (CHS), Guatemala, Honduras
 Peru, Brazil (RO), Bolivia (SC)
 El Salvador, Costa Rica
 Panama (Chiriqui), Brazil (BA)
 Mexico, Guatemala, Honduras, Nicaragua, Costa Rica, Panama

puniceum Martins, 1970: 1193
staurotum Martins, 1970: 1174
validicorne (Bates, 1885: 261)
xyleus (Martins, 1974: 149)
maculatum Martins & Galileo, 2012: 203

Colombia, wEcuador
 Venezuela
 Costa Rica, Panama
 Bolivia (SC)

Stenoidion Martins, 1970: 1196

amphigyum Martins, 1970: 1197
apicatum (Martins, 1962: 291)
corallinum (Bates, 1870: 304)
 var. *chapadense* (Gounelle, 1909: 672)
 var. *tricolor* (Belon, 1896: 244)
nicaraguaensis Audureau, 2015: 65
schmidi Martins & Galileo, 2009: 530

French Guiana, Brazil (PA)
 Bolivia (SC)
 French Guiana, Peru, Brazil, Bolivia (CO, SC)

Nicaragua
 French Guiana

Xalitla Lane, 1959: 15

azteca Lane, 1959: 15
genuina Martins, 1970: 961
 lezamai Galileo & Martins, 2008: 51
limoni Santos-Silva & Skillman, 2020: 3
punctatissima Martins, 1970: 964

Mexico (SO, NA, JA, GR)
 Mexico (OA, CHS) - Costa Rica
 Mexico (Jalisco)
 Mexico (Sinaloa)

Neoibidionina Monné, 2012: 34

Bezarkia Martins & Galileo, 2014: 496

suturalis Martins & Galileo, 2014: 496

Ecuador (Manabi)

Bomaribidion Martins, 1962: 2

angusticolle (Gounelle, 1909: 683)
hirsutum Martins, 1969: 670

Brazil (GO, BA-SC), Paraguay
 Brazil (MA, MG)

Brechmoidion Martins, 1969: 639

exicisifrons (Martins, 1960: 88)
falcatum Napp & Martins, 1985: 131

Colombia, Ecuador
 Venezuela

Chiquitano Santos-Silva, Galileo & Wappes, 2017: 2

volcanesensis Santos-Silva, Galileo & Wappes, 2017: 2

Bolivia (SC)

Coleroidion Martins, 1969: 830

cingulum Martins, 1969: 833
leucotrichum (Martins, 1960: 177)

Venezuela, Peru, Bolivia (TR)
 Brazil (MS), Argentina (FO, CH)

Compsibidion Thomson, 1864: 215

Lylibaeum Thomson, 1864: 216

Octoplon Thomson, 1864: 218

achiraensis Santos-Silva, Galileo & Wappes, 2017: 4
aegrotum (Bates, 1870: 305)
amantei (Martins, 1960: 179)
amboroensis Santos-Silva, Galileo & Wappes, 2017: 5
angulare (Thomson, 1867: 159)
antonietae Nascimento & Santos-Silva, 2018: 7
balium Napp & Martins, 1985: 136
basale (White, 1855: 229)
callispilum (Bates, 1870: 293)
campestre (Gounelle, 1909: 667)
 perelegans Melzer, 1933: 368
capixaba (Martins, 1962: 156)
carenatum Martins, 1969: 767
charile (Bates, 1870: 297)

Bolivia (SC)
 Brazil (AM)
 French Guiana, Brazil (MG-RJ)
 Bolivia (SC)
 Brazil (BA-RJ)
 Brazil (BA, GO, SP)
 Brazil (ES)
 French Guiana, Brazil (AM, PA)
 Venezuela, French Guiana, Brazil (PA), Bolivia
 Brazil, Bolivia (SC, TR), Argentina (JU, SA)
 Brazil (BA-ES)
 Brazil (ES)
 French Guiana, Brazil (AM, AP, PA), eEcuador

- circunflexum** Martins, 1971: 1462
cleophile (Thomson, 1865: 574)
adelphum Thomson, 1867: 158
laesicolle Thomson, 1864: 218 [Mld; not Germar, 1823]
clivum Martins, 1971: 1453
concisum Napp & Martins, 1985: 138
crassipede Martins, 1971: 1460
decemmaculatum (Martins, 1960: 175)
decoratum (Gounelle, 1909: 665)
derivativum Martins, 1971: 1454
devesai Audureau, 2022: 57
divisum Martins, 1969: 769
unifasciatum Zikán & Zikán, 1944: 11
elianae Martins & Galileo, 2012: 203
fairmairei (Thomson, 1865: 572)
arcufera Gounelle, 1909: 669
giuglarisi Audureau, 2022: 60
graphicum (Thomson, 1867: 135)
antennatum Thomson, 1867: 156
guanabarinum (Martins, 1962: 138)
icaensis Audureau, 2022: 59
ilium (Thomson, 1864: 216)
inflatum Martins & Galileo, 2014: 493
inornatum (Martins, 1962: 302)
iviei Lingafelter, 2024: 16
litturatum (Martins, 1960: 91)
maculatum Martins, Galileo & Oliveira, 2011: 283
manauara Martins & Galileo, 2012: 206
maronicum (Thomson, 1867: 135)
herse Thomson, 1867: 136
oedicleme Bates, 1870: 298
rubellum Bates, 1870: 298
leprieuri Bates, 1870: 299
dilectum Bates, 1870: 299
deliciolus Bates, 1870: 305
marqeti Audureau, 2015: 62
megarthron (Martins, 1962: 279)
melancholicum Martins, 1969: 726
meridionale Martins, 1969: 775
monnei Martins, 1969: 703
morrisi Galileo & Santos-Silva, 2016: 399
multizonatum Martins, 1969: 796
baria Joly, 1990: 213
muricatum Martins, 1971: 150
mysticum Martins, 1969: 786
nigroterminatum (Martins, 1965: 206)
niveum (Martins, 1962: 143)
novalimae Martins & Galileo, 2012: 204
omissum Martins, 1969: 701
orpa (White, 1855: 227)
paradoxum Martins, 1971: 157
paulista (Martins, 1962: 131)
peti Martins & Galileo, 2012: 204
pictum Galileo, Martins & Nascimento, 2013: 396
polyzonum (Bates, 1870: 291)
psydrum Martins, 1969: 806
pumilium Martins & Galileo, 1999: 302
punga Martins & Galileo, 2007: 317
quadrisignatum (Thomson, 1865: 574)
amabile Thomson, 1867: 138
reichardti (Martins, 1962: 97)
rubricolle Melzer, 1935: 176
- Bolivia (SC), Argentina (SA-BA), Brazil (BA), Uruguay
Brazil (MA, BA-PR)
- Venezuela
Brazil (MG, ES)
Brazil (MT, SP), Paraguay, Argentina
wEcuador
Brazil (PI, GO, MT)
Brazil (MT)
Peru (Pasco)
Brazil (BA-RJ)
- Brazil (GO)
Brazil, Bolivia (SC), Paraguay, Argentina, Uruguay
- French Guiana (Kaw)
Brazil (PA, MA-SC, RS, MT), Peru (Pasco), Bolivia (BN, SC, TR),
Paraguay, Argentina
Brazil (ES, RJ)
Peru (Ica)
Brazil (MT, MG-SC), Peru, Bolivia (SC)
Ecuador (Guayas, Loja)
Brazil (BA, SP)
Dominican Republic (Pedernales)
Panama, Colombia (Atlantico), Venezuela
Brazil (MA)
Brazil (AM)
Trinidad, Colombia, Venezuela, Guyana, French Guiana,
Brazil (AM, MA, MT), Peru, Bolivia (SC)
- Nicaragua
Brazil (MG, SP)
Brazil (MT)
Brazil (SC)
Uruguay
Bolivia (SC)
French Guiana, Brazil (PA, AM)
- Brazil (ES)
Panama
Brazil (BA, RJ)
Brazil (RJ-SC)
Brazil (MT)
Brazil (GO)
Brazil (PA)
Colombia (Atlantico)
Brazil (MG, SP)
Brazil (MG)
Brazil (Piaui)
Brazil (PA)
Peru
Colombia
Brazil (ES)
Brazil (GO, ES-SC)
- Bolivia (SC)
Brazil (RS)

rutha (White, 1855: 227)
simillimum Martins, 1969: 720
singulare (Gounelle, 1909: 671)
sommeri (Thomson, 1865: 573)
sphaeriinum (Bates, 1870: 300)
taperu Martins & Galileo, 2007: 326
tethys (Thomson, 1867: 145)
 polychromum Bates, 1870: 295
thoracicum (White, 1855: 228)
trichocerum (Martins, 1962: 128)
triviale Napp & Martins, 1985: 137
truncatum (Thomson, 1865: 574)
 albocinctum Thomson, 1865: 574
 lycoris Thomson, 1867: 153
tuberculatum Bezark & Santos-Silva, 2019: 1
tuberosum Martins, 1971: 153
unifasciatum (Gounelle, 1909: 666)
uniforme Galileo & Martins, 2011: 328
vandenberghii Heffern, Santos-Silva & Nascimento, 2018: 526
vanum (Thomson, 1867: 151)
 histrionica Bates, 1870: 302
varipenne Martins, 1969: 742
virgatum Martins, 1969: 724
volcanensis Vlasak & Santos-Silva, 2024: 2
woodleyi Wappes, Santos-Silva & Galileo, 2018: 2
ybyra Martins & Galileo, 2012: 206
ytu Martins, Galileo & Oliveira, 2011: 283
zikani (Melzer, 1933: 367)

Cycnidolon Thomson, 1864: 217

antonkozlovi Santos-Silva & Nascimento, 2019: 463
apicale Martins & Galileo, 2007: 233
approximatum (White, 1855: 231)
batesianum (White, 1855: 230)
bimaculatum Martins, 1960: 22
binodosum Bates, 1870: 306
bruchi Napp & Martins, 1985: 144
caracense Martins, 1964: 129
clarkei Martins & Galileo, 2007: 232
eques Thomson, 1864: 217
gounellei Bruch, 1908: 206
immaculatum Galileo & Martins, 2004: 326
minutum Martins, 1960: 19
 trichotulum Martins, 1960: 71
obliquum Martins, 1969: 852
 unoculum: Gounelle, 1909: 668 [Mld; not Bates, 1870]
paraglyphicum Martins & Galileo, 2013: 319
phormesioides Martins, 1960: 20
podicale (Thomson, 1867: 155)
praecipuum Martins & Galileo, 2013: 573
pulchellum (Lameere, 1893: 274)
 pedunculatum Martins, 1969: 862
pumillum Napp & Martins, 1985: 144
rufescens Martins & Galileo, 2012: 333

sericeum Martins, 1960: 21
 guimaraesi Martins, 1964: 132
spinosum Napp & Martins, 1985: 143
trituberculatum Martins, 1969: 850

French Guiana, Brazil (AM, PA), Peru, eEcuador
 Brazil (BA-ES)
 Brazil (GO)
 Brazil (GO, BA-SC), Bolivia, Argentina
 Brazil (AM, PA)
 Brazil (PA)
 Guyana, French Guiana, eEcuador, Brazil (AM), Peru

 Brazil (PA, GO, MT), Peru, Bolivia (BN, SC)
 Brazil (BA-RJ)
 Brazil (MG, SP)
 Brazil (GO, BA-RS), Peru (Pasco), Bolivia (SC), Paraguay,
 Argentina

 Costa Rica (Guanacaste)
 Brazil (ES)
 Brazil (GO, ES, SP)
 Brazil (AM)
 Guatemala (Zacapa), Nicaragua (Nueva Segovia)
 Mexico-nSamer, Brazil (MA, BA), Peru (Pasco), Bolivia (SC),
 Paraguay, Argentina
 Colombia, Venezuela
 Peru
 Bolivia (Santa Cruz)
 Bolivia (Santa Cruz)
 Brazil (MT), Bolivia (SC)
 Brazil (MA)
 Brazil (BA-RS), Bolivia (SC)

Colombia (Huila)
 Bolivia (SC)
 Guyana, French Guiana, Brazil (AM), Peru
 French Guiana, Brazil (AM, RO, BA, PA, MT), Peru
 Brazil (AM)
 Panama, Brazil (AM), Bolivia (SC)
 Brazil (ES)
 Brazil (MG, RJ)
 Bolivia (SC)
 Brazil (BA-RJ)
 Bolivia (SC), Argentina (SA, TU)
 Bolivia (LP)
 Brazil (BA-SP, PR), Argentina

 Colombia (BO), French Guiana, Brazil, Peru, Bolivia (SC)

 Brazil (PI)
 Bolivia (SC), Argentina (SA, TU)
 Venezuela
 Bolivia (SC)
 Venezuela

 Brazil (BA, MG)
 Brazil (PB)

 Brazil (AM, PA, BA-RJ), Peru, Bolivia (SC)

 Panama, Colombia
 Costa Rica

- Glomibidion** Napp & Martins, 1985: 134
trinidadense (Gilmour, 1963: 93) Colombia (Bolívar), Trinidad
tumidum Napp & Martins, 1985: 134 Brazil (MT)
- Kunaibidion** Giesbert, 1998: 51
giesberti Martins & Galileo, 2014: 493 French Guiana
panamensis Giesbert, 1998: 51 Panama
- Megaceron** Martins, 1969: 672
antennicrassum (Martins, 1960: 53) Brazil (ES)
australe (Martins, 1960: 176) Brazil (SP-SC), Paraguay
- Neoctoplon** Martins, 1969: 826
brunnipenne (Martins, 1960: 85) Brazil (RJ-SC)
- Neoibidion** Monné, 2012: 36
Ibidion Audinet-Serville, 1834: 542 [JH; Gory, 1833, Clytini]
comatum (Audinet-Serville, 1834: 104) Brazil
- Neopotiatuca** Martins & Galileo, 2008: 280 [RN]
Potiatuca Martins & Galileo, 2007: 198 [JH; not Galileo & Martins, 2006, Apomecynini]
brevis (Martins & Galileo, 2007: 199) Peru
- Ophtalmibidion** Martins, 1969: 661
antonkozlovi Santos-Silva, Nascimento & Drumont, 2019: 5 Colombia (La Guarija)
auga Martins & Galileo, 1999: 302 Brazil (AM)
gutta Vlasak & Santos-Silva, 2022: French Guiana (Kaw)
luscum Martins, 1971: 1449 Brazil (MS)
oculatum Martins, 1969: 664 Brazil (ES)
tetrops (Bates, 1870: 291) Brazil (PA, MT, MG-PR), Peru, Bolivia (SC),
Paraguay, Argentina
- Palpibidion** Martins & Galileo, 2003: 227
minimum Martins & Galileo, 2003: 228 Brazil (RO, MG), Bolivia (SC)
- Prothoracibidion** Martins, 1960: 109
flavozonatum Martins, 1960: 109 Ecuador, Peru
plicatithorax Martins, 1960: 111 Colombia
xanthopterum Martins, 1962: 281 Bolivia (CO, SC)
- Rhysium** Pascoe, 1866: 483
Rhyzium Martins, 1969: 650
bimaculatum Pascoe, 1866: 483 Peru, Bolivia (SC)
contracticorne Martins, 1960: 95
bivulneratum (Thomson, 1867: 141) Colombia
inarmatum Martins, 1960: 94
guttiferum (Thomson, 1867: 142) Colombia
separatum (Martins & Galileo, 2007: 188) Bolivia (SC)
spilotum Martins & Galileo, 2007: 197 Bolivia (SC)
- Tetraopidion** Martins, 1960: 23
Cycnidolon: Lacordaire, 1868: 334 [MId; not Thomson, 1864]
Cynidion: Damoiseau & Cools, 1987: 16 [ISS of *Cycnidolon*: Lacordaire, 1868]
geminatum Martins, 1969: 840 Bolivia (SC)
mucoriferum (Thomson, 1867: 154) French Guiana, Brazil (GO, PB-RS), Paraguay,
Argentina, Bolivia (SC)
modestum Lacordaire, 1868: 334 Bolivia, Argentina (SA)
tetraophthalmum Martins, 1960: 26 Venezuela
venezuelanum Martins, 1960: 25

Tropidina Martins & Galileo, 2007: 7**Alcyopsis** Pascoe, 1866: 484*Alcyopsis*: Chemsak, Linsley & Noguera, 1992: 49 [ISS]**chalcea** Bates, 1874: 221**cyanoptera** Pascoe, 1866: 484**nigromaculata** Aurivillius, 1927: 528**nigrovittata** Gounelle, 1909: 685*pallida* Martins, 1964: 141Mexico (JA, MO, NA)-Costa Rica
Brazil, Paraguay, Argentina, Uruguay
Brazil (BA)
Brazil (GO, MG, ES)**Biraidion** Galileo & Santos-Silva, 2016: 392**martinsi** Galileo & Santos-Silva, 2016: 393

Bolivia (SC)

Diasporidion Martins, 1968: 515**argentinense** (Martins, 1962: 152)**duplicatum** (Gounelle, 1909: 677)*binoculatum* Linsley, 1935: 484Brazil (MS), Bolivia (SC, TR), Argentina (JU)
Mexico-Colombia (AT, BO), Venezuela, French Guiana,
Brazil, Paraguay**Gnomibidion** Martins, 1968: 580**araujoi** (Martins, 1962: 159)**armaticolle** (Martins, 1965: 211)**biacutum** Martins, 1968: 584**contiguum** Bezark & Santos-Silva, 2019: 10**cylindricum** (Thomson, 1865: 570)*eburnipenne* Linsley, 1935: 480**denticolle** (Dalman, 1823: 67)*gnomoides* Thomson, 1865: 570**digrammum** (Bates, 1870: 299)**flavum** Martins & Galileo, 2007: 48**fulvipes** (Thomson, 1865: 571)*biplagiatum* Redtenbacher, 1867: 198*monostigma* Bates, 1870: 297**occultum** Martins, 1968: 603**translucidum** (Martins, 1960: 93)**variabile** Martins & Galileo, 2003: 226Brazil (PA)
Brazil (BA, RJ, PR)
Guianas, eEcuador
Panama (Panama)
Panama, Colombia, Venezuela, Peru, Ecuador,
Brazil (PE, BA)
Brazil (MG-RS, MT), Paraguay, Argentina

French Guiana, Brazil (AM, PA, CE), Peru, Bolivia (SC)
Brazil (MG)
French Guiana, Peru, Bolivia (SC, TR), Uruguay

Colombia
Panama, French Guiana, Brazil (MT), Bolivia (SC)
Brazil (AM, MG)**Homaloidion** Martins, 1968: 506**pinacopterum** (Martins, 1962: 298)

Brazil (BA-RS)

Megapedion Martins, 1968: 573**lefebvrei** (Gounelle, 1909: 673)*longitarsi* Martins, 1962: 108**sylphis** (Bates, 1870: 305)

Brazil (MA, GO, BA-SC), Bolivia (SC), Paraguay

Brazil (AM, PA)

Minibidion Martins, 1968: 335**aquilonium** Martins, 1968: 349**argenteum** Martins & Napp, 1986: 6**basilare** (Martins, 1962: 155)**bondari** (Melzer, 1923: 7)**captiosum** Martins & Galileo, 2012: 208 [RN]*bicolor* Martins, Galileo & Limeira-de-Oliveira, 2011: 281 [JpH; not Martins, Galileo & Limeira-de-Oliveira, 2009]**confine** Martins, 1968: 351**craspedum** Martins, 1971: 136**minimum** Martins & Napp, 1986: 7**minusculum** (Martins, 1962: 153)**perfectum** Martins & Galileo, 2011: 194Venezuela
French Guiana, Brazil (RO), Bolivia (SC)
Peru
Brazil (MT, BA-RS)
Brazil (MA)
Brazil (BA)
wEcuador
Brazil (MT), Bolivia (SC)
Brazil (BA-RS, PR), Paraguay, Argentina
Bolivia (SC)**punctipenne** Martins, 1968: 339*comatum*: Gounelle, 1909: 677 [Mld; not Audinet-Serville, 1834]

Brazil (GO-SP)

rurigena (Gounelle, 1909: 681)
tricolor Martins & Galileo, 2007: 23
unifasciatum Martins & Galileo, 2007: 24

Brazil (GO), Bolivia (SC)
 Bolivia (SC)
 Bolivia (SC)

Neotropidion Martins, 1968: 609

nodicolle **nodicolle** (Dalman, 1823: 67)
armandinae Chabrillac, 1857: 198
biguttatum Redtenbacher, 1867: 198
 subsp. **binoculare** (Gounelle, 1909: 683)
pulchellum Martins, 1968: 614

Peru, Brazil (AM, BA-SP), Bolivia (BN, SC)

Brazil (GO, MG)
 French Guiana

Opacibidion Martins, 1968: 498

opacicolle (Melzer, 1931: 53)
rugicolle (Nonfried, 1895: 309)
sulcorne (White, 1855: 232)

Brazil (RJ-PR), Paraguay, Argentina
 Brazil (PB-PR), Paraguay
 Brazil (PA)

Perissomerus Gounelle, 1909: 684

alvarengai Martins, 1961: 188
dasytes Martins, 1968: 571
flammeus Martins, 1971: 146
hilairei hilairei Gounelle, 1909: 684
lenkoi Martins, 1962: 160
 subsp. **bimaculatus** Gounelle, 1909: 685
machadoi Martins, Galileo & Santos-Silva, 2016: 323
rubrus Martins & Galileo, 2007: 80
ruficollis Martins, 1961: 187

Brazil (ES)
 Brazil (BA)
 Venezuela
 Brazil (GO, MT), Peru, Bolivia (SC)

Brazil (BA-PR), Paraguay
 Paraguay
 Bolivia (BN)
 Brazil (PB, BA)

Phocibidion Martins, 1968: 625

erythrocephalum (White, 1855: 224)
pulcherrimum (Martins, 1962: 277)

Guatemala-Bolivia, Brazil (AM, BA-RJ)
 Brazil (AM, RO), Peru (Loreto), Bolivia (BN)

Psiloibidion Martins, 1968: 511

boteroi Garcia, 2019: 6
leucogramma (Perty, 1832: 92)
thomsoni Chabrillac, 1857: 197

Colombia (Atlantico, Sucre)
 Colombia (SU), Brazil (PI, PA-SP), Bolivia (BN, SC),
 Paraguay, Argentina

Smaragdion Martins, 1968: 605

viride Martins, 1968: 606

Peru, Brazil (PA, RO, MT)

Thoracibidion Martins, 1960: 105

buquetii (Thomson, 1867: 139)
griseicollis Bates, 1872: 180
fasciiferum (Berg, 1889: 110)
ruficaudatum var. *rufa* Gounelle, 1909: 664
flavopictum (Perty, 1832: 93)
franzae Martins, 1968: 540
galbum Martins, 1968: 554
insigne Martins, 1968: 534
io (Thomson, 1867: 141)
rugicollis Bates, 1870: 296
lineatocollis (Thomson, 1865: 574)
pleurostictum (Bates, 1885: 261)
rubripenne Martins et. al., 2015: 610
ruficaudatum (Thomson, 1865: 571)
striatocollis (White, 1855: 224)
proserpina Thomson, 1867: 140
terminatum Martins, 1968: 552
tomentosum Martins, 1960: 108

Mexico-Peru, French Guiana

Brazil, Bolivia (CO, SC), Paraguay, Argentina

Brazil, Bolivia (SC, TR), Paraguay, Argentina
 Venezuela
 Brazil (SP)
 Bolivia (LP, SC)
 Colombia (BO), Venezuela, French Guiana, Guyana, Suriname,
 Peru, Brazil
 Brazil (MA, BA-RS), Paraguay, Argentina
 Mexico (CHS)-Panama
 Brazil (MA)
 Venezuela, French Guiana, Peru, Brazil (AM), Bolivia (Beni)
 Colombia (Boyaca), French Guiana, Brazil (RR, AM, PA), eEcuador,
 Peru, Bolivia (SC)
 Venezuela
 Costa Rica, Panama, Colombia

Tropidion Thomson, 1867: 134

- abditum** Martins, 1968: 484
acanthonotum (Martins, 1962: 5)
argentina Galileo & Martins, 2010: 5
atricolle (Martins, 1962: 304)
aurulentum Martins, 1971: 141
balfourbrownei Martins, 1968: 411
batesi Martins, 1968: 496
birai Galileo, Santos-Silva & Le Tirant, 2015: 102
bituberculatum (Audinet-Serville, 1834: 105)
boliviensis Galileo & Martins, 2010: 5
breviusculum (Thomson, 1867: 147)
 borrei Lameere, 1884: 88
 geniculatum Zikán & Zikán 1944: 12
brunniceps (Thomson, 1865: 571)
buriti Martins & Galileo, 2012: 200
calciope (Thomson, 1867: 144)
carinicolle (Bates, 1872: 180)
castaneum Martins, 1968: 383
centrale (Martins, 1962: 158)
cinctulum (Bates, 1870: 294)
citrinum Martins, 1968: 403
contortum Martins, 1968: 442
cruentum Martins & Napp, 1986: 8
ecoparaba Martins & Galileo, 2007: 140
elegans (Gounelle, 1909: 679)
 var. *zonata* Gounelle, 1909: 679
enochrum Martins, 1968: 405
epaphum (Berg, 1889: 111)
 rubricatum var. *rubronigra* Gounelle, 1909: 681
erythrurum (Martins, 1962: 276)
extraordinarium Martins & Galileo, 1999: 302
fairmairei (Gounelle, 1909: 680)
 paraguayensis Martins, 1962: 6
fernandezi Joly, 1991: 31
festivum (Martins, 1962: 101)
flavipenne (Martins, 1964: 139)
flavipes (Thomson, 1867: 143)
flavum (Martins, 1962: 304)
flechtmanni Santos-Silva, Nascimento & Biffi, 2019: 449
fuscipenne (Gounelle, 1913: 217)
 immaculipenne Melzer, 1935: 181
hermione (Thomson, 1867: 144)
hispidum Martins, 1971: 1441
hovorei Audureau & Bezark, 2021: 50
igneicolle (Martins, 1962: 10)
inermis (Martins, 1962: 7)
intermedium (Martins, 1962: 302)
investitum (Martins, 1962: 10)
 clavicorne Martins, 1962: 12
iuba Martins & Galileo, 2007: 173
jolyi Martins & Galileo, 2012: 200
kjellanderi (Martins, 1965: 208)
lepidum Martins, 1971: 138
litigiosum Martins, 1968: 444
mirabile Martins, 1971: 1439
nancyae Wappes & Santos-Silva, 2016: 3
neisi Garcia, 2019: 8
nordestinum (Martins, 1962: 105)
obesum Martins, 1968: 446
ochraceum Martins & Galileo, 2007: 129
periboeoides (Thomson, 1867: 146)
 Argentina (CH)
 Brazil (ES)
 Argentina (LR)
 Brazil (BA-RJ)
 Brazil (GO, SC), Paraguay
 Brazil (BA)
 Brazil (ES)
 Bolivia (YU)
 Brazil (MA, MG-SP)
 Bolivia (SC)
 Brazil (BA-SC), Paraguay, Argentina
 Panama, Colombia
 Brazil (PI)
 Brazil (BA-SP)
 Nicaragua, Costa Rica, Panama
 Brazil (BA, MG, MS), Bolivia (SC)
 Panama, Colombia (BO), Venezuela
 French Guiana, Brazil (PA)
 Brazil (BA, ES)
 Bolivia (SC, TR)
 Brazil (MT)
 Bolivia (SC)
 Brazil (GO, MT), Bolivia (SC)
 Brazil (BA)
 Brazil (GO, MT, MG, SP), Bolivia (SC), Argentina, Paraguay
 Panama, Venezuela, French Guiana, Bolivia (SC), Brazil
 Brazil (DF)
 Peru, Brazil (GO, MA, MT), Bolivia (SC), Paraguay
 Venezuela
 French Guiana (Kaw), Bolivia (SC)
 Brazil (MS)
 Brazil (GO, BA-SP), Peru (Pasco), Bolivia
 French Guiana, Brazil (BA-SP), Bolivia (SC), Argentina
 Brazil (MG, MS)
 Bolivia (SC, TR), Argentina (SA, SE, ER)
 Brazil (SP-RS), Bolivia (SC), Paraguay, Argentina
 Venezuela
 Panama (Panama)
 Brazil (BA, MG, SP)
 Brazil (MT, RJ-PR)
 Bolivia (SC), Argentina (SA, TU)
 Brazil (BA-RS), Bolivia (SC), Argentina (MI),
 Brazil (ES)
 Venezuela
 Brazil (BA)
 Brazil (MA, MT), Bolivia (SC)
 Colombia, Venezuela
 Venezuela
 Bolivia (SC)
 Colombia (Bolívar)
 Brazil (MG, RN)
 Brazil (BA)
 Bolivia (SC)
 Brazil (BA-RJ)

- persimile** (Martins, 1960: 181)
personatum (Gounelle, 1909: 678)
andinum Martins, 1962: 57
pictipenne (Martins, 1962: 58)
pinima Martins & Galileo, 2007: 174
praecipuum Martins, 1971: 1445
pubicollis Martins & Napp, 1986: 10
pulvinum Martins, 1968: 449
pusillum (Martins, 1960: 178)
rubricatum (Gounelle, 1909: 680)
rusticum (Gounelle, 1909: 682)
salamis (Thomson, 1867: 143)
semirufum Martins, 1968: 422
signatum signatum (Audinet-Serville, 1834: 104)
venezuelae White, 1855: 233
femoratum Lucas, 1857: 187
vicinum: Bosq, 1943: 31 [Mld; not Gounelle, 1909 (doubtful) or 1913]
subsp. **punctatum** Martins, 1968: 438
silvestre (Martins, 1965: 210)
sipolisi (Gounelle, 1909: 681)
breviusculum Zikán & Zikán, 1944: 12 [JsH; not Thomson, 1867 (as *Ibidion*)]
haliki Martins, 1962: 301
subcruciatum (White, 1855: 226)
spinipenne Thomson, 1865: 570
calligramum Bates, 1870: 294
supernotatum (Gounelle, 1909: 678)
tendyra Martins & Galileo, 2007: 134
terminatum Martins & Galileo, 2012: 199
tymauna Martins & Galileo, 2007: 128
una Martins & Galileo, 2012: 202
validum (Martins, 1962: 104)
vianai Martins, 1971: 1437
vicinum (Gounelle, 1913: 216)
wappesi Galileo & Santos-Silva, 2016: 402
xanthocele (Martins, 1962: 305)
zonapterum (Martins, 1962: 299)
- Brazil (PA, GO, MA, MT), Bolivia (BN)
Brazil (GO, MT, SP), Bolivia (SC), Paraguay, Argentina
- Brazil, Bolivia, Paraguay, Argentina
Brazil (MA)
Brazil (MT), Bolivia
Brazil (AM, PA, RO)
Brazil (BA)
Bolivia (SC)
Venezuela, Brazil (GO, MT, MG, SP), Bolivia
Brazil (GO, MG, MT, SP), Bolivia (TR), Paraguay
Brazil (BA-RS), Paraguay, Argentina
Brazil
Brazil (BA-RS), Bolivia, Paraguay, Argentina
- Brazil (GO, MA, MT), Bolivia
Brazil (ES)
Brazil (MA, GO, PI-SC), Bolivia (SC), Paraguay
- Colombia, Venezuela. Guianas, Brazil, Bolivia (SC)
- Brazil (GO, MA, MT, BA-SP), Bolivia
Brazil (MG)
Brazil (RO)
Bolivia (SC)
Brazil (RO)
Bolivia (SC), Paraguay
Paraguay
Paraguay (Concepcion), Argentina (JU-CD)
Bolivia (SC)
Brazil (MT)
Brazil (MA, MS, SP), Bolivia (SC)

Unxiini Napp 2007: 312

- Allopeba** Napp & Reynaud, 1999: 290
paranaensis (Napp & Reynaud, 1998: 156)
quadripunctata (Lucas, 1857: 188)
signaticornis (Lucas, 1857: 188)
- Brazil (PR, SC, RS)
Brazil (MG-RS)
Brazil (GO, MG-RS), Argentina (MI)
- Chariergus** White, 1855: 216
caeruleus Napp & Reynaud, 1998: 155
tabidus (Klug, 1825: 461)
- Brazil (MG, BA, ES)
Brazil (GO, BA-RS), Argentina (CO, ER), Uruguay
- Chenoderus** Fairmaire & Germain, 1860: 532
Cynoderus: Blanchard in Gay, 1851: 479 [Mld; not Audinet-Serville, 1834]
Chenoblacus Thomson, 1868: 201 [URN for *Chenoderus*, wrongly considered JpH of *Cheloderus* Gray, 1832]
bicolor Fairmaire & Germain, 1861: 107
testaceus (Blanchard in Gay, 1851: 479)
tricolor (Fairmaire & Germain, 1859: 502)
venustus Fairmaire & Germain, 1861: 107
- Chile
Chile, Argentina (RN-SC)
Chile, Argentina (NE)
Chile
- Ethemon** Thomson, 1864: 262
basale (Burmeister, 1865: 170)
basirufum Napp, 1979: 907
brevicorne Napp & Reynaud, 1998: 157
- Bolivia (SC), Argentina (JU-CD)
Brazil (MG, RJ)
Argentina (CD)

imbasale Tippmann, 1960: 133
iuba Napp & Martins, 2006: 247
lepidum lepidum Thomson, 1864: 262
 diversipennis Burmeister, 1865: 170
 subsp. **rufemorale** Napp, 1979: 906
weiseri Bruch, 1926: 340

Bolivia (LP, SC)
 Bolivia (CO)
 Brazil (MG, RJ)

 Brazil, Argentina (CA)
 Argentina (CA)

Paromoeocerus Gounelle, 1910: 139

Compsocerus: Laporte, 1840: 435 [Mld; not Lacordaire, 1830]

barbicornis (Fabricius, 1792: 311)
 plumigera Olivier, 1800: [no 68] 13
 equestre Guérin-Ménéville, 1844: 231
notabilis Melzer, 1918: 431
scabricollis Melzer, 1927: 568
stictonotus Napp, 1976: 32
vestitus Gounelle, 1910: 139

Brazil (MG-RS), Paraguay, Argentina, Uruguay

Brazil (PR, SC)
 Brazil (SP-SC)
 Brazil (MG, RJ)
 Brazil (GO, SP)

Parunxia Napp, 1977: 134

scopifera (Klug, 1825: 461)
 simplex Aurivillius, 1911: 188

Brazil (ES-RS, MS), Uruguay

Rierguscha Viana, 1970: 145

bicolor Viana, 1970: 148
florida Napp & Martins, 2006: 249
viridipennis (Bruch, 1925: 209)

Argentina (SA), Bolivia (SC)
 Bolivia (SC)
 Argentina (CA)

Unxia Thomson, 1861: 252

gracilior (Burmeister, 1865: 171)
insignis (Guérin-Ménéville, 1844: 232)
laeta (Guérin-Ménéville, 1844: 232)

Brazil (MG-RS), Paraguay, Argentina, Uruguay
 Brazil
 Brazil (MG-RS)

Uracanthini Blanchard, 1853: 264
Uracanthitae Blanchard, 1853: 264

Uracanthus Hope, 1833: 64

strigosus Pascoe, 1875: 62

Australia, wEcuador (introduced?)

Xystrocerini Blanchard, 1845: 147

Xystrocera Audinet-Serville, 1834: 69

globosa (Olivier, 1795: [no 67] 27)

Introduced in Puerto Rico

*Incertae sedis***Cerambyx**

tristis Schoenherr, 1817: 363
Cerambyx tristis Voet, 1781: 17 (*nomen nudum*)

Championa Bates, 1880: 69

aliciae Noguera & Chemsak, 1997: 2	Mexico (JA)
aurata Bates, 1880: 69	Guatemala
badeni Bates, 1892: 170	Mexico
chemsaki Martins & Napp, 1992: 461	Mexico (CHS)
<i>bifasciata</i> Noguera & Chemsak, 1997: 3	
chihuahuaensis Heffern, Santos-Silva & Nascimento, 2021: 372	Mexico (Chihuahua)
ctenostomoides Bates, 1885: 315	Mexico (VC, GR)
elegans Chemsak, 1967: 45	Mexico (SI)
santossilvai Bezark, 2019: 401	Mexico (Oaxaca)
suturalis Chemsak, 1967: 47	Mexico (DU)
westcotti Noguera & Chemsak, 1997: 3	Mexico (PU, OA)
zarazagai Heffern, Santos-Silva & Nascimento, 2021: 365	Mexico (Nayarit)

Cerambycine taxa of uncertain identity

Callidium bifasciatum Fabricius, 1787: 152	"America occidentali"
Callidium brevicorne Olivier, 1790: 261	North America
Cerambyx castaneus Voet, 1778: 18	America
Cerambyx clavipes Forster, 1771: 42	North America
Cerambyx ferruginosus Goeze, 1777: 477	America
Cerambyx lucidus Olivier, 1790: 309	America
Cerambyx praepes Voet, 1778: 22	America
Cerambyx rufus Voet, 1806: 25	America
Cerambyx umbraticus Olivier, 1800: [no 67] 130	French Guiana
Clytus carinatus Laporte & Gory, 1836: 19	"North America"
Elaphidion pusillum Haldeman, 1847: 34	North America

Lamiinae Latreille, 1825: 401
Clinocephalides Mulsant, 1839: 115
Moneilemitae Thomson, 1864: 43

Acanthocinini Blanchard, 1845: 154

Acanthocinus Dejean, 1821: 106

Astynomus: Haldeman, 1847: 46 [Mld; not Stephens, 1839]

Lamia Gistel, 1848: 429 [NN]

Aedilis: LeConte, 1852: 173 [Mld; not Audinet-Serville, 1835]

Graphisurus (*Canonura*) Casey, 1913: 335

Graphisurus (*Tylocerina*) Casey, 1913: 335

Neacanthocinus Dillon, 1956: 231

andresi Perez-Flores, 2022: 293

Mexico (Tlaxcala)

angulosus (Casey, 1913: 338)

swUSA (CA, AZ, NM), Mexico

leechi (Dillon, 1956: 228)

swUSA (AZ)

nodosus (Fabricius, 1775: 164)

eUSA

bifidator Fabricius, 1801: 286

laticollis Casey, 1913: 341

obliquus (LeConte, 1862: 39)

wNorth America-Honduras

acomanus Casey, 1913: 337

obliquus sedulus Casey, 1913: 337

pacificus Casey, 1913: 338

obtusus Casey, 1924: 292

obliquus chihuahuae Casey, 1913: 337

obsoletus (Olivier, 1800: [no 67] 310)

eNorth America, Cuba, Bahamas

floridanus Casey, 1913: 336

punctatus Casey, 1924: 293

princeps (Walker in Lord, 1866: 331)

wNorth America (Pacific Coast)

spectabilis: Horn, 1880: 130 [Mld; not LeConte, 1854]

vinctus Casey, 1913: 340

pusillus Kirby in Richardson, 1837: 169

Alaska, Canada, eUSA

spectabilis (LeConte, 1854: 82)

ncUSA (MT, SD), Mexico (TA, OA)

Acanthodepressus Bezark, Santos-Silva & Audureau, 2023: 143

auratus Bezark, Santos-Silva & Audureau, 2023: 144

Honduras (Cortés)

Acanthodoxus Martins & Monné, 1974: 318

delta Martins & Monné, 1974: 320

Brazil

machacalis Martins & Monné, 1974: 320

Brazil (MG, ES)

Alcathousiella Monné, 2005: 11

Alcathous Thomson, 1864: 24 [JH not Stål, 1863, Hemiptera]

Amniscus: Bates, 1863: 103 [Mld; not Dejean, 1835]

giesberti Nascimento, Monné & Wappes, 2021: 40

Nicaragua, Costa Rica, Panama

polyrhaphoides (White, 1855: 394)

Colombia, Venezuela, Ecuador, Bolivia, Peru

polyrhaphoides Thomson, 1864: 24

Alcidion Sturm, 1843: 254

Probatius White, 1855: 389

Hirsutographis Dillon, 1956: 207

aestimabile (Melzer, 1934: 101)

Brazil (SP)

albosparsum (Melzer, 1934: 236)

Brazil, Paraguay, Argentina

alienum (Melzer, 1932: 431)

Brazil (MG-SP)

apicale (Bates, 1864: 49)

Brazil (AM)

chryseis (Bates, 1864: 47)

Brazil (PA)

dominicum (Fisher, 1926: 30)

Dominica, Dominican Republic

humerales (Perty, 1832: 91)

Mexico (OA, VC)-Panama, Colombia, French Guiana, Venezuela,

mexicanus Thomson, 1860: 17

Brazil, Bolivia (LP, SC), Paraguay, Argentina

inornatum Monné & Monné, 2007: 1038
ludicrum (Germar, 1823: 481)
partitum (White, 1855: 390)
puchnerorum Schmid, 2015: 283
quadriguttatum (Aurivillius, 1920: 387)
ramulorum (Bates, 1864: 49)
sannio (Germar, 1823: 481)
sulphurifer (White, 1855: 390)
umbraticum (Jacquelin du Val in Sagra, 1857: 272)
pulchra Dillon, 1956: 207
unicolor (Fisher, 1932: 87)

Colombia
 Brazil, Paraguay, Argentina
 French Guiana, Brazil (PA)
 Peru
 Brazil (ES, RJ)
 Brazil (PA)
 Brazil
 Brazil (RO), eEcuador, Peru, Bolivia (CO, SC)
 seUSA (FL), Cuba, Puerto Rico, Jamaica, Bahamas
 Haiti

Allocrus Santos-Silva & Monne, 2023: 279
caesius Monné & Monné 2007: 1041

Brazil (PA, RO)

Alloeomorpha Monné & Monné, 2011: 175
formosus Monné & Monné, 2011: 175

Brazil (RO), Bolivia (SC)

Amniscites Gilmour, 1957: 4
Amniscus: Bates, 1863: 103 (part) [Mld; not Dejean, 1835]
amboroensis Monné & Monné, 2012: 283
pelta Audureau, 2018: 15
pictipes (Bates, 1863: 104)
tavakiliani Monné & Monné, 2012: 283

Bolivia (CO, SC)
 Peru (Pasco)
 Costa Rica-Panama, Colombia, eEcuador, Brazil, Bolivia, Paraguay
 French Guiana

Amniscus Dejean, 1835: 338
Leptostyloides Gilmour, 1963: 62
Paratrypanidius Gilmour, 1963: 14
assimilis (Gahan, 1895: 136)
praemorsus (Fabricius, 1792: 275)
similis (Gahan, 1895: 136)
testaceus: Aurivillius, 1923: 403 [Mld; not Froelich, 1792]
turbidus Gilmour, 1963: 63
antiquae Gilmour, 1963: 15

Mexico, W Indies, French Guiana (Cayenne) prob introduced
 Mexico (VC), W Indies
 W Indies (Barbados, Lesser Antilles), Puerto Rico

Anisolophia Melzer, 1934: 233
cultrifera (White, 1855: 374)
glauca Melzer, 1934: 233

Brazil (AM, PA, MT), Bolivia (SC)
 Brazil (BA-SP)

Anisopodus White, 1855: 349 [RN]
Anisopadus: Burmeister, 1865: 178 [ISS]
Anisopus Audinet-Serville, 1835: 30 [JH; not Meigen, 1803 (= *Sylvicola* Harris, 1780), Diptera]
Leptoscelis Erichson, 1847: 145 [JH; not Laporte, 1832]

aberrans Roguet, 2022: 79
acutus Roguet, 2023: 64
affinis Martins, 1974: 59
andicola Kirsch, 1889: 42
arachnoides (Audinet-Serville, 1835: 31)
phalangodes: Costa Lima, 1936: 305 [Mld; not Erichson, 1847]
argus Bates, 1872: 216
batesi Gilmour, 1965: 568
arachnoides Bates, 1863: 283 [JhS; not Audinet-Serville, 1835]

French Guiana (Kaw, Belizon)
 French Guiana (Kaw)
 Costa Rica, Panama, eEcuador, Bolivia (PN)
 Ecuador
 Brazil (ES-SC), Paraguay, Argentina
 Nicaragua-Panama, eEcuador
 French Guiana, eEcuador, Brazil (AM), Peru, Bolivia (SC)
 Brazil (PR, MG, RJ, SP)
 Mexico (GR)
 Honduras, Guatemala, Costa Rica
 Costa Rica (GU)
 Colombia (Valle de Cauca), Bolivia (CO)
 Brazil (AM), eEcuador
 Peru
 French Guiana, Peru, Bolivia (SC)

bellus Martins & Monné, 1974: 17
brevis Gahan, 1892: 266
callistus Bates, 1881: 164
clitellarius Schmid, 2015: 283
cochabambaensis Schindl, 2016: 231
cognatus Bates, 1863: 284
consimilis Aurivillius, 1922: 169
conspersus Aurivillius, 1922: 169

costaricensis Lara & Shenefelt, 1964: 437
curvilineatus White, 1855: 350
curvipes Martins, 1974: 62
degener Bates, 1885: 399
dispar Bates, 1885: 399
dominicensis Villiers, 1980: 96
 brochieri Chalumeau & Touroult, 2004: 193
elongatus Bates, 1863: 285
flavomarginatus Vlasak, Santos-Silva & Nascimento, 2020: 356
floccidus (Erichson, 1847: 147)
gracillimus Bates, 1863: 286
haliki Martins, 1974: 63
hamaticollis Bates, 1872: 236
hiekei Martins, 1974: 57
 phalangodes: Bates, 1872: 215 [Mld; not Erichson, 1847]
jaculus (Gyllenhal, 1817: 162)
 subarmatus Melzer, 1931: 65
latus Monné & Martins, 1976: 58
leptos Devesa & Santos-Silva, 2022: 2
ligneus Bates, 1863: 287
lignicola Bates, 1863: 287
 humeralis Bates, 1863: 288
longipes Linsley & Chemsak, 1966: 244
macropus Bates, 1863: 286
mariettae Schmid, 2015: 285
mexicanus Bates, 1881: 162
micromaculatus Vlasak & Santos-Silva, 2023: 2
morrisi Santos-Silva, 2022: 563
nigripes Bates, 1885: 399
patawaensis Roguet, 2024: 45
phalangodes (Erichson, 1847: 145)
 phalangodes Duffy, 1960: 264
prolixus (Erichson, 1847: 145)
pseudocognatus Roguet, 2022: 81
pseudostrigosus Roguet, 2024: 46
puncticollis Monné & Martins, 1976: 56
punctipennis Monné & Martins, 1976: 57
rorotaensis Roguet, 2023: 65
scriptipennis Bates, 1872: 236
 scriptipennis: Li, Aguilar & Berkov, 2017: 679 [ISS]
sparsus Bates, 1863: 284
strigosus (Erichson, 1847: 145)

vlasaki Roguet, 2023: 66
wappesi Santos-Silva & Devesa, 2021: 55
wilmae Audureau and Demez, 2015: 22
xylinus Bates, 1881: 163

Antecruris Gilmour, 1960: 93

apicalis (Bates, 1864: 147)
 setiger Bates, 1872: 222
 picta Gilmour, 1960: 93

Astyleiopus Dillon, 1956: 161

Leiopus Lacordaire, 1872: 775 (part)
Sternidius: Linsley & Chemsak, 1995: 34 [Mld; not LeConte, 1873: 234]
Liopus Leng & Hamilton, 1896: 121 (part)
 variegatus (Haldeman, 1847: 47)
 var. *trifasciatus* Haldeman, 1847: 47
 var. *obscurus* Haldeman, 1847: 47

Honduras, Costa Rica, Panama
 Brazil (RJ-RS), Paraguay
 Brazil (ES-SC)
 Mexico (VC, CHS)
 Nicaragua (Nueva Segovia), Costa Rica (PA), Panama
 Dominica, Martinique

Brazil (AM), eEcuador, Bolivia (CO)
 Ecuador (Pichincha)
 Peru
 Brazil (AM)
 Brazil (MG-SC), Bolivia (SC)
 Mexico (VC)-eEcuador
 Mexico-Panama

 Brazil (Bahia, Espirito Santo, Rio de Janeiro, Sao Paulo, Santa Catarina)
 Colombia, Venezuela
 Bolivia (La Paz)
 French Guiana, Brazil (AM, PA), Bolivia (SC), eEcuador
 Costa Rica, Fr Guiana, Brazil (MA, PA), eEcuador, Bolivia (CO, SC)

Costa Rica (Cocos Island)
 Brazil (AM), eEcuador, Bolivia (SC)
 Bolivia (CO), Peru
 Mexico (VC), Guatemala, Honduras, Nicaragua, CR, Panama
 Ecuador (Napo)
 French Guiana (Kaw-Roura)
 Panama
 French Guiana (Kaw)
 French Guiana, Peru, Brazil (AP, AM, RO, MT),
 eEcuador, Bolivia (BN, CO, SC)
 Peru, eEcuador, Bolivia (SC)
 French Guiana (Kaw)
 French Guiana (Kaw, Montsinery)
 Colombia, eEcuador
 French Guiana, eEcuador, Bolivia (SC)
 French Guiana (Remire)
 Mexico, Honduras, Guatemala, Nicaragua, CR, Panama, Colombia

French Guiana, Brazil (PA), eEcuador
 Costa Rica (PA), Colombia, French Guiana, eEcuador,
 Bolivia (SC), Peru
 French Guiana (Le Gallion, Coralie, Saut Mapaou)
 Nicaragua (Rivas)
 Peru, wEcuador (Napo)
 Honduras, Costa Rica

Mexico (JA, VC), Guatemala, Honduras, El Salvador,
 Nicaragua, Costa Rica

eNorth America, swUSA (TX, AZ)

Astyliidius Casey, 1913: 308

- parvus** (LeConte, 1873: 234)
leiopinus Casey, 1913: 308
versutus Casey, 1913: 308
monki Knull, 1936: 106
versutus downiei Dillon, 1956: 150

eUSA-swUSA (TX)

Astylopsis Casey, 1913: 309

- Amniscus*: Haldeman, 1847: 46 [Mld; not Dejean, 1835]
Leptostylus Leng & Hamilton, 1896: 116 (part)
arcuata (LeConte, 1878: 414)
floridanus Champlain & Knull, 1922: 148
knulli Fisher, 1925: 103
collaris (Haldeman, 1847: 46)
interruptus Haldeman, 1847: 48
fascipennis Schiefer, 2001: 533
macula (Say, 1826: 268)
sticticus Haldeman, 1847: 48
perplexa (Haldeman, 1847: 46)
sexguttata (Say, 1826: 269)
commixtus Haldeman, 1847: 47
guttata LeConte, 1859: 328

seUSA

eUSA

seUSA (MS-SC, FL)
eNorth AmericasUSA (GA-TX)
eNorth America**Atelographus** Melzer, 1927: 578

- decoratus** Monné & Monné, 2011: 172
sexplagiatus Melzer, 1927: 578
susanae Monné, 1975: 249

Brazil (ES)
Brazil (MG, SP, SC)
Brazil (ES, PR, SC), Argentina (MI)**Atrypanius** Bates, 1864: 46

- Nyssodrys* Bates, 1864: 149 (part)
Leiopus Lacordaire, 1872: 775 (part)
Nyssodrysina Casey, 1913: 309
Antrypanius: Melzer, 1927: 580 [ISS]
Nyssocuneus Gilmour, 1960: 55
Nyssodrysola Gilmour, 1962: 256
Sternidurges Gilmour, 1959: 329
albocinctus Melzer, 1930: 198
ambiguus Melzer, 1930: 200
audureaui Roguet, 2021: 54
binoculatus (Bates, 1864: 153)
bimaculata: Aurivillius, 1923: 424 [ISS]
cinerascens (Bates, 1864: 151)
variegata Aurivillius, 1929: 2
conspersus (Germar, 1823: 474)
varipennis Serville, 1835: 87
polymitus Erichson, 1847: 146
lonspersus; Zajciw, 1974: 73
corticalis (Bates, 1864: 151)
cretiger (White, 1855: 381)
punctatellus Bates, 1872: 219
estebani Audureau and Demez, 2015: 21
exilis (Bates, 1885: 412)
haldemani (LeConte, 1852: 173)
contempta Bates, 1864: 152
heyrovskyi (Gilmour, 1960: 57)
implexus (Erichson, 1847: 146)
sedata Bates, 1864: 150
infimus (Bates, 1885: 412)
lanceolatum Monné & Tavakilian, 2011: 462
irrorellus Bates, 1885: 411
trinidadensis Gilmour, 1963: 76

Brazil, Paraguay, Argentina
Brazil (RJ-SC), Bolivia (SC)
French Guiana (Kaw)
Nicaragua-Brazil (PA), French Guiana, eEcuadorCosta Rica (GU), Panama (Darien), Colombia (AT), Trinidad, Venezuela,
French Guiana, Brazil (AM, PA)
Mexico-Panama, SouthAmerica (widely distributed)Costa Rica-Brazil (PA), French Guiana
Mexico-Panama, ColombiaPeru
Honduras, Panama
seUSA-PanamaBrazil (ES)
Mexico-Panama, French Guiana, Ecuador, Brazil,
Bolivia (CO, SC)
Costa Rica (PA), Panama, Brazil (ES), Bolivia (BN, SC),
French Guiana
Mexico-Panama, Venezuela, Trinidad, Bolivia (CO, SC), wEcuador,

- spermophagus* Fisher, 1917: 173
jauffreti Santos-Silva, 2021: 1
leucopygus (Bates, 1872: 221)
apicalis Gilmour, 1959: 331
lignarius (Bates, 1864: 152)
lineatocollis (Bates, 1863: 373)
grisellus Bates, 1864: 154
maculosus (Nascimento & Heffern, 2018: 296)
marcelamonneae (Audureau and Demez, 2015: 24)
pleuriticus (White, 1855: 385)
polyspilus (White, 1855: 383)
pulchellus (Bates, 1863: 374)
remissus (Erichson, 1847: 146)
lentiginosus Bates, 1864: 150
rogueti Vlasak & Santos-Silva, 2022: 2
satipoensis (Audureau and Demez, 2015: 23)
schmidi Bezark & Santos-Silva, 2023: 7
scitulus (Germar, 1823: 479)
multifasciatus Melzer, 1927: 572
scutellatus (Bates, 1866: 434)
spretus (Bates, 1864: 152)
sticticus (Gilmour, 1962: 257)
halfferi Villiers, 1971: 348
unpanus Juarez-Noe & Gonzalez-Coronado, 2021: 22
venustus (Bates, 1863: 372)
viriotensis Roguet, 2022: 45
- Baecacanthus** Monné, 1975: 250
telamon Monné, 1975: 251
trifasciatus Monné, 1975: 252
- Baryssiniella** Berkov & Monné, 2010: 51
hieroglyphica Berkov & Monné, 2010: 52
tavakiliani Berkov & Monné, 2010: 54
- Baryssinus** Bates, 1864: 43
albifrons Monné & Martins, 1976: 79
amoenus Monné & Monné, 2012: 195
bicirriifer Bates, 1872: 218
- bilineatus** Bates, 1864: 44
chemsaki Monné, 1985: 369
bilineatus: Bates, 1872: 218 [Mld; not Bates, 1864]
giesberti Monné & Monné, 2007: 1039
huedepohli Monné & Martins, 1976: 77
marcelae Martins & Monné, 1974: 330
marisae Martins & Monné, 1974: 328
melasmus Monné & Martins, 1976: 79
mimus Monné & Monné, 2007: 1039
modestus Monné, 1985: 370
penicillatus Bates, 1864: 44
robertoi Monné & Martins, 1976: 77
silviae Martins & Monné, 1974: 326
- Beloesthes** Thomson, 1864: 23
megabasoides Thomson, 1864: 24
- Brevoxathres** Gilmour, 1959: 33
Sciadosurus Gilmour, 1959: 33
albobrunnea (Gilmour, 1962: 259)
- Brazil (Para)
Mexico (SLP, TB)-Panama, wEcuador
- Brazil, Paraguay, Argentina
Panama, French Guiana, Brazil (AM, RO, MT, MS), Peru,
eEcuador,, Bolivia
Brazil (RO)
Colombia, Peru, Ecuador
Colombia, Brazil, eEcuador, Bolivia (CO, SC)
Mexico-Panama
French Guiana, Brazil (PA), eEcuador
French Guiana, Brazil (AM, MT), eEcuador, Peru,
Bolivia (BN, CO, LP, SC)
wEcuador (Pichincha)
Peru, wEcuador (Napó, Orellana)
Paraguay (Amambay, Guara, Itapúa)
French Guiana, Brazil (BA-SP), eEcuador, Bolivia (SC)
- Honduras-Panama, nSouth America
French Guiana, Brazil, eEcuador, Peru, Bolivia (CO, BN, SC)
- French Guiana, Peru (Piura)
- French Guiana, Brazil (AM), eEcuador, Bolivia (SC)
French Guiana (Montsinery)
- Brazil (RJ)
Brazil (SP)
- French Guiana, Peru, Brazil (AM, RO, MT)
French Guiana
- French Guiana, Brazil (BA-RJ)
French Guiana
Panama, French Guiana, eEcuador, Brazil (MT, ES-SC),
Bolivia (SC)
French Guiana, Brazil (AM), eEcuador
Mexico (SI)-Panama, French Guiana
- Panama
Bolivia (SC)
Brazil (ES-PR)
Brazil (BA-RS), Argentina (MI)
Brazil (MT)
Brazil (RJ)
Brazil (RO), Bolivia (SC)
French Guiana, Brazil (PA, MT), eEcuador
Brazil (ES-SP)
Brazil (RO, MT), Peru, Bolivia (SC)
- Venezuela
- Peru, Bolivia (BN, SC), Brazil (AM, RO, PA)

fasciata Gilmour, 1959: 35
irrorata Monné, 2007: 293
seabrai Monné, 2007: 291
x-littera (Melzer, 1932: 430)

Brazil (SC)
 Brazil (SC)
 Brazil (ES, RJ)
 Brazil (ES), Bolivia (CO, SC)

Callipero Bates, 1864: 18

bella Bates, 1864: 18
basalis Thomson, 1865: 545
formosa Monné, 1998: 290

French Guiana, Brazil (AM), eEcuador

Brazil (AM)

Calolamia Tippmann, 1953: 344

bicordifera Tippmann, 1953: 346

Brazil (SC, PR), Paraguay

Canidia Thomson, 1857: 193

Canidiopsis Dillon, 1955: 179
Pseudocanidia Dillon, 1955: 176
canescens (Dillon, 1955: 184)
chemsaki Wappes & Lingafelter, 2005: 4
cincticornis **cincticornis** Thomson, 1857: 194
 subsp. **balteata** (Lacordaire, 1872: 775)
 inapicalis (Tippmann, 1960: 190)
giesberti Wappes & Lingafelter, 2005: 7
mexicana Thomson, 1860: 14
 hebes (Dillon, 1955: 185)
 similis (Dillon, 1955: 182)
ochreostictica (Dillon, 1956: 106)
 ochreosticta: Chemsak, Linsley & Noguera, 1992: 144 [ISS]
spinicornis (Bates, 1881: 174)
 cuernavacae (Dillon, 1955: 177)
turnbowi Wappes & Lingafelter, 2005: 10

Mexico (GR, NA)
 Mexico (CH, OA)
 Nicaragua, Costa Rica
 Mexico (OA)-Costa Rica, Colombia

Mexico (CHS, OA, VC)
 Mexico, Guatemala

Mexico (NAY, MI)

Mexico (JA, GR, MO)

Mexico (GR)

Carpheolus Bates, 1885: 410

sublineatus Bates, 1885: 410

Mexico (SLP, TA), Guatemala, Honduras, Nicaragua, Panama

Carphina Bates, 1872: 223

arcifera Bates, 1872: 223
assula (Bates, 1864: 23)
 ypsilon Kirsch, 1875: 288
 hypsilon: Lameere, 1883: 71 [ISS of *Eutrypanus ypsilon* Kirsh, 1875]
cerdai Audureau, 2013: 34
elisabethae Roguet, 2022: 82
elliptica (Germar, 1823: 471)
ligneola (Bates, 1865: 216)
lignicolor (Bates, 1865: 215)
melanura Monné & Monné, 2007: 1039
mimicavus (Carelli, Monné & Machado, 2013: 256)
occulta Monné, 1990: 684
paraguayensis Audureau, 2013: 35
petulans Kirsch, 1875: 289
sigillata Monné, 1985: 372

Mexico (NA, VC, CHS)-Panama, Colombia, Galapagos (intr)
 Brazil (AM), eEcuador, Peru

eEcuador, Peru
 French Guiana (Kaw, Belizon, Matoury, Cayenne)
 Brazil (BA, MG, ES, RJ, SP, PR, SC, RS, MS), Bolivia (SC)
 French Guiana, Brazil (PA)
 Brazil (AM), eEcuador
 Brazil (MT)
 Bolivia (SC)
 Brazil (MG-SP)
 Paraguay
 French Guiana, Brazil, eEcuador, Peru, Bolivia (SC)
 Brazil (AM), Ecuador

Carphontes Bates, 1881: 171

paradoxus Monné & Monné, 2010: 54
posticalis Bates, 1881: 172

Venezuela, Bolivia (SC)
 Mexico-Panama, French Guiana, Brazil, Ecuador, Bolivia (SC)

Catharesthes Bates, 1881: 158

Catharestes: Aurivillius, 1923: 395 [ISS]
elegans Bates, 1881: 158

Guatemala

- Chaetacosta** Gilmour, 1961: 354
vittithorax Gilmour, 1961: 356
 Brazil (SC)
- Chicanatonus** Bezark & Santos-Silva, 2023: 11
hovorei Bezark & Santos-Silva, 2023: 7
 Mexico (Veracruz)
- Cleodoxus** Thomson, 1864: 24
antonkozlovi Nascimento, 2018: 316
carinatus (White, 1855: 395)
cristatus Thomson, 1864: 25
tetralophus Monné & Monné, 2017: 257
 Colombia (Magdalena)
 Colombia, eEcuador, Bolivia (LP, SC), Argentina (SA)
 Bolivia (CO)
- Cobelura** Erichson, 1847: 149
Sphenopsilus Bates, 1885: 409
Acanthosphenopsilus Tippmann, 1960: 196
claviger (Bates, 1885: 409)
lorigera Erichson, 1847: 149 Peru
choliniformis Lane, 1956: 25
flavocinctus Tippmann, 1960: 197
peruviana (Aurivillius, 1920: 28)
prenai Santos-Silva & Devesa, 2021: 570
sergioi Monné, 1984: 341
stockwelli Corbett, 2004: 278
vermicularis Kirsch, 1889: 43
 Costa Rica, Panama
 Peru, Bolivia (SC)
 Costa Rica (Heredia)
 eEcuador
 Costa Rica (LI), Panama
 Ecuador
- Coenopoeus** Horn, 1880: 117
niger Horn, 1894: 402
palmeri (LeConte, 1873: 233)
 Mexico (BC)
 swUSA, Mexico (SO, SLP)
- Colobetrypanus** Tippmann, 1953: 353
barclayi Monné & Monné, 2012: 195
ornatus Tippmann, 1953: 354
 wEcuador
 Costa Rica, Panama, Ecuador
- Cosmotoma** Chevrolat, 1843: 269
Beltista Thomson, 1860: 16
Cosmotomella Gilmour, 1955: 22
adjunctum (Thomson, 1861: 16)
rubella Bates, 1864: 148
nigricollis Bates, 1864: 148
fasciatum Fisher, 1931: 23
rubella: Bates, 1872: 237 [Mld; not Bates, 1864]
melzeri Gilmour, 1955: 17
nigrum Gilmour, 1955: 19
olivaceum Gilmour, 1955: 16
pallidum Gilmour, 1955: 21
sertifurum (Audinet-Serville, 1835: 59)
setifer: Aurivillius, 1923: 334 [ISS]
brasiliensis Plavilstshikov, 1927: 59
suturale Gilmour, 1955: 8
triangulare Gilmour, 1955: 12
venustulum Chevrolat 1844: 269
viridanum Lacordaire, 1872: 781
sertifur: Bosq, 1944: 201 [Mld; not Audinet-Serville, 1835]
zikani Melzer, 1927: 574
 Costa Rica, Panama, nSouth America
 Honduras-Panama, wEcuador
 Brazil (BA)
 Brazil (SC)
 Brazil (RJ)
 Brazil (SC)
 Brazil
 Brazil (AM), Peru, Bolivia
 Brazil (RJ)
 Costa Rica, Panama, nSouth America
 Brazil (SP-RS), Paraguay, Argentina
 Brazil (MG-RJ)
- Dectes** LeConte, 1852: 144
nigripilus Chemsak & Linsley, 1986: 29
sayi Dillon & Dillon, 1953: 260 [URN]
spinosa Say, 1826: 271 [wJpH of Drury, 1773 (as *Cerambyx*)]
texanus: Bates, 1881: 173 [Mld; not LeConte, 1862]
 Mexico
 neUSA

spirrosus Beckham & Tippins, 1972: 865
texanus LeConte, 1862: 39
brevis Casey, 1913: 342
latitarsis Casey, 1913: 342
alticola Casey, 1913: 342
thoracicus Casey, 1913: 342
brevisetosus Casey, 1913: 342
discolor Casey, 1913: 343
aridus Casey, 1913: 343
texanus murinus Dillon, 1956: 355

eUSA, swUSA, Mexico

Duocristala Lingafelter, 2020: 12
viridifrons Lingafelter, 2020: 14

Dominican Republic

Eleothinus Bates, 1881: 154
abstrusus Bates, 1881: 154
latus Vlasak & Santos-Silva, 2022: 4
longulus Bates, 1881: 155
pygmaeus Bates, 1885: 392

Guatemala, Honduras, Nicaragua
 Costa Rica, Ecuador (El Oro, Loja)
 Guatemala
 Honduras, Guatemala, Nicaragua, Panama

Embera Santos-Silva & Botero, 2024: 7
flava Santos-Silva & Botero, 2024: 9

Panama (Veraguas)

Eneodes Fisher, 1926: 31
hirsuta Fisher, 1926: 32
viridulus Fisher, 1942: 37

Cuba
 Cuba

Erphaea Erichson, 1847: 144
pumicosa Erichson, 1847: 144
saxuosus Tippmann, 1960: 189
stigma Martins & Monné, 1974: 324

Peru, Bolivia, eEcuador
 French Guiana, Brazil (AM), eEcuador

Eucharitolus Bates, 1885: 408
bellus (Melzer, 1927: 576)
depressus Botero & Monné, 2012: 44
dorcadoides (White, 1855: 382)
lecossoisi Audureau and Demez, 2015: 20
lituratus (Melzer, 1934: 108)
longus Botero & Monné, 2012: 48
pulcher Bates, 1885: 408
pilotus Botero & Monné, 2012: 48
tomazi Monné et al, 2024: 353

Brazil (RJ-SC)
 Brazil (ES)
 French Guiana, Brazil (AM, MT), Bolivia (SC), Peru
 Peru
 Brazil (SC, RS)
 Peru, Bolivia (SC)
 Guatemala, Panama, French Guiana, Bolivia (SC)
 Brazil (RO, SP), Bolivia (SC)
 Brazil (Sao Paolo)

Eugamandus Fisher, 1926: 33
albipumilus Lingafelter, 2020: 2
cayamae Fisher, 1926: 35
darlingtoni Fisher, 1942: 38
flavipes Fisher, 1935: 59
jamaicensis Vitali, 2003: 13
oakleyi Fisher, 1935: 57
brunneus Fisher, 1935: 58
ricarti Micheli, 2003: 194
schwarzi Fisher, 1926: 34
tuberculatus Fisher, 1942: 40

Dominican Republic
 Cuba
 Dominican Republic
 Puerto Rico
 Jamaica
 Puerto Rico

Puerto Rico
 Cuba
 Cuba

Eutrichillus Bates, 1885: 397
Ceratographis Gahan, 1888: 300
Lepturgoides Schaeffer, 1905: 166
Ceratographus: Lewis, 1986: 171 [ISS]

biguttatus (LeConte, 1852: 172)
pusilla: Horn, 1880: 129 [Mld; not Kirby, 1837]
crinicornis Casey, 1924: 291
brevipilus Chemsak & Linsley, 1986: 27
canescens Dillon, 1956: 223
canescens nelsoni Dillon, 1956: 223
comus (Bates, 1881: 155)
cornus: Franz, 1954: 226 [ISS]
neomexicanus (Champlain & Knull, 1925: 470)
pini (Schaeffer, 1905: 166)
x-fasciatus Santos-Silva et al, 2024: 18

eNorth America

Mexico (DU)
 swUSA (AZ, NM, TX)

Mexico (SI, NA, JA)-Honduras, El Salvador

swUSA (AZ, TX), Mexico
 swUSA, Mexico
 Mexico (Nayarit)

Eutrypanus Erichson, 1847: 144

Astynomus Laporte, 1840: 463 (part)
Astyochus Aurivillius, 1923: 427

dorsalis (Germar, 1823: 472)
signata Audinet-Serville, 1835: 33
histrionicus Gistel, 1848: 131

grenadensis Tourout, 2014: 84

mucoreus (Bates, 1872: 221)

signaticornis (Laporte, 1840: 464)

tessellatus White, 1855: 372
tesselatus: Zikán & Zikán, 1944: 39 [ISS]

triangulifer Erichson, 1847: 144

Brazil (GO, MT, BA-RS), Bolivia (SC), Paraguay, Argentina

Grenada, West Indies
 Mexico (VC)-Colombia, Venezuela, Ecuador
 Brazil (ES, RJ)
 Brazil (ES-RS)

Peru, Bolivia (BN, CO, SC)

Exalcidion Monné, 1977: 698

Alcidion: White, 1855: 394 [Mld in part; not Sturm, 1843]

carenatum Monné, 1990: 253

tetracanthum Monné & Delfino, 1981: 260

tetramaston (White, 1855: 395)

Colombia
 Peru
 Venezuela

Fisherostylus Gilmour, 1963: 60

bruneri (Fisher, 1926: 23)

Cuba, Bahamas

Georgeana Monné & Monné, 2011: 173

azurea Monné & Monné, 2011: 175

Brazil (ES, RJ, SP, SC)

Glaucotes Casey, 1913: 305

yuccivorus (Fall, 1907: 84)

yuccavorus: Schaeffer, 1908: 330 [ISS]

swUSA (AZ)

Granastyochochus Gilmour, 1959: 1

elegantissimus (Tippmann, 1953: 347)

fulgidus Monné & Martins, 1976: 45

intricatus Monné & Martins, 1976: 44

nigropunctatus (Bates, 1881: 183)

picticauda (Bates, 1881: 183)

trifasciatus Gilmour, 1959: 3

Costa Rica, Colombia, Fr Guiana, eEcuador, Peru, Brazil, Bolivia
 eEcuador
 Peru
 Mexico (VC), Guatemala, Honduras
 Guatemala, Honduras, Panama
 Venezuela, eEcuador

Graphisurus Kirby in Richardson, 1837: 169

Urographis Horn, 1880: 128

despectus (LeConte in Agassiz, 1850: 234)

pusillus: LeConte, 1852: 175 [Mld; not Kirby, 1837]

hebes Casey, 1913: 333

eucharis (Bates, 1885: 418)

fasciatus (Degeer, 1775: 114)

pensylvanicus Gmelin, 1790: 1863

mixta Fabricius, 1798: 144

fasciata reducta Casey, 1913: 333

eUSA

Guatemala, Costa Rica, Panama
 eNorth America

triangulifer (Haldeman, 1847: 45)
texana Casey, 1924: 292
vexillaris (Bates, 1872: 222)

eUSA-TX

Mexico (VC)-Panama

Hamatastus Gilmour, 1957: 16

colombiensis Audureau, 2023: 101
conspicuous Monné, 1985: 28
excelsus Monné, 1978: 592
fasciatus Gilmour, 1957: 17
lemniscatus Monné, 1985: 27
simillimus Monné, 1990: 682

Colombia (Tolima)
 Brazil (ES, RJ)
 Venezuela, French Guiana, Brazil (MT)
 Nicaragua, Costa Rica, Panama
 Colombia, French Guiana, Brazil (PA), Bolivia
 French Guiana, Brazil (AM)

Hermaphroditus Santos-Silva, Perez-Flores, Bezark & Monné 2024: 9 new genus

flavomadeffectus Santos-Silva, Perez-Flores, Bezark & Monné, 2024: 10 Costa Rica (PU), Panama (Panama)

Hexacona Bates, 1881: 157

armata Bates, 1881: 158

Costa Rica

Hylettoides Audureau, 2023: 104

sugrimi Audureau, 2023: 105

French Guiana (Kaw, Belizon)

Hylettus Bates, 1864: 11

alboplagiatus (White, 1855: 381)
aureopilosus Monné, 1988: 126
coenobita (Erichson, 1847: 145)
 vindex Lacordaire, 1872: 788
cuespani Audureau, 2023: 109
eremita (Erichson, 1847: 145)
 sallei Candeze, 1861: 384
 decorticans Bates, 1864: 12
excelsus (Bates, 1864: 163)
griseofasciatus (Audinet-Serville, 1835: 33)
hiekei Fuchs, 1970: 111
 viridis Monné, 1998: 290
magnus Monné, 1988: 129
nebulosus Monné, 1982: 102
paraleucus Monné, 1988: 128
ramea (Bates, 1864: 163)
seniculus (Germar, 1823: 473)
 ophthalmica Lameere, 1885: 110
spilotus Monné, 1982: 104
stigmatosus Monné, 1982: 100

Peru, eEcuador, Brazil (AM)
 French Guiana (Kaw), Brazil (RO)
 Guatemala-Panama, French Guiana, Brazil,
 eEcuador, Peru, Bolivia (BN, SC)
 Peru (Huanuco)
 Colombia, Venezuela, wEcuador, Peru, Bolivia (SC)

Ecuador, Peru, Brazil (AM), Bolivia (SC)
 Brazil (BA, MT, ES-RS)
 Colombia, Ecuador

Brazil (RO, MT)
 Brazil (SP)
 Brazil (ES, RJ)
 French Guiana, Brazil (AM)
 Costa Rica-South America

French Guiana, eEcuador, Peru, Brazil
 Brazil (MG-SC)

Hyperplatys Haldeman, 1847: 49

Liopus LeConte, 1852: 170 (part)
argentinus (Berg, 1889: 105)
 canus: Bosq, 1943: 23 [Mld; not Bates, 1863]
aspersus (Say, 1824: 330)
 maculata Blatchley, 1910: 1078
 vigilans Casey, 1913: 329
 laceyi Dillon, 1956: 351
auriantus Santos-Silva & Pérez-Flores, 2024: 21
bolivari Santos-Silva & Pérez-Flores, 2024: 2
californica Casey, 1892: 51
canus (Bates, 1863: 288)
 spinipennis Fisher, 1938: 146
carinatus Santos-Silva & Pérez-Flores, 2024: 9
c-fasciatum Santos-Silva & Pérez-Flores, 2024: 13
convexus Melzer, 1934: 235

Argentina, Uruguay

eNAmer-TX, ID, UT, CO, NM, AZ

Brazil, Paraguay, Argentina
 Bolivia (Santa Cruz)
 swUSA (AZ, CA)
 Brazil (RJ-SC)

Bolivia (Santa Cruz, Cochabamba)
 Bolivia (Santa Cruz)
 Brazil (ES-RS), Paraguay

- dilatatus** Roguet, 2022: 84
dissimilis Roguet, 2022: 46
femoralis Haldeman, 1847: 49
griseomaculatus Fisher, 1926: 28
kawensis Roguet, 2022: 48
maculatus Haldeman, 1847: 49
maculata var. *nigrellus* Haldeman, 1847: 49
aspersa Blatchley, 1910: 1078
lentiginosa Casey, 1913: 325
robustula Casey, 1913: 326
amnicola Casey, 1913: 326
delicata Casey, 1913: 32
variolata Casey, 1913: 327
cryptica Casey, 1913: 327
frigida Casey, 1913: 328
binocularis Casey, 1913: 328
melzeri (Gilmour, 1965: 568)
nigrosparsus: Melzer, 1935: 197 [Mld; not Bates, 1885]
mexicanus Noguera et. al. 2023: 576
montanus Casey, 1913: 325
nigrisparsus (Bates, 1885: 398)
nigrosparsa Aurivillius, 1923: 418
varius Melzer, 1935: 196
carinata Lara & Shenafelt, 1964: 437
nigromaculatus Santos-Silva & Pérez-Flores, 2024: 16
pacangensis Nascimento, 2018: 319
pardalis (Bates, 1881: 164)
perplexus Roguet, 2022: 49
pichinchensis Nascimento, Santos-Silva & McClarin, 2020: 3
pusillus (Bates, 1863: 285)
rileyi Heffern & Santos-Silva, 2022: 257
striatus Vlasak & Santos-Silva, 2024: 5
ushveridzei Santos-Silva, Nascimento & Kozlov, 2019: 450
vilcabambaensis Vlasak & Santos-Silva, 2024: 9
y-maculatum Santos-Silva & Pérez-Flores, 2024: 5
zaragozai Santos-Silva & Pérez-Flores, 2024: 18
- French Guiana (Kaw)
French Guiana (Kaw, Remire, Matiti)
seUSA
Mexico (TB), Trinidad
French Guiana (Kaw), Brazil (Para)
eNorth America-TX
- Brazil (RJ-RS, MS), Bolivia (PN, SC), Paraguay, Argentina
- Mexico (Morelos)
swUSA
Mexico (OA)-Panama
- Bolivia (Santa Cruz)
Brazil (BA)
Mexico (PU, OA)-Guatemala, Honduras
French Guiana (Kaw)
wEcuador (Pichincha)
French Guiana, Brazil (PA), wEcuador, Bolivia (CO, SC)
Panama (Panama Oeste)
Ecuador (Loja)
Colombia (Cundinamarca)
Ecuador (Loja)
Bolivia (Santa Cruz)
Mexico (Chiapas, Veracruz)
- Kallyntrosternidius** Vitali, 2009: 227
bucarensis Vitali, 2009: 228
- Dominican Republic (fossil)
- Lagocheirus** Dejean, 1835: 336
Lagocheirus Erichson, 1847: 144
Karadinia McKeown, 1942: 97
Sternocheirus Dillon, 1957: 163
Archlagocheirus Dillon, 1957: 164
araneiformis araneiformis (Linnaeus, 1767: 625)
subsp. **curacaoensis** Gilmour, 1968: 158
subsp. **flavolineatus** Aurivillius, 1921: 52
subsp. **fulvescens** Dillon, 1957: 151
subsp. **guadeloupensis** Dillon, 1957: 150
subsp. **insulorum** Dillon, 1957: 150
subsp. **parvulus** Casey, 1913: 304
stroheckeri granulatus Dillon, 1956: 139
subsp. **stroheckeri** Dillon, 1956: 138
binumeratus Thomson, 1860: 9
tuberculatus: Fabricius, 1787: 131 [Mld; not Degeer, 1775]
v-album Bates, 1869: 386
crustulatus Bates, 1872: 209
delestali Toledo & Esteban, 2008: 27
foveolatus Dillon, 1957: 152
- Jamaica, Hispaniola, Colombia
Aruba, Bonaire, Curacão
Colombia, eEcuador, Peru (Loreto)
Mexico (TB) South America
Guadeloupe, Puerto Rico, Leeward Is.
W Indies (Lesser Antilles)
Mexico-Central America
- seUSA (FL), Cuba, Bahamas
Mexico (ME, TB, VC)-Panama
- Mexico (PU)-Costa Rica, Panama
Costa Rica (PA)
Panama

- funestus** Thomson, 1865: 545
nubila McKeown, 1942: 97
giesberti Hovore, in Toledo, 1998: 23
integer Bates, 1885: 384
jamaicensis Toledo & Hovore, 2005: 30
kathleenae Hovore in Toledo, 1998: 25
lugubris Dillon, 1957: 163
mecotrochanter Toledo, 1998: 29
obsoletus Thomson, 1860: 10
undatus Voet, 1778: 11 [JpH, not Linnaeus, 1758, as *Cerambyx* (in *Semanotus*)]
longipennis Bates, 1880: 145
zimmermani Dillon, 1952: 207
texensis Dillon, 1956: 139
mariorum Dillon, 1957: 144
aukena Dillon, 1957: 145
subsp. **dezayasi** Dillon, 1957: 144
obsoletus: Gahan, 1895: 130 [Mld; not Thomson, 1860]
plantaris plantaris Erichson, 1847: 144
indistinctus Dillon, 1957: 158
fasciculatus White, 1855: 377
subsp. **gorgonae** Dillon, 1957: 159
praecellens Bates, 1872: 209
procerus Casey, 1913: 304
obsoletus: Horn, 1880: 117 [Mld; not Thomson, 1860]
rogersi Bates, 1880: 146
hondurensis Dillon, 1957: 155
panamensis Dillon, 1957: 154
rosaceus Bates, 1869: 386
simplicicornis Bates, 1872: 210
unicolor Fisher, 1947: 38
xileuco Toledo, 1998: 53
wenzeli Dillon, 1957: 146
- Mexico (OA, PU)
Costa Rica
Mexico, Guatemala, Honduras, Nicaragua, Panama
Jamaica
Costa Rica, Panama
Mexico (PU)
Mexico (CHS)
swUSA (TX), Mexico-Costa Rica
Cuba, Jamaica
Costa Rica, Panama, Colombia, Brazil, Bolivia (SC),
Peru, eEcuador
Colombia (Gorgona Island)
Nicaragua, Panama
Mexico (BC)
Honduras, Costa Rica, Panama
Mexico-Colombia, eEcuador
Mexico (CHS), Honduras, Guatemala, Nicaragua, Costa Rica
Barbados
Mexico (JA)
Mexico (NA)

Lasiolepturges Melzer, 1928: 154

- dealmeidae** Le Tirant & Santos-Silva, 2023: 9
similis Schmid, 2017: 289
zikani Melzer, 1928: 155
- Panama (Panama, Colon)
Ecuador
French Guiana, Brazil (PA, RO, ES, RJ, SP), Bolivia (SC), eEcuador, Peru

Lathroeus Thomson, 1864: 25

- Anisopodesthes* Melzer, 1931: 66
decoratus (Melzer, 1932: 223)
immaculatus Nascimento, Bravo & Monné, 2016: 401
interrogationis (Bates, 1863: 107)
mysticus Melzer, 1932: 426
oreoderoides Thomson, 1864: 25
simillimus (Melzer, 1932: 224)
zikani (Melzer, 1931: 67)
- Brazil (MG, RJ)
Brazil (CE)
Brazil (AM), eEcuador
Brazil
Central or South America
Brazil (SP-SC)
Brazil (RJ, SP)

Leptocometes Bates, 1881: 161

- Tithonus* Thomson, 1864: 24
Lophopoedes Gilmour, 1957: 11
Lathrozineus Gilmour, 1959: 23
acutispinis (Bates, 1863: 277)
volcanensis Gilmour, 1959: 24
antonkozlovi Monné et. al., 2019: 501
barbiscapus (Bates, 1872: 214)
brevicornis Vlasak, Santos-Silva & Nascimento, 2020: 361
hispidus Bates, 1881: 161
longilineatus Nascimento & McClarin, 2018: 389
luneli (Chalumeau & Touroult, 2005: 185)
nubilus (Melzer, 1934: 231)
- Mexico, Nicaragua, Panama- French Guiana, Ecuador,
Brazil (AM), Bolivia (SC)
Colombia (Santander)
Honduras, Guatemala-Panama
Ecuador (Pichincha)
Mexico (VC), El Salvador, Nicaragua, Costa Rica
wEcuador
St. Vincent
Brazil (RJ, SP)

obscurus (Monné, 1990: 272)
pallidus (Melzer, 1934: 231)
rectangulus Vlasak, Santos-Silva & Bezark, 2024: 2
spinipennis (Bates, 1885: 396)
spitzi (Melzer, 1934: 232)
umbrosus (Thomson, 1864: 24)
 glaucus Melzer, 1934: 229
virescens (Melzer, 1931: 64)
volxemi (Lameere, 1884: 95)
wappesi Botero & Santos-Silva, 2023: 2
zikani (Martins & Monné, 1974: 16)

Leptostylopsis Dillon, 1956: 144

albofasciata (Fisher, 1926: 16)
annulipes (Fisher, 1942: 28)
 hispaniolae Fisher, 1942: 30
antillarum Fisher, 1925: 5
 albosignatus Fisher, 1935: 53
argentata (Jacquelin du Val in Sagra, 1857: 273)
 taeniatum Casey, 1913: 306
atromaculata (Fisher, 1926: 18)
basifulva Lingafelter & Micheli, 2009: 31
bidentata (Fabricius, 1775: 165)
caliginosa Lingafelter & Micheli, 2009: 33
chlorescens Lingafelter & Micheli, 2009: 37
cristata (Fisher, 1925: 7)
duvali (Fisher, 1926: 19)
guanica Micheli & Micheli, 2004: 22
gundlachi (Fisher, 1925: 2)
 oakleyi Fisher, 1935: 54
humerofulva Lingafelter & Micheli, 2009: 39
incrassata (Klug, 1829: 13)
 transversatus Jacquelin du Val in Sagra, 1857: 273
jamaicensis (Gahan, 1895: 133)
lata Chemsak & Feller, 1988: 182
longicornis (Fisher, 1926: 15)
lutea Dillon, 1956: 147
martinicensis Villiers, 1980: 91
 var. *luciae* Chalumeau, 1983: 227
 roqueti Chalumeau, 1983: 227
milleri (Fisher, 1932: 83)
monin Micheli & Micheli, 2004: 27
monticola (Fisher, 1935: 201)
opuntiae Lingafelter, 2020: 16
ornata (Fisher, 1928: 18)
perfasciata Lingafelter & Micheli, 2009: 43
planidorsus (LeConte, 1873: 233)
 lecontei Casey, 1913: 305
 crenaticus Casey, 1913: 306
poeyi (Fisher, 1925: 4)
poirieri Touroult, 2017: 67
punctacanaensis Lingafelter & Micheli, 2009: 47
smithi (Gahan, 1895: 132)
terraecolor (Horn, 1880: 122)
 transversatus: LeConte, 1878: 414 [Mld; not Jacquelin du Val, 1857]
 mutilis Casey, 1913: 307
testacea (Froelich, 1792: 141)
thomasi Lingafelter & Micheli, 2009: 50
viridicoma (Fisher, 1942: 29)
yukiyu Micheli & Micheli, 2004: 25

Colombia
 Brazil (MG)
 Ecuador (Imbabura, Pichincha, Napo)
 Panama
 French Guiana, Brazil (BA-SP)
 Brazil (RJ-RS), Paraguay, Argentina

Brazil (SP-RS), Uruguay
 Brazil (MG, ES, RJ, PR)
 Bolivia (Santa Cruz)
 Brazil (MG, RJ)

seUSA (FL), Cuba
 Hispaniola, Turks & Caicos

Puerto Rico

seUSA (FL), Cuba, Bahamas, Hispaniola

Cuba
 Hispaniola
 Guadeloupe, Nevis
 Hispaniola
 Hispaniola
 Dominican Republic
 Cuba
 Puerto Rico
 Puerto Rico

Hispaniola
 Cuba, Bahamas

Jamaica
 Belize
 Puerto Rico
 swUSA (TX)
 Martinique, St. Lucia

Dominican Republic
 Puerto Rico
 Cuba
 Dominican Republic
 Jamaica
 Hispaniola
 seUSA

Hispaniola
 Martinique
 Hispaniola
 W Indies (Windward Is.)
 seUSA (FL)

W Indies (Lesser Antilles)
 Hispaniola
 Hispaniola
 Puerto Rico

Leptostylus LeConte, 1852: 168*Leptostylis*: Bradley, 1930: 246 [ISS]**albagniri** Zayas, 1975: 231**angulicollis** Bates, 1885: 390**arciferus** Gahan, 1892: 265**arcuatus** Santos-Silva & Bezark, 2024: 169**armatus** Monné & Hoffmann, 1981: 248**arthuri** (Audureau, 2017: 6)**asperatus** (Haldeman, 1847: 46)*albescens*: Dillon, 1956: 144 [Mld; not Haldeman, 1847]**aspiciens** Bates, 1885: 391**batesi** Casey, 1913: 307*albescens* Bates, 1885: 387 [JsH; not Haldeman, 1847]**bicolor** Heffern & Santos-Silva, 2023: 48**boliviensis** Santos-Silva & Botero, 2023: 4**bruesi** Fisher, 1942: 32**calcarius** Chevrolat, 1862: 248**candidus** Monné, Monné & Tavakilian, 2013: 432**carinatus** Santos-Silva & Botero, 2023: 1**castaneovirescens** Zayas, 1975: 239**cineraceus** Bates, 1874: 230*albicinctus* Bates, 1885: 388**corpulentus** Bates, 1881: 152**cretatellus** Bates, 1863: 102*cratatellus*: García Morales, García Giménez, Toledo & Cantú Ayala, 2015: 107 [ISS] Bolivia (SC)**cristulatus** Bates, 1872: 213**dealbatus** (Jacquelin du Val in Sagra, 1857: 274)**decipiens** Bates, 1880: 149*transversus*: Bates, 1872: 211 [Mld; not Gyllenhal, 1817]**densepunctatus** Botero, Perez-Flores & Santos-Silva, 2014: 198**dentatus** Monné & Santos-Silva, 2022: 236**diffusus** Bates, 1885: 387**dubitans** Bates, 1885: 390**faulkneri** Hovore, 1988: 21**fernandezi** Monné & Hoffmann, 1981: 258**flavolineatus** Perez-Flores et al. 2024: 50**fuligineus** Bates, 1885: 388*fuliginosus*: Gilmour, 1965: 573 [ISS]**gibbulosus** Bates, 1874: 230*vogti* Dillon, 1956: 141**gibbus** (Degeer, 1775: 116)**gnomus** Monné & Hoffmann, 1981: 251**grandis** Vlasak & Androw, 2016: 125**guianensis** Vlasak & Santos-Silva, 2021: 485**heticus** Zayas, 1975: 243**hilaris** Bates, 1872: 211*hilaris*: Chemsak, Linsley & Noguera, 1992: 140 [ISS]**hispidulus** Bates, 1874: 229**illitus** Zayas, 1975: 244**incertus** (Bates, 1881: 176)**indistinctus** Vlasak & Santos-Silva, 2021: 482**jolyi** Monné & Hoffmann, 1981: 247**laevicauda laevicauda** Bates, 1880: 150subsp. **chiriquinus** Bates, 1885: 386**latifasciatus** Zayas, 1975: 246**lazulinus** Bates, 1880: 149**leucanthes** Bates, 1880: 148**leucopygus** Bates, 1872: 212**lividus** Hovore, 1989: 256**macrostigma** Bates, 1872: 212**melasmus** Monné, Monné & Tavakilian, 2013: 433**metallicus** Bates, 1880: 147

Cuba

Guatemala, El Salvador

Mexico (MO, GR, OA)

Costa Rica (Alajuela)

Panama (Colon), Fr Guiana, Brazil (AM), Ecuador, Peru, Bolivia (SC)

French Guiana (Belizon, Wapiti), Peru (Cusco)

seUSA-TX

Mexico (VC), Honduras

Guatemala (ZA), Nicaragua, Costa Rica, Panama

Panama (Bocas del Toro)

Bolivia (Santa Cruz)

Jamaica

Cuba

French Guiana

Panama (Colon)

Cuba

Mexico (VC), Honduras, Guatemala-Costa Rica (GU, PA)

Nicaragua

swUS (sTX), Mexico-Nicaragua- French Guiana, Brazil (PA),

Bolivia (SC)

Honduras, Nicaragua, Panama

Cuba

Nicaragua, Costa Rica

Mexico (Guerrero)

Bolivia (Santa Cruz)

Mexico (VC), Guatemala, Honduras, Costa Rica

Mexico

Mexico (BC)

Venezuela

Mexico (Tamaulipas)

Guatemala

USA (TX), Mexico, Guatemala, Nicaragua, Costa Rica,

Panama, Colombia, Venezuela

Suriname, French Guiana

Brazil (MG, SP), Bolivia (SC), Paraguay, Argentina

Puerto Rico

Panama, French Guiana (Roura, Kaw), Brazil (PA)

Cuba

Mexico (JA)-Panama

seUS (FL), Honduras, Guatemala-Costa Rica

Cuba

Guatemala, Nicaragua

Honduras (FM), Costa Rica (Puntarenas)

Venezuela

Mexico (TB), Guatemala, Honduras

Costa Rica, Panama

Cuba

Mexico (VC)

Mexico (OA)

Honduras, Nicaragua, Costa Rica, Panama

Costa Rica

Honduras, Nicaragua, Costa Rica

French Guiana, Brazil (AM)

Costa Rica

- neivai** Melzer, 1930: 198
nigritus Zayas, 1975: 248
nordestinus Monné & Hoffmann, 1981: 257
notaticollis Bates, 1880: 149
obliquatus Bates, 1880: 150
obrienorum Nascimento & Heffern, 2018: 293
obscurus Bates, 1863: 103
bruchi Melzer, 1932: 225
ochropygus Bates, 1885: 389
orbiculus Bates, 1880: 151
ovalis Bates, 1863: 103
palliat Bates, 1874: 229
panamensis Heffern & Santos-Silva, 2022: 259
paraleucus Monné & Hoffmann, 1981: 258
paulus Monné & Hoffmann, 1981: 253
perniciosus Monné & Hoffmann, 1981: 259
pleurostictus: Bondar, 1929: 85 [Mld; not Bates, 1863]
petulans Bates, 1885: 389
phrissominus Bates, 1885: 388
pilula Bates, 1880: 152
plautus Monné & Hoffmann, 1981: 254
pleurostictus Bates, 1863: 102
pseudocalcarius Zayas, 1975: 249
pulcherrimus Bates, 1880: 148
pygialis Bates, 1872: 212
pygidalis: Odegaard, 2004: 86 [ISS]
quintalbus Bates, 1885: 389
retrorsus Bates, 1885: 387
sagittatus (Jacquelin du Val in Sagra, 1857: 272)
seabrai Lane, 1959: 257
signatiticauda Bates, 1885: 387
skillmani Santos-Silva, 2022: 560
sleeperi Hovore, 1988: 22
soukai Monné, Monné & Tavakilian, 2013: 431
spermovoratis Chemsak, 1972: 150
spermatovoratis: Jansen, 1980: 950 [ISS]
spermornatus: Maes, Allen, Monné & Hovore 1994: 43 [ISS]
spiculatus Bates, 1880: 148
subfurcatus Bates, 1880: 147
transversus (Gyllenhal in Schoenherr, 1817: 164)
transversatus LeConte, 1878: 470
tuberculatus Froelich, 1792: 138
aculiferus Say, 1824: 329
marginellus Haldeman, 1847: 47
albescens Haldeman, 1847: 46
divisus Casey, 1913: 306
transversus dakotensis Dillon, 1956: 143
transversus dietrichi Dillon, 1956: 144
transversus floridellus Dillon, 1956: 144
triangulifer Bates, 1872: 211
trigonus Bates, 1880: 152
viridescens Bates, 1880: 148
viriditinctus Bates, 1872: 210
xanthopygus Bates, 1880: 149
wappesi Botero, Perez-Flores & Santos-Silva, 2014: 194
x-griseum Bates, 1885: 389
zonatus Bates, 1885: 388
- Brazil (BA-RS), Paraguay, Argentina (MI)
Cuba
Brazil
Guatemala, Honduras, Nicaragua, Costa Rica
Mexico (BC, ME, OA)-Nicaragua, Uruguay,
Brazil (RO)
Venezuela, Fr Guiana, Brazil, Bolivia (SC), Peru, Uruguay, Argentina
Honduras, Guatemala, Costa Rica
Mexico (VC), Honduras, Nicaragua, Costa Rica (Cartago)
French Guiana, Brazil (PA, MT, ES-SP, PR), Bolivia (SC), Paraguay
Mexico, Honduras, Nicaragua
Panama (Bocas del Toro)
Brazil (AM, MT), Ecuador, Bolivia (SC)
Venezuela
Guyana, French Guiana, Brazil, Bolivia (SC), Paraguay, Argentina
Costa Rica, Panama
Costa Rica, Panama
Nicaragua, Costa Rica
Venezuela, French Guiana, Brazil (AP), eEcuador
French Guiana (Kaw), Brazil (AM, MA), Peru
Cuba
Mexico (VC), Guatemala, Honduras, Nicaragua
Mexico (VC), Honduras, Nicaragua, Panama
Mexico (Veracruz), Costa Rica (HE), Panama
Honduras (GD), Costa Rica, Panama, wEcuador (Pichincha)
Cuba
Peru, Ecuador
Guatemala, Honduras
Guatemala (Baja Verapaz)
Mexico (BC)
French Guiana
Costa Rica
Nicaragua, Costa Rica
Honduras, Nicaragua, Costa Rica
eNorth America-TX
Guatemala, Honduras, Nicaragua, Costa Rica
Guatemala, Costa Rica, Panama
Mexico (OA, VC)-Costa Rica
Nicaragua, Costa Rica, Panama
Honduras (FM), Nicaragua
Honduras (F Morazan)
Mexico (TB), Guatemala, Costa Rica, Panama
Costa Rica, Panama
- Lepturdrys** Gilmour, 1960: 47
capixaba Monné et al., 2024: 361
novemlineata Gilmour, 1960: 48
- Brazil (ES, BA, SP, SC, MG)
Brazil (GO, BA, MG, SP, PR, SC), Bolivia (SC)

Lepturgantes Gilmour, 1957: 21**candicans** (Bates, 1863: 371)**dorsalis** (White, 1855: 382)*dilectus* (Bates, 1863: 373)*barii* Bates, 1863: 372**flavovittatus** (Gilmour, 1959: 136)**pacificus** Gilmour, 1960: 178*inscriptus*: Bates, 1872: 217 [Mld; not Bates, 1863]*fragillimus*: Bates, 1874: 230 [Mld; not Bates, 1863]**prolatus** Monné & Monné, 2008: 65**pseudodorsalis** Roguet, 2023: 79**septemlineatus** Gilmour, 1960: 176**seriatus** Monné, 1988: 124**simplex** Roguet, 2023: 82**variegatus** Gilmour, 1957: 22

Brazil (AM, MT, RO), Bolivia (SC)

French Guiana, wEcuador (Napo), Brazil (AM, MT)

Brazil

Mexico (CH, OA, VC), Guatemala-Costa Rica

Brazil (BA, ES, MG, RJ, SP, SC, MS, MT), Bolivia (SC)

Nicaragua, French Guiana

Brazil (BA, ES, MG)

Venezuela, French Guiana, Brazil (MT, RO)

French Guiana (Kaw)

Brazil (BA, PR, SC, SP), Bolivia, Paraguay

Lepturges (Chaeturges) Gilmour, 1959: 135**comminus** Monné, 1977: 706**definitus** Tavakilian & Monné, 1989: 276**epagogus** Monné, 1977: 704**fragillimus** Bates, 1863: 373**fuchsi** Gilmour, 1962: 569**gratiosus** Bates, 1874: 231**griseostriatus** Bates, 1863: 376**inscriptus** Bates, 1863: 371*variegatus* Burmeister, 1865: 178*fragillimus*: Bates, 1874: 230 [Mld; not Bates, 1863]*decoratus* Melzer, 1928: 150**laetus** Melzer, 1928: 152**prolatus** Monné, 1977: 703**repandus** Tavakilian & Monné, 1989: 278**rotundus** Monné, 1977: 702**scitulus** Tavakilian & Monné, 1989: 274**scriptus** Gilmour, 1958: 137**serenus** Monné, 1977: 705**tenuis** Gilmour, 1962: 563**villiersi** Gilmour, 1962: 567**virgulti** Gilmour, 1962: 564

Peru

French Guiana

Peru, Brazil (AM), Bolivia (CO, SC)

Brazil (PA, MT)

Brazil (BA, SP, SC)

Nicaragua, Costa Rica, Panama

French Guiana, Brazil (AM), Peru, Bolivia (SC)

Mexico (VC)-South America (widely distributed)

Brazil, Paraguay, Argentina

French Guiana (Kaw, Belizon), Brazil (PA, MT)

French Guiana, Brazil (AM, RO, MT)

French Guiana (Kaw), Brazil (AM, PA)

French Guiana

Brazil (MG-SC), Paraguay

French Guiana, Brazil (AP, MT)

Ecuador

French Guiana (Saul), Peru, Brazil (GO, MT), Bolivia (SC)

Brazil (AM), Peru, Bolivia (SC)

Lepturges (Lepturges) Bates, 1863: 367*Lepturgus*: Gemminger in Gemminger & Harold, 1873: 3156 [ISS]*Maculurges* Dillon, 1956: 338**abditus** Monné, 1976: 367**alboscriptus** Bates, 1863: 377**alvarengai** Monné, 1976: 369**amabilis** Bates, 1863: 370**anceps** Gilmour, 1962: 559**angulatus** (LeConte, 1852: 172)*symmetricus*: Horn, 1880: 126 [Mld; not Haldeman, 1847]*canus* Casey, 1913: 317*confluens*: Knull, 1946: 252 [Mld; not Haldeman, 1847]**angustatus** Bates, 1863: 375**attaleae** Monné & Monné, 2017: 260**auratus** Monné & Santos-Silva, 2022: 236**batesi** Monné, Monné, Botero & Carelli, 2016: 340**beaveri** Monné, 1978: 6**boteroi** Audureau, 2023: 110**breviceps** (White, 1855: 384)**brunneus** Roguet, 2022: 52**bucki** Melzer, 1930: 202**caldensis** Devesa & Santos-Silva, 2022: 4

Brazil (RJ)

Brazil (AM, PA, RO)

Brazil (ES, RJ)

Nicaragua, French Guiana, Brazil (AM, MT)

Brazil (GO, MA, MT, BA-SC), Paraguay

eNorth America-TX, Mexico (SO, JA, NA, OA)

Brazil (AM, MT)

Brazil (Bahia)

Bolivia (Santa Cruz)

Bolivia, Brazil, Argentina, Venezuela

Brazil (AC, RO, MT), Bolivia (SC)

Peru (Pasco)

Venezuela

French Guiana (Remire, Belizon)

Brazil (BA-SC)

Colombia (Caldas)

- callinus** Bates, 1885: 402
canocinctus Gilmour, 1962: 545
castaneus Monné, 1978: 4
centralis Monné, 1978: 3
charicles Bates, 1885: 402
cinereolus Monné, 1976: 362
cingillus Monné, 1978: 8
circumscripta (Bates, 1881: 180)
citrinus Monné, 1976: 363
complanatus Bates, 1863: 370
aliquobscura Gilmour, 1962: 557
comptus Melzer, 1930: 201
confluens (Haldeman, 1847: 50)
consimilis Heffern & Santos-Silva, 2024: 202
curvilinea Gilmour, 1959: 1
zischkai Tippmann, 1960: 192
dorotheae Gilmour, 1962: 551
dubius Monné et al., 2024: 366
elegantulus Bates, 1863: 368
elimata Monné, 1976: 371
eurynota Tippmann, 1960: 191
fasciculatoides Gilmour, 1962: 549
festivus Bates, 1872: 236
figuratus Pascoe, 1866: 283
fischeri Melzer, 1928: 152
funereus Monné, 1976: 366
glaphyra Monné, 1976: 374
hahneli Gilmour, 1959: 133
hylaeanus Monné, 1978: 5
infilatus Bates, 1872: 216
pallisteri Gilmour, 1961: 335
inflatus: García Morales, García Giménez, Toledo & Cantú Ayala, 2015: 108 [ISS]
insignis Melzer, 1928: 153
itu Monné, 1976: 374
janus Bates, 1881: 168
kawensis Roguet, 2022: 53
laeteguttatus Bates, 1885: 402
lasombraensis Audureau, 2023: 112
limpidus Bates, 1872: 216
fasciculata Melzer, 1928: 149
peruviana Gilmour, 1962: 547
linearis Bates, 1863: 369
luanae Santos-Silva, Botero & Flechtmann, 2023: 8
macilentus Bates, 1881: 166
maculosus Gilmour, 1959: 3
malkini Monné, 1978: 7
mattogrossis Gilmour, 1962: 555
megalops Hamilton in Leng & Hamilton, 1896: 127
melzeri Gilmour, 1959: 7
humilis: Melzer, 1935: 201 [Mld; not Bates, 1863]
multilineatus Melzer, 1928: 153
navicularis Bates, 1872: 217
onorei Santos-Silva et. al., 2021: 260
ovalis Bates, 1866: 433
perelegans Bates, 1863: 373
peruibensis Monné, 1976: 366
peruviensis Audureau, 2018: 19
pfanderæ Santos-Silva & Monne, 2023: 1
pictus (LeConte, 1852: 172)
prolixus Melzer, 1931: 69
proximus Melzer, 1934: 100
punctatissimus Monné, 1976: 370
 Guatemala-Panama, French Guiana, Bolivia (SC)
 Brazil (MA, MT, GO, BA), Bolivia (SC, TR), Argentina
 Brazil (MA, PA)
 Brazil (MA, MG, MS)
 Honduras, Costa Rica, Panama
 Brazil (BA)
 Brazil (MT), Bolivia (SC)
 Nicaragua, Costa Rica, Panama
 Brazil (BA, SC, PR)
 French Guiana, Brazil (AM, MT), Bolivia (CO, eEcuador

 South America (widely distributed)
 eNorth America
 Costa Rica (PU), Panama (Chiriqui)
 Peru, Bolivia (CO, SC)

 Brazil (BA-SP), Paraguay
 Bolivia (Santa Cruz)
 French Guiana, Brazil (AM), Bolivia (SC)
 Colombia (AT), Brazil (GO, MG, SP), Bolivia (SC), Paraguay
 Brazil (MT), Peru, Bolivia (SC)
 Brazil (BA, GO, MT), Bolivia (LP, SC), Paraguay, Argentina
 Nicaragua, Costa Rica, Panama
 Costa Rica, Panama, Colombia
 Brazil (MG-RS), Bolivia (BN, SC)
 Brazil (BA-PR)
 Brazil (MA, ES), Paraguay
 French Guiana, Brazil (AM), Bolivia (SC)
 Brazil (AM), wEcuador, Bolivia (SC)
 swUSA (AZ), Mexico-Costa Rica

 Brazil (ES-SC), Bolivia (SC)
 Brazil (SP)
 Mexico (OA, PU, CHS)
 French Guiana (Kaw)
 Panama
 Nicaragua (Matagalpa)
 Mexico-Brazil, French Guiana, wEcuador, Peru,
 Bolivia (BN, SC, TR, PR), Paraguay

 Brazil (AM, MT, RR), Bolivia (SC)
 Brazil (Goias)
 Mexico (VC)
 Venezuela
 Brazil (MT), Bolivia (SC)
 Brazil (MT, BA, SP, MS)
 seUSA (FL), Bahamas-Panama
 Brazil (SP)

 French Guiana, Brazil (GO, MT, BA-SP), Bolivia (SC)
 Mexico (VC)-Panama
 wEcuador
 French Guiana, Brazil (PA, SP), Bolivia (SC), Paraguay
 Brazil (AM, PA, MA, SP, MT)
 Brazil (SP)
 Peru (Pasco)
 Brazil (ES, BA)
 eUSA
 Brazil (MG-RS)
 Costa Rica, Panama
 Brazil (ES-SC)

raphaeli Roguet, 2022: 54
regularis (LeConte, 1852: 39)
roppai Monné, 1976: 368
rhytisma Monné, 1976: 371
seabrai Monné, 1976: 368
sejunctimacula Bates, 1881: 167
sejunctimaculata: Turnbow, Cave & Thomas, 2003: 35 [ISS]
serranus Monné, 1976: 363
sexvittatus Bates, 1874: 230
singularis Monné, 1976: 364
soricinus (Fairmaire & Germain, 1859: 512)
spitzi Melzer, 1928: 149
subglaber Casey, 1913: 319
symmetricus (Haldeman, 1847: 50)
umbrosus Monné, 1978: 9
unicolor Gilmour, 1959: 6
vigneaulti Audureau, 2018: 19
brechlini Santos-Silva, Nascimento & Kozlov, 2019: 447
virgatus Monné, 1978: 11
vogti Hovore & Tyson, 1983: 349
yucca Schaeffer, 1905: 167
zikani Melzer, 1928: 154
zonula Monné, 1976: 372

French Guiana (Kaw, Belizon, Matiti)
 eUSA
 Brazil (BA, MG, SP)
 Brazil (SC)
 Brazil (BA-SC), Paraguay
 Honduras, Guatemala, Nicaragua, Panama
 Brazil (SP)
 Honduras, Nicaragua, Costa Rica
 Brazil (RJ-RS)
 Chile
 Brazil (BA-SP)
 Mexico (DU)
 eNorth America
 Brazil (MT)
 Brazil, Bolivia (SC), Paraguay
 Nicaragua, Colombia (Magdalena)
 Ecuador, Peru, Bolivia (PN, SC)
 swUSA (TX)
 seUSA (AZ, TX), Mexico
 Brazil (RJ)
 Panama (Darien), Fr Guiana, Brazil (BA, MT, SP, PR), Bolivia (CO, SC)

Lepturginus Gilmour, 1959: 334
obscurillus Gilmour, 1959: 335
tigrellus (Bates, 1874: 231)
 var. *megaspilus* Bates, 1885: 402

Mexico (VC, TB)
 Guatemala, Nicaragua, Costa Rica (GU, PA)

Lepturgotrichona Gilmour, 1957: 27
Leptrichillus Gilmour, 1960: 91
bordoni Monné & Martins, 1976: 73
cubaecola (Fisher, 1942: 36)
stigmatica (Bates, 1881: 170)
minutus Gilmour, 1960: 92

Venezuela
 Cuba
 Mexico, Guatemala, Honduras, El Salvador, Nicaragua, Costa Rica

Lethes Zayas, 1975: 254
humeralis Zayas, 1975: 255
indignus Zayas, 1975: 256
israeli Zayas, 1975: 257
turnbowi Lingafelter, 2020: 18
x-notatus Vlasak & Santos-Silva, 2021: 480

Cuba
 Cuba
 Cuba
 Dominican Republic
 Costa Rica (Guanacaste)

Lithargyrus Martins & Monné, 1974: 12
Cometochus Villiers, 1980: 89
guadeloupensis (Villiers, 1980: 89)
melzeri Martins & Monné, 1974: 13

Guadeloupe
 Nicaragua, Costa Rica- French Guiana, Brazil, Bolivia (SC)

Longilepturges Monné & Monné, 2011: 176
bicolor Monné & Monné, 2011: 176
xantholineatus Monné & Monné, 2011: 176

Brazil (RO, MA)
 Brazil (RO), Ecuador, Bolivia (SC)

Lophopoenopsis Melzer, 1931: 63
albosparsa Monné & Monné, 2007: 1041
itatiaiensis Monné & Monné, 2012: 288
singularis Melzer, 1931: 63

Brazil (BA, ES)
 Brazil (RJ)
 Brazil (ES-PR)

Lophopoeum Bates, 1863: 275*Scutellongus* Gilmour, 1959: 6*Cristurges* Gilmour, 1961: 358**bimaculatum** Gilmour, 1961: 359**bituberculatum** (White, 1855: 382)**bruchii** Monné & Martins, 1976: 53*timbouvae*: Bruch, 1940: 118 [Mld; not Lameere, 1884]**carinatulum** Bates, 1863: 275*carinulatum*: Thomson, 1864: 322 [ISS]*timbouvae* Lameere, 1884: 102*leguminicola* Linell, 1896: 43**centromaculatum** Monné & Martins, 1976: 51**circumflexum** Bates, 1863: 276*hylaeanum* Martins & Monné, 1974: 15**freudei** (Gilmour, 1959: 7)**fuliginosum** Bates, 1863: 276**humerosum** Monné & Martins, 1976: 52**kawense** Roguet, 2022: 67*paiolai* Monne, Santos-Silva, Flechtmann & Olivier, 2023: 469**meridianum** Fisher, 1938: 141**monticulum** Monné & Martins, 1976: 54**saronotum** Bates, 1872: 215 [UEPU]*saronoto*: Bates, 1872: 215 [IOS]*saronotum*: Bates, 1881: 159 [UE]**scopiferum** Bates, 1872: 215**w-flavum** Bates, 1885: 395

Brazil (widespread)

Brazil (AM)

Bolivia (TR), Argentina, Uruguay

Nicaragua, Costa Rica (GU, PA), French Guiana,

Brazil (AM), eEcuador, Bolivia (SC)

Paraguay, Argentina (FO, CH, SF, MI)

Mexico (VC), Guatemala, Honduras

French Guiana, Brazil (AM), Peru

Bolivia (SC)

French Guiana, Brazil (PA)

Guatemala (SU), Honduras?, Costa Rica, Brazil (GO)

French Guiana (Kaw), Brazil (MG, RO, AM)

Brazil (ES, SC)

Brazil (MG-SC)

Nicaragua-Panama

Mexico (PU)-Nicaragua

Costa Rica, Panama

Luctithonus Lingafelter, 2020: 6**aski** Lingafelter, 2020: 8**duartensis** Lingafelter, 2020: 9**pantherinus** (Zayas, 1975: 274)

Dominican Republic

Dominican Republic

Cuba, Dominican Republic

Luteolepturges Monné & Monné, 2012: 285**galbus** Monné & Monné, 2012: 286

Brazil (RO, AM)

Mecotetartus Bates, 1872: 213*Eutessus* LeConte, 1873: 235**antennatus** Bates, 1872: 213*asper* LeConte, 1873: 236*granosus* LeConte, 1873: 339

Mexico-Costa Rica,

Microplia Audinet-Serville, 1835: 21**agilis** Audinet-Serville, 1835: 22**nigra** Monné, 1976: 578

Brazil, Paraguay, Argentina

Brazil, Bolivia (SC), Argentina (SA)

Moneilema Say, 1824: 403*Monilema* LeConte, 1852: 167*Collapteryx* Newman, 1838: 397*Collapterix* Thomson, 1857: 326*Omoscydon* Thomson, 1867: 74*Monoplesa* Motschulsky, 1875: 144**albopictum** White, 1856: 407*laevadorsale* White, 1856: 407*albotessellata* Thomson, 1857: 189*carinatum* Thomson, 1857: 189*lecontei* Thomson, 1860: 25*infamiae* Thomson, 1867: 79*mortuale* Thomson, 1867: 80*perforatum* Thomson, 1867: 80*sinistrum* Thomson, 1867: 81

Mexico (PU, ME, OA)

- annulatum** Say, 1824: 404 wCanada, wUSA
nubecula Casey, 1913: 282
nubecula demissa Casey, 1913: 282
annulatum var. *montanum* Psota, 1930: 121
puncticolle Psota, 1930: 121
angulatum Psota, 1930: 122
hybridum Psota, 1930: 123
- appressum** LeConte, 1852: 168 swUSA (AZ-CO, TX), Mexico (SO)
microsticta Casey, 1913: 283
cylindricollis Casey, 1913: 283
corrugans Casey, 1913: 284
corrugans ovipennis Casey, 1913: 284
corpulentum Knaus, 1925: 183
nigriventris Fisher, 1926: 215
vittatum Fisher, 1928: 3
parahybrida Psota, 1930: 124
appressum var. *scabrum* Psota, 1930: 125
rinconi Psota, 1930: 126
alpinum Psota, 1930: 126
texanum Psota, 1930: 127
corrugans var. *arizonicum* Psota, 1930: 128
duncani Psota, 1930: 128
parahybridum: Breuning, 1961: 304 [ISS of *parahybrida* Psota, 1930]
cylindricolle: Raske, 1967: 243 [ISS of *cylindricollis* Casey, 1913]
- armatum** LeConte, 1853: 234 scUSA, Mexico (CO)
crassum LeConte, 1853: 234
laevigatum Bland, 1862: 267
simplicicornis Casey, 1913: 286
simplicicornis grylliceps Casey, 1913: 287
rector Casey, 1913: 287
solida Casey, 1913: 288
femoralis Casey, 1913: 288
obesa Casey, 1924: 287
convexa Casey, 1924: 289
rugosipennis Fisher, 1928: 2
isolatum Psota, 1930: 132
punctatum Psota, 1930: 133
walsenburgii Psota, 1930: 140
- aterrimum** Fisher, 1931: 198 Mexico (SLP)
- blapsides blapsides** (Newman, 1838: 397) Mexico (DU, ME)
blaspoides: Thomson, 1860: 24 [ISS]
- subsp. **ulkei** Horn, 1885: 188 scUSA, Mexico (TA)
pleuralis Casey, 1913: 287
mundelli Fisher, 1931: 200
- crassipes** Fisher, 1931: 197 Mexico (TA)
- ebeninum** Bates, 1885: 336 Mexico
- gigas** LeConte, 1873: 230 swUSA (AZ, UT), Mexico (BC, SI)
spinicollis Casey, 1891: 45
constricta Casey, 1913: 285
pimalis Casey, 1913: 285
uteana Casey, 1913: 285
pollens Casey, 1913: 286
pallens: Aurivillius, 1922: 20 [ISS of *pollens* Casey, 1913]
giganteum Craighead, 1923: 103
plectralis Casey, 1924: 286
colossus Casey, 1924: 289
- longipes** White, 1856: 407 Mexico (BC)
- manni** Psota, 1930: 139 Mexico (HI)
- mexicanum** Fisher, 1926: 215 Mexico (HI)
- micelbacheri** Linsley, 1942: 67 Mexico (BC)
- opuntiae** Fisher, 1928: 1 Mexico (SLP)
- punctipenne** Fisher, 1926: 216 Mexico (PU)

rugosissimum Casey, 1924: 288
semipunctatum LeConte, 1852: 167
 forte LeConte, 1873: 230
 obtusum LeConte, 1873: 230
 armigera Motschulsky, 1875: 146
 scabra Motschulsky, 1875: 146
 spoliatum Horn, 1885: 186
 shantzi Casey, 1924: 286
subrugosum Bland, 1862: 268
 opaca Casey, 1913: 289
 lateralis Casey, 1924: 287
variolare Thomson, 1867: 77
wickhami Psota, 1930: 138

Mexico (BC)
 wUSA, Mexico (BCN)

Mexico (BC)

Mexico (SLP, ME)
 Mexico (DU)

Nanustes Gilmour, 1960: 43
 fuchsi Gilmour, 1960: 45

Brazil (RS)

Nealcidion Monné, 1977: 699

Alcidion: Thomson, 1860: 12 [Mld; not Sturm, 1843]

achiraense Santos-Silva & Monne, 2023: 252
adjunctum (Thomson, 1865: 544)
albatum Monné & Delfino, 1986: 172
albolineatum Monné & Monné, 2009: 362
alboplagiatum (Martins & Monné, 1974: 321)
antennatum Monné & Monné, 2009: 361
antonkozlovi Monné et. al., 2019: 497
apunctatum Vlasak & Santos-Silva, 2024: 86
badium Monné & Delfino, 1986: 169
batesii (Kirsch, 1889: 42)
belizonense Roguet, 2022: 69
bicristatum (Bates, 1863: 109)
bispinum (Bates, 1863: 105)
 laetulum Bates, 1880: 273
 costatum Monné & Martins, 1976: 47
 murinum Monné, 1998: 293
brachiale (Bates, 1872: 214)
bruchii (Melzer, 1934: 230)
calcaratum Vlasak & Santos-Silva, 2022: 549
cephaliferum Vlasak & Santos-Silva, 2022: 532
cereicola (Fisher, 1936: 7)
 privatum: Bosq, 1934: 339 [Mld; not Pascoe, 1866]
coxale (Kirsch, 1889: 42)
crustulatum Monné & Delfino, 1986: 174
curvatae Touroult & Poirier, 2021: 22
cuspidatum Monné, 1998: 295
cyllenoide (Aurivillius, 1925: 515)
elegans Monné & Monné, 2009: 362
elongatum Monné, 1998: 293
emeritum (Erichson, 1847: 147)
 olivaceus Bates, 1863: 108
eulophum (Bates, 1881: 156)
femoratum (Monné & Martins, 1976: 51)
flavoviride Vlasak & Santos-Silva, 2022: 539
formosum (Monné & Martins, 1976: 49)
furciferum (Bates, 1881: 156)
ghiae Santos-Silva et. al., 2021: 262
griseum (Aurivillius, 1900: 417)
hardyi Audureau & Bezark, 2024: 30
humerosum (Bates, 1880: 274)
hylaeanum (Monné & Martins, 1976: 48)
kayi Nascimento, Santos-Silva & McClarin, 2020: 8

Bolivia (Santa Cruz)
 Costa Rica, Panama
 Brazil (AM), eEcuador
 Venezuela
 Brazil (ES)
 Panama
 Ecuador (Pichincha)
 eEcuador (Napo)
 French Guiana, eEcuador, Peru, Brazil (AM), Bolivia (CO, SC)
 Colombia
 French Guiana (Belizon)
 Brazil, Bolivia (SC), Paraguay, Argentina, Uruguay
 Venezuela, Brazil (BA-RS), Ecuador, Bolivia, Argentina

Mexico (VC)-Panama
 Brazil (MS), Argentina
 Ecuador (Pichincha)
 Panama, Ecuador (Pichincha)
 Argentina (SA), Bolivia (SC)

Colombia
 Bolivia (CO, SC)
 Lesser Antilles (Dominica)
 Mexico (CH)
 Colombia
 Venezuela
 Ecuador
 Fr Guiana, eEcuador, Peru, Brazil (AM-RO), Bolivia (CO, SC)

Mexico (CHS, VC)-Costa Rica
 wEcuador
 Ecuador (Pichincha)
 Peru
 Guatemala, Honduras
 eEcuador
 Venezuela
 Panama (Chiriqui)
 eEcuador
 Brazil (AM), eEcuador, Bolivia (SC)
 wEcuador (Napo, Pichincha)

latipenne (Bates, 1863: 107)
latum (Thomson, 1860: 12)
lineatum (Bates, 1863: 105)
lingafelteri Santos-Silva & Botero, 2024: 12
melasum Monné & Delfino, 1986: 171
meridanum Monné & Delfino, 1986: 175
minimum (Bates, 1863: 108)
napoense Nascimento & McClarin, 2018: 385
nebulosum (Bates, 1880: 274)
obliquum Vlasak & Santos-Silva, 2022: 536
oculatum (Bates, 1863: 106)
omissum (Martins & Monné, 1974: 14)
parallelum (Monné & Martins, 1976: 50)
privatum (Pascoe, 1866: 283)
 privatum var. *penicillare* Bates, 1885: 394
 penicillatum; Aurivillius, 1923: 394
pulchrum (Bates, 1880: 273)
quinquemaculatum (Tippmann, 1960: 179)
scutellatum (Bates, 1881: 157)
sexguttatum Monné & Delfino, 1986: 169
sexnotatum (Waterhouse, 1901: 76)
silvai Monné & Delfino, 1986: 176
singulare Monné, 1998: 293
socium (Gahan, 1895: 131)

spinosum Monné & Delfino, 1986: 174
strigilis (Erichson, 1847: 147)
 deletum (Bates, 1880: 274)
sublineatum Vlasak & Santos-Silva, 2022: 546
triangulare (Bates, 1863: 106)
 triangulare var. *paraense* Bates, 1863: 107
trivittatum (Bates, 1863: 109)
venosum (Bates, 1880: 274)
zigzag Monné, et. al., 2024: 374

Neobaryssinus Monné & Martins, 1976: 80
 abbreviatus Monné & Monné, 2012: 193
 altissimus Berkov & Monné, 2010: 49
 capixaba Monné & Delfino, 1980: 318
 marianae (Martins & Monné, 1974: 330)
 phalarus Monné & Martins, 1976: 81

Neoeutrypanus Monné, 1977: 695
 Eutrypanus: White, 1855: 371 [Mld in part, not Erichson, 1847]
 decorus (Bates, 1881: 184)
 dentatus Botero & Monné, 2015: 120
 generosus (Monné & Martins, 1976: 86)
 glaucus (Melzer, 1931: 72)
 incertus (Bates, 1864: 23)
 inustus (Monné & Martins, 1976: 87)
 llanero Botero & Monné, 2015: 117
 maculatus Monné, 1985: 372
 maya Monné & Botero, 2017: 125

 mutilatus (Germar, 1823: 478)
 paraguayensis Audureau, 2013: 35
 nitidus (White, 1855: 371)
 venezuelensis Thomson, 1860: 13
 nobilis (Bates, 1864: 22)
 sobrinus (Melzer, 1935: 204)

Costa Rica (PA), eEcuador, Brazil (CE, AM, PA), Bolivia (Beni)
 Mexico (VC)
 Costa Rica, Panama, Venezuela
 Costa Rica (Puntarenas)
 Venezuela
 Venezuela
 Brazil (AM)
 wEcuador, Colombia (Putumayo)
 Ecuador
 Ecuador (Napo)
 Brazil (AM, RO)
 Brazil (BA-SP)
 Peru
 Honduras, Guatemala-Colombia, Venezuela

Colombia
 Bolivia (SC)
 Guatemala, Costa Rica
 Bolivia
 Guyana
 French Guiana, Brazil (MG, PB, BA)
 Brazil (RO), Peru, Bolivia
 St Vincent, Grenada, Martinique, Colombia (AT),
 Venezuela, Trinidad
 Venezuela
 Colombia, Venezuela, French Guiana, Peru,
 Brazil (AM, PA, RO), Bolivia
 Ecuador (Napo)
 Venezuela, French Guiana, Brazil (AM), eEcuador

 Venezuela
 Brazil (MG-SP)
 Bolivia (Santa Cruz)

French Guiana, Brazil (AM)
 French Guiana
 Brazil (MG, ES)
 French Guiana, Brazil (AM)
 Brazil (BA, ES)

Mexico, Honduras, Guatemala-Panama
 Bolivia (LP)
 Bolivia (SC)
 Brazil, Paraguay, Argentina
 Colombia, Guianas, Brazil (AM, PA)
 French Guiana, Brazil (AM, PA)
 Colombia
 Brazil (PA)
 Guatemala

Costa Rica, Panama, French Guiana, e Ecuador, Peru, Brazil

Venezuela

French Guiana, eEcuador, Brazil (AM, PA), Bolivia (BN), Peru
 Brazil (MG-RS), Argentina (MI)

Neopalame Martins & Monné, 1972: 63

albida Monné, 1985: 374
albomaculata Monné & Martins, 1976: 74
atromaculata Monné & Martins, 1976: 76
cretata Monné & Delfino, 1980: 317
deludens Monné, 1985: 376
dignus (Melzer, 1935: 203)

Brazil (ES)
 Peru
 Brazil (BA-SP, PR)
 French Guiana, Brazil (AM, MT)
 Brazil (RO, MT)
 Brazil (MG-RJ)

Neseuterpia Villiers, 1980: 88

couturieri Tavakilian, 2001: 437
curvipes Villiers, 1980: 89
deknuydti Chalumeau & Touroult, 2005: 155
fiardi Touroult & Poirier, 2022: 343

eEcuador, Bolivia (SC)
 Guadeloupe
 Dominica
 Lesser Antilles (Martinique)

Nyssocarinus Gilmour, 1960: 51

bondari (Melzer, 1927: 579)
humeralis Monné, 1985: 307
vittatus Gilmour, 1960: 52

Brazil (RJ-RS)
 Brazil (PA, RO, MT), eEcuador, Peru, Bolivia (CO, SC)
 Brazil (AM), eEcuador

Nyssodrysilla Gilmour, 1962: 249

humeralis Bezark & Santos-Silva, 2023: 2
irrorata (Melzer, 1927: 577)
lineata Gilmour, 1962: 253
peruviensis Audureau, 2023: 108
vittata (Melzer, 1934: 238)

Paraguay (Amambay)
 Brazil (MG-RS), Paraguay
 French Guiana, Bolivia (PN), Peru
 Peru (Junin)
 Brazil (RJ-RS)

Nyssodrysternum Gilmour, 1960: 59

Nyssodrys Bates, 1864: 149 (part)
Nyssodrystes Gilmour, 1963: 3
Cicanyssodrys Gilmour, 1965: 601
Pseudoleiopus Breuning, 1970: 487
Nyssodrysternum: Wappes, Morris, Nearns & Thomas, 2006: 36 [ISS]

amparense (Melzer, 1934: 106)
analogum Monné & Tavakilian, 2011: 454
basale (Melzer, 1934: 239)
bolivianum Monné & Tavakilian, 2011: 462
borneanus Breuning, 1970: 487
lemniscatum Monné, 1985: 543
capixaba Monné & Tavakilian, 2011: 460
caudatum (Bates, 1864: 157)
cingillum Monné, 2009: 324
colombianum Monné & Tavakilian, 2011: 458
conspicillare (Erichson, 1847: 146)
albomaculata Aurivillius, 1908: 10
conspicuum Monné, 1985: 538
cotopaxi Monné & Tavakilian, 2011: 460
cretatum Monné, 1985: 539
decoratum Monné, 1992: 774
dioptricum (Bates, 1864: 153)
drumonti Audureau, 2018: 16
efflictum (Bates, 1864: 160)
fasciatum Gilmour, 1960: 61
flavoguttatum Monné & Tavakilian, 2011: 463
flavolineatum Monné, 1985: 541
freyorum (Gilmour, 1963: 94)
fulminans (Bates, 1864: 154)
gilvolineatum Monné & Tavakilian, 2011: 454
gratum Monné, 1985: 542
hovorei Monné & Tavakilian, 2011: 458
impensum Monné, 1985: 542

Brazil (BA-SC, PR, MS), Paraguay, Argentina (SA)
 French Guiana
 Brazil (BA-RS), Paraguay
 Bolivia (SC)
 Guianas, Suriname, Brazil (AM, PA, RO), eEcuador,
 Peru, Bolivia (BN)
 Brazil (ES)
 French Guiana, Brazil, Peru, Bolivia (BN)
 French Guiana, Bolivia (SC)
 Colombia
 Brazil (AM), Peru, eEcuador, Bolivia (BN, CO, PN, SC)
 Venezuela, Guyana, French Guiana, Brazil (AM, PA)
 Ecuador
 Panama, Guyana French Guiana, eEcuador, Bolivia (SC)
 Brazil (RJ, BA, ES)
 Brazil (ES-SC), eEcuador, Bolivia (SC)
 Peru (Huanuco)
 French Guiana, Brazil (AM), eEcuador, Peru
 Brazil (BA, ES)
 French Guiana
 French Guiana, Brazil (AM, PA)
 Trinidad, Venezuela
 Brazil (AM), eEcuador
 Venezuela, French Guiana, Brazil (AP, AM, MA)
 Brazil (PA, MT)
 French Guiana
 French Guiana, Brazil (AM, RO)

instabile Monné, 1992: 775
insulorum Monné & Tavakilian, 2011: 461
laterale (Melzer, 1931: 71)
lepidum Monné, 1992: 773
lineolatum (Bates, 1864: 161)
multilineatum Monné & Tavakilian, 2011: 455
nitidum Monné & Tavakilian, 2011: 455
ocellatum (Bates, 1885: 413)
picticollis (Melzer, 1934: 105)
pictulum (Bates, 1881: 175)
plaumanni Monné, 1992: 776
poriferum (Bates, 1885: 413)

promeces (Bates, 1864: 162)
propinquum (Bates, 1864: 159)
proximum Monné & Tavakilian, 2011: 459
pericoptum (Bates, 1864: 163)

reticulatum (Melzer, 1934: 107)
rodens (Bates, 1864: 161)
rubiginosum Monné, 1975: 246
santossilvai Roguet, 2021: 56
schmithi (Melzer, 1931: 70)
serpentinum (Erichson, 1847: 146)
deleta Bates, 1864: 160
signiferum (Bates, 1864: 158)
gruneri Villiers, 1971: 347
simulatum (Bates, 1864: 159)
spilotum Monné, 1975: 248
stillatum (Bates, 1864: 156)
striatellum (Tippmann, 1960: 192)
stiatellum: Giuglaris, 2012: 63 [ISS]
sulphurescens (Bates, 1885: 416)
taeniatum Monné, 1985: 544
tucurui Monné & Tavakilian, 2011: 456
univittis (Bates, 1885: 415)
vanini Monné & Tavakilian, 2011: 457
variabile Monné, 1985: 546
zonatum Monné, 1985: 546

Odontozineus Monné, 2009: 322
penicillatus Monné, 2009: 322

Oedopeza Audinet-Serville, 1835: 88

Chaetanes Bates, 1864: 45

apicale (Gilmour, 1962: 291)
costulata (Gilmour, 1962: 288)
cryptica Monné, 1990: 266
flavosparsa Monné, 1990: 266
fleutiauxi (Villiers, 1980: 95)
guttigera Bates, 1864: 147
guttifera Bates, 1881: 176
hovorei Heffern & Santos-Silva, 2024: 210
leucostigma Bates, 1864: 146
lousi Audureau, 2010: 5
maculatissima Monné & Martins, 1976: 82
ocellator (Fabricius, 1801: 287)
pogonocheroides Audinet-Serville, 1835: 88
pogonocheiroides: Peck, 2005: 179 [ISS of *pogonocheroides* Audinet-Serville, 1835]
raberi Heffern & Santos-Silva, 2024: 205

Brazil (RJ, ES, SP)
Panama
Brazil (BA-SP)
Brazil (SC, RS)
Brazil (AM)
French Guiana, Bolivia (SC)
French Guiana
Honduras-Brazil, Peru, eEcuador, Bolivia (BN, CO)
Brazil (BA-RJ)
Guatemala
Brazil (SP, SC)
Honduras, Guatemala, Nicaragua, Panama, Colombia,
Venezuela, Fr Guiana, Brazil, Bolivia
Brazil (AM)
French Guiana, Brazil (AM)
Venezuela, French Guiana, Bolivia (CO, PN, SC)
French Guiana, Brazil (PA, RO, MT), eEcuador, Peru,
Bolivia (BN, SC, TR)
Brazil (ES-SP)
French Guiana, Brazil (AM, RO, MT), eEcuador
Venezuela, Peru, Brazil, Bolivia (BN, SC), Paraguay
French Guiana (Kaw, Belizon)
Brazil (SP-RS)
Mexico (VC)-Panama, French Guiana, Brazil,
Ecuador, Bolivia (BN, CO, SC)
Costa Rica, Venezuela, Brazil, Bolivia (BN, CO, SC)
Ecuador, Peru
Guyana, French Guiana, Brazil (AM)
Brazil (BA, PR, SC), Bolivia (SC)
French Guiana, Brazil (AM)
French Guiana, Brazil, eEcuador, Peru, Bolivia (SC)

Costa Rica, Panama
Brazil (PA, AM), Bolivia
French Guiana, Brazil (PA, MT)
Costa Rica, Panama
Brazil (RO, PA)
Brazil (ES)
Brazil (MT)

eEcuador

French Guiana, eEcuador, Brazil (PA), Bolivia (SC)
Brazil (RO, MT), Peru, Bolivia (SC)
Panama, Venezuela, Peru, Brazil (RO, GO, MA, MT), Bolivia (SC)
French Guiana, Brazil, Peru, Bolivia
Guadeloupe, Dominica
Mexico (VC)-Panama

Panama (Panama)
Costa Rica, Panama, South America
Nicaragua
Venezuela, Brazil, Bolivia, Peru, Paraguay, Argentina
Mexico, Guatemala, Belize, Honduras, Nicaragua, CR, Panama,
Venezuela, Suriname, Trinidad, Fr Guiana, Bolivia, Ecuador,
Panama (Bocas del Toro)

setigera (Bates, 1864: 45)
seticera: Martinez, 2000: 93 [ISS]
tavakilianii Monné & Monné, 2012: 198
umbrosa (Germar, 1823: 473)
litigiosa Bates, 1864: 147
quadrinodosus Burmeister, 1865: 178

Olenosus Bates, 1872: 205

serrimanus Bates, 1872: 206

Omorfia Monné et. al., 2024: 357

geometrica (Tippmann, 1960: 198)

Onalcidion Thomson, 1864: 25

antonkozlovi Monné et. al., 2019: 500

lingafelteri Audureau, 2018: 17

fibrosum Monné & Martins, 1976: 56

maculatum Vlasak & Santos-Silva, 2021: 477

obscurum Gilmour, 1957: 12

pictulum: Monné, 1990: 274 [Mid; not White, 1855]

pictulum (White, 1855: 395)

tavakilianii Audureau, 2013: 36

Oxathres Bates, 1864: 50

boliviana Monné & Tavakilian, 2011: 25

decorata Monné, 1990: 679

erotyloides Bates, 1864: 51

griseostriata Monné & Monné, 2012: 197

guyanensis Monné & Tavakilian, 2011: 23

implicata Melzer, 1926: 15

nigrobasalis Gilmour, 1962: 290

kawensis Roguet, 2024: 48

lewisi Audureau, 2013: 33

maculosa Monné & Tavakilian, 2011: 24

muscosus Bates, 1864: 52

navicula Bates, 1864: 50

ornata Monné, 1976: 589

proxima Monné, 1976: 587

quadrimaculata Monné, 1976: 590

scripta Lacordaire, 1872: 785

dubius Melzer, 1926: 13

simillima Monné & Monné, 2012: 198

sparsa Melzer, 1927: 575

Oxathridia Gilmour, 1963: 7

roraimae Gilmour, 1963: 8

Ozineus Bates, 1863: 278

elongatus Bates, 1863: 279

Palame Bates, 1864: 13

Nyssodoretus Gilmour, 1959: 30

Xorathes Gilmour, 1963: 11

aeruginosa Monné, 1985: 303

anceps (Bates, 1864: 156)

crassimana Bates, 1864: 13

olivoniger Gilmour, 1959: 31

guyanensis Gilmour, 1963: 12

mimetica Monné, 1985: 300

vitticolle (Bates, 1864: 157)

viticolle: Giuglaris, 2012: 63 [ISS]

Nicaragua, Costa Rica, Panama, South America

French Guiana

Brazil (BA, MG, RJ, SP, PR, SC, RS, MS), Paraguay, Argentina

Mexico-Costa Rica

Bolivia (SC)

Colombia (Santander)

Colombia (SA), wEcuador (Napo)

Costa Rica, Panama, Colombia, Venezuela, French Guiana,

Brazil (RO, GO), Bolivia (SC)

Costa Rica (Puntarenas)

Venezuela

Costa Rica-Colombia, Venezuela

Colombia (CU)

Bolivia (SC)

Venezuela

Brazil (AM), Peru, eEcuador

Brazil (MA), Bolivia (SC)

French Guiana, Brazil (RO)

Brazil (BA, MG-RS)

French Guiana (Kaw)

Peru

Bolivia (LP, SC)

French Guiana, Brazil (AM, RO), Peru

Brazil (PA, RO), eEcuador, Bolivia (LP, SC), Venezuela

French Guiana, Brazil (AM, AP, PA, RO), Bolivia (CO)

Peru

Brazil (AM, PA)

Brazil (GO, BA-SC), Paraguay

Venezuela

Brazil (ES-SP)

Brazil (RR)

Panama, French Guiana, Brazil (AC, AM, PA, RO)

Brazil (RO)

French Guiana, Brazil (AM, PA, RO), eEcuador

Guyana, French Guiana, Brazil (AM), eEcuador, Bolivia (PN)

Venezuela, French Guiana, Brazil (AM), eEcuador

French Guiana, Brazil (AM), eEcuador

- Parabaryssinus** Monné, 2009: 322
katerinae Vlasak & Santos-Silva, 2023: 6
lineaticollis (Gounelle, 1910: 17)
 Ecuador (Napó)
 Colombia, eEcuador
- Paracleodoxus** Monné & Monné, 2010: 54
cineraceus Monné & Monné, 2010: 55
minutus Vlasak & Santos-Silva, 2023: 9
simillimus Monné & Monné, 2010: 55
 Colombia, Venezuela
 Ecuador (Napó)
 Venezuela
- Paralcidion** Gilmour, 1957: 5
bilineatum Gilmour, 1957: 6
 Colombia, Venezuela, Bolivia (SC)
- Paranisopodus** Monné & Martins, 1976: 59
acutus (Thomson, 1865: 544)
auctus: Lacordaire, 1872: 770 [ISS]
auctus Aurivillius, 1923: 396
amoenus Monné & Monné, 2017: 258
antonkozlovi Nascimento & Santos-Silva, 2019: 206
araguaensis Monné & Monné, 2007: 1062
genieri Monné & Monné, 2007: 1059
granulosus Monné & Monné, 2007: 1060
heterotarsus Monné & Martins, 1976: 61
hovorei Monné & Monné, 2007: 1060
paradoxus Monné & Martins, 1976: 61
peruanus Monné & Monné, 2007: 1060
thalassinus Santos-Silva & Devesa, 2021: 578
 Brazil
 Bolivia (Santa Cruz)
 Colombia (Valle de Cauca)
 Venezuela
 Bolivia (SC)
 Panama
 Nicaragua, Costa Rica, Panama
 Costa Rica
 Colombia, Ecuador
 Peru
 Costa Rica (Heredia)
- Paraprobatius** Breuning, 1955: 311
bucki Breuning, 1955: 312
 Brazil (RS), Paraguay
- Paratenthra** Monné, 1998: 289
martinsi Monné, 1998: 289
 Brazil (MS, MT), Bolivia (SC)
- Paratrichonius** Monné & Monné, 2011: 178
caesius Monné & Monné, 2011: 178
 Brazil (MT)
- Paroecus** Bates, 1863: 379
Hysterotarsus Thomson, 1864: 26
Lepturguncus (*Chaeturguncus*) Gilmour, 1961: 350
celebensis (Thomson, 1857: 287)
batesii Thomson, 1864: 26 [UE]
ellipticus Bates, 1863: 380
charpentierae Villiers, 1971: 346
griseolus (Monné, 1988: 121)
lineatus (Monné & Martins, 1976: 72)
rigidus Bates, 1863: 380
socius Melzer, 1928: 151
strigosus Monné, 1988: 123
vittulatus (Gilmour, 1961: 351)
 French Guiana, Brazil (AM, MA), eEcuador, Peru
 French Guiana
 Brazil (RO), Bolivia (BN, SC)
 Peru, Bolivia (SC)
 Panama, Brazil (AM, PA, MT, RO, ES, PR), eEcuador, Peru,
 Bolivia (SC)
 French Guiana, Brazil, Peru, Bolivia (SC)
 Guyana, French Guiana, Brazil (AM), Ecuador
- Pattalinus** Bates, 1881: 165
Lepturguncus Gilmour, 1961: 347
charis Bates, 1881: 165
cultus Bates, 1881: 165
mirificus (Gilmour, 1961: 348)
 Mexico (VC), Nicaragua
 Mexico (VC, JA)
 Brazil (SC), Bolivia (SC)
- Pentheochaetes** Melzer, 1932: 432
Trichonyssodrys Gilmour, 1957: 31
apicalis Melzer, 1934: 237
 Nicaragua, Costa Rica, Panama, Brazil (ES), Bolivia (SC, TR)

argentinus Mendes, 1937: 254
aureopilosa (Monné, 1990: 681)
cincta (Delfino, 1981: 257)
maculata (Gilmour, 1957: 32)
melasma (Delfino, 1981: 257)
mysticus Melzer, 1932: 433
 var. *mediomaculatus* Gilmour, 1957: 30
nessimiani (Monné & Monné, 2012: 282)
pulcherrima Botero & Santos-Silva, 2023: 6
trinidadensis Gilmour, 1963: 91
turbidus Melzer, 1934: 238

Periestola Breuning, 1943: 54

Paracobelura Monné & Martins, 1976: 85
armata (Monné & Delfino, 1986: 167)
howdenorum (Corbett, 2004: 280)
mazai Santos-Silva et. al., 2021: 273
raphaeli (Monné & Monné, 2017: 256)
strandi Breuning, 1943: 54
 curiosa Monné & Martins, 1976: 85
 inornata Monné & Monné, 2017: 255
wappesi (Corbett, 2004: 279)

Pertyia Aurivillius, 1922: 426

sericea (Perty, 1832: 95)

Phrissolaus Bates, 1881: 172

inspersus Bates, 1881: 172

Piezochaerus Melzer, 1932: 428

bondari Melzer, 1932: 429
marcelae Mermudes, 2008: 312
melzeri Mermudes, 2008: 312
monnei Mermudes, 2008: 312

Polymitoleiopus Lepesme & Breuning, 1955: 96

Urgleptes Dillon, 1956: 332
Leiopus: Lacordaire, 1872: 775 [Mld in part; not Audinet-Serville, 1835]
Lepturges: Leng & Hamilton, 1896: 127 [Mld in part; not Bates, 1863]
Lepturges: Zayas, 1975: 268 [Mld; not Bates, 1863]
abstersus (Bates, 1885: 405)
amoenulus (Bates, 1863: 368)
amplicolis (Bates, 1885: 406)
bicoloratus (Gilmour, 1960: 16)
bimaculatus (Gilmour, 1960: 14)
bivittatus (Gilmour, 1961: 342)
borikensis (Micheli & Micheli, 2004: 31)
bruchii (Melzer, 1932: 228)
callizonus (Bates, 1885: 403)
carderiensis (Devesa & Barro, 2019: 66)
cazieri (Gilmour, 1961: 344)
celtis (Schaeffer, 1905: 168)
chamaeropsis (Fisher, 1926: 27)
charillus (Bates, 1885: 403)
charynae (Ravin & Lingafelter, 2015: 68)
clarkei (Chemsak, 1966: 218)
clerulus (Bates, 1881: 168)
cobbeni (Gilmour, 1963: 85)
colibri (Vlasak & Santos-Silva, 2024: 16)
conjunctus (Ravin & Lingafelter, 2015: 71)
curtipennis (Ravin & Lingafelter, 2015: 74)

Brazil (Paraná), Argentina (MI)
 Venezuela, Bolivia (SC)
 Brazil (GO, SP), Paraguay
 Brazil (MG-SC), Argentina (MI)
 Brazil (BA, MG)
 Brazil (SP-RS), Paraguay, Argentina

Brazil, Paraguay
 Bolivia (Santa Cruz)
 Trinidad, Venezuela, Ecuador
 Mexico (JA, YU, OA), Guatemala, Honduras, Costa Rica,
 Panama, Paraguay

Venezuela, Bolivia (CO)
 Colombia
 eEcuador
 Bolivia (Santa Cruz)
 Costa Rica, Panama (Chiriqui)

Costa Rica (LI), Panama, Ecuador

eBrazil (BA-RJ)

Nicaragua, Costa Rica, Panama

Brazil, Argentina
 Brazil (MG)
 Brazil (ES)
 Brazil (ES)

Belize
 Brazil (RJ)
 Panama
 Guatemala
 Guatemala, Honduras
 Mexico (VC)
 Puerto Rico
 Brazil (SP), Paraguay, Argentina
 Guatemala, Honduras
 Cuba
 Mexico (SLP)
 swUSA (TX)
 Cuba, Bahamas
 Costa Rica, Panama
 Dominican Republic
 W Indies (Peter I, Antigua)
 Guatemala
 Barbados, Lesser Antilles, Curaçao, Bonaire
 Ecuador (Imbabura)
 Dominican Republic
 Dominican Republic

- curvatum** (Nascimento & Heffern, 2018: 297)
debilis (Melzer, 1932: 230)
decens (Melzer, 1932: 232)
delicatus (Bates, 1863: 374)
deliciolus (Bates, 1863: 375)
deliciosa Bruch, 1912: 215
dorotheae (Gilmour, 1960: 8)
duffy (Gilmour, 1961: 339)
elier (Devesa & Barro, 2019: 64)
euprepes (Bates, 1885: 404)
facet (Say, 1826: 271)
fasciatus (Bates, 1881: 169)
elaineae Gilmour, 1960: 6
foveatocollis (Hamilton in Leng & Hamilton, 1896: 126)
minutus Champlain & Knull, 1925: 207
kissingeri Dillon, 1956: 337
knulli Dillon, 1956: 337
franciscanus (Melzer, 1935: 202)
freudei (Gilmour, 1959: 8)
gahani (Chalumeau, 1983: 234)
guadeloupensis (Fleutiaux & Sallé, 1889: 472)
guadalupensis Hilburn & Gordon, 1989: 678 [ISS]
histrionella (Bates, 1885: 404)
humilis (Bates, 1863: 379)
hummelincki (Gilmour, 1968: 171)
inops (Bates, 1863: 376)
jagueyensis (Devesa & Barro, 2019: 68)
jamaicensis (Gilmour, 1968: 165)
keili (Santos-Silva et. al., 2021: 279)
kuscheli (Linsley & Chemsak, 1966: 245)
laticollis (Bates, 1881: 169)
laxicollis (Gilmour, 1960: 3)
leopaulini (Touroult, 2004: 66)
literatus (Bates, 1885: 405)
litoralis (Gilmour, 1962: 23)
luteomaculatus (Perez-Flores & Santos-Silva, 2021: 187)
maculatus (Gilmour, 1962: 24)
mancus (Melzer, 1932: 229)
marionae (Ravin & Lingafelter, 2015: 76)
martini (Noguera et. al. 2023: 576)
minutissimus (Bates, 1863: 379)
miser (Bates, 1863: 376)
mixtus (Bates, 1881: 170)
musculus: Bates, 1872: 236 [Mld; not Bates, 1863]
monnei (Nascimento, Santos-Silva & Flechtmann, 2021: 567)
multinotatus (Bates, 1881: 168)
mundulus (Bates, 1885: 407)
musculus (Bates, 1863: 375)
nanus (Melzer, 1934: 99)
navarretei (Santos-Silva et. al., 2021: 282)
nigridorsis (Bates, 1885: 405)
nigritus (Devesa & Barro, 2019: 70)
nigronotatus (Zayas, 1975: 261)
nogueraei (Santos-Silva & Monne, 2023: 245)
nutrix (Nascimento, Santos-Silva & Flechtmann, 2021: 569)
obliteratus (Ravin & Lingafelter, 2015: 79)
obscurellus (Bates, 1863: 378)
ornatissimus (Bates, 1885: 403)
ozophagus (Chemsak & Feller, 1988: 188)
pallidulus (Bates, 1885: 400)
pareuprepes (Gilmour, 1960: 1)
peruviensis (Audureau and Demez, 2015: 20)
Brazil (Rondonia)
Brazil (SP)
Brazil (SC, RS)
French Guiana, Brazil (AM, PA)
French Guiana, Brazil (PA)
Guatemala
Mexico (VC)
Cuba
Mexico (OA)
eNorth America
Guatemala, Honduras, Costa Rica
seUSA-TX
Brazil (MG-RS)
Brazil (MG), Paraguay
St Vincent
W Indies
Costa Rica, Panama
Brazil (RJ)
W Indies (Aruba)
Brazil (AM)
Cuba
Jamaica
eEcuador
Costa Rica (Cocos Island)
Guatemala, Nicaragua, Panama
Guatemala, Honduras, Nicaragua, Costa Rica, Panama
Guadeloupe, Martinique, Santa Lucia
Mexico (VC), Honduras
French Guiana
Mexico (Oaxaca)
Brazil (BA)
Brazil, Argentina, Uruguay
Dominican Republic
Mexico (Jalisco, Morelos)
French Guiana, Brazil (PA)
Brazil (RJ)
Mexico-Panama
Brazil (Mato Grosso do Sul)
Guatemala, Honduras, Nicaragua
Mexico (VC)
French Guiana, Brazil (AM)
Brazil (SP)
eEcuador
Guatemala
Cuba
Cuba
Mexico (San Luis Potosi)
Brazil (Mato Grosso do Sul)
Dominican Republic
Brazil (AM)
Costa Rica, Panama
Mexico (TB), Belize (Twin Cays)
Guatemala, Honduras
Guatemala, Honduras, Nicaragua, Costa Rica
Peru

physoderus (Bates, 1885: 405)	Guatemala-Panama
pluristrigosus (Bates, 1885: 404)	Honduras, Nicaragua, Costa Rica, Panama
<i>pleuristrigosa</i> Gilmour, 1959: 8	
<i>pleurostigma</i> : Chemsak, Linsley & Noguera, 1992: 149 [ISS]	
poeyi (Devesa & Barro, 2019: 67)	Cuba
puertoricensis (Gilmour, 1963: 88)	Puerto Rico, Dominican Republic
puerulus (Melzer, 1932: 233)	Brazil (MG-SP)
pusillus (Melzer, 1932: 231)	Brazil (MG, RJ, SP, RS), Paraguay
querci (Fitch, 1859: 796)	eNorth America
<i>tristis</i> Casey, 1913: 321	
recki (Melzer, 1934: 236)	Brazil (SP)
ruficollis (Bates, 1881: 170)	Nicaragua, Costa Rica
sandersoni (Gilmour, 1963: 79)	USA (FL), Cuba, Puerto Rico, Virgin Islands, Dominican Republic
<i>haitiensis</i> Gilmour, 1963: 82	
signatus (LeConte, 1852: 171)	eNorth America
<i>tenebrosus</i> Casey, 1913: 320	
sinuosus (Gilmour, 1960: 12)	Mexico (TB), Guatemala, Honduras
sordidus (Bates, 1881: 168)	Mexico (VC), Guatemala
spinifer (Bates, 1863: 379)	Brazil (RJ)
trilineatus (Gilmour, 1962: 22)	Brazil (BA-RJ), Bolivia (SC)
trivittatus (Bates, 1885: 404)	Costa Rica, Panama
tumidicollis (Bates, 1881: 169)	Guatemala, Nicaragua, Costa Rica, Panama, Colombia (Bolívar)
unilineatus (Bates, 1872: 237)	Nicaragua, Costa Rica
vauriearum (Gilmour, 1960: 10)	Guatemala
villiersi (Gilmour, 1962: 21)	Brazil (MG, SC), Paraguay
vulcanensis (Santos-Silva et al, 2024: 14)	Bolivia (Santa Cruz)
xantho (Bates, 1885: 406)	Guatemala
Probatiomimus Melzer, 1926: 12	
eximius Melzer, 1934: 104	Brazil (MG), Paraguay
melzeri Schwarzer, 1931: 210	Brazil (RS), Argentina (MI)
schwarzeri Melzer, 1926: 13	Brazil (SP-RS)
<i>flavoguttatus</i> Fisher, 1938: 145	
signiferus (Thomson, 1865: 544)	Brazil (MG-RJ), Paraguay, Argentina
<i>zikani</i> Melzer, 1934: 103	
zellibori Monné, 1990: 685	Brazil (SP, SC), Argentina (MI)
Prolepturges Roguet, 2023: 85	
kawensis Roguet, 2023: 85	French Guiana (Kaw)
Proseriphus Monné, 2005: 122	
<i>Seriphus</i> Bates, 1864: 144	
viridis (Bates, 1864: 145)	Brazil (AM, RO, MT), eEcuador
Proxatrypanius Gilmour, 1959: 337	
rockefelleri Gilmour, 1959: 338	Mexico (SI, JA, CM, OA, CHS), Costa Rica
Pseudastylopsis Dillon, 1956: 220	
<i>Leptostylus</i> Horn, 1880: 119 (part)	
<i>Pseudostylopsis</i> : Arnett, 1962: 872 [ISS]	
aenigma Botero, Perez-Flores & Santos-Silva, 2014: 201	Mexico (Guerrero)
alba Perez-Flores & Santos-Silva, 2021: 185	Mexico (Oaxaca)
morrisi Santos-Silva & Bezark, 2024: 174	Honduras (Yoro)
nebulosa (Horn, 1880: 121)	wUSA (OR, CA, NV)
nelsoni nelsoni Linsley & Chemsak, 1995: 127	swUSA (AZ)
subsp. australis Linsley & Chemsak, 1995: 128	Mexico (DU)
pini (Schaeffer, 1905: 165)	swUSA (AZ, NM), Mexico (DU)
santossilvai Devesa & Vlasak, 2023: 2	Costa Rica (Puntarenas)
skillmani Santos-Silva, Botero & Perez-Flores, 2024: 207	Guatemala (Baja Verapaz)
squamosa Chemsak & Linsley, 1986: 28	Mexico (SI, DU), Guatemala, Honduras

Pseudocobelura Martins & Monné, 1974: 27**prolixa** (Bates, 1864: 19)**succincta** Monné & Martins, 1976: 84Brazil (AM, PA), eEcuador, Bolivia (SC)
Panama**Pseudocriopsis** Melzer, 1931: 196**abare** Monné et. al. 2020: 514**modesta** Melzer, 1934: 196Brazil (RJ)
seBrazil (MG-SP)**Pseudolepturges** Gilmour, 1957: 26**rufulus** (Bates, 1885: 406)**triplarinus** Nascimento & Perger, 2018: 1465Guatemala
Bolivia (Santa Cruz)**Pseudosparna** Mermudes & Monné, 2009: 64**amoena** Mermudes & Monné, 2009: 65**antonkozlovi** Santos-Silva & Nascimento, 2019: 449**aragua** Mermudes & Monné, 2009: 65**boliviana** Monné & Monné, 2011: 173**dimitrisi** Nearn, Swift & Santos-Silva, 2023: 140**flaviceps** (Bates 1863: 369)**iolandae** Lanuza-Garay, 2023: 2**luteolineata** Mermudes & Monné, 2009: 63**mantis** Devesa & Santos-Silva, 2020: 1**marilenae** Nearn, Swift & Santos-Silva, 2023: 144**pallida** Vlasak & Santos-Silva, 2022: 248**patawaensis** Roguet, 2022: 57**paulista** Santos-Silva & Monne, 2023: 276**pichincha** Monné & Monné, 2014: 597**rileyi** Heffern, Nascimento & Santos-Silva, 2024: 252**swifti** Santos-Silva & Monne, 2023: 274**triangulata** Nascimento & McClarin, 2018: 387**tucurui** Monné & Monné, 2014: 597**ubirajara** Dalens & Touroult, 2015: 135Venezuela
Colombia (Huila)
Venezuela
Bolivia (SC)
Panama (Chiriqui)
French Guiana, Brazil (PA)
Panama (Darien)
Ecuador
Costa Rica (Heredia)
Panama (Chiriqui)
Ecuador (El Oro)
French Guiana (Kaw)
Brazil (Sao Paolo)
Ecuador
Panama (Chiriqui)
Costa Rica (Cartago)
wEcuador
Brazil (Para)
French Guiana**Pucallpa** Lane, 1959: 254**cristata** Lane, 1959: 254**robusta** Monné, 1978: 588Peru
French Guiana, Brazil (MT)**Pygmaleptostylus** Gilmour, 1963: 74**pygmaeus** (Fisher, 1926: 24)

Cuba

Quissunego Santos-Silva & Bezark 2024: 177**confusus** Santos-Silva & Bezark, 2024: 178

Bolivia (Santa Cruz)

Sciadosoma Melzer, 1934: 102**umbrosum** Melzer, 1934: 103

Brazil (RJ)

Spiritusellus Monné & Santos-Silva, 2022: 236**personatus** Monné & Santos-Silva, 2022: 236

Bolivia (Santa Cruz)

Sporetus Bates, 1864: 54*Sporetus (Chaetissus)* Bates, 1864: 54**abstrusus** Melzer, 1935: 203**bellus** Monné, 1976: 580**boteroi** Vlasak & Santos-Silva, 2024: 13**colobothoides** (White, 1855: 372)*colobothoides*: Gemminger in Gemminger & Harold, 1873: 3160 [ISS]*nigrosignatus* Lameere, 1884: 97**decipiens** Bates, 1866: 434Brazil (SC)
Brazil (RO, MT), eEcuador, Peru
Ecuador (Zamora-Chinchipe)
Brazil (BA-RS), Paraguay, Argentina

Brazil (PA), Peru

distinctus Monné, 1976: 581
fasciatus Martins & Monné, 1974: 25
guttulus (Bates, 1864: 155)
inexpectatus Monné, 1998: 31
porcinus Bates, 1864: 54
probatoides Bates, 1864: 56
seminalis Bates, 1864: 55
 var. *agglomeratus* Bates, 1864: 55
sticticus Monné & Monné, 2012: 196
variolosus Monné, 1998: 31
venustus Monné, 1998: 29

Stenolis Bates, 1864: 149

Nyssodectes Dillon, 1955: 142

Nyssosternus Gilmour, 1963: 4

angulata (Fabricius, 1801: 312)
 undulata Bates, 1864: 149
bispecularis (White, 1855: 384)
calligramma (Bates, 1872: 217)
 var. *consobrina* Melzer, 1934: 109
 decemguttata Bates, 1885: 416
 calligramma var. Bates, 1881: 181
 decempunctata: Melzer, 1934: 110 [ISS of *decemguttata* Bates, 1885]
carvalhoi Roguet, 2022: 60
celinae Roguet, 2022: 61
concinna (Bates, 1885: 417)
cooperi (Monné & Monné, 2017: 254)
duidaensis (Gilmour, 1963: 5)
dulcissima (Bates, 1863: 377)
flavoguttata Monné, 2011: 43
giesberti Monné, 2011: 49
gilvolineata Monné, 2011: 43
inclusa (Bates, 1885: 414)
laetifica (Bates, 1872: 237)
longula (Bates, 1881: 181)
marcelae Monné, 2011: 51
multimacula Monné, 2011: 49
nearnsi Monné, 2011: 51
polygramma (Bates, 1872: 220)
polytaenia (Bates, 1885: 415)
pulverea (Bates, 1881: 180)
roseicollis (Bates, 1872: 221)
tavakiliani Monné, 2011: 45
theobromae (Lara & Shenefelt, 1964: 438)
veracruz Dillon, 1955: 143
vigintiguttata (Bates, 1885: 415)
xanthostigma Monné, 2011: 43

Peru

French Guiana, Brazil (AM, RO, MT), eEcuador

Brazil (PA, RO, AM)

Brazil (ES)

French Guiana, Brazil (AM, PA), Paraguay

Brazil (ES-SC), Argentina

French Guiana, Brazil (AM, PA), eEcuador, Bolivia (SC)

French Guiana, Brazil (PA), wEcuador

French Guiana, Brazil (AM, PA), eEcuador

Brazil (MG, BA)

Panama (CZ), Trinidad, French Guiana, wBrazil (AM),
 wEcuador,, Bolivia (SC)

French Guiana (Belizon), Brazil (AM)

Mexico (VC)-Panama, Ecuador, Venezuela

French Guiana (Kaw, Belizon)

French Guiana (Kaw, Matoury, Matiti, Belizon)

Panama

wEcuador

Venezuela

Brazil (AM), Peru, eEcuador

Mexico (VC, CHS)

Panama

Panama

Costa Rica, Panama, Ecuador

Nicaragua-Panama, wEcuador

Costa Rica

Brazil (RO), Peru, Bolivia (SC)

Mexico (JA, VC), Guatemala, Costa Rica (GU, PA)

Brazil (PA, AM)

Nicaragua, Costa Rica, Panama

Costa Rica, Panama

Mexico (VC)-Costa Rica

Mexico (VC)-Panama

Trinidad & Tobago, French Guiana, Brazil (AM, RO)

Costa Rica, Panama

Mexico (VC, CHS), Guatemala

Honduras, Costa Rica, Panama

Panama

Sternacutus Gilmour, 1961: 364

Acarinozineus Gilmour, 1962: 261

achirae (Monné & Monné, 2012: 64)
albidus (Monné, 2009: 324)
alienus (Melzer, 1932: 427)
angulistigma (Bates, 1885: 397)
annulicornis (White, 1855: 383)
argus (Monné & Monné, 2012: 64)
arietinus (Bates, 1872: 215)
barbiflavus (Martins & Monné, 1974: 22)
bicristatus (Melzer, 1935: 200)
brunneus Vlasak & Santos-Silva, 2022: 10
caliginosus (Monné & Monné, 2012: 65)

Bolivia (SC)

Bolivia (SC)

Brazil (ES, RJ)

Panama

Costa Rica, Panama, Colombia. wEcuador

Bolivia (SC)

Mexico (VC)-Panama, wEcuador

Brazil (SP-SC)

Brazil (MG, RJ)

wEcuador (Pichincha)

Bolivia (SC)

cinerascens (Bates, 1863: 280)
cinerascens var. *pallipes* Bates, 1863: 281
dubius Aurivillius, 1922: 170
compactus Roguet, 2023: 69
cretatus (Monné & Martins, 1976: 66)
cribripennis (Bates, 1885: 396)
cupelloi Heffern, Nascimento & Santos-Silva, 2024: 255
dimidiatus (Aurivillius, 1922: 169)
doctus (Bates, 1863: 280)
dorsalis (Melzer, 1935: 200)
griseostigma (Monné & Monné, 2012: 67)
guttatus (Monné & Martins, 1976: 63)
jubapennis (Fisher, 1938: 142)
latens Vlasak & Santos-Silva, 2022: 8
lateralis (Monné & Martins, 1976: 64)
moestus (Bates, 1885: 397)
mysticus (Bates, 1863: 279)
nyssodroides (Tippmann, 1960: 187)
odettae Roguet, 2022: 72
orbiculus (Monné & Martins, 1976: 65)
similis Santos-Silva & Bezark, 2024: 181
spinicornis (Gilmour, 1962: 264)
strigosus (Bates, 1863: 280)
striatus (Gilmour, 1962: 262)
torquatus (Bates, 1881: 162)
ursulae Lanuza-Garay & Rivera, 2023: 2
zikani (Melzer, 1935: 199)
lineellus Fisher, 1938: 143
cristatus Gilmour, 1961: 366

Sternidius LeConte, 1873: 234

Amniscus: Haldeman, 1847: 46 [Mld; not Dejean, 1835]
Liopus LeConte, 1852: 170 (part)
Leiopus: Haldeman, 1847: 50 [Mld; not Audinet-Serville, 1835]
Liopinus Linsley & Chemsak, 1995: 88
alpha (Say, 1827: 270)
alpha var. *divergens* Haldeman, 1847: 48
lateralis Haldeman, 1847: 48
cinereus LeConte, 1852: 173
xanthoxyli Shimer, 1868: vii
var. *floridanus* Hamilton in Leng & Hamilton, 1896: 125
dentatus Casey, 1913: 311
scapalis Casey, 1913: 312
testaceus Casey, 1913: 312
pleuralis Casey, 1913: 312
timidus Casey, 1913: 313
obscurus Casey, 1913: 313
nelsonicus Casey, 1924: 291
alpha coloradensis Dillon, 1956: 216
alpha nigricans Dillon, 1956: 216
suturalis Dillon, 1956: 219
batesi (Gahan, 1892: 265)
centralis (LeConte, 1884: 24)
chemsaki Lewis, 1977: 196
crassulus LeConte, 1873: 235
decorus (Fall, 1907: 84)
alpha arizonensis Dillon, 1956: 217
centralis: Dillon, 1956: 218 [Mld; not Leconte, 1884]
fascicularis Harris, 1836: 88
gracilipes (Linsley, 1942: 72)
imitans (Knull, 1936: 107)
incognitus Lewis, 1977: 201

French Guiana, Brazil (PA), Peru, Bolivia (CO, SC)

French Guiana (Kaw)
Peru
Nicaragua (Granada), Costa Rica, Panama
Panama (Panama Oeste)
Peru
Brazil (PA), Bolivia (SC)
Costa Rica
Bolivia (SC)
Brazil (RJ, SP)
Brazil (SP, PR, SC), Paraguay
wEcuador (Pichincha)
Brazil (SP)
Costa Rica, Panama
French Guiana (Kaw), Brazil (AM)
Bolivia (SC), eEcuador
French Guiana (Kaw, Belizon)
Bolivia (SC)
Bolivia (Santa Cruz)
Mexico
Costa Rica, Panama, French Guiana, eEcuador,
Peru, Bolivia (LP, SC)
Guatemala
Panama (Darien)
Brazil (RJ-RS)

USA

Mexico (GR, MI, OA)
swUSA (AZ, NM, TX)
swUSA (AZ), Mexico (SO, SI)
Mexico (BC)
swUSA (AZ)

North America
Mexico (BC)
swUSA (TX, AZ)
swUSA (AZ)

micromaculatus Bezark, Santos-Silva & Botero, 2023: 2	Belize (Belize, Cayo)
mimeticus (Casey, 1891: 48)	eUSA-TX, Mexico
<i>schwarzi</i> Hamilton in Leng & Hamilton, 1896: 124	
<i>crassulus</i> : Horn, 1880: 124 [Mld; not LeConte, 1873]	
<i>moderator</i> Casey, 1913: 314	
<i>houstoni</i> Casey, 1913: 315	
<i>texanus</i> Casey, 1913: 315	
misellus (LeConte, 1852: 173)	cUSA
naeviicornis (Bates, 1885: 393)	Mexico (VC)
nivosus (Linsley, 1942: 73)	Mexico (BC)
punctatus (Haldeman, 1847: 49)	eUSA
<i>maculipennis</i> Blatchley, 1922: 31	
rosaliae (Linsley, 1942: 71)	Mexico (BC)
rossi (Linsley, 1942: 71)	Mexico (BC)
rusticus LeConte, 1852: 173	eUSA (NY)
subfascianus (White 1855: 385)	Venezuela
<i>subfasciatus</i> : Lacordaire, 1872: 789 [ISS]	
vicinus (Haldeman, 1847: 49)	North America
vittatus Dillon, 1956: 219	seUSA (MS)
wiltii (Horn, 1880: 124)	swUSA (TX)
Sternidocinus Dillon, 1956: 166	
barbarus (Van Dyke, 1920: 45)	swUSA (CA)
Styloleptoides Chalumeau, 1983: 230	
inflaticollis (Chemsak, 1966: 215)	Virgin Islands
morazzanii Chalumeau, 1983: 231	Guadeloupe
parvulus (Gahan, 1895: 134)	Grenada, Mustique
Styloleptus Dillon, 1956: 158	
<i>Antilleptostylus</i> Gilmour, 1963: 73	
<i>Caribbeana</i> Gilmour, 1963: 97	
atrovittatus (Fisher, 1925: 9)	Cuba, Dominican Republic
biustus (LeConte, 1852: 169)	eUSA, Cuba, Bahamas, Cayman Islands
<i>pusillus</i> Blatchley, 1925: 167	
<i>bahamicus</i> Fisher, 1925: 3	
<i>biustus</i> var. <i>cubanus</i> Fisher, 1926: 22 [JsH; not Fisher, 1926: 26, as <i>Leiopus</i>]	
<i>caymanensis</i> Fisher, 1948: 228	
brunneofasciatus (Fisher, 1935: 205)	Jamaica
charynae Santos-Silva & Monne, 2023: 248	Bolivia (Santa Cruz)
cubanus (Fisher, 1926: 26)	Cuba
darlingtoni (Fisher, 1942: 31)	Jamaica
dozieri (Fisher, 1932: 86)	Haiti
guilartensis (Micheli & Micheli, 2004: 21)	Puerto Rico
inermis (Fabricius, 1801: 293)	W Indies (Leeward Islands)
<i>bredini</i> Chemsak, 1966: 217	
<i>hebes</i> Gilmour, 1963: 98	
infuscatus (Fisher, 1932: 84)	Hispaniola
laticollis (Fisher, 1925: 12)	Dominican Republic, Bahamas
lilliputanus Thomson, 1865: 545	Puerto Rico, Virgin Islands, Colombia?
<i>nigricans</i> (Fisher, 1935: 55)	
<i>puertoricensis</i> Fisher, 1935: 56	
nigrofasciatus Gilmour, 1963: 67	Dominican Republic
pilosellus (Fisher, 1942: 34)	Bahamas
planicollis (Fisher, 1935: 203)	Jamaica, Hispaniola
<i>vanduzeei</i> Fisher, 1935: 204	
<i>maraicola</i> Fisher, 1942: 35	
<i>divisus</i> Gilmour, 1963: 70	
posticalis (Gahan, 1895: 133)	W Indies (Lesser Antilles), Guadeloupe, Dominica
<i>albosuturalis</i> Villiers, 1980: 93	
<i>bonfilsii</i> Villiers, 1980: 93	

rhizophorae Chemsak & Feller, 1988: 185
scurra (Chevrolat, 1862: 249)
 minuens Hamilton in Leng & Hamilton, 1896: 121
 var. *maculifer* Fisher, 1926: 21
 dorsalis Fisher, 1926: 21
 lewisi Fisher, 1948: 227
 thompsoni Fisher, 1948: 226
 fisheri Gilmour, 1965: 577 [RN for *Leptostylus biustus* var. *cubanus* Fisher, 1926]
taino Lingafelter & Micheli, 2004: 45
variabilis (Fisher, 1925: 11)
zorillai (Zayas, 1975: 259)

Belize (Twin Cays)
 Cuba, Bahamas, Cayman Islands

 Puerto Rico
 Cuba, Dominican Republic
 Cuba

Sympagus Bates, 1881: 172

Stenopsilus Gilmour, 1959: 27
bimaculatus (Gilmour, 1959: 28)

birai Monné & Botero, 2015: 84
buckleyi (Bates, 1885: 416)
cedrelis Hovore & Toledo, 2006: 57
favorabilis Tippmann, 1960: 195
laetabilis (Bates, 1872: 217)
monnei Hovore & Toledo, 2006: 59

French Guiana, Brazil (AM), eEcuador,
 Bolivia (CO, SC),
 Panama
 Bolivia
 Mexico, Guatemala
 French Guiana, eEcuador, Peru, Bolivia (SC)
 Guatemala, Nicaragua, Costa Rica, Panama
 Panama

Tenthras Thomson, 1864: 224

obliteratus Thomson, 1864: 225

setosus Monné & Tavakilian, 1990: 184

Costa Rica (AL), Venezuela, French Guiana, Brazil,
 Bolivia (SC)
 Costa Rica (PA), French Guiana

Tomrogersia Fragoso, 1980: 743

acanthofemorata Fragoso, 1980: 744
villiersi Monné & Monné, 2006: 1198

Colombia
 Colombia

Toronaeus Bates, 1864: 13

Aemylus Thomson, 1864: 28
Neotoronaeus Tippmann, 1953: 350
figuratus Bates, 1864: 14
 figuratus Thomson, 1864: 28
incisus (Bates, 1864: 155)
lautus Monné, 1990: 680
magnificus (Tippmann, 1953: 351)
perforator Bates, 1864: 16
propinquus Roguet, 2022: 86
simillimus Monné, 1974: 591
suavis Bates, 1864: 15
sumptuosus Lane, 1973: 403
terebrans Bates, 1864: 17
virens Bates, 1864: 17

Guyana, French Guiana, eEcuador, Brazil (PA)

 French Guiana, Brazil (AM)
 Venezuela
 French Guiana, Brazil (AM), eEcuador, Peru
 French Guiana, Peru, Brazil (AM, PA)
 French Guiana (Kaw, Belizon)
 French Guiana, Brazil (AM), eEcuador
 French Guiana, Brazil (AM, MA, ES), eEcuador, Peru
 French Guiana, Brazil (AM)
 Colombia, eEcuador, Brazil (AM, RO, MT)
 French Guiana, Brazil (AM, RO, PA), eEcuador

Trichalcidion Monné & Delfino, 1981: 260

penicillum Monné & Delfino, 1981: 261

Colombia (Santander), Venezuela

Trichalphus Bates, 1881: 153

Trichastylopsis Dillon, 1956: 148
Leptostylus Horn, 1880: 119 (part)
albidus (LeConte, 1852: 168)
 setipes Casey, 1891: 48
 falli Linsley, 1934: 182
hoguei Chemsak & Linsley, 1979: 141
pilosus Bates, 1881: 153
plumeoventris (Linsley, 1934: 109)

swUSA

 Mexico (Socorro Is)
 Mexico, Guatemala, Honduras
 Mexico (Tres Marias Islands)

sinuatus Perez-Flores et al. 2024: 59
skillmani (Santos-Silva, Perez-Flores & Botero, 2024: 6)

Honduras (Nuevo Segovia)
 Mexico (Jalisco. Michoacan)

Trichillurges Gilmour, 1961: 361
bordoni Monné, 1990: 274
brasiliensis (Melzer, 1935: 197)
fasciatus Gilmour, 1961: 362
cerdai Roguet, 2022: 75
conspersus Monné, 1990: 275
maculatus Martins & Monné, 1974: 20
meridanus Monné, 1990: 275
olivaceus Monné, 1990: 276
simplex Martins & Monné, 1974: 21

Venezuela
 Brazil (RJ-RS), Paraguay
 French Guiana (Kaw, Belizon)
 Venezuela
 Brazil (PR, SC)
 Venezuela
 Venezuela
 Brazil (MG-SC)

Trichocanonura Dillon, 1956: 229
linearis (Skinner, 1905: 290)

swUSA (AZ), Mexico

Trichonius Bates, 1864: 52
affinis Monné & Mermudes, 2008: 8
atlanticus Monné & Mermudes, 2008: 9
bellus Monné & Mermudes, 2008: 9
fasciatus Bates, 1864: 53
griseus Monné & Mermudes, 2008: 10
inusitatus Monné & Monné, 2012: 286
minimus Monné & Mermudes, 2008: 10
picticollis Bates, 1864: 53
quadrivittatus Bates, 1864: 53
w-notatus Nascimento et. al. 2020: 5

Brazil (MT)
 Brazil (BA, MG)
 Brazil (AM, PA)
 Brazil (PA)
 French Guiana, Brazil, (AM, PA)
 Brazil
 Brazil (AM, MT, RO)
 Brazil (AM)
 Brazil (AM)
 Brazil (ES)

Trichotithonus Monné, 1990: 254
albidus Monné, 1990: 257
albosetosus Monné, 1990: 258
conspectus Monné, 1990: 254
curvatus (Bates, 1885: 396)
nitidus Monné & Martins, 1976: 83
giuglarisi Roguet, 2022: 76
tavakiliani Monné, 1990: 256
tenebrosus Monné, 1990: 258
thomasvlasaki Vlasak & Santos-Silva, 2021: 489
venezuelensis Monné, 1990: 260
viridis Monné, 1990: 256

Brazil (BA)
 Venezuela
 Brazil (ES, RJ)
 Mexico (VC), Honduras, Nicaragua, Costa Rica, Panama,
 Brazil (RJ-SC), Bolivia (SC)
 French Guiana (Coralie, Belizon)
 French Guiana
 Costa Rica, Panama, Bolivia
 wEcuador (Pichincha)
 Venezuela
 Venezuela

Tropanisopodus Tippmann, 1960: 184
andinus Tippmann, 1960: 185
antonkozlovi Nascimenmto & Santos-Silva, 2019: 197
kozlovi Santos-Silva et. al., 2021: 274
tachira Monné & Monné, 2007: 1058

Bolivia (LP)
 Peru (La Libertad)
 Colombia, eEcuador
 Venezuela

Tropidocoleus Monné, 2009: 321
bicarinatus Monné, 2009: 321

Colombia

Tropidozineus Monné & Martins, 1976: 66
adustus Monné & Monné, 2012: 62
amabilis Monné, 1991: 130
argutulus Monné, 1988: 120
brunneomaculatus Roguet, 2022: 88
cinctulus Monné & Martins, 1976: 69
complanatus Monné, 1991: 128

Bolivia (SC)
 Brazil (ES)
 French Guiana, eEcuador, cBrazil (AM)
 French Guiana (Montsinery, Belizon)
 Brazil (ES-SP)
 Brazil (GO, MT, PR)

distinctus Roguet, 2022: 89
fulveolus (Lameere, 1884: 96)
prolixus Melzer, 1931: 7
ignobilis (Bates, 1863: 281)
impensus Monné & Martins, 1976: 71
inexpectatus (Melzer, 1934: 234)
martinsi Monné, 2009: 326
pauper (Melzer, 1931: 69)
quadricristatus (Melzer, 1935: 198)
rotundicollis (Bates, 1863: 281)
salazarae Santos-Silva et. al., 2021: 277
sincerus Monné, 1988: 119
tersus (Melzer, 1931: 5)
tuberosus Monné, 1991: 127
vicinus (Melzer, 1931: 68)
wappesi Monné & Monné, 2012: 60

French Guiana (Kaw, Matiti)
 Brazil (CE, BA-RS), Bolivia (SC)

 Brazil (RJ-RS, PR)
 French Guiana, Brazil (AM), eEcuador
 Brazil (MG-SC)
 Brazil (BA, MG, RJ)
 Brazil (SP-RS), Argentina (MI)
 Brazil (RJ-SC)
 Brazil (BA-RS)
 eEcuador
 Brazil (RO)
 Brazil (RJ-SC)
 Brazil (SC, PR)
 Brazil (SP-RS), Bolivia (PN, SC), Argentina (MI)
 Brazil (AM), Bolivia (SC)

Trypanidiellus Monné & Delfino, 1980: 321
decoratus Monné & Delfino, 1980: 321

Brazil (BA, ES)

Trypanidius Blanchard, 1843: 209
Trypanidius: Thomson, 1864: 28 [ISS]
Trepanideus: Heyne & Taschenberg, 1907: 243 [ISS]
albosignatus Melzer, 1932: 226
andicola Blanchard in D'Orbigny, 1847: 209
apicalis Aurivillius, 1921: 53
dimidiatus Thomson, 1860: 8
posticus Heyne & Taschenberg, 1907: 243
insularis Fisher, 1925: 8
nocturnus Fisher, 1942: 39
irroratus Monné & Delfino, 1980: 320
isolatus Waterhouse, 1890: 555
kitayamai Bezark, 2019: 404
maculatus Monné & Delfino, 1980: 319
mexicanus Thomson, 1860: 8
notatus (Fabricius, 1787: 139)
melancholicus Audinet-Serville, 1835: 87
geminus Pascoe, 1859: 29
proximus Melzer, 1931: 9
rubripes Bates, 1872: 219
spilmani spilmani Villiers, 1980: 95
 subsp. **liamaigae** Chalumeau, 1983: 225

Brazil (BA-RJ)
 Brazil (MT, PA), eEcuador, Bolivia (CO, SC)
 Colombia, Bolivia (SC)
 Brazil (BA-RS), Paraguay, Argentina (MI)

Cuba, Hispaniola, Puerto Rico

Venezuela, Colombia (Putumayo)
 Brazil (Fernando Noronha Is.)
 Mexico (Veracruz), Guatemala (Peten)
 Venezuela, Brazil (SP), Paraguay, Argentina
 Mexico (VC)-Panama
 Guatemala-South America
 Bolivia (BN, CO, SC)

Brazil, Paraguay, Argentina, Uruguay
 Guatemala, Nicaragua, Costa Rica, Panama
 Dominica, Martinique, St Lucia
 W Indies (St Kitts)

Tuberastyochus Gilmour, 1959: 6
tenebrosus (Bates, 1881: 183)

Guatemala, Costa Rica (HE)

Valenus Casey, 1892: 49
inornatus Casey, 1892: 50

swUSA (AZ, NM, TX), Mexico

Vitacinis Monné, Nascimento, Monné & Santos-Silva, 2019: 494
luziae Monné, Nascimento, Monné & Santos-Silva, 2019: 496

Colombia (Cesar)

Xenocona Gilmour, 1960: 89
Alcathousites Gilmour, 1962: 266
antonkozlovi Nascimento & Botero, 2019: 4
asperipennis (Fairmaire & Germain, 1860: 513)
polyrhaphoides: Wille, 1943: 255 [Mid; not White, 1855: 394, in *Alcathousiella*]
chaclacayoi Gilmour, 1962: 267
polygraphoides: Beingolea, 1994: 7 [ISS of a Mid by Wille, 1943; not White, 1855]
audureaui Vlasak & Santos-Silva, 2022: 2

Colombia (Huila)

Peru, Chile

Ecuador (Napo)

chulumani Santos-Silva & Monne, 2023: 281
forsteri (Tippmann, 1960: 180)
nubicola Vlasak & Santos-Silva, 2024: 81
penicillata (Monné, 1990: 271)
pulchra Gilmour, 1960: 89
senticosa Monné & Martins, 1976: 46
superstes (Erichson, 1847: 146)
uniformis Vlasak & Santos-Silva, 2022: 4

Bolivia (La Paz)
 Bolivia
 eEcuador (Napo)
 Colombia, Ecuador
 Honduras, Costa Rica
 Peru, Bolivia (SC)
 Ecuador, Peru, Bolivia (SC)
 Ecuador (Napo)

Xenostylus Bates, 1885: 394
sublineatus Bates, 1885: 395

Costa Rica, Panama

Xylergates Bates, 1864: 20
Xylergatina Gilmour, 1962: 269
capixaba Giorgi & Corbett, 2005: 7

Brazil (ES)

elaineae Gilmour, 1962: 244
hilaris Proudhomme, 1906: 38
dorotheae Gilmour, 1962: 279
lacteus Bates, 1864: 20
picturatus Lane, 1957: 19
pulcher Lane, 1957: 10
praetor Duffy, 1960: 259
quinquetuberculatus Nascimento et. al. 2020: 2

Colombia, Guianas, Brazil, eEcuador, Peru, Bolivia (PN)
 Guianas, Colombia, eEcuador, Bolivia (BN, PN, SC)
 Colombia, Brazil (MA, AM, RO), eEcuador, Peru, Bolivia (BN)
 Colombia, Guyana, French Guiana, Peru, eEcuador, Brazil (AM, PA),
 Bolivia (PA)
 Brazil (ES)

Xylergatoides Gilmour, 1962: 281
asper (Bates, 1864: 21)

Brazil (GO, MT, PB-RS), Paraguay, Argentina

Acanthoderini Thomson, 1860: 5
Acanthoderitae Thomson, 1860: 2 (key), 5
Oreoderitae Thomson, 1860: 29
Dryoctenitae Thomson, 1860: 29
Hoplosiae LeConte & Horn, 1883: 326

Acakya Martins & Galileo, 1996: 303
crocostigma (Bates, 1880: 61)
iaguara Martins & Galileo, 1996: 304
lateralba Martins & Galileo, 2001: 103
nigrofasciata Martins & Galileo, 2001: 105
ocellata Chemsak & Hovore, 2002: 13
 subsp. **onca** Chemsak & Hovore, 2002: 18
sinuata Vlasak & Santos-Silva, 2022: 251

Ecuador
 Colombia
 eEcuador
 Peru
 Panama, Costa Rica
 Panama
 Ecuador (Pichincha)

Acanthoderes (Acanthoderes) Audinet-Serville, 1835: 29

Acanthoderus: Laporte, 1840: 461 [ISS]

Scamillus Gistel, 1848: viii [URN for *Acanthoderes* Audinet-Serville, 1835 (as *Acanthoderus*)]

albifrons Chemsak & Hovore, 2002: 5
aliciae Chemsak & Hovore, 2002: 6
alpina Chemsak & Hovore, 2002: 7
amplifrons Chemsak & Hovore, 2002: 9
amplitoris Chemsak & Hovore, 2002: 10

Mexico (VC)
 Mexico (MO)
 Guatemala
 Mexico (NL)
 Mexico (TA)

amplitorsis: García Giménez, Toledo & Cantú Ayala, 2015: 108 [ISS]

bicolor Chemsak & Hovore, 2002: 15

Mexico (TA, SLP)

cavei Chemsak & Hovore, 2002: 18

Honduras

daviesii (Swederus, 1787: 195)

Honduras, Colombia, French Guiana, Bolivia

swederi White, 1855: 360

punctata Fabricius, 1792: 272

ferruginea Chemsak & Hovore, 2002: 20

Mexico (VC), Guatemala

flavomaculata Chemsak & Hovore, 2002: 21

Guatemala, Honduras

giesberti Chemsak & Hovore, 2002: 23

Mexico (SLP, OA), Guatemala

- hondurae** Chemsak & Hovore, 2002: 24
laevicollis Bates, 1872: 208
laportei Aurivillius, 1923: 385
daviesii: Laporte, 1840: 464 [Mld; not Swederus, 1787]
latiforma Chemsak & Hovore, 2002: 26
latevittata (Aurivillius, 1921: 51)
onca Galileo & Martins, 2006: 26
linsleyi Chemsak & Hovore, 2002: 28
noguerae Chemsak & Hovore, 2002: 31
paravetusta Chemsak & Hovore, 2002: 1
parva Chemsak & Hovore, 2002: 3
parvimacula Zajciw, 1964: 439
quatuordecimguttata (Schoenherr, 1817: 396)
crassus Voet, 1778: 20 (not Voet, 1778: 10 *Onychocerus*)
rubripes Bates, 1872: 208
rufofemorata Aurivillius, 1926: 12
lewisii Audureau, 2009: 499
satanas Bates, 1880: 58
septemmaculata Buquet, 1860: 635
solisi Chemsak & Hovore, 2002: 25
subtessellata Bates, 1880: 59
thammi Bates, 1880: 59
zischkai Tippmann, 1960: 165
zonata Bates, 1880: 59
- Honduras, Costa Rica
 Nicaragua, Costa Rica, Panama
 French Guiana, Brazil (AM, PA, RO), Ecuador, Peru
- Mexico (VC)
 Bolivia (CO)
- Mexico (QR, CHS), Guatemala, Honduras
 Mexico (JA, GU, DF)
 Costa Rica, Panama
 Guatemala
 Brazil (ES)
 "America"
- Nicaragua, Panama
 Brazil, Bolivia (LP)
- Peru
 French Guiana, Brazil (AP)
 Costa Rica (Cocos Island)
 Ecuador
 eEcuador, Peru, Bolivia (BN, SC)
 Bolivia (SC), Ecuador
 Colombia

Acanthoderes (Pardalisia) Casey, 1913: 302

- Paradalisia*: Chemsak & Hovore, 2002: 3 [ISS]
funeraria Bates, 1861: 151
erichsonii Thomson, 1868: 147

Mexico (MI, TL, MEX, SLP, HI, OA, VC)

Aegomorphus Haldeman, 1847: 45

- Acanthoderes*: Haldeman, 1847: 45 [Mld; not Audinet-Serville, 1835]
Psapharochrus Thomson, 1864: 18
Aethiopoctines Thomson, 1868: 147
Psapharochrus: Casey, 1913: 301 [Mld; not Thomson, 1864]
Aegoschema: Knull, 1946: 243 (not Aurivillius, 1923)
albosignus Chemsak & Noguera, 1993: 98
antonkozlovi Santos-Silva, Nascimento & Silva Junior, 2020: 541
arietis (Bates, 1885: 380)
arizonicus Linsley & Chemsak, 1984: 253
atrosignatus (Melzer, 1932: 222)
auratus (Garcia, Nascimento & Hernandez, 2019: 367)
bezarki (Santos-Silva & Galileo, 2016: 132)
bicuspis (Germar, 1823: 475)
bimaculatus (Fuchs, 1959: 54)
binocularis (Martins, 1981: 215)
bivittus (White, 1855: 354)
fuliginosus Thomson, 1865: 543
bivittata: Chemsak & Linsley, 1982: 91 [ISS]
vivittata: Terrón Sierra in González et al., 1997: 223 [ISS of *bivittata*: Chemsak, Linsley & Noguera, 1992]
bivittis: Tavakilian, Berkov, Meurer-Grimes & Mori, 1997: 339 [ISS]
bivittus: Monné & Hovore 2006: 209 [ISS]
borrei (Dugés, 1885: 48)
brevicornis (Zajciw, 1964: 67)
brunnescens (Zajciw, 1963: 585)
carinicollis (Bates, 1880: 61)
cerdai (Tavakilian & Neouze, 2013: 45)
chamelae Chemsak & Giesbert, 1986: 36
chrysopus (Bates, 1861: 474)
circumflexus (Jacquelin du Val in Sagra, 1857: 270) [NP]
rusticus Klug, 1829: 13 [NO]
- Mexico (JA, CM, MI)
 Peru (La Libertad)
 Guatemala
 swUSA (AZ), Mexico (BC)
 Brazil (MG-SP), Bolivia (SC)
 Colombia (Bolívar)
 Brazil (AM)
 Brazil
 Bolivia
 Brazil (MT)
 Honduras, Guatemala-Panama, French Guiana,
 Brazil (MA, AM, ES-SP), Bolivia (LP, SC)
- Mexico (GU, MO, GR, JA)
 Brazil (SP-RS), Argentina (MI)
 Brazil (MA, CE-BA)
 Brazil (MG-PR)
 French Guiana
 Mexico (JA)
 French Guiana, Brazil (AM, RO, MT)
 Mexico-Panama, W Indies, South America

- meteorica* Gistel, 1857: 79
histrion Casey, 1913: 302
guatemalensis Casey, 1913: 303
maynei Breuning, 1956: 123
clericus (Bates, 1880: 141)
comptus (Marinoni & Martins, 1978: 185)
coniferus (Zajciw, 1963: 588)
consentaneus (Thomson, 1865: 544)
corticarius (Tippmann, 1960: 171)
cunninghami Heffern, Santos-Silva & Botero, 2022: 4
cylindricus (Bates, 1861: 234)
doctus (Bates, 1880: 141)
excellens (Zajciw, 1964: 68)
flavitaris (Fuchs, 1962: 322)
galapagoensis galapagoensis (Linell, 1898: 261)
galapagonesis: Mutchler, 1938: 14 [ISS]
subsp. **vonhageni** (Mutchler, 1938: 14)
subsp. **williamsi** (Linsley & Chemsak, 1966: 225)
geminus (Galileo & Martins, 2012: 62)
gigas (Galileo & Martins, 2012: 63)
hebes (Bates, 1861: 215)
homonymus (Blackwelder, 1946: 610) [RN]
latevittata Aurivillius, 1923: 35 [JpH; not Aurivillius, 1921: 51, in *Acanthoderes*]
inquinatus (Bates, 1872: 207)
irumus (Galileo & Martins, 2011: 178)
itaiyensis (Melzer, 1935: 194)
jaspideus (Germar, 1823: 475)
congener Burmeister, 1865: 178
juno (Fisher, 1938: 139)
laetificus (Bates, 1880: 60)
lanei (Marinoni & Martins, 1978: 187)
langeri (Martins, Santos-Silva & Galileo, 2015: 93)
lateralis (Bates, 1861: 475)
consentaneus: Prudhomme, 1906: 37 [Mld; not Thomson, 1865]
armata Melzer, 1935: 191
gorilloides Teocchi, 1987: 26
lengii (Wickham, 1914: 265)
leucodryas (Bates, 1880: 61)
longipennis (Zajciw, 1963: 587)
longispinis (Bates, 1861: 417)
longitarsis (Bates, 1880: 58)
lotor (White, 1855: 362)
luctuosus (Bates, 1880: 60)
maccartyi (Chemsak & Hovore, 2002: 30)
maculatissimus (Bates, 1861: 219)
magnus (Marinoni & Martins, 1978: 188)
meleagris (Bates, 1861: 474)
mexicanus Martins, Santos-Silva & Galileo, 2015: 94
modestus (Gyllenhal in Schoenherr, 1817: 164)
decipiens Haldeman, 1847: 45
morrisii (Uhler, 1855: 417)
leucogenus Thomson, 1868: 148
morei (Zajciw, 1964: 70)
nearnsi (Martins & Galileo, 2010: 683)
nigricans (Lameere, 1885: 110)
nigromaculatus (Fuchs, 1962: 58)
nigropunctatus (Tippmann, 1960: 169)
nigrovittatus (Zajciw, 1969: 109)
nogueirai Heffern, Santos-Silva & Botero, 2022: 7
pantherinus (Tavakilian & Neouze, 2013: 43)
peninsularis (Horn, 1880: 116)
penrosei Chemsak & Hovore, 2002: 4
Mexico (PU)
Brazil (RO, MT), Bolivia (SC)
Brazil (BA, ES)
Brazil (AM, PA), Ecuador (Napo), Bolivia (CO)
Brazil (RO, MT), Bolivia (BN, SC)
Mexico (Jalisco, Colima)
Brazil, Paraguay, Argentina
Mexico (JA, OA)
Colombia
Brazil (BA-SC), Bolivia (SC)
Ecuador (Galapagos Islands: Chatham)
Ecuador (Galapagos Islands: Indefatigable)
Ecuador (Galapagos Islands: James)
Brazil (MG, SP)
Peru, Brazil (AM)
French Guiana, Brazil (AM), Peru, eEcuador
Brazil (MG), Peru, Bolivia (CO, SC)
Nicaragua, Costa Rica, Panama, Colombia
Bolivia (SC)
Brazil (PB, RJ-SC)
Brazil (MA, ES-RS), Bolivia (SC, TR), Chile, Paraguay,
Argentina, Uruguay
Brazil (PR-RS), Paraguay, Argentina
Brazil (AM), eEcuador, Peru, Bolivia (SC)
Brazil (GO, MA, MT), Bolivia (SC)
Bolivia (SC)
Guianas, Brazil (AM), eEcuador, Peru, Bolivia (CO, SC)
Colorado (Florissant; fossil)
eEcuador
Brazil (ES)
French Guiana, Brazil (PA, RR), eEcuador, Peru
Colombia (Boyaca), eEcuador, Peru
Brazil (PA), Peru
Brazil (MG-SC)
Mexico (JA, NAY)
Brazil (PA, MT, SP), Peru, Bolivia (CO, SC)
Bolivia (SC)
Brazil (AM, MT), Bolivia (SC), eEcuador
Mexico (GR)
eNorth America, Bahamas
eNorth America
Brazil (ES, RJ)
Bolivia (LP)
Guatemala-Panama, South America
Peru
Bolivia (CO, SC)
Brazil (PI, PE, PB, BA)
Mexico (Jalisco)
French Guiana
swUSA (AZ), Mexico (BC)
Panama, Colombia (AT, BO)

pereirai (Prosen & Lane, 1955: 136)
stygalis Tippmann, 1960: 173
peritapnioides (Linsley, 1958: 49)
peritapnoides: Noguera & Chemsak, 1996: 406 [ISS]
personatus Heffern & Santos-Silva, 2023: 346
phasianus (Bates, 1861: 473)

pigmentatus (Bates, 1861: 472)
pegmentata Zajciw, 1970: 187
pinima (Galileo & Martins, 2006: 27)
piperratus (Gahan, 1892: 262)
piraiuba (Martins & Galileo, 2003: 615)
polystictus (Bates, 1885: 379)
pseudosatellinus (Tavakilian & Neouze, 2013: 41)
purulensis (Bates, 1885: 379)
daviesi Olivier, 1800: [no 67] 104 (part)
umbratus (Bates, 1885: 379)
quadrigibbus (Say, 1831: 9)
quadrigibbus lucidus Knull, 1958: 282
ramirezi (Chemsak & Hovore, 2002: 5)
ridleyi (Waterhouse, 1894: 555)
rileyi (Tavakilian & Neouze, 2013: 39)
robustus Santos-Silva, Botero & Wappes, 2019: 30
rufitarsis (Kirsch, 1889: 41)
satellinus (Erichson, 1847: 147)
schmithi (Melzer, 1935: 193)
sexmaculatus Fuchs, 1961: 20
signatus (Gahan, 1892: 263)
socorroensis (Linsley, 1942: 84)
socorrensis: Linsley & Chemsak, 1966: 252 [ISS]
travassosi (Monné & Magno, 1992: 718)
vetustus (Bates, 1880: 58)
mimica Tippmann, 1960: 162
wappesi Galileo, Martins & Santos-Silva, 2015: 87
jameswappesi Tavakilian, 2018: 40

Aegoschema Aurivillius, 1923: 610
Aegomorphus: White, 1855: 373 [Mld; not Haldeman, 1847]

adpersum (Thomson, 1861: 337)
barnouini Tavakilian & Neouze, 2013: 53
cinereum Lane, 1938: 108
fanchonae Tavakilian & Neouze, 2013: 56
migueli Monné & Mermudes, 2007: 562
moniliferum (White, 1855: 374)
morvanae Tavakilian & Neouze, 2013: 57
obesum (Bates, 1861: 150)
peruvianum Lane, 1973: 394

Alphus White, 1855: 375
alboguttatus (Melzer, 1935: 192)
capixaba Marinoni & Martins, 1978: 179
marinonii Souza & Monné, 2013: 10
similis Martins, 1985: 178
tuberosus (Germar, 1823: 477)

Amblysaphes Bates, 1885: 381
striatus Bates, 1885: 382

Anasillus Marinoni & Martins, 1978: 183
crinitus Marinoni & Martins, 1978: 183

Brazil (GO, MA, SP)

Mexico (Revillagigedo Is.)

Mexico (Jalisco)
 Costa Rica (GU, PA), Panama, French Guiana, Brazil,
 eEcuador, Peru, Bolivia (SC)
 French Guiana, Brazil (AM)

Bolivia (SC)
 Mexico (DU)
 Argentina (SL)
 Costa Rica (PA), Panama
 French Guiana
 Guatemala, Honduras

eNAmer-TX, Mexico-Costa Rica

Mexico (SO, JA, MI)
 Brazil (Fernando de Noronha Island)
 French Guiana
 Bolivia (Santa Cruz)
 Ecuador
 Brazil (AM, MT), Peru, Bolivia (CO, SC)
 Brazil (RJ-SC)

Mexico (GR)
 Mexico (Revillagigedo Island)

French Guiana, Brazil (PA, MA, MT)
 French Guiana, Brazil (RJ-SC)

Bolivia (TR)

Brazil
 French Guiana
 Brazil (MG, ES)
 French Guiana
 Brazil (MG)
 Colombia, Fr Guiana, Brazil (SP, TO), Peru, Bolivia (PN, SC), Paraguay
 French Guiana
 French Guiana, Brazil (PA), eEcuador
 French Guiana, Peru

Panama, Brazil (ES-SC), Bolivia (SC)
 Brazil (ES)
 Peru
 Brazil, Bolivia (SC), Paraguay, Argentina
 Brazil (MG-RS), Bolivia (SC)

Guatemala, Costa Rica

Colombia, Peru

Anoreina Bates, 1861: 149

ayri Martins & Galileo, 2008: 73
biannulata (Bates, 1866: 433)
helenae Machado & Monné, 2011: 16
hirsutifrons Tavakilian & Neouze, 2013: 64
nana (Bates, 1861: 149)
piara Martins & Galileo, 2008: 72
roosevelti Machado & Monné, 2011: 20
triangularis (Martins & Galileo, 2005: 12)

Ecuador
 Brazil (AM), Peru
 Brazil (MT, RO)
 French Guiana
 French Guiana, Brazil (PA), Peru
 Brazil (PA), Bolivia (SC)
 Brazil (MT)
 Colombia, Brazil (RO)

Ateralphus Restello, Iannuzzi & Marinoni, 2001: 300

auritarsus Souza & Monné, 2013: 323
dejeani (Lane, 1973: 397)
canescens: Lacordaire, 1872: 741 [Mld; not Bates, 1862]
javariensis (Lane, 1965: 311)
diringsi Martins & Monné, 1993: 138
lucianae Souza & Monné, 2013: 327 Peru
senilis (Bates, 1862: 123)
scutellaris Bates, 1862: 123
senilis ab. *uniformis* Tippmann, 1960: 165
subsellatus (White, 1855: 375)
canescens Bates, 1862: 122

Brazil (ES)
 Brazil (BA-RS), Paraguay, Argentina
 Brazil (AM)
 Guyana, French Guiana, Brazil, Bolivia (CO, SC), Peru
 Brazil, Bolivia (SC, LP), Paraguay, Argentina

Azygocera Aurivillius, 1920: 26

Azigocera: Porter, 1932: 40 [ISS]
picturata (Fairmaire & Germain, 1860: 518)

Chile, Argentina (NE, SC)

Catuana Martins & Galileo, 2008: 508

spinicornis (Tippmann, 1960: 172)

French Guiana, Brazil (AM, PA)

Cosmotomidius Melzer, 1931: 74

cacaoensis Touroult, Tavakilian & Dalens, 2010: 199
crudiaphilus Touroult, Tavakilian & Dalens, 2010: 200
egregius (Martins & Galileo, 2007: 160)
elongatus Touroult, Tavakilian & Dalens, 2010: 196
lubricus Bezark & Santos-Silva, 2022: 1
morvanae Touroult, Tavakilian & Dalens, 2010: 198
nigrisetosus Touroult, Tavakilian & Dalens, 2010: 195
setosus (Audinet-Serville, 1835: 58)
vincus Machado & Monné, 2009: 332

French Guiana
 French Guiana
 Bolivia (SC)
 French Guiana
 Ecuador (Manabi)
 French Guiana
 French Guiana
 Brazil (ES-SC), Bolivia (SC), Paraguay, Argentina
 Bolivia (SC)

Cotycicuiara Galileo & Martins, 2008: 2

acuminata Galileo & Martins, 2012: 299
alternata Galileo & Martins, 2008: 4
bahiensis Galileo & Martins, 2008: 5
boliviana Galileo & Martins, 2008: 5
caracolensis Martins & Galileo, 2013: 322
chionea Martins & Galileo, 2010: 4
durantoni Tavakilian & Neouze, 2013: 60
guiana Galileo & Martins, 2012: 300
latifascia Galileo & Martins, 2008: 8
lingafelteri Wappes & Santos-Silva, 2020: 2
magnifica Galileo & Martins, 2011: 330
multicava Martins & Galileo, 2010: 2
multifasciata Galileo & Martins, 2008: 3
nivaria Martins & Galileo, 2010: 4
oioepe Martins & Galileo, 2010: 1
pertusa Martins & Galileo, 2010: 2
v-album Galileo & Santos-Silva, 2016: 221
venezuelensis Galileo & Martins, 2008: 4

Panama, Colombia (Bolívar)
 French Guiana, Brazil (PA, RJ, SP, SC), Paraguay
 Brazil (BA)
 Bolivia (SC)
 Brazil (Piauí)
 Brazil (ES, MG, RJ, PR)
 French Guiana
 French Guiana
 Bolivia (SC)
 Panama (Panama)
 French Guiana, Brazil (AM)
 Brazil (MG)
 Brazil (MS, MT, MG)
 Brazil (BA, ES, MG)
 Trinidad & Tobago, French Guiana
 Brazil (ES, RJ, SC)
 Brazil (BA)
 Venezuela

- wappesi** Galileo, Martins & Santos-Silva, 2014: 82
Bolivia (SC)
- Cotyzineus** Martins & Galileo, 2007: 162
bruchi (Melzer, 1931: 195)
Bolivia (SC), Argentina, Uruguay
- Criopsis** Thomson, 1861: 341
curta Thomson, 1861: 342
Brazil (MG-SC), Paraguay
- Discopus** Thomson, 1864: 17
antennatus (Guérin-Ménéville, 1855: 599)
buckleyi Bates, 1880: 254
comes Bates, 1880: 254
eques Bates, 1880: 253
aeques: Soukup, 1942: 309 [ISS]
patricius Bates, 1880: 254
princeps Bates, 1880: 255
spectabilis (Bates, 1861: 476)
Peru
eEcuador
Colombia, eEcuador
Peru
Ecuador, Peru
Peru
Brazil (AM), Peru
- Dryoctenes** Audinet-Serville, 1835: 27
scrupulosus (Germar, 1823: 470)
caliginosus Audinet-Serville, 1835: 28
scropulosus: Ferreira, Condutta & Martins, 1997: 53 [ISS]
Costa Rica (PA), Panama, South America
- Dufauxia** Lane, 1955: 293
feuilleti Tavakilian & Neouze, 2013: 69
guaicurana Lane, 1955: 294
kourouana Lane, 1970: 395
simplex Martins & Galileo, 2003: 616
thomasi Martins & Galileo, 2007: 160
trichocera Monné & Magno, 1990: 687
zikani Lane, 1970: 394
French Guiana
Brazil (RO, MT, SP), Bolivia (BN, SC), Paraguay
French Guiana, eEcuador
Paraguay
Bolivia (SC)
Brazil (RO)
Brazil (BA-ES)
- Eupromerella** Fisher, 1938: 147
clavator (Fabricius, 1801: 291)
fascialis White, 1855: 361
fuscicollis (Bates, 1861: 216)
fusicollis: Giuglaris, 2012: 63 [ISS]
gallardi Tavakilian & Neouze, 2013: 49
griseofasciata (Fuchs, 1958: 55)
curvistriata Tippmann, 1960: 175
inaequalis (Galileo & Martins, 2011: 177)
leucogaea (Erichson, 1847: 143)
virescens Fuchs, 1962: 323
maculata Martins, Galileo & de-Oliveira, 2009: 516
minima (Bates, 1861: 217)
nigroapicalis (Aurivillius, 1916: 356)
nigroocellata (Tippmann, 1960: 170)
orbifera (Aurivillius, 1908: 9)
picturata Martins, Galileo & de-Oliveira, 2009: 515
plaumanni (Fuchs, 1958: 59)
plaumani: Wappes, Morris, Nearn & Thomas, 2006: 33 [ISS]
propinqua (Melzer, 1931: 61)
pseudopropinqua (Fuchs, 1958: 60)
quadrutuberculata (Zajciw, 1964: 160)
semigrisea (Bates, 1861: 217)
travassosi (Melzer, 1935: 195)
versicolor (Melzer, 1935: 190)
brasiliensis Fisher, 1938: 148
French Guiana, Brazil (AM, PA, MT), eEcuador, Peru,
Bolivia (CO, LP, SC)
Panama, Brazil (PA, AM, MT, GO), Bolivia (SC)
French Guiana
Brazil (MG, SC, RS), Paraguay
Bolivia (SC)
Peru
Brazil (MA), Bolivia
Brazil (PA, RO), Bolivia (SC)
Brazil (ES, RJ)
Peru, Bolivia (BN, CO, SC)
Colombia, Brazil (AM), eEcuador, Peru, Bolivia (SC)
Brazil (MA), Paraguay
Brazil (MS, SC), Bolivia (SC)
Brazil (MG-SC), Bolivia (SC), Paraguay
Peru, Bolivia (SC, TR), Paraguay, Argentina
Brazil (ES)
Brazil (MG-SC)
Brazil (RJ)
Brazil (SC)

Exalphus Restello, Iannuzzi & Marinoni, 2001: 296.

- aurivillii** (Lane, 1970: 389)
biannulatus (Aurivillius, 1921: 50)
cavifrons (Bates, 1872: 200)
 cavifrons var. *batesi* Aurivillius, 1923: 379
 cavifrons var. Bates, 1880: 136, pl.11, fig.1
 calvifrons: Souza & Monné, M.L., 2014: 22 [ISS]
cicatricornis Schmid, 2014: 328
colasi (Lane, 1965: 305)
confusus Restello, Iannuzzi & Marinoni, 2001: 298
docquini Tavakilian & Neouze, 2013: 65
foveatus (Marinoni & Martins, 1978: 178)
gounellei (Lane, 1973: 398)

guaraniticus (Lane, 1955: 292)
leuconotus (Thomson, 1860: 10)
lichenophorus (Lane, 1965: 309)
malleri (Lane, 1955: 287)
simplex (Galileo & Martins, 1998: 152)
solangae Santana & Monné, 2014: 21
spilonotus Restello, Iannuzzi & Marinoni, 2001: 298
vicinus Galileo & Martins, 2003: 262
zelligori (Lane, 1955: 290)

Guyana, French Guiana, Brazil (AP, PA)
 eEcuador, Peru, Brazil (MT), Bolivia (BN, SC)
 Honduras, Guatemala-Panama, Colombia, Ecuador

Ecuador, Brazil (AM)
 French Guiana, Brazil (GO, RO)
 Brazil (BA, MG)
 French Guiana
 Panama, French Guiana, Brazil, Bolivia (SC)
 Brazil (RO), Ecuador, Bolivia, Paraguay, Argentina

French Guiana, Brazil, Bolivia (TR), Paraguay, Argentina
 Brazil, Argentina
 Guyana, French Guiana
 French Guiana, Brazil, Ecuador, Peru, Bolivia, Venezuela
 Ecuador
 Brazil (Amazonas)
 Brazil (AM, PA, RO, MG)
 Colombia
 Brazil (RJ, SP)

Formozotroctes Tavakilian & Neouze, 2007: 9

- toulgoeti** Tavakilian & Neouze, 2007: 10

French Guiana

Grandateralphus Souza, Monné & Marinoni, 2017: 9

- lacteus** (Galileo & Martins, 2006: 28)

- tumidus** (Souza & Monné, 2013: 311)
variegatus (Mendes, 1938: 120)

French Guiana, Venezuela, Brazil (AM, MT),
 Bolivia (SC, CO)
 Brazil (PR, SP, SC), Argentina
 French Guiana, Brazil (MG, ES, RJ, SP, PR),
 Bolivia (SC), Paraguay, Argentina

Hedypathes Thomson, 1864: 17

- betulinus** (Klug, 1825: 462)
 vidua Vigors, 1826: 239
curvatocostatus Aurivillius, 1923: 470
 malleri Fuchs, 1970: 109
juninensis Audureau, 2017: 3
monachus (Erichson in Schomburg, 1848: 573)
 albus Thomson, 1865: 543

Brazil (BA-RS), Paraguay, Argentina

Brazil (MG-SP)

Peru (JU)
 Guyana, French Guiana, Brazil (AM, MG)

Irundisaua Martins & Galileo, 2005: 15

- Natagaima* Lane, 1972: 367 (preoccupied; Beier, 1960 Tettigoniidae)
balteata (Lane, 1972: 368)
forsteri (Tippmann, 1960: 168)
heloisae (Julio, 2003: 80)
moacyri (Julio, 2003: 78)
ocularis Martins & Galileo, 2005: 15
punctata Martins & Galileo, 2007: 160
ucayalensis (Tippmann, 1960: 168)

Colombia
 eEcuador, Peru, Brazil (AM)
 eEcuador
 Colombia
 Colombia, Bolivia
 Colombia
 Brazil (AM), Ecuador, Peru

Itajutinga Martins, 1981: 213

- difficilis** Martins, 1981: 214

Brazil (GO, MA, MT, SP), Bolivia (SC)

Macronemus Dejean, 1835: 337

- Aethomerus* Thomson, 1861: 338
nalis (Pascoe, 1866: 281)

Brazil

- antennator** (Fabricius, 1801: 288)
asperulus White, 1855: 376
 verrucosus Pascoe, 1866: 281
 antennator: Bates, 1872: 206 [Mld; not Fabricius, 1801]
fabricii Tavakilian & Neouze, 2013: 67
filicornis (Thomson, 1861: 338)
 cretatus Pascoe, 1866: 281
giuglarisi Machado & Monné, 2013: 166
mimus Machado & Monné, 2013: 168
rufescens (Bates, 1862: 119)
waxrasapa Perger & Santos-Silva, 2018: 376
- Suriname, French Guiana, Brazil (AP)
 Mexico (VC)-Panama, Colombia (Bolívar), Venezuela,
 Ecuador, Bolivia (SC)
- French Guiana
 French Guiana, Brazil (MG-RS), Paraguay, Argentina
- French Guiana, Brazil (AP, AM)
 Brazil (BA-SC)
 French Guiana, Brazil (PA, RO)
 Bolivia (LP)
- Megamiros** Audureau, 2013: 33
muzoensis Audureau, 2013: 34
- Colombia
- Meridiotroctes** Martins & Galileo, 2007: 188
bicristatus Machado & Monné, 2009: 68
meridionale Martins & Galileo, 2007: 190
obliquus Martins, Galileo & Santos-Silva, 2015: 285
truncatus Galileo & Martins, 2011: 176
- Brazil (RJ)
 Brazil (RJ, SC, SP)
 Brazil (BA)
 Brazil (BA)
- Miguelmonneus** Silva Júnior, Haseyama & Souza, 2021: 9
insolitus (Monné, 2001: 1)
 inopinatus: Monné, 2001: fig. 1 [IE]
 plamani: Wappes, Morris, Nearn & Thomas, 2006: 33 [ISS]
- Brazil (AP)
- Miriochrus** Galileo & Martins, 2012: 66
minimus Galileo & Martins, 2012: 67
- Paraguay
- Mundeu** Martins & Galileo, 2008: 508
maculicollis (Bates, 1861: 217)
- French Guiana, Brazil (AM, PA)
- Myoxinus** Bates, 1862: 120
Mysopsis Thomson, 1864: 16
asper Bates, 1880: 136
pictus (Erichson, 1847: 144)
- Mexico (VC, YU)-Nicaragua
 Mexico (VC, TB)-Panama, Colombia, Brazil, Peru, Bolivia
- Myoxomorpha** White, 1855: 355
alvarengorum Monné & Magno, 1990: 689
 rondonensis Galileo & Martins, 2011: 178
funesta (Erichson in Schomburg, 1848: 573)
 venezuelae Fisher, 1944: 11
seabrai Marinoni & Dalossi, 1971: 190
vidua Lacordaire, 1872: 746
- French Guiana, Brazil (AM, MT, RO)
- Panama, Venezuela, Fr Guiana, Suriname, Peru, Brazil,
 Bolivia (BN, PN, SC), Paraguay
 Brazil (PA, RO, MT)
 French Guiana, Brazil, Paraguay
- Necalphus** Lane, 1970: 393
asellus (Pascoe, 1866: 282)
 ascellus: Gilmour, 1965: 607 [ISS]
decoratus (Monné & Magno, 1992: 717)
 maranduba Galileo & Martins, 2003: 263
- Colombia
- Colombia, Brazil (PA, MT), eEcuador
- Nesozineus** Linsley & Chemsak, 1966: 229
Grossmannia Lane, 1977: 3
alphoides (Lane, 1977: 5)
 confusus Marinoni & Martins, 1978: 181
amazonicus Martins & Galileo, 2010: 682
apharus Galileo & Martins, 1996: 43
armatus Galileo & Martins, 1996: 42
ateuchus Galileo & Martins, 1996: 42
- Brazil (PE, BA, ES, SP)
- French Guiana, Brazil (AM)
 Brazil (MA, PI), Venezuela, Bolivia (SC)
 wEcuador
 Venezuela

bisignatus Hoffmann, 1984: 543

bucki (Breuning, 1954: 23)

clarkei Galileo & Martins, 2007: 632

fraterculus Hoffmann, 1984: 544

galapagoensis galapagoensis (Van Dyke, 1953: 136)

subsp. **variabilis** Linsley & Chemsak, 1966: 231

subsp. **williamsi** (Van Dyke, 1953: 137)

giesberti Galileo & Martins, 2007: 632

granosus Galileo & Martins, 1996: 44

griseolus Hoffmann, 1984: 539

griseomaculatus Tavakilian & Neouze, 2013: 63

juninensis (Lane, 1970: 392)

kawensis Tavakilian & Neouze, 2013: 61

larrei Tavakilian & Neouze, 2013: 62

lineolatus Galileo & Martins, 1996: 43

marmoratus Galileo & Martins, 1996: 44

morrisi Wappes & Santos-Silva, 2020: 4

obscurus Hoffmann, 1984: 541

osorioensis Galileo & Martins, 2012: 221

peruanus Galileo & Martins, 2007: 631

probolus Galileo & Martins, 1996: 45

propinquus Hoffmann, 1984: 542

puru Galileo & Martins, 2007: 632

simile Galileo & Martins, 2006: 28

triangulus Bezark & Santos-Silva, 2022: 4

trivialis Galileo & Martins, 1996: 45

unicolor Martins, Galileo & Limeira-de-Oliveira, 2009: 517

wappesi Galileo, Martins & Santos-Silva, 2014: 86

zonatus Galileo & Martins, 1996: 42

Brazil (PE, BA)

Mexico-Panama, Venezuela, Brazil, Bolivia (BN, SC),
Paraguay, Argentina

Ecuador, Peru, Bolivia (SC), Brazil (MA)

Venezuela

Ecuador (Galapagos Islands: Isabela (Albemarle))

Ecuador (Galapagos Islands: Santa Cruz)

Ecuador (Galapagos Islands: St. James)

Panama

wEcuador

Venezuela, Brazil (MA, PB)

French Guiana

Peru, Bolivia (SC)

French Guiana

French Guiana

Brazil (RO, MS, MA, AL, SE, BA, SP)

Venezuela, Colombia

Bolivia (Santa Cruz)

Brazil (BA), Paraguay (AP), Argentina (CH, FO, SE)

Brazil (RS)

Peru

wEcuador, Peru

Venezuela

Bolivia (SC)

Brazil (MA, SP), Bolivia (SC, TR)

Ecuador (Manabi)

Mexico, CR (GU), Panama, Brazil, Bolivia (SC, TR), Paraguay (MI)

Brazil (MA)

Bolivia (SC)

Brazil (SP)

Noxnympha Nascimento, Santos-Silva & Barclay, 2019: 706

eris Nascimento, Santos-Silva & Barclay, 2019: 707

Brazil (ES)

Octotapnia Galileo & Martins, 1992: 61

ceiaca Galileo & Martins, 1998: 151

exotica Galileo & Martins, 1992: 62

mucunaca Galileo & Martins, 1998: 150

persona Dalens, 2016: 1

Brazil (MG), Bolivia (SC)

Paraguay, Bolivia (SC)

Brazil (RO)

French Guiana

Oplosia Mulsant, 1863: 300

Hoplosia Fairmaire, 1864: 158 [UE]

Lepargus Schiødte, 1864: 512

nubila (LeConte, 1862: 39)

eNorth America

Ozotroctes Bates, 1861: 478

ogeri Tavakilian & Neouze, 2007: 4

punctatissimus Bates, 1861: 478

vassali Tavakilian & Neouze, 2007: 3

French Guiana, Brazil (AM)

French Guiana, Brazil (PA), eEcuador

French Guiana

Paradiscopeus Schwarzer, 1930: 109

maculatus Schwarzer, 1930: 110

monteverdensis Vlasak, 2016: 2

Costa Rica

Costa Rica (PU)

Penaherreraus Roguet, 2004: 90 [RN]

Pycnomorphus Thomson, 1864: 15 [JH; not Motschulsky, 1858, Zopheridae]

batesi (Tavakilian & Peñaherrera-Leiva, 2003: 15)

bilineatus (Aurivillius, 1921: 51)

birai Heffern & Santos-Silva, 2023: 559

centrolineatus (Bates, 1862: 122)

Nicaragua, Costa Rica (GU, PA), Panama

Venezuela

Brazil (Amazonas)

Trinidad, Colombia, Venezuela, Suriname, French Guiana,

guianensis (Tavakilian & Peñaherrera-Leiva, 2003: 10)
pradosiae (Tavakilian & Peñaherrera-Leiva, 2003: 13)
pubicornis (Audinet-Serville, 1835: 21)
sarryi (Tavakilian & Peñaherrera-Leiva, 2003: 12)

Brazil (AM, AP, PA), Bolivia (SC)
 French Guiana, Brazil (RR)
 French Guiana
 Brazil (PE-RS), Paraguay, Argentina
 French Guiana, Bolivia (SC)

Peritapnia Horn, 1894: 402

fabra Horn, 1894: 404
wickhami Leng in Leng & Hamilton, 1896: 114
minima Chemsak & Linsley, 1978: 26
nudicornis: Horn, 1894: 403 [Mld; not Bates, 1885]
nudicornis (Bates, 1885: 421)
pilosa Chemsak & Linsley, 1978: 26

swUSA (AZ), Mexico (BC)
 Mexico (BC)
 Mexico (OA, VC)
 Mexico (JA, OA)

Plagiosarus Bates, 1880: 144

binoculus Bates, 1880: 144
literatus Bates, 1885: 382
melampus melampus Bates, 1885: 383
 subsp. **var. congestus** Bates, 1885: 383
transversus Vlasak & Santos-Silva, 2023: 2

Mexico (VC)
 Mexico (VC), Guatemala
 Guatemala, Costa Rica, Panama
 Panama
 Costa Rica (Puntarenas)

Plistonax Thomson, 1864: 19

Melzerus Monné, 2005: 179
Idiomerus Melzer, 1934: 98 [JH, not Imms, 1912, Collembola]
albicans Nascimento, Botero & Santos-Silva, 2024: 8
albituberculatus Silva Júnior & Souza, 2019: 393
albolinitus (Bates, 1861: 471)
multipunctatus Thomson, 1864: 19
antonkozlovi Santos-Silva, Nascimento & Silva Júnior, 2020: 547
ariasi Chemsak & Hovore, 2002: 11
bialbomaculatus (Zajciw, 1964: 159)
difficilis (Melzer, 1934: 98)
minutus Fuchs, 1959: 57
hefferi (Audureau, 2017: 2)
inopinatus Lane, 1960: 47
albolinitus: Zikán & Zikán, 1944: 34 [Mld; not Bates, 1861]
pictus (Galileo & Martins, 2012: 65)
rafaeli Martins & Galileo, 2006: 270
senecauxi Tavakilian & Neouze, 2013: 48
signatifrons (Zajciw, 1964: 162)

Brazil (Acre)
 Colombia (Atlántico), Brazil (BA, RJ)
 French Guiana, Brazil (AP, AM, PA)
 Panama (Ngöbe-Buglé)
 Costa Rica, Panama
 Colombia, French Guiana, Peru, Bolivia (SC)
 Brazil (GO, MG-RS), Ecuador, Bolivia (BN, SC), Paraguay
 Colombia
 Brazil (BA-SC)
 Nicaragua (Rio San Juan), Costa Rica (PU), Panama
 French Guiana, Brazil (AM)
 French Guiana
 wEcuador

Psapharoctes Tavakilian & Neouze, 2007: 19

fanchonae Tavakilian & Neouze, 2007: 19
hermieri Tavakilian & Neouze, 2007: 23

French Guiana, Peru
 French Guiana, Brazil (PA, PE)

Pseudaethomerus Tippmann, 1953: 339

lacordairei (Bates, 1862: 120)
maximus Tippmann, 1953: 339

French Guiana, Brazil (AM), eEcuador
 Guatemala-Panama, Fr Guiana, Brazil (AM), Bolivia

Pseudotapnia Chemsak & Linsley, 1978: 28

curticornis Chemsak & Linsley, 1978: 28

Panama

Pteridotelus White, 1855: 356

laticornis White, 1855: 356
hematopus Lameere, 1884: 109
haematopus Aurivillius, 1923: 383
pupillatus Lacordaire, 1872: 752

Venezuela

Mexico (YU)

Punctozotroctes Tavakilian & Neouze, 2007: 11

- bolivianus** Martins & Galileo, 2007: 187 Bolivia (SC)
chemsaki Tavakilian & Neouze, 2007: 14 French Guiana
feuillei Tavakilian & Neouze, 2007: 15 French Guiana
guianensis Tavakilian & Neouze, 2007: 11 French Guiana
hovorei Tavakilian & Neouze, 2007: 16 French Guiana, Brazil (PA)
inhamum Martins, Galileo & Limeria-de-Oliveira, 2009: 241 Brazil (MA)
hovorei: Martins & Galileo, 2007: 188 [Mld; not Bates, 1862]
nordestinus Martins & Galileo, 2007: 188 Brazil (PE)
tavakiliani Wappes, Galileo & Santos-Silva, 2017: 84 Peru (San Martin)
tuberculatus Galileo & Martins, 2011: 177 Brazil (RO)
wappesi Tavakilian & Neouze, 2007: 13 French Guiana

Pycnomorphidiellus Tavakilian & Peñaherrera-Leiva, 2003: 16

- polyphagus** Tavakilian & Peñaherrera-Leiva, 2003: 16 French Guiana

Pyrianoreina Martins & Galileo, 2008: 70

- hovorei** Martins & Galileo, 2008: 70 Bolivia (SC)
piranga Martins & Galileo, 2008: 70 Ecuador, Bolivia (SC)

Santossilvaicus Audureau, 2024: 149

- mexicanus** Audureau, 2024: 150 Mexico (Coahuila)

Scleronotus White, 1855: 364

- angulatus** Aurivillius, 1916: 357 Peru, Bolivia
anthribiformis Aurivillius, 1916: 356 Brazil
egensis (White, 1855: 364) Brazil (AM), eEcuador
egaensis Bates, 1861: 216
flavosparsus Melzer, 1935: 195 Brazil (SP)
hirsutus Julio, 1998: 7 Brazil (SC)
monticellus Julio, 1998: 6 Brazil (AM)
scabrosus Thomson, 1861: 341 Brazil (ES-RS)
stigosus Julio, 1998: 5 Brazil (SP, RJ)
stupidus Lacordaire, 1872: 755 Brazil (MG, RJ)
tricarinatus Julio, 1998: 3 Brazil
virgatus Martins, Santos-Silva & Galileo, 2015: 90 Venezuela

Scythropopsis Thomson, 1864: 20

- abstersa** (Bates, 1880: 60) Colombia
albitarsis (Laporte, 1840: 461) Brazil (ES-RS), Paraguay, Argentina
barrerai (Chemsak & Hovore, 2002: 13) Mexico (QU, HI, VC)
boucheri Tavakilian & Neouze, 2013: 52 French Guiana
cornuta (Bates, 1880: 142) Guatemala, Honduras
granitica Vlasak & Santos-Silva, 2020: 456 wEcuador (Pichincha)
intricata Santos-Silva, Botero & Wappes, 2019: 15 Mexico (Chiapas)
lacrymans (Thomson, 1864: 544) Mexico (MO, OA, PU)
lachrymosus Bates, 1880: pl.11, fig.6
lugens (Thomson, 1865: 543) Mexico (ME, PU, VC)
melanostictica (White, 1855: 361) Brazil
contaminatus Thomson, 1865: 543
melanosticta: Gemminger in Gemminger & Harold, 1873: 3146 [ISS]
nigritarsis (White, 1855: 363) Mexico (OA, CHA), Guatemala, Honduras, Costa Rica
sylvanus Bates, 1880: 141
pupillata (Bates, 1880: 60) Colombia
roraimensis Nascimento, Botero & Santos-Silva, 2024: 5 Brazil (Roraima)
sallei (Thomson, 1865: 543) Mexico (VC)
sallaei: Bates, 1880: 141 [ISS]
tysoni Bezark, Botero & Santos-Silva, 2022: 2 Guatemala (Quetzaltenango)
variegata Vlasak & Santos-Silva, 2022: 254 Ecuador (Napo)
wappesi (Chemsak & Hovore, 2002: 7) Mexico (TA), Guatemala

Sorelia Lane, 1965: 301**ferruginea** Fuchs, 1964: 9**cervina** Lane, 1965: 301

French Guiana, Brazil (GO, TO), Ecuador

Spinozotroctes Tavakilian & Neouze, 2007: 5**seraisorum** Tavakilian & Neouze, 2007: 5**thouvenoti** Tavakilian & Neouze, 2007: 6

French Guiana

French Guiana

Steirastoma Lacordaire, 1830: 180*Stirastoma* Gemminger & Harold, 1873: 3143 [UE]*Paraberningerus* Breuning, 1975: 9**acutipenne** Sallé, 1856: 691**aethiops** Bates, 1862: 399**albiceps** Bates, 1872: 207**anomala** Bates, 1880: 138**breve** (Sulzer, 1776: 45)**carinatus** Voet, 1778: 15**depressus** Fabricius, 1781: 214**coenosa** Bates, 1862: 398**genisspina** Schwarzer, 1923: 259**histrionica** White, 1855: 354**larva** Thomson, 1860: 6**liturata** Bates, 1885: 378**lycaon** Pascoe, 1866: 279**marmorata** (Thunberg, 1822: 307)**manuelata** Germar, 1823: 480**lacerta** Laporte, 1840: 461**melanogenys** White, 1855: 355**meridionale** Aurivillius, 1908: 9**depressum**: Heyne & Taschenberg, 1906: 243 [Mld; not Fabricius, 1781]**heros** Colas, 1952: pl.8**poei** Chevrolat, 1862: 246**pustulata** (Drury, 1773: 64)**cancriformis** Fabricius, 1775: 165**senex** White, 1855: 353**stellio** Pascoe, 1866: 280**schmitzi** Breuning, 1975: 9**thunbergii** Thomson, 1865: 543**thunbergii** Thomson, 1865: 543 [IOS]**thunbergii**: Lacordaire, 1872: 749 [ISSPU]**thunbergi**: Gemminger in Gemminger & Harold, 1873: 3144 [ISS]**zischkai** Prosen, 1958: 73

Hispaniola

Colombia, Brazil (AM), eEcuador, Peru, Bolivia (BN, SC)

Nicaragua, Costa Rica

Mexico (PU, JA, CM, GR)

Costa Rica-West Indies, South America

Costa Rica, Panama, Colombia, eEcuador,

Brazil (MA, PA), Bolivia (CO, SC)

Fr Guiana, Brazil, eEcuador, Bolivia (SC)

Mexico (ME, VC) - Panama, Colombia, wEcuador

Honduras, Guatemala-Panama

Colombia

Brazil (BA-RS), Paraguay, Argentina,

Uruguay

Honduras-nSouth America

Brazil (MG-RJ)

Cuba

Jamaica

Mexico (PU, VC)-Panama

Costa Rica (GU, LI, PA, SJ), Panama,

South America (widely distributed)

Brazil (SP-RS), Uruguay

Bolivia

Sychnomerus Bates, 1885: 380**barbiger** Bates, 1885: 381**hirticornis** Bates, 1885: 381

Guatemala, Honduras

Mexico (CHS), Guatemala

Symperasmus Thomson, 1864: 19**affinis** Thomson, 1865: 544**flexistigma** Bates, 1880: 61**alboniger** (Bates, 1861: 218)**albomaculatus** Fuchs, 1963: 10**griseomaculata** Zajciw, 1971: 306**thoracicus** (White, 1855: 359)**thomicus** Thomson, 1864: 19**uyapensis** Martins & Galileo, 2003: 616

French Guiana, Brazil (AM, RO, PA)

Brazil (AM, PA), eEcuador, Bolivia (SC), Peru, Bolivia

French Guiana, Brazil (PA), eEcuador, Peru, Bolivia

Taurorcus Thomson, 1857: 186*Taurorgus* Gemminger & Harold, 1873: 3147 [UE]**chabrillacii** Thomson, 1857: 187**mourei** Marinoni, 1969: 60

Brazil (MG-RS), Argentina (MI)

Brazil (PR, RS)

Tetrasarus Bates, 1880: 142**albescens** Bates, 1880: 143**callistus** Bates, 1880: 143**formosus** Bates, 1885: 382**inops** Bates, 1880: 142**lezamai** Chemsak & Hovore, 2002: 18**nanus** Chemsak & Hovore, 2002: 21**pictulus** Bates, 1880: 143*quadriscopulatus*: Bates, 1872: 208 [Mld; not Thomson, 1868]**plato** Bates, 1885: 382**quadriscopulatus** (Thomson, 1868: 146)**similis** Chemsak & Hovore, 2002: 22

Mexico (OA)

Guatemala, El Salvador

Costa Rica, Panama

Mexico (OA, CHS), Guatemala, Honduras

Costa Rica

Guatemala

Mexico-Costa Rica

Mexico (CHS), Guatemala

Guatemala

Panama

Trichoanoreina Julio & Monné, 2005: 446**albomaculata** Julio & Monné, 2005: 447**panamensis** Wappes & Santos-Silva, 2020: 6

Brazil (ES, SP)

Panama (Panama)

Urangaua Martins & Galileo, 2008: 510**analís** (Melzer, 1935: 192)**subanalís** (Zajciw, 1964: 163)

Brazil (SP-SC), Paraguay, Argentina

Brazil (MG, SP)

Wappesicus Santos-Silva & Nascimento, 2019: 3**wappesi** Santos-Silva & Nascimento, 2019: 3

Bolivia (SC)

Zikanita Lane, 1943: 261*Acanthoderes* (*Trichacanthoderes*) Tippmann, 1960: 176**argenteofasciata** (Tippmann, 1960: 178)**biocellata** (Tippmann, 1960: 177)**diversicornis** Nascimento, Santos-Silva & Barclay, 2019: 717**monnei** Noguera & Gutierrez, 2019: 10**perpulchra** Lane, 1943: 262**plumbea** Machado & Monné, 2011: 66

Peru, Brazil (MA)

eEcuador, Peru, Bolivia (SC)

Brazil (SP)

Mexico (Chiapas)

Brazil (BA, ES, MG-SP)

Brazil (MT, GO)

Acanthomerosternoplonini Tippmann, 1955: 10**Omosarotes** Pascoe, 1860: 131*Acanthomerosternoplon* Tippmann, 1955: 10*Cyrtinacantha* Zajciw, 1970: 349**ater** Julio & Monné, 2001: 104**foxi** (Lane, 1973: 391)**nigripennis** (Zajciw, 1970: 346)**paradoxum** (Tippmann, 1955: 12)*mirabilis* Zajciw, 1970: 350**singularis** Pascoe, 1860: 131

wEcuador

Brazil

Brazil (ES)

Panama, Ecuador, Peru, Brazil (PA)

Costa Rica, Panama, Brazil (PA)

Scopadus Pascoe, 1857: 100**charynae** Santos-Silva & Nascimento, 2019: 7**ciliatus** Pascoe, 1857: 100**selkingi** Heffern, Santos-Silva & Nascimento, 2021: 375

French Guiana, Bolivia (Beni), Peru (Junin)

French Guiana, Brazil (AM)

Panama (Bocas del Toro)

Acrocinini Swainson 1840: 287**Acrocinus** Illiger, 1806: 247*Macropus* Thunberg, 1805: 282 [JH; not Shaw, 1790, Mammalia]**longimanus** (Linnaeus, 1758: 388)*pictus* Leach, 1815: 84

Mexico (VC, ME) - Panama, South America

Macropophora Thomson, 1864: 15*Macropus* Audinet-Serville, 1835: 18 (not Shaw, 1790, Mammalia; not Thunberg, 1805, Cerambycidae)**accentifer** (Olivier, 1795: [no 66] 8)**lacordairei** Lepesme, 1946: 491

Brazil, Bolivia (BN, SC), Paraguay, Uruguay, Argentina

Colombia, French Guiana, Brazil (AM),

eEcuador, Peru, Bolivia (CO, SC)

South America

trochlearis (Linnaeus, 1758: 389)*depressus* Linnaeus, 1758: 390*flavimacula* Voet, 1778: 16*lepturoides* von Schreber, 1759: 83*tuberculatus* Fabricius, 1798: 143**worontzowi** Lane, 1938: 49

French Guiana, Brazil (AM, MT), Bolivia (PA)

Oreodera Audinet-Serville, 1835: 19**achatina** Erichson, 1847: 143*lacteostrigata* Bates, 1861: 52**adornata** Martins & Galileo, 2005: 14**advena** Martins & Galileo, 2005: 14**aerumnosa** Erichson, 1847: 142*remota* Pascoe, 1859: 29*acrumnosa*: Dall'Oglio & Peres Filho, 1997: 51 [ISS]**aestiva** Neouze & Tavakilian, 2010: 47**affinis** Gahan, 1892: 262**aglaia** Monné & Fragoso, 1988: 831**albata** Villiers, 1971: 349**albicans** Monné & Fragoso, 1988: 812**albilatera** Martins & Monné, 1993: 136**aliciae** McCarty, 2005: 83**amabilis** Monné & Fragoso, 1988: 826**antonkozlovi** Santos-Silva & Botero, 2016: 423**basicretata** Neouze & Tavakilian, 2010: 44**basipenicillata** Tippmann, 1960: 159**basiradiata** Tippmann, 1960: 161**beneluzi** Neouze & Tavakilian, 2010: 67**bituberculata** Bates, 1861: 51**boliviana** Tippmann, 1960: 159**boucheri** Neouze & Tavakilian, 2010: 59**brailovskyi** Chemsak & Noguera, 1993: 96**c-album** Bates, 1872: 204**candida** Marinoni & Martins, 1978: 177**cangaceira** Nascimento, Rodrigues de Sousa & Bravo, 2021: 2490**canotogata** Bates, 1872: 203**casariae** Martins, Santos-Silva & Galileo, 2015: 91**charisoma** Lane, 1955: 285*grossa* Tippmann, 1960: 157**chemsaki** McCarty, 2001: 16**cinerea** Audinet-Serville, 1835: 20*angustata* Melzer, 1932: 423**clarkei** Galileo, Santos-Silva & Wappes, 2017: 455**cocoensis** (Linsley & Chemsak, 1966: 243)**copei** McCarty, 2001: 18**corticina** Thomson, 1865: 542**costaricensis** Thomson, 1865: 542**cretata** Bates, 1861: 148

Peru, Brazil (AM)

Colombia

Colombia (Boyaca, Huila), Ecuador

Panama, South America (widely distributed)

French Guiana

Guatemala

eEcuador

Panama, French Guiana, Peru

French Guiana, Brazil (RO, MT), Bolivia (PA)

Costa Rica (LI, PA), Panama, Colombia, wEcuador

Costa Rica (GU, PA), Panama

Brazil (MT)

wEcuador

French Guiana

French Guiana, eEcuador, Bolivia (SC)

French Guiana, Brazil

French Guiana

Colombia, Guianas, Brazil (AC, AM, MA), eEcuador,

Peru, Bolivia (BN, CO, SC), Paraguay

Bolivia (SC)

French Guiana, Peru

Mexico (JA)

Nicaragua, Costa Rica, Panama, Venezuela

Brazil (BA, PE-PR)

Brazil (Sergipe)

Nicaragua, Costa Rica, Panama

Panama

Brazil (BA, RJ-SP)

Guatemala

Brazil (ES-RS)

Bolivia (SC)

Costa Rica (Cocos Island)

Mexico (MO, GU)

Mexico (VC)-Honduras

El Salvador-Panama, Colombia, eEcuador

French Guiana, Brazil (PA), Ecuador, Bolivia (SC)

- cretifera** Pascoe, 1859: 29
crinita Monné & Fragoso, 1988: 815
curiosa Galileo & Martins, 2007: 583
curvata Martins & Monné, 1993: 134
dalensi Tavakilian & Neouze, 2011: 74
durantoni Neouze & Tavakilian, 2010: 53
exigua Monné & Fragoso, 1988: 820
fasciculosa Thomson, 1865: 542
 hispida Bates, 1880: 135
feuilletti Neouze & Tavakilian, 2010: 45
flavopunctata Fuchs, 1958: 54
fluctuosa Bates, 1861: 50
 kahli Williams, 1928: 222
forsteri Tippmann, 1960: 158
glauca glauca (Linnaeus, 1758: 390)
 tuberculata Degeer, 1775: 112
 spengleri Fabricius, 1776: 231
 punctata Voet, 1778: 16
 rudis Olivier, 1792: 461
 scabra Fabricius, 1792: 274
 literata Donovan, 1813: 15
 subsp. **jamaicensis** Fisher, 1942: 26
 subsp. **pacifica** Chemsak & Linsley, 1978: 140
goudoti (White, 1855: 370)
granulifera Bates, 1872: 205
 pulcherrima Monné & Fragoso, 1988: 821
granulipennis Zajciw, 1963: 426
graphiptera Bates, 1885: 376
griseozonata Bates, 1861: 149
hassenteufeli Fuchs, 1959: 56
hoffmanni (Thomson, 1860: 28)
 lateralis Lacordaire, 1872: 735
 hoffmanni: Gemminger in Gemminger & Harold, 1873: 3140 [ISS]
hovorei Neouze & Tavakilian, 2010: 63
howdeni Monné & Fragoso, 1988: 818
inscripta Bates, 1872: 205
 inscriptipennis Bates, 1880: pl.10, fig.11
jacquieri Thomson, 1865: 542
 jaquieri Aurivillius, 1923: 377
kawasae Santos-Silva, Van Roie & Jocque, 2021: 44
kawensis Neouze & Tavakilian, 2010: 56
lanei Monné & Fragoso, 1988: 824
larrei Neouze & Tavakilian, 2010: 49
lateralis (Olivier, 1800: [no 67] 129)
leucostigma Monné & Fragoso, 1988: 814
lezamai Hovore, 1989: 254
luteogrisea Neouze & Tavakilian, 2010: 64
macropoda Marinoni & Martins, 1978: 175
mageia Martins, Galileo & Tavakilian, 2008: 282
magnifica Martins & Monné, 1993: 137
magnoi Monné & Fragoso, 1988: 829
marinonii Monné & Fragoso, 1988: 817
melzeri Monné & Fragoso, 1988: 823
mimetica Lane, 1970: 387
minima Galileo & Martins, 1999: 91
mocoitira Galileo & Martins, 1998: 152
modesta Monné & Fragoso, 1988: 829
morvanae Neouze & Tavakilian, 2010: 68
nearnsi Lingafelter, 2024: 30
neglecta Melzer, 1932: 425
nivea Martins & Galileo, 2005: 12
noguerai McCarty, 2001: 24
 Brazil (ES, RJ)
 French Guiana, eEcuador, Peru
 Brazil (MG, ES)
 Colombia, French Guiana, Brazil (AM)
 French Guiana
 French Guiana
 Brazil (BA, ES)
 Mexico (VC, OA)-Panama
 French Guiana
 French Guiana, Brazil (PA, RO)
 Costa Rica, Panama, French Guiana, Brazil (AP, AM, RO
 PA, MT), eEcuador, Bolivia (BN, SC)
 Bolivia, Ecuador
 Mexico-Panama, West Indies, South America
 Jamaica
 Mexico (Socorro Island)
 Colombia
 Guatemala-Panama, Colombia
 Venezuela
 Honduras, Costa Rica, Panama
 French Guiana, Brazil (AM, PA)
 Bolivia
 Brazil (BA-RJ)
 French Guiana
 Mexico (CHS), Belize, Costa Rica (GU), Colombia
 Honduras, Nicaragua, Costa Rica, Panama
 Venezuela, French Guiana, Brazil (PA, MT)
 Honduras (Cortés)
 French Guiana
 Peru, Brazil (MT), Bolivia (SC)
 French Guiana
 Panama, Cuba, Puerto Rico, South America
 Brazil (PR, SC)
 Costa Rica
 French Guiana
 Brazil (AC, RO, MT), eEcuador
 French Guiana
 Brazil (SP)
 Brazil (RO), eEcuador
 Brazil (BA-RJ)
 Colombia, French Guiana, Brazil (AM), eEcuador, Peru
 Costa Rica, Panama
 Colombia
 eEcuador
 Brazil (BA-SC)
 French Guiana
 Dominican Republic (La Vega)
 French Guiana, Brazil (PA, MT), eEcuador
 Peru, Colombia
 Mexico (JA, MX)

obsoleta Bates, 1874: 228
occulta Monné & Fragoso, 1988: 823
ohausi Melzer, 1930: 195
olivaceotincta Tippmann, 1953: 343
olivosimplex Neouze & Tavakilian, 2010: 61
omissa Melzer, 1932: 424
paulista Tippmann, 1953: 342
pergeri Wappes & Santos-Silva, 2019: 2
podagrica Neouze & Tavakilian, 2010: 65
purpurascens Bates, 1880: 135
pustulosa Monné & Fragoso, 1988: 821
quinquetuberculata (Drapiez, 1820: 328)
 trinodosa Germar, 1823: 471
rhytisma Monné & Fragoso, 1988: 818
roppai Monné & Fragoso, 1988: 830
rufofasciata Bates, 1861: 51
seabrai Monné & Fragoso, 1988: 815
semialba Bates, 1874: 228
semiporosa Tippmann, 1960: 160
sensibilis Galileo & Martins, 2007: 585
seraisorum Neouze & Tavakilian, 2010: 55
sericata Bates, 1861: 148
sexplagiata Melzer, 1931: 60
simplex Bates, 1861: 148
 pinimaiuba Martins & Galileo, 2008: 72
sororcula Martins & Monné, 1993: 135
stictica Monné & Fragoso, 1988: 814
tenebrosa Thomson, 1865: 542
 fulgurata Melzer, 1931: 59
tijuca Marinoni & Martins, 1978: 174
triangularis Galileo & Martins, 2007: 583
trinitensis Neouze & Tavakilian, 2010: 58
tuberculata Thomson, 1865: 542
tuberculifera Galileo & Martins, 2007: 585
tuberosa Monné & Fragoso, 1988: 824
turnbowi McCarty, 2001: 25
undulata Bates, 1861: 49
veronicae Neouze & Tavakilian, 2010: 70
verrucosa Bates, 1872: 204
vulgata Monné & Fragoso, 1988: 827
wappesi McCarty, 2001: 27
zikani Melzer, 1930: 196

Mexico (OA)-Nicaragua
 Brazil, Bolivia (SC, TR), Argentina (FO)
 Brazil (SP-RS), Bolivia (SC), Argentina (MI)
 Brazil (MT), Bolivia, eEcuador
 French Guiana
 Brazil (GO, MG, ES-SC)
 Fr Guiana, Brazil (RO, MA, MT, SP), Bolivia (CO, SC)
 Bolivia (SC)
 French Guiana
 Honduras, Guatemala, Costa Rica
 French Guiana, Brazil (RO)
 Brazil, Bolivia (SC), Paraguay, (BA-RS), Argentina

wEcuador
 French Guiana, Brazil (MT)
 Brazil (AM), eEcuador
 Brazil (ES, RJ)
 Nicaragua, Costa Rica
 Bolivia (CO, SC)
 Brazil (SP)
 French Guiana
 Brazil (AM), eEcuador
 Brazil (MG-RS)
 French Guiana, Brazil (AM), eEcuador

Venezuela, Guyana, French Guiana
 Brazil (MT), Bolivia (SC)
 Brazil (ES-SP)

Brazil (RJ)
 Brazil (SP)
 French Guiana
 Colombia, Brazil, Bolivia (SC), eEcuador
 Brazil (SP)
 French Guiana, Brazil (AM, RO)
 Mexico (CHS, OA)
 French Guiana, Brazil (AM, MA, MT), eEcuador
 French Guiana
 Nicaragua, Costa Rica, Panama
 Brazil (BA-SC), Paraguay
 Mexico (VC, CS), Honduras
 Brazil (ES-SP)

Aerenicini Lacordaire, 1872: 897

Aerenicides Lacordaire, 1872: 849 (key), 897

Aerenica Dejean, 1835: 352

Aerenaesius Gilmour, 1962: 131

Aerenasius: Martins & Galileo, 1985: 464 [ISS of *Aerenaesius* Gilmour, 1962]

canescens (Klug, 1825: 468)

lahillei Bruch, 1926: 345

lahillei var. *salobrensis* Lane, 1939: 77

Brazil, Bolivia (SC), Paraguay, Argentina

Aerenicella Gilmour, 1962: 133

Melaerenica Lane, 1966: 231

spissicornis (Bates, 1881: 145)

melanocera Lane, 1938: 639

Brazil (PR), Argentina, Uruguay

Aerenicopsis Bates, 1885: 427*Falsohippopsis* Breuning, 1940: 83*Falsohippopsoides* Breuning, 1974: 158*Hydraschemopsis* Lane, 1966: 134**angaibara** Martins & Galileo, 2004: 396**championi** Bates, 1885: 428*costaricensis* Breuning, 1974: 159**hubrichi** Bruch, 1925: 210*argentiniensis* Breuning, 1974: 158**irumuara** Martins & Galileo, 2004: 396**joseferreirai** Ferreira, Ferreira & Bravo, 2023: 16**malleri** Lane, 1966: 137**megacephala** (Breuning, 1940: 83)**mendosa** Martins & Galileo, 1998: 97**perforata** Lane, 1939: 78**pugnatrix** Lane, 1966: 135**rejaneae** Galileo & Martins, 2007: 72**rufoantennata** (Breuning, 1974: 158)**singularis** Martins & Galileo, 1998: 98**sublesta** Lane, 1966: 136**virgata** (Pascoe, 1878: 377)

Bolivia (SC)

Mexico-Panama, Brazil (Minas Gerais)

Argentina (SF, CD)

Guatemala

Brazil (Bahia)

Brazil (SC), Bolivia (SC)

Brazil (SC)

Mexico (VC), Honduras

French Guiana, Brazil, Bolivia, Argentina

Panama, French Guiana, Brazil (PA)

Brazil (PR)

Bolivia (SC)

Brazil (MA, MG), Bolivia (SC)

Brazil (MG, SP)

Brazil (ES-SC)

Aereniphaula Galileo & Martins, 1990: 584**bandana** Nascimento, Botero & Bravo, 2016: 561**machadorum** Galileo & Martins, 1990: 584

Brazil (BA)

Brazil (BA, PI, MG)

Aerenomera Gilmour, 1962: 134**boliviensis** Gilmour, 1962: 135**spilas** Martins, 1984: 309

Brazil, Bolivia (SC), Paraguay, Argentina

Brazil (MG)

Antodice Thomson, 1864: 128*Antodyce*: Bates, 1881: 299 [ISS]*Spathoptera*: Laporte, 1840: 494 [Mld; not Audinet-Serville, 1835]**abstrusa** Lane, 1940: 405**aureicollis** Martins & Galileo, 1985: 491**chemsaki** McCarty, 2006: 4**cretata** Bates, 1872: 232**exilis** Chemsak & Noguera, 1993: 100**fasciata** Linsley, 1935: 113**inscripta** Lane, 1970: 420**junceae** Bates, 1881: 145**kyra** Martins & Galileo, 1998: 44*kira*: Julio, Giorgi & Monné, M.A., 2000: 32 [ISS]**lenticula** Martins & Galileo, 1985: 92**lezamai** McCarty, 2006: 14**mendesii** Lane, 1940: 403**micromacula** Galileo & Martins, 2008: 7**nascimentoi** Bezark, Botero & Santos-Silva, 2022: 2**neivai** Lane, 1940: 401*simulatrix* Tippmann, 1960: 207**nympha** Bates, 1881: 207**opena** Martins & Galileo, 2004: 395**picta** (Klug, 1825: 467)**pinima** Martins & Galileo, 1998: 46**pudica** Lane, 1970: 427**quadrinaculata** Martins & Galileo, 2003: 617**quinquemaculata** Lane, 1970: 424**raberii** Heffern, Nascimento & Santos-Silva, 2024: 258**sexnotata** Franz, 1959: 187*sexmaculata*: Martins & Galileo, 1985: 90 [ISS]**spilota** Martins & Galileo, 1998: 44

French Guiana, Brazil (MG, ES), Bolivia (SC)

Brazil (PA)

Mexico

Mexico (TA, VC)-Panama

Mexico (JA)

Mexico (ME)

Mexico (NA)

Brazil (ES, RJ), Argentina

Brazil (BA, RN, AL, SE)

Brazil (PI, BA)

Costa Rica (AL, SJ)

Brazil (SP-RS)

Bolivia (SC)

Costa Rica (Puntarenas)

Brazil (PE), Bolivia (SC)

Mexico (VC)-Costa Rica

Bolivia (SC)

Brazil, Paraguay, Argentina

Bolivia (SC, TR), Argentina

Panama, Colombia

Paraguay

Brazil

Panama (Ngäbe-Buglé)

El Salvador, Honduras, Nicaragua

Brazil

suturalis Galileo & Martins, 1992: 143
tricolor Martins & Galileo, 1985: 92
venustula Lane, 1973: 433

wEcuador
 Bolivia (SC)
 Brazil (RJ), Bolivia (SC)

Antodilanea Gilmour, 1962: 140
auana Martins & Galileo, 2004: 395
modesta (Lane, 1939: 78)

Bolivia (SC)
 Brazil (MS, MG)

Aphilesthes Bates, 1881: 145
Aphilestes: Aurivillius, 1923: 598 [ISS]
Amphilestes: Blackwelder, 1946: 626 [ISS]
Amphilestes: Gilmour, 1965: 646 [ISS]
rustica Bates, 1881: 145

Panama, French Guiana, Venezuela, Peru, Bolivia (SC)

Apoaerenica Martins & Galileo, 1985: 465
martinsi (Monné, 1979: 417)

Bolivia (SC)

Apophaula Lane, 1973: 419
ocellata Lane, 1973: 420

Brazil (MT, MG-PR), Paraguay

Cacsius Lane, 1973: 430
Melzaerenica Lane, 1976: 457
divus (Melzer, 1932: 237)
nobilis Lane, 1973: 431

Brazil (RJ)
 Brazil (MG)

Calliphaua Lane, 1973: 418
filiola Martins, 1984: 309
leucippe (Bates, 1881: 146)

Brazil (MG)
 Brazil (RJ-SC), Bolivia (SC)

Eponina Lane, 1939: 77
Aerenicoides Gilmour, 1962: 134
breyeri (Prosen, 1954: 36)
laetanda Lane, 1976: 459
flava Lane, 1939: 77
lanuginosa (Martins & Galileo, 1985: 484)
metuia Martins & Galileo, 1998: 57
nigristernis (Martins & Galileo, 1985: 485)

Brazil (MT), Bolivia (SC), Argentina

Brazil (MS, ES, PR)
 Brazil (RJ-SC)
 Brazil (ES)
 Brazil (MG)

Holoaerenica Lane, 1973: 428
alveolata Martins, 1984: 311
apleta Galileo & Martins, 1987: 454
bistriata Lane, 1973: 428
multipunctata (Lepelletier & Audinet-Serville in Latreille, 1825: 335)
albolateralis (Fuchs, 1963: 15)
obtusipennis (Fuchs, 1963: 14)
caula Martins, 1984: 313
punctata (Gilmour, 1962: 129)

Brazil (MG)
 Mexico (NAY, YU), Honduras, Costa Rica, Panama
 Bolivia (SC, TR), Brazil (MG)
 Brazil, Paraguay, Argentina

Brazil, Paraguay, Argentina (TU)

Brazil (MS, SP), Bolivia (SC), Paraguay, Argentina

Hoplistonychus Melzer, 1930: 203
bondari Melzer, 1930: 204

Fr Guiana, Brazil, Ecuador, Bolivia (SC), Paraguay, Argentina (MI)

Hydraschema Thomson, 1864: 128
Corupa Lane, 1966: 132
cribripenne Lane, 1966: 130
fabulosum Thomson, 1864: 128
gaucheri Audureau, 2022: 75
leptostyla Lane, 1938: 634
mirim Martins & Galileo, 1998: 91
obliquevittatum (Lane, 1966: 133)

Brazil (RJ-SC)
 Brazil (RJ-PR)
 French Guiana (Belizon)
 Brazil (RO, GO, MA, BA, MG, ES, RJ), Bolivia (SC), Argentina
 Brazil (PA)
 French Guiana, Brazil (MA, MG-SC, PR), Bolivia (SC)

petilum Martins & Galileo, 1998: 91
veruta Lane, 1966: 129
villiersi Lane, 1965: 322

Peru, Bolivia (SC)
 Brazil (RJ-PR)
 Brazil (RJ)

Melzerella Costa Lima, 1931: 139
costalimai Seabra, 1961: 263
huedepohli Monné, 1979: 415
inopinata Martins, Galileo & Santos-Silva, 2015: 286
lutzi Costa Lima, 1931: 140
monnei Wappes & Lingafelter, 2011: 34

Venezuela, French Guiana
 Bolivia (SC)
 Brazil (BA)
 Brazil (MG-SP, PR)
 Bolivia (SC)

Montesia Lane, 1938: 110
bosqi Seabra, 1961: 264
 bosoi: Monné, 1979: 416 [ISS]
 bosqui: Monné, M.A., 2005: 237 [ISS]
elegantula Monné, 1979: 416
fasciolata Galileo & Martins, 1990: 586
leucostigma Lane, 1938: 110

Peru, Bolivia (SC)

 Brazil (MT)
 Costa Rica
 Brazil (MG-SC), Bolivia (SC)

Phaula Thomson, 1857: 303
Cymbalia Thomson, 1864: 119
Ochraesius Pascoe, 1888: 510
Cryptophaula Lane, 1973: 426
Heterophaula Lane, 1973: 418
antiqua Thomson, 1857: 303
atyroa Galileo & Martins, 2007: 70
bullula Martins, 1984: 315
lichenigera (Perty, 1832: 97)
microsticta (Lane, 1973: 426)
 microstictica Martins, 1984: 316 [ISS]
splendida (Galileo & Martins, 1987: 453)
thomsonii Lacordaire, 1872: 898
 lichenigera: Thomson, 1864: 120 [Mld; not Perty, 1832]
 sticticus Pascoe, 1888: 511

Brazil (BA)
 Brazil (MS)
 Brazil (MS)
 Brazil (MG-RS), Bolivia (SC)
 Brazil (MT, MG-PR), Argentina

 French Guiana (Kaw), Brazil (MT), Bolivia
 Colombia, Brazil (widespread), Bolivia (SC), Argentina, Paraguay

Phoebemima Tippmann, 1960: 205
Tacocha Lane, 1970: 399
aequatoria (Lane, 1970: 399)
albomaculata Martins & Galileo, 2008: 550
antiqua (Gahan, 1889: 399)
durantoni Tavakilian & Santos-Silva, 2019: 517
ensifera Tippmann, 1960: 206
teteia (Galileo & Martins, 1996: 236)
theaphia (Bates, 1881: 199)

eEcuador
 French Guiana, Bolivia (CO)
 Brazil (RJ, PR)
 French Guiana
 Bolivia (SC)
 Brazil (RO)
 French Guiana, Ecuador, Brazil (AM, MT)

Propantodice Franz, 1954: 228
grisea Franz, 1954: 228

El Salvador-Panama

Pseudomecas Aurivillius, 1920: 400
elegantissima Martins & Galileo, 1998: 101
femoralis Aurivillius, 1920: 401
mourai Ferreira, Ferreira & Bravo, 2023: 19
nigricornis Martins & Galileo, 1998: 102
pallidicornis Aurivillius, 1923: 479
pickeli (Melzer, 1930: 305)
suturalis Martins & Galileo, 1985: 467

Brazil (MG)
 Brazil, Bolivia (SC), Paraguay, Argentina
 Brazil (Bahia)
 Brazil (BA)
 Colombia
 Brazil (CE, MA-PE)
 Brazil (GO)

Pseudophaula Lane, 1973: 421
foersteri Martins, 1984: 314
porosa (Bates, 1881: 146)

Paraguay, Argentina (MI)
 Colombia, Venezuela, Bolivia, Brazil

pustulosa Lane, 1973: 423
strigulata Lane, 1973: 424

Argentina (TU, CA)
 Brazil (AM), Peru, Bolivia (SC), Argentina

Recchia Lane, 1966: 232

Aerenica: Thomson, 1857: 312 [Mld; not Dejean, 1835]

Trichohippopsides Breuning, 1980: 68

Coruparana Lane, 1966: 233

abauna Martins & Galileo, 1998: 71

acutipennis (Gahan, 1889: 400)

bruchi Gilmour, 1965: 644

albicans (Guérin-Ménéville, 1831: pl.45, fig.4)

albicans Breuning, 1980: 68

boliviana Martins & Galileo, 1998: 65

claudinae Dalens & Robin, 2024: 2

distincta (Lane, 1939: 77)

drescheli Mehl, Galileo, Martins & Santos-Silva, 2015: 36

fallaciosa Lane, 1966: 234

flaveola Martins & Galileo, 1985: 487

fonsecai (Lane, 1939: 76)

gemignanii (Lane, 1939: 76)

rustica Martins & Galileo, 1985: 489

goiana Martins & Galileo, 1985: 489

gracilis Martins & Galileo, 1985: 488

hirsuta (Bates, 1881: 206)

panamensis Lane, 1959: 263

hirticornis (Klug, 1825: 468)

lanei Martins & Galileo, 1985: 485

ludibriosa Lane, 1966: 232

moema Martins & Galileo, 1998: 74

nearnsi Galileo, Santos-Silva & Le Tirant, 2015: 108

parvula (Lane, 1938: 637)

piriana Martins & Galileo, 1998: 78

planaltina Martins & Galileo, 1998: 67

procera Martins & Galileo, 1985: 486

ravida Martins & Galileo, 1985: 483

veruta Lane, 1966: 233

volcanensis Galileo & Santos-Silva, 2016: 140

Brazil

Brazil (GO, MT, MG, SP), Bolivia, Argentina

Brazil, Bolivia (SC), Paraguay, Argentina

Bolivia (SC, CO)

French Guiana (Remire-Montjoly)

Brazil (MS), Bolivia (SC)

Paraguay

Brazil (SP, SC)

Brazil (GO, MS, MG-SP)

Brazil (RJ, SP)

Brazil (MT, GO, PR), Bolivia (SC), Paraguay, Argentina

Brazil (GO, MT), Bolivia (SC), Argentina

Brazil (MG-SP), Bolivia (SC)

Guatemala-Panama, Colombia, Bolivia (LP)

Venezuela, Bolivia, French Guiana, Brazil, Paraguay,
 Uruguay, Argentina

Brazil (MG, SP)

Brazil (GO, BA-PR)

Brazil, Uruguay, Argentina

Bolivia (SC)

Brazil (GO, MT, RJ-PR), Bolivia (SC), Paraguay

Brazil, Paraguay

Brazil (DF)

Brazil, Bolivia (SC), Paraguay, Argentina

Brazil (SC)

Brazil (PR, SC)

Bolivia (SC)

Rumacon Blackwelder, 1946: 627 [RN]

Spegazziniella Bruch, 1926: 347 [JH; not Jørgensen, 1913, Hymenoptera]

annulicornis (Melzer, 1930: 204)

canescens (Bruch, 1926: 348)

acutipennis: Tippmann, 1960: 206 [Mld; not Gahan, 1889]

acutipennis var. *bruchi* Gilmour, 1965: 644

Brazil (MG-RS), Paraguay

Bolivia (SC), Paraguay, Argentina

Suipinima Martins & Galileo, 2004: 398

eccentrica (Galileo & Martins, 1992: 142)

flavumtuberculata Nascimento, Botero & Bravo, 2016: 561

marginalis Martins & Galileo, 2004: 399

pitanga Martins & Galileo, 2004: 398

suturalis Martins & Galileo, 2004: 399

una Martins & Galileo, 2004: 399

wEcuador

Brazil (BA)

Bolivia (SC)

Bolivia (SC)

Brazil (RO), Bolivia (SC)

Bolivia (SC)

Vianopolisia Lane, 1966: 138

Dolaerenica Martins & Galileo, 1985: 466

captiosa (Martins & Galileo, 1985: 466)

spitzi Lane, 1966: 139

Brazil (SP), Paraguay

Brazil (GO)

Agapanthiini Mulsant, 1839: 165

Hippopsitae Thomson, 1860: 123
Nemotragitae Thomson, 1864: 93
Anauxesitae Thomson, 1864: 94
Aprosopitae Thomson, 1864: 95
Aegoprepini Pascoe, 1871: 277
Pachypézides Lacordaire, 1872: 691
Spalacopsides Lacordaire, 1872: 701
Didymonychini Aurivillius, 1922: 435
Amillarinen Aurivillius, 1925: 524
Hippopsiconini Dillon & Dillon, 1945: 11

Aphies Duponchel & Chevrolat in d'Orbigny, 1841: 648

Amillarus Thomson, 1857: 312

Didymonycha Aurivillius, 1922: 31

Trichogrammopsis Breuning, 1948: 42

erythrodera erythrodera Duponchel & Chevrolat in d'Orbigny, 1861: 189

apicalis Thomson, 1860: 44

Honduras-Panama, nSouth America

mutabilis Bates, 1866: 432

erythrodera nigroampliatius (Breuning, 1974: 39)

Ecuador

secunda (Tippmann, 1951: 301)

Costa Rica, Colombia, Venezuela

ab. *infuscata* Tippmann, 1951: 301

singularis (Aurivillius, 1922: 435)

Ecuador, Peru

ruficollis (Breuning, 1948: 42)

Aprosopus d'Orbigny, 1841: 40

barbatulus (Martins & Galileo, 2013: 579)

Ecuador (Manabi)

buqueti d'Orbigny, 1841: 40

Brazil (ES)

Grammopsis Aurivillius, 1900: 416

clavigera (Bates, 1866: 40)

French Guiana, Brazil (MA, PA), Bolivia (SC)

surinamensis Breuning, 1973: 37

fallax (Lameere, 1893: 279)

Venezuela, Guyana, French Guiana

parvula (Newman, 1840: 12)

Brazil (BA)

simoni (Lameere, 1893: 279)

Venezuela

minima Aurivillius, 1900: 416

Grammopsoides Breuning, 1940: 433

picta Galileo & Martins, 1995: 42

Peru

tenuicornis (Casey, 1913: 363)

Panama, wEcuador, Peru

flavimembris Aurivillius, 1925: 22

spinipennis Breuning, 1940: 434

rufipes Breuning, 1940: 434

obscuripes Breuning, 1948: 43

Helvina Thomson, 1864: 103

Pachypezomorpha Breuning, 1942: 165

Paracacostola Breuning, 1974: 239

howdenorum Hovore & Giesbert, 1998: 77

Costa Rica

lanuginosa (Bates, 1865: 314)

Panama, Colombia, Brazil (AM), eEcuador

strandii (Breuning, 1942: 166)

Colombia (BOY), eEcuador, Peru, Bolivia (CO, SC)

lypera Dillon & Dillon, 1945: 16

uncinata Thomson, 1864: 103

French Guiana, Brazil (AM, PA)

granulata Breuning, 1974: 239

Hippopsis Lepeletier & Audinet-Serville in Latreille, 1825: 336

acuminata (Galileo & Martins, 2006: 22)

Bolivia (SC)

albicans Breuning, 1940: 82

Brazil (SC)

apicalis (Bates, 1866: 37)

French Guiana, Brazil (AM, PA), eEcuador, Bolivia

preapicevittata Breuning, 1980: 68

- araujoi** Martins & Galileo, 2006: 487
arriagadai Martins & Galileo, 2003: 28
assimilis Breuning, 1940: 81
bivittata Martins & Galileo, 2003: 25
brevicollis Martins & Galileo, 2003: 26
brevithorax Galileo & Martins, 2007: 350
campaneri Martins & Galileo, 1998: 52
densepunctata Breuning, 1940: 434
femoralis Breuning, 1940: 200
fractilinea Bates, 1866: 41
 biapicata Breuning, 1940: 81
fratercula Galileo & Martins, 1988: 193
freyi Breuning, 1955: 661
gilmouri Breuning, 1962: 17
griseola Bates, 1866: 40
insularis Breuning, 1962: 10
iuasanga Martins & Galileo, 2006: 484
lemniscata (Fabricius, 1801: 330)
 lemnistica: Hamilton, 1895: 320 [ISS]
 lineola: Fattig, 1947: 41 [ISS of *lineolata*: Bates, 1872, not Lepeletier & Audinet-Serville in Latreille, 1825]
 ssp. **boliviana** Breuning, 1962: 10
lineolata Lepeletier & Audinet-Serville in Latreille, 1825: 336
 lineatus Guérin-Ménéville, 1844: 246
macrophthalma Breuning, 1940: 434
meinerti Aurivillius, 1900: 416
 lemniscata tobagoensis Breuning, 1962: 10
 tremata Galileo & Martins, 1988: 184
minima Galileo & Martins, 1988: 188
monachica Berg, 1889: 106
 fimbriata Breuning, 1940: 81
mourai Martins & Galileo, 1994: 78
nigroapicalis Martins & Galileo, 2003: 26
ocularis Galileo & Martins, 1995: 40
pallida Carvalho, 1981: 53
pertusa Galileo & Martins, 1988: 182
pradieri Guérin-Ménéville, 1844: 246
prona Bates, 1866: 41
 solangeae Carvalho, 1981: 327
pubiventris Galileo & Martins, 1988: 188
quadrivittata Breuning, 1940: 82
quinquelineata Aurivillius, 1920: 384
raberi Galileo, Santos-Silva & Heffern, 2017: 173
rabida Galileo & Martins, 1988: 201
renodis Galileo & Martins, 1988: 203
rigidula (Bates, 1866: 38)
septemlineata Breuning, 1940: 81
septemvittata Breuning, 1940: 81
sexlineata Vlasak & Santos-Silva, 2023: 2
tibialis Martins & Galileo, 2003: 28
truncatella Bates, 1866: 39
tuberculata Galileo & Martins, 1988: 181
- Brazil (BA)
 Paraguay
 Venezuela
 Peru
 Brazil (MG)
 Colombia
 Brazil (GO)
 Brazil (BA, MG)
 Brazil (MG, SP)
 Brazil (AM), Peru, eEcuador, Bolivia (CO, SC)
- Ecuador (Loja, Manabi), Brazil (MA, PE, BA)
 Trinidad & Tobago, Colombia, Venezuela
 Argentina (SA)
 Brazil (MA, PA), Bolivia (SC)
 Trinidad
 wEcuador
 eUSA-TX, Mexico (OA, VC), Honduras, Colombia, Bolivia
- Bolivia
 Brazil
- Ecuador, Guyana, French Guiana, Brazil (AM, PA), Colombia
 Mexico, El Salvador, Honduras, Nicaragua, Costa Rica,
 Trinidad & Tobago, Venezuela, French Guiana
- Brazil (MA)
 Brazil (RS), Argentina, Uruguay
- Brazil (TO)
 eEcuador, Bolivia (CO, SC)
 Colombia, Bolivia (SC)
 Argentina (CD)
 Brazil (MA, RN-SC)
 Brazil (BA-SP)
 Brazil (AM, MA), Bolivia (SC)
- Peru, Brazil (MG, MA, AC, RJ-SC), Bolivia (SC)
 Colombia, French Guiana, eEcuador
 Brazil (MG-SC, MT)
 Panama (Darien)
 Brazil (SP)
 Brazil (RJ)
 Brazil (PA)
 Panama, Colombia, wEcuador
 Colombia, Brazil
 Ecuador (Napo)
 Brazil (SP)
 Brazil, Bolivia (SC)
 Brazil (MG-SP), Bolivia (SC)
- Megacera** Audinet-Serville, 1835: 42
 praelata Bates, 1866: 37
 vittata Audinet-Serville, 1835: 43
- French Guiana, Brazil (AM)
 Brazil
- Neoamphion** Monné, 2005: 254
 Amphion Reiche, 1839: 564 [JH; not Hübner, 1829 Lepidoptera]
 triangulifer (Aurivillius, 1908: 7)
 boliviana: Breuning, 1980: 68 [Mld; not Breuning, 1962]
 vittatus (Reiche, 1839: 566)
- Peru, Bolivia
 Colombia

Pachypeza Audinet-Serville, 1835: 42*Pachypexa*: Blackwelder, 1846: 605 [ISS]*Pachypexa* Blackwelder, 1946: 605**borealis** Hovore & Giesbert, 1998: 79**ferruginea** Martins, Galileo & Limeira-de-Oliveira, 2009: 520**joda** Dillon & Dillon, 1945: 23**marginata** Pascoe, 1888: 507**panamensis** Giesbert, 1987: 317**pennicornis** (Germar, 1823: 490)**phegea** Dillon & Dillon, 1945: 22**teres** Pascoe, 1888: 508

Mexico (CH), Guatemala

Brazil (MA)

Ecuador, Peru, Brazil (AM, PA, MT), Bolivia (BN, CO, SC)

Brazil (GO, SP-RS), Paraguay

Panama, Colombia

Brazil, Paraguay, Argentina, Uruguay

Brazil (RO, MT)

French Guiana, Brazil, Paraguay

Pseudogrammopsis Zajciw, 1960: 59**lineata** Zajciw, 1960: 60

Uruguay

Spalacopsis Newman, 1842: 303*Spacalopsis*: LeConte, 1852: 145 [ISS]*Eutheia* Dejean, 1835: 353 [JH; not Stephens, 1830, Staphylinidae]*Euthuorus* Jacquelin du Val in Sagra, 1857: 276 [RN for *Eutheia* Dejean, 1835]*Systene* Pascoe, 1858: 264 [RN for *Eutheia* Dejean, 1835]**chemsaki** Tyson, 1973: 130

seUSA (FL)

filum filum (Klug, 1829: 13)

Cuba, Bahamas, Jamaica, Puerto Rico

stellio Newman, 1842: 304, 304*macilentia* Lacordaire, 1872: pl.105, fig.5 [date doubtful]*grandis* Chevrolat, 1862: 255subsp. **brevialata** Tyson, 1973: 125

Dominican Republic

subsp. **costulata** Casey, 1913: 355

sUSA (FL)

linum Hamilton in Leng & Hamilton, 1896: 145*scapalis* Casey, 1913: 355*confusa* Casey, 1924: 293**fusca** Gahan, 1892: 260

Mexico (GR)

howdeni Tyson, 1970: 484

Mexico (SLP)

lobata Breuning, 1942: 173

Mexico

macra Tyson, 1973: 128

Jamaica

ornatipennis Fisher, 1935: 200

Jamaica

phantasma Bates, 1885: 371

Guatemala

phantoma: Aurivillius, 1923: 361 [ISS]**protensa** (Pascoe, 1871: 278)

Mexico (VC), Guatemala

similis Gahan, 1892: 260

Mexico (GR)

spinipennis Fisher, 1936: 347

Cuba

stolata Newman, 1842: 304

seUSA (FL)

pertenuis Casey, 1913: 357**suffusa** Newman, 1842: 304

seUSA (FL)

suturalis Hamilton in Leng & Hamilton, 1896: 145*exilis* Casey, 1924: 294**texana** Casey, 1891: 51

sUSA (TX)

unicolor Tyson, 1973: 135

Puerto Rico

variegata Bates, 1880: 129

Mexico (VC), Guatemala

var. *tenuissima* Bates, 1885: 371**Trichohippopsis** Breuning, 1958: 25**basilaris** Botero and Santos-Silva, 2022: 12

French Guiana (Kaw)

birai Galileo & Santos-Silva, 2016: 365

Brazil (AM)

gilmouri Breuning, 1962: 26

Suriname, French Guiana, Bolivia (SC), Brazil (MA)

exilis Galileo & Martins, 2006: 22**magna** Martins & Carvalho, 1983: 163

Brazil (GO, MS, MG), Bolivia (SC)

rufula Breuning, 1958: 26

Brazil (CE, GO)

suturalis Martins & Carvalho, 1983: 162

French Guiana, Brazil, Bolivia (SC)

unicolor Galileo & Martins, 2007: 350

Brazil (AM)

vestitus Martins & Galileo, 2013: 579

Brazil (PI)

Zipoetopsis Breuning, 1950: 175
dissimilis Galileo & Martins, 1995: 39
unicolor Breuning, 1950: 175

wEcuador
 Paraguay

Anisocerini Thomson, 1860: 31
Anisoceritae Thomson, 1860: 31 (key)
Onychoceritae Thomson, 1864: 19
Platysternides Lacordaire, 1872: 729

Acanthotritus White, 1855: 404
dorsalis White, 1855: 404

Brazil (ES)

Anisocerus Lacordaire, 1830: 181
Anisaerus: Drapiez, 1837: 221 [ISS]
scopifer (Germar, 1823: 476)
penicillatus Lacordaire, 1830: 181
scopigera: Lacordaire, 1872: 723 [ISS]
stellatus Guérin-Ménéville, 1855: 599
onca White, 1855: 405
 var. *fonteboensis* Bates, 1862: 449
 var. *olivencius* Bates, 1862: 450

Brazil (MG-SC), Paraguay, Argentina

Brazil (AM, RO, MG), eEcuador, Peru, Bolivia (BN, SC)

Badenella Lane, 1964: 186
Chimboincola Lane, 1966: 237
badeni (Bates, 1875: 276)
fuscus Franz, 1935: 171
laceyi Lane, 1964: 189
fallaciosa Lane, 1964: 188
gavisa (Lane, 1966: 238)
ignota Lane, 1964: 187

Colombia, wEcuador

Colombia
 wEcuador
 Colombia?

Batesbeltia Lane, 1964: 182
beltii (Bates, 1872: 203)
cerussata Lane, 1964: 184
pantherina Lane, 1964: 185
pullata Lane, 1964: 184
verecunda Lane, 1964: 183

Nicaragua, Costa Rica
 Ecuador
 Panama, Colombia
 Ecuador
 Ecuador

Caciomorpha Thomson, 1864: 22
batesi (Pascoe, 1858: 242)
buquetii Guérin-Ménéville, 1844: 240
genalis Aurivillius, 1908: 9
lineatus Bréthes, 1920: 47
palliata (White, 1855: 407)
personatus Bates, 1869: 385
plagiata Bates, 1875: 275
robusta Galileo & Martins, 1998: 21
susua (Martins & Galileo, 1996: 305)

Brazil (PA)
 French Guiana
 eEcuador, Peru, Bolivia

Honduras, Guatemala-Panama

Peru, eEcuador
 Brazil (AM, PA), Peru, Ecuador
 wEcuador

Chalastinus Bates, 1862: 447
egensis (White, 1855: 408)
egaensis var. *postilenatus* Bates, 1862: 448
pantherinus Lacordaire, 1872: 721
recticornis Bates, 1875: 275

Brazil (AM), eEcuador

Suriname, French Guiana, Brazil (AM)
 French Guiana, Brazil (PA)

Chapareia Lane, 1950: 91
pinima Lane, 1950: 92

Bolivia

Cyclopeplus Thomson, 1860: 32**batesii** Thomson, 1860: 32**castaneus** Gounelle, 1906: 3**cyaneus** Thomson, 1860: 33**lacordairei** Thomson, 1868: 150*germaini* Gounelle, 1906: 3**peruvianus** Tippmann, 1939: 77ab. *coeruleometallescens* Tippmann, 1939: 77ab. *submetallicus* Tippmann, 1939: 77ab. *thoracicus* Tippmann, 1939: 77ab. *viridimetallescens* Tippmann, 1939: 77*violaceus* Lane, 1957: 65

Brazil (AM, RO)

Brazil (GO, RO, MT)

French Guiana, Brazil (PA, AP)

Colombia, French Guiana, Peru, Bolivia (SC), eEcuador

Peru

Demophoo Thomson, 1864: 21**hammatus** (Chabrilac, 1857: 199)*hamatus*: Thomson, 1864: 21 [ISS]*armatus*: Thomson, 1878: 19 [ISS]

Brazil (MG, SP, RJ)

Eusthenomus Bates, 1875: 277**hopei** Lane, 1970: 382**laceyi** Lane, 1970: 380**wallisi** Bates, 1875: 278

Ecuador?

Ecuador

Colombia

Fredlanella Martins & Galileo, 1996: 305 [RN]*Taperinha* Lane, 1964: 179 [JH; not Linnavouri, 1959, Homoptera]**cerussata** (Lane, 1964: 180)**diringshofeni** (Lane, 1972: 366)

Brazil (PA)

Brazil (AM), Ecuador

Gounellea Lane, 1964: 195**bruchii** (Gounelle, 1906: 17)*zikani* Melzer, 1932: 220*melzeri* Franz, 1935: 169*franzae* Lane, 1970: 378**capucina** (White, 1846: 48)**dulcissima** (White, 1855: 406)**histrion** (Gounelle, 1906: 18)

Brazil (AM, RO), Peru, Bolivia, Argentina

Brazil

Brazil (PA, MT)

Brazil (PA, AM), Peru

Gymnocerina Lane, 1964: 190**cratosomoides** (Bates, 1862: 452)*crassus* Bates, 1862: 453*oliveirai* Lane, 1964: 191*spuria* Lane, 1964: 192*subsiciva* Lane, 1964: 192*sulfurea* Lane, 1964: 193

French Guiana, Brazil (AM, PA), eEcuador, Peru

Gymnocerus Audinet-Serville, 1835: 84**scabripennis** Audinet-Serville, 1835: 85

French Guiana

Homoephloeus Gahan, 1892: 261**licheneus** Gahan, 1892: 261

Mexico (GR)

Hoplistocerus Blanchard in Orbigny, 1847: 210**bonsae** Lane, 1966: 239**callioides** Gounelle, 1906: 7**dichrous** Gounelle, 1906: 8**dives** Bates, 1875: 276*eximius* Pascoe, 1878: 377**gemmatus** Bates, 1874: 227**iheringi** Gounelle, 1906: 6

Brazil (MT)

Brazil (GO)

Colombia, wEcuador, Bolivia

French Guiana, Brazil (BA, ES), eEcuador, Bolivia (SC)

Honduras-Panama

Brazil (SP)

lanei Zajciw, 1960: 146
prominulosus Lane, 1950: 95
prominulus: Gilmour, 1965: 620 [ISS]
purpureoviridis Lane, 1938: 107
refulgens Blanchard in Orbigny, 1847: 210
gloriosus Bates, 1862: 457

Jurua Lane, 1964: 194
monachina (White, 1855: 406)
monachus var. *nautensis* (Bates, 1862: 454)

Onychocerus Lacordaire, 1830: 181
Scorpionus Smith, 1884: 727
aculeicornis (Kirby, 1818: 440)
aculeicornis Zikán & Zikán, 1944: 33
albitarsis Pascoe, 1859: 31
ampliatus Bates, 1875: 277
concentricus Bates, 1862: 455
scorpio Fabricius, 1781: 210
crassus Voet, 1778: 10
giesberti Júlio & Monné, 2001: 1
hovorei Júlio & Monné, 2001: 2
versutus (Lane, 1966: 242)

Pachyforma Garcia & Vlasak, 2014: 595
rosacea Garcia & Vlasak, 2014: 598

Parachalastinus Galileo & Martins, 2001: 298
championi (Bates, 1885: 374)
flavescens Julio, 2005: 20
nigrescens Galileo & Martins, 2001: 300
rubrocinctus (Bates, 1869: 385)

Phacellocera Laporte, 1840: 468
Phacelocera: Blanchard, 1845: 156 [ISS]
plumicornis (Klug, 1825: 462)
scopulicornis Laporte, 1840: 469

Phacellocerina Lane, 1964: 181
limosa (Bates, 1862: 448)
seclusa Lane, 1964: 181
silvanae Julio, 2003: 139

Platysternus Dejean, 1835: 336
hebraeus (Fabricius, 1781: 210)
mucoreus Colas, 1952: 18

Satipoella Lane, 1964: 195
Icarai Galileo & Martins, 1998: 24
bufo (Thomson, 1868: 149)
charneauorum Audureau, 2022: 34
heilipoides Lane, 1964: 197
ochroma Julio, 2003: 146

Thryallis Thomson, 1858: 409
granulosus Bates, 1885: 374
leucophaeus (White, 1855: 407)
maculosus Thomson, 1858: 409
noguerai Chemsak & McCarty, 1997: 106
ocellatus Chemsak & McCarty, 1997: 110

Brazil (RJ)
 French Guiana, Brazil (PA)

Brazil (SP), Paraguay
 French Guiana, Brazil (AM, RO, MT), eEcuador, Bolivia

Peru, Brazil (AM), Bolivia (PA)

French Guiana, Brazil (MG, MA, BA-RS), eEcuador,
 Bolivia, Paraguay, Argentina
 Brazil (MA, BA-RJ, PR), Bolivia (SC), Peru, Paraguay
 eEcuador, Peru
 French Guiana, Brazil, eEcuador, Peru
 West Indies, Honduras-South America

Ecuador
 Brazil, Peru
 Brazil (PB, BA)

wEcuador Guayas)

Costa Rica, Panama
 Costa Rica, Panama
 Panama
 Honduras, Nicaragua, Costa Rica

Brazil (MG-SC)

Venezuela
 Colombia
 Colombia

French Guiana, Brazil (AM, PA, RO, MT), Ecuador

French Guiana, Brazil (AM)
 Peru (Huanuco)
 Peru
 Brazil (AM), Ecuador

Guatemala
 Mexico-Costa Rica
 Mexico (VC)-Nicaragua
 Mexico (JA, NA)
 Costa Rica

sallaei Bates, 1880: 131
undatus (Chevrolat, 1834: 61)

Mexico (MO, OA), Honduras
 swUSA (TX), Mexico (HI, ME, VC)-Honduras

Trigonoepplus White, 1855: 403

Anepsius Bates, 1862: 447
Aneptius: Thomson, 1864: 352 [ISS of *Anepsius* Bates, 1862]

abdominalis White, 1855: 403
signatipennis Thomson, 1861: 340
binominis Chevrolat, 1861: 250
bispecularis White, 1855: 403
paterculus Lacordaire, 1872: 718
maculipennis Lane, 1972: 360
sibletti Touroult & Demez, 2014: 3

Brazil (BA, ES, RJ), Bolivia (SC)

Brazil (RJ)
 Brazil (AM, RO, PA)
 French Guiana, Brazil (PA, BA)

Peru

Xylotribus Audinet-Serville, 1835: 80

decorator (Fabricius, 1801: 289)
heterocerus Audinet-Serville, 1835: 80
simulans Bates, 1862: 456
pinacopterus Lane, 1964: 198

French Guiana, Brazil (PA)

Brazil (AM), Ecuador

Apomecynini Thomson, 1860: 68

Apomecynitae Thomson, 1860: 42 (key), 68
Agennopsides Lacordaire, 1872: 592
Adétides Candeze in Lacordaire, 1872: 592
Ptéricoptides Lacordaire, 1872: 601
Ischiolonchides Lacordaire, 1872: 709

Acestrilla Bates, 1885: 350

minima Bates, 1885: 350
annulicornis Breuning, 1943: 38
strandiella Breuning, 1942: 140

Mexico (CHS), Guatemala, Honduras, Nicaragua, Costa Rica,
 Panama, Brazil (SC), Bolivia (SC)

Acrepidopterum Fisher, 1926: 6

acutum Zayas, 1975: 187
capilosum Martins & Galileo, 2008: 278
fuscum Lingafelter, 2024: 32
giesberti Lingafelter, 2024: 33
jamaicense Fisher, 1942: 18
minutum minutum Fisher, 1926: 6
 subsp. **apicalis** Fisher, 1935: 197
pilosum Fisher, 1932: 75
reseri Vitali, 2002: 138

Cuba
 Honduras
 Dominican Republic (Barahona)
 Dominican Republic (San Pedro de Macoris)
 Jamaica
 Cuba
 Jamaica
 Dominican Republic
 Jamaica

Adetaptera Santos-Silva, Nascimento & Wappes, 2019: 14

albisetosa (Bates, 1880: 105)
alboosticta (Galileo & Martins, 2003: 170)
chapadensis (Martins & Galileo, 1999: 814)
dominicana (Galileo & Martins, 2004: 57)
fulvosticta (Bates, 1885: 341)
fulvostictica: Breuning, 1960: 181 [ISS]
insularis (Fisher, 1930: 9)
jejetama Gutierrez & Santos-Silva, 2022: 6
laevepunctata (Breuning, 1940: 37)
laevipunctata: Chemsak, Linsley & Noguera, 1992: 116 [ISS]
lenticula (Galileo & Martins, 2006: 13)
maculata (Martins & Galileo, 1999: 814)
minor (Bates, 1880: 105)
ovatula (Bates, 1880: 105)
parallela (Lameere, 1893: 275)
punctigera (Germar, 1823: 494)

Guatemala-Panama, Venezuela
 Colombia
 Brazil (MG)
 Dominican Republic
 Mexico (VC), Honduras

Cuba
 Mexico (Chiapas)
 Mexico
 Paraguay
 Bolivia (SC), Argentina
 Mexico (TL, OA, VC), Honduras
 Mexico, Guatemala
 Venezuela
 Brazil (RJ-PR), Bolivia (SC)

schaffneri Santos-Silva, Nascimento & Wappes, 2019: 15
setigera Bezark & Santos-Silva, 2022: 1
strandiella (Breuning, 1940: 37)
thomasi (Linsley & Chemsak, 1984: 114)
wickhami (Schaeffer, 1908: 350)

Mexico (Oaxaca)
 Mexico (Oaxaca)
 Paraguay, Argentina
 seUSA (FL), Honduras
 scUSA (TX)

Adetus LeConte, 1852: 161

Polyopsia: Haldeman, 1847: 55 [Mld; not Mulsant, 1839]
Agennopsis Thomson, 1857: 302
Talaepora Fairmaire & Germain, 1860: 521
Stygnesis Pascoe, 1866: 286
Tautoclines Thomson, 1868: 155
Pterichthya Thomson, 1868: 156
Parmenonta Thomson, 1868: 157
Pterichthya: Bates, 1880: 109 [ISS of *Pterichthya* Thomson, 1868]
Pterichtya: Aurivillius, 1922: 290 [ISS of *Pterichthya* Thomson, 1868]
Atimuropsis Thomson, 1868: 162
Sicyobius Horn, 1880: 137
aberrans Galileo & Martins, 2003: 169
abruptus Belon, 1902: 467
albosignatus Breuning, 1943: 37
albovittatus Breuning, 1966: 11
analís (Haldeman, 1847: 55)
 mutica Thomson, 1857: 302
 pygaea Bates, 1866: 295
 mexicana Thomson, 1868: 153
angustus Melzer, 1934: 84
 clarus Breuning, 1940: 151
antennatus (Thomson, 1868: 155)
 subsp. **denticauda** Bates, 1880: 108
 subsp. **nitens** Bates, 1885: 344
atomarius atomarius Belon, 1902: 464
 subsp. **invittatus** Breuning, 1971: 300
bacillarius Bates, 1885: 344
 bacillarius: Audureau, 2008: 14 [ISS]
basalis Martins & Galileo, 2010: 684
binotatus (Thomson, 1868: 155)
 leucostigma Bates, 1880: 108
 venezuelensis Breuning, 1942: 139
brasiliensis (Melzer, 1923: 4)
brousi (Horn, 1880: 137)
cacapira Martins & Galileo, 2005: 25
catemaco Martins & Galileo, 2005: 26
cecimir Martins & Galileo, 2005: 26
clinei Santos-Silva, Nascimento & Wappes, 2019: 12
columbianus Breuning, 1948: 14
copei Audureau, 2016: 62
consors Bates, 1885: 342
costicollis Bates, 1872: 199
croton Heffern, Santos-Silva & Botero, 2019: 565

cylindricus (Bates, 1866: 296)
 inaequalis (Thomson, 1868: 163)
curtulus Bates, 1885: 343
curupira Galileo & Martins, 2006: 12
differentis Galileo, Martins & Nascimento, 2013: 393
fasciatus Franz, 1959: 185
flavescens Melzer, 1934: 84
 strandii Breuning, 1940: 38
 mediofasciculatus Breuning, 1943: 37
furculicauda (Bates, 1880: 110)
 furfulicauda: Breuning, 1960: 181 [ISS]

Colombia
 Bolivia (BN, SC), Peru
 Venezuela
 Peru
 Mexico (VC, TB)-South America

Bolivia (SC), Paraguay, Argentina

Mexico (VC)-Panama
 Guatemala, Honduras, Costa Rica
 Guatemala
 Bolivia
 Venezuela
 Mexico-Panama, Colombia, Venezuela, Bolivia (SC), Paraguay

Bolivia (SC)
 Mexico, Guatemala, Belize, Honduras, Nicaragua,
 Costa Rica, Panama, Venezuela

Brazil (MG-SP)
 scUSA (TX, KS), Mexico
 Bolivia (SC)
 Mexico (VC)
 French Guiana, Ecuador, Bolivia (SC), Peru
 Bolivia (SC)
 Colombia
 Peru
 Guatemala-Panama, Venezuela
 Mexico-Panama
 USA (Texas), Mexico (SO, TA, JA,
 NA, MI, NL, CHS, YU, QR), Honduras, Nicaragua
 French Guiana, Ecuador, Colombia, Brazil (AP, PA),
 Peru, Bolivia
 Honduras, Panama
 Brazil (PA)
 Brazil (CE, PI)
 Mexico-Costa Rica
 Brazil (SP, RJ, SC)

Guatemala, Costa Rica (Cartago)

- fuscoapicalis** Breuning, 1942: 139
fuscopunctatus Aurivillius, 1900: 413
griseicauda (Bates, 1872: 199)
herreriae Santos-Silva & Galileo, 2016: 297
inca Martins & Galileo, 2005: 26
insularis Breuning, 1940: 37
jacareacanga Galileo & Martins, 2004: 57
lewisi Linsley & Chemsak, 1984: 116
lherminieri Fleutiaux & Sallé, 1889: 468
lherminieri dominicensis Breuning, 1940: 38
lherminieri leewardensis Breuning, 1940: 38
grossepunctatus Breuning, 1940: 38
grossepuncta: Chemsak, Linsley & Noguera, 1992: 114 [ISS]
lineatus Martins & Galileo, 2003: 375
linsleyi Martins & Galileo, 2003: 375
longicauda (Bates, 1880: 110)
longipennis Audureau, 2016: 61
marmoratus Breuning, 1942: 138
michoacanensis Perez-Flores & Altamirano, 2024: 337
minimus Breuning, 1942: 139
mirabilis Martins, Galileo & Santos-Silva, 2015: 395
modestus Melzer, 1934: 83
densepunctatus Breuning, 1939: 233
monteverdensis Santos-Silva, Nascimento & Wappes, 2019: 8
mucoreus Bates, 1885: 343
multifasciatus Martins & Galileo, 2003: 375
nanus (Fairmaire & Germain, 1860: 468)
latericius Belon, 1902: 468
irregularis (Breuning, 1939: 233)
gracilis Breuning, 1940: 38
nesiotes Linsley & Chemsak, 1966: 243
obliquatus Breuning, 1948: 14
obliquus (Bates, 1885: 345)
pacaruia Martins & Galileo, 2003: 376
pictoides Breuning, 1973: 37
pictus Bates, 1880: 109
excultus Bates, 1880: 109
pictus m. *exultus*: Breuning, 1960: 180 [ISS of *excultus* Bates, 1880]
pinima Martins & Galileo, 2003: 376
pisciformis (Thomson, 1868: 157)
pisciformis m. *brevicauda* Breuning, 1971: 316
postilenatus Bates, 1885: 343
praeustus (Thomson, 1868: 153)
proximus Breuning, 1940: 426
pseudobacillarius Santos-Silva, Nascimento & Wappes, 2019: 10
pulchellus (Thomson, 1868: 156)
strigulatus Bates, 1880: 107
nigricornis Aurivillius, 1900: 412
incomptus Belon, 1902: 469
socius Melzer, 1934: 81
brevicornis Breuning, 1940: 151
lateralibus Breuning, 1942: 138
punctatus (Thomson, 1868: 154)
guttulatus Belon, 1902: 466
punctiger (Pascoe, 1866: 286)
pusillus (Fairmaire & Germain, 1860: 521)
salvadorensis Franz, 1954: 224
scissicauda Bates, 1874: 225
alboapicalis Breuning, 1943: 37
similis Bruch, 1939: 200
sordidus (Bates, 1866: 295)
spinipennis Breuning, 1971: 286
- Brazil (SC), Bolivia (SC)
 Venezuela
 Honduras-Panama
 Bolivia (SC)
 Peru, Bolivia (SC)
 Mexico (Guerrero), Panama (Taboga Island)
 Brazil (PA)
 swUSA, Mexico (SI, JA)
 W Indies (Lesser Antilles), Antigua
- Brazil (DF)
 wEcuador
 Mexico (VC), Costa Rica (CA)
 Peru
 Brazil (MA, GO, MG, SP), Bolivia (SC)
 Mexico (Michoacán)
 Brazil (BA)
 Bolivia (SC)
 Brazil
- Costa Rica (PU)
 Costa Rica, Panama
 Brazil (SP)
 Colombia, Venezuela, French Guiana, Brazil, Bolivia, Chile, Argentina
- Costa Rica (Cocos Island)
 Argentina (ER)
 Mexico
 eEcuador, Peru
 Costa Rica
 Guatemala-Panama
- Peru
 Mexico (JA, PU), Guatemala, Costa Rica
- Guatemala-Panama
 Brazil (SP), Bolivia (SC)
 Paraguay
 Costa Rica (PU)
 Guatemala-Argentina, Bolivia (BN, SC)
- Suriname, French Guiana, Bolivia (BN, LP, RO, SC)
- Colombia
 Chile
 Mexico (OA), Guatemala (SU), Honduras, El Salvador, Panama
 Mexico (GR), Nicaragua, Panama, Venezuela
- Bolivia, Paraguay, Argentina, Uruguay
 Brazil (PA), eEcuador, Peru
 Bolivia (SC)

stellatus Martins & Galileo, 2008: 275
stramentosus Breuning, 1940: 37
striatopunctatus Breuning, 1940: 151
subcostatus Aurivillius, 1900: 412
auratoides Breuning, 1943: 37
subellipticus Bates, 1880: 107
tayronus Galileo & Martins, 2003: 168
tibialis Breuning, 1943: 37
trinidadensis Breuning, 1955: 659
truncatipennis Melzer, 1934: 81
validus (Thomson, 1868: 158)
vanduzeei Linsley, 1934: 62
x-fasciatus Santos-Silva, Nascimento & Wappes, 2019: 7

Aletretriopsis Breuning, 1940: 154
Aletretriopsis: Breuning, 1960: 174 [ISS]
estoloides Breuning, 1940: 154

Amphicnaeia Bates, 1866: 32
Aesylacris Thomson, 1868: 143
albovittata Breuning, 1971: 224
amicusbira Galileo, 2015: 125
antennata Galileo & Martins, 2001: 41
apicalis Melzer, 1933: 376
armata Galileo & Martins, 2001: 38
bezarki Wappes, Santos-Silva & Galileo, 2019: 4
birai Galileo, 2015: 124
bivittata Melzer, 1933: 373
brevivittis Bates, 1872: 202
crustulata Bates, 1872: 235
distincta Bezark, Santos-Silva & Devesa, 2020: 4
flavescens Martins & Galileo, 1999: 69
flavofemorata Breuning, 1940: 153
flavolineata Breuning, 1943: 38
flavovittata Breuning, 1940: 41
fuscofasciata Wappes, Santos-Silva & Galileo, 2019: 5
gouverneuri Vitali, 2021: 261
interrupta Galileo & Martins, 2003: 168
larrei Tavakilian & Santos-Silva, 2023: 40
lepida Melzer, 1933: 375
costaricensis Breuning, 1942: 140
lineata Bates, 1866: 33
plurivittis Belon, 1903: 65
affinis Breuning, 1940: 41
lineolata Galileo & Martins, 2011: 330
lyctoides Bates, 1866: 33
martinsi Galileo, 2015: 125
nigra Galileo & Martins, 2001: 39
odettae Bezark, Santos-Silva & Devesa, 2020: 4
panamensis Wappes, Santos-Silva & Galileo, 2019: 2
piriana Martins & Galileo, 2001: 1230
pretiosa Galileo & Martins, 2001: 37
pulchra Bezark, Botero & Santos-Silva, 2022: 4
pusilla Bates, 1866: 33
quadrifasciata Nascimento & Santos-Silva, 2018: 8
quinquevittata Bates, 1885: 349
rileyi Wappes, Santos-Silva & Galileo, 2019: 7
sexnotata Melzer, 1933: 374
strandii Breuning, 1942: 139
tate Galileo & Martins, 2001: 38
trivitticollis Breuning, 1961: 153

Costa Rica (CA)
 Brazil (ES-SC)
 Uruguay
 Mexico-Panama, Venezuela

Guatemala
 Colombia
 French Guiana, Brazil, Bolivia
 Trinidad
 Brazil (RJ-RS)
 Mexico (ME, VC)-Nicaragua
 Mexico (BC, Cerralbo I)
 Paraguay, Argentina

Brazil (PE)

Brazil (RJ)
 French Guiana
 Panama, Brazil (MG)
 Costa Rica
 French Guiana, Brazil (SP, PA), Bolivia (SC)
 Venezuela
 Bolivia (SC)
 Costa Rica
 Nicaragua-Panama
 Guatemala-Panama
 eEcuador (Orellana)
 Colombia, Peru
 Brazil (RJ)
 Peru
 Brazil (RJ)
 Costa Rica (Puntarenas), Panama
 French Guiana
 Colombia
 French Guiana (Kaw)
 Costa Rica

Panama, Fr Guiana, Brazil (AM, RJ-RS, PR), Bolivia, Peru, Paraguay

French Guiana (Kaw), Brazil (PA, RO)
 Brazil (RJ)
 Bolivia (LP)
 Brazil (RG)
 French Guiana (Cayenne)
 Panama
 Venezuela
 Brazil (ES)
 Ecuador (Pichincha, Napo, Tungurahua)
 Brazil (PA, RO)
 Brazil (BA)
 Guatemala, Costa Rica (PU), Panama (Bocas de Toro)
 Costa Rica, Panama
 Costa Rica
 Costa Rica
 Colombia, Ecuador, Bolivia (SC)
 Ecuador

ubirajara Galileo, 2015: 123
villosula (Thomson, 1868: 143)
vitticollis Breuning, 1940: 427
zonata Martins & Galileo, 2001: 1231

Brazil (AM)
 Colombia
 Brazil
 Venezuela

Apomecyna Latreille, 1829: 126 (?)

Mecynapus Thomson, 1858: 187
varia Blanchard in Gay, 1851: 516

Chile

Apomorrisia Santos-Silva & Nascimento, 2022: 399 [RN]

Morrisia Santos-Silva, Nascimento & Wappes, 2019: 16 [JH; not Davidson, 1852 Brachiopoda]
squamosa (Chemsak & Noguera, 1993: 90)
pulchra (Santos-Silva, Nascimento & Wappes, 2019: 17)
skillmani (Gutierrez & Santos-Silva, 2022: 3)

Mexico (GR, JA)
 Mexico (QR)
 Guatemala (Izabal)

Asyngenes (Asyngenes) Bates, 1880: 114

affinis Breuning, 1942: 140
chalceolus Bates, 1880: 115
strandiellus Breuning, 1943: 39
vittipennis Breuning, 1942: 140

Brazil (GO)
 Guatemala, Honduras, Venezuela
 Venezuela
 Brazil

Asyngenes (Neosyngenes) Breuning, 1943: 39

venezuelensis Breuning, 1943: 39

Mexico-Venezuela, Bolivia (SC)

Bebelis Thomson, 1864: 110

acuta Pascoe, 1875: 73
geometrica Bates, 1880: 130
laetabilis Belon, 1903: 54
aurulenta (Belon, 1903: 56)
coenosa (Bates, 1866: 36)
compta Galileo & Martins, 2006: 17
cuprina (Belon, 1903: 58)
divaricata (Fisher, 1947: 175)
elongata (Lameere, 1893: 275)
fasciata (Fisher, 1947: 176)
furcula (Bates, 1880: 130)
imitatrix Santos-Silva, 2022: 416
leo Monné & Monné, 2009: 375
lignea (Bates, 1866: 35)
prolongata (Fisher, 1947: 173)
lignosa Thomson, 1864: 110
longipennis (Bates, 1885: 371)
maculata Martins & Galileo, 1999: 72
mexicana (Bates, 1885: 372)
modesta (Belon, 1903: 59)
angusta Fisher, 1947: 180
concosa Galileo & Martins, 2006: 17
nearnsi Santos-Silva, 2022: 406
obliquata Breuning, 1940: 84
inaequalis Fisher, 1947: 174
occulta (Bates, 1866: 36)
parana Santos-Silva, 2022: 413
parva (Fisher, 1938: 138)
picta Pascoe, 1875: 73
obtusa Bates, 1885: 372
schwarzi Fisher, 1947: 37
pseudolignosa Breuning, 1942: 174
harringtoni Fisher, 1947: 181
puncticollis (Fisher, 1947: 178)
skillmani Santos-Silva, 2022: 410
tagua Galileo & Martins, 2006: 16

Mexico (VC)-Panama, Brazil, Bolivia (SC), Argentina

Bolivia
 Brazil (PA)
 Brazil (RS, SP)
 Bolivia (SC), Brazil (AC, RO)
 Costa Rica
 Venezuela
 Panama, Colombia
 Guatemala, Honduras, Nicaragua, Costa Rica
 Argentina (Mendoza)
 Brazil (RJ)
 Belize-Panama, Brazil (PA, MG)

Mexico-South America
 Mexico (TM), Guatemala-Panama
 Colombia
 Mexico (VC), Guatemala, Honduras
 Panama, Ecuador, Bolivia, Brazil (RS, SP)

Bolivia (La Paz)
 Brazil (MG), Paraguay

Brazil (MA, PA), Bolivia (SC)
 Argentina (Corrientes)
 French Guiana, Brazil (PE, MG-RS, GO)
 Mexico, Cuba, Bahamas, West Indies, Central America-South America

Argentina (SA)

Nicaragua
 Bolivia (Santa Cruz)
 Brazil (AM), Bolivia (SC)

tingai Santos-Silva, 2022: 408
wappesi Santos-Silva, 2022: 402
zeteki Fisher, 1947: 179

Bisaltes (Bisaltes) Thomson, 1868: 110

adustus (Burmeister, 1865: 179)
argentiniensis Breuning, 1971: 285
bilineellus Breuning, 1939: 235
bimaculatus Aurivillius, 1904: 207
brevicornis Breuning, 1939: 235
buquetii Thomson, 1868: 111
batesi Aurivillius, 1923: 609
forsteri Tippmann, 1960: 152
fuchsi Breuning, 1971: 284
chilensis Breuning, 1939: 235
confusa Juarez-Noe, Gonzalez-Coronado & Bezark, 2022: 184
elongatus Breuning, 1939: 236
flaviceps Breuning, 1940: 155
fuscoapicalis Breuning, 1950: 267
fuscodiscalis Breuning, 1943: 39
fuscomarmoratus Breuning, 1966: 11
lateralis Bezark & Santos-Silva, 2023: 8
lingafelteri Martins, Santos-Silva & Galileo, 2015: 82
montevidensis (Thomson, 1868: 146)
monticola Tippmann, 1960: 153
bistriata Tippmann, 1960: 154
pulvereus (Bates, 1866: 289)
postcalis Thomson, 1868: 111
petilus Galileo & Martins, 2009: 164
roseiceps Breuning, 1939: 234
sautierei Chalumeau & Touroult, 2004: 64
spegazzinii Bruch, 1911: 175
picticornis Galileo & Martins, 2003: 379
stramentosus Breuning, 1939: 236
strandi Breuning, 1940: 43
subreticulatus Aurivillius, 1920: 381
taua Galileo & Martins, 2003: 380
tibialis (Schaeffer, 1908: 348)
triangularis Breuning, 1940: 43
unicolor Galileo & Martins, 2003: 380
uniformis Breuning, 1939: 236
obliquatus Breuning, 1940: 155
venezuelensis Breuning, 1943: 39

Bisaltes (Craspedocerus) Aurivillius, 1900: 413

pictus Breuning, 1940: 43
poecilus (Aurivillius, 1900: 414)
columbianus Breuning, 1971: 285
ptericoptoides Breuning, 1942: 141

Capaciphrynidi Bezark & Santos-Silva, 2022: 5

extensus Bezark & Santos-Silva, 2022: 6

Catuaba Martins & Galileo, 2003: 135

sanguinolenta Martins & Galileo, 2003: 135 [COS]
sanguinoloenta: Martins & Galileo, 2003: 135 [IOS]

Cauca Lane, 1970: 371

contestata Lane, 1970: 371

Bolivia (Santa Cruz)
 Bolivia (Santa Cruz)
 Panama

Bolivia (SC), Argentina (SA, TU)

Brazil, Bolivia (SC)
 Brazil (DF, BA, MG, ES, RJ, SP, PR), Bolivia (SC), Paraguay, Argentina
 Brazil, Bolivia, eEcuador, Peru
 Panama, French Guiana, Bolivia, Brazil (ES)

Chile
 Peru (Piura), Ecuador (Loja)
 Brazil (CE-BA)
 Bolivia
 Brazil (RJ)
 Peru, Bolivia (BO)
 Peru
 wEcuador (Manabi)
 Bolivia (CO)
 Uruguay
 Bolivia

Costa Rica (AL, GU), Panama, French Guiana, Brazil (AM, PA, RO)

eBrazil (PE-RJ), Bolivia (SC), Paraguay
 Guadeloupe
 Peru, Bolivia (Beni, Santa Cruz), Argentina

Bolivia
 Argentina (FO)
 South America
 Brazil (SC, PR)
 swUSA (TX)
 Brazil (PE-RJ)
 Ecuador
 Brazil (DF, PE, BA, RJ), Argentina

Venezuela

Colombia
 Colombia, Venezuela

Colombia

Honduras (Lempira)

Brazil (MS)

Colombia

- Clavisybra** Breuning, 1943: 43
strandiella Breuning, 1943: 43 Brazil (RJ)
- Craspedoderus** Thomson, 1864: 33
dilaticollis Thomson, 1864: 33 French Guiana
- Dolichosybra** Breuning, 1942: 152
annulicornis Breuning, 1942: 153 Brazil (SC)
apicalis (Gilmour, 1963: 100) Trinidad
elongata Breuning, 1942: 152 Brazil
strandi Breuning, 1943: 44 Venezuela
strandiella Breuning, 1942: 153 Brazil (SC)
tubericollis Breuning, 1942: 152 Panama, Brazil (PI), Bolivia (SC)
- Dorcasta** Pascoe, 1858: 264 [NP]
Aegilopsis Horn, 1860: 571
Gnaphalocera Dejean, 1835: 349 [NN]
Gnaphalocera Chevrolat in d'Orbigny, 1845: 245 [NO]
birai Bezark, Santos-Silva & Nascimento, 2018: 61 Brazil (Goiás)
borealis Breuning, 1940: 207 Mexico (YU), Nicaragua
cinerea (Horn, 1860: 571) scUSA, Mexico
crassicornis Pascoe, 1858: 264 Mexico, Guatemala, Nicaragua, El Salvador, Costa Rica, Colombia
dasycera (Erichson in Schomburgk, 1848: 574) [NP] Mexico (OA), Aruba, Haiti-Colombia, Venezuela, Bolivia (SC)
lincta Dejean 1835: 349 [NN]
linta Chevrolat in d'Orbigny, 1845: 245 [NO]
oryx Pascoe, 1858: 264
gracilis Fisher, 1932: 82
implicata Melzer, 1934: 228 Brazil (BA, MA, CE-MG), Bolivia (SC, TR), Argentina
parkeri Bezark, Santos-Silva & Nascimento, 2018: 55 Mexico, El Salvador, Nicaragua, Costa Rica
quadriscopiosa Breuning, 1940: 207 Brazil (Rio Grande do Norte, Pernambuco, Bahia, Minas Gerais)
rifkindi Bezark, Santos-Silva & Nascimento, 2018: 63 Mexico, Panama
singularis Martins & Galileo, 2001: 1231 Brazil (GO)
- Enochlisi** Santos-Silva, 2022: 4
micri Santos-Silva, 2022: 4 Mexico (Oaxaca)
tlaloque Perez-Flores, Arriaga-Varela & Navarette-Heredia, 2023: 342 Mexico (Veracruz)
- Euteleuta** Bates, 1885: 348
fimbriata Bates, 1885: 349 Guatemala, Brazil (BA, RJ, SP), Bolivia (SC)
laticauda Bates, 1885: 349 Costa Rica, Panama
venezuelensis Breuning, 1971: 267 Venezuela
- Eyiaba** Galileo & Martins, 2004: 55
itapetinga Galileo & Martins, 2004: 57 Brazil (BA)
picta Galileo & Martins, 2004: 55 Brazil (SP)
- Falsischnolea** Breuning, 1940: 167
apicalis Martins & Galileo, 2001: 1228 Brazil (ES)
flavoapicalis Breuning, 1940: 167 Brazil (MG-PR), Paraguay
nigrobasalis Breuning, 1940: 168 Brazil (ES, RJ)
pallidipennis (Chevrolat, 1861: 251) Brazil (SP-SC)
apicopunctata Gilmour, 1950: 544
- Folilectia** Perez-Flores, Arriaga-Varela & Navarette-Heredia, 2023: 344
muye Perez-Flores, Arriaga-Varela & Navarette-Heredia, 2023: 345 Mexico (Hidalgo)
- Irundiaba** Martins & Galileo, 2008: 278
waorani Martins & Galileo, 2008: 279 Ecuador (Napó)

Ischioloncha Thomson, 1860: 122*Merocentrum* Lane, 1939: 473**columbiana** Breuning, 1956: 694**lanei** (Prosen, 1957: 35)**lineata** Bates, 1885: 369**rondonia** Martins & Galileo, 2003: 133**strandiella** Breuning, 1942: 174**wollastonii** Thomson, 1860: 123*melzeri* Bondar, 1938: 447

Colombia

Bolivia

Guatemala, Costa Rica, Panama

Brazil (RO)

Colombia, Bolivia

French Guiana, Brazil (AM, RO, PE, BA)

Leptophaula Breuning, 1940: 154**femoralis** Breuning, 1940: 154

Colombia, Venezuela

Oscakaya Perez-Flores & Santos-Silva, 2021: 182**obrieni** Bezark & Santos-Silva, 2022: 2**oaxacae** Perez-Flores & Santos-Silva, 2021: 183

Mexico (Hidalgo)

Mexico (Oaxaca)

Palpicrassus Martins & Galileo, 2010: 685**inexpectatus** Martins & Galileo, 2010: 685**paulistanus** Galileo & Martins, 2007: 351

Bolivia (SC)

Brazil (SP)

Paraesylacris Breuning, 1940: 159**bituberosa** Breuning, 1940: 159**candida** Martins & Galileo, 2001: 1232**columbiana** Breuning, 1940: 159

Brazil (ES)

Brazil (AC)

Colombia

Phrynidius Lacordaire, 1869: 262**armatus** Linsley, 1933: 131**asper** Bates, 1885: 334**cristinae** Gutierrez, Toledo & Noguera, 2020: 47**diminutus** Gutierrez, Toledo & Noguera, 2020: 49**echinoides** Breuning, 1940: 407**echinus** Bates, 1880: 93**guatemalensis** Noguera & Santos-Silva, 2023: 469**guifarroi** Santos-Silva, Van Roie & Jocque, 2021: 48**inaequalis** (Say, 1835: 193)**jonesi** Gutierrez, Toledo & Noguera, 2020: 51**nayaritensis** Heffern et al, 2018: 70**oaxacanensis** Noguera & Santos-Silva, 2023: 467**obrieni** Noguera & Santos-Silva, 2023: 460**pallifemoralis** Noguera & Santos-Silva, 2023: 464**poriferus** Noguera & Santos-Silva, 2023: 455**salvadorensis salvadorensis** Franz, 1954: 220subsp. **montecristensis** Franz, 1954: 221**singularis** Bates, 1880: 92**skillmani** Noguera & Santos-Silva, 2023: 458**tuberculatus** Gutierrez, Toledo & Noguera, 2020: 53**wibmeri** Noguera & Santos-Silva, 2023: 462

Mexico (Chiapas), Guatemala

Guatemala, Honduras

Mexico (Chiapas)

Mexico (Chiapas)

Mexico

Guatemala - Panama

Guatemala (Baja Verapaz)

Guatemala (Baja Verapaz), Honduras (Cortés)

Mexico (VC), Honduras

Mexico (Chiapas)

Mexico (NAY), Honduras (Olancho)

Mexico (Oaxaca)

Honduras (Atlantida)

Mexico (Oaxaca)

Honduras (Atlantida)

El Salvador

El Salvador, Honduras

Mexico-Honduras

Guatemala (Izabal)

Mexico (Chiapas)

Mexico (Veracruz)

Potiatuca Galileo & Martins, 2006: 12**carioca** Monné & Monné, 2009: 376**ingridae** Galileo & Martins, 2006: 13**serrana** Monné & Monné, 2009: 376

Brazil (RJ)

Brazil (RS)

Brazil (RJ)

Prosenella Lane, 1959: 83**muehni** (Bruch, 1933: 335)**unicolor** Martins & Galileo, 2003: 134

Argentina (JU, CO)

Brazil (MS)

Pseudepectasis Breuning, 1940: 213*bispinosa* Breuning, 1940: 213

Brazil (RJ)

Ptericoptus Lacordaire, 1830: 185*Ptericoptus* Gemminger in Gemminger & Harold, 1873: 3101 [UE]*Ptericoptus*: Desmarest in Chenu, 1860: 326 [ISS]*acuminatus* (Fabricius, 1801: 323)

Brazil, Bolivia (PN, SC), Paraguay, Argentina, Peru

dentipennis Latreille, 1811: 56*acuminatus* m. *reductus* Breuning, 1971: 271*hybridus hybridus* Breuning, 1939: 233*avanyae* Martins & Galileo, 2010: 87

Brazil (CE, PB, BA)

borealis Breuning, 1939: 234

Mexico (DU)

caudalis Bates, 1880: 111

Mexico (NAY, VC), Guatemala, Honduras

griseotarsalis Breuning, 1971: 274*crassicornis* (Fabricius, 1803: 84) [RN]

Guyana, French Guiana

clavicornis Fabricius, 1801: 323 [JpH; not Fabricius, 1775, *Anubis*, Callichromatini]*cruentatus* Thomson, 1868: 109*columbianus* Breuning, 1950: 9

Colombia

corumbaensis Galileo & Martins, 2003: 383

Brazil (MS)

dorsalis Audinet-Serville, 1835: 61

Brazil, Bolivia (SC), Paraguay

vitta Newman, 1838: 395*fuscus* Bates, 1885: 345

Mexico (GR, MO)

griseolus Bates, 1880: 111

Guatemala, Panama (Panama)

intermedius Breuning, 1939: 234

Mexico

meridionalis Breuning, 1939: 233

Paraguay, Argentina (BA, CH)

hibridus meridionalis: Di Iorio in Cordo et al., 2004: 65 [ISS]*panamensis* Bates, 1880: 111

Panama

similis Breuning, 1939: 234

Colombia, Venezuela

sinuatus Breuning, 1939: 233

Colombia, Peru

Rosalba Thomson, 1864: 108*Aletretia* Bates, 1866: 34*Apyratuca* Galileo & Martins, 2006: 13*Parhippopsis* Breuning, 1973: 653*alboapicalis* (Breuning, 1940: 42)

Brazil (RJ-SC)

alcidionoides Thomson, 1864: 109

Colombia

amazonica Galileo & Martins, 2013: 291

Brazil (AM), Peru

apiculata (Galileo & Martins, 2006: 16)

Bolivia (SC)

approximata (Melzer, 1934: 85)

Brazil (RJ-RS), Paraguay, Argentina

peraffinis (Breuning, 1940: 153)*arawakiana* Villiers, 1980: 86

Guadeloupe

bezarki Santos-Silva & Galileo, 2018: 220

wEcuador

bicolor (Audureau, 2016: 63)

Peru

birai Santos-Silva & Galileo, 2018: 215

Colombia (Narino)

bucki (Melzer, 1934: 87)

Brazil (RS)

mediofasciata (Breuning, 1943: 38)*cacapyra* Galileo & Martins, 2013: 288

Ecuador (Orellana)

cancelerensis Robin & Dalens, 2024: 1

French Guiana (Sinnamary)

cerdai Tavakilian, 2018: 232

French Guiana

clinei Tavakilian, Santos-Silva & Galileo, 2018: 213

French Guiana, Bolivia (SC), Brazil (RO)

contracta Bezark & Santos-Silva, 2019: 94

Ecuador (Orellana)

cordigera (Aurivillius, 1920: 386)

Brazil (RJ)

rufescens Breuning, 1940: 153*columbiana* (Breuning, 1973: 653)

Colombia

costaricensis (Melzer, 1934: 91)

Costa Rica, Panama

crassepunctata Breuning, 1948: 13

Brazil (AM), Peru

dalensi Santos-Silva & Galileo, 2018: 226

French Guiana

digna (Melzer, 1934: 86)

Brazil (SP-RS, PR), Paraguay, Argentina

albofasciata Breuning, 1942: 140*fimbriata* (Belon, 1903: 152)

Ecuador, Bolivia, Peru, Argentina

dissimilis (Belon, 1903: 153)

formosa Martins & Galileo, 2008: 276
genieri Audureau, 2016: 65
gaianii Joly, 2018: 230
giesberti Santos-Silva & Galileo, 2018: 205
giuglarisi Santos-Silva & Galileo, 2018: 222
hovorei Touroult, 2007: 12
incrustabilis Galileo & Martins, 2006: 18
inscripta (Bates, 1866: 34)
 acanthocinoides Thomson, 1868: 142
 consobrina (Melzer, 1934: 88)
 gounellei Galileo & Martins, 2013: 294
 vanini Galileo & Martins, 2013: 293
indistincta (Breuning, 1940: 41)
lingafelteri Santos-Silva & Galileo, 2018: 211
jolyi Galileo & Martins, 2013: 290
maculosa Galileo & Martins, 2013: 290
malleri (Melzer, 1934: 90)
mathildae Robin & Dalens, 2024: 2
mediovittata Galileo & Martins, 2013: 286
monnei Audureau, 2016: 66
morrisi Santos-Silva & Galileo, 2018: 210
nearnsi Santos-Silva & Galileo, 2018: 224
obliqua (Thomson, 1868: 141)
 pulchra Bates, 1885: 350
parva Galileo & Martins, 2013: 289
peruviensis Audureau, 2016: 67
pittieri Joly, 2018: 229
pulchella (Belon, 1903: 151)
recta (Thomson, 1868: 142)
rufobasalis (Breuning, 1940: 42)
schneppi Santos-Silva & Galileo, 2018: 227
senecauxi Tavakilian, Santos-Silva & Galileo, 2018: 208
seraisorum Tavakilian, Santos-Silva & Galileo, 2018: 218
similis Joly, Santos-Silva & Galileo, 2018: 221
skelleyi Bezark & Santos-Silva, 2019: 98
skillmani Santos-Silva & Galileo, 2018: 206
smaragdina (Breuning, 1940: 153)
stenodesma Joly, Tavakilian, Santos-Silva & Galileo, 2018: 216
stigmatifera (Thomson, 1868: 142)
strandi (Breuning, 1943: 38)
strandiella (Breuning, 1940: 42)
suiaba Martins & Galileo, 2009: 532
tanimbuca Galileo & Martins, 2013: 288
venusta Bezark & Santos-Silva, 2019: 96
wappesi Santos-Silva & Galileo, 2018: 203

Sarillus Bates, 1885: 359

pygmaeus Bates, 1885: 359

Skillmania Santos-Silva, Nascimento & Wappes, 2019: 18

obrienorum Santos-Silva, Nascimento & Wappes, 2019: 19

Sybra Pascoe, 1865: 141

alternans (Wiedemann, 1823: 111)

nr. *ponapensis* Blair, in Peck & Thomas, 1998: 122

Symperga Lacordaire, 1872: 711

balyi (Thomson, 1860: 121)

puncticollis Breuning, 1940: 212

Bolivia (SC)
 Peru
 Venezuela (Miranda)
 Bolivia (SC)
 French Guiana
 Martinique
 Bolivia (SC)
 nSouth America

Colombia
 Bolivia (SC)
 Venezuela (Aragua)
 Colombia, Peru
 Brazil (MG-RS)
 French Guiana (Matoury)
 Ecuador (Manabi)
 Peru
 Costa Rica (GU), Panama (Colon)
 French Guiana
 Nicaragua, Costa Rica, Panama, Venezuela, Brazil

Ecuador
 Peru
 Venezuela (AR)
 Bolivia, Peru
 Venezuela
 Colombia
 Panama
 French Guiana
 French Guiana, Brazil (AM), wEcuador
 Peru (Huanuco), eEcuador
 Bolivia (SC)
 Bolivia (SC)
 Brazil (PA, RJ, SP)
 Venezuela (AR, CA)
 Panama, South America
 Brazil (MG), Paraguay (Encarnacion)
 Brazil (GO), Bolivia
 Brazil
 Bolivia (SC)
 Ecuador (Napo)
 Bolivia (SC)

Mexico (QR), Guatemala, Honduras, Costa Rica, Panama

Mexico (JA, OA)

Micronesia, introduced in sFlorida

French Guiana, Bolivia (LP)
 Brazil (AM, PA)

Sympergoides Lane, 1970: 374**nasutus** Lane, 1970: 374

seBrazil (MG)

Tethystola Thomson, 1868: 131**alboangulata** Bezark & Santos-Silva, 2019: 99

Trinidad & Tobago (Trinidad)

brasilensis Breuning, 1940: 42

Brazil (PE)

flavoapicalis Breuning, 1942: 141**cincta** Martins & Galileo, 2008: 279

Bolivia (SC)

dispar Lameere, 1893: 276

Venezuela

inermis Galileo & Martins, 2001: 288

Venezuela

minima Galileo & Martins, 2001: 289

Venezuela

mutica Gahan, 1895: 126

Grenada, St Vincent, Trinidad & Tobago

obliqua Thomson, 1868: 132

Venezuela

unifasciata Galileo & Martins, 2001: 288

Peru

Tetrarpages Thomson, 1868: 129**lansbergei** Thomson, 1868: 130

Venezuela

Trichoparmenonta Breuning, 1943: 36**hoegei** Breuning, 1943: 36

Mexico

Typophaula Thomson, 1868: 152**melancholica** Thomson, 1868: 152

French Guiana, Brazil (AL)

dejeanii Thomson, 1868: 153 [conditionnal RN for *Typophaula melancholica* Thomson, 1868]*tuberosus* Galileo & Martins, 2003: 476**Vandenberghaeus** Heffern, Santos-Silva & Botero, 2019: 563**celaquiensis** Heffern, Santos-Silva & Botero, 2019: 564

Honduras

Ypomacena Martins, Galileo & Santos-Silva, 2016: 324**gibbosa** Martins, Galileo & Santos-Silva, 2016: 327

Brazil (RJ)

monnei Martins, Galileo & Santos-Silva, 2016: 325

Brazil (BA, MG)

Batocerini Lacordaire, 1869: 353**Batocera** Dejean, 1835: 341**rufomaculata** (Degeer, 1775: 107)

Old World (Puerto Rico, Barbados, Virgin Is introduced)

cruentatus Gmelin in Linnaeus, 1790: 1863*rubiginosus* Voet, 1778: 14**Calliini** Thomson, 1864: 123*Gryllicides* Lacordaire, 1872: 029**Acreana** Lane, 1973: 478**cuprea** Lane, 1973: 479

Brazil (AC, RO)

Alical Galileo, Santos-Silva & Bezark, 2016: 7**tuberculatus** Galileo, Santos-Silva & Bezark, 2016: 8

eEcuador

Amucallia Galileo & Martins, 2008: 8**carbonaria** Martins & Galileo, 2012: 561

French Guiana

citrina Martins & Galileo, 2012: 562

Guyana

colombiana Galileo & Martins, 2010: 3

Colombia

hovorei Galileo & Martins, 2008: 8

Panama

miranda Galileo & Martins, 2010: 2

Venezuela

venezuelensis Galileo & Martins, 2010: 3

Venezuela

Anapsicomus Galileo & Martins, 1988: 513**aethroides** Galileo & Martins, 1988: 514**lamproyroides** (Bates, 1866: 302)

Brazil (PR, SC, RS), Paraguay

Brazil (ES)

Ardeocomus Galileo & Martins, 1988: 512**hemilophoides** Galileo & Martins, 1988: 513

Brazil (BA, MG)

Asemolea Bates, 1881: 194**ambigua** (Bates, 1885: 424)**crassicornis** Bates, 1881: 194**flava** Martins & Galileo, 2006: 212**macaranduba** Galileo & Martins, 1998: 250**minuta** (Bates, 1872: 238)**purpuricollis** Bates, 1885: 423**rosea** Bezark, Botero & Santos-Silva, 2022: 6**setosa** Bates, 1881: 194

Mexico (VC)

Mexico (VC, OA), Belize

Costa Rica (PA)

Brazil (AM)

Honduras, Guatemala-Costa Rica

Costa Rica (LI), Panama

Guatemala (Alta Verapaz)

Guatemala, Honduras

Callia Audinet-Serville, 1835: 60**albicornis** Bates, 1885: 424**annulata** Galileo & Martins, 2002: 42**apyra** Martins, Galileo & Joly, 2010: 78**argodi** Belon, 1903: 74**axillaris** (Dalman, 1823: 69)*flavofemorata* Laporte, 1840: 486*pulchra* Melzer, 1930: 206**azurea** Audinet-Serville, 1835: 60**batesi** Blackwelder, 1946: 626 [RN]*minuta* Melzer, 1930: 207 [JpH; not Bates, 1872, as *Estola*]**bella** Galileo & Martins, 1992: 139**bicolor** (Breuning, 1960: 17)**boliviana** Belon, 1903: 72**bordoni** Martins, Galileo & Joly, 2010: 78**breviantennata** Bezark & Santos-Silva, 2022: 578**catuaba** Martins, Galileo & Joly, 2010: 79**chrysomelina** Pascoe, 1859: 45**comitessa** Melzer, 1930: 206**criocerina** Bates, 1866: 300**cyanea** Melzer, 1931: 14**divisa** Galileo & Martins, 2002: 44**flavipes** Zajciw, 1958: 55**fulvocincta** Bates, 1866: 300**gallegoi** Galileo & Martins, 1991: 260**guyanensis** Martins & Galileo, 2008: 59**halticoides** (Bates, 1866: 301)**leucozonata** Lane, 1973: 436**lineatula** Lane, 1973: 437**lissonota** Galileo & Martins, 2002: 46**lycoides** Bates, 1866: 301**marginata** Galileo & Martins, 2002: 42**metallica** Galileo & Martins, 2008: 33**oby** Martins, Galileo & Joly, 2010: 80**pallida** Martins, Galileo & Joly, 2010: 79**paraguaya** Galileo & Martins, 2002: 49**potiaiuba** Martins & Galileo, 2006: 214**punctata** Galileo & Martins, 2002: 42**purpureipennis** Gistel, 1848: 431**rubristerna** Galileo & Martins, 1992: 138**simplex** Galileo & Martins, 1991: 261**terminata** Martins, Galileo & Joly, 2010: 79**thomsoni** Wappes, Galileo & Santos-Silva, 2017: 87**tomentosa** Galileo & Martins, 2002: 46

Costa Rica (LI), Panama, eEcuador

eEcuador

Venezuela

Bolivia (CO), eEcuador

Brazil (MG, ES, RJ), Bolivia (TR), Paraguay, Argentina

Brazil (ES-SP)

Brazil (SP)

wEcuador

French Guiana

Peru, Brazil (RO), Bolivia (CO, SC)

Venezuela

Peru (San Martin)

Brazil (MG)

Brazil (PA), eEcuador

Brazil (ES, RJ), Paraguay (Paraguari)

Brazil (AM)

Brazil (GO, MS, MT), Paraguay

Brazil (MG)

Brazil (ES, RJ)

Mexico-Panama, eEcuador, Brazil, Bolivia (BN, SC)

Colombia

French Guiana

eEcuador (Orellana), Brazil (AM)

wEcuador

French Guiana

Brazil (RO)

Brazil (AM)

Peru

eEcuador

Brazil (PR)

Venezuela

Paraguay

Peru, Brazil (RO), Bolivia (CO, SC)

Colombia

Brazil

Peru, Bolivia (SC)

Brazil (PA)

Venezuela

Peru

Brazil (MG)

tristis Galileo & Martins, 2002: 44
variabilis Martins, Galileo & Joly, 2010: 80
xanthomera Redtenbacher, 1867: 185

Bolivia
 Venezuela
 Brazil (MG, RJ-RS), Paraguay, Argentina

Calliomorpha Lane, 1973: 434
cyanoptera Lane, 1973: 435

Brazil (AM), eEcuador

Callisema Martins & Galileo, 1990: 475
consortium Martins & Galileo, 1990: 478
elongatum Galileo & Martins, 1992: 135
iucaua Martins & Galileo, 1996: 307
jirouxi Santos-Silva, Bezark & Galileo, 2016: 160
rufipes Martins & Galileo, 1990: 476
skillmani Wappes & Santos-Silva, 2020: 9
socium Martins & Galileo, 1990: 477

Brazil (GO, MT)
 Colombia, Venezuela
 Peru
 eEcuador
 Brazil, Bolivia (SC), Paraguay (AP), Argentina
 Bolivia (Santa Cruz)
 Brazil (MG-SC), Paraguay (Cordillera), Argentina (MI)

Callityrinthia Galileo & Martins, 1991: 257
mimetica Galileo & Martins, 1991: 257

Costa Rica

Camitocomus Galileo & Martins, 1991: 254
nodosus Galileo & Martins, 1991: 254

Brazil (ES, RJ)

Canindea Galileo & Martins, 1990: 472
latithorax Galileo & Martins, 1991: 251
maculata Galileo & Martins, 1990: 474
signaticornis (Buquet, 1857: 339)

Brazil (AM)
 Brazil (AM)
 French Guiana, Brazil (AM, PA, MA)

Chalcolyne Bates, 1866: 297
metallica (Pascoe, 1858: 263)

Brazil (AM, PA)

Chereas Thomson, 1864: 124
Atelodesmis: Thomson, 1860: 62 [Mld; not Buquet, 1857]
octomaculata (Buquet, 1857: 337)

Brazil (ES, RJ)

Cicatricallia Martins & Galileo, 2012: 333
cicatricosa Martins & Galileo, 2012: 334

Bolivia (SC)

Colombicallia Galileo & Martins, 1992: 138
contraria Bezark & Santos-Silva, 2023: 364
curta Galileo & Martins, 1992: 138
setosa Santos-Silva, Bezark & Galileo, 2016: 162

Mexico (Veracruz)
 Panama (Colon), Colombia
 Costa Rica (PU)

Drycothaea Thomson, 1868: 145
Drycothea Bates, 1881: 193
Estolopsis Breuning, 1940: 179
Guyanestola Breuning, 1961: 248
angustifrons (Breuning, 1943: 56)
macrophthalma Breuning, 1961: 248
anteochracea (Breuning, 1974: 157)
ochreicollis Breuning, 1974: 161
bicolorata Martins & Galileo, 1990: 610
brasiliensis (Breuning, 1974: 49)
marmorata Martins & Galileo, 1990: 611
clara Galileo & Martins, 2012: 222
curtula Bates, 1885: 423
dozieri Wappes, Santos-Silva & Galileo, 2018: 6
estola (Lameere, 1893: 278)

Suriname, French Guiana, eEcuador, Brazil (AM, RO, AP, BA, MA, TO)

French Guiana, Brazil (MG, PA, GO, MT), Bolivia (SC)

eEcuador, Brazil (AM)
 French Guiana, Brazil (AM, MT), eEcuador, Bolivia (BN, SC)

Brazil (RO)
 Panama
 Bolivia (SC)
 Venezuela

gaucha Galileo & Martins, 2008: 32
guadeloupensis Fleutiaux & Sallé, 1889: 473
hovorei Galileo & Martins, 2012: 222
indistincta Lingafelter & Nearn, 2007: 188
indivisa Nascimento, 2018: 321
jolyi Galileo & Martins, 2010: 70
maculata Martins & Galileo, 2003: 619
mexicana (Breuning, 1974: 161)
ochreoscutellaris (Breuning, 1940: 180)
soricina Martins & Galileo, 1990: 611
ocularis Galileo & Martins, 2010: 71
parva Bates, 1885: 423
rotundicollis Galileo & Martins, 2010: 70
sallei Thomson, 1868: 145
sallaei Bates, 1881: 193
spreti Bates, 1885: 422
stictica stictica Bates, 1881: 193
stictia: Cools, 1993: 96 [ISS]
 subsp. **lepidiota** Bates, 1885: 422
testaceipes Bates, 1881: 193
truncatipennis Tavakilian, 1997: 136
stictica Breuning, 1942: 163 [JsH; not Bates, 1881]
turrialbae (Breuning, 1943: 56)
viridescens (Buquet, 1857: 337)
vulcanica Martins, Galileo & Santos-Silva, 2016: 321
wappesi Galileo & Martins, 2010: 71

Eumathes Pascoe, 1858: 251

Sinamora Thomson, 1868: 113
amazonicus Bates, 1866: 297
canus (Germar, 1823: 483)
undatus Pascoe, 1858: 251
subcostatus Thomson, 1868: 114
colombicus (Thomson, 1868: 114)
cuprascens Bates, 1874: 233

Eumimesis Bates, 1866: 298

affinis Magno & Monné, 1990: 454
carbonelli Lane, 1973: 476
decoratus (Fuchs, 1955: 51)
germana Lane, 1973: 474
heilipoides Bates, 1866: 298
suturalis Schmid, 2016: 235
trilineata Magno & Monné, 1990: 453

Euryestola Breuning, 1940: 180

Euroyestola Breuning, 1963: 510 [ISS]
antennalis Breuning, 1940: 180
caraca Galileo & Martins, 1997: 130
castanea Galileo & Martins, 2001: 69
cribrata (Bates, 1881: 194)
freyi Breuning, 1955: 660
iquira Galileo & Martins, 1997: 129
morotinga Galileo & Martins, 1997: 131
murupe Galileo & Martins, 1997: 132
skillmani Martins, Galileo & Santos-Silva, 2015: 398
transversa Bezark & Santos-Silva, 2023: 16

Graminea Thomson, 1864: 329

annulata Galileo & Martins, 1990: 469
hispida Galileo & Martins, 1990: 471

Brazil (RS)
 Guadeloupe
 eEcuador
 Dominican Republic
 Mexico (VC)
 Peru
 Bolivia (CO, SC)
 Mexico
 Suriname, French Guiana, Brazil (AM, PA, RO), eEcuador

Guatemala
 Honduras, Panama
 Costa Rica (CA)
 Mexico (TB, VC, CHS), Guatemala, Honduras, Belize

Mexico (VC, OA), Belize (Stann Creek)
 Mexico (VC)-Panama

Mexico (VC)
 Guatemala
 Brazil (SC)

Nicaragua, Costa Rica
 Brazil (ES, RJ)
 eEcuador
 Guatemala

eEcuador, Brazil (AM)
 Brazil (BA-RJ), Paraguay

Colombia
 Nicaragua-Panama

Brazil (AM), eEcuador
 eEcuador, Peru
 Bolivia (CO)
 French Guiana, Brazil (PA, MT)
 French Guiana, Brazil (AM), eEcuador, Peru
 eEcuador
 Brazil (RO), Bolivia (SC)

Venezuela, French Guiana
 Brazil (MG)
 Brazil (AM)
 Mexico (VC), Guatemala, Honduras, Belize, Nicaragua, Panama (Bocas)
 Trinidad
 Colombia, wEcuador
 Brazil (PA)
 Venezuela
 Bolivia (SC)
 Ecuador (Manabi)

Brazil (RO), Bolivia (CO, SC)
 Brazil (RO, GO), Bolivia (SC)

inca Galileo & Martins, 1990: 471
multicava Galileo & Martins, 1990: 469
rubra Martins & Galileo, 2006: 216
tomentosa Thomson, 1864: 330

Peru
 eEcuador
 Bolivia (SC)
 Brazil (BA, MG, SP)

Gryllica Thomson, 1860: 120

Esmia: Thomson, 1864: 100 [Mld; not Pascoe, 1859]

curitibana Lane, 1965: 333
flavopustulata Thomson, 1860: 121
picta (Pascoe, 1858: 263)
prava Lane, 1973: 470
metallica: Dillon & Dillon, 1946: 156 [Mld; not Pascoe, 1858]
pseudopicta Lane, 1965: 329
pygmaea Lane, 1973: 471

Brazil (PR)
 Brazil (ES, RJ)
 Brazil (BA-RS), Argentina (MI)
 Brazil (PA, MT), Bolivia (SC)
 Brazil (BA)
 Brazil (PR)

Harringtonia Lane, 1973: 477

dalmeidai (Dillon & Dillon, 1946: 161)
myia (Dillon & Dillon, 1946: 163)
miya: Galileo & Martins, 1991: 250 [ISS]

Costa Rica, Panama
 Bolivia

Hastatis Buquet, 1857: 338

auricollis Buquet, 1857: 339
denticollis Buquet, 1857: 338
femoralis Burmeister, 1865: 181
simplicis Galileo & Martins, 1990: 604

Brazil (MG-SC)
 Brazil (RJ, SP)
 Argentina (ME)
 Brazil (SP, SC)

Hemicladus Buquet, 1857: 328

buqueti Tavakilian, Touroult & Dalens, 2010: 41
callipus Buquet, 1857: 331
dejeanii Buquet, 1857: 329
fasciatus Galileo & Martins, 1991: 249
thomsonii Buquet, 1857: 330

French Guiana
 Brazil (ES)
 French Guiana, Brazil (AM)
 Brazil (AM), eEcuador
 French Guiana, Brazil, Paraguay, Bolivia (SC),

Hirticallia Galileo & Martins, 1990: 879

hirsuta Galileo & Martins, 1990: 879

Brazil (RS)

Icelastatis Galileo & Martins, 1991: 249

galerucoides (Bates, 1866: 299)

Brazil (PA)

Igualda Thomson, 1868: 144

posticalis Thomson, 1868: 144

French Guiana, Brazil (AM, PA)

Lustrocomus Martins & Galileo, 1996: 309

paraensis Martins & Galileo, 1996: 309

Brazil (PA)

Mesestola Breuning, 1980: 70

brochieri Touroult, 2007: 3
guadeloupensis Breuning, 1980: 70

St Lucie
 Guadeloupe

Micatocomus Galileo & Martins, 1988: 511

Micatomus: Monné, M.A., 2005: 331 [ISS]

isomeroides Galileo & Martins, 1988: 512
petalacmoides Galileo & Martins, 1988: 511

Brazil (ES)
 Brazil (ES)

Miguelia Galileo & Martins, 1991: 252

monnei Galileo & Martins, 1991: 252

Brazil (AM)

- Mimolaia** Bates, 1881: 424
acaiuba Galileo & Martins, 1998: 153
annulata Galileo & Martins, 2010: 7
batesi Perger & Santos-Silva, 2019: 296
buckleyi (Bates, 1885: 424)
calopteron (Bates, 1885: 424)
cleroides (Bates, 1866: 301)
diversicornis Galileo & Martins, 2010: 6
hua Galileo & Martins, 1991: 256
lata Galileo & Martins, 1991: 256
peruana Galileo & Martins, 1991: 255
pichincha Galileo & Martins, 1992: 135
tachira Galileo & Martins, 1992: 137
variicornis Belon, 1903: 76
Colombia
Ecuador
Bolivia (La Paz)
Bolivia
Costa Rica, Panama
French Guiana, Brazil (AM)
Venezuela
Brazil (AM)
eEcuador
Peru
wEcuador
Venezuela
Bolivia (CO, SC)
- Nagma** Bezark & Santos-Silva, 2020: 6
albofasciatum (Martins & Galileo, 2006: 212)
hovorei Bezark & Santos-Silva, 2023: 11
Bolivia (SC)
wEcuador (Loja)
- Nappella** Santos-Silva, Nascimento & Drumont, 2019: 5
antonkozlovi Santos-Silva, Nascimento & Drumont, 2019: 8
Peru (Junin)
- Pandemicus** Bezark & Santos-Silva, 2020: 2
varius Bezark & Santos-Silva, 2020: 4
Mexico (Jalisco)
- Paracallia** Martins & Galileo, 1998: 56
bonaldoi Martins & Galileo, 1998: 56
giesberti Martins & Galileo, 2006: 211
Brazil (AC), Bolivia (SC)
Bolivia (CO)
- Paradrycothaea** Galileo & Martins, 2010: 234
jamesi Galileo & Martins, 2010: 236
pilosicornis Galileo & Martins, 2010: 234
Mexico (CH)
Mexico (QR)
- Piampatara** Martins & Galileo, 1992: 441
humeralis (Aurivillius, 1916: 359)
var. *subapicalis* Aurivillius, 1916: 359
proseni Martins & Galileo, 1997: 52
ubirajarai (Lane, 1966: 287)
Brazil (RJ)
Bolivia
Brazil (RJ)
- Rumuara** Martins & Galileo, 2006: 214 [RN]
Paracladus Martins & Galileo, 1990: 480 [JH; not Carpenter, 1966 Orthoptera]
fasciatus (Martins & Galileo, 1990: 479)
Peru
- Parasemolea** Martins & Galileo, 1990: 479
boliviana Martins & Galileo, 1990: 480
Bolivia
- Schiacallia** Galileo & Martins, 1991: 248
tristis Galileo & Martins, 1991: 248
Brazil (BA, MG, ES)
- Sphallonycha** Bates, 1881: 149
roseicollis (Bates, 1866: 430)
Brazil (AM)
- Sphallopatara** Audureau & Morvan, 2018: 5
Hemilophopsis Tavakilian & Santos-Silva, 2019: 518
cerdai Audureau & Morvan, 2018: 5
simia Tavakilian & Santos-Silva, 2019: 519
French Guiana

- Xenocallia** Galileo & Martins, 1990: 471
punctatissima Galileo & Martins, 1990: 472 Bolivia (SC)
- Ybyrarema** Martins & Galileo, 2014: 21
irundisa (Galileo & Martins, 2001: 61) French Guiana, eEcuador, Brazil (AM)
- Zenicomus** Thomson, 1868: 194
ignicolor Galileo & Martins, 1988: 510 Brazil (ES)
photuroides Thomson, 1868: 194 Brazil (RJ, SP)
- Colobotheini** Thomson, 1860: 18
Colobotheitae Thomson, 1860: 2, 7 (keys), 18
- Allocarterica** Santos-Silva, Galileo & McClarin, 2018: 19
buquetii (Thomson, 1860: 20) Brazil (PA, MG, SC)
- Apechthes** Thomson, 1861: 362
championi Bates, 1881: 191 Guatemala, Honduras
mexicanus Thomson, 1861: 363 Mexico (OA, VC), Guatemala
- Batesparna** Santos-Silva, Galileo & McClarin, 2018: 6
platyptera (Bates, 1881: 276) Brazil (MG-PR)
- Carneades** Bates, 1869: 387
bicincta Gahan, 1889: 393 Guadeloupe
championi Bates, 1885: 420 Costa Rica, Panama
delicia Bates, 1869: 387 Nicaragua
flavomaculata Touroult, 2017: 67 Martinique
glaucothea Bates, 1872: 227 eEcuador, Brazil (AM), Peru
subcrucigera Zajciw, 1961: 389
grandis (Thomson, 1860: 21) Mexico (VC), Belize, Honduras
hemileuca Bates, 1881: 190 Costa Rica, Panama
nigrosignata Aurivillius, 1926: 515 Bolivia
personata Bates, 1881: 277 Colombia
princeps Bates, 1872: 238 Nicaragua-Panama
quadrinodosa Aurivillius, 1902: 224 Panama (Darien), Colombia
superba Bates, 1869: 387 Honduras-Panama
vigneaulti Galileo, Martins, Le Tirant & Santos-Silva, 2014: 5 Bolivia (LP)
viridiaurata Audureau, 2022: 8 Peru (Ucayali)
vittata Gahan, 1889: 391 Brazil (AM), eEcuador, Peru, Bolivia (LP, SC)
crucigera Aurivillius, 1902: 210
crucigera var. *amazonica* Aurivillius, 1902: 211
- Carterica** Pascoe, 1858: 263
mucronata (Olivier, 1800: [no 68] 30) French Guiana, Brazil (AM), Peru, Bolivia (SC)
tenuicornis Fabricius, 1801: 328
cinctipennis Pascoe, 1858: 263
colobotheoides Thomson, 1860: 20
- Cathexis** Thomson, 1860: 18
longimana (Pascoe, 1859: 52) Brazil (MG-RJ)
serrimana Thomson, 1864: 29
vitticollis Zajciw, 1967: 322 Brazil (ES)
- Colobothea** Lepeletier & Audinet-Serville in Latreille, 1825: 336 [ISSPU]
Colobotea Lepeletier & Audinet-Serville in Latreille, 1825: 336 [IOS]
Colobothea Gray, 1832: 110 [COS / ISSPU]
Colobothaea: Guérin-Méneville, 1855: 600 [ISS]

- aleata** Bates, 1885: 420
amoena Gahan, 1889: 390
andina Monné, 1993: 475
androwi Vlasak & Santos-Silva, 2023: 154
appendiculata Aurivillius, 1902: 222
assimilis Aurivillius, 1902: 212
batesi Tavakilian & Santos-Silva, 2022: 266
berkovi Monné & Monné, 2010: 40
bicuspidata (Latreille, 1811: 56)
 octolineata Bates, 1865: 105
bilineata Bates, 1865: 107
bisignata Bates, 1865: 389
bitincta Bates, 1872: 226
boliviana Galileo, Martins, Le Tirant & Santos-Silva, 2014: 8
brullei Gahan, 1889: 389
 numida Aurivillius, 1902: 214
caramaschii Monné, 2005: 246
carneola Bates, 1865: 393
cassandra (Dalman, 1823: 70)
 leucospila Germar, 1823: 487
centralis Monné, 1993: 478
chemsaki Giesbert, 1979: 422
chontalensis Bates, 1872: 225
cincticornis (Schaller, 1783: 290)
cinerea Audureau, 2022: 6
colombiana Monné, 1993: 479
crassa Bates, 1865: 103
decemmaculata Bates, 1865: 217
declivis Aurivillius, 1902: 209
delicata Monné, 2005: 246
denotata Monné, 2005: 245
destituta Bates, 1865: 383
discicollis Gahan, 1889: 391
dispersa Bates, 1872: 226
distincta Pascoe, 1866: 284
dostalbergeri Schmid, 2010: 189
elongata Gahan, 1889: 388
emarginata (Olivier, 1795: [no 67] 48)
eximia Aurivillius, 1902: 213
fasciata Bates, 1865: 108
fasciatipennis Linsley, 1935: 112
femorosa Erichson, 1847: 149
fibrosa Erichson, 1847: 149
fikaceki Souza, 2016: 129
flavoguttata Aurivillius, 1902: 218
forcipata Bates, 1865: 394
geminata Bates, 1865: 106
grallatrix Bates, 1865: 391
grisescens Zajciw, 1962: 287
guatemalena Bates, 1881: 188
guttulata Aurivillius, 1902: 216
hebraica Bates, 1865: 108
hieroglyphica (Schoenherr, 1817: 421)
 flavimacula Aurivillius, 1923: 453
 septemmaculata Zajciw, 1971: 143
hirtipes (Degeer, 1775: 116)
 annulatus Fabricius, 1775: 180
 hirtimana Schoenherr, 1817: 419
 murina Schoenherr, 1817: 419
 virens Schoenherr, 1817: 419
 contaminata Lepeletier & Audinet-Serville in Latreille, 1825: 337
 concreta Bates, 1865: 106

 Mexico (VC)-Venezuela
 Brazil (BA, ES)
 Peru
 Ecuador (Napo)
 French Guiana, Brazil (AM), Bolivia (CO, SC)
 Colombia, Bolivia (LP), Peru
 French Guiana, Brazil, Peru, Bolivia
 Bolivia (CO, SC), Peru
 Colombia, French Guiana, Brazil (AM), eEcuador,
 Peru, Bolivia (BN, LP, PN, SC)
 Brazil (AM)
 Guianas, Brazil (AM), eEcuador, Peru, Bolivia (CO, PN, SC)
 Honduras-Colombia
 Bolivia (LP)
 Brazil (AM, GO, MT), eEcuador, Peru, Bolivia (BN, SC)

 Venezuela
 French Guiana, Brazil (PA)
 Brazil (BA-RS)

 Brazil (MG, GO, SP)
 Mexico (OA)-Costa Rica, Panama (Colon, Darien)
 Nicaragua-Panama
 ?
 Peru (San Martin)
 Colombia
 Brazil (AM, PA), Peru
 French Guiana, Brazil (AM, PA)
 Bolivia (SC)
 Guatemala, Costa Rica (GU, PA), Panama
 Brazil (AM)
 Brazil (PA), eEcuador
 Brazil (BA-SP), Bolivia (SC)
 Honduras-Colombia
 Mexico-Colombia
 Bolivia (SC), Argentina (SA)
 French Guiana, Brazil (AP, AM)
 Brazil (BA-RS), Bolivia (SC)
 Colombia, French Guiana, Brazil (AP, AM)
 Brazil, Paraguay, Argentina
 Honduras, Panama, Colombia
 Peru
 Peru
 Ecuador
 Brazil (BA, ES)
 Brazil (AM), eEcuador
 French Guiana, Brazil (PA)
 Brazil (AM), eEcuador
 Brazil (ES, MG)
 Mexico (CHS, OA, VC), Guatemala, Belize, Honduras
 Brazil (AM)
 Mexico (CHS, OA, TB, QR)-Nicaragua
 French Guiana, (Brazil (Amapa)

 Trinidad & Tobago, Guyana, French Guiana, Peru, Bolivia, Brazil

- erythrophthalma* Aurivillius, 1923: 453
- hondurena** Giesbert, 1979: 436
hondurana: Chemsak, Linsley & Noguera, 1992: 150 [ISS]
- humerosa** Bates, 1865: 223
- juncea** Bates, 1865: 386
- lateralis** Bates, 1865: 108
- larriveei** Galileo, Martins, Le Tirant & Santos-Silva, 2014: 7
- leucophaea** Bates, 1865: 223
- lineatocollis** Bates, 1865: 103
- lucaria** Bates, 1865: 102
- lunulata** Lucas, 1859: 190
fryi Pascoe, 1859: 52
- macularis** (Olivier, 1792: 474)
velutina Bates, 1865: 216
- maculicollis** Bates, 1865: 217
- meleagrina** Erichson, 1847: 149
niveosparsa Aurivillius, 1902: 220
- mimetica** Aurivillius, 1902: 222
- mosaica** Bates, 1865: 384
- musiva** (Germar, 1823: 488)
muciva: Chemsak, Linsley & Noguera, 1992: 150 [ISS]
- naevia** Bates, 1865: 386
- naevigera** Bates, 1865: 101
- nigromaculata** Zajciw, 1971: 307
- obconica** Aurivillius, 1902: 215
- obtusa** Bates, 1865: 222
- olivencia** Bates, 1865: 392
- ordinata** Bates, 1865: 104
- osculatii** Guérin-Ménéville, 1855: 600
obsculatii: Gilmour, 1965: 629 [ISS]
- parcens** Bates, 1881: 189
- pascoensis** Audureau, 2022: 5
- passerina** Erichson in Schomburg, 1848: 574
- paulina** Bates, 1865: 384
- peruviana** Aurivillius, 1920: 389
- pictilis** Bates, 1865: 221
- picturata** Monné, 1993: 480
- pimplaea** Bates, 1865: 382
- plagiata** Aurivillius, 1902: 212
- plebeja** Aurivillius, 1902: 219
- pleuralis** Casey, 1913: 344
- poecila** (Germar, 1823: 488)
- propinqua** Bates, 1865: 385
- pulchella** Bates, 1865: 221
- punctata** Aurivillius, 1902: 221
- pura** Bates, 1865: 392
- ramosa** Bates, 1872: 225
- regularis** Bates, 1881: 188
- rincona** Giesbert, 1979: 434
- roppai** Monné, 1993: 476
- rouchei** Audureau, 2022: 7
- rubroornata** Zajciw, 1962: 285
- sahlbergi** Aurivillius, 1902: 220
- schmidtii** Bates, 1865: 225
- scolopacea** Erichson, 1847: 149
scolapacea: Aurivillius, 1923: 455 [ISS]
scopalacea: Gilmour, 1965: 629 [ISS]
- securifera** Bates, 1865: 387
- sejuncta** Bates, 1865: 387
- seminalis** Bates, 1865: 383
- septemmaculata** Zajciw, 1971: 143
- Honduras
- Brazil (PA), eEcuador
- French Guiana, Brazil (PA)
- Brazil (MG-RS)
- Bolivia (LP)
- Mexico (OA, VC)
- French Guiana
- Brazil (AM)
- Colombia, Brazil (AM), eEcuador, Peru, Bolivia (SC)
- Suriname, French Guiana, Brazil (AM), eEcuador, Peru, Bolivia (SC)
- Venezuela
- Bolivia (CO, SC), Peru, eEcuador
- Colombia
- Venezuela
- Brazil, Paraguay, Argentina
- Brazil (AM), eEcuador
- Brazil (AM), Peru, Bolivia (SC), Ecuador
- Brazil (AP)
- French Guiana
- Brazil (AM)
- Ecuador (Napo), Brazil (CE, PA, AM)
- Brazil (AM)
- eEcuador, Peru
- Mexico (OA, VC), Guatemala, Belize, Honduras
- Peru (Pasco)
- Guyana, French Guiana
- French Guiana, Peru, Brazil (AM, PA)
- Peru
- Venezuela, Guianas, Brazil (AP, AM, PA, RO, MT, GO, SP), Ecuador, Peru, Bolivia (CO, SC)
- Venezuela
- French Guiana, Brazil (AM, PA), Peru
- Colombia, Ecuador, Brazil, Bolivia (SC)
- Bolivia (BN, LP, SC), Peru
- Costa Rica, Panama
- Brazil, Paraguay, Argentina
- Brazil (AM), Peru
- Venezuela, French Guiana, Brazil (PA)
- Colombia, Peru
- Brazil (PA)
- Mexico (CHS, ME, OA, YU)-Nicaragua
- Mexico (SLP, VC)
- Costa Rica
- Brazil (MT, GO)
- Venezuela (Merida)
- Brazil (BA, MG, ES, RJ, SP, PR, SC), Bolivia (CO, SC), Paraguay
- Brazil (ES-RJ), Paraguay
- Brazil (RJ-RS), Argentina
- Peru
- Brazil (PA), eEcuador, Peru
- Brazil (AM), eEcuador, Peru
- Brazil (PA)
- French Guiana, Brazil (AP)

seriatomaculata Zajciw, 1962: 283
sexagglomerata Zajciw, 1962: 281
sexmaculata Aurivillius, 1902: 218
sexualis Casey, 1913: 344
signatipennis Lameere, 1884: 98
signativentris Gahan, 1889: 387
simillima Aurivillius, 1902: 210
sinaloensis Giesbert, 1979: 423
socia Gahan, 1889: 390
sordida Aurivillius, 1902: 221
strigosa Bates, 1865: 224
styligera Bates, 1865: 391
subcincta Laporte, 1840: 491
 albobimaculata Zajciw, 1961: 385
 pseudosubcincta Zajciw, 1961: 387
sublunulata Zajciw, 1962: 245
subtessellata Bates, 1865: 104
unilineata Bates, 1872: 225
vaamondei Devesa & Santos-Silva, 2022: 2
varia (Fabricius, 1787: 144)
 cayennensis Gmelin, 1790: 1860
 lineola Bates, 1865: 222
varica Bates, 1865: 385
vidua Bates, 1865: 224
viehmanni Monné & Martins, 1979: 32
wappesi Monné & Monné, 2010: 44

Colobothina Hovore, 1989: 257
perplexa Hovore, 1989: 258

Confluentia Santos-Silva, Galileo & McClarin, 2018: 22
barriosi Lanuza-Garay, 2022: 1
colombiana (Gilmour, 1950: 552)
 columbiana: Gilmour, 1954: 85 [ISS]
 colombina: Fuchs, 19564: 576 [ISS]
flavomaculata Santos-Silva, Galileo & McClarin, 2018: 23
nigra Santos-Silva, Galileo & McClarin, 2018: 22
nigrolineata (Fuchs, 1956: 574)
pallida (Gilmour, 1950: 553)
quijos Nascimento, Santos-Silva & McClarin, 2020: 14
rubra (Martins & Galileo, 2005: 15)
soror (Belon, 1896: 253)
 bosqi Gilmour, 1954: 79
 bosqui Fuchs, 1956: 575

Francisparna Santos-Silva, Galileo & McClarin, 2018: 9
macilenta (Pascoe, 1888: 508)
 ab. *apicemaculata* Gilmour, 1954: 85

Hilobothea Monné & Martins, 1979: 31
caracensis Monné & Martins, 1979: 32
latevittata (Bates, 1865: 390)
 var. *obydensis* Bates, 1865: 390

Lophobothea Monné, Monné & Botero, 2017: 447
barclayi Monné, Monné & Botero, 2017: 448
nearnsi Monné, Monné & Botero, 2017: 447
reticulata (Bates, 1881: 277)

Brazil, Paraguay, Argentina
 Brazil (ES)
 Brazil (BA)
 Mexico (CHS)-Honduras
 Brazil (ES-SP)
 Brazil (BA-RJ)
 Brazil, Bolivia (SC), Paraguay, Argentina, Uruguay
 Mexico (SI, NA, JA)
 Brazil (BA-RJ)
 Brazil (AM), eEcuador, Peru, Bolivia (CO)
 Brazil (ES-PR), Argentina
 Brazil (AM, RO), eEcuador
 Brazil (MG-SC)

Bolivia (CO, SC)
 Brazil (PA)
 Nicaragua-Panama
 Colombia (Valle del Cauca)
 Panama, Colombia, Venezuela, French Guiana, Bolivia

Brazil (AM)
 Mexico (VC), Guatemala, Honduras
 Brazil (PA, RO, MT)
 Bolivia (SC)

Honduras, Nicaragua, Costa Rica, Panama

Panama (Darien)
 Colombia

Peru (JU)
 Colombia
 Colombia
 Ecuador
 wEcuador (Napo)
 Colombia
 Ecuador, Peru, Bolivia (LP, SC)

Colombia, eEcuador

Brazil (BA, MG, ES)
 Guyana, French Guiana, Brazil (MA, AP, AM), eEcuador

Ecuador
 Colombia
 Colombia

Miguellus Santos-Silva, Galileo & McClarin, 2018: 6
monnei Santos-Silva, Galileo & McClarin, 2018: 7

eEcuador (Napo)

Nodubothea Monné & Monné, 2008: 503
nodicornis (Bates, 1881: 277)
huamboyae Kirsch, 1889: 40
zapoteca Monné & Monné, 2008: 504

Ecuador

Mexico (TE)

Piriana Santos-Silva, Galileo & McClarin, 2018: 9
birai Santos-Silva, Galileo & McClarin, 2018: 11
bosqi (Gilmour, 1954: 79)
cincticornis (Bates, 1865: 214)
consimilis Santos-Silva, Galileo & McClarin, 2018: 13
limai Santos-Silva, 2023: 2
migsominea (Gilmour, 1950: 550)
mima (Belon, 1903: 68)
mima: Gilmour, 1965: 631 [ISS]
nearnsi Santos-Silva, Galileo & McClarin, 2018: 15
pygmaea (Bates, 1881: 186)
svachai Santos-Silva, Galileo & McClarin, 2018: 16
tricuspis (Belon, 1903: 70)
bicuspis: Aurivillius, 1923: 457 [ISS]

Brazil (PA)

Peru (SA)

Colombia, Brazil (AM), eEcuador

eEcuador (Loja)

Brazil (Acre)

Colombia

Bolivia (SC)

Brazil (PA)

Nicaragua-Costa Rica, Ecuador (Pichincha)

Brazil (RS)

Bolivia (SC)

Priscilla Thomson, 1864: 30
hypsiomoides Thomson, 1864: 31
dioptica Bates, 1865: 220
dolosa Tavakilian, 2024: 61

Honduras–nSouth America

French Guiana (Sinnamary)

Sangaris Dalman, 1823: 71
Songaris: Thomson, 1868: 201 [ISS]
Synchyrops Thomson, 1864: 29
albida Monné, 1993: 469
biguttata Bates, 1865: 219
binoculata: Zajciw, 1967: 118 [Mld; not Bates, 1865]
brasiliensis (Fuchs, 1961: 9)
cancellata (Bates, 1881: 275)
concinna Dalman, 1823: 71
histrio: Perty, 1832: 97 [ISS of *histrio* Perty, 1832]
condei Melzer, 1931: 76
duplex (Bates, 1881: 276)
flavomaculata (Bates, 1865: 218)
petrovi Schmid, 2010: 190
geometrica (Bates, 1872: 224)
giesberti Hovore, 1998: 66
inornata Monné, 1993: 470
invida Melzer, 1932: 234
laeta (Bates, 1881: 275)
lezamai Hovore, 1998: 67
luctuosa (Pascoe, 1859: 53)
luteonotata Monné & Monné, 2009: 36
multimaculata Hovore, 1998: 70
obtusicarinata (Zajciw, 1962: 289)
octomaculata Aurivillius, 1902: 223
optata (Pascoe, 1866: 284)
ordinale Monné & Monné, 2009: 39
penrosei Hovore, 1998: 68
polystigma (Bates, 1881: 276)
seabrai Zajciw, 1962: 115
sexmaculata Monné, 1993: 472
spilota Martins & Galileo, 2009: 534

Brazil (BA)

Brazil (ES-RS), eEcuador, Bolivia (SC)

Brazil (RS, SC)

Bolivia

Brazil (BA-SP)

Brazil (ES)

Brazil, Paraguay, Argentina

Peru, Brazil (AM)

Nicaragua, Costa Rica

Mexico-Costa Rica

French Guiana, Brazil (AM)

Brazil (RJ)

Ecuador

Costa Rica

Brazil (PA, MT)

Ecuador

Honduras, Nicaragua, Costa Rica

Brazil (RJ)

Brazil (BA-SP)

Guatemala, Honduras-Venezuela, Colombia, Brazil

Ecuador

Panama

Colombia, Venezuela

Brazil (RJ)

Peru

Ecuador

trifasciata Melzer, 1928: 155
viridipennis Melzer, 1931: 76
zikani Melzer, 1931: 75

Brazil (MG, PR, SC, SP)
 Brazil (RJ-SC)
 Brazil (MG, SP)

Sparna Thomson, 1864: 30

lycoides Thomson, 1864: 30
locoides: Gilmour, 1965: 631 [ISS]
tavakiliani Santos-Silva, Galileo & McClarin, 2018: 3

Bolivia
 Colombia

Sphallopataroides Lanuza-Garay, 2023: 1 new genus

pirreanus Lanuza-Garay, 2023: 2 new species

Panama (Darien)

Sympleurotis Bates, 1881: 185

albofasciatus Julio & Monné, 2005: 395
amixtlani Noguera, Gutierrez & Monné, 2018: 144
armatus Gahan, 1892: 266
cordiformis Bezark & Santos-Silva, 2022: 6
rudis Bates, 1881: 185
wappesi Julio & Monné, 2005: 395

Mexico (OA)
 Mexico (JA)
 Mexico (GU, OA)-Panama
 Guatemala (Baja Verapaz)
 Mexico, Guatemala, Honduras, Costa Rica, Panama
 Guatemala

Composomatini Thomson, 1857: 70

Aereneites Thomson, 1868: 92

Aerenea Thomson, 1857: 298 [ISSPU]

Aerenea Thomson, 1857: 298 [IOS]
Aerenea: Thomson, 1860: 35 [COS / ISSPU]
Pythaides Brèthes, 1920: 46
Pythoides: Breuning, 1961: 289 [ISS of *Pythaides* Brèthes, 1920]
Punctaerenea Breuning, 1948: 31
Cognataerenea Breuning, 1971: 286
Cognataerenea (*Mimaerenea*) Breuning, 1971: 287
Puncaerenea Breuning, 1980: 3

aglaia Monné, 1980: 238
albilavata Bates, 1866: 198
alvaradoi Prosen, 1947: 256
annulata Monné, 1980: 254
antennalis Breuning, 1948: 30
apicalis Melzer, 1923: 5
compacta Breuning, 1948: 28
compacta mediofasciata Breuning, 1948: 28
mediofasciata Breuning, 1971: 286

Brazil (MG)
 French Guiana, Brazil (AM, AP, PA), Peru
 Argentina (SE)
 Brazil (AC)
 Brazil (ES-SC)
 Brazil (BA-SP)

batesi Monné, 1980: 240
bimaculata (Brèthes, 1920: 46)
brunnea Thomson, 1868: 96
subnuda Melzer, 1923: 6
subnuda m. *trinidensis* Breuning, 1948: 29

Brazil (BA, ES, SP)
 Peru, Bolivia
 Costa Rica (PA), Panama-Brazil (MA),
 Bolivia (BN, CO, LP, SC), Argentina

ecuadoriensis Breuning, 1947: 60
flavofasciculata Breuning, 1948: 30
flavolineata Melzer, 1923: 7
gibba Martins, Galileo & Oliveira, 2011: 286
gounellei Monné, 1980: 257
humero-lineata Breuning, 1980: 22
impetiginosa Thomson, 1868: 95
occulta Monné, 1980: 244
panamensis Martins & Galileo, 2010: 687
periscelifera Thomson, 1868: 95

Ecuador
 Peru
 Brazil, Bolivia (CO, SC), Paraguay, Argentina
 Brazil (MA, MS)
 Brazil (RJ)
 Mexico
 Mexico-Colombia, Venezuela
 Argentina (FO)
 Panama (CH)
 Colombia

columbiana Breuning, 1948: 29
albasetosa Breuning, 1971: 286

posticalis Thomson, 1857: 299
punctatostrata (Breuning, 1948: 31)

Brazil, Paraguay, nArgentina
 Brazil (RJ)

- quadriplagiata** (Boheman, 1859: 151)
albigena Burmeister, 1865: 179
pulchella Thomson, 1868: 96
robusta Monné, 1980: 261
setifera Thomson, 1868: 94
subcostata Melzer, 1932: 219
subcostalis: Zikán & Zikán, 1944: 29 [ISS]
subimpetiginosa Breuning, 1948: 29
sulcicollis sulcicollis Melzer, 1932: 219
subsulcicollis Breuning, 1948: 29
transversefasciata Breuning, 1974: 40
trigona Pascoe, 1858: 247
tuberculata Monné, 1980: 259
- South America
- Paraguay
 Brazil (RJ, SP)
 Brazil (MG, RJ)
- Brazil (PE, MG)
 French Guiana, Bolivia, Brazil, Paraguay, Argentina
- Brazil
 Brazil (ES, RJ)
 Peru, Bolivia (SC)

Antennaerenea Breuning, 1980: 25
niveosignata Breuning, 1980: 26

Brazil, Bolivia (SC)

Brasiliosoma Breuning, 1960: 181 [RN]
Phrynosoma Breuning, 1948: 2 [JH; not Wiegmann, 1828, Reptilia]
apicale Monné, 1980: 45
tibiale (Breuning, 1948: 3)

Brazil (PA)
 Brazil (PB, PE, BA)

Compsosoma Lacordaire, 1830: 183
Compsosoma (*Guariteres*) Gounelle, 1908: 11
Compsosoma (*Yamamadis*) Gounelle, 1908: 12
Campsosoma: Buck, 1959: 599 [ISS]
Compsosoma (*Pseudoguariteres*) Breuning, 1961: 289
chabrilacii Thomson, 1857: 74
fasciatum Monné, 1980: 100
geayi Gounelle, 1908: 8
marcelae Lingafelter & Wappes, 2014: 289
mniszechii Thomson, 1857: 74
monnei Martins & Galileo, 1996: 299
mutillarium (Klug, 1825: 463)
nubilum Gounelle, 1908: 9
nubilum var. *simplex* Gounelle, 1908: 10
oculatum Lingafelter & Wappes, 2014: 285
perpulchrum (Vigors, 1825: 418)
perfulchrum: Piza, 1968: 19 [ISS]
phaleratum Thomson, 1857: 74
vestitipenne Zajciw, 1962: 244
v-notatum (Vigors, 1825: 417)
notatum: White, 1846: 48 [ISS]
5-notatum Thomson, 1857: 75 [ISS]
niveosignata Audinet-Serville, 1835: 56

Brazil (MG, SP, GO, MT)
 Brazil (RJ)
 French Guiana, Brazil (AM, PA, RO)
 Peru
 Brazil (AM), Peru
 Bolivia (SC)
 Brazil (MG-SP)
 Brazil GO, MT, PE, BA), Bolivia (SC), Paraguay

Bolivia (SC)
 Brazil (BA-RS), Argentina (MI)

Brazil (BA-RS)
 Brazil (AM, RO)
 Brazil (MG-SC)

Cristaerenea Breuning, 1949: 26
Cognataerenea: Breuning, 1980: 24 [Mld; not Breuning, 1971]
cognata (Pascoe, 1859: 36)

French Guiana, Brazil (AM, AP, PA, RO)

hypsiomoides Thomson, 1868: 93
hypsiomoides: Breuning, 1949: 27 [ISS of *hypsiomoides* Thomson, 1868]
hypsiomoides: Breuning, 1961: 291 [ISS of *hypsiomoides* Thomson, 1868]
hypsiomoides: Breuning, 1980: 25 [ISS of *hypsiomoides* Thomson, 1868]

Desmiphoropsis Gounelle, 1908: 12
mannerheimi (Thomson, 1865: 557)
variegata (Audinet-Serville, 1835: 57)
alboapicalis Breuning, 1980: 69

French Guiana
 Brazil (ES-PR), Argentina (MI)

Eusphaerium Newman, 1838: 498
purpureum Newman, 1838: 498

Brazil (BA-RS), Bolivia (SC), Argentina

Laraesima Thomson, 1868: 96
Penessada Thomson, 1868: 97
albosignata (Bates, 1885: 361)
asperata (Bates, 1885: 362)
brunneoscutellaris (Tippmann, 1960: 154)
densepunctata Breuning, 1950: 535
ecuadorensis Breuning, 1974: 40
fuliginea (Bates, 1885: 361)
hispida (Thomson, 1868: 98)
asperipennis Breuning, 1948: 31
nitida Monné, 1980: 230
pilosa Monné, 1980: 228
scutellaris Thomson, 1868: 97

Guatemala
Mexico (VC)
Brazil (RJ, SP)
Brazil (SC)
Ecuador
Mexico (PU), Guatemala, French Guiana (Kaw)
Brazil (MG-SP)
Brazil (SP)
Peru
Brazil (MG-RS), Argentina (MI)

Paracompsosoma Breuning, 1948: 27
humerales Breuning, 1948: 28

Brazil (GO, MA)

Parapythais Monné, 1980: 36
melzeri Monné, 1980: 36

Brazil (MG)

Pythais Thomson, 1857: 71
Pithais: Gounelle, 1908: 7 [ISS]
scutigera (Vigors, 1826: 239)
concretum Blanchard, 1843: 210

Brazil (MG-SP)

Tessarecphora Thomson, 1857: 77
Campsosoma: Lucas, 1859: 189 (part) [ISS]
Campsomera Lucas, 1859: pl. XIII, fig. 3 (typogr. error for *Campsosoma*: Lucas, 1859: 189)
arachnoides arachnoides Thomson, 1857: 77
subsp. **amazonica** Monné, 1980: 39
subsp. **centralis** Monné, 1980: 39

Brazil, Paraguay, Argentina
Brazil, Peru
Mexico-Colombia, Venezuela

Tucales Gounelle, 1908: 13
Vaziella Prosen, 1954: 33
Variella: Breuning, 1961: 291 [ISS of *Vaziella* Prosen, 1954]
franciscus (Thomson, 1857: 76)
franciscanum Zajciw, 1967: 118
pastranai (Prosen, 1954: 34)
postrarvi: Breuning, 1961: 291 [ISS]
terrenus (Pascoe, 1859: 36)

Mexico (JA), French Guiana, Brazil (MA, MG-SP)
Brazil (RJ-SC), Argentina (MI)
Brazil (AM, PA)

Cyrtinini Thomson 1864: 41

Boricyrtinus Micheli, 2003: 196
nilseni Micheli, 2003: 198

Puerto Rico

Cyrtinus LeConte, 1852: 166
Myrmolamia Bates, 1885: 363
acunai Fisher, 1935: 206
araguaensis Howden, 1973: 595
beckeri Howden, 1960: 175
bifasciatus Martins & Galileo, 2009: 66
bordoni Joly & Rosales, 1990: 209
eugeniae Fisher, 1935: 60
farri Howden, 1960: 173
fauveli (Cameron, 1909: 78)

Cuba
Venezuela
swUSA (TX)
Panama
Venezuela
Puerto Rico
Jamaica
Haiti

fisheri Wappes, Santos-Silva & Nascimento, 2020: 4
granulifrons Howden, 1970: 1313
hispidus Martins & Galileo, 2009: 66
howdeni Wappes, Santos-Silva & Nascimento, 2020: 6
hubbardi Fisher, 1926: 38
humilis Zayas, 1975: 284
jamaicensis Howden, 1970: 1312
melzeri Martins & Galileo, 2009: 65
meridialis Martins & Galileo, 2010: 687
mockfordi Howden, 1959: 373
mussoi Joly & Rosales, 1990: 206
oakleyi Fisher, 1935: 62
opacicolis (Bates, 1885: 364)
penicillatus (Bates, 1885: 364)
peruviensis Audureau, 2017: 5
pygmaeus (Haldeman, 1847: 42)
querci Howden, 1973: 596
sandersoni Howden, 1959: 374
schwarzi Fisher, 1926: 36
striatus Joly & Rosales, 1990: 208
subopacus Fisher, 1935: 61
umbus Martins & Galileo, 2009: 66

Mexico (Tampico)
 Jamaica
 Ecuador
 Mexico (Cordoba)
 Montserrat, Guadeloupe, Martinique
 Cuba
 Jamaica
 Costa Rica (CA)
 Bolivia (SC)
 Mexico (PU)
 Venezuela
 Puerto Rico
 Guatemala
 Panama
 Peru (Pasco)
 eUSA, Mexico (TM, HI, NL)
 Mexico (QE), Honduras
 Jamaica
 Cuba
 Venezuela
 Puerto Rico
 Costa Rica (GU, PU), Panama (Panama)

Decarthria Hope, 1834: 16

albofasciata Gahan, 1895: 137
boricua Micheli, 2003: 200
stephensii Hope, 1834: 16

W Indies (Grenada)
 Puerto Rico
 W Indies (St Vincent), Dominica

Sciocyrtinus Fisher, 1935: 207

elongatus Fisher, 1935: 208

Jamaica

Desmiphorini Thomson, 1860: 74

Desmiphoritae Thomson, 1860: 3 (key), 74

Rhodopides Lacordaire, 1872: 450
Epicastides Lacordaire, 1872: 490
Apodasyides Lacordaire, 1872: 623
Nedinides Lacordaire, 1872: 635
Estolides Lacordaire, 1872: 636
Ectatosiides Lacordaire, 1872: 708
Crinotarsides Lacordaire, 1872: 475
Psenocerini LeConte, 1873: 333
Essisini Aurivillius, 1917: 44

Aconopteroides Breuning, 1959: 87

laevipennis (Blanchard in Gay, 1851: 506)

Chile

Aconopterus Blanchard in Gay, 1851: 504

cristatipennis Blanchard in Gay, 1851: 505
strandi Breuning, 1943: 59

Chile
 Chile

Alloblabia Galileo, Santos-Silva & Bezark, 2016: 4

praecipua Galileo, Santos-Silva & Bezark, 2016: 5

wEcuador

Allotigrinestola Heffern & Santos-Silva, 2017: 477

nuevoleonis Heffern & Santos-Silva, 2018:
sundbergi Heffern & Santos-Silva, 2017: 477

Mexico (NL)
 Mexico (TM, NL)

Alphinellus Bates, 1881: 153

carinipennis Bates, 1885: 391
gibbicollis Bates, 1881: 153

Mexico (VC)
 Guatemala

minimus Bates, 1881: 154
subcornutus Bates, 1881: 154

Mexico (Quintana Roo), Guatemala
 Guatemala, Honduras, Costa Rica

Anisopeplus Melzer, 1934: 227
perplexa Melzer, 1934: 228

Brazil (MG-SC)

Atelodesmis Duponchel and Chevrolat, 1841: 286
knabi (Fisher, 1925: 15)
mannerheimii Duponchel and Chevrolat, 1841: 287
hirticornis Buquet, 1857: 335
vestita Buquet, 1857: 335

Mexico (VC)
 Brazil

Atimiliopsis Breuning, 1974: 32
ochripennis Breuning, 1974: 32

Brazil (RJ)

Atimiola Bates, 1880: 119
grisea Vlasak & Santos-Silva, 2023: 4
guttulata Bates, 1880: 120
inflaticornis Vlasak & Santos-Silva, 2023: 6
rickstanleyi Lingafelter & Nearn, 2007: 185

wEcuador (Pichincha)
 Mexico (CHS)-Costa Rica
 wEcuador (Napo)
 Dominican Republic

Blabia Thomson, 1864: 109

Prymnopteryx Thomson, 1868: 13
Prymnosis Bates, 1866: 288

albasetosa Galileo, Santos-Silva & Bezark, 2016: 2
antonkozlovi Santos-Silva & Nascimento, 2019: 459
banga Galileo & Martins, 1998: 147
bicolor Martins & Galileo, 2005: 11
bicuspis (Bates, 1866: 288)
bituberosa (Breuning, 1940: 59)
colobothoides Thomson, 1864: 109
costaricensis Breuning, 1943: 53
crisulata Martins & Galileo, 1995: 579
epicharis Martins & Galileo, 1995: 577
exotica Martins & Galileo, 1995: 584
ferina Martins & Galileo, 1995: 574
galba Martins & Galileo, 1995: 580
gemma Martins & Galileo, 1995: 576
incompta Martins & Galileo, 1995: 580
intricata Martins & Galileo, 1995: 588
longipennis Galileo & Martins, 2003: 258
magdalena Martins & Galileo, 1995: 583
masoni (Aurivillius, 1927: 543)
meinerti (Aurivillius, 1900: 414)
morrisi Wappes, Galileo & Santos-Silva, 2017: 90
oculifera Martins & Galileo, 1995: 575
piscoideis (Thomson, 1868: 131)
rendira Galileo & Martins, 1998: 148
similis (Breuning, 1940: 59)
spinella Martins & Galileo, 1995: 572
strandiella Breuning, 1943: 53
truncata Breuning, 1940: 59

eEcuador (Napo)
 Colombia (Cesar)
 Ecuador
 Colombia
 Brazil (AM, PA, RO, MA), Ecuador, Peru
 Colombia
 Colombia, Peru
 Honduras, Costa Rica, Panama
 Colombia, Ecuador
 Peru
 Colombia
 Colombia
 Ecuador, Bolivia (SC)
 Colombia
 wEcuador
 Colombia (Cesar)
 Colombia
 Colombia
 Colombia, Venezuela
 Bolivia (SC)
 Brazil (RO), Ecuador
 Venezuela
 Peru
 Venezuela, French Guiana, Bolivia (SC)
 Colombia
 Peru
 Colombia, eEcuador

Blabicentrus Bates, 1866: 192

alberti Galileo & Moyses, 2013: 146
bellus (Galileo & Martins, 2004: 328)
brulei Dalens, Touroult & Tavakilian, 2009: 8
capixaba (Martins & Galileo, 1998: 261)
ghoutii Dalens, Touroult & Tavakilian, 2009: 15
hirsutulus Bates, 1866: 192

Bolivia (SC)
 Panama, French Guiana, Ecuador, Bolivia
 French Guiana
 French Guiana, Brazil (ES), Bolivia (SC)
 French Guiana
 French Guiana, Brazil (PA)

- lineatus** Galileo & Santos-Silva, 2016: 227
littoralis Dalens, Touroult & Tavakilian, 2009: 9
martinsi Dalens, Touroult & Tavakilian, 2009: 12
similis Bezark & Santos-Silva, 2019: 102
tomentosus Dalens, Touroult & Tavakilian, 2009: 5
- Brazil (ES, RJ)
 French Guiana
 French Guiana
 Panama (Panama)
 French Guiana
- Capillicornis** Galileo & Martins, 2012: 299
basilaris Galileo & Martins, 2012: 299
- wEcuador
- Catognatha** Blanchard in Gay, 1851: 517
gracilis Blanchard in Gay, 1851: 517
- Chile
- Ceiupaba** Martins & Galileo, 1998: 261
lineata Martins & Galileo, 1998: 261
piauiensis Galileo, Martins & Nascimento, 2014: 394
poranga Martins, Galileo & Santos-Silva, 2015: 289
- Brazil (BA, PI, MG, SP), Bolivia (SC), Paraguay (Amambay)
 Brazil (BA)
- Charlesella** Heffern & Santos-Silva, 2023: 561
Pygmaeopsis Schaeffer, 1908: 347 (not Warren, 1907: 295 Lepidoptera, Geometridae)
apicalis (Bezark & Santos-Silva, 2019: 105)
viticola (Schaeffer, 1908: 348)
- Mexico (Chiapas)
 swUSA (TX)
- Cicatrisesstola** Breuning, 1947: 54
elongata Breuning, 1964: 95
flavicans Breuning, 1947: 55
humeralis Martins & Galileo, 1995: 163
- Brazil (ES)
 Brazil (MS, SC, PR), Bolivia (SC, TR), Paraguay, Argentina
 Bolivia (SC), Argentina (JU, SA, TU)
- Cicatrisesstoloides** Breuning & Heyrovsky, 1964: 29
costaricensis Breuning & Heyrovsky, 1964: 29
- Costa Rica
- Cicuiara** Galileo & Martins, 1996: 874
nitidula (Bates, 1866: 191)
striata (Bates, 1866: 191)
stritata: Galileo & Martins, 1996: 875 [ISS]
- Brazil (GO, PA, MS), Bolivia (SC)
 Venezuela, Brazil (SP), Bolivia (SC)
- Cleidaria** Nascimento & Santos-Silva, 2020: 2
cleidae Nascimento & Santos-Silva, 2020: 2
- Mexico (Chiapas)
- Coeloprocta** Aurivillius, 1926: 4
humeralis (Breuning, 1940: 431)
singularis Aurivillius, 1926: 4
- Brazil (PE)
 Brazil (PB, BA)
- Cotyschnolea** Martins & Galileo, 2006: 458
minuta Martins & Galileo, 2006: 459
- wEcuador
- Curuapira** Martins & Galileo, 1998: 263
apyama Martins & Galileo, 2005: 244
armandi Santos-Silva, Bezark & Galileo, 2016: 290
exotica Martins & Galileo, 1998: 263
hovorei Santos-Silva, Bezark & Galileo, 2016: 288
tuberosa Galileo & Martins, 2003: 160
- Bolivia (SC)
 Panama
 French Guiana, Venezuela, Brazil (AM, RO, MT, SP)
 eEcuador
 Brazil (ES)
- Cymatonycha** Bates, 1874: 234
castanea Bates, 1874: 234
fasciata Chemsak & Noguera, 1993: 101
megagena Bezark, Santos-Silva & Botero, 2023: 4
meridionalis Martins & Galileo, 1995: 165
- Honduras, Guatemala-Costa Rica
 Mexico (MI, JA, GR)
 Mexico (Chiapas)
 Costa Rica (PA, GU), Colombia, Venezuela

Desmiphora (Antenniphora) Breuning, 1947: 45**antennalis** Breuning, 1947: 44**endibauna** Galileo & Martins, 1998: 37**magnifica** Martins & Galileo, 1995: 165

Brazil (BA, ES)

Brazil (BA)

Brazil (PA), French Guiana

Desmiphora (Desmiphora) Audinet-Serville, 1835: 62*Desmophora* Gemminger in Gemminger & Harold, 1873: 3107 [UE]*Pyrracita* Thomson, 1868: 105*Pyrrhacita*: Gemminger in Gemminger & Harold, 1873: 3107 [ISS of *Pyrracita* Thomson, 1868]*Therchaetes* Thomson, 1868: 107*Terchaetes*: Lacordaire, 1872: 623 [ISS of *Therchaetes* Thomson, 1868]*Euchaestes* Chevrolat, 1861: 252**aegrota** Bates, 1880: 116**amioca** Galileo & Martins, 1998: 39**apicata** (Thomson, 1868: 106)**astrigae** Tavakilian & Néouze, 2004: 51**auatinga** Martins & Galileo, 1996: 300**barbata** Martins & Galileo, 2005: 247**bijuba** Giesbert, 1998: 30**boliviana** Breuning, 1948: 20**canescens** Bates, 1874: 226*obliquemaculata* Breuning, 1942: 156**cayennensis** Tavakilian & Néouze, 2004: 54**chemsaki** Giesbert, 1998: 32**circumspecta** (Lane, 1973: 383)*circumspecta*: Galileo & Martins, 1993: 77 [ISS]**cirrosa** Erichson, 1847: 147*cucullata* Thomson, 1868: 104*similis* Breuning, 1943: 46**compacta** Breuning, 1942: 155**crinita** Giesbert, 1998: 34 [JsH; not Chevrolat, 1861: 252]**crocata** Melzer, 1935: 186**decora** (Melzer, 1928: 147)**digna** Giesbert, 1998: 35**dozieri** Galileo & Martins, 2007: 353**durantoni** Tavakilian & Néouze, 2004: 53**elegantula** White, 1855: 401*senicula* Bates, 1866: 200**fasciculata** (Fabricius, 1792: 284)*servillei* White, 1855: 401*gigantea* Thomson, 1860: 75**fasciola** Martins & Galileo, 1995: 166**ferruginea** (Thomson, 1868: 107)**flavescens** Breuning, 1943: 47**fuscosignata** Breuning, 1942: 155**hirticollis** (Olivier, 1800: [no 68] 11)*mexicana* Thomson, 1860: 75*lanata* Chevrolat, 1862: 253*intricata* Casey, 1913: 350**intonsa** (Germar, 1823: 484)*pallidipennis* Chevrolat, 1861: 251*crinitus* Chevrolat, 1861: 252*intensa*: Zikán & Zikán, 1944: 26 [ISS]**iwasarai** Nascimento & Santos-Silva, 2017: 349**jullienae** Tavakilian & Néouze, 2004: 50**kawensis** Tavakilian & Néouze, 2004: 52**lanuginosa** Breuning, 1942: 155**lateralis** Thomson, 1868: 104**lateralba** Breuning, 1942: 157**lenkoi** (Lane, 1959: 219)**lineatipennis** Breuning, 1943: 46

swUSA (TX)-Panama

Brazil (MG, AM)

Brazil (ES-SP), eEcuador, Bolivia (SC)

French Guiana

wEcuador

Bolivia (SC)

Mexico (OA)

French Guiana, Brazil (MA), Peru, Bolivia (SC)

Mexico (CHS, OA)-Colombia, Venezuela

French Guiana

Mexico (QR, VC)

Brazil (SP)

Mexico (VC, TB, CHS)-Panama, French Guiana, Brazil,
Ecuador, Peru, Bolivia (SC, TR), Paraguay, Argentina
Uruguay

Brazil (GO, RJ-PR), Bolivia (BN, SC), Paraguay

Panama

Brazil (GO, MA, MG)

Brazil (RJ, SP, MS), Bolivia (SC)

Panama

Bolivia (SC)

French Guiana

Venezuela, French Guiana, Brazil (PA, GO)

Mexico (VC)-Brazil, French Guiana, eEcuador, Bolivia (SC)

Peru, Bolivia (SC)

French Guiana, Brazil (ES), eEcuador

Argentina (TU)

Brazil (PE)

swUSA- W Indies, Puerto Rico, Jamaica,

South America (widely distributed)

Brazil, Bolivia (LP,SC), Paraguay, Argentina, Uruguay

Brazil (BA)

French Guiana

French Guiana

Brazil (PA)

Brazil, Bolivia (SC), Paraguay, Uruguay

Brazil (PE)

Brazil (SP, MS), Argentina, Paraguay (Concepcion)

Brazil (BA), Argentina (TU)

- longipilis** (Fisher, 1926: 7)
maculosa Linsley & Chemsak, 1966: 220
mirim Martins & Galileo, 2002: 8
mulsa Giesbert, 1998: 38
multicristata Bates, 1866: 201
nascimentoi Martins, Galileo & Santos-Silva, 2015: 290
neoflavescens Galileo & Martins, 1998: 40
nigroannulata Martins & Galileo, 2002: 7
niveocincta (Lane, 1959: 222)
normae Santos-Silva & Nascimento, 2018: 207
obliquelineata Breuning, 1948: 21
ornata Bates, 1866: 201
orozcoi Martins, Galileo & Santos-Silva, 2015: 2
pallida Bates, 1874: 226
grisea Aurivillius, 1904: 208
picta Breuning, 1943: 46
pitanga Galileo & Martins, 1998: 38
pretiosa Melzer, 1935: 186
robini Giuglaris & Dalens, 2015: 40
rufocristata Melzer, 1935: 185
santossilvai Galileo & Martins, 2003: 162
sarryi Tavakilian & Néouze, 2004: 50
scapularis Bates, 1885: 351
spitzi Melzer, 1935: 188
tigrinata Martins & Galileo, 2002: 6
tristis Galileo & Martins, 2003: 256
travassosi Mendes, 1938: 316
albolineata Breuning, 1942: 156
undulatofasciata Breuning, 1942: 157
unicolor Breuning, 1961: 155
uniformis Galileo & Martins, 2003: 164
variola Giesbert, 1998: 41
venosa Bates, 1866: 202
xerophila Martins & Galileo, 1995: 167
x-signata Melzer, 1935: 187
- Cuba
Ecuador (Galapagos Islands)
French Guiana, Brazil (AM)
Costa Rica, Panama
French Guiana, Brazil (PA)
Brazil (BA)
Brazil (BA)
French Guiana, Brazil (AM)
Panama
Brazil (BA)
Brazil (BA)
Brazil (MG, PE-SC), Argentina (Entre Rios)
Belize
Jamaica, Brazil (PI, SP), Peru, Bolivia (SC)
- Argentina (TU)
Brazil (ES, RJ)
Brazil (GO, MG, ES)
French Guiana
Brazil (GO)
French Guiana, Brazil (PA)
French Guiana
Costa Rica, Panama, Venezuela
Brazil (SP)
Brazil (AM)
Colombia
Brazil (ES, RJ)
- Brazil (GO)
Brazil (BA)
Brazil (BA)
Mexico-Guatemala
Brazil (BA-RS)
wEcuador
Brazil (PE)

Diliolophus Bates, 1885: 355**vexator** Bates, 1885: 355

Guatemala

Disgregus Galileo & Martins, 2009: 106**bezarki** Galileo & Martins, 2009: 106

Costa Rica (GU, PA)

Dolichestola Breuning, 1942: 164**annulicornis** Breuning, 1942: 164*vittipennis* Breuning, 1948: 26**birai** Galileo & Santos-Silva, 2016: 224**densepunctata** Breuning, 1942: 165**egeri** Martins, Santos-Silva & Galileo, 2015: 82**monnei** Galileo & Santos-Silva, 2016: 226**nigricornis** Breuning, 1942: 165

French Guiana, Brazil (PE, SP, SP, RJ)

Argentina (BA)

Panama, French Guiana, Venezuela, Bolivia (PA, SC)

Brazil (RO)

Uruguay

Brazil (GO), Bolivia (SC)

Esaguasu Galileo & Martins, 2007: 356**brenensis** Galileo & Esteban, 2010: 1034**ocularis** Galileo & Martins, 2007: 365

Costa Rica (AL)

Colombia

Estola Fairmaire & Germain, 1860: 524**acirculata** Bezark & Santos-Silva, 2024: 6**acrensis** Galileo & Martins, 2009: 103**acricula** Bates, 1866: 293*multilineata* Breuning, 1940: 62

eEcuador (Loja)

Brazil (AC), Paraguay

Brazil (PA, RJ)

- ad simulata** Bezark & Santos-Silva, 2024: 2
affinis Breuning, 1940: 61
albicans Breuning, 1940: 62
albocincta Melzer, 1932: 217
mediofasciata Breuning, 1940: 67
albomarmorata Breuning, 1943: 57
albosetosa Breuning, 1940: 65
albosignata Breuning, 1940: 63
albosparsa Thomson, 1858: 124
albstictica Breuning, 1940: 61
albovaria Breuning, 1940: 60
alternata Breuning, 1940: 68
annulata (Fabricius, 1801: 300)
annulicornis Fisher, 1942: 26
annulipes Breuning, 1940: 70
apicomaculosa Vlasak & Santos-Silva, 2024: 19
assimilis Breuning, 1940: 69
attenuata Fisher, 1926: 12
basimaculata Breuning, 1940: 66
basinotata Bates, 1866: 291
benjamini Breuning, 1940: 66
binigromaculata Roguet, 2024: 107
boliviana Breuning, 1940: 71
brunnea Thomson, 1868: 123
brunneovariegata Breuning, 1940: 71
brunnescens Breuning, 1940: 65
cayennensis Breuning, 1940: 70
cerdai Martins & Galileo, 2009: 148
cinerea Breuning, 1940: 70
columbiana Breuning, 1940: 70
compacta Breuning, 1940: 64
crassepunctata Breuning, 1940: 61
crassepuncta Breuning, 1940: 61
cuneata Breuning, 1940: 65
daidalea Martins & Galileo, 2002: 2
densepunctata Breuning, 1940: 68
basiflava Breuning, 1943: 57
dilloni Zayas, 1975: 205
diverse maculata Breuning, 1943: 57
eskolensis Roguet, 2024: 106
flavescens Breuning, 1940: 69
flavobasalis Breuning, 1940: 66
flavolineata Breuning, 1950: 173
flavomaculata Roguet, 2024: 101
flavomarmorata Breuning, 1942: 163
flavostictica Breuning, 1940: 69
fratercula Galileo & Martins, 1999: 86
freyi Breuning, 1955: 660
fuscodorsalis Breuning, 1940: 67
fuscomarmorata Breuning, 1940: 71
fuscopunctata Breuning, 1943: 57
fuscostictica Breuning, 1940: 64
grisescens Breuning, 1940: 63
postrufa Breuning, 1980: 69
griseoapicalis Roguet, 2024: 104
griseostictica Breuning, 1940: 61
hirsuta (Degeer, 1775: 115)
lineolata Bates, 1866: 292
hirsutella Aurivillius, 1922: 319 [RN]
hirsuta Fairmaire & Germain, 1860: 525 [JsH; not Degeer, 1775 (as *Cerambyx hirsutus*)]
hispidula Lameere, 1893: 277
ignobilis Bates, 1872: 200
- French Guiana, Brazil (Pará Amapá)
Brazil (RJ)
Brazil (RJ), Bolivia (CO, SC)
Brazil (BA, ES-SC), Paraguay
Brazil (MG)
Brazil (PE)
Brazil (BA-RJ)
Brazil (MG-RJ)
Brazil (MG-RJ)
French Guiana
Brazil (BA, SP)
South America
Dominican Republic
Brazil (BA, MG, SP, RS)
Ecuador (Pinchincha)
Brazil (MG, SP, PR)
Jamaica
Brazil (ES-SP)
French Guiana, Brazil (PA), eEcuador
French Guiana, Colombia
French Guiana (Kaw, Roura, Coralie, Belizon)
Bolivia
Brazil (BA, SJ, RJ, SC)
Venezuela
Venezuela, Colombia
French Guiana
French Guiana, Paraguay
Bolivia (SC)
Colombia
Ecuador (Napo), Brazil (PA), Peru (Junin)
French Guiana, Brazil (BA)
Brazil (GO), Bolivia (SC)
eEcuador, Bolivia
Venezuela, Fr Guiana, Bolivia, Brazil (MA, GO, PE),
Paraguay, Argentina
Cuba
Brazil
French Guiana (Kaw)
Brazil (GO, AL, SE, BA, SP)
French Guiana, Brazil (widespread), Bolivia (CO)
Bolivia
French Guiana
Venezuela, Colombia
Brazil (PE, BA)
Colombia
Trinidad
Brazil, Paraguay, Bolivia (SC)
Bolivia (SC)
Brazil (BA, MG), Bolivia
Brazil (RJ)
Brazil (PE)
French Guiana (Kaw, Belizon, Saul, Roura)
Brazil (MG, RJ)
Panama, Guyana, French Guiana, Brazil (AP, PA)
Chile
Venezuela
Mexico-Panama, Puerto Rico, Venezuela

- imitatrix** Martins, Galileo & Santos-Silva, 2015: 6
inermis Roguet, 2024: 110
insularis insularis Blair, 1933: 483
 subsp. **cribrata** Blair, 1933: 483
 subsp. **duncani** Van Dyke, 1953: 135
 subsp. **subnigrescens** Breuning, 1974: 109
 insularis nigrescens Linsley & Chemsak, 1966: 229 [JpH; not Breuning, 1943]
kuscheli Barriga, Moore & Cepeda, 2005: 399
lata Fuchs, 1974: 244
linearis Bezark, Botero & Santos-Silva, 2022: 14
longeantennata Breuning, 1940: 69
marmorata Breuning, 1940: 67
medionigra Breuning, 1940: 66
m-flavum Breuning, 1940: 64
microphthalma Breuning, 1942: 163
minor Breuning, 1940: 66
misella Bates, 1885: 357
nearnsi Santos-Silva & Monne, 2023: 256
nebulosa Breuning, 1940: 60
nigrescens Breuning, 1943: 57
nigrodorsalis Martins & Galileo, 2009: 110
nigropunctata Breuning, 1940: 69
nigrosignata Breuning, 1940: 61
nodicollis Breuning, 1940: 70
obliquata Breuning, 1940: 68
obliquelineata Breuning, 1940: 70
obscura (Fabricius, 1792: 261)
 auriga Schoenherr, 1817: 376
 flavicollis Breuning, 1940: 62
obscuraella Monné & Giesbert, 1992: 252 [RN]
 obscura Thomson, 1868: 123 [JsH; not Fabricius, 1792, as *Cerambyx obscurus*]
obscuroides Breuning, 1942: 163
operosa Martins & Galileo, 2007: 176
orellana Bezark, Galileo & Santos-Silva, 2016: 178
partebrunnea Roguet, 2024: 103
parvula Breuning, 1940: 60
porcula Bates, 1866: 293
retrospinosa Breuning, 1940: 59
rogueti Chalumeau & Touroult, 2005: 158
rufa Breuning, 1940: 65
ruficeps Breuning, 1943: 56
rufolutea Bezark, Botero & Santos-Silva, 2022: 6
seriata Kirsch, 1875: 287
 sericata: Lameere, 1883: 62 [ISS]
similis Breuning, 1940: 70
stramentosa Breuning, 1940: 68
strandi Breuning, 1940: 71
strandiella Breuning, 1942: 163
subannulicornis Breuning, 1963: 507 [RN]
 annulicornis Breuning, 1950: 173 [JpH; not Fisher, 1942]
timbauba Martins & Galileo, 2006: 461
touroulti Lingafelter, 2024: 34
trinidadiansis Breuning, 1955: 660
truncatella Bates, 1866: 293
 spinipennis Breuning, 1940: 64
unicolor Fairmaire & Germain, 1860: 526
varicornis Bates, 1866: 293
variegata Bates, 1866: 292
vittulata Bates, 1874: 226
vulgaris Galileo & Martins, 1999: 88
wappesi Martins, Galileo & Santos-Silva, 2015: 4
- Bolivia (TR)
 French Guiana (Kaw, Roura, Saint-Elie)
 Ecuador (Galapagos Islands)
 Ecuador (Galapagos Islands: Albemarle)
 Ecuador (Galapagos Islands: Duncan)
 Ecuador (Galapagos Islands: Floreana)
 Chile
 Brazil (GO)
 Ecuador (Orellana)
 Brazil (GO), Paraguay, Uruguay
 Venezuela, Brazil (RJ, SP), Bolivia (SC)
 French Guiana, Brazil (GO)
 Trinidad, French Guiana, Brazil (AM, AP, PA, MA)
 Brazil (ES)
 Brazil (ES)
 Honduras, Guatemala-Panama
 Bolivia (Santa Cruz)
 Brazil (PA)
 Venezuela
 Costa Rica (HE)
 Brazil (CE, PE)
 Brazil (MG, ES)
 Brazil (PA), Bolivia (BN, CO, LP, SC)
 Brazil (MG, RJ)
 Brazil (RJ)
 French Guiana, Brazil (PB, MG, ES, RJ, SP, RS, PR)
 Brazil (BA, SP, MG)
 Brazil (BA, MA), Bolivia (SC), Paraguay
 French Guiana
 Ecuador
 French Guiana (Kaw)
 Brazil (GO, MG, RJ)
 French Guiana, Brazil (PA, MA)
 Venezuela, Peru
 Martinique
 Brazil (MG)
 French Guiana
 French Guiana, eEcuador (Napo)
 Peru
 Peru
 Brazil (RJ, SP)
 Brazil (SC), Paraguay
 Costa Rica, Panama, Colombia (Bolívar)
 Colombia (Valle de Cauca), Bolivia (CO, SC)
 Bolivia (SC)
 Dominican Republic (Españillat)
 Trinidad
 Brazil (RJ)
 Chile
 Brazil (MG, RJ)
 French Guiana, Brazil (AM)
 Mexico (VC)-Panama, Colombia, eEcuador, Brazil (PE), Venezuela
 Colombia
 Peru (Satipo), Bolivia (SC)

Estoloides Breuning, 1940: 74*Mimestoloides* Breuning, 1974: 158*Parestoloides* Breuning, 1940: 75**affinis** Breuning, 1940: 75**alboscuteellaris** Breuning, 1943: 55**andresi** (Breuning, 1974: 158)**annulicornis** Breuning, 1940: 75**aquilonius** Linsley & Chemsak, 1984: 159**basigranulata** Breuning, 1943: 56**bellefontainei** Touroult, 2012: 73**chamelae** Chemsak & Noguera, 1993: 94*modica* Chemsak & Noguera, 1993: 95**chiapensis** Santos-Silva, Wappes & Galileo, 2018: 466**costaricensis** Breuning, 1940: 76**dthomasi** Santos-Silva, Wappes & Galileo, 2018: 468**elongata** Bezark, Botero & Santos-Silva, 2022: 16**esthlogenoides** Breuning, 1943: 56*esthlogenoides*: Chemsak, Linsley & Noguera, 1992: 119 [ISS]**flavoscuteellaris** Galileo, Bezark & Santos-Silva, 2016: 12**fulvitaris** (Bates, 1885: 356)**galapagoensis** (Blair, 1933: 482)**giesberti** Santos-Silva, Wappes & Galileo, 2018: 471**grosseopunctata** Breuning, 1940: 76**hiekei** (Breuning, 1974: 51)**jaliscana** Heffern et al, 2018: 60**leucosticta** (Bates, 1885: 357)**longicornis** Breuning, 1940: 75**maesi** Santos-Silva, Wappes & Galileo, 2018: 460**medioplagiata** Vitali, 2007: 53**medvegyi** Audureau, 2020: 42**morrisi** Santos-Silva, Wappes & Galileo, 2018: 470**nayeliae** Santos-Silva, Wappes & Galileo, 2018: 462*nayeliae*: Bezark, 2019: 413 [ISS]**noguerai** Santos-Silva, Wappes & Galileo, 2018: 463**paralboscuteellaris** Breuning, 1971: 288**pararufipes** Breuning, 1974: 161**parva** Breuning, 1940: 76**perforata** (Bates, 1872: 200)**prolongata** (Bates, 1885: 356)**pubescens** Santos-Silva, Wappes & Galileo, 2018: 467**reflexa** Breuning, 1940: 76**rufipes** Breuning, 1940: 75**scabracaulis** Chemsak & Noguera, 1993: 93*aurantius* Martins & Galileo, 2010: 87**schusteri** Santos-Silva, Wappes & Galileo, 2018: 464**sinaloana** Heffern, Santos-Silva & Botero, 2019: 570**sordida** (LeConte, 1873: 273)**sparsa** Linsley, 1942: 78**strandiella** Breuning, 1940: 76**uyucana** Santos-Silva, Wappes & Galileo, 2018: 473**vandenberghiei** Santos-Silva, Wappes & Galileo, 2018: 459**venezuelensis** Breuning, 1942: 163

Trinidad

French Guiana, Ecuador

Mexico

French Guiana

swUSA (AZ)

Mexico (VC)

Lesser Antilles (Martinique)

Mexico (JA)

Mexico (GR, CHS)

Honduras, Nicaragua, Costa Rica

Mexico (CHS), Costa Rica (PU)

Panama (Panama)

Costa Rica

wEcuador

Costa Rica, Panama

Ecuador (Galapagos Islands)

Honduras

Colombia

Mexico (MO, OA)

Mexico (JA)

Mexico (VC)

Costa Rica, Panama

Nicaragua

Jamaica

Nicaragua (Jinotega)

Mexico (JA, NAY)

Mexico (Puebla, Colima)

Mexico (YU, CH, QR), Nicaragua

Mexico

Belize

Panama

Mexico (VC)-Venezuela, Trinidad, Curaçao

Costa Rica, Panama

Mexico (Morelos)

Venezuela

Brazil (BA)

Mexico (JA, QR)

Guatemala

Mexico (Sinaloa)

Mexico (BC)

Mexico (BC)

Honduras, Nicaragua, Costa Rica

Honduras

Nicaragua

Colombia, Venezuela

Estolomimus Breuning, 1940: 181*Neoestola* Breuning, 1940: 182**abjunctus** Martins & Galileo, 2002: 224**apicale** Martins & Galileo, 1997: 101**curtus** (Breuning, 1940: 182)**distinctus** Martins & Galileo, 1997: 101**lichenophorus** Martins & Galileo, 2002: 226**maculatus** Martins & Galileo, 2002: 21

Bolivia

Brazil (ES)

Brazil (ES-RS)

Brazil (ES)

Brazil (SP)

Brazil (SP, MG)

marmoratus Breuning, 1940: 181
ochreoapicalis (Breuning, 1973: 664)
pulvereus Martins & Galileo, 1997: 105
solidus (Breuning, 1940: 183)
transversus Martins & Galileo, 2002: 23

Etyma Galileo & Martins, 2012: 107

curu Galileo & Martins, 2012: 107
icima Galileo & Martins, 2012: 108
maculata Bezark & Santos-Silva, 2022: 583

Euestola Breuning, 1943: 54

basalis Martins & Galileo, 1997: 110
basidensepunctata Breuning, 1943: 55
fasciata Martins & Galileo, 1997: 109
lineata Martins & Galileo, 1997: 110
obliqua Galileo & Martins, 2004: 329

Eupogonius LeConte, 1852: 159

Phidola Chevrolat, 1862: 254

Eriopsilus Bates, 1866: 193

affinis Breuning, 1942: 161
albipilis Breuning, 1955: 659
albofasciatus Wappes & Santos-Silva, 2020: 8
annulicornis Fisher, 1926: 9
apicicornis Bates, 1885: 352
apomecynoides Bezark, Botero & Santos-Silva, 2022: 10
arizonensis Knull, 1954: 127
sonorensis Wappes & Santos-Silva, 2020: 9
azteca Martins, Santos-Silva & Galileo, 2015: 87
baorucensis Lingafelter, 2024: 36
bierigi Melzer, 1933: 380
boteroi Wappes & Santos-Silva, 2020: 12
brevifascia Galileo & Martins, 2009: 104
comus Bates, 1885: 354
copei Bezark, Botero & Santos-Silva, 2022: 11
cryptus Hovore, 1989: 252
cyaneus Zajciw, 1962: 243
dubiosus (Breuning, 1942: 160)
flavocinctus Bates, 1872: 235
flavovittatus Breuning, 1942: 161
fulvestitus Schaeffer, 1905: 134
fuscovittatus Breuning, 1974: 26
fuscovittatus Breuning, 1974: 154
giesberti Santos-Silva & Wappes, 2018: 7
griseus Fisher, 1926: 11
guerrerensis Wappes & Santos-Silva, 2020: 10
hagmanni Melzer, 1927: 192
haitiensis Fisher, 1935: 197
infimus (Thomson, 1868: 107)
intonsus Martins & Galileo, 2012: 313
laetus Bates, 1885: 353
lanuginosus (Chevrolat, 1862: 255)
piceus Fisher, 1936: 348
lateralis Martins & Galileo, 2009: 109
lineolatus Melzer, 1933: 376
longipilis Bates, 1880: 117
maculicornis (Chevrolat, 1862: 254)
major Bates, 1885: 353
marmoratus Fisher, 1925: 16
martinezi Bezark & Santos-Silva, 2023: 411

Brazil (CE)
 Brazil (PB, PE)
 Brazil (SC)
 Brazil (SP-SC)
 Brazil (ES)

Guatemala
 Mexico (QR)
 Mexico (Jalisco)

Brazil (MG)
 Brazil (GO, MA)
 Brazil (SP-SC)
 Brazil (ES)
 Bolivia (SC), Paraguay

Mexico, Guatemala, Honduras
 Trinidad
 Mexico (Puebla)
 sUSA (FL), Cuba
 Guatemala-Panama
 Costa Rica (Puntarenas)
 swUSA (AZ), Mexico (SO, SI, JA),
 Guatemala (ZA, BV, AV)
 Mexico (GU, VC, CH), Guatemala (SU, ZA), Honduras (Copan)
 Dominican Republic (widespread)
 Cuba
 Mexico (Guerrero, Jalisco, Colima, Michoacan, Chiapas)
 Nicaragua, Costa Rica (GU)
 Mexico (PU, OA)
 Mexico (Jalisco, Colima, Guerrero)
 Costa Rica
 Brazil (ES)
 Brazil
 Mexico (Veracruz, Chiapas), Nicaragua, Costa Rica
 Guatemala
 swUSA (TX)
 Guatemala (ES, SU)

Mexico (CH), Guatemala
 Cuba
 Mexico (Guerrero)
 Brazil (GO, ES-RS), Paraguay
 Hispaniola
 Mexico (OA, VC)-Panama, Venezuela
 Costa Rica (GU)
 Guatemala
 Cuba

Costa Rica (HE)
 Brazil, Paraguay, Argentina, Uruguay
 Mexico (VC), Guatemala, Honduras
 Cuba
 Mexico (VC), Guatemala, Honduras, Costa Rica
 Mexico (Veracruz)
 Mexico (Nayarit)

- microphthalmus** Breuning, 1943: 49
monzoni Wappes & Santos-Silva, 2020: 14
nascimentoi Wappes & Santos-Silva, 2020: 13
nigroapicalis Lingafelter, 2024: 37
nigrinus (Bates, 1866: 193)
nigritarsis Fisher, 1926: 10
nigritarsus: Chemsak, Linsley & Noguera, 1992: 120 [ISS]
obrienorum Galileo & Santos-Silva, 2017: 149
pauper LeConte, 1852: 159
vestita Say, 1826: 273 [JpH; not Say, 1824, as *Saperda*]
fraxini Knull, 1918: 132
petulans Melzer, 1933: 379
pilosulus (Chevrolat, 1862: 254)
rubiginosa Chevrolat, 1862: 254
exiguus Thomson, 1868: 165
piperita (Bates, 1885: 352)
pubescens LeConte, 1873: 236
pubicollis Melzer, 1933: 378
pulcher Bezark & Santos-Silva, 2023: 414
rifkindi Bezark & Santos-Silva, 2023: 407
rileyi Santos-Silva, 2022: 5
scutellaris Bates, 1885: 352
similis Santos-Silva, 2022: 8
stellatus Chemsak & Noguera, 1993: 92
strandii Breuning, 1942: 160
subaeneus Bates, 1872: 234
columbianus Breuning, 1942: 161
subarmatus (LeConte, 1859: 22)
subnudus Bates, 1885: 353
subtessellatus Melzer, 1933: 379
superbus (Zayas, 1975: 196)
tlanchinolensis Wappes & Santos-Silva, 2020: 6
tomentosus (Haldeman, 1847: 50)
pinivorus Fitch, 1859: 712
triangularis Linsley, 1935: 112
ursulus Bates, 1872: 235
vandykei Linsley, 1935: 111
virgatus Bezark, Botero & Santos-Silva, 2022: 12
vittipennis Bates, 1885: 353
wappesi Lingafelter et al., 2021: 15
wickhami Fisher, 1935: 199
yeiuba Martins & Galileo, 2005: 245
- Brazil (RS)
Guatemala (Alta Verapaz)
Mexico (Jalisco, Colima)
Dominican Republic (La Vega)
Brazil (AM), Bolivia (SC)
Cuba
Mexico (VC)
Canada, eUSA-TX
Brazil, Argentina, Uruguay
Cuba, Jamaica
Mexico (JA, VC, CHS, OA), Costa Rica
ncUSA
Honduras-Panama
Mexico (Nayarit)
Mexico (Colima)
Costa Rica (Puntarenas)
Honduras, Panama
Guatemala (El Progreso, Jalapa)
Mexico (JA, PU)
Costa Rica
Mexico, Honduras, Nicaragua, Panama, French Guiana, Colombia
eNorth America
Mexico, Guatemala
Costa Rica
Cuba
Mexico (Hidalgo)
eUSA, Bahamas
Mexico (ME)
Mexico (VC)-Nicaragua, Costa Rica (GU)
Mexico (SI, NA, ME, MO)
Mexico (Sinaloa, Chiapas), Costa Rica (Puntarenas)
Mexico (CA), Guatemala, Honduras-Panama
Mexico (Yucatan, Quintana Roo)
Bahamas, Jamaica
Bolivia (SC)
- Evrysoma** Perez-Flores & Toledo, 2024: 2
cinereum Perez-Flores & Toledo, 2024: 3
- Mexico (Queretaro, San Luis Potosi)
- Fallaxdesmis** Santos-Silva & Wappes, 2018: 5
unicolor (Buquet, 1857: 336)
- Mexico (VC, CH)
- Gibbestola** Breuning, 1940: 72
flavescens Breuning, 1940: 73
griseovaria Breuning, 1940: 72
- Brazil (PE)
Brazil (MG, SP, PR, SC), Paraguay
- Gibbestoloides** Breuning, 1940: 73
compacta Breuning, 1940: 73
- Brazil (BA), Argentina (CH)
- Gyrpanetes** Martins & Galileo, 1998: 260
cacapira Martins & Galileo, 1998: 260
clarkei Martins, Galileo & Santos-Silva, 2015: 9
oriba Galileo & Martins, 2003: 162
- Brazil (ES)
Bolivia (TR)
Brazil (ES)

- pukuaba** Martins & Galileo, 1998: 260
Brazil (PA)
- Hallothamus** Thomson, 1868: 128
decorus Thomson, 1868: 129
Venezuela
- Heteresmia** Monné, 2005: 414 [RN]
Esmia Pascoe, 1859: 55 [JH; not Leach, 1847, Mollusca]
spissicornis (Fabricius, 1801: 330)
seabrai Lane & Prosen, 1961: 131
turbata (Pascoe, 1859: 55)
Peru, Brazil (AM, PA, RO)
French Guiana, Brazil (PA), eEcuador
- Ibypeba** Martins & Galileo, 2012: 336
camiri Martins & Galileo, 2012: 336
Bolivia (SC)
- Icublabia** Galileo & Martins, 2003: 154
multispinosa Galileo & Martins, 2003: 166
Colombia (Putumayo), eEcuador
- Inermestola** Breuning, 1942: 164
boliviensis Bezark, Botero & Santos-Silva, 2022: 10
chiapasensis Galileo & Moyses, 2013: 148
densepunctata Breuning, 1942: 164
Bolivia (Santa Cruz)
Mexico (CHS)
Brazil (MG)
- Inermestoloides** Breuning, 1966: 16
birai Bezark, Galileo & Santos-Silva, 2016: 174
drumonti Bezark, Galileo & Santos-Silva, 2016: 176
ecuadorensis Bezark, Galileo & Santos-Silva, 2016: 172
flavus Galileo & Santos-Silva, 2016: 229
praeapicalba Breuning, 1966: 17
rumuara Martins & Galileo, 2006: 462
Brazil (AM)
Brazil (AM)
Ecuador
Brazil (PA)
Brazil (AM)
Bolivia (SC)
- Ischnolea** Thomson, 1861: 347
bicolorata Galileo & Martins, 2007: 351
bimaculata Chevrolat, 1861: 252
crinita Thomson, 1861: 347
obliquelineata Breuning, 1943: 47
flavinota Galileo & Martins, 1993: 74
flavofemorata Breuning, 1943: 47
inexpectata Galileo & Martins, 1993: 70
indistincta Breuning, 1942: 158
longeantennata Breuning, 1942: 158
modesta Galileo & Martins, 1993: 76
oculata Galileo & Martins, 1993: 71
odettae Martins, Galileo & Tavakilian, 2008: 282
peruana Breuning, 1943: 48
piim Galileo & Martins, 1996: 868
singularis Galileo & Martins, 1993: 75
spinipennis Breuning, 1943: 48
strandi Breuning, 1942: 158
Bolivia (SC)
Brazil, Bolivia (SC), Paraguay, Argentina
Brazil (ES-SC), Ecuador
Brazil (SP), Bolivia (SC), Paraguay
Brazil (ES)
Brazil (ES)
Brazil (PE)
Brazil (RJ)
Brazil (GO, SP), Bolivia (SC), Paraguay
Brazil (MG-PR)
French Guiana
Peru
Brazil (RO), Bolivia (SC)
Brazil (PA), Bolivia (SC)
Brazil (ES)
Brazil (SC)
- Ischnoleomimus** Breuning, 1940: 168
arriagadai Galileo & Martins, 2004: 328
excavatus Breuning, 1940: 168
foveatus Galileo & Martins, 1996: 868
Paraguay
Peru, Brazil (RO, PA), Bolivia (SC)
Bolivia, eEcuador
- Iurubanga** Martins & Galileo, 1996: 302
arixi Martins & Galileo, 1996: 303
Brazil (SC)
- Jolyellus** Galileo & Martins, 2007: 353
albomaculatus Galileo & Martins, 2007: 356
Venezuela

Kuklimia Perez-Flores & Toledo, 2024: 4
balam Perez-Flores & Toledo, 2024: 6

Mexico (Chiapas)

Lamiessa Bates, 1885: 364
eumolpoides Bates, 1885: 365

Guatemala, Honduras

Malthonea Thomson, 1864: 329
Calliphenges Waterhouse, 1880: 296
Parablabia Breuning, 1959: 86
albomaculata (Breuning, 1966: 15)
aurescens (Breuning, 1966: 15)
constantini Audureau, 2022: 71
cumbica Galileo & Martins, 1996: 873
cuprascens (Waterhouse, 1880: 296)
glaucina (Thomson, 1868: 131)
guttata (Kirsch, 1888: 40)
itaiuba Martins & Galileo, 1999: 819
keili Santos-Silva, Galileo & McClarin, 2018: 1
mimula Martins & Galileo, 1995: 615
minima Martins & Galileo, 1995: 614
obyuna Martins & Galileo, 2005: 245
panthera Martins & Galileo, 1995: 620
phantasma Martins & Galileo, 1995: 618
piraiuba Martins & Galileo, 2009: 532
ruficornis Belon, 1903: 61
spinosa Galileo & Martins, 1999: 85
tigrinata Thomson, 1864: 329

Bolivia
 Ecuador
 Peru (Cuzco)
 Venezuela
 Ecuador, Peru
 Venezuela, Ecuador
 Ecuador, Colombia
 Venezuela
 wEcuador
 Colombia
 Peru
 Peru
 Colombia, Venezuela
 Ecuador
 Costa Rica (SJ), Panama
 Bolivia, wEcuador
 Colombia
 Brazil (MG-RS), Paraguay

Micratelodesmis Martins & Galileo, 2012: 336
minor Martins & Galileo, 2012: 337

Costa Rica (CA)

Mimasyngenes Breuning, 1950: 268
barbozai Martins, Galileo & Limeria-de-Oliveira, 2011: 288
clarkei Martins & Galileo, 2012: 334
concolor Mehl, Galileo, Martins & Santos-Silva, 2015: 35
fonticulus Martins & Galileo, 2012: 336
icuapara Galileo & Martins, 1996: 879
inlineatus Breuning, 1956: 357
lepidotus Clarke, 2007: 360
lineatipennis Breuning, 1950: 269
lucianae Galileo & Martins, 2003: 478
multisetosus Clarke, 2007: 362
murutinga Martins & Galileo, 2006: 459
piauiensis Galileo, Martins & Nascimento, 2013: 394
quiuira Galileo & Martins, 1996: 878
venezuelensis Breuning, 1956: 694
ytu Galileo & Martins, 1996: 880

Brazil (MA)
 Trinidad & Tobago
 Paraguay
 Brazil (PI)
 Costa Rica (GU), Colombia, Brazil (SP), Argentina
 Colombia, Venezuela
 Bolivia (CQ, SC, TR)
 Brazil (GO, MA, PR, SP), Bolivia (SC), Paraguay
 Brazil (SE)
 Bolivia (SC, TR), Paraguay
 wEcuador
 Brazil (PI)
 Brazil (SP), Paraguay
 Venezuela, Bolivia (SC)
 Brazil (MA, MG, SP), Bolivia (SC), Paraguay

Mimestola Breuning, 1940: 74
imitatrix Breuning, 1940: 74
jocquei Audureau, 2022: 74

Guatemala (San Marcos, Solola, Suchitepequez), Panama
 Honduras (Cosuco)

Mimopogonius Breuning, 1974: 154
hirsutus Breuning, 1974: 154
hovorei Martins & Galileo, 2009: 110

Brazil
 Ecuador

Monnetyra Galileo & Martins, 2006: 23 [RN]
Anhanga Galileo & Martins, 2003: 375 [JH; not Distant, 1887, Hemiptera]
diabolica (Galileo & Martins, 2003: 260)

Colombia

- Murupi** Martins & Galileo, 1998: 263
linearis Martins & Galileo, 1998: 264
 French Guiana (Kaw), Brazil (AM)
- Neocolobura** Monné, 2005: 421 [RN]
Colobura Blanchard in Gay, 1851: 511 [JH; not Billberg, 1820, Lepidoptera]
alboplagiata Blanchard in Gay, 1851: 512
 Chile, Argentina (NE)
- Nepagyrtis** Martins & Galileo, 1998: 260
piriana Martins & Galileo, 1998: 261
 Brazil (MG)
- Obscenoides** Nascimento & Santos-Silva, 2020: 2
compta (Martins & Galileo, 2005: 247)
 Bolivia (CO, SC)
- Oiceaca** Martins & Galileo, 1998: 262
caremata Martins & Galileo, 1998: 263
 Brazil (RG)
- Panegyrtis** Thomson, 1868: 133
apicale Martins & Galileo, 2005: 246
 Bolivia (SC)
basale Galileo & Martins, 1995: 864
 Brazil (ES)
bifasciatus Breuning, 1940: 178
 Brazil (RJ), Bolivia (SC), Paraguay
clarkei Galileo & Martins, 2007: 352
 Bolivia (SC)
crinitus Galileo & Martins, 1995: 866
 Brazil (MG)
davidsoni Martins & Galileo, 1998: 258
 French Guiana, Brazil (PA)
delicatus Galileo & Martins, 1995: 866
 Brazil (RO), Bolivia (SC)
fasciatus Galileo & Martins, 1995: 863
 Brazil (ES)
fraternus Galileo & Martins, 1995: 868
 Brazil (BA)
lactescens Thomson, 1868: 133
 Brazil (GO, RJ), Bolivia (Santa Cruz)
maculatissimus Galileo & Martins, 1995: 861
 Brazil (BA, ES)
porosus Galileo & Martins, 1993: 93
 Panama, Colombia
pseudolactescens Breuning, 1974: 188
 Brazil (MG, ES, RJ, SP, PR)
scutellatus Galileo & Martins, 1995: 863
 Brazil (BA, MG)
sparsepunctatus Breuning, 1940: 179
 Brazil (RJ, GO), Bolivia (SC)
lactescens: Breuning, 1974: 163 [Mld; not Thomson, 1868]
striatopunctatus Breuning, 1940: 179
 Brazil (GO)
varicornis Breuning, 1940: 430
 Brazil (AM), Bolivia (SC)
- Parablabicentrus** Dalens, Touroult & Tavakilian, 2009: 5
angustatus (Bates, 1866: 193)
 Brazil (PA)
angustulus: Monné, M.A., 1994: 67 [ISS]
- Paradesmiphora** Breuning, 1959: 86
amazonica Galileo & Martins, 1998: 34
 Peru, Bolivia (SC)
farinosa (Bates, 1885: 351)
 Costa Rica, Panama
- Paroectropsis** Cerda, 1954: 137
decorata Cerda, 1954: 138
 Chile
- Parestola** Bates, 1880: 119
Falsestoloides Breuning, 1954: 12
hoegei Breuning, 1943: 54
 Mexico
tubericollis Breuning, 1980: 70
 Argentina (SE)
zapotensis Bates, 1880: 119
 Mexico (DU, CHS), Honduras, Guatemala-Panama
mexicana Breuning, 1954: 13
- Parischnolea** Breuning, 1942: 158
excavata Breuning, 1942: 159
 Brazil (SP), Bolivia (SC), Paraguay
jatai Martins & Galileo, 1995: 162
 Brazil (GO), Bolivia (SC)

- Piimuna** Martins & Galileo, 1998: 265
gibbosa Martins & Galileo, 1998: 265
 Brazil (SC)
- Piruauna** Galileo & Martins, 1998: 150
Piruauna: Martins, Galileo & Limeira-de-Oliveira, 2009: 518 [ISS]
pulchra Martins, Galileo & Limeira-de-Oliveira, 2009: 518
tuberosa Galileo & Martins, 1998: 150
 Brazil (MA)
 Brazil (MG)
- Pogonillus** Bates, 1885: 360
inermis Bates, 1885: 360
panamensis Heffern et al, 2018: 65
subfasciatus Bates, 1885: 360
 Mexico (VC, OA)
 Panama
 Guatemala, Honduras
- Protumida** Monné & Wappes, 2014: 1
insularis Monné & Wappes, 2014: 2
 Panama
- Psenocerus** LeConte, 1852: 158
Paralarica Breuning, 1938: 389
supernotatus (Say, 1824: 425)
pini: LeConte, 1852: 158 [Mld; not Olivier, 1800]
tristis Casey, 1891: 46
supernotatus var. *funnebris* Casey, 1914: 367
picta Breuning, 1938: 390
 eNorth America-TX
- Pseudestola** Breuning, 1940: 181
ayri Galileo & Martins, 2012: 111
densepunctata Breuning, 1940: 182
maculata Bezark & Santos-Silva, 2019: 107
 Costa Rica (LI)
 Brazil (ES, RJ), Bolivia (SC)
 Costa Rica (PU), Panama (Chiriqui)
- Pseudestoloides** Breuning & Heyrovsky, 1961: 17
affinis Martins & Galileo, 2009: 112
bingkirki Santos-Silva, Wappes & Galileo, 2018: 475
costaricensis Breuning & Heyrovsky, 1961: 17
rubiginosa Martins & Galileo, 2009: 113
 Costa Rica (GU, PA)
 Nicaragua, Costa Rica (Alajuela)
 Costa Rica
 Guatemala (HU), Costa Rica (HE), Panama
- Ptericoptomimus** Melzer, 1935: 189
truncatus Melzer, 1935: 190
truncata Breuning, 1940: 72
 Brazil (ES-SP)
- Pterolophosoma** Vitali, 2004: 2
otiliae Vitali, 2004: 3
 Dominicana (Fossil)
- Rileyellus** Wappes & Santos-Silva, 2020: 10
panamensis Wappes & Santos-Silva, 2020: 11
 Panama (Panama)
- Rosalbopsis** Galileo & Santos-Silva, 2017: 146
wappesi Galileo & Santos-Silva, 2017: 147
 Panama
- Spinestoloides** Breuning, 1954: 14
Antillestoloides Santos-Silva, Wappes & Galileo, 2018: 459 [RN for *Minestoloides* Breuning, 1980]
benardi (Breuning, 1980: 70)
fasciatus (Martins & Galileo, 2010: 89)
hefferni Santos-Silva, Wappes & Galileo, 2018: 474
monticola (Fisher, 1942: 25)
spinipennis Breuning, 1954: 14
 Guadeloupe, Martinique
 Mexico (GR)
 Panama
 Jamaica

Stereomerus Melzer, 1934: 226*Mimaprotopus* Breuning, 1940: 84**brachypterus** Martins & Galileo, 1994: 5**diadelus** Martins & Galileo, 1994: 10**hovorei** Martins & Galileo, 2006: 459**lineatus** (Breuning, 1940: 84)**maculatus** Galileo & Martins, 2003: 160**melzeri** Martins & Galileo, 1994: 8**pachypezoides** Melzer, 1934: 227**swifti** Bezark, Galileo & Santos-Silva, 2016: 138

Brazil (SP)

Venezuela

wEcuador

Brazil (GO, SP, PN), Bolivia (SC)

Brazil (BA)

Brazil (AM)

Brazil (SC, RS), Argentina, Uruguay

wEcuador

Taelosilla Thomson, 1868: 112**lateralis** Thomson, 1868: 113

Mexico, Brazil

Tesapeus Galileo & Martins, 2012: 109**disjunctus** Galileo & Martins, 2012: 110

Costa Rica (LI)

Tigrinestola Breuning, 1949: 25**howdeni** Chemsak & Linsley, 1966: 241**nearnsi** Heffern & Santos-Silva, 2017: 472**tigrina** (Skinner, 1905: 291)*picta* Schaeffer, 1906: 21

Mexico (CHA, DU, DF)

Mexico (OA)

swUSA (AZ, TX), Mexico (BC)

Trichestola Breuning, 1950: 174**guatemalana** Breuning, 1950: 174

Guatemala

Unelcus Thomson, 1864: 109**bolivianus** Breuning, 1966: 16**lineatus** Bates, 1885: 354**pictus** Thomson, 1864: 109

Bolivia

Mexico (VC)-Panama, French Guiana, Venezuela, eEcuador,

Bolivia (SC), Paraguay

Brazil (RJ-RS), Paraguay, Argentina (CH)

Wappesellus Martins, Santos-Silva & Galileo, 2015: 88**cavus** Martins, Santos-Silva & Galileo, 2015: 88

Brazil (RO)

Dorcaschematini Thomson 1860: 107*Dorcaschemitae* Thomson, 1860: 104 (key), 107**Dorcaschema** Chevrolat in d'Orbigny, 1844: 110*Dorcaschema* Leng & Hamilton, 1896: 108*Hetoemis* Haldeman, 1847: 54**alternatum** (Say, 1824: 405)*leptocera* Chevrolat in d'Orbigny, 1844: 110*octovittata* Knull, 1937: 307**cinereum** (Olivier, 1800: [no 68] 28)*trilineata* Say, 1826: 273*juglandis* Haldeman, 1847: 54*cinerea bimaculata* Dillon & Dillon, 1948: 293**nigrum** (Say, 1826: 272)**wildii** Uhler, 1855: 417

eUSA-TX

eUSA

eNorth America

eUSA

Elytracanthinini Bousquet in Bousquet, Heffern, Bouchard & Nearn, 2009: 30 [RN]*Elytracanthinae* Lane, 1955: 281 [PI]**Elytracanthina** Monné, 2005: 428 [RN]*Elytracantha* Lane, 1955: 281 [JH; not Kleine, 1913, Brentidae]**propinqua** (Lane, 1959: 251)**pugionata** (Lane, 1955: 281)

Brazil (MG)

Brazil (PB-ES)

Eupromerini Galileo & Martins, 1995: 132**Eupromera** Westwood, 1846: 224

disparilis Galileo & Martins, 1995: 135	Brazil (ES)
gilmouri Fuchs, 1961: 18	Brazil (SP-SC)
pascali Dalens, 2016: 1	French Guiana
similis Breuning, 1940: 183	Brazil (BA-SC)
spryana Westwood, 1846: 224	Brazil (RJ, SP, SC)
zonula Galileo & Martins, 1995: 139	Brazil (ES)

Iquiracetima Galileo & Martins, 1995: 140*Iquaratecima*: Wappes, Galileo & Santos-Silva, 2006: 41 [ISS]

aspasia Galileo & Martins, 1995: 142	Peru, eEcuador
brachialis (Thomson, 1868: 109)	Brazil
cerari Galileo & Martins, 2008: 4	Brazil (RO)
egeri Wappes, Galileo & Santos-Silva, 2017: 92	Brazil (RO)
rana Galileo & Martins, 2008: 5	Bolivia (LP)
tuberosa (Belon, 1896: 247)	Brazil (AM, MT), eEcuador, Bolivia (SC)
venturai Santos-Silva, et. al. 2020: 15	Brazil (Espírito Santo)

Neopibanga Martins & Galileo, 1998: 57

brescoviti Martins & Galileo, 1998: 57	Brazil (RO)

Pibanga Galileo & Martins, 1995: 145

costulata (Belon, 1896: 251)	Bolivia (SC)
diamantina Galileo & Martins, 1995: 146	Brazil (MT)
glabricula (Bates, 1885: 358)	Costa Rica, Panama
itacoatiara Galileo & Martins, 1995: 147	Brazil (AM)
jacareacanga Galileo & Martins, 1995: 150	Brazil (PA, MT), eEcuador, Bolivia (SC)
ochropyga (Belon, 1896: 249)	Brazil (RO), eEcuador, Bolivia (BN, SC)
transversefasciata (Breuning, 1943: 58)	Brazil (BA)

Puanama Galileo & Martins, 1995: 142

caraca Galileo & Martins, 1995: 143	Brazil (MG)
sara Galileo & Martins, 1998: 249	Bolivia (SC)
sinopia Galileo & Martins, 1995: 145	Brazil (MT)
skillmani Galileo & Martins, 2012: 300	Brazil (RO)

Forsteriini Tippman, 1960: 210*Hebestolitae* Thomson, 1864: 107*Falsamblesthiini* Gilmour, 1961: 131**Bactriola** Bates, 1885: 421

achira Galileo & Martins, 2008: 34	Bolivia (SC)
antennata Galileo & Martins, 2008: 35	Bolivia (SC)
circundata Martins & Galileo, 1992: 105	wEcuador (Napo), Brazil (RJ)
falsa Martins & Galileo, 1992: 107	Brazil (MG-RS), Paraguay
maculata Martins & Galileo, 1992: 106	Venezuela, Ecuador, Bolivia (SC)
minuscule Fontes & Martins, 1977: 7	Brazil (ES)
paupercula Bates, 1885: 422	Costa Rica (GU), Panama, Bolivia (CO, SC)
vittulata Bates, 1885: 421	Costa Rica (PA), Panama, Trinidad-Tobago, Venezuela, French Guiana, Brazil, Bolivia (SC)

Camixaima Martins & Galileo, 1996: 308

beraba Martins & Galileo, 1996: 307	eEcuador

Falsamblesthis Breuning, 1959: 85*Forsteria* Tippmann, 1960: 211

candicans (Gounelle, 1910: 19)	wEcuador
gracilis (Lameere, 1893: 277)	Venezuela

ibiyara Marinoni, 1978: 91
macilenta (Gounelle, 1910: 18)
microps Martins & Galileo, 1992: 104
pilula Galileo & Martins, 1987: 449
seriepilosa (Kirsch, 1889: 40)
taeniata (Belon, 1903: 71)
unguicularis (Tippmann, 1960: 212)
uniformis Galileo & Santos-Silva, 2016: 85

Brazil (BA, MG-RS)
 Ecuador
 Venezuela
 Colombia
 Ecuador
 Bolivia
 Bolivia (SC)
 Peru

Gisostola Thomson, 1868: 125

bahiensis Martins & Galileo, 1988: 220
melancholica (Thomson, 1857: 304)
tessellata Thomson, 1868: 126
nordestina Galileo & Martins, 1987: 93
quentini Martins & Galileo, 1989: 122

Brazil (BA, MG)
 Brazil (MG-RJ)

Brazil (CE)
 Brazil (RJ)

Gracililamia Breuning, 1961: 141

Huedepohlia Martins & Galileo, 1989: 122
ecuadorensis Breuning, 1961: 142
pisciformis Martins & Galileo, 1989: 123

Ecuador

Helmindia Blanchard in Gay, 1851: 516

pilipennis Blanchard in Gay, 1851: 517

Chile

Itacolomi Galileo & Martins, 2012: 223

letiziae Galileo & Martins, 2012: 223

Brazil (MG)

Morvanica Audureau & Santos-Silva, 2019: 147

demezi Audureau & Santos-Silva, 2019: 148

Peru (Junin)

Neohebestola Marinoni, 1977: 46

Hebestola: Blanchard in Gay, 1851: 513 [Mld; not Haldeman, 1847]

apicalis (Fairmaire & Germain, 1860: 529)
brasiliensis (Fontes & Martins, 1977: 10)
concolor (Fabricius, 1798: 149)
humeralis (Blanchard in Gay, 1851: 514)
luchopegnai Martins & Galileo, 1989: 129
parvula (Blanchard in Gay, 1851: 514)
petrosa (Blanchard in Gay, 1851: 515)
chiliensis Breuning, 1980: 69
vitticollis (Blanchard in Gay, 1851: 515)
bonariensis Thomson, 1868: 127

Chile
 Brazil (MG, RJ)
 ?
 Chile
 Chile
 Chile
 Chile
 Chile, Argentina

Nyctonympha Thomson, 1868: 127

affinis Martins & Galileo, 2008: 58
andersoni Martins & Galileo, 1992: 103
annulata Aurivillius, 1900: 420
annulipes (Belon, 1897: 187)
antonkozlovi Santos-Silva & Botero, 2017: 6
birai Santos-Silva & Botero, 2017: 8
boyacana Galileo & Martins, 2008: 33
carcharias (Lameere, 1893: 277)
glauca Aurivillius, 1900: 420
carioca Galileo & Martins, 2001: 68
costipennis (Lameere, 1893: 277)
cribrata Thomson, 1868: 128
flavipes Aurivillius, 1920: 401
genieri Martins & Galileo, 1992: 104
howdenarum Martins & Galileo, 1992: 104
mariahelenae Santos-Silva & Botero, 2017: 11

French Guiana
 Colombia, Bolivia
 Panama, Venezuela
 Peru, Bolivia
 Colombia
 Venezuela
 Colombia
 Venezuela
 Brazil (RJ), Bolivia (CO)
 Venezuela
 Colombia
 Peru, Ecuador, Brazil (MA, RO), Bolivia (SC)
 wEcuador
 Colombia
 Peru

punctata Martins & Galileo, 1989: 127
sinjaevi Santos-Silva & Botero, 2017: 3
taeniata Martins & Galileo, 1992: 103

Argentina (SA), Bolivia (SC)
 Colombia
 Panama, Trinidad & Tobago

Obereoides Fisher, 1938: 149

antennatus Martins & Galileo, 2003: 620
cicatricosus (Zajciw, 1968: 423)
joergenseni (Bruch, 1911: 177)
 rufipes Aurivillius, 1920: 401
 tenuis Fisher, 1938: 150
parahybanus Galileo & Martins, 1998: 250
peruviensis Audureau & Santos-Silva, 2019: 145
setulosus (Aurivillius, 1920: 402)

Bolivia
 Brazil (RJ)
 Brazil (MG, ES, RJ, SC, RS, PR), Paraguay, Argentina
 Brazil
 Peru (Pasco)
 Brazil (MG-SP)

Proceroblesthis Galileo & Martins, 1987: 91

prolata Galileo & Martins, 1987: 92

Brazil (MG, ES)

Pseudogisostola Fontes & Martins, 1977: 12

reichardti Fontes & Martins, 1977: 13

Brazil (ES, RJ), Bolivia (SC)

Saepiseuthes Thomson, 1868: 140

chilensis Thomson, 1868: 141
obliquatus (Fairmaire & Germain, 1859: 511)

Chile
 Chile

Spinoblesthis Galileo & Martins, 1987: 90

acuta Galileo & Martins, 1987: 91

Brazil (ES)

Udamina Thomson, 1868: 124

Paraphaula Fuchs, 1963: 13

leprieurii Thomson, 1868: 125
 porosa Fuchs, 1963: 13

French Guiana, Brazil (ES, RJ, SP)

Yapyguara Galileo & Martins, 2012: 223

fusca Galileo & Martins, 2012: 224

Bolivia (SC)

Hemilophini Thomson, 1868: 189

Amphionychitae Thomson 1860: 41 (key), 63, [NO]

Hemilophitae Thomson, 1868: 189 [NP]

Itesini Lepesme, 1943: 137

Abanycha Martins & Galileo, 1997: 54

bicolor (Gahan, 1889: 397)
bicoloricornis Galileo & Martins, 2009: 8
fasciata Galileo & Martins, 2005: 276
pectoralis Martins & Galileo, 2004: 472
pulchricollis (Bates, 1885: 431)
sericipennis (Bates, 1885: 430)
urocosmia (Bates, 1881: 204)

Ecuador
 eEcuador
 Venezuela
 Costa Rica
 Guatemala
 Costa Rica, Panama
 Colombia

Abycendaia Martins & Galileo, 1992: 127

duplicata (Bates, 1881: 294)
 dulpicatus: Gilmour, 1965: 634 [ISS]

Colombia

Acabanga Martins & Galileo, 1991: 555

nigrohumeralis (Tippmann, 1960: 203)
pinima Martins & Galileo, 1991: 555

Brazil (RJ, SP, MG)
 Brazil (RJ)

Acaiatuca Martins & Galileo, 1992: 591

denudata Galileo & Martins, 2001: 247

Brazil (GO)

- quadricostata** (Tippmann, 1953: 355) Brazil (SP, SC)
- Acaiu** Galileo & Martins, 2005: 64
spinosus Galileo & Martins, 2005: 64 eEcuador
- Acapiata** Galileo & Martins, 2005: 63
dilatata Galileo & Martins, 2005: 64 eEcuador
- Acasanga** Martins & Galileo, 1991: 613
delectabilis (Waterhouse, 1880: 302) Colombia, Peru
dimidiosanguinea (Fuchs, 1963: 11) Colombia
humeralis (Waterhouse, 1880: 301) Ecuador
reticulata (Waterhouse, 1880: 300) Ecuador
- Adesmiella** Lane, 1959: 261
cordipicta Lane, 1959: 261 Brazil (SC)
- Adesmoides** Zajciw, 1967: 324
Colatina Lane, 1972: 377
flava Zajciw, 1967: 324 Brazil (ES, RJ)
borgmeieri Lane, 1972: 377
- Adesmus** Lepeletier & Audinet-Serville in Latreille, 1825: 335
Amphionycha Dejean, 1835: 352
Eudesmus Voigt, 1839: 311
Amphyonica Thomson, 1857: 311
Somateucharis Lane, 1976: 451
acanga Galileo & Martins, 1999: 84 Brazil (MG,ES)
acangauna Martins & Galileo, 2004: 538 Panama
albiventris (Bates, 1881: 197) Ecuador, Venezuela
alboniger Galileo & Martins, 2013: 36 Ecuador
alboverticis Bezark, Santos-Silva & Botero, 2023: 6 Guatemala (Suchitepequez)
beruri Martins & Galileo, 2011: 358 Brazil (AM)
bisellatus (Bates, 1881: 200) Ecuador
borgmeieri (Lane, 1976: 452) Brazil (BA, MT)
brunneiceps (Aurivillius, 1920: 399) Brazil (RJ)
cretaceus Lane, 1965: 315
calca Galileo & Martins, 2005: 278 Peru
chalumeau Touroult, 2004: 70 Martinique
clathratus (Gistel, 1848: 1904) Brazil (MG-RS), Paraguay, Argentina
flavipes Lucas, 1857: 192
colligatus Redtenbacher, 1867: 187
clathratella Strand, 1917: 90
calligata: Viana, 1972: 398 [ISS of *colligata* Redtenbacher, 1868]
collaris Melzer, 1931: 79 Brazil (ES, RJ, SP)
culiki Santos-Silva, et. al. 2020: 16 Brazil (Espírito Santo)
delahayei Audureau & Demez, 2016: 39 Peru
diana (Thomson, 1860: 65) Colombia, French Guiana, Brazil (AM)
dignus Melzer, 1931: 78 Brazil (MG-SP)
divus (Chabrillac, 1857: 200) Colombia, French Guiana, Bolivia (SC), Brazil (GO, MA, SP, PA),
procerus Gahan, 1889: 399 Paraguay, Argentina
facet Martins & Galileo, 2008: 550 Brazil (RO)
fortunei Lingafelter, 2013: 58 Dominican Republic
fulvicornis (Bates, 1881: 203) Brazil (RJ)
griseus (Aurivillius, 1900: 419) Venezuela
guttatus Galileo & Martins, 2005: 277 Peru
hiekei Fuchs, 1970: 113 Ecuador
hemispilus (Germar, 1821: 169) Brazil (BA-RJ), Paraguay, Argentina
luctuosa Audinet-Serville, 1835: 46
hipposiderus Galileo & Martins, 2005: 107 Costa Rica

hovorei Martins & Galileo, 2004: 536
icambi Martins & Galileo, 2009: 534
juninensis Galileo & Martins, 1999: 89
laetus (Bates, 1881: 198)
 var. *estriatus* Plavilstshikov, 1927: 103
lauropalui Monné & Monné, 2017: 203
leucodryas (Bates, 1881: 198)
martinsi Wappes & Santos-Silva, 2017: 2
meinerti (Aurivillius, 1900: 419)
monnei Galileo & Martins, 2009: 5
moruna Martins & Galileo, 2008: 548
mosapyra Galileo & Martins, 2006: 791
murutinga Martins & Galileo, 2004: 43
nevisi (Gounelle, 1909: 83)
nigriventris (Fleutiaux & Sallé, 1889: 472)
nigrocinctus (Gahan, 1889: 397)
nigrolineatus Martins & Galileo, 2008: 548
niveiceps (Aurivillius, 1900: 419)
ocellatus Galileo & Martins, 2005: 277
paradiana Galileo & Martins, 2004: 384
phoebinus (Aurivillius, 1900: 418)
pilatus Galileo & Martins, 2005: 276
pirauna Galileo & Martins, 1999: 113
pluricostatus (Bates, 1881: 217)
postilenatus (Bates, 1881: 201)
pulchellus Galileo & Martins, 1999: 97
pysasu Galileo & Martins, 1999: 92
quadricinctus Galileo & Martins, 1999: 90
sannio Melzer, 1931: 77
 var. *curitybanus* Lane, 1938: 633
seabrai Lane, 1959: 258
sexguttatus (Lucas, 1857: 192)
sexlineatus (Bates, 1881: 199)
simile Galileo & Martins, 2013: 38
stellatus Galileo & Martins, 2005: 279
stephanus (Aurivillius, 1900: 420)
swifti Galileo & Martins, 2013: 36
temporalis (Aurivillius, 1908: 11)
tribalteatus (Bates, 1881: 198)
turrialba Galileo & Martins, 1999: 94
unicolor Audureau & Demez, 2016: 40
urubu Galileo & Martins, 1999: 84
ventralis (Gahan, 1894: 119)
verticalis (Germar, 1823: 492)
 nigriceps Laporte, 1840: 489
vilhena Galileo & Martins, 1999: 95
vulcanicus Galileo & Martins, 1999: 96
windsori Martins & Galileo, 2004: 538

Alampyris Bates, 1881: 218

bicolor Martins, Santos-Silva & Galileo, 2015: 101
cretaria Bates, 1885: 431
curta Bates, 1881: 219
flavicollis Galileo & Martins, 2005: 271
fuliginea Bates, 1881: 219
fuscus Martins & Galileo, 2008: 551
marginella Bates, 1881: 220
melanophiloides (Thomson, 1868: 197)
 melanophilus: Thomson, 1878: 15 [ISS]
mimetica Bates, 1881: 220
nigra Bates, 1881: 219
photinoides Bates, 1881: 220

Panama, Costa Rica (PA)
 Costa Rica (CA)
 Peru
 Venezuela, Colombia, Peru

 Brazil (MG)
 Colombia
 Bolivia (CO, SC)
 Venezuela
 French Guiana, Brazil (AP)
 Costa Rica
 Ecuador
 Colombia
 Bolivia (SC), Brazil
 Guadeloupe
 Brazil
 Mexico (OA)
 Venezuela
 eEcuador, Peru
 eEcuador, Brazil (MA)
 Venezuela
 Costa Rica (GU), Panama
 Costa Rica (PA), Panama, Colombia
 Guatemala
 Brazil (ES, RJ)
 Argentina (SA)
 wEcuador
 Brazil (GO)
 Brazil (SP-SC)

 Brazil (ES)
 Brazil (RJ-RS)
 Brazil (ES-RS), Argentina (MI)
 Ecuador
 Costa Rica (CA)
 Venezuela
 Ecuador
 Bolivia
 Peru, Bolivia (SC)
 Costa Rica, Panama, French Guiana
 Peru
 Brazil (PA, AM)
 Costa Rica
 Brazil (RJ-RS), Paraguay, Argentina

 Brazil (RO, AM), Peru, Bolivia (SC)
 Costa Rica
 Panama

Costa Rica (PU)
 Mexico
 Mexico (PU, OA, TL)
 Costa Rica (PA)
 Mexico (GU, OA, MO)
 Costa Rica, Panama
 Mexico (VC)
 Mexico (VC)

Mexico (VC)
 Mexico (OA)
 Guatemala

- quadricollis** Bates, 1881: 220
Mexico (OA)
- Amapanesia** Martins & Galileo, 1996: 189
exotica (Martins & Galileo, 1991: 104)
Peru, Colombia, French Guiana, Brazil (AP)
- Apagomera** Bates, 1881: 147
aereiventris (Tippmann, 1960: 208)
bravoi Galileo & Martins, 2009: 5
jaguarari Galileo & Martins, 1998: 250
seclusa Lane, 1965: 326
tipitinga Galileo & Martins, 1998: 252
triangularis (Germar, 1823: 493)
Bolivia
Brazil (BA, MG)
Brazil (BA)
Brazil (MG)
Brazil (BA)
Brazil (BA-SC)
- Apagomerella** Gilmour, 1962: 142
dissimilis Galileo & Martins, 2005: 103
versicolor (Boheman, 1859: 152)
sanguinicollis Burmeister, 1865: 180
suturella Bates, 1881: 147
Costa Rica (CA)
Brazil (MG, PR-RS), Paraguay, Argentina, Uruguay
- Apagomerina** Gilmour, 1962: 142
Xenonta Lane, 1970: 409
apicalis Galileo & Martins, 2001: 62
azurescens (Bates, 1881: 147)
diadela Martins & Galileo, 1996: 21
erythronota (Lane, 1970: 409)
faceta Martins & Galileo, 2007: 178
flava Galileo & Martins, 1989: 600
gigas Martins & Galileo, 2007: 1146
igneae Martins & Galileo, 1996: 22
jucunda Martins, 1984: 326
lamproides Martins & Galileo, 2007: 1146
lepida Martins & Galileo, 1996: 22
martinsi Audureau & Morvan, 2018: 2
odettae Martins & Galileo, 2007: 178
rubricollis Galileo & Martins, 1992: 142
subtilis Martins & Galileo, 1996: 23
unica Martins & Galileo, 1996: 23
utiariti Galileo & Martins, 1989: 600
Brazil (SC)
Brazil (RJ)
Venezuela
Brazil (ES)
French Guiana
Brazil (SP)
Brazil (SC)
Brazil (BA)
Brazil (ES)
French Guiana, Brazil (MG, PA)
Brazil (RO)
French Guiana
French Guiana
Brazil (RO)
Brazil (BA)
Brazil (MT)
Brazil (MT)
- Apeba** Martins & Galileo, 1991: 563
barauna Martins & Galileo, 1991: 563
danielvlasaki Vlasak & Santos-Silva, 2020: 461
herrerae Galileo, Santos-Silva & Wappes, 2017: 448
isabellina (Bates, 1885: 434)
popeba (Galileo & Martins, 2006: 789)
togata (Klug, 1825: 464)
tagita: Desmarest in Chenu, 1860: pl. 23, fig. 1 [ISS]
antiqua Waterhouse, 1880: 300
Brazil (AM, PA)
wEcuador (Pichincha)
Bolivia (Santa Cruz)
Panama
Costa Rica (LI, PA)
Brazil (BA, ES, RJ)
- Apebusu** Martins & Galileo, 2004: 468
rubriventris Martins & Galileo, 2004: 468
Costa Rica (PA)
- Apypema** Galileo & Martins, 1992: 17
yara Galileo & Martins, 1992: 17
Peru, Brazil (RO)
- Arabela** Hernandez, Santos-Silva & Nascimento, 2019: 93
ramirezi Hernandez, Santos-Silva & Nascimento, 2019: 94
Peru (Loreto)

- Arixiuma** Martins & Galileo, 1992: 124
longula (Bates, 1881: 222) Mexico (VC)
prolixa (Bates, 1872: 229) Mexico-Panama
varians (Bates, 1881: 222) Mexico (VC), Guatemala, Honduras, Costa Rica
- Biraerana** Joly, Vigneault & Santos-Silva, 2017: 31
lycoides Joly, Vigneault & Santos-Silva, 2017: 32 Venezuela
- Butocrysa** Thomson, 1868: 198
insignis (Lucas, 1857: 191) Brazil (ES, MG, RJ)
- Cabreuva** Martins & Galileo, 1992: 438
luciano Martins & Galileo, 1992: 441 Colombia
- Cacupira** Martins & Galileo, 1991: 608
iodina (Bates, 1881: 296) Ecuador
tucurui Martins & Galileo, 1991: 613 French Guiana, Brazil (PA)
- Callanga** Lane, 1973: 411
ashaninka Santos-Silva, Heffern, Botero & Nascimento, 2020: 10 Peru (Junin)
tenebrosa Lane, 1973: 415 Peru
trichocera Lane, 1973: 413 Peru, Bolivia (BN)
- Calocosmus** Chevrolat, 1862: 250
Calocosmos: Leng & Mutchler, 1914: 451 [ISS]
chevrolati Fisher, 1925: 14 Cuba, Haiti, Dominican Republic
contortus Lingafelter, 2013: 63 Dominican Republic
dimidiatus (Chevrolat in Guérin-Méneville, 1838: 284) Cuba
fulvicollis Fisher, 1925: 13 Cuba
hispaniolae Fisher, 1925: 15 Dominican Republic
hispanidae: Russo, 1930: 144 [ISS]
janus Bates, 1881: 151 Cuba, Dominican Republic
holosericeus Gahan, 1889: 395
magnificus Fisher, 1932: 89 Haiti, Dominican Republic
marginipennis Gahan, 1889: 396 Jamaica
melanurus Gahan, 1889: 395 Hispaniola, Dominican Republic
nigripennis Chevrolat, 1862: 252 Cuba, Haiti
nigritarsis Fisher, 1942: 41 Dominican Republic
nuptus Chevrolat, 1862: 251 Cuba
punctatus Lingafelter, 2013: 65 Dominican Republic
rawlinsi Lingafelter, 2013: 67 Dominican Republic
robustus Lingafelter, 2013: 69 Dominican Republic
semimarginatus Bates, 1881: 151 Cuba, Dominican Republic
speciosus Chevrolat, 1862: 252 Cuba
venustus: Jacquelin du Val in Sagra, 1857: 275 [Mld; not Chevrolat, 1838]
thonalmus Lingafelter, 2013: 70 Dominican Republic
venustus (Chevrolat in Guérin-Méneville, 1838: 283) Cuba, Bahamas
- Camposiellina** Monné, 2005: 456
Camposiella Lane, 1972: 374 (preoccupied; Hebard, 1924 Orthoptera)
sulfureopicta (Lane, 1972: 375) Brazil (RJ)
- Canarana** Martins & Galileo, 1992: 442
affinis (Aurivillius, 1908: 12) Peru, Bolivia (LP, BN)
arguta Martins & Galileo, 2008: 551 Brazil (RO)
bipunctata Audureau, 2014: 105 Peru (Ucayali)
brachialis (Guérin-Méneville, 1855: 600) eEcuador, Peru, Bolivia (CO, SC), Brazil (MS)
croceicollis Gahan, 1889: 393
exotica Galileo & Martins, 2001: 66 wEcuador

marceloi Martins & Galileo, 1992: 443
nigripennis (Bates, 1866: 426)
roseicollis Galileo & Martins, 2004: 382
seminigra (Bates, 1866: 426)
tuberculicollis (Guérin-Ménéville, 1855: 601)

Brazil, Bolivia (SC), Paraguay
 Brazil (AM), Peru, Bolivia (SC)
 Bolivia (SC)
 Brazil (AM, RO), Bolivia (BN, CO, SC)
 eEcuador, Peru, Bolivia (SC)

Cariua Martins & Galileo, 2008: 552
sulphurea Martins & Galileo, 2008: 552

Costa Rica

Cathopteron Hamilton in Leng & Hamilton, 1896: 162
Cathopteron: Arnett, 1962: 873 [ISS]
amoena Hamilton in Leng & Hamilton, 1896: 161

swUSA (TX), Mexico (TA)

Cendiuna Galileo & Martins, 1991: 113
auauna Galileo & Martins, 1998: 254
cendira Galileo & Martins, 1991: 119
pataiuna Galileo & Martins, 1991: 118
planipennis (Bates, 1881: 150)
puranga Galileo & Martins, 1991: 115

Brazil (MG)
 Brazil (SP, PR)
 Brazil (MG, SP)
 Brazil (ES-SP)
 Brazil (SC)

Cendiunopsis Tavakilian & Santos-Silva, 2019: 508
garnieri Tavakilian & Santos-Silva, 2019: 514

French Guiana

Cephalodina Bates, 1881: 212
acangassu Martins & Galileo, 1993: 172
capito (Bates, 1866: 429)
crassiceps Bates, 1881: 213
capito: Bates, 1872: 231 [Mld; not Bates, 1866]

wEcuador
 Costa Rica, Panama
 Mexico-Panama

Chrysaperda Bates, 1881: 152
circumcincta (Pascoe, 1859: 54)
collaris Pascoe, 1888: 509
lanei Martins & Galileo, 2014: 86
metallica Bates, 1881: 152
apicalis Kirsch, 1889: 43
mimica Monné & Monné, 2015: 229

Brazil (AM)
 eEcuador
 wEcuador
 eEcuador, Peru

Ecuador

Cirrhicera Thomson, 1857: 309
bankoi Santos-Silva, Botero & Le Tirant, 2018: 205
basalis Gahan, 1892: 269
championi Bates, 1881: 214
cinereola Bates, 1881: 215
conspicua Gahan, 1892: 269
crispipennis Bates, 1881: 214
leuconota (Laporte, 1840: 489)
longifrons Bates, 1881: 214
nigrina Thomson, 1857: 310
niveosignata Thomson, 1860: 64
sallei Thomson, 1857: 310
sallaei Bates, 1881: 214
sallaei var panamensis Bates, 1885: 429
vandenberghai Heffern & Santos-Silva, 2024: 214
veilleuxi Santos-Silva, Galileo & Le Tirant, 2017: 139

Mexico (CHS)
 Mexico
 Mexico (CHS)-Costa Rica
 Mexico (CHS)-El Salvador, Costa Rica
 Mexico (GR)
 Mexico (VC), Guatemala, Costa Rica, wEcuador
 Mexico (VC, OA), Guatemala, Honduras
 Guatemala, Costa Rica (GU)
 Mexico (VC)
 Mexico (VC)
 Mexico-Panama

Guatemala (Alta Verapaz)
 Mexico (VC)

Clythraschema Thomson, 1857: 127
chabrilacii Thomson, 1857: 128

Brazil (RJ)

Columbicella Galileo & Martins, 1990: 586
explanata Galileo & Martins, 1990: 588

Colombia

- Corcovado** Lane, 1973: 408
bezarki Martins & Galileo, 2008: 550 Belize (Orange Walk), Costa Rica
peruviense Lane, 1973: 409 Peru
ruber (Bates, 1881: 204) Brazil (RJ)
- Costemilophus** Galileo & Martins, 2005: 107
aurantius Galileo & Martins, 2005: 107 Costa Rica
- Cotyabanycha** Galileo & Martins, 2013: 32
ocularis Galileo & Martins, 2013: 34 Costa Rica (LI)
- Cotyadesmus** Martins & Galileo, 2005: 16 [RN]
Paradesmus Galileo & Martins, 2003: 267 [JH; not Saussure, 1869, Myriapoda]
brunneus (Aurivillius, 1923: 478) Colombia
iuba (Galileo & Martins, 2003: 267) Colombia
- Cotycuara** Galileo & Martins, 2004: 382
albomarginata Galileo & Martins, 2004: 383 Costa Rica, Panama
crinita Galileo & Martins, 2005: 272 Costa Rica, Panama
villosa Martins & Galileo, 2011: 358 Costa Rica (PA)
viridis Galileo & Martins, 2005: 272 Costa Rica
- Cotysomerida** Martins & Galileo, 2009: 537
lamproides Martins & Galileo, 2009: 537 Costa Rica (CA)
- Cuicirama** Martins & Galileo, 1992: 124
cayennensis (Bates, 1881: 294) French Guiana, Brazil (AP)
fasciata (Bates, 1866: 370) Brazil
smithii (Bates, 1881: 293) French Guiana, Brazil (AM, MA, PA)
spectabilis (Blanchard in D'Orbigny, 1847: 210) eEcuador, Bolivia (LP, SC), Peru, Argentina
- Dadoychus** Chevrolat, 1833: 14
atrus Martins & Galileo, 2013: 325 Brazil (PB)
flavocinctus Chevrolat, 1833: 14 Brazil
mucuum Galileo & Martins, 1998: 252 Brazil (CE, PE)
nigrus Galileo & Martins, 2009: 4 Brazil (BA)
- Dylobolus** Thomson, 1868: 195
Pannychina Gilmour, 1962: 138
rotundicollis Thomson, 1868: 196 swUSA, Mexico-Costa Rica
atripennis Bates, 1885: 427
ruficollis Horn, 1878: 44
laticeps Bates, 1881: 204
mexicana Bates, 1881: 204
vitticollis Casey, 1913: 363
bivitticollis Breuning, 1955: 148
m. mediomaculata Breuning, 1955: 149
m. suturaflava Breuning, 1955: 151
m. mediopunctata Breuning, 1955: 151
- Egalicia** Lane, 1974: 537 [RN]
Alicia Thomson, 1864: 125 [JH; not Johnson, 1861, Cnidaria]
Tetralicia Aurivillius, 1923: 588 [RN for *Alicia*] [JH; not Harrison, 1917, Hemiptera]
flavescens (Thomson, 1864: 125) Brazil (RJ, SP)
testacea (Bates, 1866: 430) Brazil (AM), Bolivia (SC)
- Endybauna** Martins & Galileo, 1991: 817
rapicara Martins & Galileo, 1991: 817 wEcuador

Eranina Monné, 2005: 464*Erana* Bates, 1866: 431 (preoccupied; Gray, 1840 Aves)

amacayacu Botero & Noriega, 2017: 765
amaura Santos-Silva, Botero & Perez-Flores, 2024: 211
argentina (Bruch, 1911: 176)
atatinga (Galileo & Martins, 1999: 107)
bezarki Devesa & Santos-Silva, 2021: 2
cendira (Bates, 1866: 431)
costaricensis (Galileo & Martins, 2005: 66)
cretaria (Galileo & Martins, 2005: 269)
curuca (Galileo & Martins, 1999: 109)
dariae Nearns, Swift & Santos-Silva, 2023: 148
diana (Martins & Galileo, 1989: 78)
dispar (Bates, 1881: 209)
esquinas Galileo & Martins, 2008: 385
flaviventris (Galileo & Martins, 2005: 66)
florula (Bates, 1881: 209)
fuliginella (Bates, 1885: 428)
fulveola (Bates, 1881: 210)
hovorei Galileo & Martins, 2008: 385
humeralis (Martins & Galileo, 1989: 78)
icambi (Galileo & Martins, 1999: 108)
leuconoe (Bates, 1881: 209)
meyeri (Martins & Galileo, 1989: 77)
monnei Bezark, Botero & Santos-Silva, 2022: 18
moysesii Galileo & Martins, 2008: 384
nigrita (Galileo & Martins, 1991: 104)
pallida Galileo & Martins, 2013: 34
pallidula (Martins & Galileo, 1989: 75)
pectoralis (Bates, 1881: 208)
piriana (Martins & Galileo, 1993: 169)
piterpe Galileo & Martins, 2007: 70
porongaba (Galileo & Martins, 1998: 252)
pusilla (Bates, 1874: 233)
rondonia Galileo & Martins, 2008: 385
rosea (Galileo & Martins, 2004: 249)
septuosa (Galileo & Martins, 2004: 249)
sororcula Galileo & Martins, 2013: 34
stephanus (Aurivillius, 1900: 420)
suavissima (Bates, 1881: 209)
tauaira (Martins & Galileo, 1993: 170)
univittata (Bates, 1881: 209)

Colombia
 Guatemala (Baja Verapaz)
 Paraguay, Argentina (TU)
 Colombia
 French Guiana (Kaw)
 French Guiana, Brazil (AM)
 Costa Rica, Panama
 Costa Rica (HE), Panama
 Colombia
 French Guiana (Kaw)
 Brazil (GO)
 Mexico (VC)-Panama
 Costa Rica
 Honduras
 Guatemala
 Guatemala
 Guatemala-Panama
 Ecuador
 Bolivia (SC)
 Colombia
 Nicaragua-Panama
 Brazil (SP-RS, PR)
 Panama (Cocle)
 Costa Rica
 Brazil (AP)
 Honduras
 Brazil (PA, MT)
 Mexico (VC), Guatemala
 Venezuela, Colombia
 Bolivia (SC)
 Brazil (SC), Bolivia (SC)
 Mexico-Costa Rica
 Brazil (RO)
 Panama
 Panama
 El Salvador
 Venezuela
 Guatemala
 Colombia
 Mexico (OA)

Eraninella Galileo & Martins, 2008: 389**longiscapus** (Bates, 1881: 294)

Brazil (MG, RJ)

Esamirim Martins & Galileo, 2004: 468

carinatus Martins & Galileo, 2004: 469
chionides (Bates, 1885: 430)
 chionidis: Aurivillius, 1923: 589 [ISS]
 chionide: Chemsak, Linsley & Noguera, 1992: 157 [ISS]
divisus Martins & Galileo, 2004: 471
fasciatus Martins & Galileo, 2004: 469

Costa Rica (CA, PA)
 Costa Rica, Panama

 Panama
 Costa Rica (PA)

Essostrutha Thomson, 1868: 198

binotata Bates, 1881: 212
laeta (Newman, 1840: 13)
 albina Pascoe, 1858: 256
 miniata Lacordaire, 1872: 895
 fimbriolata Bates, 1881: 210
 cinnabarina Bates, 1881: 211

Mexico
 swUS (STX), Mexico, Guatemala

Essostruthella Lane, 1972: 381

acatinga Martins & Galileo, 2004: 40
nevermanni Lane, 1972: 381
notaticollis (Lane, 1973: 406)

Colombia
 Costa Rica
 Costa Rica, Panama

Eulachnesia Bates, 1872: 231

amoena Galileo & Martins, 2005: 270
boteroi Monné & Monné, 2015: 231
cobaltina Bates, 1881: 148
humeralis (Fabricius, 1801: 321)
sapphira Bates, 1866: 428
monnei Martins & Galileo, 1996: 190
penrosei Bezark & Santos-Silva, 2022: 10
smaragdina Bates, 1872: 231

Costa Rica (AL), Panama
 Colombia, wEcuador (Esmeraldas)
 Colombia
 French Guiana, Brazil (AM)
 Brazil (AM)
 Ecuador (Napo)
 Nicaragua, Costa Rica, Panama

Frankluquetia Tavakilian, 2004: 6

inexpectata Tavakilian, 2004: 7

French Guiana

Fredlanea Martins & Galileo, 1996: 190

aequatoria (Bates, 1881: 149)
birai Galileo & Santos-Silva, 2016: 591
calliste (Bates, 1881: 148)
holmgreni Aurivillius, 1908: 11
albosuturalis Fuchs, 1970: 112
colombiana (Lane, 1966: 273)
consobrina (Lane, 1970: 410)
cymatilis (Lane, 1966: 272)
flavipennis (Lane, 1966: 271)
guaranitica (Lane, 1966: 274)
hiekei (Fuchs, 1970: 113)
hovorei Galileo & Martins, 2005: 105
kirschi (Aurivillius, 1923: 590)
lazulina Santos-Silva, Heffern, Botero & Nascimento, 2020: 12
maculata Martins & Galileo, 1996: 192
putiapitanga Galileo & Martins, 1999: 110
velutina (Lane, 1966: 273)
basalis Fuchs, 1970: 113
vilhena Martins & Galileo, 1996: 192
virginea (Fabricius, 1801: 324)
viridipennis (Bates, 1881: 149)
wilderi Juarez-Noe & Gonzalez-Coronado, 2020: 49

wEcuador
 wEcuador
 Peru, Bolivia
 Colombia
 Colombia (CU)
 Colombia
 eEcuador, Peru
 Paraguay
 Colombia, Ecuador
 Costa Rica
 Peru, Colombia
 Colombia (Boyaca)
 wEcuador
 Colombia
 wEcuador
 Brazil (RO)
 French Guiana, Brazil (PA)
 wEcuador
 Peru (Piura)

Gagarinia Lane, 1956: 28

aureolata (Lane, 1950: 100)
beigeorum Audureau & Morvan, 2018: 3
borgmeieri (Bondar, 1938: 445)
melasma Galileo & Martins, 2004: 383
mniszechii (Chabrillac, 1857: 200)

Brazil (RJ, SP)
 French Guiana
 French Guiana, Brazil (BA)
 Bolivia (SC)
 Brazil (ES, RJ)

Guayuriba Lane, 1970: 397

bezarki Audureau & Demez, 2016: 41
dilaticeps (Bates, 1881: 200)
extrelidia Lane, 1970: 398

Peru
 Panama, Colombia, Peru

Guyarolea Tavakilian & Santos-Silva, 2019: 508

lalanecassoui Tavakilian & Santos-Silva, 2019: 508

French Guiana

Hemierana Aurivillius, 1923: 594*Amphionycha*: Haldeman, 1847: 57 [Mld; not Dejean, 1835]**marginata marginata** (Fabricius, 1798: 48)*flammata* Newman, 1840: 13subsp. **ardens** (LeConte, 1859: 22)*flammata* Horn, 1878: 50 (part)subsp. **suturalis** (Linell, 1896: 398)**rileyi** Heffern, Botero & Santos-Silva, 2019: 567

seUSA (SC-FL)

eUSA-TX, KS

swUSA (TX)

USA (Texas)

Hemiloapis Galileo & Martins, 2004: 250**endyba** Galileo & Martins, 2004: 385**mena** Martins & Galileo, 2006: 271**yandaira** Galileo & Martins, 2004: 252**ybyra** Galileo & Martins, 2004: 387

eEcuador

Brazil (AM)

Bolivia (SC)

Bolivia (SC)

Hemilocrinitus Galileo & Martins, 2005: 108**barbatus** Galileo & Martins, 2005: 108

Costa Rica (PA)

Hemilomecopterus Martins & Galileo, 2004: 40**alienus** Martins & Galileo, 2004: 42

Colombia, eEcuador, Brazil (RO)

Hemilophus Audinet-Serville, 1835: 49**dimidiaticornis** Audinet-Serville, 1835: 50**infuscatus** Bates, 1881: 292**leucogrammus** Bates, 1881: 293**unicolor** Bates, 1881: 293

Brazil, Paraguay, Argentina

Brazil (RJ)

Brazil (RJ-PR), Paraguay

Brazil (RJ, SP, SC, PR), Paraguay, Argentina

Hilarolea Thomson, 1868: 200**incensa** (Perty, 1832: 97)*encensa*: Thomson, 1868: 200 [ISS]

Brazil (BA, ES, RJ, RS, PR)

Hilaroleopsis Lane, 1970: 406**bicarinata** (Bates, 1885: 430)**colorata** Galileo & Martins, 2005: 271**dimidiata** (Bates, 1881: 200)**globicollis** (Bates, 1881: 218)**icuapira** Martins & Galileo, 1992: 590**minor** Martins & Galileo, 1997: 58**nigerrima** Aurivillius, 1923: 590**obesa** (Bates, 1881: 217)**pituna** Galileo & Martins, 2006: 791**pluricostata** (Bates, 1881: 217)**theurgus** Martins & Galileo, 2004: 471**vogti** Lane, 1970: 406

Panama

Costa Rica

Costa Rica, Colombia

Mexico

Costa Rica

Venezuela

Guatemala, Mexico

Mexico (VC), Guatemala, Honduras

Panama

Guatemala, Costa Rica (CA, GA)

Costa Rica (GU)

Guatemala

Homodontus Bezark, Botero & Santos-Silva, 2022: 16**formonsus** Bezark, Botero & Santos-Silva, 2022: 16

Guatemala (Izabal)

Iareonycha Martins & Galileo, 1997: 48**albisterna** Martins & Galileo, 2004: 539**ipepuna** Martins & Galileo, 1997: 48

Panama

Colombia

Iarucanga Martins & Galileo, 1991: 564*Spathoptera*: Bates, 1866: 368 [Mld; not Audinet-Serville, 1835]**capillacea** (Bates, 1866: 369)**gonzalomartinezi** Perger & Santos-Silva, 2018: 2488**mimica** (Bates, 1866: 369)

Brazil (AM)

Bolivia (LP)

French Guiana, Brazil (AC, AM), Ecuador, Bolivia

- Iatuca** Galileo & Martins, 2004: 381
brevicornis Galileo & Martins, 2004: 382
 Costa Rica (GU, PA), Panama
- Ibitiruna** Galileo & Martins, 1997: 169
araponga Galileo & Martins, 1997: 170
fenestrata (Bates, 1881: 202)
 Brazil (PR)
 Brazil (SP, SC)
- Icaunauna** Martins & Galileo, 2009: 535
aurantium Martins & Galileo, 2009: 535
 Costa Rica (SJ)
- Icimauna** Martins & Galileo, 1991: 819
angaba Martins & Galileo, 1991: 823
aysa Martins & Galileo, 1991: 823
ciliaris (Klug, 1825: 467)
espinozai Santos-Silva & Perger, 2017: 489
macilenta (Bates, 1881: 294)
pallidipennis Martins & Galileo, 2007: 1145
reversa (Bates, 1881: 295)
 humeralis Martins & Galileo, 2014: 189
 tomentilla Mehl, Galileo, Martins & Santos-Silva, 2015: 32
sarauaia Martins & Galileo, 1991: 820
 Costa Rica
 Costa Rica, Panama
 Brazil, Paraguay, Argentina
 Bolivia (SC)
 Brazil (RJ)
 Costa Rica
 Brazil (GO, RJ-SC), Paraguay
 Peru (Cusco), Bolivia (CO, SC), Brazil (RO)
- Icupima** Martins & Galileo, 1991: 556
ampliata Martins, Galileo & Tavakilian, 2008: 284
laevipennis (Gahan, 1892: 272)
taua Martins & Galileo, 2004: 38
 French Guiana
 Panama, Ecuador
 Colombia
- Ipepo** Martins & Galileo, 2008: 552
dilatatus Martins & Galileo, 2008: 552
 Bolivia (SC)
- Iquiara** Martins & Galileo, 1998: 55
tuiuca Martins & Galileo, 1998: 55
 Ecuador
- Ischnophygas** Thomson, 1868: 196
telephoroides Thomson, 1868: 196
 Mexico
- Isomerida** Bates, 1866: 373
Spathoptera Thomson, 1868: 190 (part) [Mld; not Audinet-Serville, 1835]
Spathoptera: Germar in Guérin-Méneville, 1839: 330 [ISS of *Spathoptera* Thomson, 1868, not Audinet-Serville, 1835]
albicollis (Laporte, 1840: 488)
 anceps Aurivillius, 1919: 7
amicta Pascoe, 1866: 287
apiratinga Martins & Galileo, 1992: 189
cinctiventris Bates, 1885: 432
 cinctipennis Bates, 1885: pl. 25, fig. 20
fourneti Tavakilian & Santos-Silva, 2019: 510
ibitira Martins & Galileo, 1992: 190
invicta Galileo & Martins, 1996: 244
lanifica (Germar, 1823: 489)
 vittipennis Bates, 1881: 292
lineata Bates, 1874: 232
 albicollis var. Bates, 1872: 229
longicornis Bates, 1881: 291
paraba Galileo & Martins, 2001: 64
paraiba Galileo & Martins, 1996: 242
ruficornis Bates, 1866: 373
santamarta Galileo & Martins, 2001: 66
sergioi Galileo & Martins, 2009: 9
separata Galileo & Martins, 1996: 239
 Costa Rica (HE), Colombia, French Guiana,
 Brazil (AC, AM), Bolivia (SC)
 Costa Rica, Panama, Colombia
 Peru
 Costa Rica, Panama
 French Guiana
 Brazil (MG)
 Peru
 Brazil (RJ, SP)
 Nicaragua, Costa Rica, Panama, Colombia, Peru,
 Ecuador, Bolivia (SC), Brazil (RO)
 Brazil (BA, MG)
 Brazil (AM)
 Brazil (PB)
 Brazil (AM)
 Colombia
 Bolivia (SC)
 Colombia, Ecuador

sororcula Galileo & Martins, 1996: 236
tupi Martins & Galileo, 1992: 189
vittata (Pascoe, 1858: 256)
strigatus Redtenbacher, 1867: 186

Brazil (RJ)
 Colombia, Brazil (RO, GO, MT)
 Brazil (MG-SP)

Itaituba Lane, 1950: 97

miniacea (Bates, 1866: 427)
truncata Lane, 1950: 98
pitanga Galileo & Martins, 1991: 105

Brazil (PA)
 French Guiana, Brazil (PA)

Ites Waterhouse, 1880: 298

Lycodesmus Melzer, 1927: 581
colasi Lepesme, 1943: 135
plagiatus Waterhouse, 1880: 298
superbus Melzer, 1927: 581
chaparensis Tippmann, 1960: 199

French Guiana
 Peru, Ecuador, Brazil (AM), Bolivia

Itumbiara Martins & Galileo, 1992: 190

crnicornis (Germar, 1823: 490)
cuici Galileo & Martins, 1997: 7
denudata Galileo & Martins, 2005: 270
explanata (Bates, 1885: 433)
fimbriata (Bates, 1881: 290)
picticollis (Bates, 1881: 291)
picticornis (Bates, 1872: 229)
plumosa (Bates, 1881: 291)
fimbriata: Zikán & Zikán, 1944: 41 [Mld; not Bates, 1881]
subdilatata (Bates, 1872: 229)
taigaiba Martins & Galileo, 1992: 193

Brazil (MG, RJ)
 Brazil (SC)
 Costa Rica
 Costa Rica (PA, SJ), Panama
 Brazil (MG-SP)
 Brazil (MG-RS), Paraguay, Argentina
 Nicaragua-Panama
 Brazil (ES-RS), Argentina
 Nicaragua-Panama
 Brazil (SP, SC, RS)

Juninia Lane, 1966: 247

annulifera (Kirsch, 1889: 44)
leechi Lane, 1966: 247
raberi Heffern & Santos-Silva, 2022: 156

Colombia, Ecuador, Peru
 Costa Rica (PU), Panama (BDT)

Kuatinga Martins & Galileo, 2004: 471

bicolor Martins & Galileo, 2004: 471

Costa Rica

Kyranycha Martins & Galileo, 1997: 60

fraudatrix (Bates, 1881: 218)
lineatus: Bates, 1872: 233 [Mld; not Bates, 1874]

Mexico (JA)-Costa Rica (GU)

Lamacoscylus Martins & Galileo, 1991: 628

albatus Martins, Santos-Silva & Galileo, 2015: 95
humilis (Bates, 1881: 223)
obscurus Martins, Santos-Silva & Galileo, 2015: 98

Mexico (MI, JA, MEX)
 Mexico (GR, MO)
 Mexico (JA)

Lapazina Lane, 1973: 409

Ampionycha: Aurivillius, 1909: 11 [ISS of *Amphionycha*: Bates, 1881]
arnaudi Tavakilian & Santos-Silva, 2019: 512
discicollis (Bates, 1881: 203)
fuscipennis (Bates, 1881: 203)

French Guiana
 eEcuador, Peru
 Bolivia, Peru

Lycaneptia Thomson, 1868: 191

amicta (Klug, 1825: 464)
nigrobasis Tippmann, 1960: 203
quadricostata: Martins & Galileo, 1991: 588 [Mld; not Tippmann, 1953]

Brazil (BA, MG)
 Brazil (SP)

Lycidola Thomson, 1864: 125**affinis** Martins & Galileo, 2012: 337**batesi** Aurivillius, 1923: 585*simulatrix* var. Bates, 1866: 368**beltii** Bates, 1872: 228**expansa** Bates, 1881: 298**felix** Waterhouse, 1880: 298**flavofasciata** Waterhouse, 1880: 298**palliata** (Klug, 1825: 465)**simulatrix** Bates, 1866: 368

Trinidad & Tobago

Brazil (AC, PA), Bolivia

Honduras, Nicaragua, Costa Rica (SJ), Panama

Costa Rica, Colombia

Ecuador

French Guiana, Ecuador, Bolivia

Brazil (BA, RJ)

French Guiana, Brazil (AM, AP), Bolivia (SC)

Lycomimus Melzer, 1931: 11*Lycoplasma* Chemsak & Linsley, 1984: 280**albocinctus** Melzer, 1931: 11**ampliatus** (Klug, 1825: 466)**formosus** (Chemsak & Linsley, 1984: 280)

French Guiana, Brazil (AM), Bolivia (SC)

Brazil (RJ)

Panama

Malacoscyclus Thomson, 1868: 190*Macroscylus* Aurivillius, 1908: 12**auricomus** Bates, 1881: 296**cinctulus** Bates, 1881: 297**cirratus** (Germar, 1823: 491)*dasycera* Klug, 1825: 466**elegantulus** Galileo & Martins, 2005: 275**fasciatus** Galileo & Martins, 1998: 256**gonostigma** Bates, 1881: 297**gratiosus** Bates, 1881: 297**lacordairei** (Thomson, 1868: 193)**lanei** Martins & Galileo, 1991: 621**nearnsi** Monné & Monné, 2015: 231**niger** Aurivillius, 1908: 12**xanthotaenius** (Bates, 1881: 295)*albans* Bates, 1881: 296

Peru, Bolivia

eEcuador, Peru, Bolivia (CO, SC)

Brazil, Argentina, Paraguay

Peru

Brazil (SP, MG)

Brazil

eEcuador

Colombia

Bolivia (SC)

Ecuador

Peru

Brazil (MG, RJ, SP, PR)

Mariliana Lane, 1970: 411**amazonica** Galileo & Martins, 2004: 249**bellula** Martins & Galileo, 2013: 325**cicadellida** Galileo & Martins, 2004: 248**hovorei** Galileo & Martins, 2005: 270**niveopicta** Lane, 1970: 418**ocularis** (Hope, 1846: 181)**rupicola** Lane, 1970: 419**sumpta** Lane, 1970: 417

French Guiana

Brazil (PI)

Peru, Bolivia (SC)

eEcuador

Brazil (SP)

Brazil (MG, RJ-SC)

Brazil (RJ)

Brazil (MG)

Melzerina Lane, 1966: 288**lacordairei** (Gahan, 1889: 394)

Brazil (ES)

Mexicoscyclus Martins & Galileo, 2011: 356**bivittatus** (Gahan, 1892: 272)**nigritarse** Galileo & Martins, 2013: 38**rosae** Martins & Galileo, 2011: 357

Mexico (GR)

Costa Rica (GU)

Mexico (OA)

Mocioiasura Martins & Galileo, 1991: 818**suturalis** (Melzer, 1931: 198)

Brazil (ES)

Murupeaca Martins & Galileo, 1992: 576**mocoia** Martins & Galileo, 1993: 110**pinimatinga** Martins & Galileo, 1992: 576**tavakiliani** Galileo & Martins, 2004: 248

Brazil (ES)

Brazil (MT), Bolivia (SC)

French Guiana

Neomoema Martins & Galileo, 1996: 306 [RN]

Moema Martins & Galileo, 1992: 594 [JH; not Costa, 1989, Actinopterygii [Pisces]]
cendi (Martins & Galileo, 1992: 595) Costa Rica

Ochromima Bates, 1881: 151

marginicollis (Gahan, 1889: 398) French Guiana, Brazil (AM, PA)
decemmaculata Melzer, 1931: 12
megalopoides (Bates, 1866: 427) French Guiana, Brazil (AM, PA)
pallipes (Olivier, 1800: [no 68] 31) Suriname, French Guiana

Ocoa Lane, 1970: 401

ochromimoides Lane, 1970: 402 Colombia

Oedudes Thomson, 1868: 199

alayoi (Zayas, 1956: 111) Cuba
montivagans Fisher, 1942: 42
anulatus Lingafelter, 2013: 61 Dominican Republic
bifasciata (Bates, 1869: 386) Nicaragua, Costa Rica, Panama
callizona (Bates, 1881: 217) Mexico (VC), Guatemala, Belize, Honduras
ramsdeni (Fisher, 1926: 39) Cuba
roberto (Fisher, 1935: 209) Cuba
scaramuzzai (Fisher, 1936: 271) Cuba
spectabilis (Drury, 1782: 73) Mexico (VC)-Panama, Colombia
druryi Thomson, 1868: 200
knownothing Thomson, 1856: 478

Okamira Galileo & Martins, 2005: 65

pulchra Galileo & Martins, 2005: 65 eEcuador

Olivensa Lane, 1965: 318

cephalotes (Pascoe, 1858: 257) French Guiana, eEcuador, Brazil (PA), Bolivia (SC)
megacephala (Bates, 1866: 428) French Guiana, eEcuador, Brazil (AM), Bolivia (SC)
mimula Lane, 1965: 319 Colombia, Brazil (AM)
sonzognii Dalens & Robin, 2019: 2 French Guiana (Roura, Saul)

Paleohemilophus Martins & Galileo, 1999: 309 (Fossil)

dominicanus Martins & Galileo, 1999: 309 (Fossil) Hispaniola

Parapeba Galileo & Martins, 2001: 248

lyciformis Galileo & Martins, 2001: 248 Brazil (ES, BA)

Parauna Lane, 1972: 372

zikani Lane, 1972: 372 French Guiana, Brazil (AM, RJ)

Phoebe Audinet-Serville, 1835: 37

Leucophoebe Lane, 1976: 454
alba Martins & Galileo, 2004: 536 Bolivia (SC)
albaria (Bates, 1872: 230) Nicaragua-Colombia, Ecuador (Pichincha)
bicornis (Olivier, 1800: [no 68] 27) French Guiana, Brazil (AP), Bolivia (SC)
birai Galileo, 2015: 122 Colombia, Bolivia (SC)
blanci Audureau & Morvan, 2018: 4 French Guiana
cava (Germar, 1823: 493) Brazil (ES-PR)
concinna White, 1856: 408 Colombia, Brazil (AM), Bolivia (SC)
cornuta (Olivier, 1800: [no 68] 26) Suriname, French Guiana
faurei Morvan & Audureau, 2019: 52 French Guiana
fryana Lane, 1966: 285 Ecuador
goiana Lane, 1966: 283 Brazil (GO, MA)
kempfi (Lane, 1976: 455) wEcuador

luteola Bates, 1881: 215
lutaria: Bates, 1881: 302 [ISS]
mafra Martins & Galileo, 1998: 434
magisterbira Galileo, 2015: 123
mexicana Bates, 1881: 215
ornator (Tippmann, 1960: 204)
parvimacula Martins & Galileo, 2011: 358
pictilis Lane, 1972: 379
spagazzinii Bruch, 1908: 219
subalbaria Belon, 1896: 254

Guatemala

Brazil (PR, SC)
 Ecuador (Manabi)
 Mexico (JA, VC, CHS), Guatemala, Honduras, Nicaragua, Costa Rica
 Bolivia (SC)
 Bolivia (SC)
 Colombia, wEcuador
 Ecuador, Bolivia (SC, TR), Paraguay, Argentina
 Bolivia (SC), Brazil (PA)

Phoebella Lane, 1966: 248

albomaculata (Gahan, 1889: 396)
phoebe (Lepeletier & Audinet-Serville in Latreille, 1825: 335)
octomaculata Audinet-Serville, 1835: 37 [URN for *Saperda phoebe* Lepeletier & Audinet-Serville, 1825]
cretifera Pascoe, 1858: 260
queirozae Júnior, Souza & Monné, 2024: 59
tinga (Martins & Galileo, 1998: 434)

Brazil (BA, ES)
 Brazil (MG, ES-RS, PR)
 Brazil (Ceará)
 Bolivia (SC, TA), Argentina

Piratininga Galileo & Martins, 1992: 16

Pirantininga: Wappes, Arias & Nearn, 2009: 4 [ISS]

mocoia Galileo & Martins, 2007: 68
piranga Galileo & Martins, 1992: 16

Bolivia (SC)
 Brazil (MG-SP)

Piruanycha Martins & Galileo, 1997: 61

itaiuba Martins & Galileo, 1997: 62
ocoa Martins & Galileo, 1997: 62
pitilla Galileo & Martins, 2005: 106
wappesi Martins, Santos-Silva & Galileo, 2015: 99

Brazil (GO, MT)
 Colombia
 Costa Rica
 Mexico (VC)

Porangonycha Martins & Galileo, 1997: 50

princeps (Bates, 1872: 230)

Nicaragua, Costa Rica, Colombia, French Guiana, eEcuador,
 Peru, Bolivia (SC)

Potiapunga Galileo & Martins, 2013: 32

lata Galileo & Martins, 2013: 32

Bolivia (SC)

Poticuara Martins & Galileo, 1991: 614

exilis (Bates, 1881: 298)
ipiterpe Martins & Galileo, 1991: 615

Bolivia
 Costa Rica, Peru

Pseudegalicia Galileo & Martins, 2001: 249

tetrops Galileo & Martins, 2001: 250

Brazil (RO, MG)

Pseudotacocha Martins & Galileo, 2012: 561

magnifica Martins & Galileo, 2012: 561

Peru

Purusia Lane, 1956: 28

acreana Lane, 1956: 29

Costa Rica (PA), eEcuador, Brazil (AC, RO), Bolivia (SC)

Purusiella Dalens, Touroult & Tavakilian, 2010: 35

hippomontanensis Dalens, Touroult & Tavakilian, 2010: 35
wappesi (Martins & Galileo, 2004: 539)

French Guiana
 Bolivia (SC)

Pyrobolus Chevrolat in Guérin-Méneville, 1838: 284

Cuiciuna Galileo & Martins, 1997: 164

amoenoides (Fisher, 1938: 151)
fumigatus (Germar, 1823: 491)
suturata Bates, 1881: 201

Brazil (SP, SC)
 Brazil (BA, RJ)

- suturalis*: Gilmour, 1965: 637 [ISS of *suturata* Bates, 1881]
iuati (Galileo & Martins, 1997: 167) Brazil (MG, RJ, SP)
melancholicus (Melzer, 1931: 79) Brazil (RJ, SP)
rectilineus (Bates, 1881: 202) Brazil (MG)
- Quatiara** Lane, 1972: 372
Amphionycha: Leséleuc, 1844: pl.138 [Mld; not Dejean, 1835]
luctuosa (Leséleuc, 1844: 138) Brazil
leseleuci Aurivillius, 1923: 590 [URN]
- Quirimbaui** Martins & Galileo, 2004: 37
castroi Martins & Galileo, 2004: 37 eEcuador
- Schmidarius** Santos-Silva, Heffern, Botero & Nascimento, 2020: 4
fulvescens (Gahan, 1892: 271) Mexico (Guerrero)
grisescens (Gahan, 1892: 271) Mexico (Guerrero)
kondratieffi Santos-Silva, Heffern, Botero & Nascimento, 2020: 6 Mexico (Michoacan, Mexico)
usingeri (Linsley, 1935: 113) Mexico (Mexico)
- Sibapipunga** Martins & Galileo, 1993: 110
beckeri (Martins & Galileo, 1992: 577) Costa Rica, Colombia, wEcuador
- Spathoptera** Audinet-Serville, 1835: 50
Photuronta Thomson, 1868: 190
albilatera Audinet-Serville, 1835: 51 Brazil (RJ-SC)
gutticollis Thomson, 1868: 195
- Susuanycha** Galileo & Martins, 2005: 274
susua Galileo & Martins, 2005: 274 Peru
- Sybaguasu** Martins & Galileo, 1991: 621
Sybaguassu: Galileo & Martins, 1999: 111 [ISS]
anemum Martins & Galileo, 2004: 540 Panama
cornutum Galileo & Martins, 2005: 274 Brazil (MG, RJ)
cupreum Galileo & Martins, 2004: 383 Costa Rica (HE, GU)
longipenne (Bates, 1881: 202) Ecuador
mirim Galileo & Martins, 2013: 31 Ecuador, Colombia
murinum (Pascoe, 1866: 288) Colombia, Ecuador
minima: Bates, 1881: 305 [ISS]
pubicorne (Bates, 1881: 201) Peru, Brazil (AM, PA), Ecuador
subcarinatus (Bates, 1885: 432) Costa Rica (HE), Panama
thoracicum (Olivier, 1800: [no 68] 18) French Guiana, Brazil (PA)
titingum Martins & Galileo, 1991: 622 Peru
- Tabatinga** Lane, 1966: 245
x-littera Lane, 1966: 246 Brazil (AM)
- Tarapiampa** Martins & Galileo, 2015: 275
antennata (Galileo & Martins, 2013: 35) Ecuador
ocreata (Bates, 1885: 431) Costa Rica, Panama
- Tetamauara** Martins & Galileo, 1991: 556
eximia (Bates, 1885: 435) Panama
retifera (Waterhouse, 1880: 299) Ecuador
unicolor (Bates, 1885: 434) Panama
- Tetanola** Bates, 1881: 151
polita Bates, 1881: 151 Ecuador

Themistonoe Thomson, 1864: 126*Themnistonoe*: Linsley, 1961: 634 [ISS]**cacica** Thomson, 1864: 126

Brazil (RJ)

Tyrinthia Bates, 1866: 371*Cyphometopus* Thomson, 1868: 190**aurantia** Martins & Galileo, 2007: 1146

Ecuador

biformis Bates, 1885: 433

Panama

capillata Bates, 1866: 371

Brazil (AM, PA), Bolivia (SC), Peru, Ecuador

colombiana Galileo & Martins, 2009: 3

Colombia

dioneae Martins & Galileo, 2004: 38

Colombia

frontalis (Guérin-Méneville, 1855: 601)

Ecuador

klugii (Thomson, 1868: 192)

Colombia

lidiae Devesa & Santos-Silva, 2021: 1

Panama (Bocas del Toro)

moroïuba Martins & Galileo, 1991: 815

Costa Rica (AL, CA, GU, HE, LI, PA), Colombia

napoensis Galileo, McClarin & Santos-Silva, 2017: 446

wEcuador

nigroapicata Galileo & Martins, 2009: 2

Brazil (SP)

obtusa Bates, 1881: 295

Colombia

paraba Martins & Galileo, 1991: 815

Ecuador, Colombia, Brazil (AM, RO)

patula Galileo & Martins, 2005: 105

Costa Rica

photurina Bates, 1885: 434

Panama

proturina: Chemsak, Linsley & Noguera, 1992: 160 [ISS]**picticornis** Martins & Galileo, 1991: 816

Panama

scissifrons Bates, 1866: 372

Panama, Trinidad, French Guiana, Brazil (AM, AP,

infacetus Thomson, 1868: 193

RO, PA, MA)

turuna Martins & Galileo, 1993: 172

Colombia, Ecuador

xanthe Bates, 1881: 223

Nicaragua, Honduras, Costa Rica (HE, LI), Panama

lycinella Bates, 1881: 223c *cyrinella*: Pittier & Biolley, 1895: 29 [ISS of *lycinella* Bates, 1881]**Unaporanga** Martins & Galileo, 2007: 1148**cincta** Martins & Galileo, 2007: 1149

Panama, Colombia

lanceolata Martins & Galileo, 2007: 1148

Ecuador (Los Rios, Pichincha)

Woytkowskia Lane, 1966: 281**charis** (Bates, 1881: 197)

Ecuador, Peru, Bolivia

scorpiona Lane, 1966: 282**gruberi** Martins & Galileo, 1992: 592

Costa Rica

travassosi Lane, 1971: 37

Brazil (ES)

Zeale Pascoe, 1866: 287**dubia** Galileo & Martins, 1997: 162

Bolivia (CO), Colombia

granvillei Touroult & Dalens, 2015: 380

French Guiana

nigromaculata (Klug, 1829: 7)

Brazil, Bolivia (SC), Paraguay, Argentina, Uruguay

leucomelaena Gistel, 1857: 68*petronae* Burmeister, 1861: 166*spilotus* Bates, 1881: 199**scalaris** Pascoe, 1866: 287

Panama, Colombia

Lamiini Latreille, 1825: 401*Monochamini* Gistel, 1848: [9]*Monohammidae* Gistel, 1848: [9]**Anoplophora** Hope, 1839: 439*Melanauster* Thomson, 1868: 181*Cyriocrates* Thomson, 1868: 181*Micromelanauster* Pic, 1931: 49**glabripennis** (Motschulsky, 1853: 48)

Asia, introduced in eUSA

laevigator Thomson, 1857: 297

angustatus Pic, 1925: 21
nankineus Pic, 1926: 5
laglaisei Pic, 1953: 3

Chyptodes Dillon & Dillon, 1941: 50

Parataeniotes Breuning, 1943: 253

albosuturalis Fuchs, 1961: 96
dejeani (Thomson, 1865: 556)

Guatemala
 Mexico (JA, CM, MO, GO)

Deliathis Thomson, 1860: 101

batesi Gahan, 1888: 398

bifurcata Dillon & Dillon, 1941: 113

buquetii (Taslé, 1841: 14)

buquetii var. *mira* Gahan, 1888: 398

diluta Gahan, 1892: 257

flavis Dillon & Dillon, 1941: 111

imperator (Thomson, 1868: 100)

albidus Linsley, 1935: 111

imperator Santos-Silva & Botero, 2018: 274 [UE]

impluviata (Lacordaire, 1869: 324)

poecilodryas Bates, 1880: 99

incana (Forster, 1771: 38)

vittator Fabricius, 1775: 173

magnifica Voet, 1778: 14

neonivea Santos-Silva & Botero, 2018: 274 [RN]

niveus Breuning, 1943: 258 [JsH; not *nivea* Bates, 1869: 388]

nigrovittata Breuning, 1980: 69

nivea Bates, 1869: 388

nivea var. *detersa* Bates, 1885: 338

nivea var. *inermis* Aurivillius, 1922: 104

parincana Breuning, 1971: 288

pulchra Thomson, 1865: 554

quadritaeniator (White, 1846: 48)

pazii Rojas, 1856: 565

superba Franz, 1954: 223

Mexico (JA, GR)
 Honduras
 Mexico (VC), Belize, Honduras

Mexico (GR)-Nicaragua
 Mexico (CHS)
 Mexico

Mexico (VC), Guatemala

Mexico (CA, YU)

Mexico

Mexico (ME)
 Guatemala-Panama

Mexico
 Mexico (VC), Guatemala
 Costa Rica, Panama, Colombia, Venezuela, wEcuador

Guatemala, El Salvador

Goes LeConte, 1852: 150

debilis LeConte, 1852: 150

fisheri Dillon & Dillon, 1941: 122

novus Fall, 1928: 236

pulcher (Haldeman, 1847: 52)

pulcher fuscatus Knull, 1944: 92

pulverulentus (Haldeman, 1847: 51)

laurenticus Casey, 1913: 297

tesselatus (Haldeman, 1847: 51)

amplipennis Casey, 1913: 295

robinsoni Casey, 1914: 368

tigrinus (Degeer, 1775: 114)

rotator Fabricius, 1775: 175

tigris Schoenherr, 1817: 383

tomentosus Ziegler, 1844: 47

tigrinus marmoratus Casey, 1913: 296

tumifrons Linsley & Chemsak, 1984: 91

variegatus Linsley & Chemsak, 1984: 86

eNorth America
 swUSA (TX)
 swUSA (TX)
 eNorth America

eNorth America

eUSA

eUSA

seUSA (SC, GA, FL, TX)
 seUSA (SC-FL, TX)

Hammatoderus Gemminger & Harold, 1873: 3022 [RN]

Plagiohammus Dillon & Dillon, 1941: 85

Hammoderus Thomson, 1860: 98 [Mld; not Thomson, 1856]

albatus (Bates, 1880: 100)

antonkozlovi Botero & Santos-Silva, 2017: 388

brunneus (Dillon & Dillon, 1941: 92)

Costa Rica, Panama
 Ecuador
 Mexico (CHS)

colombiensis (Constantino, Benavides & Esteban, 2014: 3)
confusor (Dillon & Dillon, 1941: 95)
 brasiliensis (Breuning, 1943: 259)
 camillus (Dillon & Dillon, 1949: 3)
decorus (Chemsak & Linsley, 1986: 20)
elatus (Bates, 1872: 199)
emanon (Dillon & Dillon, 1941: 101)
garciaorum Santos-Silva & Botero, 2018: 284
granulosus (Bates, 1885: 339)
inermis (Thomson, 1857: 173)
 albiplagiatus White, 1858: 275
juliae Botero & Santos-Silva, 2017: 379
laceratus (Bates, 1885: 339)
lacordairei (Thomson, 1860: 98)
lingafelteri Botero & Santos-Silva, 2017: 379
lunaris (Bates, 1880: 102)
maculosus (Bates, 1880: 101)
migueli Botero & Santos-Silva, 2017: 382
nitidus (Bates, 1874: 224)
olivescens (Dillon & Dillon, 1941: 89)
 strandii Breuning, 1943: 262
ornator (Bates, 1885: 340)
pollinosus (Bates, 1880: 102)
 rotundipennis (Breuning, 1950: 2)
rubefactus (Bates, 1872: 199)
sallei (Thomson, 1860: 99)
 sallaei: Bates, 1880: 102 [ISS]
sticticus (Bates, 1874: 225)
thiodes (Bates, 1880: 101)
thoracicus (White, 1858: 275)
 spinipennis Thomson, 1860: 100
 jacobyi Nonfried, 1894: 141
 quadriplagiatus (Breuning, 1943: 262)
wappesi Santos-Silva & Botero, 2018: 282

Hebestola Chevrolat in d'Orbigny, 1845: 496

Cacoplia LeConte, 1852: 149
pullata (Haldeman, 1845: 54)
 nebulosa Haldeman, 1847: 54
 nebulosa albata Knull, 1960: 116
 pruinosa LeConte, 1852: 149

Lochmodocerus Burne, 1984: 145

antennatus Burne, 1984: 146

Microgoes Casey, 1913: 298

oculatus (LeConte, 1862: 40)
tenuicornis Casey, 1913: 298

Mimolochus Thomson, 1868: 99

hoefneri (Thomson, 1865: 554)
 hoepfneri: Lacordaire, 1869: 325 [ISS]
 haefnerii: Thomson, 1878: 9 [ISS]

Monochamus Dejean, 1821: 106

Monachammus Gray in Griffith, 1832: 106
Ceratades Gistel, 1834: 29
Monohammus Dejean, 1835: 340 [UE]
Monohamus Guérin-Méneville, 1844: 242
Monohamus: Gistel, 1848: 189 [ISS]
blairi (Breuning, 1936: 297)

Colombia
 Colombia, Brazil (RS, PR), Bolivia, Peru, Paraguay, Argentina

Mexico (CHS)
 Honduras-Colombia, Ecuador
 Costa Rica, Panama
 Mexico (VC, OA)
 Mexico (OA), Belize
 Mexico (VC)-Nicaragua

Colombia
 Mexico (JA, MO, OA)
 Mexico (VC)-Panama
 Mexico (GR)
 Mexico
 Mexico-Nicaragua
 wEcuador
 Nicaragua, Costa Rica
 Mexico (HI)-Costa Rica

Mexico (VC)
 Mexico?, Costa Rica

Guatemala, Nicaragua, Costa Rica, Panama
 Mexico (OA)

Ecuador, Bolivia (SC)
 Costa Rica, Panama
 Mexico, Guatemala, Honduras, El Salvador, Nicaragua,
 Costa Rica, Panama, Colombia, Venezuela, Peru

Mexico (VC)

eUSA west to Minnesota & south to Texas

Mexico (CHS), Guatemala

eNorth America

Mexico

“New Grenada” (unconfirmed)

- carolinensis** (Olivier, 1797: 463)
caroliniensis Olivier, 1800: 85
dentator Fabricius, 1792: 278
minor LeConte, 1873: 231
- clamator clamator** (LeConte, 1852: 149)
maculosus: Horn, 1885: 191 [Mld; not Haldeman, 1847]
strenuus Casey, 1913: 293
linsleyi Dillon & Dillon, 1941: 72
nevadensis Dillon & Dillon, 1941: 72
rubigineus Bates, 1880: 103
rubigeneus: Chemsak & Linsley, 1970: 414 [ISS of *rubigineus* Bates, 1880]
- subsp. **latus** Casey, 1924: 290
oregonensis: Casey, 1913: 292 [Mld; not LeConte, 1873]
- maculosus** Haldeman, 1847: 51
mutator LeConte in Agassiz, 1850: 235
- marmorator** Kirby in Richardson, 1837: 169
fautor LeConte, 1852: 149
acutus Lacordaire, 1869: 316
- mexicanus** (Breuning, 1950: 514)
- notatus** (Drury, 1773: 65)
confusor Kirby in Richardson, 1837: 168
notatus morgani Hopping, 1945: 17
- obtusus obtusus** Casey, 1891: 47
fulvomaculatus Linsley, 1933: 118
- sargi** (Bates, 1885: 340)
- scutellatus** (Say, 1824: 289)
resutor Kirby in Richardson, 1837: 167
oregonensis LeConte, 1873: 231
monticola Casey, 1913: 293
- titillator** (Fabricius, 1775: 172)
angusticollis Casey, 1913: 292
titillator obesus Casey, 1924: 290

eUSA

wUSA (CA, ID, CO, UT, NM, AZ, NV, wTX)
Mexico, Guatemala, Honduras

wNorth America

sCanada, nUSA (MI, MN)

ecNorth America (NC)

Mexico (HI)

eUSA-nwUSA, sCanada

wUSA (ID, WA, OR, CA)

Mexico (CHS), Guatemala
North America

eUSA, Bahamas

Neoptychodes Dillon & Dillon, 1941: 44

- candidus** (Bates, 1885: 337)
cosmeticus Martins & Galileo, 1996: 293
cretatus (Bates, 1872: 197)
hondurae hondurae (White, 1858: 412)
trivittatus Taschenberg, 1870: 194
- trilineatus** (Linnaeus, 1771: 532)
vittata Fabricius, 1776: 251
insularis Fairmaire, 1850: 61
fairmairei Thomson, 1865: 556
3-vittatus: Riley & Howard, 1892: 204 [ISS]
abbreviatus Casey, 1893: 593
trivittatus: Morgan, 1897: 137 [ISS]

Costa Rica, Panama, Colombia, Peru

Panama (CO), Colombia, wEcuador

Nicaragua-Panama

Mexico (OA)-Panama, Colombia, wEcuador

swUSA, Mexico (BC), W Indies, Tahiti-South America

Plectrodera Dejean, 1837: 367*Plectrodera* Thomson, 1857: 176**scalator** (Fabricius, 1792: 278)*bellii* LeConte, 1845: 201

USA

Pseudotaeniotes Dillon & Dillon, 1949: 2 [RN]*Parataeniotes* Dillon & Dillon, 1943: 15 [JH; not Breuning, 1943]**mimus** (Dillon & Dillon, 1943: 16)

Peru, Bolivia (SC)

Ptychodes Audinet-Serville, 1835: 74*Talus* Gistel, 1848: xi [UE]**alboguttatus** Bates, 1880: 97**bifasciatus** Dillon & Dillon, 1941: 56

Mexico (OA)

Mexico (CM)

- dilloni** Breuning, 1949: 6 Panama
taenioides: Dillon & Dillon, 1941: 60 [Mld; not Thomson, 1865]
guttulatus Dillon & Dillon, 1941: 57 Mexico (GR, PU)
mixtus Bates, 1880: 97 Panama
politus Audinet-Serville, 1835: 75 Mexico, Guatemala, Honduras, Belize, El Salvador
lineatus Newman, 1838: 497 Nicaragua, Costa Rica, Panama, Colombia
lecontei Thomson, 1856: 477
lecomtei: Pittier & Biolley, 1895: 29 [ISS of *lecontei* Thomson, 1856]
lecontei m. *batesi* Breuning, 1943: 252
punctatus Dillon & Dillon, 1941: 53 Mexico (VC)
taenioides taenioides Thomson, 1865: 556 Colombia
niveisparsis adspersus Dillon & Dillon, 1941: 58
 subsp. **niveisparsis** Bates, 1872: 197 Mexico-Panama
niveisparsus Bates, 1880: 96

Taeniotes Audinet-Serville, 1835: 90

Metoscopus Gistel, 1848: 430 [UE]

Hammoderus Thomson, 1856: 324, Pl. 8, fig. 1

Taeniotes: Gara & Onore, 1989: 210 [ISS]

- affinis** Breuning, 1935: 62 Ecuador, Peru
amazonum Thomson, 1857: 172 Brazil (AM), Bolivia (BN, SC), Argentina
monnei Martins & Santos-Silva, 2012: 50
scalaris: Heyne & Taschenberg, 1907: 241 [Mld; not Fabricius, 1781]
scalaris var. *azoricus* Kolbe, 1888: 179
antonkozlovi Santos-Silva & Botero, 2017: 1 Colombia(MAG)
batesi (Thomson, 1879: lxxxiii) Colombia
strandi Breuning, 1935: 63
boliviensis Dillon & Dillon, 1941: 33 eEcuador, Bolivia (BN, SC), Argentina
buckleyi Bates, 1872: 198 Ecuador, Peru
cayennensis Thomson, 1859: 98 French Guiana, Brazil (AM-PA)
chapini Dillon & Dillon, 1941: 28 Ecuador, Peru, Bolivia (SC)
dentatus Dillon & Dillon, 1941: 29 Colombia, Ecuador, Bolivia (SC)
farinosus (Linnaeus, 1758: 390) Guyana, French Guiana, Brazil (AM, ES, RJ)
subocellatus (Olivier, 1792: 459)
ocellatus Fabricius, 1801: 272
decoratus Laporte, 1840: 479
inquinatus Thomson, 1857: 172 Colombia, Venezuela, eEcuador
insularis insularis Thomson, 1857: 171 Guadeloupe
thomsoni Breuning, 1943: 246 [URN]
 subsp. **gahani** Breuning, 1943: 246 Dominica
iridescens Dillon & Dillon, 1941: 26 Costa Rica, Panama, Colombia
leucogrammus leucogrammus Thomson, 1865: 554 Martinique, St. Lucia
 subsp. **lucia** Touroult, 2007: 7 St Lucie
luciani Thomson, 1859: 98 [RN] Mexico (PU, VC)-Colombia
buquetii Thomson, 1856: 324 [JsH; not Taslé, 1841, as *Hammoderus*]
marmoratus Thomson, 1865: 554 Ecuador
singularis Gahan, 1888: 397
monnei Martins & Santos-Silva, 2012: 50
naevius Bates, 1872: 198 Colombia, eEcuador, Peru
orbignyi Guérin-Meneville, 1844: 244 Panama-South America
d'orbignyi ab. *suturalis* Aurivillius, 1919: 4
peruanus Breuning, 1971: 287 Peru
praeclarus Bates, 1872: 197 Nicaragua-Colombia, Ecuador, Bolivia (SC)
praeclaris Dillon & Dillon, 1941: 30
pulverulentus Olivier, 1790: 302 West Indies & Suriname, French Guiana,
guttularis Schwarzer, 1929: 364 Brazil (RO, MA), Bolivia (SC)
pulvurentus: Bosq, 1943: 109 [ISS]
parafarinosus Breuning, 1971: 287
scalaris: Bondar, 1913: 9 [Mld; not Fabricius, 1781]
relucens Santos-Silva & Tavakilian, 2017: 45 Panama, Colombia, Brazil, Ecuador, Peru, Bolivia,
scalatus Gmelin, 1790: 1825 [RN] Mexico (PU, VC, TB)-nSouth America

- scalaris* Fabricius, 1781: 213 [JpH; not Linnaeus, 1758, as *Cerambyx* (currently in *Saperda*)]
suturalis Thomson, 1857: 172
univittatus Taschenberg, 1870: 195
- similis** Dillon & Dillon, 1941: 29 Colombia, Ecuador, Peru
inquinatus: Bates, 1872: 198 [Mld; not Thomson, 1857]
- simplex** Gahan, 1888: 396 Ecuador (Galapagos Islands, Cocos Islands)
hayi Mutchler, 1938: 13
cocoensis Mutchler, 1938: 13
- xanthostictus** Bates, 1880: 98 Mexico-Colombia, wEcuador, Peru
xanthostictus var. *zunilensis* Bates, 1885: 338
luciani: Bates, 1872: 198 [Mld; not Thomson, 1859]

Laticraniini Lane, 1959: 312

- Amplitempora** Giesbert, 1996: 317
captioculara Giesbert, 1996: 317

Panama, French Guiana

- Laticranium** Lane, 1959: 312
mandibulare Lane, 1959: 313

Mexico (CHS), Guatemala-Panama, Brazil (MG),
 Bolivia (SC) Argentina (SA)

Mauesiini Lane, 1956: 19
Mauesinae Lane, 1956: 19
Mauesini; Gilmour, 1965: 655

- Coroicoia** Lane, 1966: 241
ligata (Schwarzer, 1930: 108)

Ecuador, Bolivia (SC)

- Mauesia** Lane, 1956: 19
acorniculata Julio, 2003: 53
bicornis Julio, 2003: 52
cornuta Lane, 1956: 19
panamensis Moyses & Galileo, 2009: 498
simplicis Moyses & Galileo, 2009: 497
submetallica Martins & Galileo, 2010: 688

Brazil (AM)
 Brazil (AM)
 French Guiana, Brazil (AM, RO, MT)
 Panama
 Brazil (MT)
 Brazil (AM)

- Taurolema** Thomson, 1860: 15
albopunctata Gounelle, 1906: 13
nasicornis Schwarzer, 1930: 106
bellatrix Thomson, 1860: 15
cicatricosa Lane, 1966: 240
lineata Fuchs, 1966: 13
dalensi Touroult & Tavakilian, 2006: 5
duffy Lane, 1966: 241
flavocincta Gounelle, 1906: 13
vittata Schwarzer, 1930: 108
peruviana Lane, 1957: 67
hirsuticornis Chevrolat, 1861: 188
nigroolivacea Touroult & Demez, 2012: 102
nigropilosa Julio, 2003: 56
nigroviolacea Touroult & Tavakilian, 2006: 3
oberthuri Gounelle, 1906: 12
olivacea Gounelle, 1908: 19
pretiosa Chevrolat, 1861: 187
rutilans Gounelle, 1906: 14
seabrai Lane, 1973: 388
superba Fuchs, 1966: 14

Guatemala, Costa Rica
 French Guiana, Brazil (PA)
 Guyana, French Guiana, Brazil (MT), Bolivia (SC)
 French Guiana
 Brazil (RJ)
 Costa Rica-Colombia, eEcuador, Peru, Bolivia (SC)
 Brazil, Argentina (MI), Paraguay
 Peru
 Brazil (ES)
 French Guiana
 Brazil (PA)
 Brazil (ES)
 Colombia, Venezuela
 Brazil (BA, ES)
 Brazil (AM)
 Peru

Trichomauesia Dalens, Giuglaris & Tavakilian, 2010: 2

touroulti Dalens, Giuglaris & Tavakilian, 2010: 4

French Guiana

Megabasini Thomson, 1860: 30

Megabasitae Thomson, 1860: 28 (key), 30

Megabasis Audinet-Serville, 1835: 53

Damula Gistel, 1848: 429 [UE]

speculifera (Kirby, 1818: 439)

Brazil (BA-SP)

Mesosini Mulsant, 1839: 165

Mesosaires Mulsant, 1839: 165

Mesositae Thomson, 1860: 34 (key), 35

Liosynphaeta Fisher, 1926: 1

balloui Fisher, 1926: 2

Jamaica

balloni: Breuning, 1939: 423 [ISS]

Synaphaeta Thomson, 1865: 370

Synaphe Thomson, 1864: 60 [JH; not Hübner, 1825, Lepidoptera]

Mesosa: LeConte, 1852: 166 [Mld; not Latreille, 1829]

guexi (LeConte, 1852: 166)

wNorth America (Br Col-CA)

humeralis Casey, 1913: 299

annulata Casey, 1913: 300

brevicollis Casey, 1913: 300

Morimopsini Lacordaire, 1869: 289

Morimopsides Lacordaire, 1872: 289

Polytuberotum Pineda & Cid-Arcos, 2017: 2

metachroma Pineda & Cid-Arcos, 2017: 2

Peru

Tuberolamia Breuning, 1940: 408

andicola Breuning, 1940: 409

Peru

grilloides Touroult & Demez, 2012: 104

Peru

Onciderini Thomson, 1860: 38

Oncideritae Thomson, 1860: 3 (key), 38

Hypsiomitae Thomson, 1860: 4 (key)

Hypselominae Pascoe, 1864: 7

Onocephalitae Thomson, 1860: 8 (key)

Subtribes designated by Souza et al 2024

Generic allocation being determined

Hypsiomatina (originally Hypsiomitae) Thomson, 1860: 4

Onciderina (originally Oncideritae) Thomson, 1860: 3

Agaritha Dillon & Dillon, 1945: 78

iolaia Dillon & Dillon, 1945: 79

Brazil (RJ-RS), Argentina (MI)

Alexera Dillon & Dillon, 1945: 119

barii (Jekel, 1861: 261)

Guianas, Brazil (AM, RO), Peru, Ecuador, Bolivia (CO, SC)

lignicolor Bates, 1865: 169

sordida Thomson, 1868: 48

secunda Martins & Galileo, 2007: 133

Bolivia (SC)

- Apamauta** Thomson, 1868: 58
Apamanta: Lacordaire, 1872: 674 [ISS]
lineolata Thomson, 1868: 59
 Brazil (BA, RJ-PR), Peru
- Apocoptoma** Thomson, 1857: 186
chabrillaci Thomson, 1857: 186
 Brazil (BA, ES), Paraguay (Guaira)
- Bacuris** Gounelle, 1906: 274
sexvittatus (Bates, 1865: 181)
 Guatemala, Honduras, Costa Rica, Panama, French Guiana, Peru, Brazil (AM, PA)
- Bucoides** Dillon & Dillon, 1945: 80
erichsoni Martins, 1979: 150
egens: Dillon & Dillon, 1945: 81 [Mld; not Erichson, 1847]
exotica Martins & Galileo, 1990: 66
montana Martins & Galileo, 2009: 154
 wEcuador
 Brazil (RJ)
 Brazil (MG)
- Cacostola** Fairmaire & Germain, 1860: 527
Aporataxia Hamilton in Leng & Hamilton, 1896: 142
Cylindrataxia Linsley, 1934: 183
Paratucumaniella Breuning, 1943: 41
Hyagniellus Breuning, 1943: 42
Tucumaniella Breuning, 1943: 40
acuticauda Marinoni & Martins, 1982: 248
apyraiuba Martins & Galileo, 2008: 30
bimaculata Martins, Galileo & Limeira-de-Oliveira, 2009: 521
brasiliensis Thomson, 1868: 68
brasiliensis: Dillon & Dillon, 1946: 265 [ISS]
cana Marinoni & Martins, 1982: 249
carinata Martins, Galileo & Santos-Silva, 2016: 328
clorinda Dillon & Dillon, 1946: 266
colombiana Martins & Galileo, 1999: 74
exilis Martins, Galileo and Oliveira, 2011: 289
flexicornis Bates, 1865: 32
flexicornus: Dillon & Dillon, 1946: 261 [ISS]
fusca Thomson, 1868: 68
fuscata Dillon & Dillon, 1952: 71
galenae Wappes & Santos-Silva, 2019: 4
gracilis Marinoni & Martins, 1982: 250
grisea Dillon & Dillon, 1946: 268
howdeni Wappes & Santos-Silva, 2019: 7
janzeni Chemsak & Linsley, 1986: 22
leonensis Dillon & Dillon, 1946: 259
lineata (Hamilton in Leng & Hamilton, 1896: 142)
mexicana (Breuning, 1943: 42)
nearnsi Wappes & Santos-Silva, 2019: 10
nelsoni Chemsak & Linsley, 1986: 23
nordestina Martins & Galileo, 1999: 812
obliquata Martins & Galileo, 1995: 2
opitzi Wappes & Santos-Silva, 2019: 5
ornata Fleutiaux & Sallé, 1899: 470
strandi Breuning, 1943: 42
parafusca Martins, Galileo & Limeira-de-Oliveira, 2009: 521
plotkini Wappes & Santos-Silva, 2019: 2
rothschildi Wappes & Santos-Silva, 2019: 12
rugicollis Bates, 1885: 370
salicicola (Linsley, 1934: 184)
simplex (Pascoe, 1859: 55)
sirena Dillon & Dillon, 1946: 267
strandi (Breuning, 1943: 41)
 Brazil (MG, BA, ES-PR)
 Bolivia (SC)
 Brazil (MA)
 Brazil (ES), Bolivia (SC), Argentina
 Brazil (ES)
 Brazil (RN)
 Brazil (MT)
 Colombia
 Brazil (MA)
 French Guiana, Brazil (MA, PA)
 Brazil
 Brazil (AM)
 Panama (Panama)
 Brazil (GO)
 Guyana, French Guiana
 Guatemala (Guatemala)
 Mexico (OA, VC), Honduras
 Puerto Rico
 swUSA (TX)
 Mexico (VC)
 Guatemala, Panama (Cocle), Bolivia (Santa Cruz)
 Mexico (SI)
 Brazil (PB, MA)
 wEcuador
 Bolivia (Santa Cruz)
 Barbados, Guadeloupe, Martinique
 Brazil (MA)
 Costa Rica (Heredia)
 Argentina (Entre Rios)
 Mexico (VC, OA), Guatemala, Honduras, Costa Rica
 swUSA (TX), Mexico
 French Guiana, Brazil (PA), Ecuador (Orellana), Peru
 Venezuela
 Venezuela

sulcipennis Melzer, 1934: 96
thomasorum Wappes & Santos-Silva, 2019: 8
vagelineata Fairmaire & Germain, 1860: 527
vanini Martins, 1979: 154
variegata Dillon & Dillon, 1946: 260
volvula (Fabricius, 1781: 150)
 nitida Dillon & Dillon, 1946: 258
 brevipes Breuning, 1943: 40
zanao Dillon & Dillon, 1946: 256

Brazil (ES), Bolivia (SC)
 Brazil (Rondonia)
 Chile
 Brazil (MG)
 French Guiana
 French Guiana, Brazil (RO, BA, CE, MA),
 Bolivia (BN, CO, PN, SC), Paraguay, Argentina (TU)
 Bolivia (SC), Brazil (MS)

Carenesychna Martins & Galileo, 1990: 79
caremata Martins & Galileo, 1990: 79
velezi Martins & Galileo, 1995: 3

Ecuador
 Colombia

Cherentes Gounelle, 1906: 273
niveilateris (Thomson, 1868: 70)

Mexico, Costa Rica, Panama, Colombia, French Guiana,
 Brazil, Peru, Bolivia (SC), Paraguay, Argentina

Chitron Dillon & Dillon, 1946: 404
mniszecchi (Buquet, 1859: 48)
 mniszecchi: Gemminger in Gemminger & Harold, 1873: 3128 [ISS]
 mniszecchy: Zikán & Zikán, 1944: 31 [ISS]

seBrazil (ES-RS)

Cicatrodea Dillon & Dillon, 1946: 223
Cicatrodera: Wappes, Morris, Nearn & Thomas, 2006: 26 [ISS]
bahia Dillon & Dillon, 1946: 224
monima Dillon & Dillon, 1946: 225

Brazil (BA)
 Brazil (RO), Ecuador (Napo), Peru, Bolivia (SC)

Clavidesmus Dillon & Dillon, 1946: 293
Orteguaza Lane, 1958: 10
chicae Giorgi, 1998: 3
columbianus Breuning, 1961: 333
egeri Nearn & Santos-Silva, 2016: 448
funerarius (Lane, 1958: 13)
heterocerus (Buquet, 1852: 344)
indistinctus Dillon & Dillon, 1952: 74
lichenigerus (Lane, 1958: 10)
metallicus (Thomson, 1868: 70)
rogueti Audureau, 2012: 58

Brazil (SP), Argentina
 Colombia
 Peru
 Bolivia
 Brazil, Bolivia (SC), Paraguay
 Brazil (BA, PR, RJ, ES)
 Honduras-Colombia, Brazil (AM), Ecuador
 Venezuela, French Guiana, Ecuador, Peru, Bolivia (SC)
 Peru

Cnemosioma Martins, 1975: 65
innominata Martins, 1975: 66

Brazil (ES)

Cordites Dillon & Dillon, 1946: 232
armillata (Thomson, 1868: 57)
pubescens (Thomson, 1868: 59)
 modesta Melzer, 1931: 58

Brazil (RJ-SC)
 Brazil (MG-SP), Paraguay

Cydros Pascoe, 1866: 285
Trachytoxus Thomson, 1868: 72
leucurus Pascoe, 1866: 285
 scabrosus Thomson, 1868: 72
melzeri Monné & Fragoso, 1984: 929

Panama, Colombia, French Guiana, Brazil (PA), Bolivia
 Brazil (RO, MT, SP), Bolivia

Cylicasta Thomson, 1868: 42
difficilis (Lameere, 1893: 278)
liturata (Fabricius, 1801: 325)
coarctata (Bates, 1865: 312)
mariahelenae Nearn & Tavakilian, 2012: 5
nysa Dillon & Dillon, 1946: 274

Venezuela
 French Guiana, Brazil (AM), Peru
 Brazil (AM)
 French Guiana
 Nicaragua, Costa Rica, Panama, Colombia

parallela (Melzer, 1934: 93)
chionea Martins, 1979: 155

terminata (Buquet, 1859: 47)
liturata: Dillon & Dillon, 1946: 270 [Mld; not Fabricius, 1801]

Brazil (MS), Bolivia (SC), Argentina

French Guiana, Brazil (AM, PA)

Delilah Dillon & Dillon, 1945: 53

gilvicornis (Thomson, 1868: 46)
subfasciata Dillon & Dillon, 1952: 61

Brazil (ES)

Peru

Ecthoëa Pascoe, 1858: 250

Talasius Buquet, 1859: 99

quadricornis (Olivier, 1792: 466)
bispinator Fabricius, 1801: 292
faunus Erichson, 1847: 148
douei Buquet, 1859: cxxxviii

Costa Rica, Panama, Trinidad, Suriname, French Guiana,
 Brazil, Ecuador, Peru, Venezuela

Ephiales Dillon & Dillon, 1946: 218

cretacea (Bates, 1865: 173)

French Guiana, Brazil (AM), eEcuador, Peru

Esonius Dillon & Dillon, 1945: 144

panopus Dillon & Dillon, 1945: 145

Brazil (MT, GO, MG)

Eudesmus Audinet-Serville, 1835: 81

Larvica Thomson, 1860: 71

diopites Dillon & Dillon, 1946: 303
ferrugineus (Thomson, 1860: 72)
caudalis Bates, 1865: 180
grisescens Audinet-Serville, 1835: 82

nicaraguensis Breuning, 1958: 35
posticalis Guérin-Méneville, 1844: 248
rubefactus Bates, 1865: 180

Peru

Mexico-Panama, nSouth America

Brazil (AM)

Nicaragua-French Guiana, Venezuela, Brazil,
 Ecuador, Peru, Bolivia (SC), Trinidad & Tobago

Nicaragua

Brazil (AM), Bolivia

Costa Rica (LI, PA), French Guiana, Brazil (AM, PB)

Eupalessa Monné, 2005: 548

Eupales Dillon & Dillon, 1946: 220

attenuata (Thomson, 1868: 91)
multinotata Melzer, 1934: 92
atenuatta: Fragoso, 1971: 34 [ISS]

Brazil (MG-RJ), Paraguay

Euthima Dillon & Dillon, 1945: 106

araujoi Martins, 1979: 151
rodens (Bates, 1865: 112)
rodens ceres Dillon & Dillon, 1945: 108
variegata (Aurivillius, 1921: 50)
wendtae Martins, 1979: 151

Brazil (SP)

French Guiana, eEcuador, Peru, Bolivia (BN, CO, LP, SC),
 Brazil (AM, MA)

Peru, Bolivia (LP), Ecuador

Furona Dillon & Dillon, 1945: 96

corniculata (Bates, 1885: 365)
degenera (Bates, 1880: 123)
egens (Erichson, 1847: 149)

Honduras-Panama

Mexico (VC)-Panama, Colombia, Bolivia (SC)

Peru, eEcuador

Glyphtha Thomson, 1868: 64

arena Galileo, Martins & Santos-Silva, 2015: 441
lignosa Thomson, 1868: 55
monnei Audureau, 2012: 59
mucorea Martins & Galileo, 1990: 72
nearnsi Martins & Galileo, 2008: 30
paupercula (Thomson, 1868: 62)
unicolor Martins & Galileo, 1990: 72

Bolivia (SC), Brazil (MS)

French Guiana, Brazil (MG-SC)

Peru

Brazil (PE, BA)

Bolivia (SC)

Brazil (GO, BA), Paraguay (Canindeyu)

Brazil (RS)

vicina Martins & Galileo, 1990: 72

Brazil (RJ-SC)

xylina (Bates, 1865: 172)

Brazil (PB-SC)

maculicornis Thomson, 1868: 63

Hesycha Fairmaire & Germain, 1860: 523

Falsestola Breuning, 1940: 155

Estolasybra Breuning, 1943: 41

biguttata Martins & Galileo, 2010: 67

Bolivia (SC)

bimaculata Martins & Galileo, 1990: 76

Brazil (BA, ES)

clavata Martins & Galileo, 1990: 77

Brazil (MS)

consimilis Thomson, 1868: 63

Brazil (MG, PR, RJ, SP)

cribripennis Fairmaire & Germain, 1860: 523

Chile

crucifera Dillon & Dillon, 1952: 66

Brazil (RJ)

paupercula: Dillon & Dillon, 1945: 133 [Mld; not Thomson, 1868]

fasciata Martins & Galileo, 1990: 77

Brazil (ES)

inermicollis (Breuning, 1940: 155)

Brazil (BA, MS, MG-PR), Argentina (MI), Bolivia (BN)

ocellifera Martins & Galileo, 1990: 74

jataiensis Galileo, Martins & Santos-Silva, 2015: 442

Brazil (SP)

microphthalma Martins & Galileo, 1990: 76

Brazil (MG, PR, RJ, SP, SC)

simplex Martins & Galileo, 1990: 76

Brazil (MG)

tavakiliani Nearn & Swift, 2011: 3

Brazil (MG)

variabilis Dillon & Dillon, 1945: 131

Brazil (RJ, PR, SP, SC), Bolivia (SC), Paraguay, Argentina

Hesychotypa Thomson, 1868: 53

Ubytyra Martins & Galileo, 2012: 558

ableptema Martins & Galileo, 1990: 80

Brazil (PA)

nyphonoides: Dillon & Dillon, 1945: 160 [Mld; not Pascoe, 1859]

aeropa Dillon & Dillon, 1945: 155

Bolivia (SC)

albofasciata Perez-Flores & Nearn, 2021: 146

Mexico (Veracruz), Honduras (Yoro)

antonkozlovi Nearn & Nascimento, 2019: 4

Ecuador (Pichincha)

aotinga Martins & Galileo, 2008: 28

Bolivia (SC)

avrilasi Audureau, 2013: 195

Peru

balia Martins & Galileo, 2009: 155

Bolivia (SC)

bimaculata Dillon & Dillon, 1945: 161

eEcuador

cedestes Dillon & Dillon, 1945: 173

Guatemala, Honduras, Nicaragua, Costa Rica, Panama, Ecuador

colombiana Martins & Galileo, 1990: 80

Colombia, Ecuador

crocea Dillon & Dillon, 1945: 170

French Guiana

danilevskyi Nearn & Nascimento, 2019: 2

Panama

dola Dillon & Dillon, 1945: 164

Brazil (BA, RJ, SP)

fernandezi Martins & Galileo, 1999: 76

Colombia

heraldica (Bates, 1872: 201)

Belize-Panama

jaspidea (Bates, 1865: 172)

French Guiana, Brazil (PA)

lirissa Dillon & Dillon, 1945: 153

Brazil (MT), Bolivia (CO, SC)

litrata (Bates, 1865: 172)

French Guiana, Brazil, Peru

humilis Thomson, 1868: 57

maculosa (Bates, 1865: 173)

Brazil (AM)

magnifica Martins & Galileo, 2007: 128

Bolivia (SC)

maraba Martins & Galileo, 2007: 130

Brazil (PA)

miniata Thomson, 1868: 54

Brazil, Paraguay, Argentina

archippa Dillon & Dillon, 1945: 165

morvanae Audureau, 2012: 59

Peru, Ecuador

tuberosa Martins & Galileo, 2012: 559

nyphonoides (Pascoe, 1859: 36)

Colombia, Brazil (AM, PA), eEcuador, Peru,

niphonoides: Thomson, 1868: 58 [ISS]

phaola Dillon & Dillon, 1945: 163

nymphoroides: Barbosa, Fonseca & Martins, 2009: 294 [ISS]

punctata Martins, 1979: 153

Ecuador, Peru

subfasciata Dillon & Dillon, 1945: 152

Brazil (MG, MA, RJ-SC), Paraguay

turbida (Bates, 1880: 122)

Nicaragua-Panama

maculosa: Bates, 1880: pl.8, fig.20 [Mld; not Bates, 1865]

Hypselomus Perty, 1832: 95*Clytemnestra* Thomson, 1860: 113 (part)*Hypsolemus*: Chevrolat, 1861: 192 [ISS]*Jamesia* Jekel, 1861: 259*Paraclytemnestra* Breuning, 1974: 239**bellus** (Galileo & Martins, 2003: 173)**cristatus** Perty, 1832: 96*tumulosus* Thomson, 1860: 113**duofasciatus** (Dillon & Dillon, 1952: 59)**ericksoni** (Hovore, 1989: 253)**fuscofasciatus** (Dillon & Dillon, 1952: 60)**globiferus** (Fabricius, 1801: 284)*gemmata* Blanchard in Orbigny, 1843: 210*variolosus* Pascoe, 1859: 35**lineatus** (Fisher, 1926: 14)*gigantea* Breuning, 1974: 240**multivittatus** (Bates, 1869: 388)**papulentus** (Thomson, 1868: 43)**phileta** (Dillon & Dillon, 1945: 8)**pyropina** (Dillon & Dillon, 1945: 9)**ramirezi** (Nearns & Tavakilian, 2012: 3)

Colombia

Brazil (BA-RS), Bolivia, Paraguay, Argentina

Ecuador

Costa Rica, Panama

wEcuador, Peru

Colombia, eEcuador, Bolivia (CO, LP, SC),

Brazil (AM, PA, MG, RO)

W Indies (St. Lucia)

Nicaragua-Panama, Ecuador

Nicaragua-Colombia, wEcuador, Peru

Peru

eEcuador

Costa Rica (GU, LI)

Hypsioma Audinet-Serville, 1835: 38*Hypselomus*: Bates, 1865: 111 [Mld; not Perty, 1832]*Cipriscola* Dillon & Dillon, 1945: 82**albosericea** Galileo, Martins & Santos-Silva, 2015: 443**affinis** Thomson, 1860: 117**amydon** Dillon & Dillon, 1945: 36**aristonia** Dillon & Dillon, 1945: 47**asthenia** Martins & Galileo, 1990: 56**attalia** Dillon & Dillon, 1945: 45**bahiensis** Martins & Galileo, 2010: 69**barbara** Martins & Galileo, 1990: 60**basalis** Thomson, 1860: 117*chaseba* Dillon & Dillon, 1945: 30**carioca** Martins & Galileo, 2007: 128**cariua** Galileo & Martins, 2007: 68**chapadensis** Dillon & Dillon, 1945: 22**charila** Dillon & Dillon, 1945: 43*charilla*: Gilmour, 1950: 545 [ISS]**constellata** Thomson, 1868: 48**dejeanii** Thomson, 1868: 47**fasciata** (Thomson, 1860: 118)*crassipes* Bates, 1865: 168**gibbera** Audinet-Serville, 1835: 39*gibbosa*: Pelseneer, 1890: clxxvi [ISS]**grisea** (Fleutiaux & Sallé, 1889: 469)*insularis* Fisher, 1935: 199**hezia** Dillon & Dillon, 1945: 46**inornata** Thomson, 1868: 49**lyca** Dillon & Dillon, 1945: 34**nesiope** Dillon & Dillon, 1945: 33**opalina** Dillon & Dillon, 1945: 44**pylades** Dillon & Dillon, 1945: 31**renatoi** Martins & Galileo, 1990: 56**rimosa** Dillon & Dillon, 1945: 24**robusta** Dillon & Dillon, 1945: 39**solangeae** Galileo & Martins, 2007: 67**sororcula** Martins, 1981: 213

Bolivia (SC)

Brazil (MG-RS)

Brazil (AM), eEcuador, Peru

Brazil (ES)

Brazil (RO)

Brazil (RJ)

Brazil (BA)

Brazil (ES)

Brazil (ES, RJ)

Brazil (RJ)

Bolivia (SC)

Brazil (MT, MG, SP), Paraguay

Brazil (MG-PR), Paraguay

French Guiana, Brazil (AP, PA)

Brazil (ES, RJ)

Venezuela, Colombia, Brazil, Paraguay, Peru,

Bolivia (SC, TR), Argentina (MI, CO, CH)

Brazil, Bolivia (SC), Paraguay, Argentina

W Indies (Lesser Antilles), San Martin

Brazil, Paraguay, Argentina

Brazil (RJ, PR, SP, SC), Argentina (MI)

Colombia, eEcuador, Brazil (AM), Bolivia, Peru

Panama, Colombia

Brazil (RJ)

Brazil (RJ)

Brazil (BA, ES)

Paraguay

Brazil (PA), Bolivia (LP)

Brazil (MG), Bolivia (SC)

Brazil (MT)

- steinbachi** Dillon & Dillon, 1945: 27
viridis Gilmour, 1950: 537
- Iaquira** Galileo & Martins, 2001: 102
viridis Galileo & Martins, 2001: 102
- Ischiocentra** Thomson, 1861: 382
Ischyocentra Thomson, 1864: 103
clavata Thomson, 1861: 383
nobilitata Thomson, 1868: 55
diringshofeni Lane, 1956: 23
disjuncta Martins & Galileo, 1990: 84
hebes (Thomson, 1868: 59)
costalimai Melzer, 1931: 59
insulatus (Rodrigues & Mermudes, 2011: 45)
monteverdensis Giesbert, 1984: 79
punctata Martins & Galileo, 2005: 11
quadrisignata Thomson, 1868: 57
stockwelli Giesbert, 1984: 81
- Ischioderes** Dillon & Dillon, 1945: 184
bahiensis Monné & Fragoso, 1984: 928
oncideroides Dillon & Dillon, 1945: 185
- Ischiosioma** Martins & Galileo, 1990: 82
albata Martins & Galileo, 1990: 82
obliquata Martins & Galileo, 1990: 82
- Lachaerus** Thomson, 1868: 71
fascinus (Audinet-Serville, 1835: 82)
seminivorus Buquet, 1852: 345
seminivorus Thomson, 1868: 71
monnei (Giorgi, 1998: 2)
rubiginus (Dillon & Dillon, 1949: 11)
- Lachnia** Audinet-Serville, 1835: 63
Vervex Gistel, 1848: 432 [UE]
subcincta Audinet-Serville, 1835: 64
subvincta: Breuning, 1961: 207 [ISS]
fulvoirrorata Thomson, 1868: 56
- Lesbates** Dillon & Dillon, 1945: 12
Truncatoides Dillon & Dillon, 1945: 16
acromii (Dalman, 1823: 70)
omoplata Lacordaire, 1872: 676
axillaris (Thomson, 1860: 116)
carissima Dillon & Dillon, 1945: 14
caviunas (Dillon & Dillon, 1949: 4)
hauffi Tippmann, 1953: 357
chavesi Barros, Julio & Nearn, 2019: 125
milleri Nearn & Swift, 2011: 6
- Leus** Dillon & Dillon, 1946: 222
ramuli (Bates, 1865: 311)
piperella Dillon & Dillon, 1946: 222
- Lingafelteria** Nearn & Tavakilian, 2012: 5
giuglarisi Nearn & Tavakilian, 2012: 5
pandolfii Nearn & Nascimento, 2019: 6
- Peru, Brazil (MT, RO), Bolivia (SC), Argentina
 Brazil (SP)
- Brazil (ES)
- Brazil (BA, ES)
- Brazil (SC)
 Venezuela
 Brazil (ES, PR, RJ, SP, SC)
- Brazil (RJ)
 Costa Rica, Panama
 Colombia
 Brazil (MG-SP)
 Costa Rica, Panama
- Brazil (BA, MG)
 Brazil (MG, SC)
- Brazil (ES)
 Brazil (SC)
- Brazil (BA- RJ), Paraguay
- Brazil (MI)
 Brazil (PR, SC), Paraguay
- French Guiana, Brazil (AM, PA), eEcuador
- Brazil (ES-PR)
- Venezuela, Brazil (MG-PR)
 Brazil (BA)
 Brazil (MG, ES-PR), Paraguay (Concepcion)
- Brazil (RJ)
 Venezuela
- Trinidad & Tobago, Brazil (AM, MT),
 eEcuador, Peru, Bolivia (SC)
- French Guiana
 Brazil (Amazonas)

Lochmaeocles Bates, 1880: 124*Lochmaeodes*: Aurivillius, 1923: 345 [ISS]*Lochmalodes*: Arnett, 1962: 871 [ISS]*Ischiomaeocles* Franz, 1954: 224**alboplagiatus** Dillon & Dillon, 1946: 193**basalis** Dillon & Dillon, 1946: 212**batesi** (Aurivillius, 1923: 345)*callidryas*: Bates, 1880: 124 [Mld; not Bates, 1865]**callidryas** (Bates, 1865: 175)**confertus** Aurivillius, 1923: 346*tessellata* var. 2 Bates, 1885: 366**congener** (Thomson, 1868: 89)*vermiculata* Thomson, 1868: 91**consobrinus consobrinus** Dillon & Dillon, 1946: 205subsp. **bolivianus** Dillon & Dillon, 1946: 207**cornuticeps cornuticeps** (Schaeffer, 1906: 20)*tessellatus*: Knull, 1937: 42 [Mld; not Thomson, 1868]subsp. **federalis** Dillon & Dillon, 1946: 197subsp. **pacificus** Dillon & Dillon, 1946: 198**cretatus** Chemsak & Linsley, 1986: 25**fasciatus** (Lucas in Laporte, 1857: 189)*maculosus* Redtenbacher, 1868: 184**grisescens** Noguera & Chemsak, 1993: 290**hondurensis** Dillon & Dillon, 1946: 204**laticinctus** Dillon & Dillon, 1946: 200**leuripennis** Martins & Galileo, 1995: 2**marmoratus** Casey, 1913: 351*tessellatus*: Schaeffer, 1906: 18 [Mld; not Thomson, 1868]**nigritarsus** Chemsak & Linsley, 1986: 23**obliquatus** Dillon & Dillon, 1946: 215**pseudovestitus** Chemsak & Linsley, 1988: 135*vestitus*: Dillon & Dillon, 1946: 207 [Mld; not Bates, 1885]**pulcher** Dillon & Dillon, 1946: 211**salvadorensis** (Franz, 1954: 225)**sladeni** (Gahan in Arrow, 1903: 254)**sparsus** (Bates, 1880: 125)*callidryas* var. Bates, 1880: pl.9, fig.10**tessellatus tessellatus** (Thomson, 1868: 90)subsp. **costaricae** Chemsak, 1986: 18**vestitus** (Bates, 1885: 366)**zonatus** Dillon & Dillon, 1946: 214

Panama, Trinidad

Honduras-Panama, Trinidad & Tobago, Ecuador

Mexico (TB), Honduras-Colombia, wEcuador

nSouth America

Guatemala

Brazil (ES-SP)

Guatemala, (Peten), Costa Rica, Colombia

Peru, Bolivia (BN, SC, TR)

swUSA (TX), Mexico (TA)

Mexico (MO)

Mexico (SI, JA)

Mexico (YU, QR)

Brazil, Paraguay, Argentina

Mexico (JA)

Honduras

Guatemala

Colombia

swUSA (AZ), Mexico

Mexico (YU, QR)-Honduras

Brazil (CE-BA)

Mexico (JA, SI, GR)

French Guiana, Brazil (AM), eEcuador, Bolivia (BN)

El Salvador

Brazil, Bolivia (CO, SC, TR), Paraguay, Argentina, Uruguay

Mexico (VC)-Panama

Panama, Colombia, Venezuela

Nicaragua, Costa Rica

Mexico (VC)

Trinidad & Tobago, Venezuela, Guyana, French Guiana

Lydipta Thomson, 1868: 52*Aenea* Dillon & Dillon, 1945: 110**conspersa** (Aurivillius, 1922: 164)**humeralis** Martins & Galileo, 1995: 1**pumilio** Thomson, 1868: 53**senicula** (Bates, 1865: 167)*nerissa* Dillon & Dillon, 1945: 108

Brazil (RO, GO, MT, MA, PR, SP), Paraguay, Bolivia (BN, SC), Peru

eEcuador

Brazil, Paraguay, Argentina

French Guiana, Brazil (AM, PA), Bolivia (SC)

Marensis Dillon & Dillon, 1945: 94**simplex** (Bates, 1865: 168)*tybalmoides* Dillon & Dillon, 1945: 95

Brazil (AM), eEcuador, Peru

Microcanus Dillon & Dillon, 1946: 400**minor** (Bates, 1885: 368)*paurosoma* Noguera, 1993: 37

Mexico (GR, OA, VC)

Midamiella Monné, 2005: 569*Midamus* Dillon & Dillon, 1945: 141 (preoccupied; Simon, 1881 Arachnida)**hecabe** (Dillon & Dillon, 1945: 141)

Panama, Brazil, Bolivia (BN, SC, MS), Paraguay, Argentina

santaremensis (Dillon & Dillon, 1945: 143)

Brazil (PA, RO, MT), Bolivia (SC)

Monneoncideres Nearn & Swift, 2011: 8**cristata** Nearn & Swift, 2011: 8

Ecuador (Napó), Peru

Neocherentes Tippmann, 1960: 155**adrianoi** Nearn & Monné, 2019: 4

Brazil (ES)

dilloniorum Tippmann, 1960: 156

Ecuador, Peru, Bolivia

pergeri Nearn & Monné, 2019: 6

Bolivia (SC)

Neodillonia Monné & Fragoso, 1984: 926 [RN]*Clytemnestra*: Prosen, 1947: 331 [ISS of *Clytemnestra* Thomson, 1860]*Dillonia* Lane, 1955: 269 [JH; not Haeckel, 1847, Actinopterygii [Pisces]]*Clytemnestra* Thomson, 1860: 113 (part)**albisparsa** (Germar, 1823: 477)

Brazil, Bolivia (SC), Paraguay, Argentina, Uruguay

adspersus Laporte, 1840: 482**bonariensis** Thomson, 1860: 115**waltersi** Nearn & Swift, 2011: 10

Ecuador

Neohylus Monné, 2005: 570*Hylus* Dillon & Dillon, 1945: 104**alexandrei** Martins & Galileo, 2010: 67

Brazil (RO)

dubius (Dillon & Dillon, 1945: 105)

Colombia, Peru

Neolampedusa Monné, 2005: 570*Lampedusa* Dillon & Dillon, 1945: 112 (preoccupied; Boettger, 1877 Mollusca)**lateralis** (Thomson, 1868: 63)

French Guiana

obliquator: Dillon & Dillon 1945: 114 [Mld; not Fabricius, 1801]**obliquator** (Fabricius, 1801: 303)French Guiana, Brazil (AM, PA), Ecuador, Peru,
Bolivia (PN, SC)**Oncideres** Lacordaire, 1830: 183 [ISSPU]*Apocoptona* Kirby & Spence, 1828: 318 [NO]*Oncyderes* Lacordaire, 1830: 183 [IOS]*Oncideres*: Audinet-Serville, 1835: 67 [COS/ ISSPU]*Oncoderes* Gemminger & Harold, 1873: 3124*Japi* Martins & Galileo, 2012: 559*Psyllotoxus* Thomson, 1868: 74*Taricanus* Thomson, 1868: 73**albipilosa** Noguera, 1993: 25

Mexico (CA, YU)

albistillata Dillon & Dillon, 1952: 75

Peru

albomaculata Dillon & Dillon, 1946: 347

French Guiana, Brazil (PA), Bolivia (PA)

albomarginata albomarginata Thomson, 1868: 80

Nicaragua-nSouth America

subsp. **chamela** Chemsak & Giesbert, 1986: 35

Mexico, Guatemala

albopicta Martins & Galileo, 1990: 93

Peru

alicei Lane, 1977: 233

Brazil (MG, BA), Paraguay

aliciae Nearn & Tavakilian, 2015: 88

French Guiana

amo Galileo & Martins, 2008: 3

Bolivia (SC)

amputator (Fabricius, 1792: 276)

W Indies

lherminieri Forsstrom in Schoenherr, 1817: 419**anama** Galileo & Martins, 2010: 75

Bolivia (SC)

angaturama Galileo & Martins, 2008: 2

Peru

antonkozlovi Nearn & Nascimento, 2019: 8

Peru (La Libertad)

apiaba Martins, 1981: 225

Brazil (GO)

apicalis Dillon & Dillon, 1946: 349

French Guiana, Brazil (AM, PA), Bolivia (SC)

dalmanii: Martins, 1981: 228 [Mld; not Thomson, 1868]**aragua** Martins & Galileo, 1990: 93

Venezuela, Bolivia (SC)

argentata Dillon & Dillon, 1946: 353

Panama, Colombia

- aurivillii** Galileo & Martins, 2011: 93
stillata Galileo & Martins, 2010: 76 (preoccupied *Aurivillius*, 1904)
- barclayi** Nearn & Tavakilian, 2015: 90
- bella** Martins & Galileo, 1999: 77
- bezarki** Nearn & Tavakilian, 2015: 92
- birai** Nearn & Tavakilian, 2015: 94
- boliviana** Heyrovsky, 1952: 44
- bondari** Melzer, 1923: 7
albifasciata Dillon & Dillon, 1952: 78
- bouchardii** Bates, 1865: 179
- brunapalanzae** Nearn & Tavakilian, 2015: 94
- bucki** Melzer, 1934: 95
centromaculata Gilmour, 1947: 187
- canidia** Dillon & Dillon, 1946: 365
candida: Duffy, 1960: 201 [ISS]
- captiosa** Martins, 1981: 229
aegrota: Fonseca, 1931: 37 [Mld; not Thomson, 1868]
- castanea** Dillon & Dillon, 1946: 370
- cephalotes** Bates, 1865: 178
fabricii Thomson, 1868: 78
- cervina** Thomson, 1868: 87
- chagasi** Martins, 1981: 227
- chevrolatii** Thomson, 1868: 77
diana: Bates, 1865: 176 [Mld; not Brongniart, 1793]
defectiofasciata Gilmour, 1950: 546
- cingulata** **cingulata** (Say, 1826: 272)
angulata Schaeffer, 1908: 195
cingulata Sanborn, 1911: 5
cingulator Manley & French, 1976: 50
cingulatus pallescens Casey, 1913: 353
praecidens Casey, 1913: 354
texana: Herrick, 1902: 15 [Mld; not Horn, 1885]
subsp. **texana** Horn, 1885: 195
subtropicus Casey, 1913: 353
cingulatus: Townsend, 1902: 79 [Mld; not Say, 1826]
- coites** Martins, Galileo & Limeria-de-Oliveira, 2009: 244
- colombiana** Dillon & Dillon, 1946: 324
saga var. *cinnamomea* Gilmour, 1950: 541
- crassicornis** Bates, 1865: 177
- cumdisci** Noguera, 1993: 16
- dalensi** (Nearn & Tavakilian, 2012: 9)
- dalmani** Thomson, 1868: 76
- dejeanii** Thomson, 1868: 201
pustulata Thomson, 1868: 88 [JpH; not LeConte, 1854]
dejeani: Berti Filho, 1997: 52 [ISS]
- demezi** Audureau, 2012: 60
- diana** (Brongniart, 1793: 34)
diana Olivier, 1792: 470
diana Olivier, 1797: 470 [JS & JpH, not Brongniart, 1793 (as *Lamia*)]
albella Schoenherr, 1817: 395 [URN for *Cerambyx diana* Olivier, 1800: (67) 107]
- digna** Bates, 1865: 178
aegrota Thomson, 1868: 330
ogrota Thomson, 1868: 88
- diringsi** Martins & Galileo, 1990: 91
- disiunctus** Galileo & Martins, 2011: 181
- dorsomaculata** Noguera, 1993: 36
- errata** Martins & Galileo, 2009: 160
- erwini** Nearn & Nascimento, 2019: 10
- etiolata** Dillon & Dillon, 1946: 318
- faurei** (Nearn & Tavakilian, 2012: 10)
- fisheri** Dillon & Dillon, 1946: 395
- fulva** Bates, 1865: 176
- Bolivia (CO)
- French Guiana
- Colombia
- Argentina
- Peru
- Bolivia (SC)
- Brazil (GO, MT, BA, SP)
- Panama, Colombia, Venezuela, Trinidad & Tobago
- Colombia
- Brazil (RS)
- Jamaica
- Brazil (BA-RS), Paraguay, Argentina (MI)
- Brazil
- French Guiana, Brazil (AM, PA, MA), Bolivia (SC)
- Venezuela, Brazil (MG-RS), Argentina, Paraguay
- French Guiana, Brazil (MA)
- Venezuela, French Guiana, Brazil (AM, MA, PA)
- eUSA
- swUSA (TX), Mexico
- Brazil (MA)
- Panama, Colombia, Venezuela, Bolivia (CO, SC)
- Brazil (AM), Ecuador, Peru, Paraguay
- sMexico (CHS, QR), Nicaragua, Honduras
- French Guiana
- French Guiana, Brazil (AM, PA)
- Brazil (MA, BA), Paraguay, Argentina, Uruguay
- Peru
- French Guiana, Brazil (PA)
- Panama, French Guiana, Brazil (AM, PA), Peru
- Brazil (AM), Ecuador, Bolivia (SC)
- Brazil (AM)
- Mexico (GR, QE)
- Brazil
- Peru (Junin)
- Brazil (ES-SC)
- French Guiana
- USA (AZ), sMexico, Guatemala, Honduras, Nicaragua, Costa Rica
- Colombia, French Guiana, Brazil (PA), Bolivia (SC), Peru

- satyra*: Dillon & Dillon, 1946: 326 [Mld; not Bates, 1865]
fulvoguttata Dillon & Dillon, 1946: 356
 Brazil (AM, PA)
- fulvostillata** Bates, 1872: 202
aurantiaca Galileo & Martins, 2010: 74
 Mexico (OA, CHS)-Panama
- gemmata** Dillon & Dillon, 1946: 350
margarethae Gilmour, 1950: 543
 Colombia, French Guiana, Brazil (PA, MA)
- germarii** Thomson, 1868: 79
propenigra Gilmour, 1950: 538
 Brazil (SP-RS), Bolivia (SC), Paraguay, Argentina, Uruguay
- gibbosa** Thomson, 1868: 82
 Brazil (MG-SP)
- glebulenta** Martins, 1981: 231
 Brazil (GO, SP), Bolivia (SC), Argentina, Paraguay
- griseocincta** (Thomson, 1868: 75)
 French Guiana, Brazil (MG-RS)
- guttulata** Thomson, 1868: 84
 Brazil (RS), Argentina, Uruguay
- gutturator** (Fabricius, 1775: 172)
saga amazona Dillon & Dillon, 1946: 323
 Panama, Venezuela, Guianas, Ecuador, Brazil, Bolivia
- satyra*: Martins, 1981: 225 [Mld; not Bates, 1865]
- hoffmanni** Galileo & Martins, 2008: 25
 Brazil (BA)
- humeralis** Thomson, 1868: 86
 Brazil (ES- RS)
- ilaire** Dillon & Dillon, 1946: 319
 Panama, Colombia, Peru
- immensa** Martins & Galileo, 2009: 159
 Brazil (PA)
- impluviata** (Germar, 1842: 483)
 Brazil, Paraguay, Argentina, Uruguay
- intermedia** Dillon & Dillon, 1946: 398
 French Guiana, Brazil (PA)
- irrorata** Melzer, 1934: 94
 Brazil (RJ)
- gutturator*: Bruch, 1941: 366 [Mld; not Fabricius, 1775]
- jatai** Bondar, 1953: 31
 French Guiana, Brazil (MA)
- jodii** Nearn & Tavakilian, 2015: 97
 French Guiana
- johnmarvini** Nearn & Nascimento, 2019: 11
 Panama
- kenjii** (Nearn & Swift, 2021: 199)
 Costa Rica (Puntarenas)
- laceyi** Dillon & Dillon, 1949: 10
 Brazil (MA), Peru
- limpida** Bates, 1865: 179
 Brazil (MA-BA)
- lyside** Dillon & Dillon, 1949: 9
 Panama
- macra** Thomson, 1868: 87
 Brazil (MG-RS)
- teixeirai* Martins & Galileo, 1990: 90
- magnifica** Martins, 1981: 224
 French Guiana, Brazil (MA, PA)
- malleri** Fragoso, 1970: 79
 Brazil (MT)
- manauara** Martins & Galileo, 1995: 3
 French Guiana, Brazil (AM), Peru
- maxima** Dillon & Dillon, 1946: 335
 French Guiana, Brazil (MA, PA)
- miliaris** (Voet, 1778: 11)
 French Guiana
- miniata** Thomson, 1868: 88
 Brazil, Paraguay, Argentina
- minuta** Thomson, 1868: 86
 Costa Rica (LI), Fr Guiana, Ecuador, Bolivia (CO, SC), Brazil (MA)
- mirador** Martins, Galileo & Limeria-de-Oliveira, 2009: 244
 Brazil (MA)
- mirim** Martins & Galileo, 1996: 297
 Brazil (MA, PA)
- modesta** Dillon & Dillon, 1946: 379
 Brazil (PA, BA)
- multicincta** Dillon & Dillon, 1946: 346
 French Guiana, Bolivia (SC), Ecuador, Brazil
- diana*: Bates, 1865: 176 [Mld; not Brongniart, 1793]
- nearnsi** Audureau, 2012: 61
 Peru
- nicea** Dillon & Dillon, 1949: 5
 Peru, Bolivia (SC)
- nipheta** Martins, 1981: 221
 Costa Rica (PA), Fr Guiana, Brazil (MG, SP), Ecuador
- nivea** Dillon & Dillon, 1946: 324
 Brazil (PA)
- ocellaris** Bates, 1885: 367
 Mexico (OA, CHS)-Nicaragua
- sparsemaculatus* Martins & Galileo, 2010: 66
- ochreostillata** Dillon & Dillon, 1952: 75
 Brazil
- ocularis** Thomson, 1868: 82
 Brazil (ES-RS), Argentina
- ocularis* var. *argus* Thomson, 1868: 83
- ophthalmalis** Dillon & Dillon, 1946: 392
 Costa Rica (AL), Colombia
- phtharmalis*: Breuning, 1961: 392 [ISS]
- pallifasciata** Noguera, 1993: 19
 Mexico (JA)
- pectoralis** Thomson, 1868: 83
 Brazil (RJ-SC)
- duartei* Martins & Galileo, 2012: 559
- pepotinga** Martins, 1981: 230
 Argentina (SE), Paraguay (PH)
- phaetusa** Dillon & Dillon, 1946: 338
 Costa Rica (HE, PU), French Guiana, Brazil (AM)

- philosipes** Dillon & Dillon, 1946: 328
duodilloni Gilmour, 1950: 541
- pittieri** Gahan, 1894: 119
- poecila** Bates, 1880: 125
- poeta** Dillon & Dillon, 1949: 7
- polychroma** Dillon & Dillon, 1946: 377
- pretiosa** Martins & Galileo, 1990: 94
- pulchella** Bates, 1865: 178
- punctata** Dillon & Dillon, 1946: 390
- pustulata** LeConte, 1854: 82
putator: Riley, 1880: 271 [Mld; not Thomson, 1868]
trinodatus: Essig, 1926: 460 [Mld; not Casey, 1913]
- putator** Thomson, 1868: 81
 subsp. **brevifasciatus** Dillon & Dillon, 1946: 360
estebani Martins & Galileo, 2010: 67
- pyrrothrix** Noguera, 1993: 23
- quercus** Skinner, 1905: 291
- repandator** (Fabricius, 1792: 277)
- rhodosticta** Bates, 1885: 365
trinodatus Casey, 1913: 352
putator: Horn, 1885: 195 [Mld; not Thomson, 1868]
cingulatus: Hamilton in Leng & Hamilton, 1896: 141 [Mld; not Say, 1826]
pustulatus: Essig, 1926: 460 [Mld; not LeConte, 1854]
- rubra** Franz, 1959: 186
santarosae Chemsak, 1986: 16
- saga** (Dalman, 1823: 69)
vomicosa Germar, 1842: 483
saga var. *pallens* Gilmour, 1950: 541
- satyra** Bates, 1865: 176
trigerta Dillon & Dillon, 1949: 8
- schmiti** Audureau & Nearn, 2023: 43
- schreiteri** Bruch, 1941: 367
- scitula** Bates, 1880: 126
- seabrai** Fragoso, 1970: 81
- senilis** Bates, 1885: 367
- sobrina** Dillon & Dillon, 1946: 354
- stillata** Aurivillius, 1904: 208
- svachai** Nearn & Tavakilian, 2015: 99
- tavakiliani** Nearn & Santos-Silva, 2016: 446
- travassosi** Fragoso, 1970: 80
- truquii** (Thomson, 1868: 74)
- tuberculata** Thomson, 1868: 85
- tuberosa** Martins & Galileo, 2006: 269
- ulcerosa** (Germar, 1823: 482)
heterocera Thomson, 1868: 78
- vicina** Thomson, 1868: 79
crocala Dillon & Dillon, 1946: 317
- vitiliga** Martins, 1981: 226
- voetii** Thomson, 1868: 84
ochreomaculata Dillon & Dillon, 1952: 77
- wappesi** Martins & Galileo, 2005: 460
- xavieri** Galileo & Martins, 2010: 77
- zaragozai** (Chemsak & Noguera, 1993: 292)
- Ecuador, Peru
- Costa Rica, Panama
- Mexico (YU, QR), El Salvador, Honduras
- Panama
- Brazil (MT), Argentina
- French Guiana, Brazil (AM)
- Brazil (AM)
- Mexico, Guatemala, Nicaragua, El Salvador, Costa Rica
- swUSA (TX), Mexico (NL)
- Mexico (VC, OA, CHS), Guatemala, Honduras
- Nicaragua-Panama
- Mexico (NA)
- swUSA (AZ), Mexico (NL)
- Costa Rica (HE), Venezuela, Guianas, Brazil (AM), Peru
- USA (AZ-TX), Mexico
- Mexico (JA-TB, YU)-Costa Rica
- Brazil (GO, MA, MG-RS), Bolivia (SC), Paraguay, Argentina, Uruguay
- Venezuela, Guianas, Brazil (MA, AM, PA, RO), Bolivia (SC), Peru, Ecuador
- Argentina (Chaco)
- Argentina (CA, TU)
- Mexico
- Brazil (MT), Bolivia (SC), Paraguay
- Mexico, Nicaragua, Costa Rica (GU)
- Panama, Colombia
- Bolivia
- French Guiana
- Brazil (Para)
- Brazil (RJ)
- Mexico (PU), Nicaragua
- Costa Rica (AL, GU), Guianas, Colombia, Brazil
- Brazil (AM, MA)
- Brazil (CE, BA, MA, ES-RS), Paraguay, Bolivia (SC)
- Brazil (MA-BA)
- Bolivia (SC), Peru
- Guyana, French Guiana
- Brazil (Rondonia), Bolivia (SC)
- Ecuador, Brazil (AM), Bolivia (PA), Peru (Loreto)
- Mexico (JA)

Oncideres Martins & Galileo, 1990: 88

Oncideres: Nascimento & Bravo, 2014: 138 [ISS]

obliqua Galileo, Martins & Santos-Silva, 2015: 104

picta Martins & Galileo, 1990: 88

rondoniae Martins & Galileo, 1990: 90

piuiensis Martins & Galileo, 2013: 320

Brazil (BA)

Brazil (GO, MG)

French Guiana, Brazil (RO, PI)

Onocephala Sturm, 1843: 262*Perma* Lacordaire, 1872: 690**aulica** Lucas in Laporte, 1859: 191**chicomendes** Monné, Monné, Botero & Carelli, 2016: 340**diophthalma** (Perty, 1830: 98)**lacordairei** Dillon & Dillon, 1946: 32**obliquata** Lacordaire, 1872: 690**rugicollis** Thomson, 1857: 305*lineola* Dillon & Dillon, 1946: 37**suturalis** (Bates, 1887: 63)**tepahi** Dillon & Dillon, 1946: 36**thomsoni** Dillon & Dillon, 1946: 33**vittipennis** (Breuning, 1940: 185)

Brazil (RJ, SP)

Brazil (RJ)

Brazil (MG-RJ)

Brazil (RJ)

Brazil (MG-SC)

Brazil (RJ, ES)

Brazil (MG-SP)

Brazil (RJ)

Brazil (MG-SP)

Brazil (ES)

Paratrachysomus Monné & Fragoso, 1984: 931**huedepohli** Monné & Fragoso, 1984: 931

French Guiana, Brazil (MT)

Paratritania Breuning, 1961: 27**alternans** (Aurivillius, 1920: 382)*ochritarsis* Breuning, 1961: 28, 1952: 72

Brazil (BA, ES)

Pericasta Dillon & Dillon, 1952: 72**virescens** (Aurivillius, 1920: 383)

Brazil (BA, MG, ES, RJ, SP, PR, SC, RS), Paraguay

Periergates Lacordaire, 1872: 679**badeni** Bates, 1885: 369**chiriquensis** Bates, 1885: 368**rodriguezi** Lacordaire, 1872: 679

Mexico?

Panama

Mexico (CH), Guatemala, Nicaragua, Costa Rica

Peritrox Bates, 1865: 313**denticollis** Bates, 1865: 313**marcelae** Nears & Tavakilian, 2012: 6**nigromaculatus** Aurivillius, 1920: 383**perbra** Dillon & Dillon, 1945: 93**shanebouchardi** Nears & Swift, 2019: 149**vermiculatus** Dillon & Dillon, 1945: 90

Brazil-Uruguay, Bolivia (BN, SC)

French Guiana, Brazil (MA, MT)

Venezuela, Brazil (ES, PR, RJ), Paraguay, Bolivia (SC)

French Guiana, Brazil (AM, MA), Ecuador, Peru

Paraguay (Concepcion)

Brazil (RJ)

Plerodia Thomson, 1868: 60**singularis** Thomson, 1868: 61*spuria* Thomson, 1968: 61**syrinx** (Bates, 1865: 170)*pygmea* Thomson, 1868: 61

French Guiana, Brazil (AM), Bolivia (SC)

Brazil (BA, RJ-RS), Paraguay

Priscatoides Dillon & Dillon, 1945: 146**tatila** Dillon & Dillon, 1945: 147

Brazil (PA), Bolivia (SC)

Prohylus Martins & Galileo, 1990: 66**phanthasma** Martins & Galileo, 1990: 67

Brazil (PA)

Proplerodia Martins & Galileo, 1990: 67**goyana** Martins & Galileo, 1990: 67**piriana** Martins & Galileo, 2009: 155

Brazil (GO, MT)

Bolivia (SC)

Pseudobeta Zajciw, 1972: 219*Beta* Dillon & Dillon, 1945: 137 (preoccupied; Saussure, 1855)**casariae** Nascimento et. al., 2020: 7

Brazil (ES)

doris (Thomson, 1868: 50)
quadrisignata Zajciw, 1972: 219
ferruginea Galileo & Martins, 1990: 15
seabrai Monné & Fragoso, 1984: 928
transversa Martins & Galileo, 2010: 69

Brazil (BA-SC)
 French Guiana, Brazil (PA)
 cBrazil (RO, MA, MT), Bolivia (SC)
 Bolivia (SC)

Pseudoperma Dillon & Dillon, 1946: 46
chalcogramma (Bates, 1887: 63)
lingafelteri Monné & Monné, 2018: 625
patruelis (Breuning, 1940: 186)

Brazil (MG-RJ)
 Brazil (RJ)
 Brazil (RJ)

Psyllotoxoides Breuning, 1961: 336
albomaculata Breuning, 1961: 336

French Guiana, Brazil (AM)

Sternycha Dillon & Dillon, 1945: 121
approximata Dillon & Dillon, 1945: 123
clivosa Martins & Galileo, 1990: 68
diasi Martins & Galileo, 1990: 69
ecuatorialia Martins & Galileo, 2007: 131
panamensis Martins & Galileo, 1999: 810
paupera (Bates, 1885: 366)
sternalis Dillon & Dillon, 1945: 122

Costa Rica
 Bolivia (LP, SC)
 Brazil (RO, SP, MS), Bolivia (SC)
 wEcuador
 Panama
 Mexico (VC, TB), Belize
 French Guiana, Brazil (PA, BA)

Stethoperma Lameere, 1884: 93
batesi Lameere, 1884: 94
candezei Lameere, 1884: 94
duodilloni Gilmour, 1950: 548
flavovittata Breuning, 1940: 186
multivittis Bates, 1887: 63
obliquepicta Breuning, 1940: 185
zikani Melzer, 1923: 8

Brazil (ES-RJ)
 Brazil
 Brazil (BA, ES)
 Brazil (BA)
 Brazil (MG-RJ)
 Brazil (BA-SC), Paraguay
 Brazil (MG, SP)

Strioderes Giorgi, 2001: 1
peruana Giorgi, 2001: 3

Peru, Brazil (PA)

Sulpitus Dillon & Dillon, 1945: 139
lilla Dillon & Dillon, 1945: 140

Brazil (ES, RJ)

Thomsonista Nearn & Nascimento, 2019: 13
antonkozlovi Nearn & Nascimento, 2019: 13

Colombia (Risaralda)

Tibiosioma Martins & Galileo, 1990: 77
Tibiosomus: Wappes, Arias & Nearn, 2009: 4 [ISS]
Paraplerodia Martins & Galileo, 2010: 68
flavolineata Giorgi, 2001: 1
maculosa Martins & Galileo, 2007: 132
acarinata Martins & Galileo, 2010: 68
martinsi Nearn & Swift, 2011: 14
remipes Martins & Galileo, 1990: 79

Brazil (MG, RO)
 Bolivia (SC)
 wEcuador, Peru, Brazil (SP)
 Brazil (MG)

Touroultia Nearn & Tavakilian, 2012: 8
lordi Nearn & Tavakilian, 2012: 8
obscura (Bates, 1865: 169)
swifti Nearn & Tavakilian, 2012: 13

French Guiana
 Brazil (PA)
 wEcuador

Trachysomus Audinet-Serville, 1835: 40
apipunga Martins & Galileo, 2008: 27
arriagadai Galileo & Martins, 1991: 129
buquetii Thomson, 1858: 386

Peru, Bolivia (SC)
 Bolivia, Paraguay, Argentina (CH)
 Brazil, Argentina (CH)

camelus Buquet, 1852: 352
cavigibba Martins, 1975: 68
clarkei Martins & Galileo, 2009: 158
fragifer (Kirby, 1818: 440)
gibbosus Buquet, 1852: 354
hydaspes Dillon & Dillon, 1946: 236
luederwaldti Martins, 1975: 69
mexicanus Dillon & Dillon, 1946: 240
fragifer: Bates, 1880: 124 [Mld; not Kirby, 1818]
peregrinus Thomson, 1858: 387

santarensis Bates, 1865: 174
surdus Dillon & Dillon, 1946: 242
thomsoni Aurivillius, 1923: 345
verrucosus (Olivier, 1792: 458)
elephas Buquet, 1852: 351
dromedarius Buquet, 1852: 353
wappesi Martins & Galileo, 2009: 156

Trestoncideres Martins & Galileo, 1990: 87
albiventris Martins & Galileo, 2005: 459
lateralba Martins & Galileo, 1990: 88
santossilvai Nearn & Tavakilian, 2012: 15

Trestonia Buquet, 1859: 45 [NP]
Trestonia Buquet, 1859: 45 [JH; not Rafinesque, 1815 (Tenebrionidae)]
Trestonia: Bousquet, 2008: 624 [NP vs *Trestonia* Rafinesque, 1815 [NO]]

albilatera (Pascoe, 1859: 36)
assulina Bates, 1874: 226
bilineata Martins, Galileo & Tavakilian, 2008: 282
capreola (Germar, 1823: 492)
ceara Dillon & Dillon, 1946: 280
confusa Dillon & Dillon, 1946: 282
exotica Galileo & Martins, 1990: 14
fasciata Martins & Galileo, 1990: 87
forticornis Buquet, 1859: 46
frontalis (Erichson, 1847: 148)
chevolatii Buquet, 1859: 46
fulgurata Buquet, 1859: 48
grisea Martins & Galileo, 1990: 87
lateapicata Martins & Galileo, 2010: 89
morrisi Martins & Galileo, 2005: 460
nivea Martins & Galileo, 1990: 85
pulcherrima Dillon & Dillon, 1946: 285
pulcherima: Lagos & Barrios, 2014: 22 [ISS]
pyralis Dillon & Dillon, 1946: 283
rugosicollis Martins, Galileo & Limeira-de-Oliveira, 2009: 522
signifera Buquet, 1859: 49
skellei Martins, Santos-Silva & Galileo, 2015: 83
solangeae Nearn & Tavakilian, 2012: 18
turbula Monné & Fragoso, 1984: 929
ramuli: Dillon & Dillon, 1946: 281 [Mld; not Bates, 1865]
wappesi Nearn & Swift, 2011: 15

Tritania Dillon & Dillon, 1945: 51
dilloni Chalumeau, 1990: 300
grisea: Dillon & Dillon, 1945: 52 [Mld; not Fleutiaux & Sallé, 1889]

Tulcoides Martins & Galileo, 1990: 64
pura Martins & Galileo, 1990: 64
tibialis Martins & Galileo, 2009: 152

French Guiana, Brazil (AM), Venezuela
 Peru, Bolivia (SC)
 Bolivia (SC)
 Guatemala, Brazil (MG-SC), Paraguay
 Brazil (RJ-RS)
 Guyana, French Guiana, Bolivia (SC)
 Brazil (BA, MG, SP)
 Mexico (JA, CM, GR)

 Costa Rica (HE), Panama, Fr Guiana, Brazil (RJ),
 Ecuador, Peru
 French Guiana, Brazil (PA)
 Nicaragua-Panama, Venezuela, Trinidad
 Panama, Colombia, Venezuela
 Panama, French Guiana Brazil (RJ, SP), Peru

 Trinidad & Tobago (Tobago)

Peru, Bolivia (SC)
 Costa Rica, Suriname, French Guiana, Brazil (PA)
 French Guiana

Brazil (PA)
 Nicaragua-Panama
 French Guiana
 Brazil (MA), Paraguay, Argentina
 Brazil (CE)
 Costa Rica, Panama, Colombia
 French Guiana, Brazil (PA), Ecuador
 Colombia
 French Guiana, Brazil (AP, AM)
 French Guiana, Colombia, Brazil (AM),
 eEcuador, Peru, Bolivia (CO, SC)
 Guadeloupe, Grenada, Trinidad & Tobago
 Brazil (BA-SC), Paraguay (Cordillera)
 Brazil (GO), Bolivia (SC)
 Panama, French Guiana, Bolivia
 Suriname, French Guiana, Brazil (AP)
 Costa Rica, Panama

 Costa Rica, Panama
 Brazil (MA)
 Guadeloupe, Martinique, Brazil (DF)
 Bolivia (SC)
 Bolivia (CO)
 French Guiana, Brazil (RR, AM, AP, PA, RO, MT), eEcuador,
 Bolivia (CO, SC), Peru
 Panama

Venezuela, Suriname, French Guiana, Brazil (PA)

Brazil (BA-ES)
 French Guiana, Bolivia (SC)

Tulcus Dillon & Dillon, 1945: 50*Charoides* Dillon & Dillon, 1945: 55**amazonicus** (Thomson, 1860: 119)

Brazil (AM, RO), eEcuador

crudus (Erichson, 1847: 148)

eEcuador, Peru

subcostata Dillon & Dillon, 1945: 61**diaphorus** Martins & Galileo, 2009: 154

Bolivia (SC)

dimidiatus (Bates, 1865: 112)

Colombia, Brazil (AM), eEcuador

cruda: Dillon & Dillon, 1945: 64 [Mld; not Erichson, 1847]**distinctus** (Dillon & Dillon, 1945: 77)

Brazil (AM)

fulvofasciatus (Dillon & Dillon, 1945: 74)

Panama, Colombia

hebes (Dillon & Dillon, 1945: 59)

Peru

liturus (Dillon & Dillon, 1945: 62)

Brazil (Rondonia), Bolivia

lycimnius (Dillon & Dillon, 1945: 72)

Mexico (VC, TB)-Panama, Trinidad, Venezuela

picticornis: Bates, 1880: 123 [Mld; not Bates, 1865]**obliquefasciatus** (Dillon & Dillon, 1952: 61)

Brazil

paganus (Pascoe, 1859: 35)

Colombia, Brazil, Ecuador, Peru, Bolivia (SC)

pallidus (Dillon & Dillon, 1945: 69)

Nicaragua, Panama, Colombia, Bolivia

pepoatus (Martins & Galileo, 1996: 295)

Bolivia

picticornis (Bates, 1865: 111)

Peru, Brazil (AM)

pigrus (Martins & Galileo, 1990: 62)

Bolivia (BN, SC)

pullus (Dillon & Dillon, 1945: 65)

Peru, Bolivia

santossilvai Perez-Flores & Nearn, 2021: 148

Mexico (Oaxaca)

signaticornis (Thomson, 1868: 48)

Brazil (AM)

somus (Dillon & Dillon, 1945: 67)

Peru

subfasciatus (Thomson, 1860: 118)

French Guiana, Brazil (MA)

thysbe (Dillon & Dillon, 1945: 68)

Costa Rica, Panama, eEcuador

tigrinatus (Thomson, 1868: 49)

French Guiana, Brazil (AM, PA), eEcuador, Peru

antennata antennata Dillon & Dillon, 1945: 71*antennata sodalis* Dillon & Dillon, 1945: 72**Tybalimia** Thomson, 1868: 44**breuningi** Dillon & Dillon, 1952: 66

Colombia

caeca Bates, 1872: 201

Guatemala, Nicaragua-Panama, Venezuela

coeca Aurivillius, 1923: 341**diffusa** Vlasak & Santos-Silva, 2023: 158

Ecuador (El Oro)

funeraria Bates, 1880: 122

Mexico (VC), Guatemala, Honduras, Panama

ianthe Dillon & Dillon, 1945: 178

Panama?

mydas (Lucas in Laporte, 1857: 189)

Peru, eEcuador, Brazil (AM, CE)

tetrops Bates, 1872: 201**pixe** Dillon & Dillon, 1945: 179

Panama

pupillata (Pascoe, 1859: 35)

Colombia, Venezuela, Guianas, Suriname, Brazil, Bolivia, eEcuador, Peru

bipunctata Jekel, 1861: 260*orbis* Dillon & Dillon, 1945: 177**Typhlocerus** Dillon & Dillon, 1945: 117**prodigosus** (Thomson, 1868: 45)

Brazil (RJ ?)

Velozideres Nearn, 2019: 2**buntyni** Nearn, 2019: 2

Ecuador (Manabi)

Venustus Dillon & Dillon, 1945: 115**analogus** Martins & Galileo, 1996: 296

Colombia

zeteki Dillon & Dillon, 1945: 116Honduras, Costa Rica (GU, LI, PA), Panama,
Colombia, wEcuador, Bolivia (BO, Yungas)**Xylomimus** Bates, 1865: 308**baculus** Bates, 1865: 308

French Guiana, Brazil (PA)

Parmenini Mulsant, 1839: 118

- Alloleptosylus** Audureau & Santos-Silva, 2024: 38
 hardyi Audureau & Santos-Silva, 2024: 39 Panama (Chiriqui)
- Apteralcidion** Hovore, 1992: 37
 contractum Bezark & Santos-Silva, 2020: 1 Costa Rica (Cartago)
 lapierrei Hovore, 1992: 39 Costa Rica, Panama
- Bocainella** Monné & Monné, 2008: 65
 minima Monné & Monné, 2008: 65 Brazil (SP)
- Caudelytra** Franz, 1954: 221
 quadrispinosa Franz, 1954: 222 El Salvador
- Cleptonotus** Breuning, 1950: 142
 albomaculatus (Blanchard in Gay, 1851: 509) Chile
 subarmatus (Fairmaire & Germain, 1860: 516) Chile
- Cleptosoma** Breuning, 1950: 141
 clavipes (Blanchard in Gay, 1851: 510) Chile
- Crassiparmena** Bezark & Santos-Silva, 2023: 29
 compacta Bezark & Santos-Silva, 2023: 30 Ecuador (Pichincha)
- Cupeyalia** Zayas, 1975: 167
 subterranea Zayas, 1975: 168 Cuba
- Echthistatus** Pascoe, 1862: 352
 Parechthistatus: Giesbert, 2001: 9 [Mld; not Breuning, 1942]
 spinosus Pascoe, 1862: 353 Mexico (OA)
- Edechthistatus** Monné, 2005: 605 [RN]
 Parechthistatus Giesbert, 2001: 9 [JH; not Breuning, 1942]
 cobosi (Esteban & Santos-Silva, 2011: 104) Honduras
 hawksi (Giesbert, 2001: 9) Honduras
- Guarayo** Botero & Santos-Silva, 2023: 13
 phantasmaticus Botero & Santos-Silva, 2023: 15 Bolivia (Santa Cruz)
- Hoplocleptes** Breuning, 1947: 5
 humidens Breuning, 1947: 6 Chile
- Idephrynus** Bates, 1881: 160
 Neoplectrura Chemsak & Linsley, 1983: 228
 breedlovei (Chemsak & Linsley, 1983: 228) Mexico (GR)
 edentatus Bezark & Santos-Silva, 2023: 20 Mexico (Oaxaca)
 scaber Bates, 1881: 160 Mexico (VC)
- Ipochus** LeConte, 1852: 166
 fasciatus LeConte, 1852: 167 wUSA (CA), Mexico (BC)
 pubescens Casey, 1891: 45
 subnitidus Casey, 1891: 45
 hispidus Casey, 1913: 279
 parvulus Casey, 1913: 280
 pinicola Casey, 1913: 280
 globicollis Casey, 1913: 280

- catalinae* Casey, 1913: 281
insularis Blaisdell, 1925: 340 Mexico (BC, San Benito Island)
- Maisi** Zayas, 1975: 168
fisheri Zayas, 1975: 169 Cuba
- Mecynome** Bates, 1885: 335
aenescens Bates, 1885: 335 Mexico, Guatemala, El Salvador
- Microcleptes** Newman, 1840: 11
Microleptus: Buck, 1959: 597 [ISS]
arana Newman, 1840: 11 Chile
hemisphaerica Blanchard in Gay, 1851: 510
blanchardii Thomson, 1867: 21
variolosus Fairmaire & Germain, 1860: 520 Chile
globulosus Thomson, 1867: 22
sphaeroides Thomson, 1867: 22
- Nanilla** Fleutiaux & Sallé, 1889: 467
delauneyi Fleutiaux & Sallé, 1889: 467 Guadeloupe
delaunayi: Breuning, 1950: 149 [ISS]
globosa Zayas, 1975: 171 Cuba
terrestris Zayas, 1975: 172 Cuba
tuberculata Fisher, 1935: 196 Cuba
- Neohoplonotus** Monné, 2005: 608 [RN]
Hoplonotus Blanchard in Gay, 1851: 507 [JH, not Schmidt-Goebel, 1846, Staphylinidae]
spiniferus (Blanchard in Gay, 1851: 508) Chile
spiniferus: Thomson, 1867: 20 [ISS]
spinifer: Philippi, 1887: 775 [ISS]
- Parananilla** Breuning, 1956: 665
mexicana Breuning, 1956: 665 Mexico (GR)
- Parmakanthion** Heffern & Santos-Silva, 2022: 590
profundum Heffern & Santos-Silva, 2022: 590 Honduras (Lempira)
- Parmena** Dejean, 1821: 108
villosa Bates, 1885: 335 Mexico
- Parmenosoma** Schaeffer, 1908: 343
griseum Schaeffer, 1908: 344 swUSA (TX)
- Plaumanniella** Fisher, 1938: 136
novateutoniae Fisher, 1938: 137 Brazil (SC)
- Plectrura** Mannerheim, 1852: 365
spinicauda Mannerheim, 1852: 366 wNorth America (Alaska-n CA)
producta LeConte, 1854: 19
- Schreiteria** Melzer, 1933: 459
bruchii Melzer, 1933: 460 Argentina (TU)
colombiana Monné & Monné, 2006: 489 Colombia

Phacellini Lacordaire, 1872: 664*Phacellides* Lacordaire, 1872: 416 (key), 664**Brachychilus** Blanchard in Gay, 1851: 499*Blachychilus*: Porter, 1930: 551 [ISS]*Branchychilus*: Bosq, 1951: 106 [ISS]*Brachyciclus*: Ringuelet, 1955: 100 [ISS]**chevrolatii** Thomson, 1868: 103

Chile

literatus Blanchard in Gay, 1851: 500

Chile

modestus Philippi & Philippi, 1864: 383**scutellaris** Blanchard in Gay, 1851: 500

Chile, Argentina (NE)

irroratus Thomson, 1868: 102**wagenknechti** Cerda, 1954: 96

Chile

Eurycallinus Bates, 1885: 362*Eurycallinodes* Breuning, 1947: 60**mirabilis** Bates, 1885: 363

Mexico (VC)

unifasciatus (Breuning, 1947: 61)

Mexico (VC, PU?)

Neobrachychilus Monné, 1979: 410**consobrinus** (Lane, 1939: 75)

Brazil (MT), Bolivia (SC, TR), Argentina (SA)

Phacellus Dejean, 1835: 335**boryi** (Gory, 1832: pl.45)

Suriname, French Guiana, Brazil (AM, AP)

castaneus Monné, 1979: 406

Brazil (ES)

cuvieri Buquet, 1851: 604

Brazil (MG, SP, PR)

purpureus Lacordaire, 1872: 665**dejeani** Buquet, 1838: 255

Brazil (ES)

fulguratus Monné, 1979: 408

Brazil (SC)

latreillei Buquet, 1838: 255

Brazil (ES)

plurimaculatus Galileo & Martins, 2001: 104

Brazil (AM)

Piola Marinoni, 1974: 86**colombica** Martins & Galileo, 1999: 818

Colombia

quiabentiae Marinoni, 1974: 88

Brazil (MA, MT), Bolivia (SC, TR), Argentina (SA, FO)

rubra Martins & Galileo, 1999: 815

Bolivia (SC)

schiffi Galileo, Santos-Silva & Bezark, 2016: 10

Peru, wEcuador

unicolor Martins & Galileo, 1999: 817

Brazil (PA)

wappesi Nascimento, Botero & Santos-Silva, 2018: 15

Bolivia (SC)

Scolochilus Monné, 1979: 411**lautus** Monné & Tavakilian, 1988: 237

French Guiana, Brazil (AM)

maculatus Monné, 1979: 412

Brazil (MG)

Tuberopeplus Breuning, 1947: 66**chilensis** Breuning, 1947: 67

Chile

chilensis Cerda, 1963: 5**krahmeri** Cerda, 1980: 66

Chile

Phrynetini Thomson, 1864: 71*Phrynetitae* Thomson, 1864: 71**Phryneta** Dejean, 1835: 341**verrucosa** (Drury, 1773: 90)

Barbados, Grenada, Trinidad (Introduced)

sternutator Fabricius, 1775: 172*squamata* Goeze, 1777: 218*verrucata* Schoenherr, 1817: 396

melanoptera Thomson, 1878: 65

Pogonocherini Mulsant, 1839: 181

Alphomorphus Linsley, 1935: 100

vandykei (Linsley, 1930: 82)
vandykei grandis Linsley, 1933: 185
mexicanus Breuning, 1940: 185

Mexico (ME, MO, GR)

Callipogonius Linsley, 1935: 79

Acaua Martins & Galileo, 1995: 28
cornutus (Linsley, 1930: 86)
exotica (Martins & Galileo, 1995: 29)
hircinus (Bates, 1885: 358)

swUSA (TX)- Mexico (JA, VC)
 French Guiana, Brazil, Bolivia (BN, SC, TR), Ecuador, Paraguay
 Mexico (VC)-Honduras, Nicaragua

Ecteneolus Bates, 1885: 359

flohri Bates, 1885: 360

Mexico (ME)

Ecyrus LeConte, 1852: 160

Exocentrus: Haldeman, 1847: 50 [Mld; not Dejean, 1835]
Oebaceres Thomson, 1868: 164
albifrons Chemsak & Linsley, 1975: 284
arcuatus Gahan, 1892: 259
dasycerus var. *texanus* Schaeffer, 1908: 347
ciliatus Chemsak & Linsley, 1975: 285
dasycerus dasycerus (Say, 1826: 270).
obscurus Haldeman, 1847: 50
exiquus Haldeman, 1847: 50
 subsp. **floridanus** Linsley, 1935: 93
lineicollis Chemsak & Linsley, 1975: 283
pacificus Linsley, 1942: 80

Mexico (MO)-Costa Rica
 swUSA (TX), Mexico (QR, YU), Guatemala,
 Honduras
 Mexico (MI, GR)
 eNAmer-TX, Mexico

 seUSA (FL)
 Mexico (JA, OA, VC, SLP)
 Mexico (BC, SO, SI)

Estoloderces Melzer, 1928: 147

Falsestoloderces Breuning, 1963: 521
luederwaldti Melzer, 1928: 148
obliquus Bezark, Galileo & Santos-Silva, 2016: 135
romerorum Joly, Vigneault & Santos-Silva, 2017: 30

Brazil (MG-RS), Paraguay, Bolivia (SC)
 Costa Rica (GU)
 Venezuela

Hypomia Thomson, 1868: 51

mexicana Thomson, 1868: 52
hirtipes Gahan, 1895: 127
insularis Fisher, 1932: 76
hoffmanni Fisher, 1932: 78
nanus Fisher, 1932: 79
flavus Fisher, 1932: 80
penicillata (Bates, 1880: 137)
fasciatus Hamilton, 1896: 137
pencillatus: Linsley, 1930: 89 [ISS]

seUSA (FL), W Indies, Antigua, Barbados, Bahamas, Mexico?

swUSA (TX), Mexico (SI, TA, VC), Guatemala
 Honduras, Nicaragua

Lophopogonius Linsley, 1935: 94

crinitus (LeConte, 1873: 237)

wNorth America (Pacific Coast)

Lypsimena Haldeman, 1847: 54

Alloeoscelis Bates, 1885: 358
fuscata Haldeman, 1847: 54
brasiliensis Aurivillius, 1922: 164
navarroi Melzer, 1928: 148
leptis Bates, 1885: 358
californica Horn, 1885: 194

sUSA (FL, CA), Mexico (MO)-South America

nodipennis (Burmeister, 1865: 181)	Brazil, Bolivia (SC), Argentina, Uruguay
proletaria (Melzer, 1931: 2)	Brazil (PE-RS)
<i>proletaria</i> var. <i>vitticollis</i> Melzer, 1931: 3	
strandiella Breuning, 1943: 58	Mexico (PU)
tomentosa Chemsak & Linsley, 1978: 30	Venezuela

Oectropsis Blanchard in Gay, 1851: 503	
chilensis Nascimento, Monné & Santos-Silva, 2010: 216	Chile
latifrons Blanchard in Gay, 1851: 503	Chile, Argentina (NE)
pusillus (Blanchard in Gay, 1851: 502)	Chile, Argentina (NE)
<i>franciscæ</i> Barriga & Cepeda, 2006: 48	

Pogonocherus Dejean, 1821: 107	
<i>Pogonocerus</i> : Stephens, 1829: 197 [ISS]	
<i>Pogonocerus</i> Gistel, 1848: 430 [UE]	
<i>Pogonochaerus</i> Gemminger & Harold, 1873: 3116	
<i>Pityphilus</i> Mulsant, 1862: 302	
<i>Pityophilus</i> Bedel, 1889: 41	
<i>Pogonocherus</i> (<i>Eupogonocherus</i>) Linsley, 1935: 97	
arizonicus Schaeffer, 1908: 346	swUSA (AZ), Mexico (DU)
<i>medianus</i> Linsley, 1935: 98	
mixtus Haldeman, 1847: 50	North America
<i>simplex</i> LeConte, 1873: 237	
parvulus LeConte, 1852: 160	nUSA, Canada
<i>salicola</i> Casey, 1913: 347	
<i>salicicola</i> Morris, 1918: 41	
<i>mixtus</i> : Caulfield, 1881: 60 [Mld; not Haldeman, 1847]	
penicillatus LeConte in Agassiz, 1850: 234	nUSA, Canada, Alaska
<i>penicellatus</i> LeConte, 1852: 160	
<i>pencilatus</i> Craighead, 1923: 123	
<i>alaskanus</i> Schaeffer, 1909: 385	
<i>carinatus</i> Casey, 1913: 346	
<i>propinquus</i> Fall, 1910: 6	
pictus Fall, 1910: 6	wNorth America
<i>simplex</i> ” Hamilton, 1896: 135 [Mld; not LeConte, 1873]	
<i>emarginatus</i> Casey, 1913: 347	
<i>fastigiatus</i> Casey, 1913: 348	

Poliaenus Bates, 1880: 120	
abietis Tyson, 1968: 140	wUSA (CA)
batesi Linsley, 1933: 183	Guatemala
californicus (Schaeffer, 1908: 347)	wUSA (CA)
<i>pilatei</i> Van Dyke, 1920: 46	
concolor (Schaeffer, 1909: 102)	Mexico (BC)
<i>obliquus</i> Linsley, 1942: 81	
hesperus Chemsak & Linsley, 1988: 133	Mexico (JA, GR)
negundo (Schaeffer, 1905: 164)	wUSA (AZ), Mexico (SO)
nuevoleonis nuevoleonis Chemsak & Linsley, 1975: 279	swUSA (TX), Mexico (NL)
subsp. similnegundo Skiles, 1979: 107	swUSA (AZ), Mexico (DU)
obscurus obscurus (Fall, 1910: 5)	swUSA (AZ, NV)
subsp. albidus Linsley, 1933: 184	wUSA (CA)
<i>concolor</i> : Van Dyke, 1920: 46 [Mld; not Schaeffer, 1909]	
subsp. ponderosae Linsley, 1935: 85	wUSA (CA)
<i>californicus</i> : Van Dyke, 1920: 49 [Mld; not Schaeffer, 1908]	
subsp. schaefferi Linsley, 1933: 184	wUSA (CA)
<i>vandykei</i> : Schaeffer, 1932: 153 [Mld; not Linsley, 1930]	
<i>californicus</i> : Craighead, 1923: 124 [Mld; not Schaeffer, 1908]	

oregonus (LeConte, 1861: 354)
sparsus Chemsak & Linsley, 1975: 277
volitans (LeConte, 1973: 232)
 hirsutus Bates, 1880: 120
 incertus Breuning, 1943: 58

wNorth America
 Mexico (NA)
 Mexico (BC, SO, SI), Guatemala, El Salvador
 Nicaragua, Costa Rica (HE, PU)

Soluta Lacordaire, 1872: 657

gramineoides Lacordaire, 1872: 657

Brazil

Zaplous LeConte, 1878: 415

annulatus (Chevrolat, 1862: 250)
 hubbardi LeConte, 1878: 415
baracutey Zayas, 1975: 212

seUSA, Cuba

Cuba

Polyrhaphidini Thomson, 1860: 30
Polyrhaphitae Thomson, 1860: 3 (key), 30

Polyrhaphis Audinet-Serville, 1835: 26

Polyrhaphis: Desmarest in Chenu, 1860: 321 [ISS]

Polyraphis: Lacordaire, 1872: 731 [ISS]

Polyrrhaphis Gemminger & Harold, 1873: 3139 [UE of "Polyraphis Serv."]

angustata Buquet, 1853: 445
 elongata Bates, 1880: pl.10, fig.3
 bondari Lane, 1939: 76
argentina Lane, 1978: 72
armiger (Schoenherr, 1817: 381)
 armata Voet, 1778: 15
baloupae Santos-Silva, Martins & Tavakilian, 2010: 498
batesi Hovore & McCarty, 1998: 8
belti Hovore & McCarty, 1998: 10
confusa Lane, 1978: 63
fabricii Thomson, 1865: 542
 denudata Lane, 1978: 69
gracilis Bates, 1862: 403
 testacea Lane, 1965: 298
grandini Buquet, 1853: 444
hystricina Bates, 1862: 402
jansoni Pascoe, 1859: 30
 janseni: Aurivillius, 1923: 372 [ISS]
ju Martins, Santos-Silva, Galileo & Limeira-de-Oliveira, 2014: 616
kempfi Lane, 1978: 67
lanei Santos-Silva, Martins & Tavakilian, 2010: 497
michaeli McCarty, 1997: 43
olivieri Thomson, 1865: 543
papulosa (Olivier, 1795: [no 67] 72)
 paraensis Bates, 1862: 404
 spinipennis Breuning, 1978: 109
peruana Santos-Silva, Martins & Tavakilian, 2010: 476
pilosa Lane, 1965: 294
skillmani Wappes & Santos-Silva, 2013: 2
spinipennis Laporte, 1840: 460
 abdominalis Heyne & Taschenberg, 1906: 243 [Mld; not
spinosa (Drury, 1773: pl. 31)
 horrida Voet, 1778: 15
turnbowi Hovore & McCarty, 1998: 12

Nicaragua-Panama, French Guiana,
 Brazil (AM, RO, PA, BA), eEcuador, Bolivia (LP)

Brazil, Peru, Bolivia (BN), Paraguay, Argentina
 Unknown

French Guiana
 Mexico (VC)-Panama, wEcuador
 Guatemala, Honduras-Panama, Colombia, wEcuador
 Brazil (RJ-RS), Paraguay
 Guyana, French Guiana, Brazil (AM), eEcuador, Peru

French Guiana, Brazil (AM, RO, MS, PI, BA, SP), eEcuador,
 Bolivia (SC), Paraguay
 Brazil (MG, RJ)
 French Guiana, Brazil (PA)
 eEcuador, Brazil (PA), Bolivia (PA)

Brazil (MA)
 Brazil (BA, ES)
 Brazil (AM, PA)
 Mexico (QR, YU, OA)
 French Guiana, Brazil (MG)
 Colombia, French Guiana, Brazil, Peru, Bolivia (LP, SC)

Peru
 Peru, eEcuador, Bolivia, Guianas
 Bolivia (SC)
 South America

White, 1855, in *Trigonocephalus*
 Colombia, Guianas, Brazil (AP, AM), eEcuador, Bolivia (SC)

Panama, Peru?

Pretiliini Martins & Galileo, 1990: 705**Pretilia** Bates, 1866: 302**tuberculata** (Fabricius, 1801: 331)*telephoroides* Bates, 1866: 302

French Guiana, Brazil (PA)

Pteropliini Thomson, 1860: 43, 73*Pteropliitae* Thomson, 1860: 43 (key), 73*Protorhopalitae* Thomson, 1864: 69*Niphoninae* Pascoe, 1864: 56*Hebestolitae* Thomson, 1864: 107 (part)*Ataxiides* Lacordaire, 1872: 597*Emphytoeciides* Lacordaire, 1872: 713*Baroeides* Lacordaire, 1872: 439*Atossides* Lacordaire, 1872: 496*Metagnomini* Breuning, 1961: 5**Anobrium** Belon, 1902: 334*Euteles* Breuning, 1940: 212**bicolor** Botero and Santos-Silva, 2022: 15**fasciatum** Galileo & Martins, 2002: 21**fraterculum** Galileo & Martins, 2002: 24**leuconotum** Galileo & Martins, 2002: 19**luridum** (Breuning, 1940: 212)**minimum** Martins, Galileo & Limeira-de-Oliveira, 2009: 523**obertheuri** Belon, 1902: 334**punctatum** Galileo & Martins, 2002: 21**rugosicollis** Galileo & Martins, 2002: 23**simplicis** Galileo & Martins, 2002: 22**wappesi** Galileo, Martins & Santos-Silva, 2014: 81

French Guiana (Kaw, Belizon, Nancibo)

French Guiana, Brazil (MT), Bolivia (SC)

Brazil (SP, RG)

French Guiana, Brazil (MA, MG)

Brazil (ES)

Brazil (MA)

Brazil (PA, RO, MT, MG), Bolivia (CO, SC), eEcuador, Peru

Brazil (MA, PI, MS)

Brazil (MG), Peru, Bolivia (SC)

Brazil (GO, PN, MS, SP), Bolivia (SC)

Bolivia (SC)

Ataxia Haldeman, 1847: 56*Stenidea*: Haldeman, 1847: 373 [Mld; not Mulsant, 1842]*Stenosoma*: LeConte, 1852: 158 [Mld; not Mulsant, 1839]*Proecha* Thomson in Chevrolat, 1862: 252*Esthlogena*: Bates, 1866: 289 [Mld; not Thomson, 1864]*Parysatis* Thomson, 1868: 118*Parepectasis* Bruch, 1926: 345**acutipennis** (Thomson, 1868: 111)**albisetosa** Breuning, 1940: 38**alboscuteolata** Fisher, 1926: 3**alpha** Chemsak & Noguera, 1993: 91**arenaria** Martins & Galileo, 2013: 321**arizonica** Fisher, 1920: 158**brunnea** Champlain & Knull, 1926: 206**camiriensis** Galileo & Santos-Silva, 2016: 82**canescens** (Bates, 1880: 113)**cayennensis** Breuning, 1940: 152**cayensis** Chemsak & Feller, 1988: 182**cineracea** Galileo & Martins, 2007: 205**crassa** Vitali, 2007: 50**crypta** (Say, 1832: 5)*annulata*: Fabricius, 1801: 326 [Mld; not Fabricius, 1792]*sordida* Haldeman, 1847: 56**cylindrica** Breuning, 1940: 39**estoloides** Breuning, 1940: 39**falli** Breuning, 1961: 225*sulcata* Fall, 1907: 84 [JsH; not Bates, 1866]**fulvifrons** (Bates, 1885: 346)**haitiensis** Fisher, 1932: 73

Brazil (RJ-RS)

Brazil (BA, CE, PE)

Cuba, Puerto Rico, Virgin Islands

Mexico (SI, JA)

Brazil (BA, PB)

swUSA (AZ), Mexico (BC)

cUSA (MN-IL, TX)

Bolivia (SC)

Mexico (YU), Honduras

French Guiana

Belize (Twin Cays)

Bolivia (SC)

Jamaica

eUSA-Mexico

Colombia

Brazil (SP)

sUSA (Fla)

Costa Rica, Panama

Haiti

heppneri Wappes, Galileo & Santos-Silva, 2017: 95
hovorei Lingafelter & Nearn, 2007: 184
hubbardi Fisher, 1924: 253
 crypta: Riley, 1880: 271 [Mld; not Say, 1832]
illita (Bates, 1885: 347)
lineata (Fabricius, 1792: 314)
luteifrons (Bruch, 1926: 345)
 strandii Breuning, 1940: 40
mucronata (Bates, 1866: 289)
 linearis Bates, 1866: 290
nivisparsa (Bates, 1885: 346)
obscura (Fabricius, 1801: 307)
 sulcata Bates, 1866: 290
 collaris Thomson, 1868: 119
 flaviceps Breuning, 1942: 137
obtusa (Bates, 1866: 291)
 brunnipes Thomson, 1868: 122
operaria Erichson in Schomburg, 1848: 574
 nigritarsis Thomson, 1868: 120
 lineata Aurivillius, 1922: 292
 flavescens Bates, 1880: 112
parva Galileo & Martins, 2011: 179
perplexa (Gahan, 1892: 258)
piauiensis Martins & Galileo, 2012: 559
prolixa (Bates, 1866: 291)
rufitarsis (Bates, 1880: 112)
setulosa Fall, 1907: 84
spinicauda Schaeffer, 1904: 224
 stehliki Chemsak, 1969: 187
spinipennis Chevrolat, 1862: 252
uniformis Fisher, 1926: 3
variegata Fisher, 1925: 1
yucatana Breuning, 1940: 39

Panama
 Haiti, Dominican Republic
 swUSA (AZ-AR, TX, CO), Mexico

Guatemala
 Mexico (VC)-Argentina, Bolivia (SC), Brazil (MA), Paraguay (Cordillera)
 Brazil (MS), Bolivia (SC), Paraguay, Argentina

Panama, Suriname, French Guiana, Brazil (AM, MA, PA, ES, RO, MT),
 Bolivia (SC)
 Honduras, Costa Rica, Panama
 French Guiana, Brazil (AM, AP, MA), eEcuador,
 Peru, Bolivia (PN)

Brazil (ES-SC), Bolivia (SC)

Mexico (VC)-Brazil, Paraguay (Canindeyu)

Brazil (CE, PB)
 Mexico (MO, GR, PU)
 Brazil (PI)
 Brazil (RJ)
 Nicaragua
 Mexico (BC)
 sUSA (FL), Cuba, Bahamas, Jamaica

Cuba, Puerto Rico, St Thomas
 Trinidad
 Cuba, Jamaica
 Mexico (YU)

Catafimbria Aurivillius, 1922: 260 [RN]

Fimbria Belon, 1896: 387 [JH; not Megerle von Mühlfeld, 1811, Mollusca]
boliviana (Belon, 1896: 388)

Bolivia

Cryptocranium Lacordaire, 1830: 184

Ornatodesida Breuning, 1961: 18

Omatodesisa: Monné, M.A. & Giesbert, 1992: 252 [ISS of *Ornatodesida* Breuning, 1961]

cazieri Lane, 1958: 6

pulchra Breuning, 1961: 19

gounellei Breuning, 1980: 68

laterale Audinet-Serville, 1835: 76

Brazil (PA, GO), Peru, Bolivia (SC), Paraguay

Brazil (PE, MG-SC), Bolivia

Emphytoecia Fairmaire & Germain, 1860: 529

Amphithoecia: Thomson, 1861: 383 [ISS]

Emphytoecides Breuning, 1942: 174

alboliturata (Blanchard in Gay, 1851: 520)

camousseighti Cerda, 1995: 77

dimidiata (Blanchard in Gay, 1851: 521)

dimidiata m. *vitticollis* Breuning, 1947: 61

elquiensis Cerda, 1995: 79

lineolata (Blanchard in Gay, 1851: 519)

lineolata Breuning, 1942: 175

niveopicta Fairmaire & Germain, 1864: 390

sutura-alba Fairmaire & Germain, 1860: 531

suturella (Blanchard in Gay, 1851: 518)

saturella: Thomson, 1861: 383 [ISS]

Chile

Chile

Chile

Chile

Chile

Chile

Chile

Chile

Emphytoeciosoma Melzer, 1934: 96**daguerrei** Melzer, 1934: 97**flavum** Martins, Santos-Silva & Galileo, 2015: 102Argentina (BA), Uruguay
Peru**Epectasis** Bates, 1866: 294**hiekei** Breuning, 1974: 157**junceae** (Newman, 1840: 13)*attenuata* Bates, 1866: 294*grosseopunctata* Breuning, 1942: 175**junceoides** Breuning, 1961: 25**mexicana** Breuning, 1954: 6**panamensis** Breuning, 1974: 157**rotundipennis** Breuning, 1943: 63**similis** Gahan, 1895: 126Mexico (VC), Honduras
Mexico (VC)-Panama, French Guiana, Brazil,
Ecuador, Peru, Bolivia (SC)Brazil (AM)
Mexico, Colombia
Panama
Brazil (ES, MA)
W Indies (Lesser Antilles)**Esaete** Galileo & Martins, 2002: 15**rufulus** Galileo & Martins, 2002: 15

Brazil (ES, BA)

Esthlogena (Esthlogena) Thomson, 1864: 107*Hebestola* Thomson, 1857: 302 [Mld; not Haldeman, 1847]**albisetosa** Bates, 1880: 113**albolineata** (Breuning, 1940: 40)**amaliae** Galileo & Martins, 2011: 184**brunnescens** Breuning, 1940: 41*brunescens* Breuning, 1961: 35**chicacaoensis** Galileo & Martins, 2011: 184**comata** (Thomson, 1857: 303)**crassa** Martins, Galileo & Santos-Silva, 2015: 399**dissimilis** Galileo & Martins, 2011: 186**foveolata** Aurivillius, 1920: 381**glaucipennis** Thomson, 1868: 121**guatemalena** Bates, 1885: 348*guatemalana*: Chemsak & Linsley, 1970: 410 [ISS]**lanata** Breuning, 1940: 152**maculifrons** Thomson, 1868: 120**mirandilla** Bates, 1885: 348**nigrosuturalis** Galileo & Martins, 2011: 183**porosa** Bates, 1872: 200**porosoides** Breuning, 1969: 188**setosa** Galileo, Bezark & Santos-Silva, 2016: 14**spinipennis** Breuning, 1942: 137**spinosa** Breuning, 1954: 6Mexico-Honduras
Guyana, French Guiana, Brazil (AM)
Guatemala
ColombiaGuatemala
Brazil (BA, ES), Uruguay
Mexico (HI), Guatemala
Peru (Cusco)
Bolivia (SC)
Brazil
GuatemalaBrazil
Brazil (BA, RJ, SP), Paraguay
Guatemala, Panama
Mexico (CO), Panama
Mexico (VC)-Panama
Brazil (BA)
Ecuador
Brazil (SC)
Guatemala**Esthlogena (Pseudotaxia)** Breuning, 1940: 152**bella** Galileo, Martins, Le Tirant & Santos-Silva, 2014: 10**obliquata** Breuning, 1940: 152**proletaria** Thomson, 1868: 121Peru
Brazil
Venezuela, Peru**Esthlogenopsis** Breuning, 1942: 138**atlantica** Monné & Monné, 2006: 491**ochreoscutellaris** Breuning, 1942: 138Brazil (BA, ES, MG, RJ)
Brazil (GO), Bolivia (BN, SC)**Ophthalmocydrus** Aurivillius, 1925: 513*Kuauna* Martins & Galileo, 2009: 531**semiorbifer** Aurivillius, 1925: 513*schmidi* Martins & Galileo, 2009: 531

Colombia, Venezuela

Parepectasoides Breuning, 1979: 47 [RN]*Proxepectasis* Monné & Giesbert, 1992: 252 [URN]

Parepectasis Breuning, 1974: 159 [JH; not Bruch, 1926 (jun. syn of *Ataxia*)]

boliviana (Breuning, 1974: 159)

Brazil (ES), Bolivia (SC)

Proanobrium Roguet, 2023: 79

patawaense Roguet, 2023: 79

French Guiana (Kaw)

Pteroplius Lacordaire, 1830: 183 [ISSPU]

Pterhoplius Lacordaire, 1830: 183 [IOS]

Pteroplius: Audinet-Serville, 1835: 65 [COS / ISSPU]

Pteroplia: Thomson, 1860: 73 [ISS]

acuminatus Audinet-Serville, 1835: 66

Brazil (BA, ES, RJ)

Rhaphiptera Audinet-Serville, 1835: 66

Phaphiptera: Vulcano, Mascarenhas & Pereira, 1980: 107 [ISS]

affinis Thomson, 1868: 116

Brazil (ES, RJ-RS), Paraguay

albicans Breuning, 1940: 152

Brazil (ES)

albipennis Breuning, 1947: 51

Brazil (BA, MG)

alvarengai Fragoso & Monné, 1984: 1081

French Guiana, Brazil (MT)

annulicornis Gounelle, 1908: 13

Brazil (GO, MT, MG)

apeara Galileo & Martins, 2011: 179

Brazil (BA)

avicenniae Dalens & Tavakilian, 2007: 6

French Guiana, Brazil (PA)

boliviana Galileo & Martins, 2007: 205

Bolivia (SC)

candicans Gounelle, 1908: 16

Brazil (PE)

clarevestita Tippmann, 1953: 359

Brazil (ES, SP-SC)

delmari Nascimento & Bravo, 2014: 88

Brazil (BA)

durantoni Tavakilian & Touroult, 2007: 2

French Guiana

elegans Breuning, 1961: 11

Brazil (GO)

gahani Gounelle, 1908: 15

Brazil (RJ)

planipennis Zajciw, 1960: 144

lavaissierorum Dalens & Tavakilian, 2007: 3

French Guiana

melzeri Fragoso & Monné, 1984: 1082

Brazil (BA)

nodifera Audinet-Serville, 1835: 66

Brazil, Bolivia (SC), Paraguay, Argentina

obtusipennis Melzer, 1935: 188

Brazil (ES, RJ)

oculata Gounelle, 1908: 16

Brazil (GO, MA, PB-SP), Bolivia (SC), Argentina

oculata var. *gounellei* Breuning, 1961: 16

pallens Gounelle, 1908: 15

Brazil (MG, SP, PR)

punctulata Thomson, 1868: 117

Brazil (ES, RJ)

rixator Thomson, 1868: 117

French Guiana, Brazil (PA, MT, ES)

americanus Schoenherr, 1817: 363

notata Voet, 1778: 16

vexator: Thomson, 1878: 11 [ISS]

roppai Fragoso & Monné, 1984: 1082

Brazil (AM)

scrutator Thomson, 1868: 118

Panama, French Guiana, Peru

seabrai Fragoso & Monné, 1984: 1080

Brazil (ES)

tavakiliani Fragoso & Monné, 1984: 1082

French Guiana

triangulifera Lane, 1974: 97

Brazil (ES)

triangularis: Fragoso & Monné, M.A., 1984: 1976 [ISS]

Rhaphipteroides Touroult & Tavakilian, 2007: 14

apicalis Touroult & Tavakilian, 2007: 14

French Guiana, Brazil

Trichepectasis Breuning, 1940: 213

rufescens Breuning, 1940: 213

Brazil (MG, RJ)

Saperdini Mulsant, 1839: 181
Phytoeciini Mulsant, 1839: 191
Obereitae Thomson, 1864: 117

Mecas LeConte, 1852: 155

- Stenostola* LeConte, 1852: 154 (not Dejean, 1835)
- albovitticollis** Breuning, 1955: 146 Mexico
 - ambigena** Bates, 1881: 203 Mexico (DU-ME)
 - pseudambigena* Breuning, 1955: 147
 - bicallosa** Martin, 1924: 244 wNAmer-CO, Mexico (BC)
 - cana cana** (Newman, 1840: 12) seUSA (FL)
 - subsp. **saturnina** (LeConte, 1859: 21) scUSA-TX, Mexico
 - inornata*: Packard, 1871: 594 [Mld; not Say, 1824]
 - brevicollis* Casey, 1913: 362
 - concolor*: Kirk & Balsbaugh, 1975: 100 [Mld; not LeConte, 1852]
 - cineracea** Casey, 1913: 360 Canada, seUSA-AZ, CO, Mexico
 - bicallosa*: Breuning, 1955: 140 [Mld; not Martin, 1924]
 - cinerea** (Newman, 1840: 13) Mexico
 - senescens* Bates, 1881: 203
 - rubripes* Bates, 1881: 203
 - inornata*: Gahan, 1888: 300 [Mld; not Say, 1824]
 - rubripes* m. *callosoreducta* Breuning, 1955: 143
 - cirrosa** Chemsak & Linsley, 1973: 171 Mexico (GU, QE)
 - confusa** Chemsak & Linsley, 1973: 163 scUSA (KS-TX)
 - inornata*: Townsend, 1884: 222 [Mld; not Say, 1824]
 - femoralis** (Haldeman, 1847: 59) seUSA
 - humeralis** Chemsak & Linsley, 1973: 172 Mexico (JA)
 - linsleyi** Knull, 1974: 130 swUSA (TX)
 - marginella** LeConte, 1873: 239 seUSA-NM
 - marmorata** Gahan, 1892: 268 Mexico (PU, JA, SI, GR, OA)
 - menthae** Chemsak & Linsley, 1973: 174 swUSA (AZ), Mexico
 - marginella*: Linsley, Knull & Statham, 1961: 32 [Mld; not LeConte, 1873]
 - obereoides** Bates, 1881: 204 Mexico-Honduras
 - laminata* Bates, 1881: 204
 - m. *rufobasalis* Breuning, 1955: 150
 - m. *discopunctata* Breuning, 1955: 150
 - m. *discoimpunctata* Breuning, 1955: 150
 - pergrata** (Say, 1824: 407) sc-seUSA-NM, Mexico
 - gentilis* LeConte, 1852: 154
 - discovittata* Breuning, 1955: 143
 - m. *semiruficollis* Breuning, 1955: 145
 - skillmani** Santos-Silva & Androw, 2022: 6 Mexico (Jalisco)

Oberea Dejean, 1835: 351

- Isosceles* Newman, 1842: 318
- Amaurostoma* Mueller, 1906: 223
- affinis** Dejean, 1835: 351 eNorth America
 - bimaculata*: amer. auct. [Mld; not Olivier, 1800]
 - caseyi** Plavilstshikov, 1927: 64 eNorth America
 - ferruginea* Casey, 1913: 366 [JsH; not Thunberg, 1787: 57]
 - canadensis* Fisher, 1945: 56
 - quadricallousa*: Linsley & Chemsak, 1995: 226 [Mld; not LeConte, 1874]
 - schaumi*: Linsley & Chemsak, 1995: 229 [Mld; not LeConte, 1852]
 - myops* Linsley & Chemsak, 1995: 244 (not Haldeman, 1847)
 - deficiens** Casey, 1924: 296 neNorth America
 - tripunctata*: Linsley & Chemsak, 1995: 242 [Mld in part; not Swederus, 1787]
 - delongi** Knull, 1928: 12 neUSA
 - erythrocephala** (Schrank, 1776: 67) Europe, introduced and established in central U.S.
 - taygetana* Pic, 1901: 27
 - flavipes** Haldeman, 1847: 57 neNorth America-Manitoba

- gracilis** (Fabricius, 1801: 324) eNorth America (Atlantic Coast)
myops Haldeman, 1847: 57 eNAmer (Manitoba, Ont-GA)
ocellata Haldeman, 1847: 56 eUSA-TX, ND
 var. *discoidea* Horn, 1878: 47
 plagiata Casey, 1913: 371
oculaticollis Say, 1824: 406 cNorth America (Manitoba-TX)
 brooksi Wallis, 1926: 94
pallida Casey, 1913: 366 neNorth America
 praelonga: Linsley & Chemsak, 1995: 246 [Mld in part; not Casey, 1913]
perspicillata Haldeman, 1847: 57 eNorth America-UT, TX
 bimaculata: Horn, 1878: 46 [Mld; not Olivier, 1800]
 var. *tripunctata* Horn, 1878: 46
 bipunctata Creutzer, 1896: pl.16
 basalis LeConte, 1852: 153
 texana Horn, 1878: 47
 montana Casey, 1913: 369
 filum Casey, 1913: 369
 delicatula Casey, 1913: 368
 exilis Casey, 1913: 368
 iowensis Casey, 1913: 370
 insignis Casey, 1913: 370
 umbra Casey, 1913: 370
 dolosa Casey, 1913: 368
 flavocephala Blatchley, 1922: 32
praelonga Casey, 1913: 368 neNorth America
 tripunctata Dillon & Dillon, 1961: 654 Mld; not Swederus, 1787]
quadricollis LeConte, 1874: 68 wNorth America-CO, NV
 schaumii Garnett, 1918: 284 [MLd; not LeConte, 1852]
ruficollis (Fabricius, 1792: 311) eUSA
 plumbea Olivier, 1800: [no 68] 21
 bicolor Megerle, 1804: 11
 tibialis Haldeman, 1847: 57
 rufolineata Breuning, 1962: 227
schaumii LeConte, 1852: 153 eNorth America-TX, Alberta
 pruinosa Casey, 1913: 365
 quadricollis cylindricollis Casey, 1924: 295
 wapleri Chevrolat, 1853: 420
tripunctata (Swederus, 1787: 197) eNorth America-Manitoba, TX
 mandarina Fabricius, 1801: 321
 amabilis Haldeman, 1847: 57
 tripunctata intermedia Casey, 1913: 367
 tripunctata appalachiana Casey, 1913: 367
ulmicola Chittenden, 1904: 4 neNorth America
 ocellata: Linsley & Chemsak, 1995: 233 [Mld in part; not Haldeman, 1847]
- Pannychella** Gilmour, 1962: 137
 callicera (Bates, 1881: 206) Mexico
- Pannychis** Thomson, 1864: 127
 sericeus (Thomson, 1864: 127) Mexico (CHA, JA, GR, VC, MI, PU, OA)
 ducalis Bates, 1881: 205
- Pseudolinda** Breuning, 1954: 562
 quinquepunctata (Bates, 1881: 202) Mexico (OA, TL, CHS), Guatemala, Honduras
- Saperda (Compsidia)** Mulsant, 1839: 185
 moesta LeConte, 1850: 234
 subsp. *tulari* Joutel in Felt & Joutel, 1904: 70 eNorth America
 wNorth America

Saperda (Saperda) Fabricius, 1775: 184*Anaerea* Mulsant, 1839: 184*Amilia* Mulsant, 1863: 376*Argalia* Mulsant, 1863: 381*Lopezcolonia* Alonso-Zarazaga, 1998: 131**calcarata** Say, 1824: 408

North America

adspersa LeConte, 1850: 234**candida** Fabricius, 1787: 147

eNorth America

bivittata Say, 1824: 409*bipunctata* Hopping, 1925: 208**cretata** Newman, 1838: 395

eNorth America

discoidea Fabricius, 1798: 147

eNorth America

fuscipes Say, 1826: 273*fuscipes* var. *dorsalis* Haldeman, 1847: 56**fayi** Bland, 1863: 320

neNorth America

m. *imaculipennis* Breuning, 1952: 167*shoemakeri* Davis, 1923: 97**hornii** Joutel, 1902: 33

wNorth America (Pacific Coast, ID)

horni: Aurivillius, 1923: 485 [ISS]*uteana* Casey, 1924: 294**imitans** Joutel in Felt & Joutel, 1904: 58

neNorth America

inornata Say, 1824: 407

eNorth America-ID, AZ

concolor LeConte, 1852: 163*concolor* var. *unicolor* Joutel in Felt & Joutel, 1904: 16*mecasoides* Casey, 1913: 359**lateralis** Fabricius, 1775: 185

eNorth America-TX, ND

abbreviatus Fitch, 1858: 61*suturalis* Fitch, 1858: 61var. *connecta* Joutel, 1904: 60var. *disconotata* Pic, 1907: 152m. *transeuns* Breuning, 1952: 165**mutica** Say, 1824: 409

eNorth America

obliqua Say, 1826: 274

eNorth America

puncticollis Say, 1824: 406

eNorth America

trigeminata Randall, 1838: 43**tridentata** Olivier, 1800: [no 68] 30

eNorth America-TX, ID

var. *dubiosa* Haldeman, 1847: 55*intermedia* Fitch, 1858: 60*rubronotata* Fitch, 1858: 60*trifasciata* Casey, 1913: 359var. *disconotata* Pic, 1907: 152**vestita** Say, 1824: 290

eNorth America

atkinsoni Curtis, 1829: pl.275*immaculata* Breuning, 1976: 740**Tapeinini** Thomson 1857: 41**Tapeina** Lepeletier & Audinet-Serville in Latreille, 1828: 545*Eurycephalus* Gray in Griffith, 1831: pl. 65, fig. 5*Tapina* Gemminger & Harold, 1873: 3068 [UE]**bicolor** Lepeletier & Audinet-Serville in Latreille, 1828: 546

Brazil (RJ)

coronata **coronata** Lep. & Aud-Serv in Latreille, 1828: 546

Brazil (RJ)

picea Lepeletier & Aud-Serv in Latreille, 1828: 546*niger* Gray in Griffith, 1831: pl. 65, fig. 5*diadema* Gemminger, 1873: 146 [RN for *coronata* Thomson, 1857a: 43, considered by Gemminger to be distinct from *T. coronata* Lep. & Aud.-Serv., 1828]*diadem*: Fisher, 1944: 10 [ISS of *diadema* Gemminger, 1873]subsp. **integra** Marinoni, 1972: 20

Brazil, Paraguay, Argentina

dispar Lepeletier & Audinet-Serville, 1828: 546

South America

erectifrons **erectifrons** Thomson, 1857: 43

Colombia, Venezuela

coronata: Gerstaecker, 1858: 329 Mld; not Lepeletier & Audinet-Serville in Latreille, 1828]

- subsp. **amazona** Marinoni, 1972: 55
 subsp. **avuncula** Marinoni, 1972: 53
hylaena Marinoni, 1972: 34
 dispar: Bates, 1866: 196 [Mld; not Lepeletier & Audinet-Serville in Latreille, 1828]
 hylaena: Barbosa, Fonseca & Martins, 2009: 294 [ISS]
melzeri Zajciw, 1966: 373
paulista Marinoni, 1972: 37
rubronigra Marinoni, 1972: 39
rudifrons Marinoni, 1972: 30
transversifrons transversifrons Thomson, 1857: 44
 subsp. **brevifrons** Chemsak & Linsley in Marinoni, 1972: 64
 subsp. **centralis** Marinoni, 1972: 62
 costaricensis Breuning, 1974: 162
- Peru, Brazil (AM, PA, AC)
 Venezuela, French Guiana
 Brazil (AM)
 Brazil, Bolivia (SC), Paraguay, Argentina
 Brazil (SP), Bolivia (SC)
 Brazil (AC, RO, MT), Bolivia (SC)
 Brazil, Bolivia (SC, TR), Paraguay, Argentina
 eMexico (VC)-Honduras
 wMexico (SI, JA)
 Nicaragua-Panama, Venezuela

Tetraopini Thomson, 1860: 66
Tetraopesitae Thomson, 1860: 42 (key), 66

Mecasoma Chemsak & Linsley, 1974: 183
validicorne (Bates, 1885: 426)

Mexico (JA, OA)

Phaea Newman, 1840: 13

Oberopa Haldeman, 1848: 373

Lamprocleptes Thomson, 1857: 64

- acromela** Pascoe, 1858: 256
andrewsi Chemsak, 1999: 45
astatheoides Pascoe, 1866: 289
 var. *apicalis* Aurivillius, 1923: 478
aurantia Wappes & Santos-Silva, 2021: 4
beierli Chemsak, 1999: 46
biplagiata Chemsak, 1977: 270
brevicornis Chemsak, 1999: 47
bryani Chemsak, 1999: 48
canescens (LeConte, 1852: 157)
carnelia Chemsak & Linsley, 1988: 137
chemsaki Toledo, Martinez & Bezark, 2016: 85
coccinea Bates, 1866: 367
copei Chemsak, 1999: 51
crocata Pascoe, 1866: 288
elegantula Melzer, 1933: 381
erinae Chemsak, 1999: 53
eyai Chemsak, 1999: 53
flavovittata Bates, 1881: 197
giesberti Chemsak, 1999: 55
haleya Chemsak, 1999: 56
hatsueae Chemsak, 1999: 57
hirsuticollis Kasatkin, 2020: 53
hoegei Bates, 1881: 198
 latifrons Chemsak, 1977: 271
hovorei Chemsak, 1999: 58
howdenorum Chemsak, 1999: 59
janzeni Chemsak, 1999: 60
johni Chemsak, 1999: 61
juanitae Chemsak & Linsley, 1988: 138
kaitlinae Chemsak, 1999: 62
kellyae Chemsak, 1999: 63
lateralis Bates, 1881: 196
laurieae Chemsak, 1999: 65
lawi Chemsak, 1999: 65
lingafelteri Heffern, Santos-Silva & Nascimento, 2018: 530
linsleyi Chemsak, 1999: 66
maccartyi Chemsak, 1999: 67

Mexico (VC)

eEcuador

Colombia

Mexico (Chiapas)

Honduras, Nicaragua

Mexico, Guatemala

Venezuela, Colombia

Mexico (CH-JA)

wcUSA (KS, CO, NM)

Mexico (JA)

Mexico (CHS)

Brazil (PA), Bolivia (SC), Paraguay

Costa Rica

Panama, Colombia

Costa Rica

Mexico (VC)

Mexico (JA)

Mexico (MI, NA, VC)-Costa Rica

Guatemala to Panama

Mexico (CH)

Costa Rica

Costa Rica

Mexico (JA, OA), Costa Rica (GU)

Costa Rica, Panama

Panama

Costa Rica, Panama

Panama

Mexico (JA, GR)

Mexico (SI)

Mexico (MO, MX, VC, OA, CH), Guatemala-Costa Rica

Mexico (MO, VC)-Costa Rica

Mexico (MO, GU, CM)

Costa Rica, Panama

Nicaragua

Mexico (CM, VC)

Mexico (JA, GU, CH)

- mankinsi** Chemsak & Linsley, 1979: 272
mariae Chemsak, 1999: 68
marthae Chemsak, 1977: 271
maryannae Chemsak, 1977: 272
maxima Bates, 1881: 199
mehli Kasatkin, 2020: 55
miniata Pascoe, 1858: 256
lineola Bates, 1872: 228
mirabilis Bates, 1874: 232
mirabilis: Toledo-Hernández, 2005: 421 [ISS]
monostigma (Haldeman, 1847: 57)
jucunda LeConte, 1862: 40
expurgata Casey, 1913: 386
nigripennis Bates, 1881: 196
nigromaculata Bates, 1881: 199
noguerai Chemsak, 1999: 74
paralella Toledo, Martínez & Bezark, 2016: 85 [COS]
paralella: Toledo, Martínez & Bezark, 2016: 85 [IOS]
paralella: Martínez-Hernández, Corona-López, Flores-Palacios & Toledo-Hernandez, 2022: 339 [COSFR]
phthisica Bates, 1881: 197
auricapilla Bates, 1885: 425
vittulata Melzer, 1934: 240
macilenta Bates, 1881: 197
quadrinaculata Wappes & Santos-Silva, 2021: 2
rosea Bates, 1885: 425
rubella Bates, 1881: 198
nevermanni Melzer, 1932: 236
rufiventris Bates, 1872: 228
saperda Newman, 1840: 14
entomologorum Thomson, 1857: 65
scuticollis Bates, 1872: 227
schildi Melzer, 1934: 240
semirufa Bates, 1872: 228
scapularis Bates, 1881: 198
sharonae Chemsak, 1999: 81
sherylae Chemsak, 1999: 81
signaticornis Melzer, 1932: 235
sondenegro Botero, Ahumada-C. & Navas, 2021: 416
tavakiliani Wappes & Santos-Silva, 2021: 7
tenuata Bates, 1872: 228
unicolor Gahan, 1892: 267
tomkovichi Kasatkin, 2015: 390
tricolor Bates, 1881: 199
turnbowi Chemsak, 1999: 84
vitticollis Bates, 1872: 228
wappesi Chemsak, 1999: 86
- Guatemala-Honduras
Guatemala
Mexico (SI)
Mexico (SI, MO, JA, GR, CM)
Mexico (JA)
wEcuador
Mexico (CHS)-Venezuela
- Mexico (JA)-Costa Rica
- eUSA
- Guatemala
Mexico (YU)
Mexico (OA, CH)
Mexico (Morelos)
- Mexico (Chiapas, Oaxaca)
Costa Rica, Panama
Mexico-Costa Rica
- Mexico (SI-CH)
Mexico (SLP, OA, VC), Guatemala, Belize, Honduras
- Nicaragua, Costa Rica, Panama
- Mexico, Guatemala
- Mexico (CH)
Costa Rica
Costa Rica
Colombia (Bolívar)
Mexico (Puebla, Guerrero, Chiapas)
Mexico (MO, GU, OA)
- Argentina
Mexico (TA, SLP), Guatemala
Panama
Mexico (MO)
Mexico (CH)
- Tetraopes** Dalman in Schoenherr, 1817: 401
annulatus LeConte, 1847: 93
canescens LeConte, 1852: 158
vestitus Casey, 1913: 378
canescens fontinalis Casey, 1913: 378
uteanus Casey, 1913: 378
huetheri Skillman, 2007: 1
basalis LeConte, 1852: 158
mancus LeConte, 1859: 81
omissus Casey, 1913: 377
coccineus Casey, 1913: 382
obsoletus Casey, 1913: 382
junctus Casey, 1913: 380
laticollis Casey, 1924: 296
batesi Chemsak, 1963: 28
- Canada (Alberta)-swUSA (SD, TX, AZ)
- wUSA (CA, OR)
- Mexico (OA)

- cleroides** Thomson, 1860: 66 Mexico (JA-OA)
- comes** Bates, 1881: 200 Mexico (CHS, OA)-Costa Rica
- crassus** Chemsak & Noguera, 2004: 237 Mexico (JA)
- crinitus** Chemsak & Noguera, 2004: 238 Mexico (NA, SI)
- discoideus** LeConte, 1858: 26 swUSA (CO, TX, AZ, CA), Mexico, Honduras
- rubrocinereus* Thomson, 1860: 67
- nanulus* Casey, 1913: 376
- nigricollis* Casey, 1913: 376
- discoides*: García Morales, García Giménez, Toledo & Cantú Ayala, 2015: 111 [ISS]
- elegans** Horn, 1894: 404 Mexico (BC)
- femoratus** LeConte, 1847: 93 ecUSA (OH)-wNorth America, Mexico
- oregonensis* LeConte, 1854: 19
- femoralis*: Popenoe, 1877: 34 [ISS]
- collaris* Horn, 1878: 49
- nigripes* Casey, 1913: 377 [JpH; not Bates, 1881 (= *subfasciatus* Bates, 1881)]
- vegasensis* Casey, 1913: 380
- velutinus* Casey, 1913: 380
- robustus* Casey, 1913: 381
- brevisetosus* Casey, 1913: 381
- punctipennis* Casey, 1913: 383
- atrisetosus* Casey, 1913: 383
- femoratus amnicola* Casey, 1913: 384
- femoratus monticola* Casey, 1913: 384
- spissicornis* Casey, 1913: 384
- ruber* Casey, 1913: 384
- fortis* Casey, 1913: 384
- caseyi* Aurivillius, 1923: 575 [RN for *nigripes* Casey, 1913]
- femuratus*: Ruíz Cancino & Coronado Blanco, 2002: 104 [ISS]
- ineditus** Chemsak & Giesbert, 1986: 38 Mexico (JA, CHS, CM)
- linsleyi** Chemsak, 1963: 31 swUSA (TX, AZ, NM)
- mandibularis** Chemsak, 1963: 47 swUSA (OK, TX)
- melanurus** Schoenherr, 1817: 401 eUSA
- canteriator* Drapiez, 1819: 47
- arator* Germar, 1823: 486
- tornator*: Stephens, 1829: 413 [Mld; not Fabricius, 1775]
- paracomes** Chemsak, 1963: 26 Guatemala-Costa Rica
- paradisi** Peraza-Flores, 2024: 445 Mexico (Yucatan)
- pilosus** Chemsak, 1963: 40 wcUSA (NE, CO, OK, TX)
- quinquemaculatus** Haldeman, 1847: 53 eNorth America-swUSA (TX)
- quadrimaculatus* Leng & Hamilton, 1896: 160
- skillmani** Chemsak & Noguera, 2004: 240 swUSA (AZ)
- subfasciatus** Bates, 1881: 201 Mexico
- var. *nigripes* Bates, 1881: 201
- sublaevis** Casey, 1913: 382 swUSA (CA, AZ)
- sandix* Casey, 1914: 370
- tetraphthalmus** (Forster, 1771: 41) eNorth America
- tetraophthalmus* Provancher, 1877: 637
- tornator* Fabricius, 1775: 176
- formator* Fabricius, 1787: 141
- tredecimpunctatus* Drapiez, 1820: 121
- tetraphthalmus iowensis* Casey, 1913: 386
- humeralis* Casey, 1913: 379
- texanus** Horn, 1878: 49 swUSA (OK, TX, AK), Mexico
- thermophilus** Chevrolat, 1861: 190 swUSA (TX), Mexico (OA, VC)-Nicaragua
- thoreyi** Bates, 1881: 201 Mexico (GR, PU, OA, VC)
- umbonatus** LeConte, 1852: 156 Mexico (NA-VC), Nicaragua, Costa Rica (GU, LI)
- varicornis** Laporte, 1840: 487 Mexico (MI-VC)
- cordifer* Imhoff, 1856: 177
- undecimpunctatus* Thomson, 1857: 61

Tetropini Portevin, 1927: 39**Tetrops** Stephens, 1829: 16**praeustus** (Linnaeus, 1758: 641)

Europe, nAfrica (introduced Canada (ON-NS) & eUS)

Xenofreini Aurivillius 1923: 375**Curiofrea** Galileo & Martins, 1999: 96**curiosa** Galileo & Martins, 1999: 97

Colombia

Oroxenofrea Galileo & Martins, 1999: 95**spiculata** Galileo & Martins, 1999: 96

French Guiana, Brazil (MA, PA), eEcuador

Xenofrea Bates, 1885: 373*Freocoreopsis* Teocchi, Sudre & Jiroux, 2015: 31**albofasciata** Galileo & Martins, 2001: 61**anomala** Bates, 1885: 373**anoreina** Tavakilian & Néouze, 2006: 281**apicalis** Melzer, 1931: 3**aragua** Tavakilian & Néouze, 2006: 274**arcifera** Néouze & Tavakilian, 2005: 145*clarkei* Galileo & Martins, 2005: 385**areolata** Bates, 1885: 374**ayri** Santos-Silva & Galileo, 2016: 135**basitriangularis** Néouze & Tavakilian, 2005: 145**berkovi** Néouze & Tavakilian, 2005: 133**bicineta** Tavakilian & Néouze, 2006: 275**camixaima** Galileo & Martins, 2005: 385**cretacea** Néouze & Tavakilian, 2005: 132**dechambrei** Néouze & Tavakilian, 2005: 148**diagonalis** Martins & Galileo, 2010: 690**durantoni** Néouze & Tavakilian, 2005: 160**enriquezae** Tavakilian & Néouze, 2006: 287**exotica** Galileo & Martins, 1999: 97**favus** Tavakilian & Néouze, 2006: 280**fractanulis** Tavakilian & Néouze, 2006: 276**fulgida** Galileo & Martins, 2001: 60**griseocincta** Tavakilian & Néouze, 2006: 273**guttata** Galileo & Martins, 2006: 26**hovorei** Néouze & Tavakilian, 2005: 140**inermis** Néouze & Tavakilian, 2005: 138**larrei** Néouze & Tavakilian, 2005: 155**lineatipennis** Zajciw, 1961: 222**lupa** Tavakilian & Néouze, 2006: 282**magdalenae** Néouze & Tavakilian, 2005: 156**mariahelenae** Tavakilian & Néouze, 2006: 286**mariae** Nascimento et. al. 2020: 9**martinsi** Tavakilian & Néouze, 2006: 285**mascara** Néouze & Tavakilian, 2005: 134**monnei** Tavakilian & Néouze, 2006: 285**morvanae** Néouze & Tavakilian, 2005: 147**murina** Néouze & Tavakilian, 2005: 144**nana** Galileo & Martins, 2005: 387**obscura** Galileo & Martins, 2005: 385**ocellata** Tavakilian & Néouze, 2006: 276**peculiaris** Martins & Galileo, 2013: 324**peruviensis** Audureau, 2022: 70**picta** Tavakilian & Néouze, 2006: 275**proxima** Néouze & Tavakilian, 2005: 139**pseudomurina** Tavakilian & Néouze, 2006: 280

Brazil (PA, SC)

Costa Rica (HE), Panama

Venezuela, Brazil, Argentina (MI)

French Guiana, Brazil, Paraguay

Venezuela

French Guiana, Brazil (AM), Bolivia (SC)

Panama

Brazil (AM)

French Guiana

French Guiana, Brazil (AM)

Brazil

Brazil (RO), Bolivia (SC)

French Guiana

French Guiana

Brazil (RO)

French Guiana, Brazil (AM)

Equador

Colombia, Brazil (MA)

Brazil (PA)

Brazil (SC)

French Guiana, Brazil (AM), eEcuador

Brazil (RO)

Mexico (CH, GR)

French Guiana

French Guiana

French Guiana

French Guiana, Brazil (ES)

Brazil (GO)

French Guiana, Brazil (AM)

Brazil (SP)

Brazil (ES)

Brazil (Mato Grosso do Sul)

French Guiana

Brazil (AM, PA)

French Guiana

French Guiana

Bolivia (SC)

Bolivia (CO, SC), Argentina (ER)

Brazil (MG)

Brazil (Piauí)

Peru (Pasco)

Brazil (SC)

French Guiana, Brazil (AM)

Brazil (GO), Bolivia

puma Néouze & Tavakilian, 2005: 146
fasciolata Galileo & Martins, 2005: 384
punctata Galileo & Martins, 2005: 387
rogueti Néouze & Tavakilian, 2005: 143
seabrai Tavakilian & Néouze, 2006: 279
senecauxi Néouze & Tavakilian, 2005: 153
juheli Teocchi, Sudre & Jiroux, 2015: 31
simplicioi Santos-Silva, et. al., 2020: 18
soukai Néouze & Tavakilian, 2005: 150
tavakiliani Dalens, Touroult & Giuglaris, 2009: 82
trigonalis Bates, 1885: 373
veronicae Dalens, Touroult & Giuglaris, 2009: 81
wappesi Galileo, Martins & Santos-Silva, 2014: 78
zischkai Galileo & Martins, 2012: 224
zonata Bates, 1885: 373

French Guiana, Brazil (RO), Bolivia

Bolivia (SC)

French Guiana

Brazil (AM, PA)

French Guiana, wEcuador (Napo), Gabon?

Brazil (Espírito Santo)

French Guiana

French Guiana

French Guiana, Peru, Bolivia (SC)

French Guiana

Bolivia (SC)

eEcuador, Brazil (Rondonia), Bolivia (BN, SC)

Costa Rica, Panama, French Guiana, Brazil (PA)

Incertae Sedis (probably Lamiinae)

Dryana Gistel, 1848a: 429

bituberculata Gistel, 1848a: 429

Lamia annulata Fabricius, 1801: 300

Lamia annulicornis Kirby, 1818: 439

Lamia obscura Fabricius, 1798: 144

"America meridionalis"

Brazil

"America boreali"

References

- ABDULLAH, M. 1968. *Parandra (Neandra) brunnea quebecensis*, a new subspecies of the Parandrinae. **Entomol. Mon. Mag.**, **104**: 75.
- ABREU, R., B. RONCHI-TELES, M. A. MONNÉ & B. VIANEZ. 2009. First record of species of Cerambycidae (Coleoptera) in cardeiro (*Scleronema micranthum*) (Bombacaceae) in the Central Amazon. **Neotropical Entomology** 38(3): 432-433.
- ACHARD, J. 1910. Description de deux *Callichroma* nouveaux de l'Amérique du Sud. **Bull. Soc. Entomol. Fr.**, 1910: 279-281.
1913. Monographie du genre *Amphionthe* Bates. **Insecta**, 3: 29-42, 5 figs.
- ADLBAUER, K, M.L. DANILEVSKY, L. HUBWEBER, I. LÖBL, J. MORATI, P. RAPUZZI, G. SAMA, A. SMETANA & A. WEIGEL. 2010. Family Cerambycidae [excluding subfamily Prioninae, subfamily Apatophyseinae, and tribe Dorcadionini]. In: Löbl I, Smetana A (Eds) *Catalogue of Palaearctic Coleoptera. Volume 6. Chrysomeloidea*. Apollo Books, Stenstrup, 84–86, 95–241, 264–334.
- AGASSIZ, J. L. R. 1846. **Nomenclator Zoologicus, Fasciculus XI: Continens Coleoptera**. 170 pp.
- AGUILAR, C., F. CUBILLA, I. AVILA-TORRES & B. R. GARCETE-BARRETT. 2024. Dos nuevos registros de Cerambycinae (Coleoptera: Cerambycidae) para el Perú. *Acta Zool. Lilloana* 68 (1): 59-67, 2 figures.
- AIELLO, A. 2015. *Oncideres* Serville (Coleoptera: Cerambycidae) Key to Too Few: 34 Species Lost. **Coleopt. Bull.** **69(1)**: 60.
2021. Jaws: A Powerful Trunk-Girdling Longhorned Beetle, *Trachysomus thomsoni* Aurivillius, 1923 (Coleoptera: Cerambycidae: Lamiinae: Onciderini), in Panama. **Coleop. Bull.** **75(3)**: 531-536, 10 figures.
- ALTAMIRANO, J., O. PEREZ-FLORES, A. L. ESCALANTE-JIMENEZ & C. M. JURADO-VARGAS. 2024. Diversity of nocturnal Cerambycidae (Coleoptera: Chrysomeloidea) from seven localities in Michoacán, Mexico, with description of a new species. **Zootaxa**, **5471(3)**: 329-342, 21 figures.
- ALTEN, R. L. 2014. A New Species of *Xylotrechus* (Coleoptera: Cerambycidae: Clytini) from Utah. **Insecta Mundi** **0355**: 1-6, 14 figures.
- ALTEN, R.L., G.R. ALTEN, & T.S. RAMEY. 2009. A new genus and species of Cerambycidae from Utah (Coleoptera: Cerambycidae: Cerambycinae). *Pan-Pac Ent.* 85(1): 1-7. **4 figs.**
- ALVAREZ-RAMON, O. I., M. PEREZ-DE LA CRUZ, M. A. MAGANA-ALEJANDRO, S. OPORTO-PEREGRINO & J. GERONIMO-TORREZ. 2022. Diversidad y Fluctuación Anual de Cerambycoides (Coleoptera: Cerambycidae) en una Selva Tropical del Sureste de México. **Acta Biológica Colombiana** **27(1)**: 79-87, 3 figures.
- AMITH, J. D. & S. W. LINGAFELTER. 2017. Ethnoentomological and Distributional Notes on Cerambycidae and other Coleoptera of Guerrero and Puebla, Mexico. **Coleopt. Bull.** **71(2)**: 301-314, 1 figure.
- ANDROW, R.A. & G.D. KEENEY. 1999. New Records of Ohio Long-Horned Beetles (Coleoptera-Cerambycidae). **Great Lakes Ent.** **32 (1-2)**: 1-7.
- ARAI, H. 2005. **Longhorn beetles of the Amazon I**. Amazon Insectarium. 125 pp. 43 color plates.
- ARAGAO, A.C. & M.A. MONNÉ. 2011. O gênero *Megacyllene* s. str. Casey (Coleoptera, Cerambycidae) na Mata Atlântica: descrição de duas espécies inéditas, chave para identificação e novas ocorrências. **Rev. Bras. Ent.** **55(2)**: 159–171, 25 figures.
- ARIGONY, T. H. A. 1970. Notas sobre Parandrinae. I. Redescricao de *Parandra expectata* Lameere, 1902. **Papéis Avulsos Dep. Zool.**, **23(9)**: 77-82, 2 figs.
1970. Notas sobre Parandrinae. II. Redescricao de *Parandra villei* Lameere, 1885. **Rev. Bras. Entomol.**, **14(8)**: 57-62, 7 figs.
1971. Notas sobre Parandrinae. III. Redescricao de *Parandra galapagoensis* Van Dyke, 1953. **Rev. Bras. Entomol.**, **15(3)**: 15-20, 15 figs.
1972. Notas sobre Parandrinae. IV. Redescricao e comentários sobre algumas espécies de Zikán, 1948. **Rev. Bras. Entomol.**, **16(5)**: 31-48, 49 figs.
1977. Notas sobre Parandrinae. V. Redescricao de *Parandra (Archandra) caspia* Ménétries, 1832. **Rev. Bras. Entomol.**, **20(3-4)**: 159-164, 8 figs.

1978. Revisao do gênero *Parandra*. I. O subgênero *Hesperandra* Arigony, 1977. **Rev. Bras. Entomol.**, 22(3-4): 119-159, 64 figs.
1984. O subgênero *Parandra* Latreille, 1804 (Parandrinae): estudo fenético e cladístico de 12 espécies. **Iheringia**, Zool. (64): 87-125, 66 figs.
- ARNETT, R. H. 1962. **The beetles of the United States. (A manual for identification)**. xi +1112 pp., Univ. of America Press, Washington.
- ARTIGAS, J. N. 1970. Descripción de la larva y pupa de *Chenoderus testaceus* (Blanchard) **Bol. Soc. Biol. Concepción**, 42: 245-250, 10 figs.
- ASCUNTAR-OSNAS, O. 2018. A new species and new records of the genus *Oideterus* Thomson, 1857 (Coleoptera: Cerambycidae: Prioninae: Anacolini) from Colombia. **Zootaxa** 4471 (1): 189–194, 3 figures.
- AUDINET-SERVILLE, J. G. 1832. Nouvelle classification de la famille des longicornes. **Ann. Soc. Entomol. France**, (1)1: 118-201.
1833. Nouvelle classification de la famille des longicornes (suite). **Ann. Soc. Entomol. France**, (1)2: 528-573.
1834. Nouvelle classification de la famille des longicornes (suite). **Ann. Soc. Entomol. France**, (1)3: 5-110.
1834. Nouvelle classification de la famille des longicornes (suite). *Annales de la Société entomologique de France* 2 [1833]: 528–573. [issue 4 of volume 2, pp. 447–588, published in March 1834 according to Evenhuis (2016), <http://hbs.bishopmuseum.org/dating/>]
1835. Nouvelle classification de la famille des longicornes (suite). **Ann. Soc. Entomol. France**, (1)4: 5-100.
1835. Nouvelle classification de la famille des longicornes (suite et fin). **Ann. Soc. Entomol. France**, (1)4: 197-228.
- AUDUREAU, A. 2008. Un Nouveau *Pseudodeltaspis* originaire du Nicaragua (Coleoptera_Cerambycidae, Cerambycinae) **Les Cahiers**, (77): 1-4, 5 figs.
2008. Contribution a l'etude des Longicornes de Guyane Française (Addendum à la liste d'Odette Morvan). **Lambillionea**, 108(1): 73-74.
2008. Contribution a la connaissance des Cerambycidae de la reserve privee forestiere de Domitila (Nicaragua). **Lambillionea**, 108(3): supplement, p.3-21.
2009. Un nouvel Acanthoderini du Bolivie. **Lambillionea**, CIX (4): 499-500, 2 figures.
2010. Complement a' l'inventaire faunistique des Cerambycidae de la reserve privee forestiere de Domitila (Nicaragua) avec description de nouvelles especes (Coleoptera, Cerambycidae). **Les Cahiers Magellanes**, 110: 1-10, 8 figs.
2011. Revision du Genre *Orthomegas* Audinet-Serville, 1832 (Coleoptera, Cerambycidae, Prioninae). **Les Cahiers Magellanes (N.S.)** 6: 63-96, 52 figures.
2012. Notes sur les Onciderini du Perou (Coleoptera, Cerambycidae, Lamiinae, Onciderini). **Les Cahiers Magellanes NS** 9: 57-64, 6 figures.
2013. Nouvelles especes d'Acanthocinini neotropicaux (Coleoptera, Cerambycidae, Lamiinae). **Les Cahiers Magellanes NS** 11: 32-38, 5 figures.
2013. Un nouvel Onciderini du Perou (Coleoptera, Cerambycidae, Lamiinae). **Lambillionea CXIII(3)**: 195-196, 1 figure.
2014. Un nouveau Disteniini du Perou (Coleoptera, Cerambycidae, Disteniinae) **Les Cahiers Magellanes NS(15)**: 48-50, 1 figure.
2015. Nouveaux Cerambycinae neotropicaux (Coleoptera, Cerambycidae, Cerambycinae). **Les Cahiers Magellanes NS (19)**: 60-66, 6 figures.
2016. Notes sur les Apomecynini du Perou (Coleoptera, Cerambycidae, Lamiinae). **Les Cahiers Magellanes NS(23)**:60-68, 6 figures.
2017. Notes sur quelques Lamiiaires nouveaux ou peu connus (Coleoptera, Cerambycidae, Lamiinae). **Les Cahiers Magellanes N.S. 27**: 1-9, 6 figures.
2018. Notes sur quelques Acanthocinini nouveaux ou peu connus (Coleoptera, Cerambycidae, Lamiinae).

Les Cahiers Magellanes NS 30: 14-21, 5 figures.

2020. Un nouveau Desmiphorini du Nicaragua (Coleoptera, Cerambycidae, Lamiinae).

Les Cahiers Magellanes (N. S.) 37: 41-43, 1 figure.

2021. Description d'un Nouveau Genre et de Deux Nouvelles Espèces d'Elaphidiini Thomson, 1864 d'Amerique Centrale (Coleoptera, Cerambycidae, Cerambycinae). **Rev. Nic. Ent.** **248:** 1-14, 9 figures.

2022. Révision du genre *Satipoella* Lane, 1964 et description d'une nouvelle espèce appartenant à ce genre (Coleoptera, Cerambycidae, Lamiinae). **Les Cahiers Magellanes, (NS) 42:** 31-37, 6 figures.

2022. Notes sur les Neoibidionini (Coleoptera, Cerambycidae, Cerambycinae). **Les Cahiers Magellanes, (NS) 42:** 53-63, 5 figures.

2022. Notes sur quelques Colobotheini nouveaux (Coleoptera, Cerambycidae, Lamiinae).

Les Cahiers Magellanes, (NS) 43: 4-11, 4 figures.

2022. Notes sur quelques espèces de lamiines nouveaux ou peu connus (Coleoptera, Cerambycidae, Lamiinae)

Les Cahiers Magellanes, (NS) 44: 69-77, 6 figures.

2023. Le groupe *similis* du genre *Orthomegas* avec description de la femelle d'*Orthomegas frischeiseni* Lackebeck, 1998 (Coleoptera, Cerambycidae, Prioninae, Callipogonini). **Les Cahiers Magellanes NS 46:** 11-17, 9 figures.

2023. Notes sur quelques espèces nouvelles d'Acanthocinini (Coleoptera, Cerambycidae, Lamiinae).

Les Cahiers Magellanes NS 46: 100-113, 6 figures.

2024. Un nouvel Hemilophini du Pérou (Coleoptera, Cerambycidae, Lamiinae). **Les Cahiers Magellanes NS 49:** 104-106, 1 figure.

2024. Un nouvel Hemilophini du Pérou (Coleoptera, Cerambycidae, Lamiinae). **Les Cahiers Magellanes NS 49:** 104-106, 1 figure.

2024. Un nouveau genre et une nouvelle espèce d'Acanthoderini (Coleoptera, Cerambycidae, Lamiinae).

Les Cahiers Magellanes NS 50: 149-152, 1 figure

AUDUREAU, A. & L.G. BEZARK. 2021. Un nouveau *Tropidion* du Panama (Coleoptera, Cerambycidae, Cerambycinae).

Les Cahiers Magellanes, (NS) 41: 49-52, 1 figure.

2024. Un nouveau *Nealcidion* du Panama (Coleoptera, Cerambycidae, Lamiinae). **Les Cahiers Magellanes NS 48:** 29-32, 1 figure.

AUDUREAU, A. & P. DEMEZ. 2013. Un nouveau *Chorenta* du Perou (Coleoptera, Cerambycidae, Prioninae).

Les Cahiers Magellanes NS 12: 46-48, 2 figures

2014. Un nouveau *Stultutragus* Clarke, 2010 du Perou (Coleoptera, Cerambycidae, Cerambycinae).

Les Cahiers Magellanes NS(14): 12-15, 1 figure.

2015. Nouvelles especes d'Acanthocinini neotropicaux originaires du Perou (Coleoptera, Cerambycidae, Lamiinae).

Les Cahiers Magellanes NS (18): 19-26, 6 figures.

2016. Nouvelles especes d-Hemilophini du Perou (Coleoptera, Cerambycidae, Lamiinae). **Les Cahiers Magellanes**

NS(21):38-42, 3 figures.

AUDUREAU, A. & O MORVAN. 2018. Notes sur quelques Hemilophini nouveaux ou peu connus de Guyane Française (Coleoptera, Cerambycidae, Lamiinae). **Les Cahiers Magellanes NS 32:** 1-8, 6 figures.

AUDUREAU, A. & E. H. NEARNS. 2023. Un nouvel Onciderini Thomson, 1860 d'Argentine (Coleoptera, Cerambycidae, Lamiinae).

Les Cahiers Magellanes NS 45: 42-47, 2 figures.

AUDUREAU, A. & J-P ROGUET. 2018. Contribution à la Connaissance des Cerambycidae de la Région Nord du Nicaragua (Coleoptera, Cerambycidae). **Les Cahiers Magellanes NS 30:** 56-104, 77 figures.

AUDUREAU, A. & A.SANTOS-SILVA. 2019. Description of a new genus and two new species of Forsteriini Tippmann, 1960 from Peru (Coleoptera, Cerambycidae, Lamiinae). **Zootaxa 4671 (1):** 145–150, 8 figures.

2024. Un nouveau genre et une nouvelle espèce de Parmenini (Coleoptera, Cerambycidae, Lamiinae). **Les Cahiers Magellanes NS 48:**

37-40, 1 figure.

AUDUREAU, A. & TAVAKILIAN, G-L, 2024. Une nouvelle synonymie pour *Haruspex bivittis* (White, 1855) (Coleoptera, Cerambycidae, Cerambycinae, Piezocerini). **Les Cahiers Magellanes NS 49**: 1-5, 5 figures.

AUDUREAU, A., TAVAKILIAN & G-L NEOUZE. 2024. Révision du genre *Coleoxestia* Aurivillius, 1912 de Guyane française (Coleoptera, Cerambycidae, Cerambycinae, Cerambycini). **Les Cahiers Magellanes NS 50**: 37-79, 9 figures.

AURIVILLIUS, C. 1887. Nya Coleoptera Longicornia. **Entomol. Tidskr.**, **8**: 191-197, 3 figs.

1891. Neue Coleoptera Longicornia. **Entomol. Tidskr.**, **12**: 97-106, 6 figs.

1893. Neue oder wenig bekannte Coleoptera Longicornia. 4. **Entomol. Tidskr.**, **14**: 177-186, 12 figs.

1897. Neue oder wenig bekannte Coleoptera Longicornia. 5. **Entomol. Tidskr.**, **18**: 241-248, pl. 3.

1899. Neue oder wenig bekannte Coleoptera Longicornia. 6. **Entomol. Tidskr.**, **20**: 259-265, 5 figs.

1900. Verzeichniss der von Dr. F. Meinert im Jahre 1891 in Venezuela gesammelten Cerambyciden. **Öfversigt af Kongl. Vetenskaps-Akad. Förh.**, **1900**, **4**: 409-421, 1 fig.

1902. Neue oder wenig bekannte Coleoptera Longicornia. 7. **Entomol. Tidskr.**, **23**: 207-224, 9 figs.

1904. Cerambyciden aus Bolivien und Argentina gesammelt von Freiherrn Erland Nordenskiöld. **Entomol. Tidskr.**, **25**: 205-208, 1 fig.

1907. Neue oder wenig bekannte Coleoptera Longicornia. 9. **Ark. Zool.**, **3**(18): 1-39, 1 pl.

1908. Cerambyciden aus den Grenzgebieten zwischen Peru und Bolivien gesammelt von Dr. Nils Holmgren. **Ark. Zool.**, **5**(1): 1-11.

1910. Neue oder wenig bekannte Coleoptera Longicornia. 11. **Ark. Zool.**, **7**(3): 143-187, 1 fig.

1911. Neue oder wenig bekannte Coleoptera Longicornia. 12. **Ark. Zool.**, **7**(19): 187-228, 9 figs.

1912. **Coleopterorum Catalogus**, pars 39, Cerambycidae: Cerambycinae. Berlin, W. Junk, 574 p.

1913. Neue oder wenig bekannte Coleoptera Longicornia. 13. **Ark. Zool.**, **8**(22): 229-263, 11 figs.

1915. Neue oder wenig bekannte Coleoptera Longicornia. 15. **Ark. Zool.**, **9**(8): 319-334.

1916. Neue oder wenig bekannte Coleoptera Longicornia. 16. **Ark. Zool.**, **10**(19): 335-360, 4 figs., 1 pl.

1919. Wissenschaftliche Ergebnisse der schwedischen entomologischen Reise des Herrn Dr. A. Roman in Amazonas 1914-1915. 2. Cerambyciden. **Ark. Zool.**, **12**(11): 1-7, 2 figs.

1920. Neue oder wenig bekannte Coleoptera Longicornia. 17. **Ark. Zool.**, **13**(9): 361-403, 9 figs.

1921. Neue Cerambyciden aus der Sammlung G. van Roon. **Tijdschr. Entomol.**, Amsterdam, **64**: 46-53, 1 pl.

1922. **Coleopterorum Catalogus**, pars 73, Cerambycidae: Lamiinae. I. Berlin, W. Junk, 322 p.

1922. Neue oder wenig bekannte Coleoptera Longicornia. 18. **Ark. Zool.**, **14**(18): 405-436, 30 figs.

1922. Neue Cerambyciden aus der Sammlung G. van Roon. **Tijdschr. Entomol.**, **65**: 160-173.

1923. **Coleopterorum Catalogus**, pars 74, Cerambycidae: Lamiinae. II. Berlin, W. Junk, pp. 323-704.

1923. Neue oder wenig bekannte Coleoptera Longicornia. 19. **Ark. Zool.**, **15**(25): 437-479, 21 figs.

1925. Neue oder wenig bekannte Coleoptera Longicornia. 20. **Ark. Zool.**, **17A**(12): 481-501, 7 figs.

1925. Neue oder wenig bekannte Coleoptera Longicornia. 21. **Ark. Zool.**, **18A**(9): 503-524, 23 figs.

1926. Cerambyciden gesammelt von Dr. A. Roman in Brasilien in den Jahren 1923-1924. **Ark. Zool.**, **18B**(14): 1-6, 1 fig.
1927. Neue oder wenig bekannte Coleoptera Longicornia. 22. **Ark. Zool.**, **19A**(17): 525-547, 14 figs., 1 pl.
1929. Cerambycidae. Bearbeitet von Chr. Aurivillius. **Zool. Jahrb.**, Suppl. **16**: 1-3, 1 fig.
- AUSTIN, E. P. 1877. Remarks on the synonymy of North American Coleoptera. **Can. Entomol.**, **9**(5): 92-94.
1880. **Supplement to the check list of the Coleoptera of America, north of Mexico.** Boston, S. F. Cassino, 67 pp.
- AUSTIN, E. P. & J. L. LeCONTE. 1874. Catalogue of the Coleoptera of Mt. Washington, N. H., by E. P. Austin; with descriptions of new species by J. L. LeConte, M. D. **Proc. Boston Soc. Nat. Hist.**, **16**: 265-276.
- AUSTIN, T., D. HEFFERN, R. GEMMILL, B. RABER & M. QUINN. 2018. Notes on the biology and distribution of the tribe Agallissini in North America (Coleoptera: Cerambycidae: Cerambycinae). **Zootaxa** **4457** (3): 444–454, 16 figures.
- BARR, W.F. & R.L. PENROSE. 1969. Notes on the Distribution of Some Idaho Cerambycidae (Coleoptera). **Great Basin Nat.** **29**(2): 88-95.
- BARRIGA, J. E. & CEPEDA, D. E. 2004. Nuevo género y especie de Compsocerini de Chile (Coleoptera, Cerambycidae). **Rev. Chil. Entomol.**, **30**(2): 58-8.
2006. Revisión del género *Oectropsis* Blanchard, 1851 (Coleoptera, Cerambycidae), con descripción de una nueva especie. **Rev. Chil. Entomol.**, **31**: 43-54.
2007. New Synonymies on Cerambycidae of Chile (Coleoptera). **Rev. Chilena Ent.** **33**: 5-13, 12 figs.
2007. Revision of the Necydalopsini Blanchard 1851 from Chile and Argentina (Coleoptera: Cerambycidae) with the Descriptions of two new Genera and Species. **Rev. Chilena Ent.** **33**: 15-30, 16 figs.
- BARRIGA, J. E. & L. E. PEÑA. 1994. Nuevas especies de Cerambycidae de Chile y algunas sinonimias. **Gayana Zool.**, **58**(1): 91-98.
- BARRIGA, J., T. MOORE, T. & D. E. CEPEDA, 2005. Nueva especie del genero *Estola* Fairmaire et Germain, 1859, para Chile (Coleoptera, Cerambycidae, Desmiphorini). **Gayana**, **69**(2), 397-401, figs.
- BARROS, R. C., M. G. DA FONSECA, V.E. VENDRAMINI & C. E. DE ARVARENGA JULIO. 2019. Species of Lamiinae (Insecta, Coleoptera, Cerambycidae) from east Paraná State (Brazil), with new geographic records. **Zootaxa** **4545** (3): 179–204, 38 figures.
- BARROS, R. C., C. E. A. JULIO & E. H. NEARNS. 2019. Notes on Onciderini (Coleoptera, Cerambycidae, Lamiinae): description of a new species of *Lesbates* Dillon & Dillon and new distribution records. **Zootaxa** **4565** (1): 124–130, 16 figures.
- BARROS, R. C., B. C. SILVA & C. E. JULIO. Description of the male of *Antodice quadrimaculata* Martins & Galileo, 2003 (Coleoptera, Cerambycidae, Lamiinae), with new country record for the species. **Zootaxa** **4377** (4): 577–580, 9 figures.
- BARROS, R. C. et. al. 2020. Species of Cerambycinae (Insecta, Coleoptera, Cerambycidae) from east Paraná State (Brazil), with new geographic records. **Zootaxa** **4845**(1): 1-25, 23 figures.
- BATES, H. W. 1861. Contributions to an insect fauna of the Amazon Valley. Coleoptera: Longicornes. **Ann. Mag. Nat. Hist.**, (3)**8**: 40-52; 147-152; 212-219; 471-478.
1862. Contributions to an insect fauna of the Amazon Valley. Coleoptera: Longicornes. **Ann. Mag. Nat. Hist.**, (3)**9**: 117-124; 396-405; 446-45.
1863. Contributions to an insect fauna of the Amazon Valley. Coleoptera: Longicornes. **Ann. Mag. Nat. Hist.**, (3)**12**: 100-109; 275-288; 367-381.
1864. Contributions to an insect fauna of the Amazon Valley. Coleoptera: Longicornes. **Ann. Mag. Nat. Hist.**, (3)**13**: 43-56; 144-164; **14**: 11-24.
1865. Contributions to an insect fauna of the Amazon Valley. Coleoptera: Longicornes. **Ann. Mag. Nat. Hist.**, (3)**15**: 213-225; 382-394; **16**: 101-113; 167-182; 308-314.
1866. Contributions to an insect fauna of the Amazon Valley. Coleoptera: Longicornes. **Ann. Mag. Nat. Hist.**, (3)**17**: 31-42; 191-202; 288-303;

367-373; 425-435.

1867. New genera of longicorn Coleoptera from the river Amazons. **Entomologist's Mon. Mag.**, **4**: 22-28.
1869. Contributions to an insect fauna of the Amazon Valley. Coleoptera: Prionides. **Trans. Entomol. Soc. London**, **1869**: 37-58.
1869. New species of Coleoptera from Chontales, Nicaragua. **Trans. Entomol. Soc. London**, **1869**: 383-389.
1870. Contributions to an insect fauna of the Amazon Valley. **Trans. Entomol. Soc. London**, **1870**: 243-335; 391-444.
1871. Description of a new genus, and two new species of longicorn Coleoptera. **Trans. Entomol. Soc. London**, **1871**: 375-376.
1872. On the longicorn Coleoptera of Chontales, Nicaragua. **Trans. Entomol. Soc. London**, **1872**: 163-238.
1873. Notes on the longicorn Coleoptera of tropical America. **Ann. Mag. Nat. Hist.**, (4)**11**: 21-45; 117-132.
1874. Supplement to the longicorn Coleoptera of Chontales, Nicaragua. **Trans. Entomol. Soc. London**, **1874**: 219-235.
1875. New genera and species of longicorns from South America. **Entomologist's Mon. Mag.**, **11**: 273-278.
1875. New genera and species of Prionidae. **Entomologist's Mon. Mag.**, **12**: 47-53.
1878. New genera and species of longicorn Coleoptera. **Entomologist's Mon. Mag.**, **14**: 272-274.
1879. **Biologia Centrali-Americana**, Insecta, Coleoptera, Longicornes, London, **5**: 1-16, pl. 1-2.
1879. New genera and species of Callichrominae. **Cist. Entomol.**, **2**: 395-419.
1880. **Biologia Centrali-Americana**, Insecta, Coleoptera, Longicornes, **5**: 17-152, pls. 3-11.
1880. Note on *Discopus*, a genus of South American Longicorns, family Lamiidae. **Entomologist's Mon. Mag.**, **16**: 253-255.
1880. New species of *Alcidion*, a genus of longicorn Coleoptera. **Entomologist's Mon. Mag.**, **16**: 273-274.
1880. New species of *Acanthoderes*. **Entomologist's Mon. Mag.**, **17**: 58-61.
1881. **Biologia Centrali-Americana**, Insecta, Coleoptera, Longicornes, London, **5**: 153-224, pls. 12-15.
1881. New species of longicorn Coleoptera allied to *Colobothea*. **Entomologist's Mon. Mag.**, **17**: 275-277.
1881. Notes on longicorn Coleoptera. Revision of the aerénicides and amphionychides of tropical America. **Ann. Mag. Nat. Hist.**, (5)**8**: 142-152; 196-204; 290-306.
1884. **Biologia Centrali-Americana**, Insecta, Coleoptera, suppl. to Longicornia, London, **5**: 225-248, pl. 16.
1885. **Biologia Centrali-Americana**, Insecta; Coleoptera, suppl. to Longicornia, London, **5**: 249-436, pls. 17-24.
1887. Three new longicorn Coleoptera from South America. **Entomologist's Mon. Mag.**, **4**: 62-63.
1891. New longicorn Coleoptera, chiefly from Mexico. **Entomologist's Mon. Mag.**, **27**: 158-161.
1891. Coleoptera, pp. 7-39. In E. Whymper, **Supplementary appendix to Travels amongst the Great Andes of the Equator**, London, xxii + 147 pp. 14 pls.
1892. Additions to the Longicornia of Mexico and Central America, with remarks on some of the previously recorded species. **Trans. Entomol. Soc. London**, **1892**: 143-183, 2 pls.
- BEDEL, L. E. M. 1894. Recherches sur la synonymie des coléoptères de l'Ancien Monde. **Abeille**, **28**: 150-156.
1906. Synonymie de coléoptères palaéarctiques. *Bulletin de la Société Entomologique de France* 1906: 91-93.
- BEIERL, J.D. & E.J. BARCHET-BEIERL. 1999. A new species of *Deltaspis* Audinet-Serville from southern California. **Occ. Pap. of the Cons. Coleop.**, **3**(1): 5 - 7, 1 fig.

- BELL, J. T. 1881. The maple tree borer. *The Canadian Entomologist* 13 (11): 236
- BELON, P. M. 1890. Contribution à l'étude du genre *Anoplomerus* Th.. **Ann. Soc. Linn. Lyon**, (N. S.) **36**: 291-304.
1890. Description d'un longicorne exotique. **Bull. Soc. Entomol. France**, **1890**: ix-xi.
1891. Description d'une genre nouveau de longicorne lamiide. **Bull. Soc. Entomol. France**, **1891**: liv-lv.
1896. Contribution à l'étude des longicornes de Bolivie. **Ann. Soc. Linn. Lyon**, (N. S.) **43**: 241-255.
1896. Description d'un cérambycide inédit du groupe des Disteniini. **Bull. Soc. Entomol. France**, **1896**: 128.
1896. Description d'un longicorne nouveau, du groupe des niphonides. **Bull. Soc. Entomol. France**, **1896**: 387-388.
1897. Remarques sur le genre *Euryptera* Serv. du groupe des lepturides et description d'une espèce nouvelle de Bolivie. **Ann. Soc. Entomol. Belg.**, **41**: 339-342.
1897. Description d'un longicorne nouveau du genre *Hebestola*. **Bull. Soc. Entomol. France**, **1897**: 186-187.
1899. Diagnose d'un longicorne nouveau de Bolivie, appartenant au genre *Mecometopus* Th. **Bull. Soc. Entomol. France**, **1899**: 156-157.
1902. Description d'un longicorne inédit de Bolivie. **Bull. Soc. Entomol. France**, **1902**: 333-334.
1902. Description de trois longicornes brésiliens du genre *Ectenessa* Bates. **Ann. Soc. Entomol. Belg.**, **46**: 13-16.
1902. Description de plusieurs longicornes de Bolivie appartenant au genre *Adetus* LeC. **Ann. Soc. Entomol. Belg.**, **46**: 464-472.
1903. Matériaux pour l'étude des longicornes de Bolivie. **Revue Entomol.**, **2**: 47-76.
1903. Notes sur le genre *Aletretia* Bates, longicorne lamiare et description de trois espèces nouvelles. **Ann. Soc. Entomol. Belg.**, **47**: 148-154.
- BERG, F. G. C. 1885. [M. Ch. Bery envoié de Buenos-Aires des notes sur divers Coleoptères des familles des Buprestides et des Cérambycides]. **Bull. Séanc. Soc. Entomol. France**, (6)**5**: civ-cv.
1886. Notas sinonímicas acerca de algunos cerambycoides de la fauna Argentina. **Ann. Soc. Entomol. Arg.**, **21**: 234-240.
1889. Quadraginta Coleoptera nova Argentina. **Ann. Univ. B. Aires**, **6**: 105-157.
1898. Descriptio novi generis cerambycidarum Reipublicae Argentinae. **Comun. Mus. Nac. B. Aires**, **1**(2): 31-33.
- BERGE, F. 1844. **Käferbuch. Allgemeine und specielle Naturgeschichte der Käfer, mit vorzüglicher Rücksicht auf die europäischen Gattungen. Nebst Anweisung sie zu sammeln, zuzubereiten und aufzubewahren.** Stuttgart, Hoffmann, 268 pp., 1315 figs.
- BERKOV, A. 2002. The impact of redefined species limits in *Palame* (Lamiinae: Acanthocinini) on assessments of host, seasonal, and stratum specificity. **Biol. Journ. of the Linnean Soc.**, **76**: 195-209, 4 figs.
- BERKOV, A. & M. A. MONNÉ. 2010. A new species of *Neobaryssinus* Monné & Martins, and two new species of *Baryssiniella* new genus (Coleoptera: Cerambycidae), reared from trees in the Brazil nut family (Lecythidaceae). **Zootaxa** **2538**: 47-59, 20 figs.
- BEUTENMÜLLER, W. 1903. (Description of *Anthophylax hoffmani*.) **Bull. Amer. Mus. Nat. Hist.**, **19**: 518.
- BEZARK, L. G., 2013. Distributional records and updates to type repositories for some New World Cerambycidae. **Les Cahiers Magellanes NS 11**: 32-38, 30 figures.
2015. New species and new synonym in Elaphidiini and corrections for type repositories in Hemilophini (Coleoptera, Cerambycidae). **Arq. de Zool.** **46**(4): 75-78, 5 figures.
2018. Notes and distribution records for some New World Coleoptera, Cerambycidae. **Les Cahiers Magellanes NS 31**: 40-58, 42 figures.
2019. New species and distribution records for Mexican and Central American Cerambycidae (Coleoptera).

- Zootaxa 4551 (4):** 401–414, 5 figures.
2019. Synonymy and distribution records for Neotropical Cerambycidae (Coleoptera, Cerambycidae). **Les Cahiers Magellanes NS 35:** 73-80, 8 figures.
2019. Report of Cerambycidae (Coleoptera) from Turks & Caicos Islands. **Pan-Pac. Ent. 95(3/4):** 145.
- BEZARK, L. G., J. P. BOTERO & A. SANTOS-SILVA. 2022. A new genus and seven new species of Neotropical Lamiinae (Coleoptera, Cerambycidae) with taxonomic notes. **Faunitaxys, 10(1):** 1-20, 58 figures.
- BEZARK, L. G., J. P. BOTERO & A. SANTOS-SILVA. 2022. New species, transferences and taxonomic notes on American Lamiinae (Coleoptera, Cerambycidae). **Faunitaxys, 10(19):** 1-25, 72 figures.
- BEZARK, L. G. & S. W. LINGAFELTER, 2022. A new species of *Cicatrishphaerion* Lingafelter, Morris, Skillman & Santos-Silva, 2021 and synonymy in *Atylostagma* White, 1853 (Coleoptera: Cerambycidae: Cerambycinae: Elaphidiini). **Pan-Pac Ent. 98(3):** 215-222, 8 figures.
- BEZARK, L. G., GALILEO, M.H. & A. SANTOS-SILVA. 2016. Two new species of Lamiinae (Coleoptera, Cerambycidae) from the Neotropical Region. **Zootaxa 4085(1):**135-140, 9 figures.
2016. A new *Myzomorphus* Dejean, 1835 (Coleoptera: Cerambycidae: Prioninae) from Costa Rica. **Pan-Pac Ent. 92(1):**14-18, 13 figures.
2016. Description of four new South American species of Desmiphorini (Coleoptera, Cerambycidae). **Zootaxa 4138(1):**171-180, 19 figures.
- BEZARK, L. G., U. R.MARTINS, A. SANTOS-SILVA & A. BERKOV. 2013. New species and new distribution records in Rhinotragini (Coleoptera: Cerambycidae: Cerambycinae). **Zootaxa, 3647(1):** 181–193.
2013. New species and new distribution records in Rhinotragini (Coleoptera: Cerambycidae: Cerambycinae). *Zootaxa*, 3647(1), 181–193. Erratum **Zootaxa 3681:** 500.
- BEZARK, L. G. & F. DE L. NASCIMENTO. 2019. A new synonym and distribution record in the genus *Ceiupaba* Martins & Galileo, 1998 (Coleoptera, Cerambycidae, Lamiinae, Desmiphorini). **Zootaxa 4701 (6):** 591–593, 8 figures.
- BEZARK, L. G. & A. SANTOS-SILVA. 2012. A new species of *Novantinoe* Santos-Silva & Hovore 2007 from Panama (Coleoptera: Disteniidae). **Pan-Pac Ent. 88(4):** 413-415, 3 figures.
2016. New Rhinotragini (Coleoptera, Cerambycidae) from Central and South America. **Zootaxa 4109(2):**239-244, 10 figures.
2017. Three new species of Ecuadorian Rhinotragini (Coleoptera, Cerambycidae). **Zootaxa 4247(5):**585-592, 12 figures.
2019. Notes, synonymy and description in American Methiini (Coleoptera, Cerambycidae, Cerambycinae). **Zootaxa 4565 (1):** 071–079, 14 figures.
2019. Synonymies and seven new species in Lamiinae from the Neotropical Region (Coleoptera, Cerambycidae). **Zootaxa 4648 (1):** 092–110, 48 figures.
2019. New species and notes on Hexoplonini and Neoibidionini (Coleoptera, Cerambycidae, Cerambycinae). **Faunitaxys 7(17):** 1-17, 52 figures.
2020. Three new genera and three new species of American Cerambycidae (Coleoptera). **Faunitaxys 8(16):** 1-11, 27 figures.
2022. Description of a new genus and three new species of Rhopalophorini (Coleoptera: Cerambycidae: Cerambycinae) from Ecuador. **Pan-Pac. Ent. 97(4):** 226-239, 24 figures.
2022. New species, synonymy and records for New World Lamiinae (Coleoptera, Cerambycidae). **Zootaxa, 5169(6):** 577-588, 22 figures.
2022. New genus and new species in American Apomecynini (Coleoptera, Cerambycidae, Lamiinae). **Pap. Avuls. Zool. 62:** e202262053: 1-9, 4 figures.

2022. A new genus and new species of Neotropical Cerambycinae (Coleoptera, Cerambycidae). **Zootaxa**, **5194**(4): 585-594, 26 figures.
2022. New species of Central and South American Lamiinae (Coleoptera, Cerambycidae). **Faunitaxys**, **10**(50): 1-11, 24 figures.
2023. New species and new country records for Neotropical Cerambycinae (Coleoptera, Cerambycidae). **Zootaxa**, **5227**(4): 473-485, 25 figures.
2023. Studies of New World Parmenini (Coleoptera, Cerambycidae, Lamiinae). **Les Cahiers Magellanes NS 45**: 16-41, 52 figures.
2023. American biodiversity in Lamiinae (Coleoptera, Cerambycidae): description of three new species of *Eupogonius* LeConte and new distribution records. **Zootaxa**, **5296**(3): 406-420, 29 figures.
2023. Expanding knowledge of American Cerambycidae (Coleoptera): new species, new records, and morphological variations. **Pap. Avuls. Zool.** **63** (e202363023): 1-19, 7 figures.
2023. New species, synonymies and transfers in Neotropical Lamiinae (Coleoptera: Cerambycidae). **Insecta Mundi**, **0993**: 1-26, 75 figures.
2023. Description of two new species of Cerambycidae and new records and notes on American Cerambycidae and Disteniidae (Coleoptera). **Zootaxa**, **5351**(3): 356-370, 24 figures.
2024. New World Lamiinae (Coleoptera, Cerambycidae): new species, new records, and notes. **Faunitaxys** **12** (6): 1-11, 37 figures.
2024. A new synonymy in American Acanthocinini (Coleoptera, Cerambycidae, Lamiinae). **Les Cahiers Magellanes NS 50**: 114-126, 10 figures.
- BEZARK, L. G., A. SANTOS-SILVA, & A. AUDUREAU. 2023. The remarkable fauna of Honduras: description of a new genus and a new species of Acanthocinini (Coleoptera: Cerambycidae: Lamiinae). **Pan-Pac Ent.** **99**(2): 142-152, 29 figures.
- BEZARK, L. G., A. SANTOS-SILVA, & J. P. BOTERO. 2023. New species of Cerambycidae and Disteniidae (Coleoptera) from the Neotropical Region. **Faunitaxys** **11** (1): 1-13, 39 figures.
- BEZARK, L. G., A. SANTOS-SILVA, & S. DEVESA. 2020. New species of *Amphicnaeia* Bates, 1866, and key to species of the genus (Coleoptera, Cerambycidae, Lamiinae, Apomecynini). **Faunitaxys** **8**(20): 1-13, 31 figures.
- BEZARK, L. G., A. SANTOS-SILVA & M. H. GALILEO. 2016. New South American species of Cerambycinae, and notes on *Corimbion balteum* Martins (Coleoptera, Cerambycidae). **Zootaxa** **4107**(4): 587-594, 14 figures.
2016. A new species of *Tamenes* (Coleoptera, Cerambycidae) **Zootaxa** **4105**(6): 597-600, 7 figures.
- BEZARK, L.G., A. SANTOS-SILVA, & U. R. MARTINS. 2011. New species of Rhinotragini and redescription of two species of *Stultutragus* Clarke (Coleoptera, Cerambycidae, Cerambycinae). **Zootaxa**: **2965**: 61–68, 9 figures.
- BEZARK, L. G., A. SANTOS-SILVA & F. E.L. NASCIMENTO. 2018. A synopsis of the genus *Dorcasta* Pascoe, 1858 (Coleoptera, Cerambycidae, Lamiinae, Apomecynini). **Zootaxa** **4399** (1): 049–068, 40 figures.
- BEZARK, L. G. & W. H. TYSON. 2020. New and interesting records for Neotropical Cerambycidae primarily from Paraguay (Coleoptera, Cerambycidae). **Les Cahiers Magellanes (N. S.)** **37**: 3-37, 69 figures.
- BEZARK, L. G., W. H. TYSON & N. M. SCHIFF. 2013. New species of Cerambycidae from Panama, with new distribution records (Coleoptera: Cerambycidae). **Zootaxa** **3608** (4): 273-277, 5 figures.
- BEZARK, L. G., R. S. ZACK, J. MONZON & P. J. LANDOLT. 2019. Known & New Records of Disteniidae & Cerambycidae (Coleoptera) from Guatemala. **Pan-Pac. Ent.** **95**(3/4): 117-125..
- BEZARK, L. G. et. al. 2015. A new species of *Eclipta* Bates, 1873 from Brazil (Coleoptera, Cerambycidae) in honor of the late Ubirajara Ribeiro Martins de Souza. **Arq. de Zool.** **46**(3): 65-73, 16 figures.
- BIEZANKO, C.M. & J.M. BOSQ. 1956. Cerambycidae de Pelotas e seus arredores (Contribuicao ao conhecimento da fisiografia do Rio Grande do Sul). **Agros** **IX** (3-4): 3-16.
- BILLBERG, G. J. 1815. Insecta ex ordine coleopterorum descripta. **Nov. Act. Soc. Sci. Upsaliensis**, (2)7: 271-281.

1820. Novae insectorum species descriptae. **Mem. Acad. Imp. Sci. St. Petersburg**, (5)7: 381-395.
- BLACKWELDER, R. E. 1946. Checklist of the coleopterous insects of Mexico, Central America, the West Indies and South America. Part 4. **Bull. U. S. Nat. Mus.**, **185**: 551-763.
- BLAIR, K. G. 1933. Further Coleoptera from the Galapagos Archipelago. **Ann. Mag. Nat. Hist.**, (10)**11**: 471-487.
- BLAISDELL, F. E. 1903. *Desmocerus californicus*. **Entomol. News**, **14**(8): 276.
1925. Expedition to Guadalupe Island, Mexico, in 1922. **Proc. Calif. Acad. Sci.**, (4)**14**: 321-343.
- BLANCHARD, C. E. 1832. In Griffith, E. & E. Pidgeon, **The animal kingdom arranged in conformity with its organization by the Baron Cuvier, with supplementary addition to each order**, Insects. London, **2**: 1-796, 84 pls. (1831: pls. 6, 14, 65, 73; 1832: pls. 85, 88, 89, 95, 100, 119).
1842. Notice sur un insecte de la famille des longicornes. **Ann. Soc. Entomol. France**, **11**: 49-51.
1845. **Histoire des insectes, traitant de leurs mœurs et de leurs métamorphoses en général, et comprenant une nouvelle classification fondée sur leurs rapports naturels**. **2**: 1-524.
1847. In **Voyage dans l'Amérique meridionale (le Brésil, la République Orientale de l'Uruguay, la République Argentine, la Patagonie, la République du Chili, la République de Bolivia, la République du Pérou), exécuté pendant les années 1826, 1827, 1828, 1829, 1830, 1831, 1832 et 1833 par Alcide D'Orbigny**. Insectes de l'Amérique méridionale, recueillis par Alcide D'Orbigny (Tribu des Longicornes). **6**(2): 206-210, pls. 20-22.
1848. Note sur un genre d'insectes de la famille des prionides. **Ann. Sci. Nat.**, (3)**9**: 210.
1851. Fauna Chilena, Insectos, Coleópteros, in Gay, C., **Historia física y política de Chile**, Zoología. **5**: 285-563, pls. 1-31 (Cerambycidae, pls. 27 - 30).
- BLANCHARD, F.. 1884. Note on the species of *Gaurotes* LeConte. **Bull. Brooklyn Ent. Soc.** **7**: 107.
- BLAND, J. H. B. 1861. Catalogue of the Longicorn Coleoptera taken in the vicinity of Philadelphia. **Proc. Ent. Soc. Philadelphia** **1**: 93-101.
1862. Descriptions of several supposed new species of Cerambycidae in the collection of the Entomological Society of Philadelphia, with observations on some already described. **Proc. Entomol. Soc. Philadelphia**, **1**: 267-276.
1863. Descriptions of a few supposed new species of North American Coleoptera. N° 2. **Proc. Entomol. Soc. Philadelphia**, **2**: 319-323.
1864. Descriptions of new North American Coleoptera. **Proc. Entomol. Soc. Philadelphia**, **3**: 253-256.
1865. Descriptions of several new species of North American Coleoptera. **Proc. Entomol. Soc. Philadelphia**, **4**: 381-384.
- BLATCHLEY, W. S. 1910. On the Coleoptera known to occur in Indiana. An illustrated descriptive catalogue of the Coleoptera or beetles (exclusive of the Rhynchophora) known to occur in Indiana. **Bull. Indiana Dep. Geol. Nat. Res.**, **1**: 1-1386, 590 figs.
1917. On some new or noteworthy Coleoptera from the west coast of Florida. II. **Can. Entomol.**, **49**(7): 236-240; (8): 272-279.
1920. Notes on the winter Coleoptera of western and southern Florida with descriptions of new species. **Can. Entomol.**, **52**(3): 68-72.
1922. Some new and rare Coleoptera from southwestern Florida. **Can. Entomol.**, **60**(3): 60-76.
- BLEUZEN, P. 1990. Revision du genre *Macrodonia* Serville, 1832 (Ancistrotini). **Sci. Nat**, **67**: 8-11, 1 pl.
1993. Note systematique sur les Callipogonini du Nouveau Monde. **Sci. Nat**, Paris, **79**: 18-19, 8 figs.
1994. **Les Coléoptères du Monde, The Beetles of the World, Vol. XXI, Prioninae 1**. **Sci. Nat**, 92 pp, 16 pl.
- BODKIN, G. E. 1919. Notes on the Coleoptera of British Guiana. **Entomologist's Mon. Mag.**, **55**: 264-272.
- BOHEMAN, C. H. 1859. Coleoptera. Species novas descripsit, in **Koniglga Svenska Fregatten Eugénies resa omkring Jorden...**,

- Stockholm, zoologi, **I** (Insecta) p. 113-218.
- BONDAR, G. 1938. Notas entomológicas da Bahia. III. **Rev. Entomol.**, **9**(3-4): 441-449, 8 figs.
1939. Dois Cerambycídeos novos da Bahia. **Bahia Rur.**, **6**(63-64): 54-56.
1953. A biologia do genero *Oncideres* e descrição de nova espécie. **Agronomia**, **12**(2): 29-31.
1956. A biologia do gênero *Oncideres* e descrição de nova espécie. **Longicornia**, **3**: 765-768, 1 fig.
- BOPPE, P. L. 1921. **Genera Insectorum**, Fam. Cerambycidae: subfam. Disteniinae-Lepturinae. P. Wytsman, **178**: 1-119, 8 pls.
- BOSCARDIN, J., COSTA, E.C. & FLECK, M.D. (2017) Ocorrência de *Desmiphora* (*Desmiphora*) *lateralis* em pitangueira no sul do Brasil. **Revista de Ciências Agrárias** **6** (2): 210-214.
- BOSQ, J. M. 1943. Agregados al Catálogo de los Longicorneos de la República Argentina. **Rev. Soc. Entomol. Zoogeografia**, **3**(3): 103-112.
1943. Segunda Lista de Coleopteros de la Republica Argentina, daninos al la Agricultura. **Ing. Agron.** **4**: 18-22.
1943. Notas sobre *Maripanus decoratus* Germain, 1898, y su presencia en la Reublica Argentina. **Rev. Soc. Entomol. Arg.**, **12**(2): 132-136, 4 figs.
1944. Sobre Interesantes Longicornios del Alto Parana Colectados por los Padres Bridarolli y Williner S.J. **Rev. Soc. Ent. Arg.** **12**(3): 196-202.
1947. Catalogo Preliminar de los Coleopteros del Paraguay; Parte III Superfamilia Cerambycoidea. **Rev Soc Cient Paraguay** **7**(2): 5-11.
1947. Interesantes longicornios de Catamarca. **Rev. Soc. Entomol. Arg.**, **13**(1-5): 292-300, 2 pls.
1948. Nueva combinación para *Leptidea brevipennis* Muls. **Agric. Tecn.**, **8**: 69-71.
1949. Los Cerambycidae (Insecta, Coleoptera) de Tarapacá. **Agric. Tecn.**, **9**: 77-80.
1949. Nueva combinación para *Leptidea brevipennis* Muls. Addenda. **Agric. Tecn.**, **9**: 81.
1949. Anotaciones Relativas a una Lista de Fauna Local Sobre Cerambycidos Argentinos. **Rev. Soc. Entomol. Arg.**, **14**: 192-203.
1950. Notas sobre un longicórnio chileno-argentino. **Arthropoda**, **1**(2-4): 377-378.
1951. Novedades en Cerambycídeos del Norte Argentino I. **Rev. Soc. Entomol. Arg.**, **15**(1-3): 96-107.
1951. Novedades en Cerambycídeos chilenos. **Rev. Chil. Entomol.**, **1**: 191-197.
1951. Revisión del género *Calydon* Thoms., 1864. **Ann. Soc. Entomol. Arg.**, **152**(2): 51-62.
1952. Descripción de una nueva especie del género *Centrocerum* Chev., 1861. **Acta Zool. Lilloana**, **10**: 95-97.
1953. Nota sobre el género *Adalbus* Fairm. et Germ., 1859. **Ann. Mus. Nahuel Huapí**, **3**: 63-67.
1953. Longicórnios del Parque Nacional Lanín, zona de San Martín de los Andes y cercanía. **Ann. Mus. Nahuel Huapí**, **3**: 69-87, 5 pls.
1953. Descripción de una nueva especie del género *Achryson* Serv., 1833. **Comun. Zool. Mus. Hist. Nat.**, **4**(69): 1-4, 2 figs.
1953. Descripción de un género y especie nuevos de Torneutini. **Rev. Soc. Entomol. Arg.**, **16**: 31-33, 1 fig.
- BOSQ, J.M. & A. RUFFINELLI. 1951. Notas Para el Catalogo de los Cerambycidos del Uruguay. **Com. Zoo. Mus. Montevideo** **62**: 1-32.
- BOTERO, J. P. 2013. Description of the male of *Eburella pinima* Martins and notes on the geographical distribution of *Eburodacrys aenigma* Galileo & Martins and *Eburodacrys lanei* Zajciw (Coleoptera, Cerambycidae). **Rev. Bras. Ent.** **57**(4): 431-432, 4 figures.
2014. Review of the genus *Susuacanga* (Coleoptera, Cerambycidae, Cerambycinae). **Zootaxa** **3779**(5): 518-528, 23 figures.
2015. *Pseudeburia*, a new South American genus of longhorned beetle (Cerambycidae: Cerambycinae: Bothriospilini).

J. Nat. Hist. **29 April 2015**: 1-5, 1 figure.

2015. Review of the Genus *Xylocaris* Dupont, 1834 (Coleoptera: Cerambycidae: Cerambycinae). **Coleopt. Bull.** **69(1)**: 21-24, 7 figures.

2015. Three new species, a lectotype designation, and taxonomic and geographic notes in Eburiini (Coleoptera, Cerambycidae, Cerambycinae). **Eur. J. Taxon.** **148**: 1-22, 3 figures.

2020. Review of the genus *Hovorestenia* Santos-Silva (Coleoptera: Disteniidae). **Pap. Avuls. Zool.** **(60) e 20206007**: 1-10, 9 figures.

BOTERO, J. P. & L. M. ALMEIDA. New species and new geographical records in Disteniidae (Coleoptera, Chrysomeloidea) with revised keys to species of *Novantinoe* and American species of *Distenia* (*Distenia*). **Zootaxa** **4590 (1)**: 040–058, 35 figures.

BOTERO, J. P., L. G. BEZARK & A. SANTOS-SILVA. 2020. A new genus, new species and taxonomic notes on American Cerambycinae (Coleoptera, Cerambycidae). **Zootaxa** **4758(1)**: 157-175, 32 figures.

2022. *Neoxela*: A new replacement name for *Xela* Botero, Bezark & Santos-Silva, 2020 (Coleoptera, Cerambycidae, Lamiinae (error)). **Zootaxa**, **5169(6)**: 599.

BOTERO, J. P., & M. CUPELLO. 2015. *Cerambyx striatus* Goeze, 1777 (currently *Dorcadion glycyrrhizae striatum*) and *Cerambyx striatus* Fabricius, 1787 (currently *Chydarteres striatus*) (Insecta, Coleoptera, Cerambycidae): proposed conservation of the specific names. **Bull. Zool. Nomen.** **72**: 122.

BOTERO, J. P., M. H. M. GALILEO & A. SANTOS-SILVA. 2019. Taxonomic Contributions to American Anacolini (Coleoptera: Cerambycidae: Prioninae): A New Genus, New Species, and A Revised Key for the Genera. **Ann. Zool. (Warszawa)** **69(4)**: 737-759, 68 figures.

BOTERO, J. P. & N. GUTIERREZ. 2020. South American Disteniini (Disteniidae, Coleoptera): New Species and New Distribution Records. **Amer. Mus. Novitates** **3948**: 1-10 4 figures.

BOTERO, J.P., D.J. HEFFERN & A. SANTOS-SILVA. 2018. Two new species of *Novantinoe* (Disteniini, Disteniidae), two new species of *Eurysthea* (Elaphidiini, Cerambycinae, Cerambycidae), and new geographical records. **Pap. Avuls. Zool.** **v.58: e20185859**: 1-9, 16 figures.

BOTERO, J. P. & M. A. MONNÉ. 2012. Revision of the genus *Eucharitolus* Bates (Coleoptera: Cerambycidae: Lamiinae). **Zootaxa** **3438**: 43-53, 13.

2015. Synopsis of the genus *Neoeutrypanus* MONNÉ, 1977 (Coleoptera, Cerambycidae, Lamiinae), with the description of two new species. **Zootaxa** **3974: (1)**: 115-121, 26 figures.

BOTERO, J. P. & M. L. MONNÉ. 2011. *Andraegoidus* Aurivillius: new species, synonymies and key to the species (Insecta: Coleoptera: Cerambycidae). **Zootaxa** **2780**: 57-62, 6 figs.

2012. Revision of the genus *Andraegoidus* Aurivillius (Insecta: Coleoptera: Cerambycidae). **Zootaxa** **3169**: 1-60, 228 figures.

2018. Cladistic analysis of the tribe Eburiini Blanchard, 1945 and revalidation of the tribe Dychophyiini Gistel, 1848 (Coleoptera: Cerambycidae). **Zool. J. Linn. Soc.** **XX**: 1-28, 12 figures.

BOTERO, J.P., S. LE TIRANT & A. SANTOS-SILVA. 2018. New Species of *Gigantotrichoderes* Tippmann, 1953 (Coleoptera: Cerambycinae: Torneutini) from Mexico. **Coleopt. Bull.** **72(4)**: 805-809, 8 figures.

BOTERO, J.P. & J. A. NORIEGA. 2017. A New Species of *Eranina* Monné, 2005 (Coleoptera: Cerambycidae: Lamiinae) from Colombia **Coleopt. Bull.** **70**: 765-768, 7 figures.

BOTERO, J.P., O. PÉREZ-FLORES, & A. SANTOS-SILVA. 2024. New Species and New Geographical Records of Mexican and Honduran Cerambycidae (Coleoptera). **Annales Zoologici** **74(1)**: 193-206, 23 figures.

BOTERO, J.P. & A. SANTOS-SILVA. 2017. Four new species, taxonomic, and nomenclatural notes in *Hammatoderus* Gemminger & Harold, 1873 (Coleoptera, Cerambycidae, Lamiinae). **Zootaxa** **4231(3)**: 377-397, 38 figures.

2017. Review of the genus *Eurysthea* Thomson 1861 (Coleoptera, Cerambycidae, Cerambycinae). **J. Natural History**: 1-23, 3 figures.

2020. Three new species, taxonomic notes, and new geographical records of Neotropical Disteniidae (Coleoptera). **Pan-Pac. Ent.** **96(3)**: 143-167, 56 figures.
2020. Review of the genus *Cupecuara* (Coleoptera: Disteniidae). **Acta Ent.** **60(2)**: 639-650, 63 figures.
2021. Rediscovering the rare genus *Arietocometes* Santos-Silva & Tavakilian, 2009 (Coleoptera: Disteniidae): a review with description of three new species and an identification key. **Austral Entomology**, (2021) **60**: 198–214, 64 figures.
2022. A new species of *Elytrimitatrix* (*Grossifemora*) Santos-Silva & Hovore (Coleoptera: Disteniidae: Disteniinae). **Faunitaxys**, **10(18)**: 1-4, 9 figures.
2022. New species, synonymy, new records, and taxonomic notes in American Cerambycidae (Coleoptera). **Insecta Mundi**, **0931**: 1-22, 37 figures.
2022. New species, new combination, and a revised key to species of *Eburella* Monné & Martins (Coleoptera: Cerambycidae: Eburiini). **Ann. Ent. Soc. France (N.S)** DOI: **10.1080/00379271.2022.2066018**: 1-6, 7 figures.
2023. New species and taxonomical notes on Bolivian Lamiinae (Coleoptera, Cerambycidae). **Stud. Neo. Fauna & Envir.** DOI: **10.1080/01650521.2023.2249359**: 1-18, 32 figures
- BOTERO, J. P., A. SANTOS-SILVA & L. G. BEZARK. 2019. Revision of the genus *Pteroplatus* Buquet, 1840 (Coleoptera, Cerambycidae, Cerambycinae) and taxonomic notes in Pteroplatini. **Zootaxa** **4658 (1)**: 069–100, 96 figures.
- BOTERO, J. P., A. SANTOS-SILVA & J. E. WAPPES. 2019. New species, a new combination, and a new country record in American Clytini (Coleoptera: Cerambycidae: Cerambycinae). **Insecta Mundi** **0697**: 1-19, 29 figures.
- BOTERO, J. P., G. L. TAVAKILIAN, M. SEIDEL, M. HUSEMANN & M. V. P. SIMOES. 2023. An annotated type catalogue of the Cerambycidae (Insecta: Coleoptera) in the Zoological Museum Hamburg. **Eur. J. Tax.** **869**: 1-50, 22 figures.
- BOUCHARD, P. & Y. BOUSQUET. 2020. Additions and corrections to “Family-group names in Coleoptera (Insecta).” **ZooKeys** **922**: 65-139, 6 appendices.
- BOUCHARD, P., Y. BOUSQUET, A.E. DAVIES & C. CAI. 2024. On the nomenclatural status of type genera in Coleoptera (Insecta). *ZooKeys* 1194: 1–981. <https://doi.org/10.3897/zookeys.1194.106440>
- BOUCHARD, P., Y. BOUSQUET, A. E. DAVIES, M. A. ALONSO-ZARAZAGA, J. F. LAWRENCE, C. H. C. LYAL, A. F. NEWTON, C. A. M. REID, M. SCHMITT, S. A. SLIPINSKI, & A. B. T. SMITH. 2011. Family-group names in Coleoptera (Insecta). **ZooKeys** **88**: 1-972.
2011. Family-group names in Coleoptera (Insecta). **ZooKeys** **88**: 1-972.
- BOUSQUET, Y. 1991. Checklist of the Beetles of Canada and Alaska. **Res. Branch. Agric. Canada Pub.** **1861/E**
2004. The works of P.F.M.A. Dejean, with emphasis on publication dates and new carabid taxa proposed. *Fabrerries* 29: 33–48. [Date published (at the bottom of the second cover page): "Mailing date for this issue: January 10, 2008"]
2008. Nomenclatural and Bibliographic Notes on Cerambycidae (Coleoptera). **Coleop. Bull.** **61(4)**: 616-631.
2016. Litteratura Coleopterologica (1758–1900): a guide to selected books related to the taxonomy of Coleoptera with publication dates and notes. *ZooKeys* 583: 1–776. [Date published: 25.IV.2016 (title page)] DOI: 10.3897/zookeys.583.7084
2018. The dating of the fourth volume of Guillaume-Antoine Olivier’s “Entomologie, ou histoire naturelle des insectes”. *ZooKeys* 734: 137–148. [Date published: 5.II.2018 (title page)] DOI: 10.3897/zookeys.734.22901
- BOUSQUET, Y. & P. BOUCHARD. 2013. The genera in the second catalogue (1833–1836) of Dejean’s Coleoptera collection. *ZooKeys* 282: 1–219. [Date published: 2.IV.2013 (title page)] DOI: 10.3897/zookeys.282.4401
2017. Status of the new genera in Gistel’s “Die Insecten-Doubletten aus der Sammlung des Herrn Grafen Rudolph von Jenison Walworth” issued in 1834. *ZooKeys* 698: 113–145. <https://doi.org/10.3897/zookeys.698.14913>

- BOUSQUET, Y., D. J. HEFFERN, P. BOUCHARD, & E. H. NEARNS. 2009. Catalogue of family-group names in Cerambycidae (Coleoptera). **Zootaxa** **2321**: 1-80. [Date published: 22.XII.2009 (title page)] DOI: <https://doi.org/10.11646/zootaxa.2321.1.1>
- BOUSQUET Y., S. LAPLANTE, H.E.J. HAMMOND, & D.W. LANGOR. 2017. Cerambycidae (Coleoptera) of Canada and Alaska: identification guide with nomenclatural, taxonomic, distributional, host-plant, and ecological data. **Prague, Nakladatelství Jan Farkač, 300 pages.**
- BOUYER, T. & A. SANTOS-SILVA. 2016. On *Hovatoma gramreta* Gilmour, 1956, a junior synonym of *Strongylaspis corticaria* (Erichson, 1848) (Coleoptera, Cerambycidae, Prioninae). **Les Cahiers Magellanes NS(23)**:87-90, 4 figures.
- BREME, F. de. 1844. Insectes coléoptères nouveaux ou peu connus. Première et deuxième décades. **Ann. Soc. Entomol. France**, (2) **2**: 287-313.
- BRETAS J. B. & W. SANTOS ARAUJO. 2020. Occurrence of *Acrocinus longimanus* (Linnaeus, 1758) (Coleoptera: Cerambycidae in Montes Claros, Minas Gerais, Brazil. **Arthropods** **9(1)**: 1-6, 2 figures.
- BRETHES, J. 1916. Description d'un nouveau coléoptère du Chili. **Rev. Chil. Hist. Nat.**, **20**: 75-78, 1 fig.
1920. Insectes du Perou. **Ann. Soc. Entomol. Arg.**, **89**: 27-54.
1925. Nouveaux coléoptères Sud Américains. **Nunquam Otiosus**, **4**: 11-16.
- BREUNING, S. 1935. Novas species Cerambycidarum. III. **Folia zool. hydrobiol.**, **8**: 51-71.
1936. Novae species Cerambycidarum. V. **Festschr. 60 Geburtst. E. Strand**, **1**: 274-325.
1938. Études sur les Lamiaires. Huitième tribu: Mesosini Thomson. **Novit. Entomol.**, **8**: 365-392.
1939. Novae species Cerambycidarum. VII. **Festschr. 60 Geburtst. E. Strand**, **5**: 144-290.
1940. Novae species Cerambycidarum. VIII. **Folia zool. hydrobiol.**, **10**: 37-85.
1940. Novae species Cerambycidarum. IX. **Folia zool. hydrobiol.**, **10**: 115-214.
1940. Novae species Cerambycidarum. X. **Folia zool. hydrobiol.**, **10**: 407-437.
1942. Novae species Cerambycidarum. XI. **Folia zool. hydrobiol.**, **11**: 113-175.
1943. Novae species Cerambycidarum. XII. **Folia zool. hydrobiol.**, **12**: 12-66.
1943. Études sur les Lamiaires. Douzième tribu: Agniini. **Novit. Entomol.**, **3(104)**: 137-280, figs. 1-157.
1944. Études sur les Lamiaires. Douzième tribu: Agniini (cont.). **Novit. Entomol.**, **3(107-135)**: 281-512.
1947. Nouvelles formes de Longicornes du Musée de Stockholm. **Ark. Zool.**, **39A(6)**: 1-68.
1948. Nouvelles formes de Lamiaires (Première partie). **Bull. Mus. Hist. Nat. Belg.**, **24(38)**: 1-44.
1948. Nouvelles formes de Lamiaires (Deuxième partie). **Bull. Mus. Hist. Nat. Belg.**, **24(47)**: 1-47.
1949. Notes systématiques sur les Lamiaires. **Bull. Inst. Sci. Nat. Belg.**, **25(38)**: 1-32.
1950. Quelques nouveaux Lamiaires du Riksmuseum. **Ark. Zool.**, (2)**1**: 265-274.
1950. Revision des Parmenini. **Longicornia**, **1**: 29-159, 18 figs.
1950. Lamiaires nouveaux de la collection Lepesme. **Longicornia**, **1**: 511-535, 8 figs.
1950. Nouveaux Lamiaires du Musée de Genes. **Ann. Mus. Civ. Stor. Nat. Giacomo Doria**, **64**: 170-201.
1950. Nouvelles formes de Lamiaires (Troisième partie). **Bull. Inst. Sci. Nat. Belg.**, **26(12)**: 1-32.

1952. Revision einiger Gattungen aus der Gruppe der Saperdini. **Entomol. Arb. Mus. G. Frey**, 3(1): 107-213, 3 pls.
1953. Nouvelles formes de Lamiaires (Quatrième partie). **Bull. Inst. Sci. Nat. Belg.**, 29(8): 1-38, 1 pl.
1954. Nouvelles formes de Lamiaires (Sixième partie). **Bull. Inst. Sci. Nat. Belg.**, 30(28): 1-23, 4 figs.
1954. Nouvelles formes de Lamiaires (Septième partie). **Bull. Inst. Sci. Nat. Belg.**, 30(41): 1-24, 3 figs.
1954. Revision von 35 Gattungen aus der Gruppe der Saperdini Muls. **Entomol. Arb. Mus. G. Frey**, 5(2): 401-567, 3 pls.
1955. Revision du genre *Mecas* LeConte. **Mém. Soc. Entomol. Belg.**, 27: 138-152, 1 fig.
1955. Eine neue Lamiiden-Gattung aus Brasilien. **Entomol. Arb. Mus. G. Frey**, 6(1): 311-312.
1955. Neue Cerambyciden von der Insel Trinidad. **Entomol. Arb. Mus. G. Frey**, 6(2): 659-661.
1956. Lamiaires nouveaux de la collection Lepesme (2e. note). **Longicornia**, 3: 665-702, 12 figs.
1956. Nouveaux Lamiaires du Rijksmuseum. **Ark. Zool.**, (N. S.) 9: 355-361.
1958. **Catalogue des Lamiaires du Monde**. 1 Lief. Tutzing b. München, Mus. G. Frey, 48 p.
1958. Nouvelles formes de Lamiaires (Dixième partie). **Bull. Inst. Sci. Nat. Belg.**, 34(22): 1-47, 11 figs.
1958. Nouveaux Lamiaires du Muséum National d'Histoire Naturelle (3e Note). **Bull. Soc. Entomol. France**, 63(1-2): 31-37, 2 figs.
1959. **Catalogue des Lamiaires du Monde**. 2 Lief. Tutzing b. München, Mus. G. Frey, p. 49-107.
1959. Nouveaux genres de Lamiinae. **Bull. Ann. Soc. Entomol. Belg.**, 95: 70-88.
1959. Nouvelles formes de Lamiaires (Onzième partie). **Bull. Inst. Sci. Nat. Belg.**, 35(6): 1-14, 6 figs.
1960. **Catalogue des Lamiaires du Monde**. 3 Lief. Tutzing b. München, Mus. G. Frey, p. 109-182.
1960. Nouvelles formes de Lamiaires (Douzième partie). **Bull. Inst. Sci. Nat. Belg.**, 36(7): 1-30, 4 figs.
- 1960-1962. Révision systématique des espèces du genre *Oberea* Mulsant du globe. **Frustula Entomol.**, 3(4): 1-59; 4(3): 61-140; 5(4): 141-232.
1961. **Catalogue des Lamiaires du Monde**. 4 Lief. Tutzing b. München, Mus. G. Frey, p. 183-284.
1961. **Catalogue des Lamiaires du Monde**. 5 Lief. Tutzing b. München, Mus. G. Frey, p. 287-382.
1961. Nouvelles formes de Lamiaires (Treizième partie). **Bull. Inst. Sci. Nat. Belg.**, 37(20): 1-44, 4 figs.
1961. Neue oder schlecht bekannte Cerambyciden. **Entomol. Arb. Mus. G. Frey**, 12: 140-160.
1961. Neue Lamiiden aus dem Museum G. Frey. **Entomol. Arb. Mus. G. Frey**, 12: 245-250.
1961. Neue Lamiiden aus dem Museum G. Frey. **Entomol. Arb. Mus. G. Frey**, 12: 326-342.
1961. Revision des Pteropliini. **Pesquisas**, (5)9: 5-60, 7 figs.
1962. **Catalogue des Lamiaires du Monde**. 6 Lief. Tutzing b. München, Mus. G. Frey, p. 387-459.
1962. Revision des Agapanthiini Muls. américains. **Pesquisas**, (6)13: 1-48, 9 figs.
1962. Nouvelles formes de Lamiaires (Quatorzième partie). **Bull. Inst. Sci. Nat. Belg.**, 3(40): 1-16, 5 figs.
1963. **Catalogue des Lamiaires du Monde**. 7 Lief. Tutzing b. München, Mus. G. Frey, p. 463-555.
1964. Neue Lamiiden aus dem Museum G. Frey. **Entomol. Arb. Mus. G. Frey**, 15: 91-97.

1966. **Catalogue des Lamiaires du Monde**. 9 Lief. Tutzing b. München, Mus. G. Frey, p. 659-765.
1966. Nouvelles formes de Lamiaires (Dix-septième partie). **Bull. Inst. Sci. Nat. Belg.**, **42**(21): 1-22.
1967. **Catalogue des Lamiaires du Monde**. 10 Lief. Tutzing b. München, Mus. G. Frey, p. 771-864.
1969. **Catalogue des Lamiaires du Monde**. 11 Lief. Tutzing b. München, Mus. G. Frey, p. 865-1069.
1971. Revision des espèces américaines de la tribue des Apomecynini Lac. **Entomol. Abh. St. Mus. Tierk.**, Dresden, **37**(3): 209-335, 21 figs.
1971. Neue Lamiinae aus den Beständen des Zoologischen Museums der Humboldt-Universität in Berlin. **Mitt. Zool. Mus. Berlin**, **47**(2): 285-288.
1973. Lamiaires nouveaux ou peu connus du Muséum de Paris. **Ann. Soc. Entomol. France**, (N. S.) **9**(3): 647-665.
1973. Neue Lamiinae aus den Beständen des Zoologischen Museums der Humboldt-Universität Berlin. **Mitt. Zool. Mus. Berlin**, **49**(1): 37-40.
1974. Revision des Rhodopinini américains. **Studia Entomol.**, **17**(1-4): 1-210, 24 figs.
1974. Neue arten und gattungen von Lamiinen. **Mitt. Zool. Mus. Berlin**, **50**(1): 149-165.
1974. Neue Lamiinae. **Mitt. zool. Mus. Berlin**, **50**(2): 237-241.
1974. Neue Lamiinae aus den Beständen des Staatlichen Museum für Tierkunde Dresden **Reichenbachia**, **15**(5): 37-42.
1975. Revision de la tribue des Pogonocherini. **Folia Entomol. Hung.**, Budapest, (N. S.), **28**(1): 9-53, 6 figs.
1979. Description de nouveaux genres et espèces de Lamiinae. **Bull. Soc. Entomol. Mulhouse**, **1979**: 13-15.
1980. Nouveaux Cerambycidae Lamiinae néotropicaux. **Bull. Soc. Entomol. France**, **5**: 67-71.
1980. **Revision de la tribu des Comptosomatini Thoms.** Venette, Compiègne, Edit. Sci. Nat., p. 1-32, 8 figs.
- BREUNING, S. & L. HEYROVSKY. 1961. Cerambycides nouveaux de la collection Heyrovsky. **Bull. Soc. Entomol. Mulhouse**, **1961**: 16-18.
1964. Cerambycides nouveaux de la collection Heyrovsky (Deuxième partie). **Bull. Soc. Entomol. Mulhouse**, **1964**: 27-30.
- BRONGNIART, P. 1793. Description d'une nouvelle espèce de Lamie. **Bull. Soc. Philomath.**, **1**: 34, pl. 2, fig. 2.
- BROWN, W. J. 1952. Some species of Phytophaga. **Can. Entomol.**, **84**: 335-342.
- BROWNE, D.J., S.B. PECK, & M.A. IVIE. 1993. The Longhorn beetles (Coleoptera Cerambycidae) of the Bahama Islands with an analysis of species-area relationships, distribution patterns, origin of the fauna and an annotated species list. **Trop. Zoo.** **6**: 27-53.
- BRUCH, C. 1908. Longicórnios argentinos nuevos o poco conocidos. I. **Rev. Mus. La Plata**, **15**: 198-220, figs.
1911. Longicórnios argentinos nuevos o poco conocidos. II. **Rev. Mus. La Plata**, **18**: 164-178, 13 figs.
1912. Catálogo sistemático de los Coleópteros de la República Argentina. Pars VIII, Familia Cerambycidae. **Rev. Mus. La Plata**, **18**: 179-226.
1914. Descripción de un cerambícido extraordinario de la República Argentina (*Pleiarthrocerus opacus*, n. gen., n. sp.). **Rev. Mus. La Plata**, **19**: 340-345, 5 figs.
1914. Descripción de la hembra de *Anoploderma (Pathocerus) wagneri* Waterh. **Bol. Soc. Physis**, **1**(6): 381-385, 2 figs.
1915. Suplemento al catálogo sistemático de los Coleópteros de la República Argentina. I. (Addenda et corrigenda). **Rev. Mus. La Plata**, **19**: 538-573.
1918. Cerambícidos argentinos nuevos o poco conocidos. **Rev. Mus. La Plata**, **24**: 5-29, 9 figs.
1921. Algunos interesantes cerambícidos. **Rev. Mus. La Plata**, **25**: 345-356, 8 figs.

1925. Coleópteros nuevos y poco conocidos. **Physis**, **8**: 199-211, 6 figs.
1926. Cerambícidos nuevos o poco conocidos. **Physis**, **8**: 338-348, 2 pls.
1929. Una nueva especie de *Prionapterus* Guér. **Rev. Soc. Entomol. Arg.**, **2**(10): 203-208, 1 pl.
1933. Un longicórmo nuevo de la Argentina. **Rev. Entomol.**, **3**(3): 335-337, 1 fig.
1935. Biología y metamorfosis de un interesante longicornio: *Schreiteria bruchi* Melzer. **Physis**, **11**(40): 361-365, 2 pls.
1939. Una nueva especie de *Adetus*. Misceláneas entomológicas II. **Notas Mus. La Plata**, **4** (Zool. 20): 200-202, 3 figs.
1940. *Parozodera* n. gen. para *Ozodera farinosa* (Burm.). Misceláneas entomológicas III. **Notas Mus. La Plata**, **5**(Zool. 35): 116-118, 1 fig., 1 pl.
1940. El longicornio de las vainas del algarrobo, *Lophopoeum timbouvae* Lam. Misceláneas entomológicas III. **Notas Mus. La Plata**, **5** (Zool 35): 118-122, 2 pls.
1941. Las especies Argentinas del género *Migdolus* Westwood. Misceláneas entomológicas VI. **Notas Mus. La Plata**, **6**(Zool. 48): 163-171, 2 pls.
1941. Descripción de una especie nueva de *Oncideres*. Misceláneas entomológicas VII. **Notas Mus. La Plata**, **6**(Zool. 50): 367-369, 2 figs., 1 pl.
- BUCK, P. 1959. Cerambycidae in der Sammlung des Instituto Anchietano de Pesquisas. **Pesquisas**, **3**: 577-609.
- BUQUET, J. B. 1838. Notice sur nouveau genre de longicornes de la tribu des cérambycins. **Revue Zool.**, **1838**: 253-254.
1838. Notice sur deux coléoptères longicornes de la tribu des lamiaires et appartenant au genre *Phacellus* de M. Dejean. **Revue Zool.**, **1838**: 254-255.
1839. Notice sur deux longicornes nouveaux de la tribu des lamiaires. **Mag. Zool.**, **1839**: pl. 5.
1840. Description d'une nouvelle espèce de trachydéride, appartenant au genre *Ozodera*. **Revue Zool.**, **1840**: 110-112.
1840. Description de quelques coléoptères longicornes appartenant aux genres *Calocomus*, *Stenaspis* et *Galissus*. **Revue Zool.**, **1840**: 142.
1840. Coléoptères nouveaux. **Revue Zool.**, **1840**: 172-173.
1840. Une notice sur le genre *Anacolus*. **Revue Zool.**, **1840**: 254.
1840. Une notice sur un genre nouveau de longicornes, de la tribu des cérambycins, et désigné sous le nom de *Pteroplatus*, dans la troisième édition du catalogue de M. le comte Dejean. **Revue Zool.**, Paris, **1840**: 287.
1840. Notice sur un genre nouveau de longicornes, de la tribu des cérambycins. **Revue Zool.**, **1840**: 292-295.
1840. G. Calocome. *Calocomus* Serville. **Mag. Zool.**, **1840**: pls. 50-55.
1840. G. Mécosarthron. *Mecosarthron* Buquet. **Mag. Zool.**, **1840**: pl. 52.
1840. Notice sur le genre *Anacolus*, et description de trois espèces nouvelles. **Ann. Soc. Entomol. France**, (1)**9**: 379-384.
1840. Notice sur un genre nouveau de longicornes, de la tribu des cérambycins, et description de plusieurs espèces qui se rattachent. **Ann. Soc. Entomol. France**, (1)**9**: 385-391.
1840. Description de plusieurs coléoptères nouveaux appartenant aux genres *Lebia*, *Vatellus*, *Acmaeodera*, *Hammaticherus*, et *Leptura*. **Ann. Soc. Entomol. France**, (1)**9**: 393-400.
1840. Un longicorne du Brésil, de la tribu des prioniens et du genre *Ergates*. **Bull. Soc. Entomol. France**, **1840**: xxvii-xxviii.
1840. Un longicorne nouveau et monstrueux de Colombie. **Bull. Soc. Entomol. France**, **1840**: xxix.
1841. Description d'un genre nouveau de longicornes, de la tribu des prioniens. **Mag. Zool.**, **1841**: pl. 63.

1841. Description de deux longicornes appartenant aux genres *Stenaspis* et *Galissus*. **Mag. Zool., 1841:** pls. 66-67.
1841. Description de plusieurs longicornes appartenant au genre *Pteroplatus*, tribu des cérambycins. **Ann. Soc. Entomol. France, (1)10:** 151-155.
1841. Notice supplémentaire sur un genre de longicornes (le G. *Pteroplatus*), description de quatre espèces nouvelles. **Revue Zool., 1841:** 206-207.
1841. Observations relatives à un longicorne décrit et figure par M. Duponchel. **Ann. Soc. Entomol. France, (1)10:** 325-326.
1841. Un longicorne nouveau du groupe des Prioniens et appartenant au genre *Solenoptera*. **Bull. Soc. Entomol. France, 1841:** xxxix-xl.
1842. Description d'une espèce nouvelle de prionien du genre *Derobrachus* (Dejean, Serville). **Ann. Soc. Entomol. France, (1)11:** 203-04.
1843. G. Hétéropalpe. *Heteropalpus* Buquet. **Mag. Zool., 1843:** pl. 118.
1843. Notice monographique sur le genre *Ctenoscelis*, de la tribu des prioniens. **Ann. Soc. Entomol. France, (2)1:** 231-240.
1843. Description d'une nouvelle espèce de longicorne de la tribu des prioniens, appartenant au genre *Torneutes* de M. Reich. **Revue Zool., 1843:** 299-300.
1844. In F. E. Guérin-Ménéville, **Iconographie du regne animal de G. Cuvier** (Insectes). 7: iv + 576 pp., 110 pls.
1845. Remarque sur le genre *Heteropalpus*. **Bull. Soc. Entomol. France, 1845:** xi.
1851. Notice monographique sur le genre *Cometes*, de la famille des longicornes, tribu des lepturètes. **Revue Mag. Zool., (2)3:** 188-192.
1851. Description d'une nouvelle espèce de longicorne du genre *Phacellus* de la tribu des lamiaires. **Revue Mag. Zool., (2)3:** 603-605.
1852. Notice monographique sur le genre *Trachysomus*, de la tribu des lamiaires, suivie de la description de cinq espèces nouvelles de criodions. **Ann. Soc. Entomol. France, (2)10:** 349-358.
1852. Description d'une nouvelle espèce du genre *Chlorida*, Serville. **Ann. Soc. Entomol. France, (2)10:** 655-656, 1 pl.
1852. Description d'une nouvelle espèce de prionien du genre *Derobrachus* Dejean, Serville. **Ann. Soc. Entomol. France, (2)10:** 657-658.
1852. Notice sur le genre *Eudesmus*, de l'ordre des coléoptères. **Revue Mag. Zool., (2)4:** 343-345.
1853. Description d'une nouvelle espèce de longicorne de la tribu des prioniens, appartenant au genre *Ancistrotus*, Serv. **Ann. Soc. Entomol. France, (3)1:** 41-42.
1853. Description de deux espèces nouvelles de longicornes du genre *Polyrhaphis*, Serville. **Ann. Soc. Entomol. France, (3)1:** 443-446.
1853. Erratum. **Bull. Soc. Entomol. France, 1853:** xxiv.
1853. Notice monographique sur un nouveau genre de coléoptères de la famille des longicornes, tribu des cérambycins. **Revue Mag. Zool., (2) 5:** 256-261.
1854. Description de deux espèces nouvelles de longicornes. **Revue Mag. Zool., (2)6:** 343-345.
1857. Notice supplémentaire sur le genre *Euryprosopus*, de l'ordre des coléoptères, suivie de la description de deux espèces nouvelles. **Revue Mag. Zool., (2)9:** 409-412.
1857. Lettre sur le genre *Ancylocera* de la famille des cérambycides. **Archiv. Entomol., 1:** 137-138.
1857. Notice monographique sur le genre *Hemicladus*, de la famille des longicornes. **Archiv. Entomol., 1:** 327-331.
1857. Description d'une nouvelle espèce de longicorne, du genre *Ancylocera*. **Archiv. Entomol., 1:** 332-333.
1857. Notice monographique sur deux genres de longicornes. **Archiv. Entomol., 1:** 333-340.
1859. Mémoire sur deux genres nouveaux de coléoptères de la famille des longicornes (*Oxilus* et *Sthelenus*), suivi de la description de plusieurs espèces appartenant aux genres *Platyarthron*, *Oeme* (*Sclerocerus* Dej.), *Clytus*, *Apriona*, *Cerosterna* et *Acanthoderus*. **Ann. Soc. Entomol. France, (3)7:** 619-636.

1859. Notice monographique sur un genre nouveau de coléoptères de la famille des cérambycides (longicornes). **Arcana Nat.**, **1**: 45-49.
1859. Un genre nouveau de longicorne. **Bull. Soc. Entomol. France**, **1859**: cxxxviii.
1859. Description d'un genre nouveau de coléoptères de la famille des cérambycides (longicornes). **Arcana Nat.**, **1**: 99-100.
1860. Description de quelques longicornes nouveaux. **Ann. Soc. Entomol. France**, (3)**8**: 617-628.
- BURMEISTER, H. C. 1861. **Reise Durch Die La Plata Staaten 1857-1860**. **1**: 1-504; **2**: 1-540.
1865. Longicornia Argentina. Systematische Uebersicht der Bockkäfer der La Plata-Staaten. **Stettin. Entomol. Ztg.**, **26**: 156-181.
1879. Briefliche Mittheilungen. (3. Nachträge zu dem Aufsatz: Longicornia Argentina, Zeitung 1865, S. 156 ff.). **Stettin. Entomol. Ztg.**, **40**: 194-209.
- BURNE, J. C. 1984. A new genus of Cerambycidae from Chiapas, Mexico. **Coleop. Bull.**, **38**(2): 145-149, 4 figs.
1998. Notes on the Cerambycidae of Georgia III. **Coleop. Bull.**, **52**(4): 393.
- CAMERON, M. 1909. Description of a new species of the longicorn genus *Myrmolamia* from Haiti (W. I.). **Entomologist's Mon. Mag.**, **45**: 78-79.
1910. Description of two new species of the longicorn genus *Pentomacrus*. **Entomologist's Mon. Mag.**, **46**: 135-136.
- CARDONA-DUQUE, J., A. SANTOS-SILVA & M. WOLFF. 2007. A new species of Parandrinae from the Central Andes of Colombia (Coleoptera, Cerambycidae). **Zootaxa** **1661**: 39-45, 15 figs.
2010. Parandrinae (Coleoptera: Cerambycidae) de Colombia. **Rev. Colomb. Ent.** **36** (1): 135-157. 9 figs.
- CARELLI, A. & M. L. MONNÉ. 2015. Taxonomic revision of *Phygopooda* Thimson, 1864 and *Pseudophygopoda* Tavakilian & Peñaherrera-Leiva, 2007 (Insecta: Coleoptera: Cerambycidae: Cerambycinae). **Zootaxa** **4021**: (2): 201-242, 148 figures.
- CARELLI, A. , M. L. MONNÉ & V. S. MACHADO. 2013. Taxonomic revision of *Trypanidius* Blanchard, 1846 in South America (Insecta: Coleoptera, Cerambycidae). **Zootaxa** **3691** (2): 253-272, 40 figures.
- CARVALHO, S. M. 1981. Nova espécie de *Hippopsis* da República Argentina. **Rev. Bras. Entomol.**, **25**(1): 53-54.
1981. *Hippopsis solangeae*, sp. n. com notas sobre a morfologia do exoesqueleto. **Rev. Bras. Entomol.**, **25**(4): 327-331, 25 figs.
- CASARI, S. A. & U. R. MARTINS. 2013. Immatures of *Phoebemima ensifera* Tippmann, 1960 (Cerambycidae, Lamiinae, Hemilophini). **Pap. Avuls. Zool.** **53**(21): 295-299, 21 figures.
- CASARI, S. A. & A. SANTOS-SILVA. 2016. Two new species of *Epimelitta* Bates from Brazil and a new synonymy in *Stenopseustes* Bates (Coleoptera, Cerambycidae, Cerambycinae, Rhinotragini). **Zootaxa** **4083**(3): 371-384, 39 figures.
- CASARI, S.A. & STEFFANELLO, E. A. W. (2010) Immature of *Tapuria felisbertoi* Lane, 1973 (Cerambycidae, Cerambycinae, Hexoplonini). **Pap. Avuls. Zool.** **50**(27): 425-434.
- CASEY, T. L. 1890. Coleopterological notices II. **Ann. New York Acad. Sci.**, **5**: 307-504.
1891. Coleopterological notices III. **Ann. New York Acad. Sci.**, **6**: 9-214.
1893. Coleopterological notices V. **Ann. New York Acad. Sci.**, **7**: 281-606, 1 pl.
1899. New species of *Pemphus* and *Tragosoma*. **Entomol. News**, **10**(4): 97-99.
1912. Studies in the Longicornia of North America. **Mem. Col.**, **3**: 215-376.
1913. Further studies amongst the American Longicornia. **Mem. Col.**, **4**: 193-388.
1914. Miscellaneous notes and new species. **Mem. Col.**, **5**: 355-378.

1918. Miscellaneous notes and corrections. **Mem. Col.**, **8**: 413-416.
1924. Additions to the known Coleoptera of North America. **Mem. Col.**, **11**: 1-347.
- CASTRO-XOCHITLA, J. J., G SANCHEZ-HERNANDEZ & R. J. CHAN-CHABLE. 2020. Nuevo registro estatal de *Callipogon* (*Callipogon*) *barbatum* (Fabricius) (Coleoptera: Cerambycidae: Prioninae) en México. **Rev. Chil. Ent** **46(1)**: 135-138, 2 figures.
- CAZIER, M. A. 1952. New West Indian Scarabaeidae and Cerambycidae. **Amer. Mus. Novit.**, **1566**: 1-4, 1 fig.
- CAZIER, M. A. & L. LACEY. 1952. The Cerambycidae of the Bahama Islands, British West Indies. **Amer. Mus. Novit.**, **1588**: 1-55, 13 figs.
- CAZORLA, D. & M. ALARCÓN. 2024. Nuevos Aportes Sobre Cerambycidae (Coleoptera: Cerambycinae, Lamiinae) De Venezuela. **Rev. Nic. De Venez.** **362**: 1-82, 149 figures.
- CERDA, M. A. 1953. Nuevos cerambícidos chilenos. **Rev. Chil. Entomol.**, **3**: 135-139.
1953. Contribución al estudio de los cerambícidos chilenos. **Rev. Chil. Entomol.**, **3**: 150-151.
1954. Dos nuevos cerambícidos chilenos. **Rev. Chil. Entomol.**, **8**: 94-96.
1963. Dos nuevos cerambícidos chilenos. **Publ. Occ. Mus. Hist. Nat.**, **3**: 3-8.
1968. Nuevos cerambícidos chilenos. **Rev. Chil. Entomol.**, **6**: 101-107.
1972. Revisión de la subfamilia Oxypeltinae. **Publ. Occ. Mus. Hist. Nat.**, **13**: 1-10.
1973. Nueva tribu de Cerambycidae. **Rev. Chil. Entomol.**, **7**: 115-122.
1974. Revisión de los Prioninae de Chile. **Rev. Chil. Entomol.**, **8**: 41-46.
1980. Contribución al estudio de los cerambícidos de Chile. **Rev. Chil. Entomol.**, **10**: 63-66.
1980. Nuevo cerambícido de la República Argentina. **Rev. Chil. Entomol.**, **10**: 91.
1986. Lista sistemática de los cerambícidos chilenos. **Rev. Chil. Entomol.**, **14**: 29-39.
1987. Nota sobre *Achryson philippi* Germain, 1898. **Rev. Chil. Entomol.**, **15**: 79-81, 5 figs.
1987. Nuevo Holopterini de Chile. **Acta Entomol. Chil.**, **14**: 187-188.
1988. Nuevo Cerambycinae de Chile. **Rev. Chil. Entomol.**, **16**: 69-70.
1988. Actualización de la lista sistemática de los Cerambycidae de Chile. **Rev. Chil. Entomol.**, **16**: 89-91.
1991. Nuevo Cerambycinae de Chile. **Acta Entomol. Chil.**, **16**: 263-264, 1 fig.
1993. Nuevos Cerambicidos De Chile (Coleoptera: Cerambycidae). **Rev. Chil. Entomol.**, **20**: 13-14.
1995. Nuevos cerambycidos chilenos. **Rev. Chil. Entomol.**, Santiago, **22**: 75-79.
- CERDA, M. A. & T. CEKALOVIC. 1986. Nuevo Holopterini de Chile y descripción de sus estados larval y pupal. **Bol. Soc. Biol. Concepción**, **57**: 189-193, 4 figs.
- CHABRILLAC, F. 1857. Description de treize espèces de cérambycides. **Archiv. Entomol.**, **1**: 194-200.
- CHALUMEAU, F. 1982. Acanthocinini des Petites Antilles. Nouveaux taxa et observations diverses. **Nouv. Rev. Entomol.**, **13(2)**: 219-237, 14 figs.
1985. Quelques Cerambycidae mimétiques des Petites Antilles et description d'une espèce nouvelle. **L'Entomol.**, **41**: 147-152.
2010. A new Brazilian species of *Physopleurus* Lacordaire (Coleoptera: Cerambycidae: Prioninae). **Coleopt. Bull.** **64(2)**: 113-115, 3 figures.

- CHALUMEAU, F. & J. TOUROULT. 2004. Un nouveau lamiaire de Guadeloupe. **Lambillionea, CIV, 1:** 64 – 65, 1 fig.
2004. Nouvelles especes, synonymies et notes concernant quelques longicornes des Petites Antilles. **Lambillionea, CIV, 2:** 189 – 198, 7 figs.
2004. Nouveaux Elaphidiini des Petites Antilles et notes diverses (Cerambycinae). **Lambillionea, CIV, 4:** 751 – 755, 3 figs.
2005. Nouveaux longicornes de la Dominique et de la Martinique (Petit Antilles) et notes diverses. **Lambillionea, CV, 1:** 155 – 159, 5 figs.
2005. **Les longicornes des Petites Antilles, taxonomie, éthologie, biogéographie.** Series Faunistica No. 51, Pensoft Publ., Bulgaria. 241 pp., XVIII b&w illus., 132 figs.
- CHAMPION, G. C. 1892. In H. W. Bates, [Footnote proposal of *Charisia* to replace *Charis* Bates]. **Trans. Entomol. Soc. London, 1892:** 161.
- CHAMPLAIN, A. B. & J. N. KNULL. 1922. New North American Coleoptera. **Entomol. News, 33(5):** 144- 149.
1922. A new *Typocerus*. **Entomol. News, 33(10):** 304.
1925. Two new North American Coleoptera. **Ann. Entomol. Soc. Amer., 1(4):** 469-470.
1925. A new species of *Lepturges*. **Entomol. News, 36(7):** 207.
1926. Notes on Cerambycidae with descriptions of new species. **Entomol. News, 37(7):** 205-07.
- CHATZIMANOLIS, S. et.al. 2020. New Records of Beetles (Coleoptera) from the Tennessee Valley of Southeastern USA. **Coleop. Bull. 74 (3):** 605-618, figure 2 (D, E & F).
- CHEMSAK, J. A. 1959. Descriptions of some new Cerambycidae from Mexico and southwestern United States. **J. Kansas Entomol. Soc., 32(3):** 111-114.
1959. A new genus of Mexican Cerambycidae related to *Crossidius*. **Entomol. News, 70(5):** 131-133.
1959. Two new North American species of *Anelaphus* Linsley. **Pan-Pacific Entomol., 35(3):** 165-166.
1960. A new species of *Aneflomorpha* Casey, associated with Citrus in Arizona. **Pan-Pacific Entomol., 36(3):** 149-150.
1961. A new species of *Purpuricenrus* from Texas. **Pan-Pacific Entomol., 37(3):** 183-184.
1962. New North American species of Elaphidionine Cerambycidae. **Pan-Pacific Entomol., 38(2):** 103-112.
1963. Taxonomy and bionomics of the genus *Tetraopes*. **Univ. Calif. Publ. Entomol., 30:** 1-90, 17 figs., 9 pls.
1963. Some new North American Callidiini with notes on the synonymy of *Pronocera* Motschulsky and *Gonocalus* LeConte. **Pan-Pacific Entomol., 39(1):** 37-41.
1963. Synopsis of the genus *Ancylocera* in Mexico. **J. Kansas Entomol. Soc., 36(2):** 104-109.
1964. Introduced European cerambycid. **Pan-Pacific Entomol., 40(1):** 62
1964. Immature habits of Callidiini with a description of new California *Callidium*. **Pan-Pacific Entomol., 40(3):** 187-190, 2 figs.
1964. Type species of generic names applied to North American Lepturinae. **Pan-Pacific Entomol., 40(4):** 231-237.
1964. A new species of Mexican *Ancylocera* with records of others. **Entomol. News, 75(4):** 108-110.
1965. A new subspecies of *Oeme costata*, with observations on the habits of larvae and adults. **J. Kansas Entomol. Soc., 38(4):** 351-355, 2 figs.
1966. Descriptions and records of West Indian Cerambycidae. **Proc. U. S. Nat. Mus., 118(3526):** 209-220.
1967. Lectotype designations of Cerambycidae in the British Museum (Natural History). **J. Kansas Entomol. Soc., 40(1):** 73-81.
1967. Lectotype designations of Cerambycidae in the Muséum d'Histoire Naturelle, Paris. **J. Kansas Entomol. Soc., 40(1):** 81-83.

1967. Review of the genus *Championa* Bates. **Pan-Pacific Entomol.**, **43**(1): 43-48, 5 figs.
1967. Notes on Cerambycidae of Grand Bahama Islands. **Pan-Pacific Entomol.**, **43**(3): 181-188, 8 figs.
1969. New Mexican and Central American species of *Strangalia* Audinet-Serville. **J. New York Entomol. Soc.**, **77**(1): 2-9, 7 figs.
1969. Records and descriptions of Cuban Cerambycidae. **Acta Musei Moraviensis**, **54**: 185-190.
1969. Records and descriptions of Mexican and Central American Tillomorphini. **Pan-Pacific Entomol.**, **45**(4): 303-317, 8 figs.
1972. Review of the genus *Cirrhicera* Thomson. **Pan-Pacific Entomol.**, **48**(2): 86-93, 11 figs.
1972. A new seed inhabiting cerambycid from Costa Rica. **Pan-Pacific Entomol.**, **48**(2): 150-152, 1 fig.
1977. A list of types of Cerambycidae at the Field Museum of Natural History, Chicago. **Coleop. Bull.**, **31**(2): 173-179.
1977. New neotropical Tillomorphini in the genus *Tetranodus* Linell. **Pan-Pacific Entomol.**, **53**(2): 124-125.
1977. Records and descriptions of some Mexican species of the genus *Phaea* Newman **Pan-Pacific Entomol.**, **53**(4): 269-276, 1 fig.
1978. Review of the genus *Essostrutha* Thomson. **Pan-Pacific Entomol.**, **54**(2): 125-128, 2 figs.
1979. New species of neotropical Prioninae. **Coleop. Bull.**, **33**(1): 125-128, 1 fig.
1980. Revision of the genus *Stenobatyle* Casey. **Pan-Pacific Entomol.**, **56**(2): 113-120.
1983. A new Central American species of *Derancistrus*. **Proc. Entomol. Soc. Washington**, **85**(4): 714-716, 1 fig.
1984. Description of a new Purpuricenine genus, *Linsleyella*. **Pan-Pacific Entomol.**, **60**(2): 114-118, 1 fig.
1986. New Onciderini from Santa Rosa National Park, Costa Rica. **J. New York Entomol. Soc.**, **94**(1): 16-19, 1 fig.
1987. A new Mexican species of *Linsleyella* Chemsak. **Pan-Pacific Entomol.**, **63**(2): 145-146, 1 fig.
1991. New Mexican and Central American Elaphidiini. **Ann. Inst. Biol. Univ. Nac. Autón. México**, (ser. Zool.) **62**(3): 469-480.
1996. **Illustrated Revision of the Cerambycidae of North America**. Vol. I, Subfamilies Parandrinae, Spondylidinae, Aseminae, Prioninae. Wolfsgarden Press, Burbank, CA, ix+150 pp., 10 pls.
1997. A new Central American Rhinotragine. **Occ. Papers of the Cons. Coleop.**, **1**(1): 15-16, 1 fig.
1998. A new genus of Mexican Prioninae. **Occ. Papers of the Cons. Coleop.**, **2**(1): 24-26, 1 fig.
1999. Revision of the genus *Phaea* Newman. **Occ. Pap. of the Cons. Coleop.**, **3**(1): 36 - 101, 59 figs.
2005. **Illustrated Revision of the Cerambycidae of North America**. Vol. 2, Subfamily Lepturinae. Wolfsgarden Press, Chino, CA, 446 pp., 27 pls.
- CHEMSAK, J. A. & C. FELLER. 1988. New species of Cerambycidae from Twin Cays, Belize. **Proc. Entomol. Soc. Washington**, **90**(2): 179-188, 5 figs.
- CHEMSAK, J. A. & E. F. GIESBERT. 1986. New species of Cerambycidae from the Estación de Biología de Chamela, Jalisco, Mexico. **Folia Entomol. Mex.**, **69**: 19-39, 5 figs.
- CHEMSAK, J. A. & F.T. HOVORE. 2002. New Mexican & Central American species of Acanthoderini (Lamiinae) with notes on others, parts 1 & 2. **Les Cahiers Magellanes**, **No. 15**: 1-32, 17 figs; **No. 16**: 1-26, 15 figs.
- CHEMSAK, J. A. & E. G. LINSLEY. 1959. Some new species and subspecies of *Crossidius* from western North America. **J. Kansas Entomol. Soc.**, **32**(4): 176-183.
1963. The North American genera related to *Gaurotes* with a key to the Mexican component species. **Pan-Pacific Entomol.**, **39**(2): 81-87.

1963. A new genus and two new species of Mexican Elaphidionini. **Entomol. News**, **74**(4): 85-88, 1 fig.
1963. The genera of Hesperophaninae Cerambycidae presently known from Mexico, with description of several new species. **J. Kansas Entomol. Soc.**, **36**(4): 207-230, 1 fig.
1963. Synopsis of the known Mexican species of *Aneflus*. **Bull. Brooklyn Entomol. Soc.**, **58**: 80-96, 3 pls.
1964. Methiine Cerambycidae of Mexico and Central America. **J. New York Entomol. Soc.**, **72**: 40-61, 1 fig.
1964. Descriptions and records of Hesperophanini with keys to the species of *Anatinomma* and *Amphelictus*. **J. Kansas Entomol. Soc.**, **37**(3): 216-226.
1964. Descriptions and records of Mexican Methiini. **Pan-Pacific Entomol.**, **40**(3): 158-161.
1965. New genera and species of North American Cerambycidae. **Pan-Pacific Entomol.**, **41**(3): 141-153, 4 figs.
1965. A revised key to the species of *Elytroleptus* with notes on variation and geographical distribution. **Pan-Pacific Entomol.**, **41**(3): 193-199.
1965. The Elaphidionine subgenus *Protaneplus*. **Proc. Entomol. Soc. Washington**, **67**(1): 24-28.
1966. The genus *Callidiellum* in North America. **Pan-Pacific Entomol.**, **42**(2): 151-155.
1966. The genus *Tigrinestola* Breuning. **Pan-Pacific Entomol.**, **42**(3): 239-243, 2 figs.
1967. A reclassification of the Western Hemisphere Methiini. **Pan-Pacific Entomol.**, **43**(1): 28-39, 3 figs.
1967. A review of the genus *Sphaerionillum* Bates. **Pan-Pacific Entomol.**, **43**(1): 40-43, 3 figs.
1967. Notes on the genera *Pseudoperiboeum* Linsley and *Conosphaerion* Linsley. **J. Kansas Entomol. Soc.**, **40**(3): 285-290.
1968. New species of Elaphidionini from Mexico. **Pan-Pacific Entomol.**, **44**(1): 26-34, 6 figs.
1968. New species of the genus *Zagymnus*. **J. Kansas Entomol. Soc.**, **41**(1): 37-40, 2 figs.
1970. Additional designations of lectotypes of neotropical Cerambycidae in the collections of the British Museum (Natural History). **J. Kansas Entomol. Soc.**, **43**(4): 404-417.
1970. New Mexican species of *Eburia* Serville and *Eburodacrys* Thomson. **Pan-Pacific Entomol.**, **46**(4): 299-305.
1971. New Neotropical Methiine Cerambycidae. **Pan-Pacific Entomol.**, **47**(2): 117-122, 2 figs.
1972. *Tapeina transversifrons brevifrons*, n. subsp., in R. C. Marinoni, Esboço monográfico do gênero *Tapeina*. **Bol. Univ. Fed. Paraná, (Zool.)** **5**(1): 64
1973. The genus *Mecas* LeConte. **Proc. Calif. Acad. Sci.**, **(4)39**(12): 141-184, 11 figs.
1973. New species of *Eburia* from Mexico. **Pan-Pacific Entomol.**, **49**(4): 338-353, 12 figs.
1974. Reclassification, synonymy, and descriptions of some North American Cerambycidae. **Coleop. Bull.**, **28**(4): 181-184.
1974. Notes and descriptions of some Lycid-like Neotropical Lepturine Cerambycidae. **Pan-Pacific Entomol.**, **50**(1): 35-43, 2 figs.
1974. Descriptions and records of Clytini from Mexico and Central America. **Pan-Pacific Entomol.**, **50**(2): 129-138, 7 figs.
1975. New species of the genus *Aneflomorpha* from Mexico. **Pan-Pacific Entomol.**, **51**(3): 201-204.
1975. Mexican Pogonocherini. **Pan-Pacific Entomol.**, **51**(4): 271-286.
1976. Further studies among the Mexican and Central American Lepturine Cerambycidae related to *Euryptera* and *Choriolaus*. **Pan-Pacific Entomol.**, **52**(1): 38-49, 2 figs.

1976. The genus *Triacetelus* Bates. **Pan-Pacific Entomol.**, 52(3): 216-219.
1976. A review of the Mexican and Central American species of *Strangalia* Audinet-Serville. **J. New York Entomol. Soc.**, 84(4): 216-232, 2 figs.
1976. The Lepturine genus *Pseudotypocerus*. **Coleop. Bull.**, 30(2): 171-175.
1976. A new genus of Mexican and Central American Lepturinae with a review of the genus *Neoleptura* Thomson. **J. Kansas Entomol. Soc.**, 49(2): 177-187, 2 figs.
1977. Review of the genus *Derobrachus* Audinet-Serville occurring in the United States **J. Kansas Ent Soc.**, 50(4): 508-514.
1978. New Neotropical Lamiinae. **Pan-Pacific Entomol.**, 54(1): 26-30, 1 fig.
1978. Additions to the Cerambycidae of the Revillagigedo Islands. **Bull. So. Calif. Acad. Sci.**, 77(3): 138-142, 2 figs.
1979. Review of the Rhinotragini of Mexico. **Proc. Calif. Acad. Sci.**, 42(3): 69-85, 7 figs.
1979. New Cerambycidae from Honduras. **Pan-Pacific Entomol.**, 55(4): 267-272.
1980. Records of Cerambycidae from Cocos Islands. **Pan-Pacific Entomol.**, 56(4): 310.
1981. Additions to the known species of *Pseudotypocerus* and *Strangalia*. **Pan-Pacific Entomol.**, 57(4): 485-491.
1982. **Checklist of Cerambycidae. The Longhorned beetles. Checklist of the Cerambycidae and Disteniidae of North America, Central America, and the West Indies.** Medford, N.J., Plexus Publ. Inc., 138 pp.
1982. Review of the genus *Rhodoleptus* Linsley. **Coleop. Bull.**, 36(2): 390-394, 1 fig.
1982. New Mexican Purpuricenini. **Wasmann J. Biol.**, 40(1-2): 71-76, 2 figs.
1983. Confirmation of the occurrence of *Echthistatus* in Mexico and description of a related new genus. **Inter. J. Entomol.**, 25(2-3): 226-230, 2 figs.
1984. A new California species of *Phymatodes* Mulsant. **Pan-Pacific Entomol.**, 60(2): 73-75, 1 fig.
1984. New genera and species of neotropical Cerambycidae. **Pan-Pacific Entomol.**, 60(4): 279-288, 4 figs.
1986. New Lamiinae from Mexico. **J. New York Entomol. Soc.**, 94(1): 20-31, 3 figs.
1988. Additional new species of Cerambycidae from the Estación de Biología Chamela, Mexico and environs. **Folia Entomol. Mex.**, 77: 123-140, 1 fig.
- CHEMSAK, J. A., E. G. LINSLEY & F. T. HOVORE. 1988. A Concentration Site for Cerambycidae in Jalisco, Mexico (Coleoptera) **Pan-Pacific Entomol.**, 64(3): 291-292.
- CHEMSAK, J. A., E. G. LINSLEY & J. V. MANKINS. 1980. Records of some Cerambycidae from Honduras. **Pan-Pacific Entomol.**, 56(1): 26-37.
- CHEMSAK, J. A., E. G. LINSLEY & F. A. NOGUERA. 1992. **Listados Faunísticos de México II. Los Cerambycidae y Disteniidae de Norteamérica, Centroamérica y las Indias Occidentales.** Univ. Nac. Autónoma de México, Instituto de Biología, México. 204 pp.
- CHEMSAK, J. A. & U. R. MARTINS. 1966. A new South American species of *Nyssicostylus* Melzer. **Papéis Avulsos Dep. Zool.**, 19(16): 193-195, 1 fig.
- CHEMSAK, J. A. & J. D. McCARTY. 1997. Review of the genus *Thryallis* Thomson. **Coleop. Bull.**, 51(2): 101-112, 8 figs.
- CHEMSAK, J. A. & F. A. NOGUERA. 1993. Annotated Checklist of the Cerambycidae of the Estación de Biología Chamela, Jalisco, Mexico, with descriptions of new genera and species. **Folia Entomol. Mex.**, 89: 55-102, 3 figs.
1997. New Mexican Cerambycidae. **Occ. Pap. of the Cons. Coleop.** 1(1): 6-14, 2 figs.
1998. Review of the genus *Sphaenothecus* Dupont. **Pan-Pacific Entomol.**, 74(1): 12-26, 7 figs.

2001. New Mexican and Central American Cerambycidae. **Occ. Pap. of the Cons. Coleop.**, **4**(1): 50-55, 6 figs.
2003. New species of *Anelaphus* Linsley from Mexico, Central America and South America. **Pan-Pacific Entomol.**, **79**(1): 58 - 65, 6 figs.
2004. New species of the genus *Tetraopes* Schoenherr. **Pan-Pac. Entomol.**, **79**(3/4): 237 – 244, 3 figs.
2005. New Mexican species of the elaphidionine genus *Aneflomorpha* Casey, 1912, with a key to the Mexican species. *Pan-Pacific Entomol.*, **81**(1/2): 20-33, 9 figs.
- CHEMSAK, J. A. & J. A. POWELL. 1966. Studies on the bionomics of *Tragidion armatum* LeConte. **Pan-Pacific Entomol.**, **42**(1): 36-47, 3 figs, 1 map.
- CHENU, J. C. 1870. **Encyclopédie d'histoire naturelle.**, Coléoptères. **3**: vi + 360 pp., 296 figs., 48 pls. (2nd edit.).
- CHEVROLAT, L. A. A. 1833. Description de deux genres nouveaux de curculionites et d'un nouveau prionen, de la deuxième division du genre *Macrodontia* de M. Serville. **Ann. Soc. Entomol. France**, **2**: 60-66, 3 pls.
1833. Description d'espèces nouvelles. **Revue Entomol.**, Strasbourg, **1**(10): 14.
1834. **Coléoptères de Mexique**. Strasbourg, **2**: 1-44; **3**: 1-48; **4**: 1-53.
1835. **Coléoptères de Mexique**. Strasbourg, **4**: 54-70.
1838. In F. E. Guérin-Ménéville, Insectes Coléoptères inédits, découverts par M. Lanier dans l'intérieur de l'île de Cuba. **Revue Zool.**, **1838**: 279-286
- 1842-49. In C. D. d'Orbigny, **Dictionnaire universel d'histoire naturelle**. Paris. 13 vols.+ 3 vols. plates.
1843. G. Trichodere. *Trichoderes*. **Mag. Zool.**, **1843**: 35-37, pl. 113.
1843. Insectes, Pl. 107 à 113. Coléoptères du Mexique. *Magasin de Zoologie, d'Anatomie comparée et de Palaeonthologie* (2^e Série) **5**: 1–37 + pl. 107–113. [in BHL [<https://www.biodiversitylibrary.org/item/128121#page/167/mode/1up>]]
1844. *Dorcaschema*. P. 110 in Orbigny, C.V.D. d' (Ed.). *Dictionnaire universel d'histoire naturelle résumant et complétant tous les faits présentés par les encyclopédies, les anciens dictionnaires scientifiques, les oeuvres complètes de Buffon, et les meilleurs traités spéciaux sur les diverses branches des sciences naturelles; donnant la description des êtres et des divers phénomènes de la nature, l'étymologie et la définition des noms scientifiques, les principales applications des corps organiques et inorganiques, à l'agriculture, à la médecine, aux arts industriels, etc.; dirigé par M. Charles d'Orbigny, et enrichi d'un magnifique atlas de planches gravées sur acier*. Tome cinquième. MM. Renard, Martinet et Cie., Paris.
1845. *Hebestola*. P. 496 in Orbigny, C.V.D. d' (Ed.). *Dictionnaire universel d'histoire naturelle résumant et complétant tous les faits présentés par les encyclopédies, les anciens dictionnaires scientifiques, les oeuvres complètes de Buffon, et les meilleurs traités spéciaux sur les diverses branches des sciences naturelles; donnant la description des êtres et des divers phénomènes de la nature, l'étymologie et la définition des noms scientifiques, les principales applications des corps organiques et inorganiques, à l'agriculture, à la médecine, aux arts industriels, etc.; dirigé par M. Charles d'Orbigny, et enrichi d'un magnifique atlas de planches gravées sur acier*. Tome sixième. MM. Renard, Martinet et Cie., Paris.
1851. Note sur les longicornes de la collection de Banks, la plupart types de Fabricius, rapportés aux genres actuels. **Ann. Soc. Entomol. France**, **9**(2): 657-664.
1853. Rappel des coléoptères décrits par Palisot de Beauvois aux genres actuellement adoptés, avec synonymie. *Annales de la Société Entomologique de France* (2^e Série) **10** [1852]: 629–651. [in BHL [<https://www.biodiversitylibrary.org/item/34969#page/637/mode/1up>]]
1853. Description de Coléoptères nouveaux III. Deux espèces du Nord de l'Amérique. **Revue Mag. Zool.**, (2)**4**: 419-422.
1855. Description de vingt et une espèces nouvelles de coléoptères longicornes. **Revue Mag. Zool.**, (2)**7**: 178-187.
1857. Description de trois longicornes nouveaux. **Revue Mag. Zool.**, (2)**9**: 103-107, pl. 7.

1858. Description de nouvelles espèces de coléoptères. **Ann. Soc. ent France**, (3)6: 315-329, pl. 8.
1858. Descriptions de coléoptères de la partie méridionale de l'Ile de Cuba. **Revue Mag. Zool.**, (2)10: 209-211.
1859. Description d'un genre nouveau établi aux dépens de plusieurs espèces de *Rhopalophora* de Dejean. **Arcana Nat.**, 1: 50-54.
1859. Description de deux espèces nouvelles du genre *Cynoderus* (Serville). **Arcana Nat.**, 1: 55-56.
1859. Essai monographique sur le genre *Rhopalophora*. **Arcana Nat.**, 1: 57-64.
1859. Description de cinq espèces nouvelles de coléoptères longicornes. **Revue Mag. Zool.**, (2)11: 26-29.
1860. Description d'espèces de *Clytus* propres au Mexique. **Ann. Soc. Entomol. France**, (3)8: 451-504, pl. 9.
1861. Réflexions et notes synonymiques sur le travail de M. James Thomson sur les cérambycides, avec descriptions de quelques nouvelles espèces. *The Journal of Entomology* 1 [1861–1862]: 185–192 [Feb. 1861]; 245–254 [Dec. 1861].
1861. Description d'un genre inédit de Dejean (*Centrocerum*) de la tribu des cérambycides. **Ann. Soc. Entomol. France**, (4)1: 189-191.
1861. Description de clytides de l'ancienne Colombie. **Ann. Soc. Entomol. France**, (4)1: 377-388.
1862. Description de clytides du Brésil. **Ann. Soc. Entomol. France**, (4)2: 49-67.
1862. Coléoptères de l'Ile de Cuba. Notes, synonymies et descriptions d'espèces nouvelles. Familles des cérambycides et des parandrides. **Ann. Soc. Entomol. France**, (4)2: 245-280.
1862. Description de clytides américains. **Ann. Soc. Entomol. France**, (4)2: 517-536.
1862. Révision des genres *Eriphus* et *Mallosoma* Serville, du groupe des clytides et description de trois nouveaux genres dont un doit être rapporté au groupe des callidiites. **Ann. Soc. Entomol. France**, (4)2: 747-763.
1864. Description d'un nouveau genre et diverses espèces d'insectes coléoptères de l'Ile de Cuba. **Revue Mag. Zool.**, (2)16: 179-182.
1877. Description d'une nouvelle espèce de prionen exotique. **Bull. Soc. Entomol. France**, 1877: xxxi-xxxii.
- CHITTENDEN, F. H. 1895. Some changes in nomenclature. **Insect Life**, 7(5): 418-419.
- CIEGLER, J.C. & R.M. GEMMILL. 2018. Additional state records for Coleoptera of South Carolina. **Insecta Mundi** 0636: 1–6.
- CLARKE, R.O.S. 2007. New species of Rhinotragini and Heteropsini and a note on *Trachelissa maculicollis* (Trachyderini) (Coleoptera, Cerambycidae, Cerambycinae). **Papéis Avulsos Zool.**, 47(11): 153-158, 8 figs.
2007. New and newly illustrated *Gnomidolon* Thomson (Coleoptera, Cerambycidae, Hexoplonini) from Bolivia. **Rev. Bras. Ent.** 51(3): 257-262, 18 figs.
2007. Synopsis of the Bolivian species of *Mimasynogenes* Breuning, 1950 (Coleoptera, Cerambycidae, Desmiphorini) with two new species. **Papéis Avulsos Zool.**, 47(26): 359-368, 6 figs.
2008. *Oxylopsebus brachypterus*: a new genus and species of Oxycoleini (Coleoptera, Cerambycidae, Cerambycinae) from Bolivia. **Papéis Avulsos Zool.**, 48(9): 61-67, 6 figs.
2009. Bolivian Rhinotragini I: New species of *Ecliptoides* Tavakilian & Peñaherrera-Leiva, 2005 new status, and *Cleptoides* new genus (Coleoptera, Cerambycidae). **Papéis Avulsos Zool.**, 49(43): 563-576, 6 figs.
2009. Bolivian Rhinotragini II: *Isthmiade* Thomson, 1864 (Coleoptera, Cerambycidae), with two new species. **Papéis Avulsos Zool.**, 49(44): 577-591, 5 figs.
2010. Bolivian Rhinotragini III: new genera and species (Coleoptera, Cerambycidae) **Pap. Avuls. Zool.** 50(16): 239-267, 10 figs.
2011. *Brachylophora*, a new brachypterous genus of Rhopalophorini (Coleoptera, Cerambycidae).

- Rev. Bras. Ent.** 55(2): 154-158, 3 figures.
2011. Bolivian Rhinotragini IV: *Paraeclipta* gen. nov. (Coleoptera, Cerambycidae), new species and new combinations. **Pap. Avuls. Zool.** 51(15): 233-251, 6 figures.
2012. Bolivian Rhinotragini V: New Species of *Erythroplatys* White, 1855, *Rhinotragus* Germar, 1823, *Ornistorus* Thomson, 1864, and *Aechmutes* Bates, 1867 (Coleoptera, Cerambycidae). **Pap. Avuls. Zool.** 52(5): 55-79, 7 figures.
2012. Contribution towards the knowledge of Rhinotragini (Coleoptera, Cerambycidae). V. Reconsideration of *Rhopalessa rubroscutellaris* (Tippmann, 1960). **Pap. Avuls. Zool.** 52(22): 255-259, 4 figures.
2013. Bolivian Rhinotragini VI: *Caprischasia*, gen. nov. (Coleoptera, Cerambycidae). **Pap. Avuls. Zool.** 53(17): 245-251, 2 figures.
2013. Bolivian Rhinotragini VII: Provisional report of higher altitude species (Coleoptera, Cerambycidae) with descriptions of new species. **Pap. Avuls. Zool.** 53(28): 373-406, 12 figures.
2014. Bolivian Rhinotragini VIII: New genera and species related to Pseudophygopoda Tavakilian & Peñaherrera-Leiva, 2007 (Coleoptera, Cerambycidae). **Pap. Avuls. Zool.** 54(24): 363-362, 14 figures.
2014. Bolivian Rhinotragini IX: New genera (Coleoptera, Cerambycidae). **Pap. Avuls. Zool.** 54(26): 375-390, 7 figures.
2015. Revision of the genus *Acyphoderes* Audinet-Serville, 1833, with a brief synopsis of the genus *Bromiades* Thomson, 1864. (Coleoptera, Cerambycidae). **Insecta Mundi** 0401: 1-92, 139 figures.
2015. Bolivian Cerambycinae: new anthophilous species (Coleoptera, Cerambycidae). **Insecta Mundi** 0453: 1-22, 23 figures.
2016. Provisional revision of the genus *Epimelitta* Bates, 1870 and associated genera, with a brief synopsis of the genus *Acorethra* Bates, 1873 (Coleoptera, Cerambycidae). **Insecta Mundi** 0504: 1-43, 57 figures.
2016. Bolivian Rhinotragini X. *Odontomelitta* gen. nov. (Coleoptera: Cerambycidae). **Insecta Mundi** 0461: 1-8, 8 figures.
2017. Review of Carelli, A., and M.L. Monné, 2015. Taxonomic revision of *Phygopoda* Thomson, 1864 and *Pseudophygopoda* Tavakilian & Peñaherrera-Leiva, 2007 (Insecta: Coleoptera: Cerambycidae: Cerambycinae). **Insecta Mundi** 0567: 1-10.
2017. Bolivian Rhinotragini XI. New species of *Phygopoda* Thomson, 1864 and *Phygopoides* Peñaherrera-Leiva and Tavakilian, 2007 (Coleoptera, Cerambycidae) **Insecta Mundi** 0568: 1-18, 10 figures.
2018. Provisional revision of the genus *Odontocera* Audinet-Serville, 1834 (Coleoptera: Cerambycidae). I: exclusions, new rank, synonymies and the description of two new genera. **Insecta Mundi** 0637: 1-27, 51 figures.
- CLARKE, R. O. S., U. R. MARTINS & A. SANTOS-SILVA. 2011. Contribuição para o estudo dos Rhinotragini (Coleoptera, Cerambycidae). IV. *Rhopalessa* Bates, 1873. **Pap. Avuls. Zool.** 51(21): 325-339, 11 figures.
- CLARKE, R. O. S., A. SPOONER, & J. WILLERS. 2015. A new genus of Rhinotragini for *Molorchus laticornis* Klug, 1825 (Coleoptera, Cerambycidae). **Insecta Mundi** 0452: 1-6, 4 figures.
- COCKERELL, T. D. A. 1890. Description of *Ergates spiculatus* var. *marmoratus*. **Entomol. News**, 1: 61.
1906. Preoccupied generic names in Coleoptera. **Entomol. News**, 17(7): 240-244.
- COLIJN, E. O., K. K. BEENTJES, R. BUTOT, J. A. MILLER, J. T. SMIT, A. J. de WINTER & B. van der HOORN. 2019. A catalogue of the Coleoptera of the Dutch Indies. **Tijdschrift voor Entomologie** 162: 67-186, 32 figures.
- COMOLLI, A. 1837. **De coleopteris novis ac rarioribus cognitiss provincia Novocomi**. Ticini Regii, 54 pp.
- CONSTANTINO, L. M., BENAVIDES M., P. & J. R. ESTEBAN DURAN. 2014. Description of a new species of coffee stem and root borer of the genus *Plagiohammus* Dillon and Dillon from Colombia (Coleoptera: Cerambycidae).

- Lamiinae), with a key to the Neotropical species. **Insecta Mundi 0337**: 1-21, 58 figures.
- COPE, J. S. 1984. A New Species of *Phymatodes* from New Mexico. **Pan-Pacific Entomol.**, **60**(1): 63-64.
1984. Notes on the Ecology of Western Cerambycidae. **Col. Bull.** **38**(1): 27-36.
- CORBETT, D.C. 2004. Sinopse do gênero *Cobelura* (Lamiinae, Acanthocinini), com descrição de três espécies novas. **Iheringia, Sér. Zool.**, **94**(3): 277 – 280, 3 figs.
- CORDOBA, S.P. 2017. Tipos de la familia Cerambycidae (Insecta, Coleoptera) depositados en la colección entomológica del Instituto - Fundación Miguel Lillo. **Revista de la Sociedad Entomológica Argentina** **76**(1-2): 61-63.
- CORREA, C. A., ANJOS, N., A. G. CARVALHO, M. A. SOARES, V. C. SANTOS & J. C. ZANUNCIO. 2020. *Phoracantha recurva* (Coleoptera: Cerambycidae): first report in the Atlantic rainforest of Minas Gerais, Brazil. **Florida Ent.** **103**(1): 142-144, 1 figure.
- CORREA, C. A., L. J. MIGLIORE, L. GARBELINI, J. C. ZANUNCIO & S. P. RIBIERO. 2020. Species survey of the subfamily Cerambycinae (Coleoptera: Cerambycidae) in the Rio Doce State Park, Minas Gerais, Brazil. **Zootaxa** **4881**(2): 323-336.
2021. Species survey of the subfamily Cerambycinae (Coleoptera: Cerambycidae) in the Rio Doce State Park, Minas Gerais, Brazil. **Zootaxa**, **4881** (2):323-336.
- COSTA LIMA, A. M. da. 1922. Descrição de uma nova espécie do gênero *Rhatimoscelis* Thom. **Bol. Soc. Entomol. Bras.**, **1**: 21-23.
1931. *Melzerella lutzi*, n. gen., n. sp. **Rev. Entomol.**, **1**(2): 139-142, 1 fig.
1955. **Insetos do Brasil**, 9.ºTomo, Coleópteros, pt. 3, Escola nacional de agronomia, Série didática, No. 11. 289 pp., 201 figs.
- COUPER, W. 1864. List of Coleoptera and Diptera taken at Quebec, and other parts of lower Canada. **Trans. Lit. Hist. Soc. Quebec, (n.s.)** 3: 27-36.
- CRAIGHEAD, F. C. 1923. North American cerambycid-larvae. **Bull. Can. Dep. Agric.** (N. S.) **27**: 1-239, figs. 1-8, pls. 1-44.
- CROTCH, H. H. 1873. **Check list of the Coleoptera of America, north of Mexico**. Salem, Mass. Naturalists' Agency, 136 pp.
- CSIKI, E. 1904. Magyarorszag Cerambycidai. **Rovart. Lap.**, **11**: 99.
1909. Coleoptera nova in Museo Nationali Hungarico. **Ann. Hist-Nat. Mus. Natn. Hung.**, **7**: 340-343.
1931. Cerambycidarum species nova europaea. **Ann.Hist-Nat. Mus. Natn. Hung.**, **27**: 278.
- CUBILLA, F., C. A. JULIO, B. R. GARCETE-BARRETT & I. A. TORRES. 2021. Three new records of Lamiinae (Coleoptera: Cerambycidae) for the paraguayan fauna. **Reportes científicos de la FACEN** **12** (2): 117-120, 3 figures.
- CUBILLA, F., C. A. JULIO & B. R. GARCETE-BARRETT. 2023. Five new records of Lamiinae (Coleoptera: Cerambycidae) for the paraguayan fauna. **Reportes científicos de la FACEN** **14** (2): 172-176, 5 figures.
- CURTIS, J. 1825. **British entomology; being illustrations and descriptions of the genera of insects found in Great Britain and Ireland**. London, **2**: pls. 51-98.
1829. **British entomology; being illustrations and descriptions of the genera of insects found in Great Britain and Ireland**. London, **6**: pls. 242-289.
- DALENS, P-H. 2011. Un nouveau *Paranyssicus* Martins, 2005 de Guyane (Coleoptera Cerambycidae Cerambycinae. **L'Entomologiste** **67**(1): 9-13, 4 figures.
2013. A new species of *Villiersicometes* Santos-Silva, 2003 from French Guiana (Coleoptera, Disteniidae, Disteniinae). **Insecta Mundi** **0321**: 1-3, 2 figures.
2013. Note synonymique sur le genre *Paranyssicus* (Coleoptera, Cerambycidae). **Le Coleopteriste: Coleopteres de Guyane. Tome VII**: 86, 2 figures.
2016. A new Eupromerini Galileo and Martins, 1995, from French Guiana (Coleoptera, Cerambycidae,

- Lamiinae). **Insecta Mundi** 0462:1-4, 2 figures.
2016. A new species of *Octotapnia* Galileo and Martins, 1992 from French Guiana (Coleoptera, Cerambycidae, Lamiinae). **Insecta Mundi** 0481:1-4, 4 figures.
- DALENS, P. & N. DELAHAYE. 2007. Contribution a la Connaissance des Longicornes de Petites Antilles: Un Nouveau *Solenoptera* de Sainte-Lucie. **Lambillionea**, 107(1): 31-35, 2 figs.
- DALENS P-H, & J.L. GIUGLARIS.2012. *Atiaia* Martins & Monné, 2002 et *Paratiaia* gen. nov. de Guyane (Coleoptera Cerambycidae Cerambycinae). **L'Entomologiste** 68(1): 31-40, 5 figures.
2012. Les *Ectenessa* Bates, 1885 de Guyane (Coleoptera Cerambycidae Cerambycinae). **L'Entomologiste** 68(6): 329-332, 8 figures.
2014. *Deltosoma* Thomson, 1864 of French Guiana. **Insecta Mundi** 0336: 1-9, 14 figures.
- DALENS, P-H & F. ROBIN. 2018. Signalement de deux Lamiinae nouveaux pour la Guyane (Coleoptera, Cerambycidae) et notes sur un nouveau modele de piege lumineux automatique. *In* Contribution à l'étude des Coléoptères de Guyane (supplément au Bulletin de liaison de l'ACOREP) 12: 3-6, 4 figures.
2019. Genus *Olivensa* Lane, 1965 in French Guiana, and description of a new species (Coleoptera: Cerambycidae: Lamiinae). **Insecta Mundi**, 0735: 1-7, 16 figures.
2023. Un nouveau *Martinsia* Chemsak & Linsley, 1967 de Guyane (Coleoptera : Cerambycidae, Cerambycinae). **Faunitaxys** 11 (79): 1-5, 3 figures.
2024. *Recchia hirticornis* (Klug, 1825) et description d'une nouvelle espèce de *Recchia* Lane, 1966 de Guyane (Coleoptera: Cerambycidae, Lamiinae). **Faunitaxys** 12 (10): 1-7, 3 figures.
- DALENS, P. H. & G. L. TAVAKILIAN. 2006. *Beaveriella virginiae* n. sp. de Guyane (Coleoptera, Cerambycidae, Cerambycinae). **Lambillionea**, 106(4): 711-713, fig.
2009. Revision du genre *Hespereburia* Tavakilian & Monné, 1991 (Coleoptera, Cerambycidae, Hesperophanini). **Les Cahiers Magellanes**. 99: 1-11, 3 figs.
2013. Nouvelle synonymie pour *Neoeutrypanus mutilatus* (Coleoptera, Cerambycidae, Lamiinae). **Le Coleopteriste: Coleopteres de Guyane. Tome VII**: 72.
- DALENS, P. & J. TOUROULT. 2007. Nouveau Taxon et Liste Commentee des Longicornes de la Barbade. **Lambillionea**, 107(2): 289-294, 8 figs.
2008. Un nouveau Psebiini Lacordaire, 1869 de Guyane: *Dodecoccus poirieri* n. gen., n. sp. (Coleoptera, Cerambycidae, Cerambycinae). **L'Entomologiste**. 64(6): 305-307, 4 figs.
2009. Les Compsocerini de Guyane I. Une nouvelle espèce de *Caperonotus* Napp, 1993 (Coleoptera Cerambycidae Cerambycinae). **L'Entomologiste**. 65(5): 235-238, 4 figs.
2010. Un nouvel Ectenessini de Guyane: *Paralissoeme maculipennis* n. gen., n. sp. (Coleoptera Cerambycidae Cerambycinae). **L'Entomologiste** 66(5-6): 287-290, 2 figs.
2010. Diversité des longicornes de la Montagne des Chevaux : résultats d'un suivi continu entre 2008 et 2010 (Coleoptera, Cerambycidae). **Contribution a l'etude des Coleopteres de Guyane** 1: 37-9, 17 figures.
2011. Un nouvel *Ochrus* Lacordaire proche d'*Ochrus ornatus* (Fisher, 1935) (Coleoptera Cerambycidae). **L'Entomologiste** 67(6): 333-335, 4 figures.
2014. New taxa and new records of Oemini Lacordaire, 1868 and Ectenessini Martins, 1998 from French Guiana (Coleoptera, Cerambycidae, Cerambycinae). **Insecta Mundi** 0359: 1-12, 18 figures.
2014. Les *Rhathymoscelis* Thomson, 1860 de Guyane. *In* Contribution à l'étude des Coléoptères de Guyane 8 (supplément au Bulletin de liaison de l'ACOREP): 63-65, 2 figures.

2015. A new *Pseudosparna* Mermudes & Monné, 2009 from Mitaraka mountains, French Guiana (Coleoptera, Cerambycidae). **Arq. de Zool.** **46(11)**: 135-138, 1 figure.
- DALENS, P-H., J-L. GIUGLARIS, & G. L. TAVAKILIAN 2010. Première contribution à la connaissance des Dodecosini Aurivillius, 1912 de Guyane (Coleoptera Cerambycidae Cerambycinae) **L'Entomologiste** **66(2)**: 105-108, 4 figs.
2010. Contribution à la connaissance des Mauesini Lane, 1956 de Guyane (Coleoptera, Cerambycidae, Lamiinae) **Les Cahiers Magellanes** **113**: 1-10, 10 figs.
- DALENS, P-H., G. L. TAVAKILIAN & J. TOUROULT. 2009. Contribution à la connaissance des Trachyderini de Guyane (Coleoptera, Cerambycidae, Cerambycinae). **L'Entomologiste**. **65(4)**: 199-206, 6 figs.
2011. Revision de Compsocerini de Guyane (Coleoptera, Cerambycidae, Cerambycinae). **Les Cahiers Magellanes NS 2**: 79-111, figures.
- DALENS, P-H., J. TOUROULT, & J-L. GIUGLARIS. 2009. Deux nouveau *Xenofrea* Bates, 1885 de Guyane (Coleoptera, Cerambycidae, Lamiinae). **L'Entomologiste**. **65(2)**: 81-84, 4 figs.
- DALENS, P-H., J. TOUROULT, & G. L. TAVAKILIAN. 2009. Les *Blabicentrus* Bates, 1866 et genres proches (Coleoptera, Cerambycidae, Lamiinae, Desmiphorini). **Les Cahiers Magellanes**, **101**: 1-19, 8 figs.
2010. Les Compsocerini de Guyane II. *Compsopyris pereuræ* n. gen., n. sp. (Coleoptera, Cerambycidae, Cerambycinae). **L'Entomologiste** **66(2)**: 49-52, 4 figs.
2010. Un nouveau Prionien du plateau des Guyanes (Coleoptera Cerambycidae Prioninae). **L'Entomologiste** **66(4)**: 215-219, 6 figs.
2010. Un nouveau genre d'Hemilophini à douze articles antennaires: *Purusiella* n. gen. (Coleoptera, Cerambycidae, Lamiinae) **Contribution a l'etude des Coleopteres de Guyane 1**: 34-36, 4 figures.
- DALMAN, J. W. 1817. In C. J. Schoenherr, **Synonymia insectorum, oder: Versuch einer Synonymie aller bisher bekannten Insecten; nach Fabricii Systema Eleutheratorum & c. geordnet, Eleutherata oder Käfer**. Skara, Lewerentzichen Buch., Stockholm, **1(3)**: xi + 506 pp.
1817. In C. J. Schoenherr, **Appendix ad C. J. Schoenherr Synonymia Insectorum sistens descriptiones novarum specierum**. Scaris, Off. Lewerentziana, **1(3)**: 1-266, 2 color pls.
1819. Några nya Insekt-genera, beskrifna. **K. Svenska Vetensk. Akad. Handl.**, **40**: 117-127.
1823. **Analecta entomologica**. Holmiae, viii + 108 pp., 4 pls.
- DAMOISEAU, R. & J. COOLS. 1987. Liste du material typique conserve dans les collections entomologiques de l'Institut royal des Sciences naturelles de Belgique. Coleoptera, Cerambycoidea, Cerambycidae: Aseminae, Cerambycinae, Disteniinae, Lepturinae, Parandrinae, Prioninae et Spondylinae. **Documents de travail**, **42**: 1-39.
- DANILEVSKY, M.L. 2012. Additions and corrections to the new Catalogue of Palaearctic Cerambycidae (Coleoptera) edited by I. Löbl and A. Smetana, 2010. Part. IV. **Humanity space International almanac VOL. 1, No 1**:86-136.
2016. *Catalogue of Palaearctic Cerambycoidea* [updated 09.05.2016]. Available at <http://www.cerambycidae.net/catalog.pdf> [accessed September 26, 2016].
2020. *Catalogue of Palaearctic Coleoptera. Volume 6/1. Chrysomeloidea I (Vesperidae, Disteniidae, Cerambycidae). Updated and revised second edition*. Koninklijke Brill, Leiden. i-xxvii + 1-712. [Date published: 20.XI.2020]
2024. *Catalogue of Palaearctic Chrysomeloidea (Vesperidae, Disteniidae, Cerambycidae)* [updated 18.01.2024]. Available at <http://http://www.cerambycidae.net/catalog.pdf> [accessed March 31, 2024].
- DAVIS, W. T. 1904. A new beetle from New Jersey. **Entomol. News**, **15(1)**: 34-35, 1 pl.
1923. A new longicorn beetle from the Catskill Mountains. **Bull. Brooklyn Entomol. Soc.**, **18**: 97-98.

- DEGEER, C. 1774. **Mémoires pour servir à l'histoire des insectes**. Stockholm, Imp. Pierre Hesselberg, **4**: xii + 455 pp., 19 pls.
1775. **Mémoires pour servir à l'histoire des insectes**. Stockholm, Imp. Pierre Hesselberg, **5**: vii + 448 pp., 16 pls.
- DEJEAN, P. F. M. A. 1821. **Catalogue de la collection de coléoptères de M. le baron Dejean**. Crevot Libr., viii + 136 pp. + 11 pp.
1835. **Catalogue de la collection de Coléoptères de M. le comte Dejean**. 2e. ed., livr. 4, pp. 257-360.
1837. **Catalogue de la collection de Coléoptères de M. le comte Dejean**. Méquignon-Marvis Père et Fils, troisième édition, revue, corrigée et augmentée, livr. 5, xiv + 503 pp.
- DELAHAYE, N. 2019. Un nouvel Anacolini de Colombie (Coleoptera, Cerambycidae, Prioninae). **Faunitaxys** **7(9)**: 1-2, 4 figures.
2020. Les Genres *Orthosoma* Audinet-Serville, 1832 et *Hephialtes* Thomson, 1864 avec la description d'une nouvelle espece des Antilles (Coleoptera, Cerambycidae, Prioninae). **Les Cahiers Magellanes (N. S.)** **36**: 65-77, 3 figures.
2022. Etude du genre *Braderochus* Buquet, 1852 et description d'une nouvelle espèce du Panama (Coleoptera, Cerambycidae, Prioninae, Prionini). **Faunitaxys** **10 (57)**: 1-7, 47 figures
- DELAHAYE, N. & A.SANTOS-SILVA. 2016. Nouveau genre et nouvelle espece de Callipogonini du Perou (Coleoptera, Cerambycidae, Prioninae). **Les Cahiers Magellanes NS (24)**:1-4, 2 figures.
- DELAHAYE, N. & G. L. TAVAKILIAN. 2009. Note sur *Mallodon downesii* Hope, 1843, et mise en synonymie de *M. plagiatum* Thomson, 1867 (Coleoptera, Cerambycidae). Bull. Soc. Ent Fr. 114(1): 39-45, 7 figs.
2015. A new species of *Physopleurus* Lacordaire from French Guiana (Coleoptera, Cerambycidae, Prioninae). **Arq. de Zool.** **46(10)**: 129-134, 3 figures.
- DELER-HERNANDEZ, A. & A. SANTOS-SILVA. 2011. Pandrinae from Cuba (Coleoptera, Cerambycidae). **Pap. Avuls. Zool.** **51(14)**: 221-232, 22 figures.
- DELFINO, S. M. 1981. Revisão do gênero *Trichonyssodrys* Gilmour, 1957 (Acanthocinini). **Rev. Bras. Biol.**, **41(2)**: 255-258, 3 figs.
1985. Quatro novas espécies de Platyarthrini. **Rev. Bras. Entomol.**, **29(3-4)**: 497-502, 5 figs.
1990. Um gênero novo de Trachyderini. **Rev. Bras. Biol.**, **50(3)**: 695-699, 6 figs.
- DELLA BEFFA, G. 1915. *I Coleotteri italiani nocivi alle piante coltivate. Sistematica – biologia – agraria*. Verderi e C, Salsomaggiore, 68 pp.
- DEMELT, C. 1989. Zwei neue Bockkäferarten. **Entomofauna**, **10(14)**: 241-245.
- DEMETS, Y. 1973. Notes sur les Callichromatini. **Papéis Avulsos Zool.**, **26(12)**: 173-177.
1973. Notes sur les Callichromatini. II. *Diotecnon iris* (Taschenberg, 1870) **Papéis Avulsos Zool.** **27(12)**: 157-171, 16 figs.
1974. Notes sur les Callichromatini III. Étude preliminaire du genre *Cnemidochroma* Schmidt, 1924. **Papéis Avulsos Zool.**, **28(5)**: 91-104, 19 figs.
1976. Notes sur les Callichromatini IV. Étude preliminaire des genres *Schwarzerion* Schmidt, 1924 et *Xenochroma* Schmidt, 1924. **Papéis Avulsos Zool.**, **29(17)**: 121-140, 29 figs.
- DEMETS, Y. & U. R. MARTINS 1973. Notes au sujet de quelques types de Smodicini du Muséum National d'Histoire Naturelle de Paris. **Rev. Bras. Entomol.**, **17(7)**: 41-45, 2 figs.
- DEMEZ, P. & J. TOUROULT. 2011. Contribution, a la connaissance des longicornes du Perou I. 59 nouveaux signalements pour le pays (Coleoptera, Cerambycidae). **Les Cahiers Magellanes N.S.** **6**: 97-108, 2 figures.
- DES GOZIS, M. 1886. Recherche de l'espèce typique de quelques anciens genres rectifications synonymiques et notes diverses. 36 pp. Montlucon-Imprimerie Herbin.
- DESMAREST, E. 1832. Hypocephale. *Hypocephalus* Desmarest. **Mag. Zool.**, **2**: pl.24
- DEVESA, S. 2019. The genus *Urgleptes* Dillon, 1956 in Cuba, with descriptions of five new species (Coleoptera, Cerambycidae, Lamiinae, Acanthocinini). **Les Cahiers Magellanes NS** **33**: 55-85, 69 figures.

2020. Redescrición de *Eulachnesia boteroi* Monné y Monné, 2015 (Coleoptera: Cerambycidae: Lamiinae: Hemilophini). **Insecta Mundi 0817**: 1-6, 9 figures.
- DEVESA, S., A. BARRO & E. FONSECA. 2019. Longicornios de Cuba (Coleoptera: Cerambycidae). Vol. 2 Lamiinae. **Greta Editores 2**: 1-340, 1096 figures.
- DEVESA, S., E. FONSECA & A. BARRO. 2015. Revalidacion de *Elateropsis casteneous* Zayas, 1975 (Coleoptera, Cerambycidae, Prioninae, Solenopterini). **Les Cahiers Magellanes NS (18)**: 70-74, 2 figures.
2016. *Solenoptera* Audinet-Serville, 1832 (Coleoptera, Cerambycidae, Prioninae, Solenopterini) in Cuba, with description of a new species. **Zootaxa 4184 (1)**: 104–116, 36 figures.
2017. Description of the female of *Solenoptera tomentosa* Lingafelter, 2015 (Coleoptera: Cerambycidae: Prioninae: Solenopterini). **Insecta Mundi 0588**: 1-8, 6 figures.
2017. Redescrición de *Lethes israeli* Zayas, 1975 y su restitución como espécie válida (Coleoptera, Cerambycidae, Lamiinae, Acanthocinini). **Les Cahiers Magellanes ns 28**: 20-28.
2017. The genus *Derancistrus* Audinet-Serville, 1832 (Coleoptera: Cerambycidae: Prioninae: Solenopterini) in Cuba, with description of a new species. **Coleopterists Bulletin 71(1)**: 191-197.
2018. Synonymy and distribution data of *Trypanidius* Blanchard, 1846 (Coleoptera: Cerambycidae: Lamiinae: Acanthocinini) in Cuba. **Insecta Mundi 0675**: 1–6, 11 figures.
- DEVESA, S. & H. GRILLO. 2016. Descripcion de una nueva especie de *Elaphidion* Audinet-Serville, 1834 de Cuba. **Les Cahiers Magellanes NS(24)**:38-44, 20 figures.
- DEVESA, S. & A. SANTOS-SILVA. 2020. A new species of *Pseudosparna* Mermudes & Monné, 2009 from Costa Rica (Coleoptera, Cerambycidae, Lamiinae) **Faunitaxys 8(17)**: 1-5, 9 figures.
2021. Description of two new species of Hemilophini (Coleoptera, Cerambycidae, Lamiinae). **Faunitaxys, 9(1)**: 1-6, 11 figures.
2021. Transference, descriptions, and notes on Cuban Graciliini (Coleoptera, Cerambycidae, Cerambycinae). **Zootaxa, 4908 (4)**:527-536, 26 figures.
2022. Description of new taxa in American Lamiinae (Coleoptera, Cerambycidae). **Faunitaxys, 10(41)**: 1-9, 17 figures
2023. On *Elaphidion tuberculicolle* Fisher, 1932 and *Elaphidion scaramuzzai* Fisher, 1951 (Coleoptera, Cerambycidae). **Faunitaxys 11 (33)**: 1-7, 41 figures.
- DEVESA, S., A. SANTOS-SILVA, & J. J. PINO. 2021. On *Criodion antennatum* Gahan, 1892 (Coleoptera, Cerambycidae, Cerambycinae). **Les Cahiers Magellanes, (NS) 41**: 43-48, 12 figures.
- DEVESA, S. & J. VLASAK. 2023. New species and new country records in Neotropical Cerambycidae (Coleoptera). **Faunitaxys 11 (42)**: 1-11, 43 figures.
- DEVESA, S. & J. E. WAPPES. 2020. Description of a new *Poeciloxestia* Lane, 1965 species from Ecuador (Coleoptera, Cerambycidae, Cerambycinae). **Les Cahiers Magellanes (N. S.) 37**: 72-79, 19 figures.
- DIAS, M. M. 1984. Revisão da subfamília Anoplodermatinae. Parte I. Tribo Anoplodermatini. Genêro *Migdolus* Westwood, 1863. **Rev. Bras. Entomol., 28(4)**: 507-535, 90 figs.
1986. Revisão da subfamília Anoplodermatinae. Parte II. Tribo Anoplodermatini. Genêros: *Acanthomigdolus* Bruch, 1941, *Paramigdolus*, gen. n., *Anoploderma* Guérin-Ménéville, 1840, *Sypilus* Guérin-Ménéville, 1840. **Rev. Bras. Entomol. 30(1)**: 115-139, 99 figs.
1987. Revisão da subfamília Anoplodermatinae. Parte III. Tribo Anoplodermatini. Genêros: *Cherrocrius* Berg, 1898, *Hypocephalus* Desmarest, 1832. **Rev. Bras. Entomol., 31(1)**: 101-112, 29 figs.
1988. Revisão da subfamília Anoplodermatinae. Parte IV. Tribo Mysteriini. Genêros: *Mysteria* Thomson, 1861, *Pathocerus* Waterhouse, 1901, *Pseudopathocerus*, gen. n. **Rev. Bras. Entomol., 32(2)**: 139-160, 82 figs.

2004. Novas ocoerencias e descricao ad femea *Mysteria darwini* (Lameere) (Coleoptera, Vesperidae, Anoplodermatinae). **Rev Bras Ent 48(1)**: 141-143.
- DiGIROLOMO, M. F., BLACKINGTON, C. O., MICHAUD, D. J. & BOURQUE, D. R. 2021. New Coleoptera State Records from Maine, USA: 54 Species from Bycatch Collected in Baxter State Park. **Coleop. Bull. 75(1)**: 161-172.
- DI IORIO, O. R. 1995. A new species of *Argentinoeme* Bruch 1911 from Argentina. **Insecta Mundi**, 9(3-4): 279-280, 7 figs.
1995. The Argentine species of the genus *Megacyllene* Casey, 1912, with description of a new species. **Insecta Mundi**, 9(3-4): 317-328, 9 figs.
1995. The genus *Neoclytus* Thomson, 1861 (Clytini) in Argentina. **Insecta Mundi**, 9(3-4): 335-345, 27 figs.
1995. The genus *Deltosoma* Thomson, 1864 in Argentinian: *D. lacordairei* Thomson, 1864 and *D. xerophila* n. sp.; with a revision of larval tunnels and pupal chambers in neotropical Cerambycinae. **Giorn. ital. Entomol.**, 7: 203-217.
1996. Torneutini of Argentina. Part I. Their relation to the South American area of *Prosopis* L. and to the xerophilous *Acacia* Miller (Mimosaceae). **Giorn. ital. Entomol.**, 8: 125-155, 54 figs.
1997. Cerambycidae from Entre Rios, Argentina, Part 1. Host plants and distributions (with a revision of host plants for Uruguay). **Giorn. ital. Entomol.**, 8: 275-289, 1 fig.
1997. Neotropical species of the genus *Megacyllene* (s. str.) Casey 1912 (Clytini), with descriptions of two new species from Argentina. **Giorn. ital. Entomol.**, 8: 383 - 398.
1998. The genus *Erlandia* Aurivillius, 1904 in Argentina, with the description of a new species. **Insecta Mundi**, 12(1-2): 1-4, 2 figs.
1998. New species, combinations, synonymies, and records of Clytini. **Insecta Mundi**, 12(1-2): 5-14, 4 figs.
1998. Addenda and omissions to the catalogue and checklist of the Cerambycidae and Disteniidae of the Western Hemisphere. **Insecta Mundi**, 12(1-2): 15-16.
1998. Presence of *Nyssodrys lignaria* Bates in the Natural Reserve of Otamendi, Buenos Aires, Argentina. **Giorn. ital. Entomol.**, 9: 1-2.
1998. Torneutini of Argentina. Part 2. Biology of *Coccoderus novempunctatus* (Germar, 1823), *Diploschema rotundicolle* (Serville, 1834), and *Praxithea derourei* (Chabrillac, 1857). **Giorn. ital. Entomol.**, 9: 3-25, 36 figs.
1998. One new species, new records and biology of Lissonotini from Argentina and Bolivia. **Giorn. ital. Entomol.**, 9: 27-36, 3 figs.
1998. Redescriptions, new combinations, synonymies, and new records of South American Lepturini (Lepturinae). **Insecta Mundi**, 12(1-2): 139-148, 27 figs.
2001. Systematics and biology of the species of the genus *Ischionodonta* Chevrolat, 1859 (Rhopalophorini) from Argentina. **Giorn. ital. Entomol.**, 9: 263-291, 33 figs.
2002. Taxonomy and systematics of Cerambycidae from Argentina: the genus *Micropsalis* Burmeister, 1861 (Prioninae). **Les Cahiers Magellanes**, No. 17: 1-22, 21 figs.
2002. Nomenclatural notes for some American Cerambycidae (Coleoptera). **Giorn. ital. Entomol.**, 10: 73-76.
2002. A new species of the genus *Callideriphus* Blanchard in Gay, 1851 (Coleoptera, Cerambycidae, Cerambycinae, Callidiini) from Patagonia, Argentina. *Giornale Italiano di Entomologia*, 10, 69-71.
2003. Taxonomy and systematics of Cerambycidae from Argentina: *Alanizus tortuosus* gen. et sp. nov. **Les Cahiers Magellanes** No. 19: 1-8, 6 figs.
2003. New species, new records and redescription of some rare Cerambycidae from Argentina. **Les Cahiers Magellanes** No. 23: 1-24, 34 figs.
2003. Reproductive behaviour of *Oncideres germari* Thomson (Lamiinae; Onciderini). **Giorn. ital. Entomol.**, 10: 159 – 170, 12 figs.
2003. Taxonomy and systematics of Cerambycidae from Argentina: a new species of *Achryson* Audinet-Serville 1833 (Coleoptera, Cerambycidae, Achrysonini). **Les Cahiers Magellanes** No. 28: 1-10, 3 figs.

2004. Exotic species of Cerambycidae (Coleoptera) Introduced in Argentina. Part 2. New Records, Host Plants, Emergence periods, and Current Status. **Agrociencia** **38**: 663-678.
2005. **A field guide of the longhorned beetles (Coleoptera: Cerambycidae) from Argentina**. Wagner, P.S. & E. I. Abadie, coord. 188 pp., 74 pls, Digital Tech s.r.l., Argentina.
2006. New Record, synonymies and a new species of Clytini from South America (Coleoptera, Cerambycidae, Cerambycinae). **Les Cahiers Magellanes**, No. **58**: 1-28, 42 figs.
- DI IORIO, O. R. & J. FARINA. 2006. La fauna de Cerambycidae (Coleoptera) de la provincia de Buenos Aires, Argentina. **Rev. Mus. Argentino Cienc. Nat. n.s.** **8(2)**: 261-287.
- DI IORIO, O. R., A. H. RIQUELME, & J. R. ESTEBAN-DURAN. 2003. Cerambycidae (Coleoptera) of the province of Mendoza, Argentina. **Span. J. Agric. Res.** **1(4)**: 15-29, 17 figures.
- DI IORIO, O.R. & A. SANTOS-SILVA. 2005. Notas sobre *Apterocaulus* (Prioninae). **Iheringia**, Sér. Zool., **95(1)**: 53 – 56.
- DI IORIO, O.R., H.A. CORDO, G.A. LOGARZO, & D.E. GANDOLFO. 1998. Cerambycidae (Coleoptera) root and stem borers in living plants from Argentina: a bibliographical review and new host plant records. **Giorn. Ital. Ent.** **9**: 73-95
- DILLON, L. S. 1952. The Hawaiian species of *Lagocheirus*. **Entomol. News**, **63(8)**: 207-209.
1955. Revision of the Neotropical Acanthocinini I. The genus *Canidia* and its allies. **Entomol. News**, **66**: 141-149; 176-187.
1956. The Nearctic components of the tribe Acanthocinini. Part I. **Ann. Entomol. Soc. Amer.**, **49(2)**: 134-167, 9 figs.
1956. The Nearctic components of the tribe Acanthocinini. Part II. **Ann. Entomol. Soc. Amer.**, **49(3)**: 207-235, 9 figs.
1956. The Nearctic components of the tribe Acanthocinini. Part III. **Ann. Entomol. Soc. Amer.**, **49(4)**: 332-355, 1 pl.
1956. The neotropic Acanthocinini II. A further note on *Canidia* allies. **Entomol. News**, **67**: 105-107.
1957. Revision of the neotropical Acanthocinini (Coleoptera: Cerambycidae). II. The genus *Lagocheirus*. **Bull. Br. Mus. Nat. Hist.**, (Entomol.) **6**: 137-166.
1962. Additional notes on Nearctic Acanthocinini. **Coleop. Bull.**, **16(1)**: 30-32.
- DILLON, L. S. & E. S. DILLON. 1941. The tribe Monochamini in the Western Hemisphere **Sci. Publ. Reading Publ. Mus.**, **1**: 1-135, 5 pls.
1943. Supplementary notes on Western Hemisphere Monochamini. **J. New York Entomol. Soc.**, **51**: 13-18.
1945. The tribe Onciderini Part I. **Sci. Publ. Reading Publ. Mus.** **5**: xv +186 pp.
1945. Revision of the tribe Pachypezini. **Bull. Brooklyn Entomol. Soc.** **40**: 11-27, 1 pl.
1946. The tribe Onciderini Part II. **Sci. Publ. Reading Publ. Mus.** **6**: 189-413, 17 pl.
1946. Review of the Onocephalini. **Trans. Amer. Entomol. Soc.**, **72**: 27-48, 1 pl.
1946. A review of the tribe Gryllcini. **Livr. Homen. R. Ferreira d'Almeida**, pp.155-164, 1 pl.
1948. The tribe Dorcaschematini. **Trans. Amer. Entomol. Soc.**, **73**: 173-298, 6 pls.
1949. Miscellaneous synonymy and new species among Lamiinae. **Amer. Mus. Novit.**, **1388**: 1-13.
1952. The tribe Onciderini. Supplementary notes. **Ann. Entomol. Soc. Amer.** **45**: 59-79.
1953. A change of names in the Cerambycidae, with other notes. **Entomol. News.**, **64**: 260-261.
- DOHRN, C. A. 1878. Exotisches. **Stettin Entomol. Ztg.** **39**: 444-462.
1879. Exotisches. **Stettin Entomol. Ztg.** **40**: 456-461.

1882. Exotisches. **Stettin Entomol. Ztg.** **43**: 245-259; 363-374; 457-470.
- DRAPIEZ, P. A. 1819. Description de huit espèces d'insectes nouvelles. **Ann. Gén. Sci. Phys.**, **1**: 45-55.
1819. Description de huit espèces d'insectes nouvelles. **Ann. Gén. Sci. Phys.**, **2**: 42-50.
1820. Description de sept insectes nouveaux. **Ann. Gén. Sci. Phys.**, **3**: 189-193.
1820. Description de huit espèces d'insectes nouveaux. **Ann. Gén. Sci. Phys.**, **5**: 117-123; 323-330.
- DRURY, D. 1772. **Illustrations of Natural History, wherein are exhibited upwards of two hundred and forty figures of exotic insects according to their different genera.** **1**: 1-130, 50 pls.
1772. **Illustrations of Natural History...**, **2**: 1-90, 50 pls.
1772. **Illustrations of Natural History...**, **3**: 1-76, 50 pls.
- DUFFY, E. A. J. 1960. **A monograph of the immature stages of Neotropical timber beetles** (Cerambycidae). London, British Museum (Natural History), vii + 327 pp., 13 pls., 176 figs., frontisp.
- DUGÉS, D. E. 1878. Descripción de coleópteros indígenas (Géneros y especies nuevas). **Naturaleza**, **4**: 169-188, 1 pl.
1885. Métamorphoses de l'*Acanthoderes borrei* Dugès. **Ann. Soc. Entomol. Belg.**, **29**(2): 45-49.
1886. Métamorphoses de quelques coléoptères mexicains. **Ann. Soc. Entomol. Belg.**, **30**: 26-45.
- DUPONCHEL, P. A. 1837. Description d'une espèce coléoptère du genre *Purpuricen*, tribu des cérambyciens, famille longicornes. **Ann. Soc. Entomol. France**, (1)**6**: 309-310, 1 fig.
- DUPONT, H. 1832. Callipogon. *Callipogon*, Serville. **Mag. Zool.**, **2**: pl. 33.
1834. In J. G. Audinet-Serville, Nouvelle classification de la famille des longicornes. **Ann. Soc. Entomol. France**, (1)**3**: 5-110.
1835. Mallodère. *Malloderes*, Dupont. **Mag. Zool.**, **5**: pl. 125.
1836. Monographie des trachydérides. **Mag. Zool.**, **6**: 1-51.
1838. Monographie des trachydérides de la famille des longicornes. **Mag. Zool.**, **8**: i-xiii + 28 pp., pls. 186-200; pp. 29-59, pls. 204-224.
1840. Supplément à la monographie des trachydérides. **Mag. Zool.**, **1840**: pls. 28-38.
1840. Nouvelle espèce du genre *Ozodera*. **Revue Zool.**, **1840**: 42.
- DURY, C. 1910. New species and additions to the list of Cincinnati Coleoptera. **J. Cincinnati Soc. Nat. Hist.**, **21**: 64-67.
1911. Some new beetles from North Carolina, with ecological notes. **Entomol. News**, **22**: 273-275.
- ELGUETA, M. 2010. Acerca de la validez de *Achryson philippii* Germain, 1898 (Coleoptera, Cerambycidae). **Boletín del Museo Nacional de Historia Natural, Chile**, **59**: 143-144.
- ELGUETA, M. & M. CERDA. 2002. *Acalodegma vidali*, nueva especie altoandina de Prioninae de Chile. **Guyana**, **66**(1) 11-21, 8 figs., 1 table.
- ERICHSON, W. F. 1834. Coleoptera und Lepidoptera, in Meyens, Beiträge zur Zoologie, gesammelt auf einer Reise um die Erde, und W. Erichsons und H. Burmeisters und Abbildungen der auf dieser Reise gesammelten Insecten. **Nova Acta Acad. Caesar. Leop. Carol.**, **16**: suppl. 1, pp. 219-248.
1847. Conspectus insectorum coleopterorum quae in Republica Peruana observata sunt. **Arch. Naturgesch.**, **13**: 67-185.
1848. *Insekten*. Pp. 553-617 In: Schomburgk R. (Ed.), *Reisen in British Guiana in den Jahren 1840-1844. Im Auftrag Sr. Majestät des Königs von Preussen, Ausgeführt von Richard Schomburgk*. Vol. 3. J.J. Weber, Leipzig.
- ESCHSCHOLTZ, J. F. 1830. Nova genera coleopterorum faunae Europaeae. **Bull. Soc. Imp. natur. Moscou**, **2**: 63-66.

- ESTEBAN DURAN, J. R. & U. R. MARTINS. 2012. *Jupoata* (Coleoptera, Cerambycidae, Cerambycinae): Nova especie da Costa Rica e chave para identificacao das especies. **Pap. Avuls. Zool.** **52(4)**: 51-53, 2 figures.
- ESTEBAN DURAN, J. R. & A. SANTOS-SILVA. 2011. A new species of *Echthistatus* Pascoe, 1862 and considerations on synonymy of *Edechthistatus* Monné, 2006 (Coleoptera, Cerambycidae). **Span. Journ. Ag. Res.** **9(1)**: 100-107, 6 figures.
2015. A new species of *Neoregostoma* Monné and Giesbert, 1992 from Costa Rica and Panama (Coleoptera, Cerambycidae, Cerambycinae). **Insecta Mundi** **0413**: 1-4, 6 figures.
2020. A new species of *Crioprosopus* Audinet-Serville, 1834 from Costa Rica and Panama (Coleoptera: Cerambycidae: Cerambycinae: Trachyderini). **Insecta Mundi** **0760**: 1-8, 24 figures.
- EVANGELISTA, J., M. V. C. ROCHA, M. L. MONNÉ & M. A. MONNÉ. 2021. Diversity of Cerambycidae (Insecta: Coleoptera) in the Cerrado of Central Brazil using a new type of bait. **Biota Neotropica**, **21(1)**: 1-9, 3 figures.
- EVENHUIS, N.L. 1997. *Litteratura taxonomica dipterorum (1758–1930); being a selected list of the books and prints of Diptera taxonomy from the beginning of Linnean zoological nomenclature to the end of the year 1930; containing information on the biographies, bibliographies, types, collections, and patronymic genera of the authors listed in this work; including detailed information on publication dates, original and subsequent editions, and other ancillary data concerning the publications listed herein. Volume I: A–K.* Backhuys Publishers, Leiden, vii + 426 pp.
2003. Dating and publication of the Encyclopédie Méthodique (1782–1832), with special reference to the parts of the Histoire Naturelle and details on the histoire Naturelle des Insectes. *Zootaxa* 166: 1–48. <https://doi.org/10.11646/zootaxa.166.1.1>
2016. Natural History Journal Dating. Available at <http://hbs.bishopmuseum.org/dating/>. [12.IX.2016 version; accessed II.2024]
2019. Charles D.V. d'Orbigny's "Dictionnaire Universel d'Histoire Naturelle": proposed dates for livraisons, with itemized contents of each. *Bishop Museum Occasional Papers* 130, 8 pp.
- EYA, B.K. 2010. New Mexican and Central American genera and species of Trachyderini (Coleoptera, Cerambycidae, Cerambycinae) **Les Cahiers Magellanes** **108**: 1-21, 18 figs.
2015. Revision of the Genus *Crioprosopus* Audinet-Serville, and description of three new genera of Trachyderini (Coleoptera: Cerambycidae: Cerambycinae). **Zootaxa** **3914**: (4): 351-405, 159 figures.
2017. A new species of *Deltaspis* Audinet-Serville (Coleoptera: Cerambycidae: Cerambycinae) from Mexico. **Zootaxa** **4247(2)**:181-184, 6 figures.
2019. Revision of the genus *Deltaspis* Audinet-Serville, 1834 with systematic analysis and new taxa of Trachyderini with emarginate-truncate mandibles (Insecta: Coleoptera: Cerambycidae). **Zootaxa** **4713** (1): 1-62, 233 figures.
2021. Recharacterization of *Stenaspis* Audinet-Serville, 1834 with a new species from Mexico (Coleoptera: Cerambycidae: Cerambycinae: Trachyderini). **Insecta Mundi**, **0851**: 1-36, 154 figures.
2024. Revision of trachyderines related to *Sphaenothecus* from North America with description of three new genera, and new species of *Lophalia* Casey, 1912, *Mannophorus* LeConte, 1854, and *Ischnocnemis* Thomson, 1864 (Coleoptera: Cerambycidae: Cerambycinae: Trachyderini). **Insecta Mundi** **1061**: 1-94, 499 figures.
- EYA, B.K. & J.A. CHEMSAK. 2003. Review of the genus *Amphelictus* Bates, pts. 1 & 2. **Les Cahiers Magellanes**, **No. 21**: 1-24, 16 figs; **No. 22**: 1-21, 14 figs.
2005. Review of the genus *Coleoxestia* Aurivillius of Mexico & Central America, pts 1 & 2. **Les Cahiers Magellanes**, **No. 44**: 1-32, 16 figs, 3 maps; **No. 45**: 1-30, 15 figs, 3 maps
- EYA, B. K. & W. H. TYSON. 2011. A new species of *Callona* Waterhouse (Coleoptera: Cerambycidae) from Costa Rica and Panama. **Zootaxa** **2987**: 65-68, 2 figures.
- FABRICIUS, J. C. 1775. *Systema entomologiae, sistens insectorum classes, ordines, genera, species, adiectis synonymis, locis, descriptionibus, observationibus.* **Flensburgi et Lipsiae**, 832 pp.

1776. Genera insectorum eorumque characteres naturales secundum numerum, figuram, situm et proportionem omnium partium oris adiecta mantissa specierum nuper detectarum. **Chilonii**, 1: 310 pp.
1781. Species insectorum exhibentes eorum differentias specificas, synonyma auctorum, loca natalia, metamorphosin adiectis observationibus, descriptionibus. **Hamburgi et Kilonii**, 1: viii + 552 pp.
1787. Mantissa insectorum sistens eorum species nuper detectas adiectis characteribus genericis, differentiis specificis, emendationibus, observationibus. **Hafniae**, 1: xx + 348 pp.
1792. Entomologia systematica, emendata et aucta. Secundum classes ordines, genera, species adiectis synonymis, locis, observationibus, descriptionibus. **Hafniae**, 1: xx + 538 pp.
1794. Entomologia systematica, emendata et aucta... **Hafniae**, 4: 1-472.
1798. Supplementum entomologiae systematicae... **Hafniae**, 572 pp.
1801. Systema eleutheratorum secundum ordines, genera, species: adiectis synonymis, locis, observationibus, descriptionibus. **Kiliae**, 2: 1-687.
- FAIRMAIRE, L. 1857. Melanges et nouvelles. **Archiv. Entomol.**, 1: 38.
1864. In P. N. Jacquelin du Val, **Genera des Coléoptères d'Europe comprenant leur classification en famille naturelle**. 4: 1-295, 376 figs., 78 pls.
1864. Note sur quelques coléoptères recueillis par Ph. Germain a Mendoza, dans les Cordilières. **Ann. Soc. Entomol. France**, (4)4: 261-274, 1 pl.
- 1864-1865. Famille des Cérambycides, pages 113–176 [1864-1865], 177–203 [1865-1866] In: Jacquelin Du Val, P.N.C. *Genera des coléoptères d'Europe, comprenant leur classification en famille naturelle, la description de tous les genres. des tableaux dichotomiques destinés à faciliter l'Étude, le Catalogue de toutes les espèces. Tome quatrième.*
1883. Note sur quelques coléoptères de Magellan et de Santa Cruz. **Ann. Soc. Entomol. France**, (6)3: 483-506.
1893. Quelques Coléoptères de la Republique Argentine. **Ann. Soc. Entomol. Belg.**, 37: 608-611.
1899. Note sur le genre *Paulistanus* Goun. **Bull. Soc. Entomol. France**, 1899: 39.
- FAIRMAIRE, L. & P. GERMAIN. 1859. Révision d21 coléoptères du Chili (suite). **Ann. Soc. Entomol. France**, (3)7: 483-512. [Date published: 9.XI.1859 (wrapper and Bulletin bibliographique pages cclxxxix–ccxc)].
1860. Révision des coléoptères du Chili (suite). *Annales de la Société Entomologique de France* (série 3) 7 (4): 513–532. [Date published: 1.III.1860 (wrapper and Bulletin bibliographique pages cclxxxix–ccxc)].
1861. Révision des coléoptères du Chili (Première supplement aux Cerambycidae). **Ann. Soc. Entomol. France**, (4)1: 105-108.
1864. Révision des coléoptères du Chili. **Revue Mag. Zool.**, (2)16: 283-287; 385-394.
- FALDERMANN, F. 1837. Longicornes vel Capricornes, pp. 261–321 + pls VII–XI. In: Fauna entomologica Transcaucasica. Pars II. Coleoptera. *Nouveaux Mémoires de la Société Impériale des Naturalistes de Moscou* 5: 1–433 + 15 pls.
- FALL, H. C. 1897. A list of the Coleoptera of the southern California islands, with notes and descriptions. **Can. Entomol.**, 29(10): 233-244.
1901. List of the Coleoptera of southern California, with notes on habits and descriptions of new species. **Occ. Pap. Calif. Acad. Sci.**, 8: 1-282.
1905. New species of Coleoptera, chiefly from the southwest. **Can. Entomol.**, 37(8): 270-276.
1907. New genera and species of North American Cerambycidae. **J. New York Entomol. Soc.**, 15(2): 80-87.
1907. Descriptions of new species. **Transactions of the American Entomological Society**, 33: 218-272.
1909. New Coleoptera from the southwest IV. **Can. Entomol.**, 41(5): 161-170.
1910. New species of *Pogonocherus*, with synoptic table. **Entomol. News**, 21(1): 5-9.

1912. A new *Tetropium*, two new Bruchides, with brief notes on other Coleoptera. **Entomol. News**, **23**: 320-323.
1925. New species of Coleoptera or recent discovery. **Bull. Brooklyn Entomol. Soc.**, **20**(4): 180-183.
1928. Miscellaneous notes and descriptions. **Bull. Brooklyn Entomol. Soc.**, **23**(5): 236-240.
1929. New Coleoptera XIII. **Can. Entomol.**, **61**(3): 54-59.
- FALL, H. C. & T. D. A. COCKERELL. 1907. The Coleoptera of New Mexico. **Trans. Amer. Entomol. Soc.**, **33**: 145-272.
- FATTIG, P. W. 1947. The Cerambycidae or Long-Horned Beetles of Georgia. **Emory Univ. Mus. Bull.**, **5**: 1-48
- FAÚNDEZ, E. I. & C. F. ARÉVALO. 2009. Un caso teratológico en *Callisphyris apicicornis* Fairmaire & Germain, 1859 (Coleoptera, Cerambycidae). **Boletín Sociedad Entomológica Aragonesa** **45**: 581-582.
- FELT, E. P. & H. JOUTEL. 1904. Monograph of the genus *Saperda*. **Bull. New York St. Mus.**, **74**: 1-86, 14 pls.
- FERREIRA, A. S. & A. A. ROCHA. 2015. Cerambycidae (Coleoptera) from Lagoa do Tamburí farm, Aracatu – Bahia, with new records. **Pap. Avuls. Zool.** **55**(25): 363-371, 1 figure.
- FERREIRA, G., A. FERREIRA, & F. BRAVO. 2023. Annotated checklist of Cerambycidae (Coleoptera: Chrysomeloidea) from the Brazilian semi-arid region, with new species and new geographic records. **Zootaxa**, **5235**(1): 001-081, 9 figures.
- FERREIRA, G., A. & J. R. M. MERMUDES. 2023. New records and taxonomic notes in Clytini, Dichophyiini, and Trachyderini (Coleoptera: Cerambycidae: Cerambycinae) from South America, and reinstatement of *Placosternus* Hopping, 1937. **Zootaxa**, **5319**(1): 148-150, 1 figure.
2024. Two New Species of *Dihammaphora* (Coleoptera, Cerambycidae, Rhopalophorini), with Taxonomical and Geographical Notes for the Genus. **Neotrop. Ent.** **53**: 1-11, 4 figures.
- FILHO, M.F. de SOUZA, D. GABRIEL & J.A. de AZEVEDO FILHO. 2001. Caracterização morfológica de três espécies de Broca-da-haste em chuchuzeiro (Lamiinae). **Neotropical Entomol.**, **30**(3): 475-477, 2 figs.
- FISCHER, 1888. *Charinotes richteri* nov. spec. **Berl. Entomol. Ztschr.**, **32**: 490.
- FISHER, W. S. 1914. A new species of *Callichroma* from Texas. **Proc. Entomol. Soc. Wash.**, **16**(3): 97-98.
1915. One new genus and two new species of Cerambycidae. **Proc. Entomol. Soc. Wash.**, **17**: 77-79.
1917. A new species of *Xylotrechus*. **Proc. Entomol. Soc. Wash.**, **18**: 214-216.
1918. A new species of longhorn beetle infesting cowpeas from Mexico. **Proc. Entomol. Soc. Wash.**, **19**: 173-174.
1919. A new genus and species of Cerambycidae from Colorado. **Proc. Entomol. Soc. Wash.**, **21**(2): 38-40.
1920. A new genus and several new species of Cerambycidae. **Proc. Entomol. Soc. Wash.**, **22**(7): 153-159.
1921. A new cerambycid beetle from California. **Proc. Entomol. Soc. Wash.**, **23**(9): 214-216.
1922. A new cerambycid beetle from Santo Domingo. **Entomol. News**, **33**: 52.
1924. A new species of *Ataxia* from the United States. **Can. Entomol.**, **56**: 253-254.
1925. New West Indian Cerambycidae. Subfamily Lamiinae. **Amer. Mus. Novit.**, **174**: 1-16.

1925. Two new Mexican Cerambycidae. **Proc. Entomol. Soc. Wash.**, 27(1): 15-16.
1925. A new species of *Leptostylus* from the United States. **Proc. Entomol. Soc. Wash.**, 27(5): 103-105.
1926. Descriptions of new West Indian longicorn beetles of the subfamily Lamiinae. **Proc. U.S. Nat. Mus.**, 68(22): 1-40.
1926. New Cactus beetles. **Proc. Entomol. Soc. Wash.**, 28(9): 214-217.
1927. A new cerambycid beetle from Colombia and Central America. **Proc. Entomol. Soc. Wash.**, 29(1): 23-24.
1928. New species of Jamaican Buprestidae and Cerambycidae. In C. C. Gowdey, Catalogus insectorum Jamaicaensis. **Entomol. Bull. Dep. Agric. Jamaica**, 4(3): 16-17.
1928. New Cactus beetles II. **Proc. Entomol. Soc. Wash.**, 30(1): 1-7.
1930. Notes on the Rhinotragine beetles of the family Cerambycidae, with descriptions of new species. **Proc. U.S. Nat. Mus.**, 77(19): 1-20.
1930. New West Indian Buprestidae and Cerambycidae. **Can. Entomol.**, 62(1): 7-11.
1931. A new ant-like cerambycid beetle from Honduras. **Psyche**, 38(2-3): 99-101.
1931. New Cactus beetles III. **Proc. Entomol. Soc. Wash.**, 33(8): 197-201.
1931. A new longhorn beetle from Costa Rica. **J. Wash. Acad. Sci.**, 21(2): 23-24.
1932. New West Indian cerambycid beetles. **Proc. U.S. Nat. Mus.**, 80(22): 1-93.
1935. New West Indian cerambycid beetles. **Proc. U.S. Nat. Mus.**, 83(2979): 189-210.
1935. New cerambycid beetles from Puerto Rico. **J. Agric. Univ. Puerto Rico**, 19(2): 51-63.
1936. New Cactus beetle from Argentine Republic. **Proc. Entomol. Soc. Wash.**, 38(1): 7-8.
1936. New cerambycid and buprestid beetles from Cuba. **Mems. Soc. Cub. Hist. Nat.**, 9: 271-273.
1936. New buprestid and cerambycid beetles from Cuba. **Mems. Soc. Cub. Hist. Nat.**, 10(5): 343: 348.
1937. New neotropical Cerambycidae. **Rev. Entomol.**, 7(2): 145-154.
1937. A new cerambycid beetle from Chile. **Rev. Chil. Hist. Nat.**, 40: 324-326, 1 fig.
1938. New neotropical Cerambycidae II. **Rev. Entomol.**, 8(1-2): 135-153.
1941. Results of the Oxford University Cayman Islands Biological Expedition, 1938. **Entomologist's Mon. Mag.**, 77: 108-115.
1941. New Coleoptera from Puerto Rico. **J. Agric. Univ. Puerto Rico**, 25(4): 37-39.
1942. New West Indian cerambycid beetles III. **Torreia**, 10: 1-43.
1942. A new cerambycid beetle from Oregon. **Can. Entomol.**, 74: 51.
1942. New Coleoptera from Puerto Rico. **J. Agric. Univ. Puerto Rico**, 25(4): 37-39.
1943. A new cerambycid beetle from the Canal Zone. **Bol. Dep. Sanid. Veget.**, 3(1): 12-14.
1944. New American Cerambycidae from British Guiana and Costa Rica. **Zoologica**, 29(1): 1-2.
1944. Cerambycidae of Caripito, Venezuela. **Zoologica**, 29(1): 3-12.
1945. A new species of *Oberea* from Canada. **Can. Entomol.**, 77: 56.
1945. A change of name in Cerambycidae. **Proc. Entomol. Soc. Wash.**, 47(8): 251.

1946. Synopsis of the cerambycid beetles of the genus *Stenosphenus* Haldeman found in America, north of Mexico. **J. Wash. Acad. Sci.**, **36**(3): 86-94.
1946. New cerambycid beetles belonging to the tribe Disteniini from Central and South America. **Proc. U.S. Nat. Mus.**, **96**(3201): 329-333.
1947. New neotropical Cerambycidae, belonging to the genus *Dorcasta* Pascoe. **Rev. Entomol.**, **18**(1-2): 173-182.
1947. New cerambycid beetles belonging to the tribe Rhinotragini. **Proc. U.S. Nat. Mus.**, **97**(3209): 47-57.
1947. New cerambycid beetles belonging to the tribe Rhinotragini from South America. **Amer. Mus. Novit.**, **1349**: 1-6.
1947. New West Indian cerambycid beetles IV. **Mem. Soc. Cub. Hist. Nat.**, **19**: 29-41.
1948. Results of the Oxford University Cayman Islands Biological Expedition, 1938. Description of five new species and one variety of Cerambycidae. **Entomologist's Mon. Mag.**, **84**: 225-228.
1951. A new species of *Elaphidion* from Cuba. **Mem. Soc. Cub. Hist. Nat.**, **20**(2): 77-79.
1952. New cerambycid beetles belonging to the tribe Rhinotragini from South America. **Amer. Mus. Novit.**, **1552**: 1-17.
1953. New cerambycid beetles belonging to the tribe Rhinotragini. **Pan-Pacific Entomol.**, **29**(1): 14-17.
- FISHER, W. S. & H. B. KIRK. 1912. Cerambycidae of Harrisburg, Pennsylvania and vicinity with notes. **Entomol. News**, **23**: 308-316.
- FLEUTIAUX, E. & A. SALLÉ. 1889. Liste des coléoptères de la Guadeloupe et descriptions d'espèces nouvelles. **Ann. Soc. Entomol. France**, **9**(6): 351-484.
- FONSECA, J. P. 1958. *Migdolus morretesi* Lane, uma broca eventual da cana de açúcar e do eucalipto. **Arq. Inst. Biol.**, **25**: 29-40, 4 pls.
- FONSECA-GESSNER, A. A. 1990. Revisão taxonômica do gênero *Paramallocera* Aurivillius, 1912 (Sphaerionini). **Rev. Bras. Entomol.**, **34**(4): 817-856, 94 figs.
- FONSECA, E., S. DEVESA, & A. BARRO. 2008. Primer registro de *Oxymerus aculeatus lebasii* Dupont 1838 en Cuba (Coleoptera: Cerambycidae), con observaciones acerca de su historia natural. **Bull. Soc. Ent. Aragonesa** **43**: 510-512, 6 figs.
- FONTES, L. R. & U. R. MARTINS. 1977. Novos Hebestolini do Brasil. **Rev. Bras. Entomol.** **21**(1): 7-14, 7 figs.
- FORCHHAMMER, P. 1981. Evolution of diurnal activity in some of the higher taxa of long-horned beetles in relation to continental drift. **Natura Jutl.**, **19**: 91-106, 5 figs.
- FORSTER, J. R. 1771. **Novae species insectorum, centuria I.** London, 100 pp.
- FOX, W.J. (compiler). 1913. *Dates of publication*, pages vii-xiv. In: E.J. Nolan (ed.). *An Index to the Scientific Contents of the Journal and Proceedings of The Academy of Natural Sciences of Philadelphia [Published in Commemoration of the Centenary of the Academy, March 21, 1912]*. The Academy of Natural Sciences, Philadelphia. xiv + 1419 p.
- FRAGOSO, S. A. 1967. Sobre *Oncideres* Serville, 1835. **Atas Soc. Biol.**, **11**(3): 101-108, 22 figs.
1968. Sobre *Brasiliianus mexicanus* (Thomson, 1861), como broca do Goncalo Alves (Coleoptera, Cerambycidae). **Atas Soc. Biol.**, **11**(4): 145.
1970. Novas espécies do gênero *Oncideres* Serville, 1835. **Atas Soc. Biol.**, **14**(3-4): 79-83, 4 figs.
1970. Primeira nota preliminar a uma futura revisão dos Cerambycini neotropicais. **Atas Soc. Biol.**, **14**(3-4): 97-101, 9 figs.
1971. Segunda nota preliminar a uma futura revisão dos Cerambycini neotropicais. **Atas Soc. Biol.**, **15**(1): 7-9, 10 figs.
1971. Notas sobre Onciderini I. **Atas Soc. Biol.**, **15**(1): 33-34, 3 figs.
1978. Revision of the neotropical genus *Poeciloxestia* Lane, 1965. **Coleop. Bull.**, **32**(2): 113-158, 238 figs.

1980. *Tomrogersia acanthofemorata*, n. gen., n. sp. **Rev. Bras. Biol.**, **40**(4): 743-746, 3 figs.
1981. Third preliminary note on neotropical Cerambycini. **Rev. Bras. Biol.**, **41**(2): 379-383, 5 figs.
1981. On *Sphallenopsis*, new genus. **Rev. Bras. Entomol.**, **25**(2): 145-147, 8 figs.
1981. The cerambycine genus *Melathemma*. **Rev. Bras. Entomol.**, **25**(3): 185-187, 7 figs.
1982. An annotated preliminary key to neotropical Cerambycini genera. **Rev. Bras. Entomol.**, **26**(2): 141-161, 19 figs.
1985. The terminalia as a basis for the classification of Cerambycidae subfamilies. Part I. Terminology and genital morphology of *Cerambyx cerda* L. **Rev. Bras. Entomol.**, **29**(1): 125-134, 5 figs.
1985. The terminalia as a basis for the classification of Cerambycidae subfamilies. Part II. Oxypeltinae. **Rev. Bras. Entomol.**, **29**(2): 165-168, 2 figs.
1993. On old and new species of *Coleoxestia* Aurivillius, 1912 (Cerambycini). **Rev. Bras. Biol.**, **53**(3): 327-343, figs.
1995. Fourth preliminary note on neotropical Cerambycini. **Rev. Bras. Biol.**, **55**(2): 177-192, 19 figs.
- FRAGOSO, S. A. & F. LANE. 1970. Notas sinonímicas sobre o gen. *Oncideres* Serville, 1835. **Atas Soc. Biol.**, **14**(1-2): 33-37, 9 figs.
- FRAGOSO, S. A. & M. A. MONNÉ. 1982. Notas sobre Prioninae neotropicais. **Pesq. Agropec. Bras.**, **17**(4): 519-523, 3 figs.
1984. Sinopse do gênero *Rhaphiptera* Audinet-Serville, 1835 (Pteropliini). **Pesq. Agropec. Bras.**, **19**(9): 1075-1083, 22 figs.
1988. Sinopse do subgênero *Pyrodes* (*Esmeralda*) Thomson, 1861 (Mallaspini). **Rev. Bras. Entomol.**, **32**(2): 131-138, 8 figs.
1989. Duas novas espécies de Callichromatini neotropicais. **Mem. Inst. Oswaldo Cruz**, **84** suppl. IV, pp. 209-212, 2 figs.
1995. Notes on Macrotomini. **Rev. Bras. Biol.**, **55**(2): 215-225, 7 figs.
1995. Second Note on Macrotomini. **Rev. Bras. Biol.**, **55**(4): 715-726, 20 figs.
- FRAGOSO, S. A., M. A. MONNÉ & C. A. CAMPOS SEABRA. 1987. Preliminary considerations on the higher classification of Cerambycinae, with nomenclatural alterations. **Rev. Bras. Biol.**, **47**(1-2): 189-202, 8 figs.
- FRAGOSO, S. A. & G. L. TAVAKILIAN. 1985. *Hirtobrasilianus*, nouveau sous-genre de *Brasiliannus* Jakobson, 1924 (Cerambycini). **L'Entomologiste**, **41**(5): 229-240, 3 figs.
- FRANCESCHINI, A.F. 2002. Revisão do gênero *Appula* (Cerambycinae, Elaphidiini). **Iheringia, Sér. Zool.**, **92**(1): 5-40, 134 figs.
- FRANZ, E. 1935. Neues zur Gattung *Gymnocerus* Serv. **Entomol. Rdsch.**, **52**: 169-172, 4 figs.
1954. Cerambycidae aus El Salvador. **Senckenbergiana**, **34**(4-6): 213-229, 1 fig., 1 pl.
1955. Cerambícidos. **Comun. Inst. Trop. Inc. Cient.**, **4**(1-2): 47-53, 1 pl.
1955. Neue *Tetropium*-Arten aus Guatemala. **Zeitschr. Angew. Entomol.**, **37**(3): 323-326, 2 figs.
1956. Eine neue *Paramallocera* aus Peru. **Senckenberg. Biol.**, **37**(1-2): 137-138, 2 figs.
1959. Drei neue Lamiinae aus El Salvador. **Senckenberg. Biol.**, **40**(3-4): 185-188, 3 figs.
1959. Eine neue Cerambycidae aus Peru. **Senckenberg. Biol.**, **40**(3-4): 189-190, 2 figs.
1969. Eine neue Cerambycide aus Bolivien. **Opusc. Zool. Münch.** **109**: 1-2, 1 fig.
- FRIES, B. F. 1833. Beskrifning nya insekter från Colombien. **K. Svenska Vetensk. Akad. Handl.**, **1833**: 320-328, 2 pl.
- FRIVALDSKY, J. 1892. Coleoptera in expeditione D. Comitis Belae Széchenyi in China, praecipue boreali, a Dominis Gustavo Kreitner et Ludovico Lóczy anno 1879 collecte. Paris secunda. **Term. Füzetek.**, **15**: 114-125.

- FRÖLICH, J. A. von 1792. Bemerkungen über einige seltene Käfer aus der Insecten-Sammlung des Hr. Rudolph in Erlangen. **Naturforscher**, **26**: 68-185.
- FUCHS, E. 1955. 1. Beitrag zur Kenntnis der neotropischen Cerambyciden. **Koleopt. Rdsch.**, **33**(1-6): 47-53.
1956. 2. Beitrag zur Kenntnis der neotropischen Cerambyciden. **Entomol. Arb. Mus. G. Frey**, **7**(2): 567-576.
1958. 3. Beitrag zur Kenntnis der neotropischen Cerambyciden. **Koleopt. Rdsch.**, **36**: 52-61.
1959. Neue Cerambyciden aus dem Institut Royal des Sciences Naturelles de Belgique. **Bull. Inst. Sci. Nat. Belg.**, **13**(35): 1-4.
1961. Zwei neue *Cyllene*-Arten aus der Sammlung des Senckenberg-Museums. **Senckenberg. Biol.**, **42**(5-6): 447-450, 2 figs.
1961. Neue Cerambyciden aus Südbrasilien. **Pesquisas, (Zool.)** **12**: 1-10.
1961. 4. Beitrag zur Kenntnis der neotropischen Cerambyciden. **Koleopt. Rdsch.**, **39**: 6-21.
1961. Neue Cerambyciden aus der ehemaligen Sammlung Dr. Itzinger. **Entomol. Arb. Mus. G. Frey**, **12**(1): 93-98.
1961. Neue Cerambyciden aus dem Institut Royal des Sciences Naturelles de Belgique. **Bull. Inst. Sci. Nat. Belg.**, **37**(40): 1-5.
1962. Neue Cerambyciden aus der ehemal Sammlung Dr. Itzinger. 2 Theil. **Entomol. Arb. Mus. G. Frey**, **13**(2): 321-324.
1963. 5. Beitrag zur Kenntnis der neotropischen Cerambyciden. **Koleopt. Rdsch.**, **40-41**: 10-16.
1963. Neue neotropische Clytini aus der Sammlung des Senckenberg-Museums. **Senckenberg. Biol.**, **44**(6): 451-456, 4 figs.
1964. 6. Beitrag zur Kenntnis der neotropischen Cerambyciden. **Koleopt. Rdsch.**, **42**: 6-10.
1966. 7. Beitrag zur Kenntnis der neotropischen Cerambyciden. **Koleopt. Rdsch.**, **43-44**: 9-15.
1966. Neue Cerambyciden aus dem Museum G. Frey. **Entomol. Arb. Mus. G. Frey**, **17**: 33-38.
1970. Neue Lamiinen aus der Sammlung des Zoologischen Museum der Humboldt-Universität zu Berlin. **Mitt. Zool. Mus. Berlin** **46**(1): 109-114.
1974. Neue Cerambyciden aus der Sammlung des Zoologischen Museum der Humboldt-Universität zu Berlin. **Mitt. zool. Mus. Berlin** **50**(2): 243-245.
1975. Ein neuer *Neoclytus* aus Brasilien. **Opusc. Zool. Münch.** **128**: 1-2
1976. Neue Cerambyciden aus der Sammlung des Zoologischen Museum der Humboldt-Universität zu Berlin. **Deut. Entomol. Zeitschr.**, **23**(1-3): 57-59.
- GAHAN, C. J. 1888. Notes on some types of North American Cerambycidae in the British Museum. **Trans. Amer. Entomol. Soc.**, **15**: 299-300.
1888. On new lamiide Coleoptera belonging to the *Monohammus* group. **Ann. Mag. Nat. Hist.**, (6)**2**: 389-401.
1889. On new lamiide Coleoptera in the British Museum collection. **Ann. Mag. Nat. Hist.**, (6)**3**: 387-400.
1890. Notes on some West Indian longicorn Coleoptera, with descriptions of new genera and species. **Ann. Mag. Nat. Hist.**, **6** (6): 23-34.
1892. Additions to the Longicornia of Mexico and Central America, with notes on some previously-recorded species. **Trans. Entomol. Soc. London**, **1892**: 255-274, 1 pl.
1892. Notes on longicorn Coleoptera of the group Cerambycinae, with descriptions of new genera and species. **Ann. Mag. Nat. Hist.**, (6)**9**: 19-32.
1894. Descriptions of some new Coleoptera from Costa Rica. **Ann. Mag. Nat. Hist.**, (6)**14**: 115-120.
1894. Descriptions of some new species of Prionidae. **Ann. Mag. Nat. Hist.**, (6)**14**: 221-227.

1895. On the longicorn Coleoptera of the West India Islands. **Trans. Entomol. Soc. London**, 1895: 79-140, 1 pl.
1895. Remarks on *Chariea cyanea*, a rare Prioned beetle. **Trans. Entomol. Soc. London**, 1895: xvi.
1895. *Vesperoctenus* Bates, and its systematic position. **Entomologist's Mon. Mag.**, 6(31): 22-24.
1898. In P. H. Grimshaw, On some type specimens of Lepidoptera and Coleoptera in the Edinburgh Museum of Science and Art. **Trans. Entomol. Soc. Edinburgh**, 39: 1-11.
1906. Coleoptera (Cerambycidae) in, **The fauna of British India including Ceylon and Burma**. London, C. T. Bingham, xviii + 329 pp.
1908. Notes on North American Longicornia, with descriptions of some new species. **Ann. Mag. Nat. Hist.**, (8)1: 140-145.
- GAHAN, C. J. & G. J. ARROW. 1903. List of the Coleoptera collected by Mr. A. Robert at Chapada, Matto Grosso (Percy Sladen Expedition to Central Brazil). **Proc. Zool. Soc. London**, 2: 244-258, 1 pl.
- GAHAN, C. J. & E. GOUNELLE. 1910. Note sur *Callimoxys Brullei* Mulsant. **Bull. Soc. Entomol. France**, 13: 237-238.
- GALILEO, M. H. M. 1987. Sistemática das tribos Meroscelisini e Anacolini nas Américas. I. Meroscelisini. **Rev. Bras. Entomol.**, 31(2): 141-367, 561 figs., 11 pls.
1987. Sistemática das tribos Meroscelisini e Anacolini nas Américas. II. Anacolini. **Rev. Bras. Entomol.**, 31(4): 481-705, figs. 562-1103, pls. 12-28.
2015. New species of *Phoebe* (Hemilophini) and *Amphicnaeia* (Apomecynini) from South America (Coleoptera, Cerambycidae). **Arq. de Zool.** 46(9): 121-127, 6 figures
- GALILEO, M.H., L.G. BEZARK, & A. SANTOS-SILVA. 2016. Descriptions of three new species and new records of Cerambycidae (Coleoptera) from America. **Dtsch. Entomol. Z.** 63(1):9-16, 12 figures.
- GALILEO, M. H. M. & ESTEBAN-DURAN, J. R. (2010) New species of Desmiphorini (Coleoptera, Cerambycidae, Lamiinae) from the Reserva Biológica Alberto Manuel Brenes, Alajuela, San Ramón, Costa Rica. *Spanish Journal of Agricultural Research*, 8(4), 1033-1036, 6 figures.
- GALILEO, M. H., Z. KOMIYA, & A. SANTOS-SILVA. 2018. Description of a new genus and two new species of Anacolini (Coleoptera, Cerambycidae, Prioninae) from South America. **Zootaxa** 4500 (2): 281–288, 18 figures.
- GALILEO, M. H. M. & U. R. MARTINS. 1987. Sobre as tribos Falsamblethiini e Hebestolini com descrição de novos táxons. **Rev. Bras. Entomol.**, 31(1): 89-95, 18 figs.
1987. Sobre Falsamblethiini. I. Revisão do gênero *Falsamblethis* Breuning, 1959. **Rev. Bras. Entomol.**, 31(3): 447-452, 3 figs.
1987. Novas espécies da tribo Aerenicini. **Rev. Bras. Entomol.**, 31(3): 453-455, 2 figs.
1988. Notas sobre Agapanthini I. *Hippopsis* do grupo *solangeae*. **Rev. Bras. Entomol.**, 32(2): 179-185, 20 figs.
1988. Notas sobre Agapanthini II. *Hippopsis* do grupo *pubiventris*. **Rev. Bras. Entomol.**, 32(2): 187-190, 11 figs.
1988. Notas sobre Agapanthini III. *Hippopsis* do grupo *lemniscata*. **Rev. Bras. Entomol.**, 32(2): 191-195, 3 figs.
1988. Notas sobre Agapanthini IV. *Hippopsis* do grupo *pradierii*. **Rev. Bras. Entomol.**, 32(2): 196-198.
1988. Notas sobre Agapanthini V. Revisão do gênero *Hippopsis* Lepeletier & A.-Serville, 1825. **Rev. Bras. Entomol.** 32(2): 199-207.
1988. *Hyleoza dialepta*, nova espécie neotropical de Meroscelisini. **Rev. Bras. Entomol.**, 32(3-4): 437-440, 7 figs.
1988. Os Gêneros de Calliini relacionados com *Zenicomus* Thomson, 1868. **Rev. Bras. Entomol.**, 32(3-4): 507-524, 61 figs.
1989. Aditamentos à tribo AereniciniII. Revisão do gênero *Apagomerina* Gilmour, 1962. **Rev. Bras. Zool.**, 6(4): 599-602, 2 figs.
1990. Notas sobre Calliini I. Revisão do gênero *Graminea* Thomson, 1864 e descrição de novos táxons. **Rev. Bras. Entomol.**, 34(2): 467-474, 8 figs.

1990. Aditamentos à tribo Aerenicini. **Rev. Bras. Entomol.**, **34**(3): 583-588, 8 figs.
1990. Notas sobre Calliini III. Revisão do gênero *Hastatis* Buquet, 1857. **Rev. Bras. Entomol.**, **34**(3): 601-606, 1 fig.
1990. Novos táxons de Anacolini. **Papéis Avulsos Zool.**, **37**(3): 39-52, 28 figs., 4 pls.
1990. Notas sobre Calliini V. Sobre algumas espécies do gênero *Eumathes* Pascoe, 1858 e descrição de *Hirticallia*, gen. n. **Rev. Bras. Entomol.**, **34**(4): 877-881, 1 fig.
1991. Longicórnios do Museu Paraense Emílio Goeldi I. Novas espécies em Sphaerionini e Onciderini. **Bol. Mus. Paraense Emílio Goeldi**, sér. Zool., **6**(1): 11-15.
1991. Revisão do gênero *Cendiuna*, ge. n. (Hemilophini). **Rev. Bras. Entomol.**, **35**(1): 113-119, 21 figs.
1991. Nova espécie do gênero *Trachysomus* A.-Serville, 1835 do Paraguai (Onciderini). **Iheringia**, Ser. Zool., (71): 129-132, 1 fig.
1991. Revisão da tribo Calliini. **Giorn. ital. Entomol.**, **5**: 243-262, 15 figs.
1991. Longicórnios do Museu Paraense Emílio Goeldi II. Novas espécies em Aerenicini e Hemilophini. **Bol. Mus. Paraense Emílio Goeldi**, Ser. Zool. **7**(2): 103-106.
1992. Os gêneros de Hemilophini com flagelômeros basais densamente pilosos e sem carena umeral. **Rev. Bras. Entomol.**, **36**(1): 15-19, 2 figs.
1992. Revisão da tribo Mallaspini Thomson, 1861. **Rev. Bras. Entomol.**, **36**(2): 293-422, 525 figs.
1992. Novos longicórneos do Paraguai. **Iheringia**, Ser. Zool., (73): 59-63, 3 figs.
1992. Duas novas espécies de *Eburodacrys* White, 1853 do Brasil meridional. **Giorn. ital. Entomol.**, **6**: 1-4, 2 figs.
1992. Cerambycidae of the Canadian National Museum of Nature, Ottawa. II. Calliini. **Insecta Mundi**, **6**(3-4): 135-139, 6 figs.
1992. Neotropical Cerambycidae of the Canadian National Museum of Nature, Ottawa. III. Aerenicini. **Insecta Mundi**, **6**(3-4): 141-144, 4 figs.
1993. Revisão da tribo Solenopterini. Parte I. Trans.ferência de *Poekilosoma* A.-Serville, 1832 e *Calocomus* A.-Serville, 1832; os gêneros *Prosternodes* Thomson, 1861 e *Derancistrodes*, gen. n. **Rev. Bras. Entomol.**, **37**(1): 79-99, 45 figs.
1993. Revisão da tribo Solenopterini. Parte II. Gêneros *Derancistrus* A.-Serville, 1832, *Holonotus* Thomson, 1861, e *Sphenostethus* Haldeman, 1845. **Rev. Bras. Entomol.**, **37**(2): 199-222.
1993. Revisão da tribo Solenopterini. Parte III. Gênero *Solenoptera* A.-Serville, 1832. **Rev. Bras. Entomol.**, **37**(3): 425-458, 58 figs.
1993. Revisao do Genero *Ischnolea* Thomson, 1861 (Cerambycidae, Lamiinae, Desmiphorini). **Iheringia** **75**: 63-79, 15 figs.
1994. Revisao da Tribo Calocomini (Coleoptera, Cerambycidae, Prioninae). **Rev. Bras. Entomol.**, **38**(2): 489-505, 44 figs
1994. Revisão da tribo Solenopterini. Parte IV. Gênero *Elateropsis* Chevrolat, 1862 e distribuição geográfica da tribo. **Rev. Bras. Entomol.**, **38**(1): 109-153.
1995. Novas espécies neotropicais da tribo Agapanthiini. **Iheringia**, Ser. Zool., (78): 39-43, 5 figs.
1995. Revisão da tribo Eupromerini, trib. n. da região neotropical. **Rev. Bras. Entomol.**, **39**(1): 131-150, 18 figs.
1995. Gênero *Panegyrtes* Thomson, 1868 (Desmiphorini): novas espécies e chave para identificação. **Rev. Bras. Entomol.**, **39**(4): 859-869, 14 figs.
1996. Revisão do gênero *Isomerida* Bates, 1866 (Hemilophini). **Papéis Avulsos Zool.** **39**(12): 231-248, 9 figs.
1996. Revisão do gênero *Nesozineus* Linsley & Chemsak, 1966 (Acanthoderini). **Rev. Bras. Entomol.**, **40**(1): 41-46, 9 figs.
1996. Notas e descrições em Desmiphorini, com uma revisão do gênero *Mimasyngenes* Breuning. **Rev. Bras. Zool.**, **13**(4): 867-882, 8 figs.
1996. Revisão de gênero *Tacocha* Lane, 1970 (Hemilophini). **Rev. Bras. Entomol.**, **40**(2): 233-236, 4 figs.

1996. Notas sinonímicas, dimorfismo sexual e descrição de nova espécie de *Mecometopus* Thomson, 1861 (Clytini). **Rev. Bras. Entomol.**, **40**(1): 57-60, 4 figs.
1997. Transferência de espécies de *Adesmus* para *Zeale*, *Ibitiruna* gen. n. e *Cuiciuna* gen. n. (Hemilophini). **Iheringia**, Ser. Zool., (82): 159-172, 7 figs.
1997. Revisão das espécies sul-americanas do gênero *Itumbiara* Martins & Galileo, 1992 (Hemilophini). **Papéis Avulsos Zool.**, **40**(1): 1-15, 4 figs.
1997. Revisão do genero *Euryestola* Breuning, 1940 (Callini). **Papéis Avulsos Zool.**, **40**(7): 127-136, 7 figs.
1997. Sobre o genero *Oedudes* Thomson, 1868 (Hemilophini). **Papéis Avulsos Zool.**, **40**(8): 137-146, 4 figs.
1998. Notas e descrições em Lamiinae com garras tarsais apendiculadas ou bífidas e revisão do 1st grupo de espécies do genero *Malacoscyllus*. **Rev. Bras. Entomol.**, **41**(2-4): 249-256.
1998. Novas espécies neotropicais de Desmiphorini e revalidação de *Esmia turbata*. **Iheringia**, Ser. Zool., (84): 33-42, 7 figs.
1998. Divisão do genero *Phacellocera* (Anisocerini). **Iheringia**, Ser. Zool., (85): 11-25, 24 figs.
1998. Novo generos e novas espécies de Lamiinae neotropicais. **Rev. Bras. Entomol.**, **42**(3/4): 147-153, 12 figs.
1999. O genero *Adesmus* (Hemilophini). **Iheringia**, Ser. Zool., (86): 77-116, 38 figs.
1999. Revisão do genero *Xylotribus* (Anisocerini). **Iheringia**, Ser. Zool., (86): 165-170, 6 figs.
1999. Sobre espécies de Lamiinae da Colombia e do Brasil com garras tarsais divarcadas. **Papéis Avulsos Zool.**, **41** (6): 83-104, 10 figs.
1999. Sobre alguns Lamiinae da Colombia com garras tarsais apendiculadas e bifidas. **Papéis Avulsos Zool.**, **41**(7): 105-118, 6 figs.
2000. Novos táxons e nova combinação em Cerambycinae Sul-Americanos. **Papéis Avulsos Zool.**, **41**(10): 155-172, 8 figs.
2001. Notas sobre *Amphicnaeia* Bates, 1866 com revalidações e descrições de espécies novas. **Rev. Bras. Entomol.**, **45**(1): 37-41, 6 figs.
2001. Novas espécies de Lamiinae neotropicais. **Iheringia**, Ser. Zool., (90): 59-70, 9 figs.
2001. Novos táxons e notas sobre Cerambycidae neotropicais. **Iheringia**, Ser. Zool., (90): 93-106, 6 figs.
2001. Revisão dos gêneros *Chalastinus* Bates, 1862 e *Parachalastinus* gen. n. (Anisocerini), **Giorn. ital. Entomol.**, (9): 293-303, 8 figs.
2001. Sobre algumas espécies de Hemilophini do Museu Nacional, Rio de Janeiro, com a descrição de novos táxons. **Rev. Bras. Entomol.**, **45**(3): 247-250, 4 figs
2001. Sobre o genero *Tethystola* Thomson, 1868 (Apomecynini). **Rev. Bras. Entomol.**, **45**(4): 287-290, 3 figs
2001. Descrições, transferências e notas em Apomecynini (Lamiinae). **Rev. Bras. Zool.**, **18**(4): 1227-1235, 5 figs.
2002. Espécies novas e chave para as espécies de *Callia* (Lamiinae). **Iheringia**, Ser. Zool., (92): 41-52, 8 figs
2002. Generos de Pteropliini semelhantes a *Trichepectasis* Breuning, 1940 (Lamiinae). **Papéis Avulsos Zool.**, **42**(2): 13-30, 14 figs.
2003. Cerambycidae da Colômbia. III. Cerambycinae com olhos finamente granulados. **Iheringia**, Sér. Zool., **93**(1): 31-36, 2 figs.
2003. Novos táxons neotropicais de Desmiphorini (Lamiinae). **Iheringia**, Sér. Zool., **93**(1): 159-166, 6 figs.
2003. Cerambycidae da Colômbia. V. Lamiinae com unhas tarsais divergentes. **Iheringia**, Sér. Zool., **93**(2): 167-176, 5 figs.
2003. Cerambycidae da Colômbia. VI. Lamiinae com unhas tarsais divarcadas ou bífidas. **Iheringia**, Sér. Zool., **93**(3): 255-270, 6 figs.
2003. Notas e descrições em *Bisaltus* Thomson, 1868 e *Ptericoptus* Lepeletier & Audinet-Serville, 1830 (Lamiinae, Apomecynini). **Rev. Bras. Entomol.**, **47**(3): 379-383, 6 figs.

2003. Novas espécies e notas sobre Cerambycidae do Pará e do nordeste do Brasil. **Rev. Bras. Zool.**, **20(3)**: 475-478, 5 figs.
2004. Novos táxons em Apomecynini (Lamiinae) da Região Neotropical. **Rev. Bras. Entomol.**, **48(1)**: 55-57, 4 figs.
2004. Novas espécies e nota sobre Cerambycidae neotropicais da coleção Arriagada, Santiago, Chile. **Rev. Bras. Entomol.**, **48(3)**: 325-330, 7 figs.
2004. Novos Hemilophini (Lamiinae) da Região Neotropical. **Iheringia**, Sér. Zool., **94(3)**: 247-252, 6 figs.
2004. Novos táxons em Hemilophini com única carena elitral. **Iheringia**, Sér. Zool., **94(4)**: 381-388, 8 figs.
2005. Novos táxons de Hemilophini (Lamiinae) sem carenas nos élitros da região Neotropical. **Rev. Bras. Entomol.**, **49(1)**: 63-68, 5 figs.
2005. Contribuição aos Hemilophini da Costa Rica (Lamiinae). **Papéis avulsos de Zoologia**, **45(10)**: 103-109, 7 figs.
2005. Novos táxons de Hemilophini da região Neotropical, **Iheringia**, Sér. Zool., **95(3)**: 269-279, 17 figs.
2005. Novas espécies e novas ocorrências de *Xenofrea* (Lamiinae) . **Iheringia**, Sér. Zool., **95(4)**: 383-388, 7 figs.
2006. Novos Hemilophini (Coleoptera, Cerambycidae, Lamiinae) da Colecao F.T. Hovore, Santa Clarita, California. **Rev. Bras. Zool.**, **23(3)**: 789-791, 4 figs.
2006. Notas e descrições em Eburini (Coleoptera, Cerambycidae). **Iheringia** **96(2)**: 179-184, 5 figs.
2006. Novos taxons de Apomecynini (Coleoptera, Cerambycidae, Lamiinae). **Papéis Avulsos Zool.**, **46(2)**: 11-19, 8 figs.
2006. Novos taxons em Hippopsini, Desmiphorini, Xenofreini e Acanthoderini. (Coleoptera, Cerambycidae, Lamiinae). **Papéis Avulsos Zool.**, **46(3)**: 21-29, 8 figs.
2006. Novos Taxons em Cerambycini, Thyrsiini e Nelydalopsini (Coleoptera, Cerambycinae). **Lambillionea** **106(1)**: 702-710, 5 figs.
2007. Novas especies de Neocorini e Pteropliini (Coleoptera, Cerambycidae). **Rev. Bras. Zool.**, **24(1)**: 203-206, 4 figs.
2007. Notas e descrições em Acanthoderini (Coleoptera, Cerambycidae, Lamiinae). II Especies novas do genero *Nesozineus*. **Rev. Bras. Zool.**, **24(3)**: 631-634, 4 figs.
2007. Notas e novos taxons em Acanthoderini (Coleoptera, Cerambycidae, Lamiinae). IV Sobre o Genero *Oreodera*. **Rev. Bras. Zool.**, **24(3)**: 582-586, 4 figs.
2007. Contribuicao a taxonomia de tres tribos de Lamiinae (Coleoptera, Cerambycidae). **Iheringia**, Sér. Zool., **97(1)**: 67-72, 9 figs.
2007. Contribuicao ao conhecimento dos Clytini neotropicais (Coleoptera, Cerambycidae, Cerambycinae). **Rev. Bras. Ent.**, **51(3)**: 346-351, 8 figs.
2007. Descrições de táxons em Hippopsini, Desmiphorini e Pteropliini Cerambycidae, Lamiinae). **Papéis Avulsos Zool.**, **47(25)**: 349-357, 9 figs.
2008. Novos taxons de Lamiinae Neotropicais Coleoptera, Cerambycidae, Lamiinae). **Les Cahiers** **(73)**: 1-9, 6 figs.
2008. Novos Cerambycinae (Cerambycidae) da Regio Neotropical. **Papéis Avulsos Zool.**, **48(7)**: 49-54, 6 figs.
2008. Novos taxons em Elaphidionini Cerambycinae) e Onciderini (Lamiinae) e novos registros em Cerambycidae. **Rev. Bras. Ent.**, **52(1)**: 24-27, 2 figs.
2008. Especies novas de Calliini e Falsamblesthiini (Coleoptera, Cerambycidae, Lamiinae) da Regio Neotropical. **Rev. Bras. Ent.**, **52(1)**: 32-35, 6 figs.
2008. Novo genero de Desmiphorini com cinco especies novas (Coleoptera, Cerambycidae, Lamiinae). **Les Cahiers** **(83)**: 1-10, 6 figs.
2009. *Eranina* Monné (Coleoptera, Cerambycidae, Lamiinae) e novo genero de Hemilophini. **Rev. Bras. Ent.**, **52(3)**: 384-389, 7 figs.

2009. Novos táxons de Desmiphorini (Coleoptera, Cerambycidae, Lamiinae) da Costa Rica e do Brasil. **Papéis Avulsos Zool.**, **49(9)**: 103-107, 3 figs.
2009. *Ucai*, novo gênero de Anacolini (Coleoptera, Cerambycidae, Prioninae) do Brasil. **Papéis Avulsos Zool.**, **49(7)**: 93-95, 1 figs.
2009. Cinco novas espécies de Cerambycidae (Insecta: Coleoptera) da Região Neotropical e novos resigros. **Zoologia** **26(1)**: 161-165, 5 figs.
2009. Novos Cerambycidae (Coleoptera) da coleção Odette Morvan, Kaw, Guiana Francesa. IV. **Papéis Avulsos Zool.**, **49(12)**: 145-149, 3 figs.
2009. Novas espécies de Hemilophini da América do Sul (Coleoptera, Cerambycidae, Lamiinae). **Les Cahiers** **97**: 1-10, 8 figures.
2009. *Aleiphaquilon* Martins (Coleoptera, Cerambycidae, Cerambycinae, Neocorini): novas ocorrências, nova espécie e chave. **Papéis Avulsos Zool.**, **49(26)**: 339-342, 4 figs.
2009. Novas espécies de *Amucallia* e de *Mimolaia* (Coleoptera, Cerambycidae, Lamiinae, Calliini). **Les Cahiers Magellanes** **109**: 1-8, 5 figs.
2010. New species of Cerambycinae (Coleoptera, Cerambycidae) from South America **Insecta Mundi**: **0115**: 1-9, 7 figs.
2010. Gênero *Drycothaea* (Coleoptera, Cerambycidae, Lamiinae): chave para espécies, nova combinação, espécies novas. **Papéis Avulsos Zool.** **50(5)**: 69-75, 4 figs.
2010. Novas espécies de Prioninae e de Cerambycinae (Cerambycidae) da Região Neotropical. **Rev. Bras. Ent.** **54(1)**: 32-37, 7 figs.
2010. Novos táxons de Cerambycinae (Coleoptera, Cerambycidae) da América do Sul. **Pap. Avuls. Zool.** **50(24)**: 385-390, 6 figs.
2010. Novo gênero de Calliini (Coleoptera, Cerambycidae, Lamiinae). **Pap. Avuls. Zool.** **50(15)**: 233-237, 6 figs.
2010. Novos táxons em Elaphidionini e Eburiini (Cerambycidae, Cerambycinae). **Rev. Bras. Ent.** **54(3)**: 367-371, 6 figs.
2010. Quatro novas espécies do Gênero *Oncideres* Lacordaire, 1830 da região Neotropical (Cerambycidae, Lamiinae). **Les Cahiers Magellanes NS 2**: 73-78, 4 figs.
2011. Novas espécies de Acanthoderini, Onciderini e Pteropliini (Coleoptera: Cerambycidae: Lamiinae) do Brasil e da Bolívia. **Acta Amazonica**: **41(1)**: 175-182, 7 figures.
2011. Novas espécies de *Esthlogena* s. str. Thomson (Coleoptera, Cerambycidae, Lamiinae). **Rev. Bras. Ent.** **55(2)**: 183-186, 5 figures.
2011. Notas, novos registros e novas espécies da coleção de Cerambycidae (Coleoptera) do Instituto Nacional de Pesquisas da Amazônia, Manaus. **Rev. Bras. Ent.** **55(3)**: 327-332, 6 figures.
2011. Addenda & Corrigenda. **Les Cahiers Magellanes N.S.** (4): 93
2011. Notas e descrições em Oemini, Dodecosini e Elaphidionini (Coleoptera: Cerambycidae: Cerambycinae). **Acta Amazonica** **41(4)**: 575-582., 6 figures.
2012. Novos taxon e nova sininímia em Acanthoderini neotropicais (Cerambycidae, Lamiinae). **Les Cahiers Magellanes n.s.** **7**: 61-69, 5 figures.
2012. Novos táxons de Lamiinae (Coleoptera, Cerambycidae) da América do Sul. **Iheringia** **102(2)**: 221-226, 6 figures.
2012. Desmiphorini : dois gêneros novos e espécie nova de *Pseudestola* Breuning, 1940 (Coleoptera, Cerambycidae, Lamiinae). **Les Cahiers Magellanes n.s.** **8**: 106-112, 4 figures.
2012. Novos táxons e novos registros sobre Cerambycidae (Coleoptera) Neotropicais. **Rev. Bras. Ent.** **56(3)**: 297-303, 6 figures.

2013. Especies de *Gorybia* Pascoe (Coleoptera, Cerambycidae, Piezocerini) ocorrentes na Bolivia. **Rev. Bras. Ent.** **57(1)**: 1-8, 19 figures.
2013. Novos generos, novas especies e redescricao em Hemilophini (Coleoptera, Cerambycidae, Lamiinae). **Rev. Bras. Ent.** **57(1)**: 31-39, 11 figures.
2013. Nine new species of the genus *Rosalba* (Coleoptera, Cerambycidae, Lamiinae, Apomecynini) from South America. **Zootaxa** **3709(3)**: 285-295, 11 figures.
- GALILEO, M. H., U. R. MARTINS, S. LE TIRANT, & A. SANTOS-SILVA. 2014. Five new species of Cerambycidae (Coleoptera) from Peru and Bolivia, and two new records for Peru. **Insecta Mundi** **0376**: 1-13, 25 figures.
- GALILEO, M. H. M., U. R. MARTINS & F. E. L. NASCIMENTO. 2013. Cerambycidae (Coleoptera) do Parque Nacional da Serra das Confusões, Piauí, Brasil: novas espécies e novos registros. **Iheringia** **103(4)**: 393-397, 8 figures.
- GALILEO, M. H., U. R. MARTINS, & A. SANTOS-SILVA. 2014. Two new species and one new genus of South American Cerambycidae (Coleoptera), with redescrptions and distributional records for other taxa. **Insecta Mundi** **0360**: 1-14, 12 figures.
2014. New species of Elaphidiini (Coleoptera, Cerambycidae), from Bolivia. **Zootaxa** **3884(3)**: 275-281, 5 figures.
2015. Five new Lamiinae (Coleoptera, Cerambycidae) from Bolivia in honor of James E. Wappes. **Zookeys** **488**: 77-89, 15 figures.
2015. New species and new records in Cerambycidae (Coleoptera) of the State of Bahia, Brazil. **Zookeys** **517**: 99-110, 11 figures.
2015. Four New Species of Cerambycidae (Coleoptera) from Bolivia and Brazil. **Zootaxa** **3985**: (3): 440-445, 4 figures.
- GALILEO, M.H., U.R. MARTINS, & A. SANTOS-SILVA. 2015. New Species of Cerambycidae from the Neotropical Region, and *nomen novum* for *Anelaphus maculatus* Galileo, Martins and Santos-Silva, 2014 (Elaphidiini) . **Zootaxa** **3986**: (3): 373-386, 22 figures.
- GALILEO, M. H., J. MCCLARIN & A. SANTOS-SILVA. 2017. The genus *Tyrinthia* Bates, 1866 in Ecuador (Coleoptera, Cerambycidae, Lamiinae, Hemilophini) **Zootaxa** **4362(1)**:442-450, 18 figures.
- GALILEO, M.H.M. & M.A. MONNÉ. 2003. Novo genero de Anacolini e descrição dos machos de *Myzomorphus flavipes* e *Poekilosoma carinatipenne* (Prioninae). **Iheringia**, Ser. Zool., **(93)**: 37 - 44, 3 figs
- GALILEO, M. H. M., & E. MOYSES. 2013. *Blabicentrus* Bates, 1866 e *Inermestola* Breuning, 1942 (Cerambycidae, Lamiinae, Desmiphorini): espécies novas da região neotropical. **Pap. Avuls. Zool.** **53(11)**: 145-149, 6 figures.
- GALILEO, M. H., F. E.L. NASCIMENTO & A. SANTOS-SILVA. 2018. Transference and new records in Neoibidionini (Coleoptera, Cerambycidae). **Zootaxa** **4457 (3)**: 481–486, 4 figures.
- GALILEO, M. H. M., P. ROSA & A. SANTOS-SILVA. 2020. Two new replacement names for South American Cerambycinae (Coleoptera, Cerambycidae). **Zootaxa** **4834(2)**: 298-300, 8 figures.
- GALILEO, M.H., & A. SANTOS-SILVA. 2015. New species of *Oideterus* Thomson (Coleoptera, Cerambycidae, Prioninae, Anacolini) and notes on *O. lobicollis*. **Zootaxa** **4020 (2)**: 397-400, 5 figures.
2016. New American Lamiinae (Coleoptera, Cerambycidae). **Zootaxa** **4097(2)**: 220- 230, 17 figures.
2016. Notes on the differences between *Fredlanea* and *Eulachnesia*, and description of a new species (Coleoptera, Cerambycidae, Lamiinae, Hemilophini). **Zootaxa** **4097(4)**: 589-593, 5 figures.
2016. New taxa, new records and notes on *Coleoxestia* Aurivillius, 1912 (Coleoptera, Cerambycidae, Cerambycinae). **Zootaxa** **4136(1)**: 054-070, 25 figures.

2016. New genus and new species of Neoibidionini from the Neotropical region (Coleoptera, Cerambycidae, Cerambycinae). **Zootaxa** **4137(3)**: 391-404, 18 figures.
2016. Two new species of *Coleoxestia* Aurivillius, 1912 from Brazil (Coleoptera, Cerambycidae, Cerambycinae, Cerambycini). **Zookeys** **612**: 125-132, 8 figures.
2016. Five new species and a new country record in American Cerambycidae (Coleoptera). **Zootaxa** **4196(1)**: 129-143, 39 figures.
2016. On *Trichohippopsis* Breuning and *Aprosopus* Guérin-Méneville (Coleoptera: Cerambycidae: Lamiinae: Agapanthiini): Notes, Transfers, Synonymy, and New Species. **Coleopt Bull** **70(2)**: 361-367, 15 figures.
2016. New South American species of Lamiinae (Coleoptera, Cerambycidae). **Zookeys** **637**: 81-88, 8 figures.
2017. New genus and two new species of American Desmiphorini (Coleoptera, Cerambycidae, Lamiinae). **Zootaxa** **4244(1)**: 145-150, 7 figures.
2017. Synonymy and descriptions in Cerambycinae (Coleoptera, Cerambycidae from Costa Rica. **Zootaxa** **4319(1)**: 177-184, 13 figures.
2018. A new species of Honduran *Strongylaspis* (Coleoptera: Cerambycidae: Prioninae). **Insecta Mundi** **0629**: 1–8, 12 figures.
- GALILEO, M.H., A. SANTOS-SILVA & L.G. BEZARK. 2016. New Ecuadorian Lamiinae (Coleoptera: Cerambycidae). **Can. Ent.** **149**: 26-37, 13 figures.
- GALILEO, M. H., A. SANTOS-SILVA & D. J. HEFFERN. 2017. A new species of *Hippopsis* Lepeletier & Audinet-Serville, 1825 from Panama and key to species (Coleoptera, Cerambycidae, Lamiinae). **Zootaxa** **4263(1)**: 173-178, 9 figures.
- GALILEO, M.H., A. SANTOS-SILVA, & Le TIRANT, S.. 2015. New species of Cerambycidae (Coleoptera) from South and Central America. **Zookeys** **530**: 101-111, 12 figures.
- GALILEO, M. H., A. SANTOS-SILVA & J. E. WAPPES. 2017. Two new species of Lamiinae, synonymies in Hemilophini, and corrections on the concept of four genera with transfers of three species (Coleoptera, Cerambycidae). **Zootaxa** **4247(4)**: 445-460, 43 figures.
- GANGLBAUER, L. 1882. Bestimmungs-Tabellen der europäischen Coleopteren. VII. Cerambycidae. *Verhandlungen der kaiserlich-königlichen zoologisch-botanischen Gesellschaft in Wien* 31 [1881]: 681–758. [Date published: 1 Apr 1882 according to *Entomologische Nachrichten* (Stettin) 8: 102] [<https://www.biodiversitylibrary.org/item/48128#page/819/mode/1up>]
- GANHO, N.G. & R.C. MARINONI. 2003. Fauna de Coleoptera no Parque Estadual de Vila Velha, Ponta Grossa, Paraná, Brasil. Abundância e riqueza das famílias capturadas através de armadilhas malaise. **Rev. Bras. Zool.**, **20(4)**: 727_736, 4 figs.
- GARCÍA, K. 2019. New species, new geographical records of Neoibidionini and description of the females of *Compsibidion paradoxum* Martins, 1971 and *Glomibidion trinidadense* (Gilmour, 1963) (Coleoptera: Cerambycidae). **Ann. Ent. Soc. France (N.S.)**: 1-11, 25 figures.
2019. A new species of *Gnomidolon* Thomson, 1864 and taxonomic and geographical notes on Hexoplontini (Coleoptera, Cerambycidae) from Colombia. **Pap. Avuls. Zool.** **59**: e20195941: 1-7, 2 figures
- GARCIA, K., J. P. BOTERO & N. J. MARTINEZ. 2020. New species and new geographical records in South American Piezocerini (Coleoptera: Cerambycidae) with revised keys to species of Alienosternus and Hemilissa. **Can Ent** **152(1)**: 18-35.
- GARCIA, K., J. P. BOTERO & A. SANTOS-SILVA. 2021. A new genus of Achrysonini and new records in Cerambycidae (Coleoptera, Chrysomeloidea) from Colombia. **Eur. J. Tax.**, **735**: 89-109, 29 figures.
- GARCIA, K. & F.E.L. NASCIMENTO. 2020. Elaphidiini (Coleoptera, Cerambycidae) from the Caribbean region of Colombia: New species, taxonomic notes and new geographical records. **Pap. Avuls. Zool.** **(60) e 202060 (s.i.)23**: 1-8 15 figures.
- GARCIA, K. & F.E.L. NASCIMENTO. 2020. ERRATUM Elaphidiini (Coleoptera, Cerambycidae) from the Caribbean region of Colombia: New species, taxonomic notes and new geographical records. **Pap. Avuls. Zool.** **(60) e 202060 (s.i.)37**: 1.
- GARCIA, K. & A. SANTOS-SILVA. 2022. New species and new records in Neoibidionini and Hexoplontini (Coleoptera:

- Cerambycidae: Cerambycinae). **Zootaxa**, **5134(3)**: 399-414, 35 figures.
2022. The multiform genus *Psyrassa* Pascoe (Coleoptera: Cerambycidae: Elaphidiini): new species, new records, synonyms and transfers. **Insecta Mundi**, **0953**: 1-26, 100 figures.
2024. A new replacement name for *Psyrassa wappesi* García & Santos-Silva (Coleoptera, Cerambycidae, Cerambycinae, Elaphidiini). **Zootaxa**, **5446(3)**: 450.
- GARCIA, K. & V. TOLEDO-HERNANDEZ. 2022. Two new replacement names in *Psyrassa* Pascoe (Coleoptera, Cerambycidae, Cerambycinae, Elaphidiini). **Zootaxa**, **5213(2)**: 199-200.
- GARCIA, K.J. & J. VLASAK. 2024. A new genus and species of *Anisocerini* (Coleoptera: Cerambycidae) from Ecuador. **Zootaxa**, **5424(5)**: 595-600, 5 figures
- GARCÍA L., J. P. BOTERO & N.J. MARTINEZ. 2019. Two new species of *Beraba* Martins, 1997 and new geographical records of Eburini (Coleoptera, Cerambycidae). **Zookeys** **827**: 125-138, 19 figures.
2019. New species and new geographical records in South American Piezocerini (Coleoptera: Cerambycidae) with revised keys to species of *Alienosternus* and *Hemilissa* **The Canadian Entomologist**. 1-18. doi:10.4039/tce.2019.68, 30 figures.
- GARCÍA L., F. DE L. NASCIMENTO, & N. J. MARTÍNEZ HERNANDEZ. 2019. A new species, new distribution records, and taxonomic notes in Lamiinae (Coleoptera: Cerambycidae) from Colombia. **Zootaxa** **4559 (2)**: 363–372, 14 figures.
- GARNETT, R.T. 1918. An Annotated List of the Cerambycidae of California (Col). **Can. Ent.** **50**: 172-177, 205-213, 248-252, 281-284.
- GEMMINGER, M. 1872. *Familia LXVI. Cerambycidae* pp. 2751–2988, in M. Gemminger & E. Harold. *Catalogus coleopterorum hucusque descriptorum synonymicus et systematicus*. Tom. IX. Scolytidae, Brentidae, Anthotribidae, Cerambycidae. E.H. Gummi, Monachii. Pp. 2669–2988 + [11 (Index Generum ad Tom. IX; Addenda; Corrigenda)].
1873. Geänderte Namen. **Col. Hefte** **11**: 146.
1873. *Cerambycidae Lamiini* pp. 2989–3216, in M. Gemminger & E. Harold. *Catalogus coleopterorum hucusque descriptorum synonymicus et systematicus*. Tom. X. Cerambycidae (Lamiini), Bruchidae. G. Beck, Monachii. Pp. 2989–3232 + [8 (Index Generum ad Tom. X; Corrigenda)].
- GEMMINGER, M & E. von HAROLD. 1872. **Catalogus Coleopterorum hucusque descriptorum synonymicus et systematicus. 9**: 2669-2988.
1873. **Catalogus Coleopterorum hucusque descriptorum synonymicus et systematicus.10**: 2989-3232.
- GEOFFROY, E. L. 1762. **Histoire abrégée des insectes qui se trouvent aux environs de dans laquelle ces animaux sont rangés suivant un ordre méthodique**. Durand. 1: xxviii + 523 pp., pls I-X.
- GERMAIN, P. 1892. Une excursion entomologique dans la cordillère de Chillan. **Act. Soc. Entomol. Chile**, **2**: clxv-clxvii.
1897. Apuntes entomológicos. Los lonjicorneos chilenos. **Ann. Univ. Chile**, **97**: 423-459, 1 pl.
1898. Apuntes entomológicos. Los lonjicorneos chilenos. **Ann. Univ. Chile**, **100**: 541-562; 641-676; 723-765; 781-815, 1 pl.
1899. Apuntes entomológicos. Los lonjicorneos chilenos. **Ann. Univ. Chile**, **104**: 249-265, 1 pl.
1900. Apuntes entomológicos. Los lonjicorneos chilenos. **Ann. Univ. Chile**, **107**: 79-104; 859-912, 1 pl.
- GERMAR, E. F. 1821. Neue exotische Käfer beschrieben von C. R. W. Wiedemann u. E. F. Germar. **Mag. Entomol.**, **4**: 107-183.
1824. **Insectorum species novae aut minus cognitae, descriptionibus illustratae**. Halae, xxiv + 624 pp., 2 pls.
- 1823 [1824]. *Coleopterorum species novae aut minus cognitae, descriptionibus illustratae*. Halae, xxiv + 624 pp., 2 pls. [Date published: X.1823 (Bousquet 2016: 211)]
1839. In F. E. Guérin-Méneville [Note synonymique sur les cérambycins décrits par M. Germar, dans son *Insectorum species novae aut minus cognitae, descriptionibus illustratae*, Halae, 1824]. **Revue Zool.**, **1839**: 329-331.

- GIACOMEL, F. 1976. Nova espécie de *Mallosoma* Serville, 1840. **Dusenía**, 9(1): 1-7, 25 figs.
- GIANNOULIS, T. , A-M. DUTRILLAUX, J. TOUROULT, C. SARRI, Z. MAMURIS & B. DUTRILLAUX. 2014. Chromosomal and genetic characterization of four Caribbean Prioninae (Coleoptera: Cerambycidae) species with notes on biogeography. **Insecta Mundi** 0335: 1-10, 10 figures.
- GIESBERT, E. F. 1979. A review of the Mexican and Central American species of *Colobothea* Serville. **Coleop. Bull.**, 33(4): 415-438, 32 figs.
1984. The genus *Ischiocentra* in Central America. **Wasmann J. Biol.**, 42(1-2): 78-83, 1 fig.
1985. Additional species in the genus *Strangalia* in Central America, with a revised key to males. **Pan-Pacific Entomol.**, 61(4): 273-287, 4 figs.
1985. Two new species of Cerambycinae from Quintana Roo, Mexico. **Coleop. Bull.**, 39(1): 80-85, 2 figs.
1986. A new species of *Strangalia* from Western Mexico. **Pan-Pacific Entomol.**, 62(2): 140-143, 1 fig.
1987. Additions to the Callichromatini of Central America, with a key to genera and description of a new species of *Xenochroma*. **Coleop. Bull.**, 41(1): 35-40, 1 fig.
1987. The genus *Pachymerola* Bates. **Pan-Pacific Entomol.** 63(1): 43-47, 1 fig.
1987. A new genus and species in the tribe Macrotomini from Costa Rica. **Pan-Pacific Entomol.** 63(2): 147-150, 1 fig.
1987. A new genus and two new species of longhorn beetles from Mexico and Central America. **Pan-Pacific Entomol.** 63(4): 359-362, 1 fig.
1987. The tribe Pachypezini : first Central American records, with a new species of *Pachypeza* from Panama. **Coleop. Bull.**, 41(1): 315-318, 1 fig.
1989. A new species and new record in the genus *Neoclytus* Thomson from Panama. **Coleop. Bull.**, 43(3): 269-273, 2 figs.
1989. A new species of *Strangalia* Audinet-Serville from Monteverde, Costa Rica. **Pan-Pacific Entomol.** 65(4): 463-467, 1 fig.
1991. New species and records of Rhinotragini for Central America and Mexico. **Coleop. Bull.**, 45(4): 379-398, 7 figs.
1992. Two new species of Cerambycidae from the State of Chiapas, Mexico. **Coleop. Bull.**, 46(2): 155-159, 2 figs.
1993. New species of Cerambycinae from Guatemala and Chiapas, Mexico. **Coleop. Bull.**, 47(2): 137-149, 4 figs.
1993. A new genus and species of clytine cerambycid from Florida. **Insecta Mundi**, 7(3): 129-131, 2 figs.
1996. A new genus and species in the subfamily Lamiinae, with comments on *Laticranium mandibulare* Lane in Central America. **Insecta Mundi**, 10(1-4): 317-319, 1 fig.
1996. Further studies in the Rhinotragini of Mexico and Central America. **Coleop. Bull.**, 50(4): 321-337, 7 figs.
1997. Further Studies in the Lepturini. **Occ. Pap. of the Cons. Coleop.**, 1(1): 17-42, 12 figs.
1998. A new genus and species of Hesperophanini from the Dominican Republic. **Occ. Pap. of the Cons. Coleop.**, 2(1): 75-76.
1998. A review of the genus *Desmiphora* in North America, Mexico and Central America. **Occ. Pap. of the Cons. Coleop.**, 2(1): 27-43.
1998. Further studies in the Neotropical Callichromatini. **Occ. Pap. of the Cons. Coleop.**, 2(1): 60-64.
1998. New Ibicionini from Mexico and Central America. **Occ. Pap. of the Cons. Coleop.**, 2(1): 44-59.
2001. A new genus and species in the Parmenini from Honduras (Lamiinae). **Occ. Pap. of the Cons. Coleop.**, 4(1): 9-10, 1 fig.
- GIESBERT, E. F. & J. A. CHEMSAK. 1989. The genus *Stenosphenus* Haldeman. **Pan-Pacific Entomol.**, 65(3): 269-301, 9 figs.
1993. A Review of the Rhopalophorini of North and Central America. **Insecta Mundi**, 7(1-2): 27-64, 12 figs.
1997. A Review of the genus *Euderces* LeConte (Tillomorphini). **Proc. Calif. Acad. Sci.**, 49(8): 211-286, 60 figs.

- GIESBERT, E. F. & F. T. HOVORE. 1976. Records and descriptions of some southwestern Cerambycidae. **Coleop. Bull.**, **30**(1): 95-99, 1 fig.
1989. *Stenochariergus*, a new genus with two new species from Central America. **Pan-Pacific Entomol.**, **65**(3): 348-351, 1 fig.
1998. Descriptions and synonymies in the North American Lepturini. **Occ. Pap. of the Cons. Coleop.**, **2**(1): 16-23.
- GIESBERT, E.F. & R. L. PENROSE. 1984. Two new purpuricenine longhorns from the Tamaulipan biotic province. **Coleop. Bull.**, **38**(1): 59-65, 3 figs.
- GIESBERT, E.F. & J.E. WAPPES. 1999. Further studies in the Lepturini of Central America. Part II. **Occ. Pap. of the Cons. Coleop.**, **3**(1): 8 - 14, 9 figs.
- GIGLIO-TOS, E. 1893. Un nuovo genere di coleotteri longicorni. **Boll. Musei Zool. Univ. Torino** **8**(136): 1-5, 1 fig.
1893. Sui due genere di coleotteri longicorni *Psygmatercerus* Perty e *Badariottia* G.-Tos. **Boll. Musei Zool. Univ. Torino** **8**(142): 1-2
- GILLETT, C. P. D.T. & A. DRUMONT. 2020. *Macrodonia crenata* (Olivier, 1975) au Suriname (Coleoptera, Cerambycidae, Prioninae). **Les Cahiers Magellanes (N. S.)** **36**: 10-13, 3 figures.
- GILMOUR, E. F. 1947. Further new Lamiinae. **Entomologist's Mon. Mag.**, **83**: 187-190, 3 figs.
1950. New and rare Lamiinae. **Longicornia**, **1**: 537-556, 10 figs.
1950. New Onciderini. **Rev. Entomol.**, **21**(3): 537-544, 3 figs.
1954. Notes on a collection of Prionidae from the Institut Royale des Sciences naturelles de Belgique. **Bull. Inst. Sci. Nat. Belg.**, **30**(24): 1-48, 9 pls.
1954. Revision of the genus *Sparna* Thomson (Colobotheini). **Entomol. Blätt.**, **50**: 76-86, 1 pl.
1955. Revision of the genus *Cosmotoma* Blanchard. **Zoologica**, **40**(1): 1-25, 15 figs.
1957. On the Neotropical Acanthocinini. Some new genera and species. **Arq. Biol. Technol.**, **10**(1): 3-36, 8 figs.
1959. On the Neotropical Acanthocinini. New genera and species from México. **Anal. Inst. Biol.**, **29**(1-2): 329-341, 3 figs.
1959. On the Neotropical Acanthocinini III. A new subgenus and species of *Lepturges* Bates. **Entomol. Blätt.**, **54**(3): 133-140, 3 figs.
1959. On the Neotropical Acanthocinini IV. Three new genera and species. **Opusc. Zool. Münch.**, **27**: 1-9, 3 figs.
1959. On the Neotropical Acanthocinini V. New species of *Lepturges* Bates and *Urgleptes* Dillon. **Opusc. Zool. Münch.**, **28**: 1-10, 1 pl.
1959. On the Neotropical Acanthocinini VI (Coleoptera, Cerambycidae, Lamiinae). Some new genera and species II. **Anal. Soc. Biol.**, **1959**: 23-38, 1 pl.
1960. Notes on a collection of Prioninae from the Staatliches Museum für Tierkunde Dresden. **Abh. Ber. St. Mus. Tierk.**, Dresden, **25**: 1-24, 7 figs., 2 pls.
1960. Some new genera and species of neotropical Acanthocinini. **Acta Biol. Venez.**, **3**(3): 43-65, 5 figs.
1960. On the Neotropical Acanthocinini VIII. Three new Central American genera and species. **Ciencia**, **20**(3-4): 89-96, 1 pl.
1960. On the Neotropical Acanthocinini. The genus *Lepturgantes* Gilmour. **Entomol. Blätt.**, **56**(3): 173-181, 5 figs.
1960. On the Neotropical Acanthocinini X. Some new species of *Urgleptes* Dillon. **Rev. Biol. Trop.**, **8**(1): 1-23, 2 pls.
1961. On the Neotropical Acanthocinini IX. Some new genera and species III. **Studia Entomol.**, **4**(1-4): 347-368, 6 figs., 1 pl.
1961. On the Neotropical Acanthocinini. New Mexican *Lepturges* and *Urgleptes*. **Anal. Inst. Biol.**, **31**(1-2): 335-347, 1 pl.
1961. The tribe Falsamblethiini. **Entomol. Abh. st. Mus. Tierk.** **26**(17): 131-134, 2 figs.

1962. Synopsis of the tribe Aerenicini. **Rev. Biol. Trop.**, **10(2)**: 123-147, 11 figs.
1962. On the Neotropical Acanthocinini. Some new species of *Urgleptes* Dillon. **Ciencia**, **22(1-2)**: 21-28, 4 figs.
1962. On the Neotropical Acanthocinini. Some new species of *Lepturges* Bates. **Caldasia**, **8(40)**: 543-571, 3 pls.
1962. On the Neotropical Acanthocinini. Some new genera and generic revisions. **Beitr. Neotrop. Fauna**, **2(4)**: 249-293, 4 pls.
1963. On the Neotropical Acanthocinini. Some Caribbean genera and species. **Stud. Fauna Curaçao**, **17(76)**: 57-96, 4 pls.
1963. Some Caribbean Coleoptera Cerambycidae. **Stud. Fauna Curaçao**, **18(78)**: 75-102, 3 pls.
1963. On the Neotropical Acanthocinini. Some new genera and species II. **Rev. Fac. Agron.**, **3(2)**: 3-19, 1pl.
1965. **Catalogue des Lamiaires du Monde**. 8 Lief. Tutzing b. München, Mus. G. Frey, p. 559-655.
1966. The Erichson species of *Eburia* and *Eburodacrys* (Hesperophanini). **Mitt. Zool. Mus. Berlin** **42(2)**: 163-176, 3 pls.
1968. The Coleoptera Cerambycidae of Curaçao, Aruba and Bonaire. **Stud. Fauna Curaçao**, **25(100)**: 83-178, 10 pls.
- GIORGI, J.A. 1998. Duas novas espécies de *Clavidesmus* Dillon & Dillon, 1946 (Onciderini), **Bolm. Mus. nac. Zool.**, **394**: 1-4.
2001. Espécies nova de *Tibiosoma* Martins & Galileo, 1990 (Onciderini). **Bolm. Mus. nac. Zool.**, **445**: 1-3, 1 fig.
2001. A new genus and species of Onciderini (Lamiinae) from Peru. **Bolm. Mus. nac. Zool.**, **471**: 1-6, 7 figs.
- GIORGI, J.A. & D.C. CORBETT. 2005. Sinopse do gênero *Xylergates* (Lamiinae, Acanthocinini). **Iheringia, Sér. Zool.**, **95(1)**: 5 – 8, 1 fig.
- GIRARD, J.-S. & G. TAVAKILIAN. 2021. Wikispecies Notula II. Unexpected availability of a name in Cerambycidae leads to a reversal of precedence. **Humanity Space Int. Almanac** **10 (8)**: 1109-1116.
- GIRARD, M. 1873. **Traité élémentaire d'Entomologie**. Librairie J. Baillière et Fils, Atlas, 840 pp.
1885. **Traité élémentaire d'Entomologie**. Librairie J. Baillière et Fils, Atlas, 118 pls.
- GISTEL, J. N. F. 1836. **Mesoclastus paradoxus, eine neue Familie, Sippe, und Gattung aus der Ordnung der Käfer**. München, 8, pl. 1.
1837. *Mesoclastus paradoxus*, eine neue Familie, Sippe, und Gattung aus der Ordnung der Käfer. **Faunus**, **1(1)**: 54-59, 1 pl.
- 1848a. Faunula monacensis cantharologica. *Isis von Oken* 1848: (6) [unnumbered pp.”1– 3”]; (7): [unn. pp. “4–6”]; (8): [unn. p. “7”]; (9): [unn. pp. “8–9”]; (10): [unn. pp. “10–11”]; (11): [unn. pp. “12–13”] (inserted with fascicles).
- 1848b. *Naturgeschichte des Thierreichs. Für höhere Schulen. Mit einem Atlas von 32 Tafeln (darstellend 617 illuminierte Figuren) und mehreren dem Texte eingedruckten Xylographien*. Hoffmann, Stuttgart, xvi + 216 + [4] pp. (+ 32 pls).
1848. **Naturgeschichte des Thierreichs für höhere Schulen**. Hoffmann'sche Verlags-Buchhandlung, Stuttgart, xvi + 216 pp., 32 pls.
1856. *Die Mysterien der europäischen Insectenwelt. Ein geheimer Schlüssel für Sammler aller Insecten-Ordnungen und Stände, behufs des Fangs, des Aufenthalts-Orts, der Wohnung, Tag- und Jahreszeit u.s.w., oder autoptische Darstellung des Insectenstaats in seinem Zusammenhange zum Bestehen des Naturhaushaltes überhaupt und insbesondere in seinem Einflusse auf die phanerogamische und cryptogamische Pflanzenbevölkerung Europa's. Zum ersten Male nach fünfundzwanzigjährigen eigenen Erfahrungen zusammengestellt und herausgegeben*. Tobias Dannheimer, Kempten, xii + 530 + [2] pp. [Date published: by 18.II.1856 (Evenhuis 1997a: 305)] <https://doi.org/10.5962/bhl.title.65996>
- GIUGLARIS, J.-L. 2010. Présence de *Monnéellus rhodopus* (Bates, 1870) en Guyane (Coleoptera, Cerambycidae, Cerambycinae). **Contribution a l'etude des Coleopteres de Guyane** **1**: 50-52, 2 figures.
2011. Note sur la capture énigmatique d'un *Cerambyx* en Guyane (Coleoptera, Cerambycidae). **ACOREP – France: Coleopteres de Guyane III**: 77, 2 figures.
2012. Les longicornes en zone littorale de Guyane : échantillonnage de la zone agricole Wayabo de Matiti (Coleoptera, Cerambycidae).

ACOREP-France Coleopteres de Guyane VI: 53-65, 40 figures.

GIUGLARIS, J-L & A. AUDUREAU. 2023. Signalement de deux nouveaux Acanthocinini pour la Guyane française (Coleoptera, Cerambycidae, Lamiinae). **Les Cahiers Magellanes NS 45:** 3-5, 2 figures.

GIUGLARIS, J-L. & P-H DALENS. 2012. Une nouvelle synonymie pour les Rhinotragini Thomson, 1860 de Guyana (Coleoptera, Cerambycidae). **ACOREP-France Coleopteres de Guyane VI:** 87-88, 6 figures.

2014. Deuxième contribution à la connaissance des Dodecosini Aurivillius, 1912 de Guyane (Coleoptera, Cerambycidae, Cerambycinae). **In Contribution à l'étude des Coléoptères de Guyane 8 (supplément au Bulletin de liaison de l'ACOREP): 79-80.**

2015. Les *Desmiphora* Audinet-Serville, 1835 de Guyane : phénologie de *Desmiphora mirim* Martins & Galileo, 2002 et description d'une nouvelle espèce (Coleoptera, Cerambycidae, Lamiinae). **ACOREP-France : Coléoptères de Guyane. Tome IX:** 39-40, 3 figures.

GMELIN, J. F. 1790. **Caroli a Linné Systema Naturae. ed. 13. 1(4):** 1517-2224.

GNASPINI, P., FRANCINI-FILHO, R.B., & M.R. BURGIERMAN. 2000. Abundance and seasonal activity of beetles in an Atlantic Forest Reservation in São Paulo City (Brazil). **Rev. Bras. Entomol., 44(3/4):** 115-127.

GONZALEZ-CORONADO, U., JUAREZ-NOE, G. & RUIZ-GONZALEZ, C. (2017) Coleópteros (Insecta, Coleoptera) del campus de la Universidad Nacional de Piura, Perú. **Folia Entomológica Mexicana (n.s.) 3(3):** 95-105.

GOEZE, J. A. E. 1777. Entomologische Beyträge zu des Ritter Linné zwölften. Ausgabe des Natursystems. Leipzig, **1:** xvi + 736 pp.

GORRING, P. S. & B. D. FARRELL. 2023. Evaluating species boundaries using coalescent delimitation in pine-killing *Monochamus* (Coleoptera: Cerambycidae) sawyer beetles. **Molec. Phylo. & Evol. 184:** 1-22, 10 figures.

GORY, H. L. 1831. In F. E. Guérin-Méneville, **Iconographie du Règne Animal de G. Cuvier...**, insectes. ftspp., **7:** iv + 5-576, 110 pls.

1832. Trois espèces de coléoptères nouveaux. **Ann. Soc. Entomol. France, (1)1:** 383-385.

1832. Hamatichère. *Hamaticherus*, Megerle. **Mag. Zool., 2:** pl. 1.

1832. Anacole. *Anacolus*, Lat. **Mag. Zool., 2:** pl. 31.

1832. Acanthocinus. *Acanthocinus*, Fab. **Mag. Zool. 2:** pl. 45.

1833. Xestie. *Xestia*, Serville. **Mag. Zool., 1833:** pl. 64.

1839. Note monographique sur le genre *Macrodonia*, établi par M. Audinet-Serville, dans sa nouvelle classification des longicornes publiée dans les Annales de la Société entomologique, t. 1. **Ann. Soc. Entomol. France, (1)8:** 124-128, 1 pl.

1844. In F. E. Guérin-Méneville, **Iconographie du Règne Animal de G. Cuvier...**, insectes. ftspp., **7:** iv + 5-576, 110 pls.

GOSLING, D. C. L. 1974. An annotated list of the Cerambycidae of Michigan. Part I, introduction and the subfamilies Lepturinae and Lamiinae. **Great Lakes Entomol., 10(1):** 1-37, 122 figs.

GOSLING, D. C. L. 1986. Ecology of the Cerambycidae (Coleoptera) of the Huron Mountains in Northern Michigan. **Great Lakes Entomol., 19(3):** 153-162.

GOSLING, D. C. L. & N. M. GOSLING. 1977. An annotated list of the Cerambycidae of Michigan. Part II, the subfamilies Parandrinae, Prioninae, Spondylinae, Aseminae, and Cerambycinae. **Great Lakes Entomol., 6(3):** 65-84, 61 figs.

GOSSE, P.H. 1840. *The Canadian naturalist. A series of conversations on the natural history of Lower Canada.* John van Voorst, London. xii + 372 pp.

GOUNELLE, E. 1899. Description d'un type nouveau de prionen aberrant **Bull. Soc. Entomol. France, 1899:** 6-8, 1 fig.

1899. Note sur le genre *Migdolus* et description de la femelle de *Migdolus Fryanus* Westw. **Bull. Soc. Entomol. France, 1899:** 221-222.

1905. Description d'un cérambycide nouveau appartenant au genre *Coremia* et tableau synoptique de ce genre. **Bull. Soc. Entomol. France, 1905:**

227-228.

1905. Description d'un cérambycide nouveau appartenant au genre *Parozodes* Aurivillius. **Bull. Soc. Entomol. France, 1905:** 294-296, 1 fig.
1906. Chasses de M. Carlos Bruch dans l'Argentine. Description d'un nouveau genre et d'une nouvelle espèce de cérambycides. **Bull. Soc. Entomol. France, 1906:** 140-142, 1fig.
1906. Note sur deux lamiaires américains placés avec doute dans le genre *Eudesmus* et description de deux genres nouveaux. **Bull. Soc. Entomol. France, 1906:** 272-275, 2 figs.
1906. Cérambycides nouveaux ou peu connus de la région néotropicale principalement de la sous-région brésilienne. **Ann. Soc. Entomol. France, 75:** 1-20, 2 figs., 1 pl.
1907. Note sur les genres *Sphaerion* Serv., *Nephalius* Newm., *Mephritus* Pasc., *Periboeum* Thoms. et *Stizocera* Serv. **Bull. Soc. Entomol. France, 1907:** 238-244.
1908. Cérambycides nouveaux ou peu connus de la région néotropicale, principalement de la sous-région brésilienne. **Ann. Soc. Entomol. France, 77:** 7-20, 1 pl.
1908. Notes synonymiques. **Bull. Soc. Entomol. France, 1908:** 28-289.
1909. Liste des cérambycides de la région de Jatahy, Etat de Goyaz, Brésil. **Ann. Soc. Entomol. France, 77:** 587-688, 30 figs.
1909. Description d'une nouvelle espèce brésilienne d'*Amphionycha*. **Bull. Soc. Entomol. France, 1909:** 83-85, 1 fig.
1909. Notes synonymiques. **Bull. Soc. Entomol. France, 1909:** 304-305.
1910. Description de deux espèces nouvelles appartenant au genre *Rhatymoscelis* Th. **Bull. Soc. Entomol. France, 1910:** 46-48, 1 fig.
1910. Note sur le genre *Compsocerus* Serv. et description de deux espèces inédites appartenant à ce genre. **Bull. Soc. Entomol. France, 1910:** 136-143.
1910. Mission géodésique de l'Equateur. Collections recueillies par le Dr. Rivet. Coléoptères: Cérambycides. **Bull. Mus. Nat. Hist. Natur., 16(1):** 15-19.
1911. Liste des cérambycides de la région de Jatahy, Etat de Goyaz, Brésil. **Ann. Soc. Entomol. France, 80:** 1-150.
1911. Description de quelques espèces nouvelles de *Callichroma* du Brésil méridional. **Bull. Soc. Entomol. France, 1911:** 165-170.
1911. Description d'un nouveau genre et d'une nouvelle espèce de la République Argentine appartenant au groupe des Trachyderini. **Bull. Soc. Entomol. France, 1911:** 233-236, 1 fig.
1911. Note sur *Halycidocrius Philippii* et *Prionapterus staphylinus* Serv. **Bull. Soc. Entomol. France, 1911:** 319-327, 2 pls.
1912. Description d'une espèce nouvelle du genre *Amphionthe* Bates. **Bull. Soc. Entomol. France, 1912:** 115-117, 1 fig.
1912. Description d'un genre nouveau et d'une espèce nouvelle de l'Amérique centrale appartenant au groupe des Trachyderini. **Bull. Soc. Entomol. France, 1912:** 133-135, 1 fig.
1913. Chasses de M. E. R. Wagner, correspondant du Muséum, dans les provinces du Nord de la République Argentine. Cérambycides nouveaux ou peu connus. **Bull. Mus. Nat. Hist. natur., 19:** 193-231, 21 figs., 1 pl.
1913. Cérambycides nouveaux de Colombie, appartenant au Musée de Hambourg 1^{ere}. note. **Bull. Soc. Entomol. France, 1913:** 386-390, 1 fig.
1913. Cérambycides nouveaux de Colombie, appartenant au Musée de Hambourg 2^e. note. **Bull. Soc. Entomol. France, 1913:** 419-423, 1 fig.
- GRAY, G. 1832. In E. Griffith & E. Pidgeon, **The animal kingdom arranged in conformity with its organization by the Baron Cuvier, with supplementary addition to each order**, (Insecta, vol. 2) London, **2:** 1-796, 84 pls. (1831: pls. 6, 14, 65, 73; 1832: 85, 88, 89, 95, 100, 119).
- GREBENNIKOV V.V., GILL B.D. & VIGNEAULT R. 2010. *Trichoferus campestris* (Faldermann) (Coleoptera: Cerambycidae), an Asian wood-boring beetle recorded in North America. **Coleopt. Bull. 64(1):** 13-20.

- GRESSITT, J. L. 1947. Notes on the Lepturinae. **Proc. Entomol. Soc. Wash.**, **49(7)**: 190-192.
1951. Longicorn beetles of China. *Longicornia*, Paris 2: 1-667. Griffin, F.J. 1937. A further note on "Palisot de Beauvois, Insectes rec. Afr. Amér." 1805–1821. *The Journal of the Society for the Bibliography of Natural History* 1 (4) : 121–122.
1953. Notes on nomenclature and relationships of some Palearctic and Nearctic Lepturinae **Pan-Pacific Entomol.**, **29(4)**: 207.
- GRIFFIN, F.J. 1937. A further note on " Palisot de Beauvois, Insectes rec. Afr. Amér." 1805–1821. *The Journal of the Society for the Bibliography of Natural History* 1 (4) : 121–122.
- GRZYMALA, T. & K. B. MILLER. 2013. Taxonomic Revision and Phylogenetic Analysis of the Genus *Elytroleptus* Duges (Coleoptera: Cerambycidae: Cerambycinae: Trachyderini). **Zootaxa**: **3659**: 1-62, 32 figures.
- GUÉRIN-MÉNEVILLE, F. E. 1832. In J. G. Audinet-Serville, Nouvelle classification de la famille des longicornes. **Ann. Soc. Entomol. France**, **(1)1**: 118-201.
1833. Prionaptère. *Prionapterus*, Guérin. **Mag. Zool.**, **3**: pl. 63.
1838. Insectes du voyage de la Favorite. **Mag. Zool.**, **8**: pls. 225-238.
1838. Insectes coléoptères inédits, découverts par M. Lanier dans l'intérieur de l'Ile de Cuba. **Revue Zool.**, **1838**: 279-286.
1838. Note sur deux espèces nouvelles du genre *Phoedinus*. **Revue Zool.**, **1838**: 286-287.
1840. Note sur le genre *Ozodera*. **Revue Zool.**, **1840**: 142-143.
1840. Description de deux genres nouveaux de la famille des longicornes. **Revue Zool.**, **1840**: 276-277.
1840. Description d'une nouvelle espèce de coléoptère longicorne du genre *Aegoidus* de M. Buquet. **Revue Zool.**, **1840**: 334-335.
1840. In H. Dupont, Supplément à la monographie des trachyderides. **Mag. Zool.**, **1840**: pls. 28-38.
1843. Description d'une troisième espèce du genre *Torneutes*. **Revue Zool.**, **1843**: 300-301.
1844. **Iconographie du Règne Animal de G. Cuvier, ou représentations d'après nature de l'une des espèces les plus remarquables et souvent non encore figurées de chaque genre d'animaux.** Insectes. J. B. Baillière. 7: iv + 576 pp., 110 pls. [Cerambycidae, pls. 42-44, 21 May 1831; pls. 45-46, 9 Jul. 1831]
1844. Note monographique sur le genre *Amphidesmus*. **Mag. Zool.**, **1844**: pl. 146.
1844. Description de coléoptères nouveaux découverts par M. A. Niéto dans l'intérieur du Mexique. **Revue Zool.**, **1844**: 253-262.
1855. Catalogue des insectes recueillis par M. Gaetano Osculati, pendant son exploration de la région équatoriale, sur les bords du Napo et l'Amazone. **Verh. Zool.-Bot. Ges.**, **5**: 573-612.
- GUTIERREZ, N. & F.A. NOGUERA. 2015. New distributional records of Cerambycidae (Coleoptera) from Mexico. **Pan-Pacific Entomologist** **91(2)**: 135-147.
2017. Two new species of the genus *Nemognathomimus* (Coleoptera: Cerambycidae) from Mexico and Guatemala. **Zootaxa** **4365(1)**: 071-080.
- GUTIERREZ, N, F. A. NOGUERA, S. ZARAGOZA-CABALLERO & J. J. MARRONE. 2020. Phylogenetic revision of the floricolous longhorn beetle genus *Strangalidium* Giesbert (Coleoptera: Cerambycidae). **Systematics & Biodiversity** **2020**: 1-23, 14 figures.
- GUTIERREZ, N. & A. SANTOS-SILVA. 2022. Description of two new species of Apomecynini (Coleoptera, Cerambycidae, Lamiinae). **Amer. Mus. Nov.** **3985**: 1-10, 3 figures.
- GUTIERREZ, N, V. H. TOLEDO-HERNANDEZ & F. A. NOGUERA. 2020. Four new species of *Phrynidius* Lacordaire (Coleoptera, Cerambycidae, Lamiinae) from Mexico with an identification key for the genus. **Zookeys** **1000**: 45-57, 2 figures.
- GUTIERREZ, N., V. H. TOLEDO-HERNANDEZ, S. DEVESA, E. R. CHAME-VASQUEZ & F. A. NOGUERA. 2022. Addenda and

- corrigenda: Gutiérrez N, Toledo-Hernández VH, Noguera FA (2020) Four new species of *Phrynidius* Lacordaire (Coleoptera, Cerambycidae, Lamiinae) from Mexico with an identification key for the genus. *ZooKeys* 1000: 45–57. <https://doi.org/10.3897/zookeys.1000.56757>. **ZooKeys** 1089: 181-186, 2 figures.
- GUZMAN-VASQUEZ, H. M. & J. A. SANCHEZ-GARCIA. 2020. New state records of the harlequin beetle *Acrocinus longimanus* (Linnaeus, 1758) (Coleoptera: Cerambycidae) in Mexico. **Pan-Pac Ent** 96(2): 75-78, 2 figures.
- GYLLENHAL, L. 1817. In C. J. Schoenherr, **Appendix ad synonymia insectorum Tom. 1, part 3, sistens descriptiones novarum specierum**. Scaris. Officina Lewerentziana, 266 pp., 2 color pl.
- HAASE, E. 1891. Untersuchungen über die Mimicry auf Grundlagen einer natürlichen Systems der Papilioniden. Zweiter Theil: Untersuchungen über die Mimicry. **Bibl. zool.**, 8: 1-161, 14 pls.
- HADDAD, S., N. GUTIERREZ, F. A. NOGUERA, S. SHIN, P. SVACHA & D. D. MCKENNA. 2021. Phylogenetic placement of the enigmatic longhorned beetle *Vesperoctenus flohri* Bates (Vesperidae) and a first description of its female internal structures. **Arthropod Systematics & Phylogeny** 79: 99–114, 8 figures.
- HAGENBACH, J. J. 1822. **Symbola Faunae Insectorum Helvetiae exhibentia vel species novas vel nondum depictas**. 1: 48 pp., 19 pls.
- HALDEMAN, S. S. 1846. On several new genera and species of insects. **Proc. Acad. Nat. Sci. Phil.**, 3: 124-128, 1 fig.
- 1847a. On several new genera and species of insects. *Proceedings of the Academy of Natural Sciences of Philadelphia* 3 (6): 124–128, 1 fig. [Date published: fasc. 6 (for Nov/Dec 1846) first noticed 19.III.1847 (Proc. Amer. Philos. Soc. 4: 320)]
- 1847b. Descriptions of several new species and one new genus of insects. *Proceedings of the Academy of Natural Sciences of Philadelphia* 3 (7): 149–151. [Date published: fasc. 7 (for Jan/Feb 1847) first noticed 7.V.1847 (Proc. Amer. Philos. Soc. 4: 331)]
- 1847c. Material towards a history of the Coleoptera Longicornia of the United States. *Transactions of the American Philosophical Society* (ser. 2) 10 [1853] (1): 27–66. [Date published: by 3.VIII.1847 (Proc. Acad. Nat. Sci. Philad. 3: 236)]
1847. Descriptions of several new species and one new genus of insects. **Proc. Acad. Nat. Sci. Phil.**, 3: 149-151.
1847. Material towards a history of the Coleoptera Longicornia of the United States. **Trans. Amer. Philos. Soc.**, 10: 27-66.
1847. Corrections and additions to his paper on the Longicornia of the United States. **Proc. Amer. Philos. Soc.**, 4: 371-376.
1848. Corrections and additions to his paper on the Longicornia of the United States. *Proceedings of the American Philosophical Society* 4 (39): 371–376. [Date published: No. 39 (for Jul/Dec 1847) presented to the Society 7.IV.1848 (Proc. Amer. Philos. Soc. 5: 17)]
1852. Appendix C. Insects. In H. Stansbury, **Exploration and survey of the Valley of the Great Salt Lake of Utah, including a reconnaissance of a new route through the Rocky Mountains**. United States Senate, Washington, pp. 366-379, pls. 9-10.
1853. Descriptions of some new species of insects, with observations on described species. **Proc. Acad. Nat. Sci. Phil.**, 6: 361-365.
- HALLER, P. & N. DELAHAYE. 2018. The Genus *Scatopyrodes* Galileo & Martins, 1992 with description of a new species from Mexico. **Les Cahiers Magellanes NS** 29: 99-105, 4 figures.
- HALLER, P. & A. SANTOS-SILVA. 2023. Description of a new species of *Poeciloxestia* Lane from Venezuela (Coleoptera, Cerambycidae). **Zootaxa**, 5278(4): 363-368, 9 figures.
- HAMILTON, J. 1896. *Physocnemum violaceipenne* n. s., *Copris gopheri*, *Spalacopsis filum* and *Ancylocera brevicornis*. **Entomol. News**, 7(9): 286-287.
- HAMMOND, H. E. J. & D. J. WILLIAMS. 2011. A Revision of the Genus *Callimoxys* Kraatz (Coleoptera: Cerambycidae) in America North of Mexico and Review of World Species. **Coleopt. Bull.** 65(3): 246-289, 15 figures.
2013. Casey's conundrum, a review of the genus *Semanotus* Mulsant (Coleoptera: Cerambycidae: Cerambycinae: Callidiini) in North America. **Zootaxa**: 3670: 101-136, 16 figures.
- HANLEY, G.A. 2005. Cerambycidae of North Dakota, an atlas and identification guide. **Cyril Moore Sci. Ctr. Sience Monograph** #3, 105 pp., color illus.

- HANKS, L. M. & J. C. MILLAR. 2016. Sex and Aggregation-Sex Pheromones of Cerambycid Beetles: Basic Science and Practical Applications. **J. Chem. Ecol** **42**: 631-654.
- HARDY, G. A. 1926. Cerambycidae of Vancouver Island. **Rep. Prov. Mus. Nat. Hist. British Columbia**, **1925**: 24-33, pls. 4, 5.
1927. Buprestidae and Cerambycidae of Vancouver Island. **Rep. Prov. Mus. Nat. Hist. British Columbia**, **1926**: 32-37, 2 pls.
1944. Further Notes on the Cerambycidae of Vancouver Island. **Proc. Ent. Soc. Brit. Colombia**. **41**: 15-18.
1948. Some Beetles of the Families Cerambycidae and Buprestidae from Manning Park, British Colombia. **Proc. Ent. Soc. Brit. Colombia**. **44**: 31-34.
- HARADA, J, T. NIISATO, A. SANTOS-SILVA & J. YAMASAKO. 2022. Taxonomic Notes on Type Specimens of Longhorned Beetles Preserved in the Masaki Matsushita Collection of Hokkaido University Museum, Japan (Coleoptera, Cerambycidae). **Elytra (Tokyo) (ns)** **12(1)**: 25-32, 6 figures.
- HARDY, G. A. & W. H. A. PREECE. 1926. Notes on some species of Cerambycidae from the southern portion of Vancouver Island. **Pan-Pacific Entomol.**, **3(1)**: 34-40.
1927. Further notes on some species of Cerambycidae from the southern portion of Vancouver Island, B. C., with descriptions of some new varieties. **Pan-Pacific Entomol.**, **3(4)**: 187-193.
1927. Additional notes on some Cerambycidae of Vancouver Island, B. C. **Pan-Pacific Entomol.**, **4(2)**: 61-67.
- HARRINGTON, W.H. 1899. Ottawa Coleoptera – Cerambycidae. **Ottawa Nat.** **13(3)**: 59-67.
- HARRIS, T. W. 1837. Characteristics of some previously described North American coleopterous insects, and description of others which appear to be new in the collection of Mr. A. Halsey. **Trans. Nat. Hist. Soc. Hartford** **1**: 65-91.
1841. **A report on the insects of Massachusetts, injurious to vegetation**. Cambridge. 459 pp.
- HART, C. J., & M. A. IVIE. 2013. Synonymy of *Megacyllene comanchei* Rice and Morris and *Megacyllene angulifera* (Casey) (Coleoptera: Cerambycidae). **Coleopterists Bulletin** **67(2)**: 89-93, 4 figures.
- HART, C. J. , J. S. COPE & M.A. IVIE. 2013. A Checklist of the Cerambycidae (Coleoptera) of Montana, USA, with Distribution Maps. *Coleopterists Bulletin*. **67(2)**: 133-148, 10 figures.
- HATCH, M. H. 1930. Records and new species of Coleoptera from Oklahoma and western Arkansas, with subsidiary studies. **Publ. Univ. Okla. Biol. Surv.**, **2(1)**: 15-26.
1971. **The beetles of the Pacific Northwest**. Univ. Wash. Publ. Biol., Seattle, **16**: 1-662, 55 pls.
- HAUSEN, J. F. 1891. Notes entomologiques. Description d'espèces nouvelles. **Naturaliste Can.**, Quebec, **20(8)**: 155-160.
- HEFFERN, D.J. 1998. Insects of western North America. 1. A survey of the Cerambycidae, or longhorned beetles of Colorado. **Contributions of the C.P. Gillette Museum of Arthropod Diversity, Colorado State Univ.** 32 pp.
1998. Correction to the known distribution of *Prionus (Homaesthis) simplex* (Casey). **Insecta Mundi**, **12(3-4)**: 174.
2001. New records of Cerambycidae from the United States. **Insecta Mundi**, **15(2)**: 94.
- HEFFERN, D.J., L.G. BEZARK, & R. ANDROW. 2018. Distributional records and remarks on *Megaderus bifasciatus* Dupont, 1836 (Coleoptera: Cerambycidae: Cerambycinae). **Pan-Pac. Ent.** **94(3)**: 151-162, 2 figures.
- HEFFERN, D. J., J. P. BOTERO & A. SANTOS-SILVA. 2019. New species, new records, and new synonymy in Hemilophini (Coleoptera, Cerambycidae, Lamiinae). **Zootaxa** **4679 (3)**: 563–570, 20 figures.
2020. Synonymies, new records, and new species in Cerambycinae (Coleoptera, Cerambycidae). **Zootaxa** **4747(1)**: 177-190, 35 figures.
2020. A new species of *Neocompsa* (Neoibidionini), and a new species and

- new combinations in Tillomorphini (Cerambycidae, Cerambycinae). **Zootaxa** **4748(2)**: 334-350, 51 figures.
2023. New species and taxonomical and geographical notes on Cerambycidae and Disteniidae (Coleoptera: Chrysomeloidea). **Insecta Mundi**, **0966**: 1-17, 39 figures.
- HEFFERN, D.J., A. DRUMONT, G. SAMA, Z. KOMIYA, G. TAVAKILIAN & A. SANTOS-SILVA. 2006. Reversal of precedence using the International Code of Zoological Nomenclature to maintain prevailing usage of *Macrotoma* Audinet-Serville, 1832. **Bull. de la Soc. Entomol. de France**, **111(1)**: 123 – 127.
- HEFFERN, D. J., F. E.L. NASCIMENTO & A. SANTOS-SILVA. 2018. Descriptions, redescription, notes, and new ranks in American Cerambycidae (Coleoptera) **Zootaxa** **4531 (1)**: 059–080, 4 figures.
2024. Lamiinae (Coleoptera, Cerambycidae) from Panama: new species, new records, and new synonymy. **Zootaxa**, **5458(2)**: 247-262, 26 figures.
- HEFFERN, D. & A. SANTOS-SILVA. 2016. A new species of *Paracometes* Villiers, 1958 from Panama (Coleoptera, Cerambycidae, Disteniinae). **Zootaxa** **4071(5)**:593-595, 6 figures.
2016. New species and new record of Cerambycidae (Coleoptera) from Mexico, with updates to type depository for two species of Disteniinae. **Zootaxa** **4072(5)**:569-578, 13 figures.
2017. Notes and descriptions on North American Desmiphorini (Coleoptera, Cerambycidae, Lamiinae). **Zootaxa** **4247(3)**:469-479, 23 figures.
2020. New records, notes and new synonymies in American Cerambycidae (Coleoptera). **Zootaxa** **4767(4)**: 553-562, 18 figures
2022. A new genus and species of American Parmenini, and notes on *Estola freyi* Breuning (Desmiphorini) (Coleoptera, Cerambycidae, Lamiinae). **Zootaxa**, **5125(5)**: 589-595, 16 figures.
2022. Notes on *Purusia* Lane, *Juninia* Lane, and *Sibapipunga* Martins & Galileo (Coleoptera, Cerambycidae, Lamiinae), and description of a new species of *Juninia*. **Zootaxa**, **5141(2)**: 151-162, 38 figures.
2022. Description of two new Panamanian species of Acanthocinini and notes on *Eleothis abstrusus* Bates (Coleoptera, Cerambycidae, Lamiinae). **Zootaxa**, **5178(3)**: 256-264, 2 figures.
2023. American fauna of Cerambycidae and Disteniidae (Coleoptera): new species, new records, and notes. **Zootaxa**, **5296(1)**: 045-057, 28 figures.
2023. Description of a new Brazilian species of Acanthoderini, new records in American Cerambycinae and Lamiinae, and a replacement name for a genus (Coleoptera, Cerambycidae). **Zootaxa**, **5318(4)**: 555-562, 9 figures.
2023. Descriptions of two new species of American Cerambycidae, and redescription of *Leptostylus subfurcatus* (Cerambycidae, Coleoptera). **Zootaxa**, **5343(4)**: 338-352, 41 figures.
2024. American Lamiinae (Coleoptera, Cerambycidae): new species of Acanthocinini and Hemilophini and a new synonymy in *Cirrhicera* Thomson. **Zootaxa**, **5418(3)**: 201-222, 72 figures.
- HEFFERN, D. J., A. SANTOS-SILVA, & J. P. BOTERO. 2019. A new genus and two new species of Apomecynini, a new species of Desmiphorini, and new records in Lamiinae and Disteniidae (Coleoptera). **Zootaxa** **4691 (5)**: 561–574, 35 figures.
2022. Two new species and taxonomical and geographical notes on *Aegomorphus* Haldeman (Coleoptera, Cerambycidae, Lamiinae). **Pap. Avuls Zool.** **62**: 1-12, 4 figures.
- HEFFERN, D. J., A. SANTOS-SILVA, & F. E.L. NASCIMENTO. 2018. New species, redescrptions, and new records on Mexican and Central American Cerambycidae (Coleoptera). **Zootaxa** **4446 (4)**: 525–540, 31 figures.
2021. American Cerambycidae (Coleoptera): Four new species, new records and taxonomic notes. **Zootaxa**, **4933 (3)**: 361-378, 41 figures.
- HEFFERN, D. J., J.VLASAK & R.L. ALTEN.2018. Larval Host Plant Records, Distributional Records, and Biological Information on North American Cerambycidae (Coleoptera). **Coleop. Bull.** **72(4)**: 739-750, 4 figures.

- HENSHAW, S. 1885. **List of the Coleoptera of America, North of Mexico**. Philadelphia, Amer. Entomol. Soc. & Geo B. Cresson Press, 4 + 161 p.
1887. First supplement to the list of Coleoptera of America, North of Mexico. **Entomologica Amer.**, 2(11): 213-220.
1889. Second supplement to the list of Coleoptera of America, North of Mexico. **Entomologica Amer.**, 5(7): 127-132.
1895. **Third supplement to the list of Coleoptera of America, North of Mexico**. Philadelphia. Amer. Entomol. Soc., P. C. Stockhausen Press, 3 + 62 pp.
- HEQUET, V. 1996. **Longicornes de Guyane**. Silvolab, ORSTOM, Cayenne, 36 pp., 19 pls.
- HERBST, J. F. W. 1799. **Natursystem aller bekannten in- und ausländischen Insecten; nach dem System des Ritters Carl von Linné Bearbeitet**. 8: 1-420.
- HERNANDEZ, J.J.R., A. SANTOS-SILVA & F.E.L. NASCIMENTO. 2019. New species, new genera, and new records in Cerambycidae from Peru (Coleoptera). **Ann. Soc. Ent. France (N.S.)** 55(1): 87-99, 21 figures.
- HEYNE, A. & O. TASCHENBERG. 1907. **Die exotischen Käfer in Wort und Bild**. Leipzig. 25/26: vii + 262 p., 39 pls.
- HEYROVSKY, L. 1914. Miscellanea Cerambycidologica. *Koleopterologische Rundschau*, Wien 3: 121-123.
1952. Popis noveho tesarika z Bolívie-*Oncideres boliviana* sp. n. **Acta Soc. Entomol. Czech.**, 49(1-2): 44-45.
1955. **Faune CSR. Svazek 5. Tesarikoviti** (Cerambycidae). Praha. Ceskosl. Akad. Ved. Sekce biol., 346 pp., 70 figs.
1960. Nueva especie del género *Psalidognathus* Gray, subgénero *Prionocaulus* White del Perú. **Biota**, 3: 162-165, 3 figs.
- HICKS, S. D. 1962. The genus *Oberea* Mulsant, with notes on the taxonomy, variation and host-affinities of many of the species. **Coleop. Bull.**, 16: 5-12, 5 figs.
- HILBURN, D.J. & R.D. GORDON. 1989. Coleoptera of Bermuda. *Florida Ent.* 72(4): 677-687
- HIPPISLEY, W. W. 1922. Notes on northern British Columbian Coleoptera. **Can. Entomol.**, 54(3): 63-66.
- HOEBEKE, E. R. 1978. Catalogue of the Coleoptera types in the Cornell University Insect collection. **Bull. Cornell Univ. Agric. Exp. Stn.**, 8(3): 3-31.
- HOFFMAN, R. L. 1958. The subspecies of *Typocerus lunatus*, a cerambycid beetle. **Proc. Entomol. Soc. Wash.**, 60(5): 217-221, 3 figs.
1988. The status of the names *Clytus horridus* LeConte and *Clytus leucozonus* Castelnau & Gory. **Insecta Mundi**, 2: 66-75.
- HOFFMANN, M. 1984. *Nesozineus* Linsley & Chemsak, 1966 (Acanthoderini): sinonímias, descrições e chave para as espécies. **Rev. Bras. Entomol.**, 28(4): 537-545, 30 figs.
- HOLT, B. 2016. *Stenhomalus taiwanus* Matsushita (Coleoptera: Cerambycidae) is new to the USA. **Coleopt. Bull.** 70:134-136.
- HOPE, F. W. 1834. Descriptions of some hitherto uncharacterized exotic Coleoptera, chiefly from New Holland. **Trans. Entomol. Soc. London**, 1: 11-20.
1835. Characters and descriptions of several new genera and species of coleopterous insects. **Trans. Zool. Soc. London**, 1: 91-112, pls. 13-16. [Date published: by 25.IV.1834 (Peavot 1913: 814)].
1846. Descriptions of a few nondescript species of beetles. **Trans. Entomol. Soc. London**, 4: 181-183, pl. 13.
- HOPPING, G. R. 1928. New Cerambycidae (Coleoptera). **Can. Ent.** 60: 246-247.
1932. A revision of the Clytini of boreal America. Part I. **Ann. Entomol. Soc. Amer.** 25: 529-577, 5 pls.
1937. A revision of the Clytini of boreal America. Part II. **Ann. Entomol. Soc. Amer.**, 30(3): 438-457, 3 pls.
1943. Observations on *Brachysomida corpulenta* Csy. **Pan-Pacific Entomol.**, 19(3): 119-120.
1945. A new subspecies of *Monochamus notatus*. **Proc. Entomol. Soc. British Columbia**, 42: 17-18.

- HOPPING, R. 1921. A review of the genus *Monochamus* Serv. **Can. Entomol.**, 53(11): 252-258, 2 pls.
1922. New species of the old genus *Leptura* and allied genera. **Can. Entomol.**, 54(7): 162-166.
1925. New Coleoptera from Western Canada. **Can. Entomol.**, 57(11): 206-208.
1928. Some notes on examination of types of Coleoptera in the LeConte and Casey collections. **Can. Entomol.**, 60(1): 6-8.
1928. New Cerambycidae. **Can. Entomol.**, 60(10): 246-247.
1931. New Coleoptera from Western Canada III. **Can. Entomol.**, 63(10): 233-238.
1931. Notes on *Pogonocherus*. **Pan-Pacific Entomol.**, 7(3): 105-106.
1934. A new *Bellamira*. **Can. Entomol.**, 66(5): 115-116.
1935. New Coleoptera from Western Canada V. **Can. Entomol.**, 67(1): 8-9.
1937. The Lepturini of America North of Mexico Part II. **Bull. Nat. Mus. Canada**, 5: 1-42, 6 pls.
1940. New Lepturini. **Pan-Pacific Entomol.**, 16(1): 32-4.
1941. A new species of *Xylotrechus*. **Pan-Pacific Entomol.**, 17(1): 29-30.
- HOPPING, R. & G. R. HOPPING. 1947. The Lepturini of America North of Mexico. Part III. *Cortodera*. **Entomol. Agric.**, 27: 220-236, 6 figs.
- HORN, G. H. 1860. Descriptions of new North American Coleoptera, in the cabinet of the Entomological Society of Philadelphia. **Proc. Acad. Nat. Sci. Phil.**, 12: 569-571, 1 pl.
1875. Synonymical notes and descriptions of new species of North American Coleoptera. **Trans. Amer. Entomol. Soc.**, 5: 126-156, 8 figs.
1876. Notes on the coleopterous fauna of Guadalupe Island. **Trans. Amer. Entomol. Soc.**, 5: 198-201.
1876. Synonymy of the Coleoptera of the Fauna Boreali-Americana Kirby. **Can. Entomol.**, 8(9): 166-170.
1878. Notes on some genera of Cerambycidae of the United States. No. 2. **Trans. Amer. Entomol. Soc.**, 7: 41-50.
1878. Contributions to the coleopterology of the United States. No. 2. **Trans. Amer. Entomol. Soc.**, 7: 51-60.
1880. Notes on some genera of Cerambycidae with descriptions of new species. **Trans. Amer. Entomol. Soc.**, 8: 115-138, 1 pl.
1880. List of the Coleoptera described by Mr. J. H. B. Bland with their synonymy. **Trans. Amer. Entomol. Soc.**, 8: x-xii.
1881. Two new species of *Desmocerus*. **Trans. Amer. Entomol. Soc.**, 9: vii-vlii.
1882. Note on *Cyllene pictus* and *robiniae*. **Can Entomol.**, 14(12): 240.
1883. Miscellaneous notes and short studies of North American Coleoptera. **Trans. Amer. Entomol. Soc.**, 10: 269-312.
1883. Synonymical note on *Callimus*. **Trans. Amer. Entomol. Soc.**, 10: xi-xii.
1884. Synonymical notes. **Can. Entomol.**, 16(8): 147-148.
1884. In C. W. Leng, Synopses of Coleoptera. **Bull. Brooklyn Entomol. Soc.**, 7(1): 7-11.
1885. Descriptions of some new Cerambycidae with notes. **Trans. Amer. Entomol. Soc.**, 12: 173-197.
1885. Synonymical notes. **Entomologica Amer.**, 1(1): 5-9.
1885. Synonymical notes No. 2. **Entomologica Amer.**, 1(5): 88-90.

1885. In C. W. Leng, Synopses of Cerambycidae. **Entomologica Amer.**, **1(7)**: 130-133.
1886. A review of the species described by Olivier in the "Entomologiae". **Trans. Amer. Entomol. Soc.**, **13**: 135-144.
1886. Notes from the Museum at Cambridge. **Trans. Amer. Entomol. Soc.**, **13**: xi-xvi, 12 figs.
1888. Additional notes. **Trans. Amer. Entomol. Soc.**, **15**: 300-301.
1889. Synonymical notes. **Entomologica Amer.**, **5(10-11)**: 198-199, 212.
1890. In C. W. Leng, Synopses of Cerambycidae. **Entomologica Amer.**, **6(5)**: 97-98.
1891. New species and miscellaneous notes. **Trans. Amer. Entomol. Soc.**, **18**: 32-48, 1 fig., 1 pl.
1893. Miscellaneous coleopterous studies. **Trans. Amer. Entomol. Soc.**, **20**: 136-144.
1894. The Coleoptera of Baja California. **Proc. Calif. Acad. Sci.**, **4(2)**: 302-449, pls. 7-8.
1895. Coleoptera of Baja California (supplement I). **Proc. Calif. Acad. Sci.**, **5(2)**: 225-259, pl. 20.
1895. *Vesperoctenus flohri* Bates. **Entomol. News**, **6**: 114-115.
- HOVORE, F. T. 1979. A new subspecies of *Megacheuma brevipennis* (LeConte) from southeastern California. **Coleop. Bull.**, **33(4)**: 459-463, 2 figs.
1980. A new genus and species of Cerambycidae from southern Texas. **Coleop. Bull.**, **34(1)**: 115-119, 1 fig.
1981. Two new species of *Prionus* (*Homaesthis*) from the southwestern United States, with notes on other species. **Coleop. Bull.**, **35(4)**: 453-457, 2 figs.
1983. Taxonomic and biological observations on southwestern Cerambycidae. **Coleop. Bull.**, **37(4)**: 379-387.
1987. A new genus and species of Cerambycidae from Costa Rica. **Pan-Pacific Entomol.**, **63(2)**: 151-154, 1 fig.
1987. A Review of the genus *Coleomethia* Linsley. **Wasmann J. Biol.** **45(1-2)**: 6-15, 2 figs.
1988. Additions to the cerambycid beetle fauna of Baja California, Mexico: records and descriptions. **Wasmann J. Biol.**, **46(1-2)**: 1-29, 4 figs.
1989. Records and descriptions of Costa Rican Cerambycidae, Part I: the Turrialba Valley. **Insecta Mundi**, **3(4)**: 249-260, 6 figs.
1992. A New Genus and Species of Flightless Longhorned Beetle from Central America. **Insecta Mundi**, **6(1)**: 37-41, 1 fig.
1998. Review of the genus *Sangaris* for Central America. **Occ. Pap. of the Cons. Coleop.**, **2(1)**: 65-74.
1998. Two new species of Central American *Lagocheirus*. **Occ. Pap. of the Cons. Coleop.**, **2(1)**: 1-5.
- HOVORE, F. T. & J. A. CHEMSAK. 1980. A review of the Mexican and Central American species of *Obrium* Dejean. **Coleop. Bull.**, **34(1)**: 31-54, 14 figs.
2005. New Latin American Lepturini, with new country records for Honduras & Ecuador. **Les Cahiers Magellanes**, **#47**: 1-23, 10 figs.
2005. Three new species of *Ceralocyna* Viana, 1971, from Mexico and Ecuador (Cerambycinae, Trachyderini, Ancylocerina). **Folia Entomol. Mexicana**, **44(Suppl. 1)**: 45-53, figs.
2006. New species of *Hemilissopsis* Lane, 1959 (Coleoptera, Cerambycidae, Cerambycinae, Elaphidionini). **Zootaxa**, **1340**: 45-49, figs.
- HOVORE, F. T. & E. F. GIESBERT. 1974. Two new species of Cerambycidae from southern California. **Pan-Pacific Entomol.**, **50(2)**: 139-144, 5 figs.
1976. Notes on the ecology and distribution of western Cerambycidae. **Coleop. Bull.**, **30(4)**: 349-360.
1990. The genus *Pronuba* Thomson in Central America (Heteropsini). **Rev. Bras. Entomol.**, **34(4)**: 79-794, 1 fig.

1998. New species and records of Agapanthiini from Mexico and Central America. **Occ. Pap. of the Cons. Coleop.**, **2(1)**: 77-81.
- HOVORE, F.T. & J.D. MCCARTY. 1998. Records and descriptions of Mexican and Central American species of *Polyrhaphis*. **Occ. Pap. of the Cons. Coleop.**, **2(1)**: 6-15.
- HOVORE, F. T. & R. L. PENROSE. 1982. Notes on Cerambycidae co-inhabiting girdles of *Oncideres pustulata* LeConte. **Southwestern Nat.**, **27(1)**: 23-27.
- HOVORE, F. T., R. L. PENROSE & E. F. GIESBERT. 1978. Notes on North American Cerambycidae. **Entomol. News**, **89(2-3)**: 95-100.
- HOVORE, F. T., R. L. PENROSE & R. W. NECK. 1987. The Cerambycidae or longhorned beetles of Southern Texas: a faunal survey. **Proc. Calif. Acad. Sci.**, **44(13)**: 283-334, 20 figs.
- HOVORE, F.T. & A. SANTOS-SILVA. 2004. Notes and descriptions of Neotropical Macrotomini (Prioninae). **Rev. Bras. Entomol.**, **48(1)**: 49-54, 9 figs.
2007. Novas espécies de *Cometes* Audinet-Serville, 1828 (Coleoptera, Cerambycidae). **Papéis Avulsos Zool.**, **47(5)**: 75-96, 56 figs.
2007. Variacao do colorido elitral, nova especie e novos registros em *Cometes* Audinet-Serville, 1828 (Coleoptera, Cerambycidae, Disteniinae). **Papéis Avulsos Zool.**, **47(8)**: 113-125, 26 figs.
- HOVORE, F. T. & V. H. TOLEDO. 2006. Review of the genus *Sympagus* Bates, 1881 (Coleoptera: Cerambycidae: Lamiinae: Acanthocinini). **Zootaxa** **1252**: 49–61, figs.
- HOVORE, F. T. & R. H. TURNBOW, Jr. 1984. A new species of *Prionus* (*Homaesthesis*) from the Monahan Sandhills of western Texas. **Entomol. News**, **95(1)**: 1-4, 4 figs.
- HOVORE, F. T. & W. H. TYSON. 1983. A new species of *Lepturges* from southern Texas **Coleop. Bull.**, **37(4)**: 349-352, 2 figs.
- HOWDEN, H. F. 1959. A new species of *Anoplodera* Mulsant in the *mutabilis-aspera* group **Can. Entomol.** **91(3)**: 157-160.
1959. Descriptions of two new species of *Cyrtinus* LeConte, with a key to the New World Cyrtinini. **Can. Entomol.**, **91(6)**: 373-375.
1960. Two new species of *Cyrtinus* LeConte. **Can. Entomol.**, **92(3)**: 173-177, 4 figs.
1970. Jamaican *Cyrtinus*, with descriptions of two new species. **Can. Entomol.**, **102(10)**: 1312-1316, 4 figs.
1973. New species of *Cyrtinus* from Mexico and Venezuela. **Can. Entomol.**, **105(4)**: 595-597, 5 figs.
- HOWDEN, H. F. & A. HOWDEN. 2001. *Tetrops praeusta* (L.), a potential pest? **Insecta Mundi**, **14(4)**: 220.
- HRABOVSKY, M. 1987. On *Anelaphus* Linsley, 1936 - One new species and two new combinations (Elaphidionini). **Rev. Bras. Entomol.**, **31(1)**: 135-137, 1 fig.
- HUBWEBER, L. & M. SCHMITT. 2010. Differences in genitalia structure and function between subfamilies of longhorn beetles (Coleoptera: Cerambycidae). **Genetica** **138**: 37-43, 9 figs.
- HUEDEPOHL, K. E. 1979. Revision der Gattung *Oxymerus* Serville (Trachyderini). **Entomol. Arb. Mus. G. Frey**, **28**: 9-74, 13 figs., 2 color pls., 5 maps.
1984. Nova espécie do gênero *Oregostoma* Thomson. **Rev. Bras. Entomol.**, **28(4)**: 409-410, 1 fig.
1985. Revision der Trachyderini. **Entomol. Arb. Mus. G. Frey**, **33/34**: 1-167, 57 figs.
1985. Eine neue Art der Gattung *Prionocalus* White, 1845, aus Ecuador. **Entomofauna**, **6(11)**: 117-127, 4 figs.
1987. Nachtrag zur Revision der Trachyderini. **Entomol. Arb. Mus. G. Frey**, **35/36**: 199-202, 3 figs.
1988. Sobre o gênero *Eusapia* Gounelle, 1909 (Hesperophanini). **Rev. Bras. Entomol.**, **32(3-4)**: 525-528, 4 figs.
1989. Nova espécie do genero *Distenia* Mulsant. **Rev. Bras. Entomol.**, **33(2)**: 357-358, 1 fig.

- HUETHER, J.P. & M.K. HUETHER. 2013. First records for *Placoschema dimorpha* Chemsak & Hovore in Eya 2010 (Coleoptera: Cerambycidae) in the United States. **Pan-Pac Ent.** **89(4)**: 264-265.
- ICZN. 1957. Opinion 474. Determination of the dates to be assigned for the purposes of the Law of Priority to the names published in Dru Drury's Illustrations of Natural History in the period 1770—1782. *Opinions and Declarations rendered by the Commission on Zoological Nomenclature* 16 [1958]: 297–306. [Date published: 31.VII.1957]
1989. Opinion 1525. *Phymatodes* Mulsant, 1839 and *Phymatestes* Pascoe, 1867 (Insecta, Coleoptera): conserved. *Bulletin of Zoological Nomenclature* 46: 65–66.
1994. Opinion 1754. Histoire abrégée des insectes qui se trouvent aux environs de Paris (Geoffroy, 1762): some generic names conserved (Crustacea, Insecta). *Bulletin of Zoological Nomenclature* 51: 58–70.
1999. *International Code of Zoological Nomenclature, Fourth edition, adopted by the International Union of Biological Sciences*. International Trust for Zoological Nomenclature, London, xxix + 306 pp.
2020. Opinion 2448 (Case 3657) — *Stenoderinae* Pascoe, 1867 (Insecta, Coleoptera, Cerambycidae): emended to *Stenoderusinae* to remove homonymy with *Stenoderini* Selander, 1991 (Insecta, Coleoptera, Meloidae). *Bulletin of Zoological Nomenclature* 77 (1): 49–51.
- ILLIGER, J. C. W. 1804. Familien, Gattungen und Horden der Käfer von Latreille. **Mag. Insektenk.**, **3**: 1-145.
- IVIE, M. A. 1985. The generic placement of *Xixuthrus domingoensis* Fisher. **Pan-Pacific Entomol.**, **61(3)**: 246-250, 8 figs.
1985. Nomenclatorial notes on West Indian Elaphidiini. **Pan-Pacific Entomol.**, **61(4)**: 303-314, 14 figs.
1985. Synonymy in West Indian Lamiinae. **Pan-Pacific Entomol.**, **61(4)**: 315-317.
- IVIE, M. A. & J. A. CHEMSAK. 1983. Synonymy in West Indian *Ecyrus* LeConte (Pogonocherini). **Coleop. Bull.**, **37(3)**: 199-202.
- IVIE, M. A. & M. L. SCHWENGEL-REGALA. 2007. The *Elaphidion* Audinet-Serville of the Puerto Rican Bank: new species, distributions, taxonomic corrections, and a key to species (Coleoptera: Cerambycidae: Elaphidiini). **Zootaxa** **1503**: 55–68, 21 figs.
- JACQUELIN du VAL, P. N. C. 1857. In R. de la Sagra, **Histoire Physique, Politique et Naturelle de l'Ile de Cuba**. **7**: 1-328.
- JAKOBSON, G. G. 1899. Coleoptera palaeartica nova et parum cognita. **Ann. Mus. St. Petersb.**, **4**: 39.
1924. Annotationes synonymicae et systematicae de coleopteris. **Rev. russ. Entomol.**, **18**: 237-24.
- JEKEL, H. 1861. Observations suggérées par les notes de M. Chevrolat sur les cérambycides de M. Thomson. **J. Entomol.**, **1**: 255-262.
- JENIS, I. & A. SANTOS-SILVA. 2010. Redescription of the female of *Physopleurus dohrnii* Lacordaire (Coleoptera, Cerambycidae, Prioninae). **Les Cahiers Magellanes NS 2**: 39-47, 12 figures.
- JIN, M., ŚLIPINSKI, A., de KEYSER, R., PANG, H. (2017) Review of Australian genera *Tessaromma* Newman and *Phlyctaenodes* Newman with description of a new genus and species (Coleoptera: Cerambycidae: Cerambycinae: Phlyctaenodini). **Zootaxa** **4277(1)**: 67-85.
- JOLY, L. J. 1985. El género *Sydax* Lacordaire en Venezuela. **Bol. Entomol. Venez.**, (N.S.) **4(6)**: 45-50.
1990. Los Ibidiini de la expedición at Cerro de la Neblina, Venezuela. **Revista de la Facultad de Agronomía, Maracay**, **16**: 207-218.
1991. Sinopsis de la tribu Ibidiini en Venezuela. **Acta Terramaris** **4**: 1-84, 111 figs.
1992. *Eburodacrys bilineata*, nueva especie de Cerambycidae de Venezuela. **Bol. Entomol. Venez.**, (N. S.) **7(2)**: 139-143, 1 fig.
1999. El género *Praxithea* Thomson, 1864, en Venezuela (Torineini). **Boln. Entomol., venez., n.s.** **10(2)**: 177-196.

2000. Revisión de las especies venezolanas del género *Achryson* Audinet-Serville (Achrysonini). **Bol. entom. venez.** **15(2)**: 147-179, 21 figs.
2010. El género *Obrium* Dejean, 1821 (Coleoptera, Cerambycidae, Obriini) en Venezuela **Pap. Avuls. Zool.** **50(46)**: 701-707, 4 figs.
2017. Los Torneutini (Coleoptera: Cerambycidae) de Venezuela. **Entomotropica** **32(1)**: 1-86, 193 figures.
- JOLY, L. J. & A. MARTINEZ. 1981. Contribución al conocimiento del género *Nyssicus* Pascoe (Sphaerionini). **Bol. Entomol. Venez., (N.S.)** **1(8)**: 99-113, 10 figs.
- JOLY, L. J. & C. J. ROSALES. 1990. Los Cyrtinini de Venezuela. **Bol. Entomol. Venez., (N.S.)** **5(20)**: 205-216, 9 figs.
- JOLY, J. L. & V. SAVINI. 2016. Descripción de un nuevo género de Torneutini para *Diploschema howdeni* Martins & Monné, 1980 (Coleoptera, Cerambycidae). **Entomotropica** **31(41)**: 368-375, 12 figures.
- JOLY, J. L., R. VIGNEAULT & A. SANTOS-SILVA. 2017. A new genus and five new Cerambycidae from Venezuela (Coleoptera, Cerambycidae). **Les Cahiers Magellanes (n.s.)** **27**: 23-37, 22 figures.
- JORDAN, K. 1895. On some new species of Coleoptera in the Museum of the Hon. Walter Rothschild. **Ann. Mag. Nat. Hist., (6)** **15**: 218-222.
- JOUTEL, L. H. 1902. A new species of *Saperda*. **Entomol. News**, **13(2)**: 33-34, 1 pl.
1911. *Phymatodes lengi* Joutel. **J. New York Entomol. Soc.,** **19(3)**: 200.
- JUAREZ-NOE, G., R. G. BARBOZA & D. L. GARCIA. 2023. First record of *Cyphonotida rostrata rostrata* (Bates, 1872) (Coleoptera: Cerambycidae: Lepturinae: Lepturini) from Peru. **Rev. Chile Ent.,** **49(3)**: 452-456, 7 figures.
- JUAREZ-NOE, G., R. G. BARBOZA, F. PERALES-CHISCUL & A. DAVILA-RODRIGUEZ. 2023. First record of *Rhopalophora dyseidia* Martins & Napp, 1989 (Coleoptera: Cerambycidae: Cerambycinae: Rhopalophorini) in Peru. **Rev. Chile Ent.,** **49(3)**: 633-638, 6 figures.
- JUAREZ-NOE, G. & C. FÄGERSTRÖM. 2024. An annotated and illustrated catalog of the Peruvian specimens of Cerambycidae (Coleoptera) housed in the Biological Museum at Lund University, Sweden. **Zootaxa**, **5514(4)**: 368-384, 40 figures.
- JUÁREZ-NOÉ, G. & U. GONZÁLEZ-CORONADO. 2020. A new species of *Fredlanea* Martins & Galileo, 1996 from Peruvian Andes (Coleoptera: Cerambycidae, Lamiinae, Hemilophini). **Fragmenta entomologica** **52(1)**: 49-52, 6 figures.
2021. A new species of *Atrypanius* Bates, 1864 (Cerambycidae: Lamiinae: Acanthocinini) from Peruvian seasonally dry forests. **J. Trop. Coleop.** **2 (2)**: 21-26, 3 figures.
- JUAREZ-NOE, G., U. GONZALEZ-CORONADO & L. G. BEZARK. 2022. A new species of *Bisaltes* Thomson, 1868 from Peru and Ecuador (Cerambycidae, Lamiinae, Apomecynini). **Zootaxa**, **5169(2)**: 183-187, 7 figures.
2023. A new species of *Asynapteron* Martins, 1970 (Coleoptera, Cerambycidae, Cerambycinae, Tropicini) from the Peruvian Andes. **Zootaxa**, **5256(4)**: 397-400, 3 figures.
- JUAREZ-NOE, G. & F. PERALES-CHISCUL. 2024. First record of *Bisaltes (Bisaltes) brevicornis* Breuning, 1939 (Coleoptera: Cerambycidae: Lamiinae: Apomecynini) in Peru, with notes regarding other Peruvian species of *Bisaltes* (s. str.) Thomson, 1868. **Rev. Chilena Ent.** **50 (1)**: 75-81, 12 figures.
- JUHEL, P. & P-H. DALENS. 2017. Les genres *Mionochroma* Schmidt et *Xystochroma* Schmidt en Guyane : description de trois espèces Nouvelles (Coleoptera, Cerambycidae, Cerambycinae, Callichromatini). **Les Cahiers Magellanes, (NS)** **26**: 19-33, 9 figures.
- JULIO, C.E.A. 1997. Descrições, sinonimia, novo status, novas combinações e chave para as espécies Brasileiras de *Oxycoleus*. **Bol. do Museu Nac., Zool.,** **#381**, 11 PP.
1998. *Scleronotus*: espécies novas e transferencias. **Bol. do Museu Nac., Zool.,** **#386**, 15 pp.
1999. Revisao do Genero *Scleronotus* White, 1855 (Coleoptera, Lamiinae, Acanthoderini). **Bol. do Museu Nac., Zool.,** **#406**, 1-35, 121 figs.
2002. Revisão do genero *Cyclopeplus* Thomson (Lamiinae, Anisocerini). **Rev. Bras. Zool.,** **19(Suppl. 2)**: 93-102, 5 figs.

2002. Revisão do genero *Gounellea* Lane (Lamiinae, Anisocerini). **Rev. Bras. Zool.**, **19**(Suppl. 2): 103-111, 4 figs.
2003. Sinopse do genero *Phacellocerina* Lane, 1964 (Lamiinae, Anisocerini). **Rev. Bras. Entomol.**, **47**(1): 137-140, 2 figs.
2003. Sobre *Gymnocerus* Audinet-Serville, 1835 (Lamiinae, Anisocerini) e generos relacionados. **Rev. Bras. Entomol.**, **47**(1): 141-145, 4 figs.
2003. Revalidação de Mauesini (Lamiinae), transferencia de generos, sinónimas e novos táxons. **Iheringia, Sér. Zool.**, **(93)**: 49-58, 8 figs
2003. Revisão do gênero *Natagaima* (Lamiinae). **Iheringia, Sér. Zool.**, **93**(1): 75-80, 3 figs
2003. Revalidação do gênero *Demophoo* (Lamiinae). **Iheringia, Sér. Zool.**, **93**(2): 139-142, 1 fig
2003. Revisão do gênero *Satipoella* (Lamiinae). **Iheringia, Sér. Zool.**, **93**(2): 143-148, 3 fig
2003. Revisão do gênero *Anisocerus* Lepeletier & Audinet-Serville, 1830 (Lamiinae, Anisocerini). **Rev. Bras. Entomol.**, **47**(2): 149-153, 2 figs.
2005. *Parachalastinus* Galileo & Martins: espécie nova e chave para identificação. **Rev. Bras. Zool.**, **22**(1): 19-22, 4 figs.
- JULIO, C.E.A., J.A. GIORGI & M.A. MONNÉ. 2000. Os tipos primários de Cerambycidae (Coleoptera) da coleção do Museu Nacional - Rio de Janeiro. **Publ. Avulsas do Museu Nacional**, No. **84**, 1-54.
- JULIO, C.E.A. & M.A. MONNÉ. 2001. *Onychocerus* Lepeletier & Audinet-Serville, 1830 (Anisocerini): espécies novas e chave para identificação. **Bol. do Museu Nacional, Zool.**, **443**: 1-8, 8 figs.
2001. Sinopse dos gêneros *Scopadus* e *Omosarotes* (Cyrtinini). **Iheringia Ser. Zool.**, **(91)**: 101-107, 5 figs.
2005. Revisão do gênero *Sympleurotis* Bates (Lamiinae, Colobotheini). **Rev. Bras. Entomol.**, **49**(3): 392-396, 4 figs.
2005. Novo gênero de Acanthoderini (Lamiinae). **Revista Brasileira de Entomologia**, **49**(4): 446-447.
- JUNIOR, J. O. S., D. S. SOUZA & M. L. MONNE. *Phoebella queirozae*, a New Species of Longhorned Beetles (Coleoptera: Cerambycidae) with Notes on the Male Genitalia. **Neotrop. Ent.** **53**: 56-62, 4 figures.
- KASATKIN, D. G. 2015. A new species of the genus *Phaea* Newman, 1840 (Coleoptera: Cerambycidae) from Argentina. **Caucasian Entomological Bull.** **11**(2): 389-390, 5 figures.
2020. Two new species of the genus *Phaea* Newman, 1840 (Coleoptera: Cerambycidae) from Central and South America. **Caucasian Entomological Bulletin** **16**(1): 53-55, 7 figures.
- KIM, S., B.A.S. de MEDEIROS, B.-K. BYUN, S. LEE, J.-H. KANG, B. LEE & B.D. FARRELL. 2018. West meets East: How do rainforest beetles become circum-Pacific? Evolutionary origin of *Callipogon relictus* and allied species (Cerambycidae: Prioninae) in the New and Old Worlds. *Molecular Phylogenetics and Evolution* **125**: 163-176.
- KIM, J. 2021. Rare Observations of *Charisalia americana* (Haldemann, 1874) (Coleoptera: Cerambycidae: Lepturinae) in Louisiana. **South. Lepid News** **43**(4): 375, 1 figure.
- KIRBY, W. 1818. A century of insects, including several new genera described from his cabinet. **Trans. Linn. Soc. London**, **12**: 375-453, 3 pls.
1834. **Centurie d'insectes contenant plusieurs genres nouveaux décrits dans sa collection**. Paris. Lequien fils, 92 pp., 4 pls. (notes of Chevrolat, Dejean, Lequien, Percheron, Guérin-Méneville and Audinet Serville).
1837. The Insects. Coleoptera. In J. Richardson, W. Swainson, and W. Kirby, **Fauna Boreali Americana; or the Zoology of the Northern Parts of British America: containing descriptions of the objects of natural history collected on the Late Northern Land Expedition, under the command of Captain Sir John Franklis, R. N.** Norwich, Josiah Fletcher. 249 pp.
- KIRK, H. B. & J. N. KNULL. 1926. Annotated list of the Cerambycidae of Pennsylvania. **Can. Entomol.**, **58**(1): 21-26; (2): 39-46.
- KIRSCH, T. F. 1870. Beitrage zur Käferfauna von Bogotá. **Berl. Entomol. Zeitschr.**, **14**: 337-378.
1875. Beitrage zur Kenntnis der Peruanischen Käferfauna auf Dr. Abendroths Sammlungen basirt (Fünftes Stück). **Deut. Entomol. Zeitschr.**, **19**(2): 241-304.

1889. Coleopteren gesammelt in den Jahren 1868-1877 auf einer Reise durch Süd Amerika von Alphons Stübel. **Abh. Berl. Zool. Mus.**, **4**: 1-58.
- KLINGEMAN, W. E., N. N. YOUSSEF, J. B. OLIVER & J. B. BASHAM. 2017. The longhorned beetles (Coleoptera: Cerambycidae) of Tennessee: distribution of species, seasonal adult activity, and new state records. **Florida Entomologist** **100(2)**: 292-302, 1 figure.
- KLUG, J. C. F. 1825. Entomologiae Brasilianae specimen alterum, sistens insectorum coleopterorum nondum descriptorum centuriam. **Nova Acta Acad. Caesar. Leop. Carol.**, **12(2)**: 421-476.
1829. **Preis-Verzeichniss vorräthiger Insectendoubletten des Königl. zoologischen Museums der Universität.** Berlin, 18 pp.
- KNAUS, W. 1925. Three new forms of Coleoptera. **Pan-Pacific Entomol.**, **1**: 182-183.
- KNOLL, J. N. 1918. A new species of *Eupogonius* from Penna. **Entomol. News**, **29(4)**: 132-133.
1927. Descriptions of Coleoptera with notes (Buprestidae and Cerambycidae). **Entomol. News**, **38**: 115-118.
1928. Two new Cerambycidae. **Entomol. News**, **39(1)**: 11-13.
1928. A new species of *Batyle*. **Entomol. News**, **39**: 126.
1930. Notes on Coleoptera No. 2. **Entomol. News**, **41(3)**: 82-86; **(4)**: 101-102.
1932. Notes on Coleoptera No. 3. **Entomol. News**, **43(3)**: 62-67.
1934. Five new species of Coleoptera (Cleridae, Elateridae, Buprestidae and Cerambycidae). **Entomol. News**, **45(1)**: 9-13.
1934. Two new Arizona Coleoptera (Buprestidae and Cerambycidae). **Entomol. News**, **45(3)**: 68-70.
1934. Notes on the Coleoptera No. 4. **Entomol. News**, **45(8)**: 207-212.
1934. New Coleoptera (Buprestidae and Cerambycidae). **Ohio J. Sci.**, **34(5)**: 333-336.
1935. Four new Texas Coleoptera (Buprestidae and Cerambycidae). **Entomol. News**, **46(4)**: 96-99.
1935. New Coleoptera (Cebionidae, Buprestidae and Cerambycidae). **Entomol. News**, **46(7)**: 189-193.
1936. Five new southwestern Coleoptera (Buprestidae and Cerambycidae). **Entomol. News**, **47(4)**: 105-108.
1937. Notes on Coleoptera with descriptions of new species (Buprestidae and Cerambycidae). **Entomol. News**, **48(2)**: 36-42.
1937. New southwestern Buprestidae and Cerambycidae with notes. **Ohio J. Sci.**, **37(5)**: 301-309, 1 pl.
1938. New southwestern Buprestidae and Cerambycidae with notes. **Ann. Entomol. Soc. Amer.**, **31(2)**: 135-143, 1 pl.
1940. Four new species of western Coleoptera (Cleridae, Buprestidae and Cerambycidae). **Ann. Entomol. Soc. Amer.**, **33**: 555-559, 6 figs.
1941. A new species of *Haplidus*. **Ann. Entomol. Soc. Amer.**, **34(2)**: 317.
1941. New Coleoptera (Buprestidae and Cerambycidae). **Ann. Entomol. Soc. Amer.**, **34(4)**: 691-695, 1 pl.
1941. Nine new Coleoptera (Platyceridae, Buprestidae and Cerambycidae). **Ohio J. Sci.**, **41**: 381-388, 1 pl.
1942. New Cerambycidae with notes. **Entomol. News**, **53(8)**: 224-227.
1944. New Coleoptera with notes (Buprestidae and Cerambycidae). **Ohio J. Sci.**, **44(2)**: 90-93, 1 pl.
1946. The long-horned beetles of Ohio. **Bull. Ohio Biol. Surv.**, **39**: 133-354, 29 pls.
1947. Two new *Stenosphenus*. **Entomol. News**, **57(10)**: 253-255.
1947. New North American Coleoptera (Buprestidae, Schizopodidae and Cerambycidae). **Ohio J. Sci.**, **47(2)**: 69-73, 1 pl.

1948. New genus and species of Cerambycidae with notes. **Ohio J. Sci.**, **48(2)**: 82-83, 1 fig.
1949. New Coleoptera with notes (Elateridae, Buprestidae and Cerambycidae). **Ohio J. Sci.**, **49(3)**: 102-104, 1 pl.
1950. New Coleoptera with notes II (Buprestidae and Cerambycidae). **Entomol. News**, **61(4)**: 89-92.
1954. A new *Euryptera* and notes on other Cerambycidae. **Ohio J. Sci.**, **54(2)**: 129-130.
1954. A new North American *Eupogonius* with notes. **Entomol. News**, **65(5)**: 127-128.
1955. A new species of *Obrium* from Tennessee. **Entomol. News**, **66(5)**: 139.
1955. A new species of *Aneflus* from Arizona. **Entomol. News**, **66(8)**: 221-222.
1956. A new species of *Typocerus* from Florida. **Ohio J. Sci.**, **56(6)**: 338.
1958. A new species of *Conosphaeron* from Arizona. **Entomol. News**, **69(7)**: 185-186.
1958. One new species and one subspecies of Cerambycidae from Texas. **Ohio J. Sci.**, **58(5)**: 282.
1959. A new subspecies of *Typocerus brunnicornis* LeConte. **Ohio J. Sci.**, **59(1)**: 47, 1 fig.
1960. A new subspecies of *Cacoplia nebulosa* (Hald.). **Entomol. News**, **71(5)**: 116.
1960. A new species of *Elaphidion* from Texas. **Ohio J. Sci.**, **60(1)**: 7.
1962. Three new species of long-horned beetles from southern Texas with a key to the genus *Obrium*. **Ohio J. Sci.**, **62(2)**: 105-107, 2 figs.
1966. Two new North American species of *Smodicum* Lacordaire. **Entomol. News**, **77**: 136-139.
1968. A new species of *Batyle* from Utah. **Ohio J. Sci.**, **68(4)**: 233-234, 1 fig.
1975. A new species of *Mecas* from Texas. **Ohio J. Sci.**, **75(3)**: 130-131, 1 fig.
- KOLBE, J. 1888. Ueber lokale Abänderung weit verbreiteter Thiere. **Entomol. Nachr.**, **14**: 177-186.
1893. Beiträge zur Kenntnis der Longicornier. **Stettin. Entomol. Ztg.**, **54**: 241-290.
1894. Beiträge zur Kenntnis der Longicornier. **Stettin. Entomol. Ztg.**, **55**: 11-50.
- KOMIYA, Z. & G. NOGUEIRA G. 2014. Description of a new *Prionus* from Mexico. **Besoiro** **24**: 3-4, 2 figures.
- KOMIYA, Z. & A. SANTOS-SILVA. 2018. A new species of *Prionacalus* White, 1845 from Peru (Coleoptera, Cerambycidae, Prioninae, Prionini). **Les Cahiers Magellanes NS 31** 18-24, 6 figures.
- KRAATZ, G. 1863. Ueber einige zum Theil neue Cerambyciden-Gattungen. **Berl. Entomol. Zeitschr.**, **7**: 97-108, pl. 4, figs. 3-6.
1871. Sur quelques genres de Cerambycides en partie nouveaux. **Abeille**, **6**: 393-400.
- KRELL, F.-T. 2015. A mixed bag: when are early online publications available for nomenclatural purposes? *Bulletin of Zoological Nomenclature* **72(1)**: 19-32. [DP: 1.III2015 (journal website)] <https://doi.org/10.21805/bzn.v72i1.a14>.
- KRYNICKY, J. 1834. Enumeratio Coleopterorum Rossiae meridionales et praecipus in Universitatis in Caesareae Charcoviensis circulo obvenientium, quae annorum 1827-1831 spatio observavit. **Bull. Soc. Imp. Natur. Moscou**, **7**: 166-173.
- KUSAMA, K & M. HAYASHI. 1971. Generic Names and Type Species Applied to Japanese Cerambycidae (Coleoptera). **Reports of Faculty of Science, Shizuoka University** **6**: 95-126.
- KUSCHEL, G. 1955. Una nueva especie de *Cheloderus* Castelnau. **Rev. Chil. Entomol.**, **4**: 251-254, 1 fig.

- LACEY, L. 1949. Descriptions of three new longicorn beetles with a key to the species belonging to the genus *Nyssicus*. **Amer. Mus. Novit.**, **1439**: 1-9.
- LACKERBECK, K. 1998. Neue und wenig bekannte Prioninae. **Entomofauna**, **19** (32): 517-524.
- LACORDAIRE, J. T. 1830. Mémoire sur les habitudes des insectes coléoptères de l'Amérique méridionale. **Ann. Sci. Nat.**, **20**: 185-291; **21**: 149-194.
1868. *Histoire naturelle des insectes. Genera des Coléoptères ou exposé méthodique et critique de tous les genres proposés jusqu'ici dans cet ordre d'insectes. Tome huitième contenant les familles des tricténotomides et des longicornes*. Roret, Paris, 552 pp. [Date published: by 28.XI.1868 (Bousquet 2016: 314); 1869 (title page)]
1869. **Histoire Naturelle des Insectes. Genera des Coléoptères, ou exposé méthodique et critique de tous les genres proposés jusqu'ici dans cet ordre d'insectes**. Paris. Librairie Encyclopédique de Roret., **8**: 1-552; **9**(1): 1-409. [Date published: by 4.XI.1869 (Bousquet 2016: 314)]
1872. **Histoire Naturelle des Insectes. Genera des Coléoptères, ou exposé méthodique....**, Librairie Encyclopédique de Roret, **9**(2): 411-930. [Date published: by 1.IV.1872 (Bousquet 2016: 314)]
1876. **Histoire Naturelle des Insectes. Genera des Coléoptères, ou exposé méthodique....**, Librairie Encyclopédique de Roret, Atlas, 47 pp., 134 color pls.
- LAICHARTING, J. N. von. 1784. **Verzeichniss und Beschreibung der Tyroler-Insecten**. II Theil. Zürich. Johann Caspar Füessly, pp. 1-176.
- LAMARCK, Jean-Baptiste. 1817. Histoire naturelle des animaux sans vertèbres...l'exposition des principes fondamentaux de la Par M. de Lamarck. Tome 4. March, 1817. pp. 1-603.
- LAMEERE, A. A. 1883. Liste des cérambycides, décrits postérieurement au catalogue de Munich. **Ann. Soc. Entomol. Belg.**, **26**: 1-78.
1884. Longicornes recueillis par feu Camille Van Volxem au Brésil et a La Plata. **Ann. Soc. Entomol. Belg.**, **28**: 83-99.
1884. Matériaux pour la fauna des Petites-Antilles. Longicornes recueillis par M. Purves a Antigoa. **Ann. Soc. Entomol. Belg.**, **28**: 100-101.
1884. Longicornes des voyages du Dr. E. Fromont au Brésil et a La Plata. **Ann. Soc. Entomol. Belg.**, **28**: 102-104.
1884. Matériaux pour servir a la faune de la République de Venezuela. Longicornes nouveaux ou peu connus. **Ann. Soc. Entomol. Belg.**, **28**: 105-111.
1885. Note sur quelques Prionides. **Compt. Rend. Séanc. Soc. Entomol. Belg.**, **29**: ix-xiii.
1885. Note sur quelques longicornes du Paraguay. **Compt. Rend. Séanc. Soc. Entomol. Belg.**, **29**: lxi-lxii.
1887. Le genre *Rosalia*. **Ann. Soc. Entomol. Belg.**, **31**: 159-174, pl. 3.
1890. Un type nouveau de prionide souterrain. **Compt. Rend. Séanc. Soc. Entomol. Belg.**, **34**: cxxi-cxxiii.
1890. Note sur quelques sphérionides. **Compt. Rend. Séanc. Soc. Entomol. Belg.**, **34**: clxx-clxxiii.
1893. Voyage de M. E. Simon au Venezuela (Decembre 1887-Avril 1888). 23e. mémoire, longicornes. **Ann. Soc. Entomol. France**, **62**: 273-280.
1900. Coléoptères. Cerambycidae. Diagnoses d'insectes recueillis par l'expédition antarctique belge. **Ann. Soc. Entomol. Belg.**, **44**: 112.
1901. Étude sur la Phylogénie des Longicornes. Première communication préliminaire. **Ann. Soc. Entomol. Belg.**, **45**: 314-323.
1902. Révision des prionides (Première mémoire - Parandrinés). **Ann. Soc. Entomol. Belg.**, **46**: 59-111.
1902. Révision des prionides (Deuxième mémoire - Anoploderminés). **Ann. Soc. Entomol. Belg.**, **46**: 191-225.
1902. Révision des prionides (Troisième mémoire - Spondylines). **Ann. Soc. Entomol. Belg.**, **46**: 303-334.
1902. Révision des prionides (Quatrième mémoire - Sténodontines). **Mem. Soc. Entomol. Belg.**, **9**: 63-110.

1903. Révision des prionides (Cinquième mémoire - *Olethrius*). **Ann. Soc. Entomol. Belg.**, **47**: 129-140.
1903. Révision des prionides (Sixième mémoire - *Basitoxus*). **Ann. Soc. Entomol. Belg.**, **47**: 213-224.
1903. Révision des prionides (Septième mémoire- Macrotomines). **Mem. Soc. Entomol. Belg.**, **11**: 1-216.
1903. Révision des prionides (Huitième mémoire - Mécosarthrines). **Ann. Soc. Entomol. Belg.**, **47**: 307-320.
1904. Révision des prionides (Neuvième mémoire - Callipogonines). **Ann. Soc. Entomol. Belg.**, **48**: 7-78.
1904. Révision des prionides (Dixième mémoire - Titanines). **Ann. Soc. Entomol. Belg.**, **48**: 309-352.
1909. Révision des prionides (Treizième memoire – Derancistrines). **Mem. Soc. Entomol. Belg.**, **17**: 1-70.
1910. Révision des prionides (Seizième mémoire- Prionines III). **Ann. Soc. Entomol. Belg.**, **54**: 272-292.
1910. Révision des prionides (Dix-septième mémoire - Prionines IV). **Ann. Soc. Entomol. Belg.**, **54**: 368-383.
1911. Révision des prionides (Dix-huitième mémoire - Prionines V). **Ann. Soc. Entomol. Belg.**, **55**: 260-277.
1912. Révision des prionides (Vingtième mémoire - Prionines VII). **Ann. Soc. Entomol. Belg.**, **56**: 185-260.
1912. Révision des prionides (Vingt-et-unième mémoire Anacolines). **Mem. Soc. Entomol. Belg.**, **21**: 1-188.
1913. **Coleopterorum Catalogus**, pars 52, Cerambycidae: Prioninae. Berlin, W. Junk, 108 pp.
1915. Note sur quelques Prioninae de la collection Em. Gounelle. **Ann. Soc. Entomol. France**, **84**: 283-286.
1915. Note sur les Prioninae du Muséum National d'Histoire Naturelle de Paris. **Bull. Mus. Hist. Nat.**, **21**: 51-63.
1916. Trois Prioninae nouveaux. **Bull. Soc. Entomol. France**, **1916**: 233-235.
1919. **Genera Insectorum**, Coleoptera, Fam. Cerambycidae, Subfam. Prioninae. **172**: 1-189, pls. 1-8.
1920. Prioninae nouveaux ou peu connus. **Ann. Soc. Entomol. Belg.**, **60**: 137-145.
- LANE, F. 1936. Algumas notas sobre o gênero *Rhathymoscelis* Thoms. e descrição de uma espécie nova. **Rev. Mus. Paulo**, **20**: 765-775, 2 pls.
1937. Esboço monographico dos Anoplodermídeos. **Rev. Mus. Paulo**, **23**: 153-223, 9 pls.
1938. Descrição de uma espécie nova do gênero *Prionapterus* Guérin, 1832, in **Livr. Jub., Prof. L. Travassos**, p. 263-267, 1 pl.
1938. Notas sobre Lamiídeos neotrópicos e descrição de espécies novas (Lamiidae). **Rev. Mus. Paulo**, **23**: 631-642, 1 pl.
1938. Uma nova espécie do gênero *Macropophora* Thomson, 1864 (Lamiidae). **Bol. Biol., (N. S.) 3(1-2)**: 49-51, 1 fig.
1938. Revisão do gênero *Praxithea* Thomson, 1864. **Bol. Biol., (N. S.) 3(3-4)**: 85-97, 2 pls.
1938. Notas sobre Lamiídeos neotrópicos e descrição de espécies novas (Lamiidae) II. **Bol. Biol., (N. S.), 3(3-4)**: 107-112, 1 pl.
1939. Descrições de Longicórnios neotrópicos (nota prévia). **Bol. Biol., (N. S.) 4(1)**: 73-78.
1939. Notas sobre Lamiídeos neotrópicos (Col., Lamiidae) III. **Bol. Biol., (N. S.) 4(3)**: 473-479, 2 pls.
1940. Nota sobre *Brachychilus consobrinus* F. Lane, 1939. **Rev. Chil. Hist. Nat.**, **44**: 126-130, 1 fig.
1940. Nova espécie do gênero *Oregostoma* Serville, 1833. **Papéis Avulsos Dep. Zool.** **1**: 1-4.
1940. Três novas espécies do gênero *Antodice* Thomson, 1864. **Rev. Entomol.**, **11(1-2)**: 401-406.
1941. Sobre o genero *Poekilosoma* Serville, 1832, com a descrição de uma nova espécie. **Arch. Inst. Pesq. Agron.**, **3**: 149-156, 1 fig.

1942. Notas sobre as espécies de *Sternacanthus* Serville, 1832. **Rev. Bras. Biol.**, **2(4)**: 477-486, 1 pl.
1943. Descrição do alótipo de *Metopocoilus picticornis* Melzer, 1923 e notas sobre as outras espécies do gênero. **Arq. Mus. Parana.**, **3**: 95-108, 1 pl.
1943. Um novo gênero e espécie de Acanthocninae. **Papéis Avulsos Dep. Zool.**, **3(19)**: 261-264.
1949. Cerambicideos neotrópicos I. Sobre algumas espécies de Torneutinae. **Papéis Avulsos Dep. Zool.**, **9(3)**: 33-46, 2 pls.
1950. Cerambicideos neotrópicos II. Sobre a posiao sistemática de alguns gêneros. **Arq. Zool.**, **8(5)**: 363-378, 2 pls.
1950. Cerambycoidea Neotropica nova I. **Dusenía**, **1(2)**: 91-104, 4 figs.
1951. Cerambycoidea Neotropica nova II. **Dusenía**, **2(1)**: 1-20, 1 pl.
1954. Notas sinonímicas I. *Lycodesmus* Melzer, 1927 - *Ites* Waterhouse, 1880. **Rev. Bras. Entomol.**, **1**: 195-201, 2 figs.
1955. Notas sinonímicas II. **Papéis Avulsos Dep. Zool.**, **12(2)**: 265-280, 4 figs.
1955. Cerambycoidea Neotropica nova III. **Papéis Avulsos Dep. Zool.**, **12(13)**: 281-296, 4 figs.
1956. Cerambycoidea Neotropica nova IV. **Dusenía**, **7(1)**: 1-31, 1 pl.
1957. Dos nuevas espécies de Anisocerini. **Neotropica**, **3(12)**: 65-69.
1957. Duas novas espécies de *Xylergates* Bates e descrição do alotipo de *Carphina assula* (Bates, 1864). **Publ. Inst. Pesq. Agron., (N S.)** **4**: 1-31, 2 figs.
1958. A new neotropical genus of Ischiolonchini. **Amer. Mus. Novit.**, **1889**: 1-17, 2 figs.
1958. The neotropical genus *Cryptocranium* Serville, with the description of a new species. **Amer. Mus. Novit.**, **1916**: 1-10, 2 figs.
1959. Three new genera of Ibidiionini. **J. New York Entomol. Soc.**, **67**: 13-19, 1 fig.
1959. Remarks on Dr. Breuning's revision of the Lamiids. **J. New York Entomol. Soc.**, **67**: 21-25.
1959. Un nuevo género de Ischiolonchini. **Neotropica**, **5(18)**: 83-84.
1959. Two new species of *Ischnolea* Thomson, 1861. **Studia Entomol.**, **2(1-4)**: 219-224, 2 figs.
1959. Cerambycoidea Neotropica nova V. **Papéis Avulsos Dep. Zool.**, **13(21)**: 251-264, 3 figs.
1959. Novas espécies de Piezocerini. **Papéis Avulsos Dep. Zool.**, **13(25)**: 303-309, 2 figs.
1959. Nova subfamília de Lamiidae. **Papéis Avulsos Dep. Zool.**, **13(26)**: 311-316, 1 fig.
1960. On the identity of *Plistonax albolinitus* (Bates, 1861). **Papéis Avulsos Dep. Zool.**, **14**: 47-51, 1 fig.
1964. Novos gêneros e espécies de Anisocerini. **Studia Entomol.**, **7**: 179-200.
1965. Cerambycoidea Neotropica nova VI. **Studia Entomol.**, **8(1-4)**: 269-336, 5 figs.
1965. La revalidación de *Rumacón canescens* (Bruch, 1926). **Neotropica**, **11(35)**: 41-45.
1966. Novos gêneros e espécies de Aerenicin. **Papéis Avulsos Dep. Zool.**, **18(19)**: 231-235.
1966. Novos gêneros e espécies de Anisocerini II. **Papéis Avulsos Dep. Zool.**, **18(20)**: 237-243.
1966. Novos e gêneros e espécies de Hemilophini I. Gêneros com antenas de 12 artículos. **Papéis Avulsos Dep. Zool.**, **18(21)**: 245-249.
1966. Novas espécies do gênero *Eulachnesia* Bates, 1872. **Papéis Avulsos Dep. Zool.**, **18(24)**: 271-275.

1966. Novos gêneros e espécies de Hemilophini II. **Papéis Avulsos Dep. Zool.**, **18(26)**: 281-289.
1966. Notas sinonímicas III. Sobre a identidade de *Acanthoibidion venezuelensis* F. Lane, 1951, com *Piezocera chevrolatii* White, 1855. **Papéis Avulsos Dep. Zool.**, **19(2)**: 37-41, 1 fig.
1966. Novas espécies de Torneutini. **Papéis Avulsos Dep. Zool.**, **19(10)**: 129-140.
1966. Novos gêneros e espécies de Aerenicini II. **Papéis Avulsos Dep. Zool.**, **19(10)**: 129-140.
1970. Notas sinonímicas IV. Sobre a identidade do gênero *Mielkea* Zajciw, 1965, com *Gigantotrichoderes* Tippmann, 1953. (Torneutini). **Atas Soc. Biol.**, **14(1-2)**: 9-10, 1 fig.
1970. Notas sinonímicas V. Sobre alguns sinónimos nas tribos Acanthoderini e Acanthocinini. **Atas Soc. Biol.**, **14(1-2)**: 31-32.
1970. Uma nova espécie do gênero *Haruspex* Thomson, 1864 (Piezocerini). **Atas Soc. Biol.**, **14(3-4)**: 59-60.
1970. *Beaveria nacta*, gen. n., sp. n. de Purpuricenini. **Rev. Bras. Entomol.**, **14(7)**: 51-55.
1970. Nota sobre *Ommidion modestum* Newman, 1840. **Rev. Bras. Entomol.**, **14(10)**: 73-82, 2 figs.
1970. Nota sobre *Zonotylus interruptus* (Olivier, 1790). **Rev. Bras. Biol.**, **30(4)**: 563-570, 4 figs.
1970. Cerambycoidea Neotropica nova VII. **Studia Entomol.**, **13(1-4)**: 369-428.
1971. Notas sinonímicas VI. Sobre a identidade de *Cyrtinacantha mirabilis* Zajciw, 1970 com *Acanthomerosternoplion paradoxum* Tippmann, 1955. **Atas Soc. Biol.**, **15(1)**: 5.
1971. Uma nova espécie do gênero *Woytkowskia* Lane, 1966 (Hemilophini). **Atas Soc. Biol.**, **15(1)**: 37-38, 3 figs.
1972. Cerambycoidea Neotropica nova VIII. **Studia Entomol.**, **15(1-4)**: 352-382, 4 figs.
1972. Notas sobre o gênero *Batus* Thunberg, 1822. **Rev. Bras. Entomol.**, **16(10)**: 71-74.
1972. Notas sobre o gênero *Migdolus* Westwood, 1863. **Arq. Inst. Biol.**, **39(2)**: 81-84, 4 figs.
1973. Cerambycoidea Neotropica nova IX. **Studia Entomol.**, **16(1-4)**: 371-438, 4 figs.
1973. Notes on the tribe Gryllicini. **Studia Entomol.**, **16(1-4)**: 463-480, 8 figs.
1973. A few remarks on Dr. Lawrence S. Dillon's revision of the genus *Lagocheirus*. **Studia Entomol.**, **16(1-4)**: 529-533.
1973. Um novo gênero de Ibdionini. **Rev. Agric.**, **48(4)**: 149-154, 2 figs.
1973. Duas novas espécies do gênero *Dolichopterus* Tippmann, 1953. **Rev. Bras. Entomol.**, **17(16)**: 114, 2 figs.
1973. Notas sinonímicas VII. **Rev. Bras. Entomol.**, **17(21)**: 137-143.
1973. Nota sobre *Sphecomorpha chalybea* Newman, 1838. **Atas Soc. Biol.**, **17(1)**: 23-25, 8 figs.
1974. Descrição de nova espécie de *Rhaphiptera* Serville, 1835, e notas sobre *R. punctulata* Thomson, 1868. **Rev. Bras. Entomol.**, **18(3)**: 93-99, 4 figs.
1974. A synopsis of Dr. Gilmour's synopsis of the tribe Aerenicini. **Studia Entomol.**, **17(1-4)**: 349-377, 20 figs.
1974. Sobre a designação de alguns lectótipos de longicórnios descritos em nota prévia em 1939. **Studia Entomol.**, **17(1-4)**: 378-382.
1974. Designação de lectótipos de algumas espécies de *Rhathymoscelis* Thomson, 1861. Descrição de uma nova espécie e separação de outras duas em gênero distinto. **Studia Entomol.**, **17(1-4)**: 513-532, 10 figs.
1974. Notas sinonímicas VIII. **Studia Entomol.**, **17(1-4)**: 533-541.
1975. Notas para uma revisão dos Anisocerini II. O gênero *Trigonoepplus* White, 1855. **Studia Entomol.**, **18(1-4)**: 383-400, 4 figs.

1976. Cerambycoidea Neotropica nova X. **Studia Entomol.**, **19(1-4)**: 451-460, 4 figs.
1977. *Grossmannia alphoides*, gen. n., sp. n. de Acanthoderini. **Anais Soc. Entomol. Brasil** **6(1)**: 3-6, 1 fig.
1977. Uma nova espécie de *Oncideres* Serville, 1835. **Rev. Agric.**, **52(4)**: 233-236, 1 fig.
1978. Novas espécies do gênero *Polyrhaphis* Serville, 1835. **Studia Entomol.**, **20(1-4)**: 63-74, 6 figs.
1978. Alguns esclarecimentos sobre a tribo Lissonotini. **Studia Entomol.**, **20(1-4)**: 75-88, 6 figs.
- LANE, F. & U. R. MARTINS. 1965. Nova espécie de *Coccoderus* Buquet, 1840. **Papéis Avulsos Dep. Zool.** **18(2)**: 17-20, 1 fig.
- LANE, F. & A. F. PROSEN. 1961. *Esmia seabrai* sp. nov. **Ann. Inst. Med. Reg.**, **5(3)**: 131-132, 1 fig.
- LANUZA-GARAY, A. 2022. A New Species of *Confluentia* Santos-Silva, Galileo & McClarin (Cerambycidae: Lamiinae: Colobotheini) from Panamá. **Faunitaxys**, **10(36)**: 1-3, 7 figures.
2023. A New Genus, New Species and New Country Records of Longhorned Beetles (Cerambycidae, Lamiinae) from Panama. **Faunitaxys** **11 (25)**: 1-5, 14 figures.
- LANUZA-GARAY, A., G. M. A. AGUILAR & E. MEDIANERO. 2021. Longhorned Beetles (Coleoptera: Cerambycidae and Disteniidae) Collected in the Canopy of a Dry Tropical Lowland Forest in Panama. **Coleop. Bull.** **75(3)**: 651-660, 2 figures.
- LANUZA-GARAY, A. L. CHERU, O. L. CHONG & A. SANTOS-MMUGRGAS. 2020. New Country Records of Leaf and Longhorn Beetles (Coleoptera: Chrysomeloidea) Collected in the Trogon Trail, Province of Colon, Panama. **Rev. Nic. Ent.** **210**: 1-21, 7 figures.
- LANUZA-GARAY, A., D. E. HERRERA, M. MARIN & A. SANTOS MURGAS. 2016. The Genus *Criodion* (Audinet-Serville, 1833) (Coleoptera, Cerambycidae): First Record for Panama. **Biodiversity Data Journal** **4**: 1-7, 2 figures.
- LANUZA-GARAY, A. & M. RIVERA. 2023. Description of a new species of *Sternacutus*, notes on *Pseudosparna iolandae* and *Trichotithonus curvatus*, new records and host plants in Acanthocinini (Coleoptera, Cerambycidae, Lamiinae) from Panama. **Faunitaxys** **11 (67)**: 1-6, 12 figures.
- LANUZA-GARAY, A. & A. SANTOS MURGAS. 2018. Escarabajos longicornios (Coleoptera: Cerambycidae y Disteniidae) del Parque Nacional Darién, Panamá. **Insecta Mundi** **0633**: 1–11, 7 figures.
- LAPLANTE, S. 2017. Description of a new Nearctic species of *Tragosoma* Audinet-Serville (Coleoptera: Cerambycidae: Prioninae), with species validations, new synonymies and a lectotype designation. **Insecta Mundi** **0578**: 1-17, 11 figures.
- LAPORTE, F. L. N. (Comte de Castelnau). 1832. Mémoire sur cinquante espèces nouvelles ou peu connues d'insectes. **Ann. Soc. Entomol. France**, (1)**1**: 386-415, 448.
1840. **Histoire Naturelle des Insectes Coléoptères. 2**: 1-563, 36 pls.
- LAPORTE, F. L. N. & H. L. GORY. 1836–37. *Monographie du genre Clytus*. Livraisons 8–11 in *Histoire naturelle et iconographie des insectes coléoptères, publié par monographies séparées*. J.B. Baillières, Paris. Pagination ? + 20 pls. [Publication of Livraison 8 noticed in Ann. Soc. Ent. France 5: LIV (July–August 1836); of Livraison 9 in Comptes rendus hebdomadaires des Séances de l'Académie des Sciences (Paris) 3: 498 (by 24 October 1836); of Livraison 10 in Ann. Soc. Ent. France 5: LXVII (by 21 December 1836); of Livraison 11 in Ann. Soc. Ent. France 6: XII (by 15 February 1837)].
- LARA, E. F. & P. D. SHENEFELT. 1964. Three new Costa Rica Cerambycidae collected on cacao. **Ann. Entomol. Soc. Amer.** **57**: 437-443, 14 figs.
1966. *Colobothea distincta* on cacao: Notes on its morphology and biology. **Ann. Entomol. Soc. Amer.**, **59(3)**: 453-458, 20 figs.
- LATREILLE, P. A. 1804. **Histoire Naturelle, Générale et Particulière des Crustacés et des Insectes**. Paris. Imprimerie de F. Dufart. **11**: 1-422, 3 pls.
1807. **Genera Crustaceorum et Insectorum secundum ordinem naturalem in familiis disposita, iconibus exemplisque plurimus explicata. Tomus tertius**. Amand Koenig, Paris & Argentorat. 258 p. + 1 unpag. p. [Nota bene].

1809. **Genera Crustaceorum et Insectorum.** Paris & Argentorat. Amand Koenig, **4**: 1-399.
1810. **Considérations générales sur l'ordre naturel des animaux composant les Classes des Crustacés, des Arachnides et des Insectes, avec un tableau méthodique de leurs genres, disposés en familles.** Schoell, 444 pp.
1811. Insectes de l'Amérique équinoxiale recueillis pendant le voyage de MM de Humboldt et Bonpland, in **Recueil d'observations de zoologie et d'anatomie comparée faites dans l'Océan Atlantique, dans l'intérieur du nouveau continent et dans la mer du sud pendant les années 1799, 1800, 1801, 1802 et 1803.** **1**: 127-252; **2**: 9-64.
1817. Crustacés, Arachnides et Insectes. in G. L. C. D. Cuvier, **Le Règne Animal distribué d'après son organization, pour servir de base à l'Histoire Naturelle des animaux, et d'introduction à l'Anatomie comparée**, **3**: [29] + 653 pp., 2 pls.
1825. **Familles naturelles du Règne Animal; exposées succinctement et dans un ordre analytique, avec l'indication de leurs genres.** 570 pp.
1829. Crustacés, Arachnides et Insectes. In Cuvier, G. L. C. D. **Le Règne Animal distribué d'après son organization, pour servir de base à l'histoire naturelle des animaux, et d'introduction à l'Anatomie comparée, deuxième édition**, **4**: 28 + 584 pp., 4 pls.
- LAZAREV, M.A. & S. V.MURZIN. 2019: A new species of the genus *Psilidognathus* Gray, 1831 (Coleoptera, Cerambycidae) from Colombia. **Humanity space International almanac** 8(4): 475-481, 5 figures.
- LEACH, W. E. 1815. **The zoological miscellany; being descriptions of new, or interesting animals.** London, **2**: 1-154, pls. 61-120.
- LEAVENGOOD, J. M. JR. & E. G. CHAPMAN. 2014. On the southeastern United States distribution of *Stictoleptura canadensis* (Olivier, 1795), *Leptura subhamata* Randall, 1838 (Coleoptera: Cerambycidae: Lepturinae) and *Heterosternuta cocheconis* (Fall, 1917) (Coleoptera: Dytiscidae: Hydroporinae). **Insecta Mundi** **0334**: 1-3.
- LeCONTE, J. E. 1824. Description of some new species of North American insects. **Ann. Lyc. Nat. Hist.**, **1**: 169-173.
- LeCONTE, J. L. 1845. Descriptions of some new and interesting insects, inhabiting the United States. **Boston J. Nat. Hist.**, **5**: 203-209, pl. 18
1847. Fragmenta entomologica. **J. Acad. Nat. Sci. Phila.**, **(2)1**: 71-93.
1850. General remarks upon the Coleoptera of Lake Superior. In Agassiz, **Lake Superior...**, pp. 201-242.
1850. An attempt to classify the longicorn Coleoptera of the part of America, north of Mexico. **J. Acad. Nat. Sci. Phila.**, **(2)1**: 311-340; **2**: 5-38.
1851. An attempt to classify the longicorn Coleoptera of the part of America, north of Mexico. **J. Acad. Nat. Sci. Phila.**, **(2)2**: 99-112.
1852. An attempt to classify the longicorn Coleoptera of the part of America, north of Mexico. **J. Acad. Nat. Sci. Phila.**, **(2)2**: 139-178.
1852. Remarks on some coleopterous insects collected by S. W. Woodhouse, M. D. in Missouri Territory and New Mexico. **Proc. Acad. Nat. Sci. Phila.**, **6**: 65-68.
1853. Descriptions of twenty new species of Coleoptera inhabiting the United States. **Proc. Acad. Nat. Sci. Phila.**, **6**: 226-235.
1854. Descriptions of some new Coleoptera from Texas, chiefly collected by the Mexican Boundary Commission. **Proc. Acad. Nat. Sci. Phila.**, **6**: 439-448.
1854. Descriptions of some new Coleoptera from Oregon, collected by Dr. J. G. Cooper on the North Pacific R. R. expedition under Gov. J. J. Stevens. **Proc. Acad. Nat. Sci. Phila.**, **7**: 16-20.
1854. Notice of some coleopterous insects, from the collection of the Mexican Boundary Commission. **Proc. Acad. Nat. Sci. Phila.**, **7**: 79-85.
1854. Some corrections in the nomenclature of Coleoptera found in the United States. **Proc. Acad. Nat. Sci. Phila.**, **7**: 216-220.
1857. In, **Report of Explorations and Surveys to ascertain the most practicable and economical route for a railroad from the Mississippi river to the Pacific Ocean.** Made under the Direction of the Secretary of War, in 1853-5, according to Acts of Congress of March 3, 1853, May 31, 1854 and August 5, 1854, **12**: 1-72, 2 pls.
1858. Catalogue of Coleoptera of the regions adjacent to the boundary line between the United States and Mexico. **J. Acad. Nat. Sci. Phila.**, **(2)4**: 9-42.
1858. Description of new species of Coleoptera chiefly collected by the United States and Mexican Boundary Commission, under Major W. H. Emory,

- U.S.A. **Proc. Acad. Nat. Sci. Phila.**, **10**: 59-89.
1859. The Coleoptera of Kansas and eastern New Mexico. **Smithson. Contr. Knowl.**, **11(6)**: 1-58.
1859. Descriptions of some genera and species of Coleoptera from the vicinity of the southern boundary of the United States of America. **Arcana Nat.**, **1**: 121-128, pls. 12, 13.
1859. Catalogue of the Coleoptera of Fort Tejon, California. **Proc. Acad. Nat. Sci. Phila.**, **11**: 69-90.
1859. Additions to the coleopterous fauna of northern California and Oregon. **Proc. Acad. Nat. Sci. Phila.**, **11**: 281-292.
1860. Notes on Coleoptera found at Fort Simpson, Mackenzie River, with remarks on northern species. **Proc. Acad. Nat. Sci. Phila.**, **12**: 315-321.
1861. Notes on the coleopterous fauna of Lower California. **Proc. Acad. Nat. Sci. Phila.**, **13**: 335-338.
1861. New species of Coleoptera inhabiting the Pacific District of the United States. **Proc. Acad. Nat. Sci. Phila.**, **13**: 338-359.
1862. Note on the classification of Cerambycidae with descriptions of new species. **Proc. Acad. Nat. Sci. Phila.**, **14**: 38-43.
1869. List of the Coleoptera collected in Vancouver's Island by Henry and Joseph Matthews with descriptions of some new species. **Ann. Mag. Nat. Hist.** (4)**4**: 368-385.
1870. Synonymical notes on North American Coleoptera. **Ann. Mag. Nat. Hist.** (4)**6**: 394-404.
1873. New species of North American Coleoptera. Prepared for the Smithsonian Institution. Part II. **Smithson. Misc. Coll'ns.**, **11(264)**: 169-238; (265): 279-348.
1874. On some changes in the nomenclature of North American Coleoptera, which have been recently proposed. **Can. Entomol.**, **6(10)**: 186-196.
1874. Descriptions of new Coleoptera chiefly from the Pacific slope of North America. **Trans. Amer. Entomol. Soc.**, **5**: 43-72.
1875. Descriptions of new Coleoptera of the United States with notes on geographical distribution. **Trans. Amer. Entomol. Soc.**, **5**: 169-176.
1876. New species of Coleoptera collected by the expeditions for geographical surveys west of the one hundredth meridian in charge of Lieut. Geo M. Wheeler, United States engineers. **Ann. Rep. Chief Engineers 1876(3)**: 516-520 (Appendix JJ annual rept. chief engineers for 1876, pp. 296-300).
1878. The Coleoptera of the alpine regions of the Rocky Mountains. **Bull. U. S. Geol. Geogr. Surv. Terr.**, **4(2)**: 447-480.
1878. Remarks on geographical distribution. In Schwarz, E. A., The Coleoptera of Florida. **Proc. Amer. Phil. Soc.**, **17**: 470-472.
1878. Descriptions of new species. In Hubbard & Schwarz, The Coleoptera of Michigan. **Proc. Amer. Phil. Soc.**, **17**: 593-626.
1879. The Coleoptera of the alpine regions of the Rocky Mountains. **Bull. U. S. Geol. Geogr. Surv. Terr.**, **5(3)**: 499-520.
1880. Short studies of North American Coleoptera. **Trans. Amer. Entomol. Soc.**, **8**: 163-218.
1880. Observations on the synonymy and habits of various Coleoptera of the United States. **Trans. Amer. Entomol. Soc.**, **8**: xxiii-xxiv.
1881. New Coleoptera. **Bull. Buffalo Soc. Nat. Hist.** **4(1)**: 27-28, 4 figs.
1884. Short studies of North American Coleoptera. No. 2. **Trans. Amer. Entomol. Soc.**, **12**: 1-32.
- LeCONTE, J. L. & G. H. HORN, 1883. Classification of the Coleoptera of North America. Prepared for the Smithsonian Institution. **Smithson. Misc. Coll'ns.**, **26(507)**: xxxvii + 1-567.
- LEECH, H. B. 1949. Introduction into British Columbia of Japanese Cerambycidae. **Proc. Entomol. Soc. British Columbia** **45**: 26.
1959. Notes on a few species of Pacific coast Cerambycidae. **Coleop. Bull.**, **13(2)**: 42-46.
1963. *Centrodera spurca* (LeConte) and two new species resembling it, with biological and other notes. **Proc. Calif. Acad. Sci.**, **32**: 149-218, 28 figs.
- LENG, C. W. 1884. Synopses of the Coleoptera (Cerambycidae). **Bull. Brooklyn Entomol. Soc.**, **7(1)**: 7-11; (4): 57-64, pl. 2; (7): 95-101; (8): 112-116.

1885. Synopses of the Coleoptera (Cerambycidae). **Bull. Brooklyn Entomol. Soc.**, **7(9)**: 117-119.
1885. Synopses of Cerambycidae. **Entomologica Amer.**, **1(2)**: 28-35, 2 pls.; (6): pl. III; (7): 130-136.
1886. Synopses of Cerambycidae. **Entomologica Amer.**, **2(2)**: 27-32; (3): 60-63, 2 pls.; (4): 81-83; (5): 102-103; (6): 118-120.
1887. Synopses of Cerambycidae. **Entomologica Amer.**, **2(10)**: 193-200; **3(1)**: 4-8; (2): 23-24; (3): 44.
1890. Synopses of Cerambycidae. **Entomologica Amer.**, **6(1)**: 9-13; (4): 65-69; (5): 97-98; (6): 104-110; (8): 156-160; (10): 185-200; (11): 213-214.
1918. *Microclytus* - a correction. **J. New York Entomol. Soc.**, **26(1)**: 8-10.
1920. **Catalogue of the Coleoptera of America, north of Mexico**. Mount Vernon, N.Y., John D. Sherman Jr., 470 pp.
- LENG, C. W. & J. HAMILTON. 1896. The Lamiinae of North America. **Trans. Amer. Entomol. Soc.**, **23**: 101-178.
- LENG, C. W. & A. J. MUTCHLER. 1914. A preliminary list of the Coleoptera of the West Indies as recorded to January 1, 1914. **Bull. Amer. Mus. Nat. Hist.**, **33**: 391-493.
1917. Supplement to preliminary list of the Coleoptera of the West Indies. **Bull. Amer. Mus. Nat. Hist.**, **37**: 191-220.
1927. **Supplement 1919 to 1924 (inclusive) to Catalogue of the Coleoptera of America, north of Mexico**. Mount Vernon, N. Y., John D. Sherman Jr., 78 pp.
1933. **Second and third supplement 1925 to 1932 (inclusive) to Catalogue of the Coleoptera of America, north of Mexico**. Mount Vernon, N. Y., John D. Sherman Jr., 112 pp.
- LEPELETIER, A. L. M. (Comte de Saint-Fargeau) & J. G. AUDINET-SERVILLE. 1825. In P. A. Latreille, **Encyclopédie méthodique, ou par ordre de matière, par un société de gens de lettres**. Entomologie, **10(1)**: 1-344.
1828. In P. A. Latreille, **Encyclopédie méthodique...**, Entomologie, **10(2)**: 345-832.
1830. In J. T. Lacordaire, Mémoire sur les habitudes des insectes coléoptères de l'Amerique méridionale. **Ann. Sci. Nat.**, **20**: 185-291; **21**: 149-194.
- LEPESME, P. 1943. Un remarquable cérambycide nouveau de Guyane. **Rev. Franç. Entomol.**, **9**: 135-137, 1 fig.
1946. Les Acrocinini. **Bull. Mus. Hist. Nat.**, **(2)17**: 488-492, 7 figs.
1950. Notes longicornesques. **Longicornia**, **1**: 587-590, 5 figs
1956. Notes longicornesques II. **Longicornia**, **3**: 771-773, 1 fig.
- LEPESME, P. & S. BREUNING. 1952. Note préliminaire sur la classification des coléoptères cérambycides. **Trans. IXth Intern. Congr. Entomol.**, **11**: 139-142.
- LEQUIEN (fils). 1833. [Descriptions]. **Mag. Zool.**, **3**: pl. 56-100.
1833. Amallopode. *Amallopodes*. Lequien [description]. *Magasin de Zoologie* 3. unpag. Classe IX, No 74.
- LESELEUC, A. de. 1844. *G. Amphionycha*. **Mag. Zool.**, **1844**: pl. 138, 2 pp.
- LE TIRANT, S. & R.LIMOGE. 2016. First record of *Onychocerus albitarsis* Pascoe, 1859 (Coleoptera: Cerambycidae: Lamiinae: Anisocerini) from Paraguay. **Dugesiana** **23(2)**: 120, 1 figure.
- LE TIRANT, S. & A. SANTOS-SILVA. 2014. A new species of Heteropalpini from Peru (Coleoptera: Cerambycidae: Disteniinae). **Insecta Mundi** **0351**: 1-5, 3 figures.
2014. A new species of *Elytrimitatrix* (*Grossefemora*) Santos-Silva & Hovore from Peru (Coleoptera: Cerambycidae: Disteniinae). **Insecta Mundi** **0391**: 1-5, 5 figures.
2015. New genus and species of Trachyderini (Coleoptera, Cerambycidae, Cerambycinae) from Peru. **Insecta Mundi** **0425**: 1-5, 8 figures.

2016. Two new Eburini from Mexico (Coleoptera, Cerambycidae, Cerambycinae). **Insecta Mundi** 0512: 1-8, 13 figures.
2019. New records of Neotropical Cerambycidae (Coleoptera). **Faunitaxys** 7(6): 1-8, 21 figures.
2023. Description of two new species of Cerambycidae (Coleoptera) and notes on *Macrodontia crenata* and *Deltaspis cyanipes*. **Faunitaxys** 11 (44): 1-13, 41 figures.
- LEWIS, A. E. 1976. A new species of *Evodinus* from Wyoming. **Pan-Pacific Entomol.**, 52(3): 227-228.
1977. The *Sternidius* of Arizona. **Pan-Pacific Entomol.**, 53(3): 195-203, 5 figs.
1979. A list of Cerambycidae from the Hualapai Mountains, Mojave Co., Arizona. **Pan-Pacific Entomol.**, 55(1): 21-26.
1986. The *Sternidius* of America north of Mexico. **Pan-Pacific Entomol.**, 62(3): 171-202, 17 figs.
2001. A new subspecies of *Typocerus balteatus* from West Texas (Lepturinae). **Occ. Pap. of the Cons. Coleop.**, 4(1): 11-12, 2 figs.
- LIN, M. & I. LOBL. 2022. On some grammatical errors in the nomenclature of longhorn beetles and on nomenclatural anarchy in the *Catalogue of Life* (Insecta, Coleoptera, Cerambycidae). **Bionomina** 26: 34-44.
- LIN, M. & G. L. TAVAKILIAN. 2023. Species nomina corrections in the Cerambycidae (Insecta, Coleoptera), concerning specific epithets based on letters used to refer to characters of taxa. **Bionomina**, 32: 1-9. [Date published: 31.VII.2023; <https://doi.org/10.11646/bionomina.32.1.1>]
- LINGAFELTER, S. W. 1998. The Genera of Elaphidiini Thomson 1864. **Mem. Entomol. Soc. Wash.**, 20. 118 pp., 142 figs.
1999. Redescription of *Linsleyonides* Skiles and inclusion of *Elaphidion portoricensis* Fisher. **Univ. Kansas Nat. Hist. Mus. Spec. Publ.** 24: 17-20, 9 figs.
2004. New species of *Stizocera* from Bolivia. **Zootaxa** 498: 1-11 (2004), Magnolia Press, 7 figs.
2007. Illustrated Key to the Longhorned Wodborring Beetles of the Eastern United States. **Coleopterists Society Special Publication** #3, 206 pages, 32 plates.
2008. Seven New Species of Elaphidiini (Coleoptera: Cerambycidae) From the Dominican Republic with Taxonomic Notes, New Country Records, and a Key to *Elaphidion* Audinet-Serville From Hispaniola. **Coleopt. Bull.** 62(3): 353-379, 15 figs.
- 2010 Methiini and Oemini (Coleoptera, Cerambycidae, Cerambycinae) of Hispaniola. **Coleopt. Bull.** 64(3): 265-269.
2010. New records of *Caribbomerus* from Hispaniola and Dominica with redescription of *C. elongatus* (Fisher) and a key to species of the genus in the West Indies (Coleoptera, Cerambycidae, Cerambycinae, Graciliini). **ZooKeys** 85: 27-39, 6 figures.
2011. New myrmecomorphous longhorned beetles from Haiti and the Dominican Republic with a key to Anaglyptini and Tillomorphini of Hispaniola (Coleoptera, Cerambycidae, Cerambycinae). **ZooKeys** 106: 55-75, 5 figures.
2013. Hispaniolan Hemilophini (Coleoptera, Cerambycidae, Lamiinae). **Zookeys** 258: 53-83, 9 figures.
2015. The Prioninae (Coleoptera: Cerambycidae) of Hispaniola, with Diagnoses, Descriptions of New Species, Distribution Records, and a Key for Identification. **Coleopt. Bull.** 69(3): 353-388, 17 figures.
2020. New genera, species, and records of Acanthocinini (Coleoptera: Cerambycidae: Lamiinae) from Hispaniola. **Insecta Mundi** 0754: 1-23, 10 figures.
2020. Review of species of *Anelaphus* Linsley and its new synonym *Gymnopsyra* Linsley from the United States and Canada with description of a new species, synonymies, distributional notes and an illustrated identification key (Coleoptera: Cerambycidae: Elaphidiini) **Insecta Mundi** 0798: 1-30, 29 figures.
2024. Resurrection of *Sphaenothecus cylindricollis* (Casey, 1924), former synonym of *Sphaenothecus bilineatus* (Gory, 1831) (Coleoptera: Cerambycidae: Cerambycinae: Trachyderini). **Pan-Pac Ent.** 100(1): 84-90, 5 figures
- LINGAFELTER, S. W. & J.A. CHEMSAK. 2002. A new species of *Enaphalodes* Haldeman from Florida, with review of genus, synonymy, and key to species. **Coleopt. Bull.**, 56(4): 569-581, 5 figs.

- LINGAFELTER, S. W. & N. V. HORNER. 1993. The Cerambycidae of north-central Texas. **Coleop. Bull.**, **47(2)**: 159-191, 7 figs.
- LINGAFELTER, S.W. & M.A. IVIE. 2004. Synonymies and Transfers in Elaphidiini Mostly Relating to the Genus *Elaphidion* Audinet-Serville (Coleoptera: Cerambycidae). **J. New York Ent. Soc.**, **112(2-3)**: 205-211, 1 fig.
2012. A New Genus of Mimetic Longhorned Beetle from St. Lucia, Lesser Antilles (Coleoptera: Cerambycidae: Rhinotragini). **Proc. Ent. Soc. Wash.** **115(3)**: 268-273, 3 figures.
- LINGAFELTER, S. W. & C.J. MICHELI. 2004. New species of Cerambycidae from Puerto Rico with records and notes for other species. **Journ. New York Entomol. Soc.**, **112(1)**: 37-55, 6 figs.
2009. The Genus *Leptostylopsis* of Hispaniola (Coleoptera, Cerambycidae, Acanthocini). **Zookeys** **17**: 1-55, 117 figures.
- LINGAFELTER, S. W., R. F. MORRIS, F. W. SKILLMAN & A. SANTOS-SILVA. 2021. A new genus *Cicatrishphaerion*, new species, new records, and redescrptions of Neotropical Cerambycidae (Coleoptera). **Insecta Mundi**, **0865**: 1-20, 34 figures.
- LINGAFELTER, S.W. & E. H. NEARNS. 2006. Rediscovery and Redescription of the Remarkable *Phoenixus sanguinipennis* Lacordaire (Coleoptera, Cerambycidae, Trachyderini) from the Dominican Republic. **Coleop. Bull.**, **60(3)**: 199-206, 4 figs.
2007. Five New Species of Longhorned Beetles (Coleoptera, Cerambycidae) from the Dominican Republic in Genera *Ataxia* Haldeman, *Atimiola* Bates, *Drycothaea* Thomson, *Eburia* Lepeletier & Audinet-Serville, and *Parahephaestion* Gahan. **Coleop. Bull.**, **61(2)**: 177-191, 2 figs.
2011. New Synonymy in Cuban *Tilloclytus* Bates (Coleoptera: Cerambycidae: Anaglyptini). **Coleopt. Bull.** **65(2)**: 153
- LINGAFELTER, S. W., E. H. NEARNS, G. L. TAVAKILIAN, M. A. MONNÉ & M. BIONDI. 2014. Longhorned Woodboring Beetles (Coleoptera: Cerambycidae and Disteniidae) Primary Types of the Smithsonian Institution. Smithsonian Institution Scholarly Press, Washington D.C.: v-xviii + 1-390, 187 figs.
- LINGAFELTER, S. W. & A. SANTOS-SILVA. 2018. New Central American and Mexican *Enaphalodes* Haldeman, 1847 (Coleoptera: Cerambycidae) with taxonomic notes and a key to species. **Pap. Avuls. Zool.** (58) e 20185811: 1-17, 56 figures.
- LINGAFELTER, S. W. & A. K. TISHECHKIN. 2017. Two new species of Parandrinae (Coleoptera: Cerambycidae) in the genera *Parandra* and *Acutandra* from South America. **Zootaxa** **4272(3)**: 401-410, 5 figures.
- LINGAFELTER, S. W., J. TOUROULT & J. HODECEK. 2024. A new species of *Eburia* (Coleoptera: Cerambycidae: Cerambycinae: Eburini) from the Dominican Republic. **Faunitaxys** **12 (7)**: 1-7, 5 figures.
- LINGAFELTER, S. W. & J. E. WAPPES. 2012. A new species of *Trichoxys* Chevrolat (Cerambycidae: Cerambycinae: Clytini), from Mexico with a key to the known species. **Pan-Pac Ent.** **88(2)**: 154-162, 4 figures.
2014. Two new species of *Compsosoma* Lacordaire from South America (Coleoptera: Cerambycidae: Lamiinae: Compsosomatini). **Proc. Entomol. Soc. Wash.** **116(3)**: 283-293, 4 figures.
- LINGAFELTER, S.W., WAPPES, J.E. & LEDEZMA ARIAS, J. 2017. Photographic guide to longhorned beetles of Bolivia. **Smithsonian Institution Scholarly Press, Washington. D. C.**, 260 pp.
- LINGAFELTER, S. W. & N. E. WOODLEY. 2007. A New Species of *Derancistrus* Audinet-Serville (Coleoptera, Cerambycidae: Prioninae) from the Dominican Republic with Notes on Other Species of Prioninae from Hispaniola. **Coleop. Bull.**, **61(2)**: 165-175, 3 figs.
2024. New species, new combinations, synonymies, and nomenclatural discussion for Hispaniolan longhorned beetles (Coleoptera: Disteniidae, Cerambycidae). **Insecta Mundi** **1069**: 1-41, 30 figures
- LINNAEUS, C. (Carl von Linné). 1758. **Systema Naturae per regna tria naturae secundum classes, ordines, genera, species. cum characteribus, differentiis, synonymis, locis.** (ed. 10). Holmiae. Laur. Salvius. **1**: iii + 824 pp.
1761. **Fauna Suecica sistens animalia Sueciae regni: Mammalia, Aves, Amphibia, Pisces, Insecta, Vermes. Distributa per classes et ordines, genera et species, cum differentiis specierum, synonymis auctorum, nominibus incolarum, locis natalium, descriptionibus insectorum.** (ed. 2). Holmiae. Laur. Salvius. [46] - 578 pp., 2 pls.
1764. **Museum Suae Regiae Majestatis Ludovicae Ulricae Reginae Svecorum, Gothorum, Vandalorumque. In quo animalia rariora, exotica,**

imprimis insecta et conchilia describuntur et determinantur, prodromi instar editum. Holmiae. Laur. Salvius. viii + 720 pp.

1767. **Systema Naturae...editio duodecima reformata.** Holmiae, Laur. Salvius. **1(2)**: 533-1327.

LINELL, M. L. 1896. In F. H. Chittenden & M. L. Linell, A pod-inhabiting longicorn found at the Columbian Exposition. **Proc. Entomol. Soc. Wash.**, **4**: 42-43.

1897. Descriptions of new species of North American Coleoptera in the families Cerambycidae and Scarabaeidae. **Proc. U. S. Nat. Mus.**, **19(1113)**: 393-401.

1898. On the coleopterous insects of Galápagos Islands. **Proc. U. S. Nat. Mus.**, **21(1143)**: 249-268.

LINSLEY, E. G. 1930. New *Pogonocherus* and *Ecyrus* with notes concerning others. **Pan-Pacific Entomol.**, **7(2)**: 77-90, 2 figs.

1931. A correction. **Pan-Pacific Entomol.**, **7(3)**: 106.

1931. A new species of *Molorchus* from California. **Pan-Pacific Entomol.**, **8(1)**: 37-38.

1932. Notes and descriptions of some new and old genera and species of North American Oemini and Methiini. **Pan-Pacific Entomol.**, **8(3)**: 112-122, 1 pl.

1933. A new species of *Monochamus* from California. **Can. Entomol.**, **65**: 118-119.

1933. New longicorn beetles of the subfamily Lamiinae. **Bull. Brooklyn Entomol. Soc.**, **28(5)**: 183-185.

1933. Two interesting new records. **Pan-Pacific Entomol.**, **9(2)**: 92.

1933. A new species of *Neoclytus* from white fir. **Pan-Pacific Entomol.**, **9(2)**: 93-94.

1933. A new longicorn beetle from Central America. **Pan-Pacific Entomol.**, **9(3)**: 131-132.

1933. A note on *Cosmotoma sertifer* Serv. **Pan-Pacific Entomol.**, **9(3)**: 132.

1933. A European longicorn new to California. **Pan-Pacific Entomol.**, **9(4)**: 170.

1934. A short review of the genus *Atimia*, with the description of two new species. **Pan-Pacific Entomol.**, **10(1)**: 23-26.

1934. Studies in the Cerambycidae of Lower California. **Pan-Pacific Entomol.**, **10(2)**: 59-63.

1934. Notes and descriptions of some Cerambycidae from the Tres Marías Islands. **Pan-Pacific Entomol.**, **10(3)**: 107-110.

1934. A new species of *Mallocera* from the British West Indies. **Bull. Brooklyn Entomol. Soc.**, **29(5)**: 198-199.

1934. Some new longicorn beetles from British Honduras. **Psyche**, **41(4)**: 233-235.

1934. A new genus and several new species of Neotropical Rhinotragine beetles. **Rev. Entomol.**, **4(3)**: 345-351.

1934. Notes and descriptions of West American Cerambycidae. **Entomol. News**, **45(6)**: 161-165; (7): 181-185.

1935. Studies in the Longicornia of Mexico. **Trans. Amer. Entomol. Soc.**, **61**: 67-102, 1 fig., 1 pl.

1935. Notes and descriptions of new or little known neotropical Sphaerionini. **Rev. Entomol.**, **5(2)**: 139-149.

1935. Notes and descriptions of new or little known neotropical Iridionini. **Rev. Entomol.**, **5(4)**: 479-486, 4 figs.

1935. Notes and descriptions of West American Cerambycidae. II. **Entomol. News**, **46(6)**: 161-166, 4 figs.

1935. Cerambycidae from the Revillagigedo Islands, Mexico. **Pan-Pacific Entomol.**, **11(2)**: 72-74, 2 figs.

1935. New species of neotropical longicorn beetles. **Stylops**, **4(5)**: 109-113.

1935. A revision of the Pogonocherini of North America. **Ann. Entomol. Soc. Amer.**, **28**: 73-103, 1 pl.

1936. Preliminary studies in the North American Phoracanthini and Sphaerionini. **Ann. Entomol. Soc. Amer.** **29**: 461-479, 1 pl.
1937. Notes and descriptions of West American Cerambycidae III. **Entomol. News**, **48**: 63-69, 1 fig.
1938. Synonymical notes on some North American Cerambycidae. **Pan-Pacific Entomol.**, **14**(3): 105-109.
1939. The longicorn tribe Atimiini. **Bull. So. Calif. Acad. Sci.**, **38**(2): 63-80, 1 pl.
1940. A reclassification of the tribe Oabriini of LeConte. **J. New York Entomol. Soc.** **48**: 367-377.
1940. A generic revision of the tribe Methiini. **Bull. So. Calif. Acad. Sci.**, **39**(1): 28-38.
1940. The California species of the genus *Tragidion*. **Pan-Pacific Entomol.**, **16**(3): 135-137.
1940. Notes and descriptions of West American Cerambycidae IV. **Entomol. News**, **51**(9): 253-258; (10): 285-290, 2 figs.
1940. The origin and distribution of the Cerambycidae of North America, with special reference to the fauna of the Pacific slope. **Proc. 6th Pacific Sci. Congr.**, **4**: 269-282, 3 maps.
1940. Notes on *Oncideres* twig girdlers. **J. Econ. Entomol.**, **33**(3): 561-563.
1940. A revision of the North American Necydalini. **Ann. Entomol. Soc. Amer.**, **33**(2): 269-281.
1942. Contributions toward a knowledge of the insect fauna of Lower California No. 2., Coleoptera, Cerambycidae. **Proc. Calif. Acad. Sci.**, **(4)24**: 21-96, 2 pls.
1942. A new species of *Callidium* from the coast redwood, *Sequoia sempervirens*. **Pan-Pacific Entomol.**, **18**(4): 192.
1942. A review of the fossil Cerambycidae of North America. **Proceedings of the New England Zoological Club** **21**: 17-42.
1943. New species of *Crossidius* from western North America. **Entomol. News**, **54**(7): 147-149.
1949. A new species of *Stizocera* from Florida. **Pan-Pacific Entomol.**, **25**(4): 153-154.
1955. Notes and descriptions of some species of *Crossidius*. **Pan-Pacific Entomol.**, **31**(2): 63-66.
1957. Some new genera and species of North American Cerambycidae. **Can. Entomol.**, **89**(6): 283-287.
1957. Descriptions and records of some Cerambycidae from Baja California. **Bull. So. Calif. Acad. Sci.**, **56**(2): 85-87.
1957. New *Crossidius* from California. **J. Kansas Entomol. Soc.**, **30**(2): 42-44.
1957. Descriptive and synonymical notes on some North American Cerambycidae. **Amer. Mus. Novit.**, **1828**: 1-21.
1957. New subspecies of Cerambycidae mostly from southwestern United States. **Coleop. Bull.**, **11**: 33-36.
1957. Cerambycidae from Mexico and southwestern United States. **Coleop. Bull.**, **11**: 37-39.
1957. New longicorn beetles from Texas. **Entomol. News**, **6**(6): 159-161.
1957. A new species of *Callidium* from juniper. **Pan-Pacific Entomol.**, **33**(1): 33-34.
1958. An addition to the known cerambycid fauna of the Revillagigedo Archipelago. **Bull. So. Calif. Acad. Sci.**, **57**(1): 49-50, 1 fig.
1958. Geographical origins and phylogenetic affinities of the cerambycid beetle fauna of Western North America. **Zoogeography**, **158**: 299-320.
1959. A new subspecies of *Tragosoma* from southeastern Arizona. **Pan-Pacific Entomol.**, **35**(3): 127-128.
1961. The Cerambycidae of North America. Part I. Introduction. **Univ. Calif. Publ. Entomol.**, **18**: 1-97, 35 pls.
1961. A new Rhinotrachine cerambycid from Arizona and Sonora. **Entomol. News**, **72**(6): 163-165.

1961. A new species of *Isthmiade* from Barro Colorado Island, Canal Zone. **Proc. Entomol. Soc. Wash.**, **63(1)**: 65-66, 1 fig.
1961. The North and Central American species of *Euryptera* and a related new genus. **J. New York Entomol. Soc.**, **69**: 131-141, 1 fig.
1961. Taxonomic notes on some Mexican and Central American Elaphidionine Cerambycidae. **Bull. Brooklyn Entomol. Soc.**, **56(2)**: 32-43.
1961. A review of the Pteroplatini of North and Central America. **Pan-Pacific Entomol.**, **37(1)**: 1-15, 1 pl.
1961. A reclassification of the described Mexican and Central American Sphaerionine Cerambycidae. **Pan-Pacific Entomol.**, **37(3)**: 165-183.
1962. The Cerambycidae of North America. Part II. Taxonomy and classification of the Parandrinae, Prioninae, Spondyliinae and Aseminae. **Univ. Calif. Publ. Entomol.**, **19**: 1-102, 1 pl., 34 figs.
1962. The Cerambycidae of North America. Part III. Taxonomy and classification of the subfamily Cerambycinae, tribes Opsimini through Megaderini. **Univ. Calif. Publ. Entomol.**, **20**: 1-188, 56 figs.
1962. Synopsis of the genus *Elytroleptus* Dugés. **Fol. Entomol. Mex.**, **3**: 1-13, 1 pl.
1963. The Cerambycidae of North America. Part IV. Taxonomy and classification of the subfamily Cerambycinae, tribes Elaphidionini through Rhinotragini. **Univ. Calif. Publ. Entomol.**, **21**: 1-165, 52 figs.
1963. The characteristics and history of the North American Fauna: Longhorned beetles. **Proc. XVI Int. Congr. Zool.**, p. 28-33.
1964. The Cerambycidae of North America. Part V. Taxonomy and classification of the subfamily Cerambycinae, tribes Callichromini through Ancylocerini. **Univ. Calif. Publ. Entomol.**, **22**: 1-197, 60 figs., 1 pl.
1967. A new genus of Cerambycidae near *Pleuromenus* Bates. **Pan-Pacific Entomol.** **43(2)**: 168-171, 1 fig.
1970. New genera and species in the Lepturine complex related to *Euryptera* and *Choriolaus*. **Pan-Pacific Entomol.**, **46(2)**: 128-141, 4 figs.
1977. Insects of the Galápagos (Supplement). **Occ. Pap. Calif. Acad. Sci.**, **125**: 1-50.
- LINSLEY, E. G. & J. A. CHEMSAK. 1961. A distributional and taxonomic study of the genus *Crossidius*. **Misc. Publ. Entomol. Soc. Amer.**, **3(2)**: 25-64, 3 pls., 5 maps.
1963. Some new North American Cerambycidae. **Pan-Pacific Entomol.**, **39(3)**: 207-212.
1966. Cerambycidae of the Galápagos Islands. **Proc. Calif. Acad. Sci.** (4) **33(8)**: 197-236, 28 figs., 5 tbls.
1966. Cerambycidae of Cocos Island. **Proc. Calif. Acad. Sci.** (4) **33(9)**: 237-248, 8 figs.
1966. Cerambycidae of the Revilla Gigedo Islands. **Proc. Calif. Acad. Sci.** (4) **33(10)**: 249-254, 1 tbl.
1971. An attempt to clarify the generic status of some Neotropical species currently assigned to *Euryptera*, *Chontalia* and *Ophistomis*. **Arq. Zool.**, **21(1)**: 1-40.
1972. Cerambycidae of North America. Part VI, No. 1. Taxonomy and classification of the subfamily Lepturinae. **Univ. Calif. Publ. Entomol.**, **69**: viii + 138 pp, 41 figs., 2 pls.
1974. Cerambycidae collected in the Galápagos Islands by Robert Silberglied. **Pan-Pacific Entomol.**, **50(3)**: 303-304.
1976. Cerambycidae of North America. Part VI, No. 2. Taxonomy and classification of the subfamily Lepturinae. **Univ. Calif. Publ. Entomol.**, **80**: ix + 186 pp., 50 figs.
1976. XXXI. Galapagos Cerambycidae. Mission zoologique belge aux îles Galapagos et en Ecuador. **3**: 317-321.
1984. The Cerambycidae of North America, Part VII, No. 1. Taxonomy and Classification of the Subfamily Lamiinae, Tribes Parmenini through Acanthoderini. **Univ. Calif. Publ. Entomol.**, **102**: ix + 258 pp., 57 figs.
1995. The Cerambycidae of North America, Part VII, No. 2. Taxonomy and Classification of the Subfamily Lamiinae, Tribes Acanthocinini through Hemilophini. **Univ. Calif. Publ. Entomol.**, Berkeley, **114**: xi + 292 pp., 55 figs.

- LINSLEY, E. G., J. N. KNULL & M. STATHAM. 1961. A list of Cerambycidae from the Chiricahua Mountain area, Cochise County, Arizona. **Amer. Mus. Novit.**, **2050**: 1-34, 24 figs.
- LINSLEY, E. G. & J. O. MARTIN. 1933. Notes on some longicorns from subtropical Texas. **Entomol. News**, **44**: 178-183.
- LINSLEY, E.G. & E.S. ROSS. 1940. Records of Some Coleoptera from the San Jacinto Mountains, California. **Pan-Pac Ent.** **16(1)**: 75-76
- LINSLEY, E. G. & R. L. USINGER. 1966. Insects of the Galápagos Islands. **Proc. Calif. Acad. Sci.**, (4)**33**: 113-196, 1 tbl.
- LOBL, I & A. SMETANA editors. 2010. Catalogue of Palaearctic Coleoptera Volume 6 Chrysomeloidea. Cerambycidae pp. 84-334. Apollo books. [Date published: 22.II.2010]
- LUCAS, P. H. 1851. Un Longicorne de la famille des Prionites, qui constitue une espèce nouvelle dans ce genre. **Bull. Soc. Entomol. France**, **1851**: lxxv-lxxvii.
1851. *Sympiezocera*. **Bull. Soc. Entomol. France**, **1851**: cvic-vii.
1853. Note sur nouveau genre de la famille des longicornes (*Sympiezocera*) qui habite les possessions françaises du nord de l'Afrique. **Revue Mag. Zool.**, (2)**5**: 25-30, 1 pl.
1859. *Animaux nouveaux ou rares recueillis pendant l'expédition dans les parties centrales de l'Amérique du Sud, de Rio de Janeiro à Lima, et de Lima au Para; exécutée par ordre du gouvernement français pendant les années 1843 à 1847, sous la direction de comte Francis de Castelnau. Tome troisième. Entomologie.* P. Bertrand, Paris. 204 pages + 20 pls. [see Bousquet (2016: 351–352) for publication date]
1861. Description du *Mallaspis Moreletii* (mâle). **Bull. Soc. Entomol. France**, **1861**: civ.
- LYONS-YERION, C. D., J. D. BARBOUR, F. W. MERICKEL & S. P. COOK. 2020. First Report of *Centrodera dayi* Leech, 1963 and *Phymatodes vulneratus* (LeConte, 1957) (Coleoptera: Cerambycidae), in Idaho, U.S.A. **Pan-Pac Ent** **96(2)**: 91-92.
- MA, Y. & J-Y. ZHANG. 2023. The Phylogenetic Relationship of Lamiinae (Coleoptera: Cerambycidae) Using Mitochondrial Genomes. **Genes** **15 (13)**: 1-20, 4 figures.
- MACHADO, V. S. & M. L. MONNÉ. 2009. Revision of the genus *Cosmotomidius* Melzer (Coleoptera, Cerambycidae, Lamiinae). **Rev. Bras. Ent.**, **53(3)**: 331-333, 6 figs.
2009. Synopsis of the genus *Meridiotroctes* Martins & Galileo (Coleoptera, Cerambycidae). **Zootaxa** **2261**: 66–68, 5 figs.
2011. Synopsis of *Zikanita* Lane (Coleoptera: Cerambycidae: Lamiinae). **Zootaxa** **2795**: 65–68, 5 figures.
2011. Revision of *Anoreina* Bates (Coleoptera: Cerambycidae: Lamiinae). **Zootaxa** **2970**: 1-32, 111 figures.
2013. The genus *Macronemus* Dejean, 1835 (Insecta: Coleoptera: Cerambycidae: Lamiinae): two new species, new records and a new synonymy. **Zootaxa** **3693**: 163-181, 51 figures.
- MacKAY, W. P., J. C. ZAK & F. T. HOVORE. 1987. Cerambycid beetles of the northern Chihuahuan desert (South central New Mexico). **Coleop. Bull.**, **41(4)**: 361-369.
- MacRAE, T. C. 1993. Annotated checklist of the longhorned beetles (Cerambycidae and Disteniidae) occurring in Missouri. **Insecta Mundi**, **7(4)**: 223-252, 1 fig.
2000. Review of the genus *Purpuricenus* Dejean in North America. **Pan-Pacific Entomol.**, **76(3)**: 137-169, 13 figs.
2001. Correction to holotype deposition of *Purpuricenus linsleyi* Chemsak. **Pan-Pacific Entomol.**, **77(4)**: 281.
- MacRAE, T. C., L. G. BEZARK, & I. SWIFT. 2012. Notes on distribution and host plants of Cerambycidae (Coleoptera) from Southern Mexico. **Pan-Pac Ent.** **88(2)**: 173-187.
- MAES, J.- M. , A. ALLEN, M. A. MONNÉ & F. T. HOVORE. 1994. Catálogo de los Cerambycidae de Nicaragua. **Rev. Nicar. Entomol.**, 1994 (27): 1-58.

- MAGNO, P. R. 1987. Duas novas espécies do gênero *Periboeum* Thomson, 1864 (Elaphidionini). **Rev. Bras. Entomol.**, **31(3)**: 431-434, 2 figs.
1992. Sinopse do gênero *Phespia* Bates, 1873 (Rhinotragini). **Rev. Bras. Entomol.**, **36(4)**: 787-790, 4 figs.
1995. Gênero *Tomopterus* Audinet-Serville, 1833 (Rhinotragini): Descrições, Chave para as espécies e nova combinação. **Rev. Bras. Entomol.**, **39(3)**: 553-566, 5 figs.
2001. Sinonímia e duas espécies novas de *Odontocera* Audinet-Serville, 1833 (Rhinotragini). **Bol. do Museu Nacional, Zool.**, **449**: 1-6, 2 figs.
2001. Gênero novo e espécies nova de Rhinotragini. **Bol. do Museu Nacional, Zool.**, **451**: 1-6, 10 figs.
- MAGNO, P. R. & M. A. MONNÉ. 1990. Gênero *Eumimesis* Bates, 1866, duas novas espécies e chave para identificação (Gryllicini). **Rev. Bras. Entomol.**, **34(2)**: 453-456, 4 figs.
- MANLEY, G. V. & J. V. FRENCH. 1977. A *Neoclytus* new to the United States. **Entomol. News**, **88(1-2)**: 39-40, 1 fig.
- MANNERHEIM, C. G. von. 1825. Novae coleopterorum species imperii Rossici incolae descriptae, in Hummel, **Essais entomologiques**, **1(4)**: 19-41.
1843. Beitrag zur Käferfauna der Aleutischen Inseln und der Insel Sitka und Neu-Californiens. **Bull. Soc. Imp. Natur. Moscou**, **16(1)**: 175-314.
1846. Nachtrag zur Käfer-Fauna der Aleutischen Inseln und der Insel Sitka. **Bull. Soc. Imp. Natur. Moscou**, **19(1)**: 501-516.
1852. Zweiter Nachtrag zur Käfer-Fauna der Nord-Amerikanischen Länder des Russischen Reiches. **Bull. Soc. Imp. Natur. Moscou**, **25(2)**: 283-387.
1853. Dritter Nachtrag zur Käfer-Fauna der Nord-Amerikanischen Länder des Russischen Reiches. **Bull. Soc. Imp. Natur. Moscou**, **26(2)**: 96-273.
- MARAZZI, G., M. PAVISI & V. MARAZZI. 2008. Genus *Macrodonia* (Coleoptera, Cerambycidae, Prioninae) Catalog Iconographico con descrizione di una nuova specie. **Natura Edizioni Scientifiche**: 1-48, 35 figs.
- MARINONI, R. C. 1969. Revisão do gênero *Taurorcus*. **Rev. Floresta**, **1**: 51-63, 15 figs. 1 pl.
1970. Notas complementares sobre o gênero *Taurorcus* com a descrição de *T. mourei* Bol. Univ. Fed. Paraná, (Zool.) **3(14)**: 289-292, 6 figs.
1972. Esboço monográfico do gênero *Tapeina* Lep. & Serv., 1828. **Bol. Univ. Fed. Paraná, (Zool.)** **5(1)**: 1-76, 67 figs., 7 pls.
1974. *Piola quiabentiae*, gen. n., sp. n. do noroeste argentino (Phacellini). **Rev. Bras. Entomol.**, **18(3)**: 85-92, 9 figs.
1977. Some genera of Lamiinae and their type-species. **Dusenía**, **10(1)**: 37-55.
1977. Algumas notas sobre os gêneros *Estoloderces* Melzer, 1928 e *Lypsemina* LeConte, 1852 (Lamiinae). **Dusenía**, **10(4)**: 217-219.
1978. Nova espécie do gênero *Falsamblesthis* Breuning, 1959 (Lamiinae). **Rev. Bras. Entomol.**, **22(2)**: 91-94, 2 figs.
- MARINONI, R. C. & C. M. DALOSSI. 1971. Revisão do gênero *Myoxomorpha* White, 1855 **Arq. Mus. Nac.**, **54**: 185-192, 2 pls.
- MARINONI, R. C. & U. R. MARTINS. 1978. Notas sinonímicas e novas espécies em Acanthoderini. **Papéis Avulsos Zool.**, **31(11)**: 173-193, 11 figs.
1982. Notas e descrições em *Cacostola* Fairm. & Germ., 1859 (Onciderini). **Rev. Bras. Entomol.**, **26(3-4)**: 247-251, 3 figs.
- MARINONI, R. C. & D. S. NAPP. 1984. Thyrsiini, uma nova tribo para Cerambycinae. **Rev. Bras. Entomol.**, **28(1)**: 39-49, 22 figs.
- MARINONI, R. C. L.M. de ALMEIDA, D.S. NAPP, & G.H. ROSADO-NETO. 1992. Primeira Lista do Material-Tipo de Coleoptera da Colecao de Entomologia PE. J.S. Moure, do Departamento de Zoologia da Universidade Federal do arana. **Rev. Bras. Zoo.** **9(1/2)**: 99-126.
- MARQUA, D. G. 1975. Notes on Cerambycidae: description of the female of *Malobidion brunneum* Schaeffer. **Pan-Pacific Entomol.**, **51(4)**: 317.
1976. A new record of Purpuricene cerambycid from America, north of Mexico. **Pan-Pacific Entomol.**, **52(1)**: 37.
1976. A new record of Acanthocinine cerambycid from America north of Mexico. **Pan-Pacific Entomol.**, **52(2)**: 137.
- MARQUES, M. I. 1994. *Dirocoremia*, subgen. n. de *Coremia* Audinet-Serville (Compsocerini). **Rev. Bras. Zool.**, **11(2)**: 311-324, 42 figs.
1994. *Merocoremia Monnéi*, gen. n., sp. n. de Compsocerini. **Rev. Bras. Zool.**, **11(2)**: 345-353, 36 figs.

- MARQUES, M. I., G. BRIZZOLA dos SANTOS, L. D. BATTIROLA. 2014. Cerambycidae (Insecta, Coleoptera) Associados à *Vochysia divergens* Pohl (Vochysiaceae) na Região Norte do Pantanal de Mato Grosso, Brasil. **EntomoBrasilis** 7 (2): 159-160.
- MARQUES, M. I. & D. S. NAPP. 1996. Revisão e transferência para Rhopalophorini dos gêneros *Coremia* A.-Serville, 1834 e *Merocoremia* Marques, 1994. **Rev. Bras. Entomol.**, 40(3/4): 379-423, 227 figs.
2003. Análise cladística da tribo Rhopalophorini Blanchard, 1845. **Rev. Bras. Entomol.**, 47(4): 491-545, 302 figs.
- MARSEUL, S. A. 1856. Diagnoses d'espèces nouvelles qui seront décrites et figurées prochainement. **Entomol. Revue Mag. Zool.**, (2)8: 47-48.
- MARTIN, J. O. 1919. Notes on the occurrence of *Schizax senex* in California. **Entomol. News**, 30(8): 231-232.
1920. A new California *Methia*. **Can. Entomol.**, 52(7): 215-216.
1924. Studies in the genus *Mecas*. **Entomol. News**, 35(1): 244-245.
1930. Two new coleopterous insects from Arizona. **Pan-Pacific Entomol.**, 7(2): 70-72.
- MARTÍNEZ, C. 2000. Escarabajos longicornios de Colombia. **Biota Colombiana**, 1(1): 76-105.
- MARTINEZ-HERNANDEZ, J. G., M. ROS, O. PEREZ-FLORES & V. H. TOLEDO-HERNANDEZ. 2024. Checklist of the Cerambycidae (Coleoptera: Chrysomeloidea) of Oaxaca, Mexico. **Zootaxa**, 5405(2): 185-208, 28 figures.
- MARTINS, U. R. 1959. Ibidionini I. Gêneros de escapo cicatricoso. **Papéis Avulsos Dep. Zool.**, 13(22): 265-273, 3 pls.
1959. Ibidionini II. O gênero *Sydax* Lacordaire. **Papéis Avulsos Dep. Zool.**, 13(24): 297-302, 2 pls.
1959. Ibidionini III. Notas sobre o gênero *Tetroplon* Aurivillius. **Papéis Avulsos Dep. Zool.**, 13(28): 321-327, 2 pls.
1959. Ibidionini IV. Comentários, redescrição e espécies novas do gênero *Hexoplon* Thomson. **Papéis Avulsos Dep. Zool.**, 13(30): 339-349, 1 pl.
1960. Ibidionini V. Comentários e descrição de novas espécies do gênero *Gnomidolon* Thomson. **Papéis Avulsos Dep. Zool.**, 14(1): 1-10.
1960. Ibidionini VI. Gêneros de corpo parcialmente sericeo-piloso. **Papéis Avulsos Dep. Zool.**, 14(3): 17-29, 14 figs.
1960. Ibidionini VII. Gênero *Phormesium* Thomson - Breves comentários e espécies novas. **Papéis Avulsos Dep. Zool.**, 14(6): 53-56, 13 figs.
1960. Ibidionini VIII. Sobre duas espécies do gênero *Cycnidolon* Thomson. **Papéis Avulsos Dep. Zool.**, 14(8): 71-74, 11 figs.
1960. Ibidionini IX. Novas espécies do gênero *Octoplon*. **Papéis Avulsos Dep. Zool.**, 14(10): 85-92, 10 figs.
1960. Ibidionini X. Novas espécies do gênero *Ibidion* Serville. **Papéis Avulsos Dep. Zool.**, 14(11): 93-98, 3 figs.
1960. Ibidionini XI. Gêneros de pronoto enrugado. **Papéis Avulsos Dep. Zool.**, 14(13): 105-113, 11 figs.
1960. Ibidionini XII. Gêneros cujas espécies possuem olhos largamente separados na parte superior da cabeça. **Papéis Avulsos Dep. Zool.**, 14(14): 115-119, 5 figs.
1960. Ibidionini XIII. Sobre um novo gênero e uma nova espécie. **Papéis Avulsos Dep. Zool.**, 14(17): 153-155, 4 figs.
1960. Ibidionini XIV. Novas espécies dos gêneros *Heterachthes* e *Octoplon*. **Papéis Avulsos Dep. Zool.**, 14(19): 173-182, 11 figs.
1961. Ibidionini XVI. Gêneros com antenas de doze artículos. **Papéis Avulsos Dep. Zool.**, 14(21): 187-191, 9 figs.
1962. Ibidionini XV. Novas espécies, notas sinonímicas, redesccrições. **Papéis Avulsos Dep. Zool.**, 14(30): 267-310, 41 figs.
1962. Ibidionini XVII. Redesccrições e espécies novas. **Papéis Avulsos Dep. Zool.**, 15(1): 1-14, 17 figs.
1962. Ibidionini XIX. Gênero *Ibidion* Serville: espécies próximas de *signatum* Serv. **Papéis Avulsos Dep. Zool.**, 15(5): 49-62, 15 figs.
1962. Ibidionini XX. Descrições, redesccrições e novas combinações. **Papéis Avulsos Dep. Zool.**, 15(10): 91-110, 9 figs.

1962. Ibidionini XVIII. Redescrições e espécies novas. **Papéis Avulsos Dep. Zool.**, **15(13)**: 127-162, 39 figs.
1964. Ibidionini XXI. **Papéis Avulsos Dep. Zool.**, **16(14)**: 129-143, 11 figs.
1964. Ibidionini XXII. Trans.ferência de espécies de Ibidionini para Achrysonini. **Papéis Avulsos Dep. Zool.**, **16(18)**: 191-197, 2 figs.
1964. Ibidionini XXIII. Sobre *Ibidion maronicum* Thomson, 1867, espécie polimórfica. **Papéis Avulsos Dep. Zool.**, **16(20)**: 207-212, 1 fig.
1964. Heteropsini I. Nova espécie de *Chrysoprasis* Serville. **Rev. Bras. Entomol.**, **11**: 53-55, 1 fig.
1965. Ibidionini XXIV. Divisão do gênero *Compsa* Perty, 1832. **Papéis Avulsos Dep. Zool.**, **17(9)**: 89-107.
1965. Ibidionini XXV. *Ophthalmoplon*, novo gênero, com cinco novas espécies. **Papéis Avulsos Dep. Zool.**, **17(12)**: 119-129, 15 figs.
1965. Ibidionini XXVI. Ibidionini do Riksmuseum, Stockholm. **Papéis Avulsos Dep. Zool.**, **17(15)**: 201-217, 8 figs.
1967. Monografia da tribo Ibidionini. Parte I. **Arq. Zool.**, **16(1)**: 1-320, 180 figs.
1967. Notas sobre Cerambycinae. **Papéis Avulsos Zool.**, **21(5)**: 43-53, 3 figs.
1968. Monografia da tribo Ibidionini. Parte II. **Arq. Zool.**, **16(2)**: 321-630, figs. 181-347.
1968. Notas sobre Cerambycinae II. **Papéis Avulsos Zool.**, **22(3)**: 13-30, 8 figs.
1969. Monografia da tribo Ibidionini. Parte III. **Arq. Zool.**, **16(3)**: 631-877, figs. 348-454.
1970. Monografia da tribo Ibidionini. Parte IV. **Arq. Zool.**, **16(4)**: 879-1149, figs. 455-586.
1970. Monografia da tribo Ibidionini. Parte V. **Arq. Zool.**, **16(5)**: 1151-1342, figs. 587-683.
1970. Notas sobre Cerambycinae III. **Papéis Avulsos Zool.**, **23(4)**: 45-48, 1 pl.
1970. Notas sobre Cerambycinae V. Novo gênero de Smodicini. **Rev. Bras. Entomol.**, **14(6)**: 47-49, 3 figs.
1971. Monografia da tribo Ibidionini. Parte VI. **Arq. Zool.**, **16(6)**: 1343-1508, figs. 684-710.
1971. Notas sobre Cerambycinae VI. Subsídios ao conhecimento dos Ibidionini. **Arq. Zool.**, **21(3)**: 121-178, 25 figs.
1971. Notas sobre Cerambycinae IV. **Papéis Avulsos Zool.**, **24(3)**: 57-63, 2 pls.
1973. Notas sobre Cerambycinae VIII. **Papéis Avulsos Zool.**, **26(1)**: 201-213, 5 figs.
1974. Contribuição ao conhecimento dos Acanthocinini III. Notas sobre o gênero *Anisopodus* White, 1855. **Rev. Bras. Entomol.**, **18(2)**: 55-65, 11 figs.
1974. Longicórnios da coleção Hüdepohl II. **Rev. Bras. Entomol.**, **18(4)**: 141-155, 8 figs.
1975. A taxonomic revision of the world Smodicini. **Arq. Zool.**, **26(4)**: 319-359, 69 figs.
1975. Longicórneos da coleção Hüdepohl III. **Papéis Avulsos Zool.**, **29(2)**: 7-20, 8 figs.
1975. Notas e descrições em Onciderini. **Papéis Avulsos Zool.**, **29(10)**: 65-70, 4 figs.
1975. Gênero *Trachyderes* Dalman : observações, sinónimas, descrições. **Papéis Avulsos Zool.**, **29(13)**: 81-92, 13 figs.
1976. Sistemática e evolução da tribo Piezocerini. **Arq. Zool.**, **27(3-4)**: 165-370, 168 figs., 8 color pls.
1976. Notas sobre *Achryson* Serville, 1833. **Rev. Bras. Entomol.**, **20(2)**: 73-78, 6 figs.
1977. Revisão do gênero *Sphagoeme* Aurivillius, 1893. **Rev. Bras. Entomol.**, **21(3-4)**: 79-87, 11 figs.
1978. Revisão dos gêneros *Macroeme* Aurivillius e *Neoeme* Gounelle. **Papéis Avulsos Zool.**, **32(4)**: 41-57.

1978. Revisão dos gêneros *Proeme*, gen. n., *Temnopsis* Audinet-Serville, 1834 e *Paratemnopsis*, gen. n. **Papéis Avulsos Zool.**, **32(11)**: 117-139, 15 figs.
1979. Notas e descrições em *Brasilianus* Jakobson, 1924 (Cóleoptera, Cerambycidae). **Rev. Bras. Entomol.**, **23(1)**: 23-28.
1979. Descrições e notas sobre Onciderini. **Rev. Bras. Entomol.**, **23(3)**: 147-156, 8 figs.
1980. Revisão dos gêneros *Austroeme*, *Stenoeme*, *Xanthoeme*, gen. n. e *Ocroeme*. **Papéis Avulsos Zool.**, **33(11)**: 221-229, 3 figs.
1981. Novos longicórneos neotrópicos da coleção Viehmann, com notas sinonímicas **Papéis Avulsos Zool.**, **34(20)**: 205-219, 11 figs.
1981. Descrições e notas sobre Onciderini II. **Papéis Avulsos Zool.**, **34(21)**: 221-234, 8 figs.
1981. Revisão do gênero *Atenizus*; os gêneros *Tessaropa* e *Methia* na América do Sul e descrição de novas taxa em Methiini. **Rev. Bras. Entomol.**, **25(1)**: 9-17.
1984. Contribuição ao estudo da tribo Aerenicini I. Gêneros com pontos elitrais contrastantes. **Papéis Avulsos Zool.**, **5(24)**: 307-317.
1984. Contribuição ao estudo da tribo Aerenicini (Lamiinae). II. Gêneros com lobos oculares inferiores reduzidos. III. Gêneros com lobos oculares superiores próximos e ápices elitrais acuminados. **Papéis Avulsos Zool.**, **35(26)**: 325-330, 3 figs.
1985. Novos táxons, sinônímias, notas e nova combinação em Cerambycidae neotropicais. **Rev. Bras. Entomol.**, **29(2)**: 169-180.
1995. Notas e descrições em Elaphidionini. **Rev. Bras. Entomol.**, **39(4)**: 741-749, 6 figs.
1997. Contribuições para uma revisão das espécies sul-americanas da Tribo Eburiini. **Rev. Bras. Entomol.**, **41(1)**: 57-83, 11 figs.
1997. **Cerambycidae Sul-Americanos. Taxonomia, Vol. 1:** Subfamília Cerambycinae: Oemini, Methiini, Dodecosini (with M.H.M. Galileo), Paraholopterini. Soc. Bras. Entomol., São Paulo. 217 pp., 171 figs.
1998. **Cerambycidae Sul-Americanos. Taxonomia, Vol. 2:** Subfamília Cerambycinae: Phlyctaenodini, Holopterini (with M. A. Monné), Uraecanthini, Pleiarthrocerini (with M.H.M. Galileo), Ectenessini. Soc. Bras. Entomol., São Paulo. 195 pp., 216 figs.
1999. **Cerambycidae Sul-Americanos. Taxonomia, Vol. 3:** Subfamília Cerambycinae: Hesperophanini (with M.H.M. Galileo), Eburiini, Diorini. Soc. Bras. Entomol., São Paulo. 418 pp., 271 figs.
2002. **Cerambycidae Sul-Americanos. Taxonomia, Vol. 4:** Subfamília Cerambycinae: Erlandiini, Smodicini (with M.H.M. Galileo), Achrysonini, Cerambycini (in part)(with M.A. Monné). Soc. Bras. Entomol., São Paulo. 265 pp., 287 figs.
2003. **Cerambycidae Sul-Americanos. Taxonomia, Vol. 6:** Subfamília Cerambycinae: Obriini, Oxycoleini, Acangasuini (with M.H.M. Galileo), Luscosmodicini, Psebiini, Piezocerini, Sydacini. Soc. Bras. Entomol., São Paulo. 232 pp., 261 figs.
2005. **Cerambycidae Sul-Americanos. Taxonomia, Vol. 7:** Subfamília Cerambycinae: Elaphidionini. Soc. Bras. Entomol., São Paulo. 394 pp., 324 figs.
2005. **Cerambycidae Sul-Americanos. Taxonomia, Vol. 5:** Subfamília Cerambycinae: Cerambycini, subtribo Sphallotrichina, subtrib. nov., Callidiopini, Graciliini, Neocorini, trib. nov. Soc. Bras. Entomol., São Paulo. 284 pp., 425 figs.
2006. **Cerambycidae Sul-Americanos. Taxonomia, Vol. 8:** Subfamília Cerambycinae: Phoracanthini Newman, 1840 (with M.H.H. Galileo), Hexoplonini trib. nov. Soc. Bras. Entomol., São Paulo. 234 pp., 229 figs.
2007. **Cerambycidae Sul-Americanos. Taxonomia, Vol. 9:** Subfamília Cerambycinae: Ibidionini, Tropicini, Ibidionina (with M.H.M. Galileo). Soc. Bras. Entomol., São Paulo. 349 pp., 351 figs.
2009. **Cerambycidae Sul-Americanos. Taxonomia, Vol. 10:** Subfamília Cerambycinae: Ibidionini, Compsina, Eligmodermini (with M.H.M. Galileo), Ideratini (with D.S. Napp), Callichromatini (with D.S. Napp). Soc. Bras. Entomol., São Paulo. 373 pp., 349 figs.
2009. **Cerambycidae Sul-Americanos. Taxonomia, Vol. 11:** Subfamília Parandrinae: (with Antonio Santos-Silva), Subfamília Disteniinae (with Antonio Santos-Silva), Soc. Bras. Entomol. São Paulo. 274 pp., 318 figs.
2011. **Cerambycidae Sul-Americanos. Taxonomia, Vol. 12:** Subfamília Cerambycinae: Tribo Clytini. Soc. Bras. Entomol. Parana. 264 pp., 194 figs.

2014. **Cerambycidae Sul-Americanos. Taxonomia, Vol. 13:** Subfamília Lamiinae: (with Maria-Helena Galileo), Hemilophini, Thomson 1868. Parte 1., Soc. Bras. Entomol. São Paulo. 232 pp., 184 figs.
2015. **Cerambycidae Sul-Americanos. Taxonomia, Vol. 14:** Subfamília Lamiinae: (with Maria-Helena Galileo), Hemilophini, Thomson 1868. Parte 2., Soc. Bras. Entomol. São Paulo. 296 pp., 217 figs.
- MARTINS, U. R. & S. M. de CARVALHO. 1983. Sinonímias, nova combinação e novas espécies em *Aerenicopsis* Bates (Aerenicini) e *Trichohippopsis* Breuning (Agapanthiini) (Lamiinae). **Rev. Bras. Entomol.**, **27(2)**: 161-163.
1984. Considerações sobre a classificação da tribo Methiini com a revalidação de Xystrocerini Blanchard, 1845 e Oemini Pascoe, 1869. **Papéis Avulsos Zool.**, **35(20)**: 209-224, 90 figs.
- MARTINS, U. R. & J. A. CHEMSAK. 1966. Synopsis of the known Mexican Ibidionini. **Kansas Entomol. Soc.**, **39(3)**: 454-467.
1966. Revision of the Genus *Micropsyrassa* Linsley. **Pan-Pacific Entomol.**, **42(2)**: 120-126.
- MARTINS, U. R. & J. E. DURAN. Espécie nova de *Coccoderus* da Costa Rica. **Les Cahiers Magellanes N.S.** **10**: 22-25, 3 figures.
- MARTINS, U. R., J. A. CHEMSAK & E. G. LINSLEY. 1966. A generic revision of the tribe Methiini in the Western hemisphere. **Arq. Zool.**, **14(3)**: 197-221, 2 figs.
- MARTINS, U. R. & M. H. M. GALILEO. 1985. Contribuição ao estudo da tribo Aerenicini. III. Gêneros com lobos oculares superiores subcontíguos. **Rev. Bras. Entomol.**, **29(1)**: 89-94, 16 figs.
1985. Contribuição ao estudo da tribo Aerenicini. V. Gêneros com lobos oculares superiores separados. **Rev. Bras. Entomol.**, **29(3-4)**: 463-470, 5 figs.
1985. Contribuição ao estudo da tribo Aerenicini. VI. Revisão do gênero *Recchia* Lane, 1966, adenda, correções e elenco da tribo. **Rev. Bras. Entomol.**, **29(3-4)**: 481-496, 2 figs.
1988. Sobre Falsamblethiini. II. Revisão do gênero *Gisostola* Thomson, 1868 e nota sinonímica em *Neohebestola* Marinoni, 1977. **Rev. Bras. Entomol.**, **32(2)**: 219-222, 1 fig.
1989. Sobre Falsamblethiini. III. Subsídios para uma revisão. **Rev. Bras. Entomol.**, **33(1)**: 119-134, 7 figs.
1989. Revisão das espécies sul-americanas do gênero *Erana* Bates, 1866 (Hemilophini). **Iheringia, (Zool.) (69)**: 71-83, 10 figs.
1990. Notas sobre Calliin. II. Descrição de três gêneros novos. **Rev. Bras. Entomol.**, **34(2)**: 475-480, 5 figs.
1990. Notas sobre Calliini. IV. As espécies sul-americanas do gênero *Drycothaea* Thomson, 1868. **Rev. Bras. Entomol.**, **34(3)**: 607-613, 5 figs.
1990. Lamiinae com garras tarsais apendiculadas e descrição de Pretiliini, trib. n. **Rev. Bras. Entomol.**, **34(4)**: 703-708, 11 figs.
1990. Onciderini: sinonímias, novos táxons, chaves e notas. **Papéis Avulsos Zool.**, **37(4)**: 53-95, 56 figs.
1991. Subdivisão do gênero *Lycidola* Thomson, 1864 (Hemilophini). **Rev. Bras. Entomol.**, **35(3)**: 553-565, 11 figs.
1991. Os gêneros *Lycaneptia* Thomson, 1868 e *Lycomimus* Melzer, 1931 (Hemilophini). **Rev. Bras. Entomol.**, **35(3)**: 587-591, 1 fig.
1991. Revisão dos gêneros relacionados com *Themistonoe* Thomson, 1864 (Hemilophini). **Rev. Bras. Entomol.**, **35(3)**: 607-617, 11 figs.
1991. Gêneros de Hemilophini relacionados com *Malacoscyllus* Thomson, 1868. **Rev. Bras. Entomol.**, **35(3)**: 619-629, 5 figs.
1991. O gênero *Tyrinthia* Bates, 1866 e gêneros afins (Hemilophini). **Rev. Bras. Entomol.**, **35(4)**: 813-824, 10 figs.
1991. Dodecosini Bates, 1867 : chave para os gêneros e descrição de novos táxons. **Iheringia, (Zool.) (71)**: 133-138, 8 figs.
1992. Gêneros de Hemilophini relacionados com *Hemilophus* A.-Serville, 1835. **Rev. Bras. Entomol.**, **36(1)**: 121-128, 4 figs.
1992. Divisão do gênero *Isomerida* Bates, 1866 (Hemilophini). **Rev. Bras. Entomol.**, **36(1)**: 187-195, 5 figs.
1992. Divisão do gênero *Hilarolea* Thomson, 1868 (Hemilophini). **Rev. Bras. Entomol.**, **36(2)**: 437-447, 5 figs.

1992. Gêneros de Hemilophini com antenas de doze artículos. **Rev. Bras. Entomol.**, **36(3)**: 575-579, 1 fig.
1992. O gênero *Hilaroleopsis* Lane, 1970 e descrições de novos táxons em Hemilophini. **Rev. Bras. Entomol.**, **36(3)**: 589-596, 6 figs.
1992. Neotropical Cerambycidae primarily in the Canadian Museum of Nature, Ottawa. I. Falsamblesthiini. **Insecta Mundi**, **6(2)**: 101-108, 9 figs.
1993. Descrição de novos táxons com antenas de doze artículos, Trans.ferência de espécies de *Adesmus* Lepeletier & A.-Serville, 1825 e sinónimos. (Hemilophini). **Iheringia, (Zool.)**, **(74)**: 109-116, 5 figs.
1993. Cerambycidae of the Canadian Museum of Nature, Ottawa. IV. Hemilophini. **Insecta Mundi**, **7(3)**: 169-173, 1 fig.
1994. Novas espécies e notas sobre Cerambycidae e Disteniidae do Estado de Tocantins, Brasil. **Iheringia, (Zool.)**, **(77)**: 77-82.
1994. Revisão do gênero *Stereomerus* Melzer, 1934 (Desmiphorini). **Papéis Avulsos Zool.** **39(1)**: 1-11.
1994. Descrições de novas espécies, chaves para identificação e notas sobre os gêneros *Sphagoeme* Aurivillius, *Aleiphaquilon* Martins e *Gigantotrichoderes* Tippmann. **Rev. Bras. Zool.**, **11(4)**: 683-690, 3 figs.
1995. Notas e descrições em Desmiphorini. **Iheringia, (Zool.)**, **(78)**: 161-170, 5 figs.
1995. Neotropical Cerambycidae of the Canadian Museum of Nature, Ottawa. V. Onciderini. **Insecta Mundi**, **9(1-2)**: 1-5, 6 figs.
1995. Os gêneros *Coeloprocta* Aurivillius; *Anisopeplus* Melzer e *Acaua*, gen. n. (Desmiphorini). **Rev Bras. Zool.**, **12(1)**: 25-29, 5 figs.
1995. Revisão do gênero *Blabia* Thomson, 1864 (Desmiphorini). **Rev. Bras. Entomol.**, **39(3)**: 567-590, 44 figs.
1995. Revisão do gênero *Malthonea* Thomson, 1864 (Desmiphorini). **Rev. Bras. Entomol.**, **39(3)**: 611-621, 8 figs.
1996. Transferência de gêneros de Aerenicini para Hemilophini, novos táxons e chave para as espécies de *Apagomerina* Gilmour, 1962. **Rev. Bras. Entomol.**, **40(1)**: 21-24, 7 figs.
1996. Divisão de *Eulachnesia* Bates, 1872 e descrição de novos táxons (Hemilophini). **Rev. Bras. Entomol.**, **40(2)**: 181-196, 8 figs.
1996. Descrições e notas sobre Cerambycidae sul-americanos. **Rev. Bras. Zool.**, **13(2)**: 291-311, 13 figs.
1997. Revisão dos gêneros *Pseudestola* Breuning, *Estolomimus* Breuning e *Euestola* Breuning (Desmiphorini). **Rev. Bras. Zool.**, **14(1)**: 99-112, 9 figs.
1997. Remoção de espécies com duas carenas elitais do genero *Adesmus* (Hemilophini). **Iheringia, Zool.**, **(83)**: 45-64, 12 figs.
1998. Novas sinonimias e novos táxons em Cerambycidae neotropicais. **Rev. Bras. Zool.**, **15(1)**: 47-58, 8 figs.
1998. Generos sul-americanos de Desmiphorini com lados do protórax desarmados. **Rev. Bras. Entomol.**, **41(2-4)**: 257-265.
1998. Generos de Hemilophini semelhantes a *Phoebe*. **Rev. Bras. Entomol.**, **41(2-4)**: 431-437.
1998. Revisão da Tribo Aerenicini Lacordaire, 1872. **Arquivos de Zool.**, **35(1)**: 1-133, 77 figs.
1999. Sobre algumas espécies de Lamiinae da Colombia com garras tarsais divergentes. **Papéis Avulsos Zool.**, **41(5)**: 67-81, 6 figs.
1999. Novas espécies de Cerambycidae neotropicais. **Rev. Bras. Zool.**, **16(3)**: 807-820, 10 figs.
1999. Novas espécies de Ibidionini da América do Sul. **Rev. Bras. Entomol.**, **43(3/4)**: 301-307, 7 figs.
1999. *Paleohemilophus* a new genus of fossil Cerambycidae from Hispaniola Island. **Rev. Bras. Entomol.**, **43(3/4)**: 309-313, 11 figs.
1999. Transferência de *Stenygra* Audinet-Serville, 1834 para Ibidionini e descrição de *Isostenygra* gen. nov. **Rev. Bras. Entomol.**, **43(3/4)**: 315-317, 5 figs.
2001. Novos táxons de Disteniidae neotropicais. **Iheringia, Zool.**, **(90)**: 15-20, 4 figs.
2001. Duas espécies novas do genero *Acakyra* Martins & Galileo, 1996 (Acanthoderini). **Rev. Bras. Entomol.**, **45(2)**: 103-105, 5 figs.

2001. Descrições, transferencias e notas em Apomecynini (Lamiinae). **Revista Brasileira Zoologia**, **18(4)**: 1227-1235, 5 figs.
2002. Desmiphorini: novas espécies, nova sinonímia e redescricao de *Inermestoloides praeapicealba* Breuning, 1942. **Papéis Avulsos Zool.**, **42(1)**: 1-12, 5 figs.
2002. *Estolomimus* (Lamiinae: Desmiphorini): novas espécies e chave. **Iheringia, Sér. Zool.**, **92(2)**: 21-28, 4 figs.
2002. Cerambycidae da Colômbia. I. Eburini. **Iheringia, Zool.**, **92(4)**: 5-10, 2 figs.
2002. Cerambycidae da Colômbia. II. Ibidionini. **Iheringia, Zool.**, **92(4)**: 11-18, 2 figs.
2003. Novas espécies e revalidação em *Hippopsis* Lepeletier & Audinet-Serville, 1825 (Lamiinae, Agapanthini). **Rev. Bras. Entomol.**, **47(1)**: 25-29, 8 figs.
2003. Novos táxons em Apomecynini (Lamiinae). **Rev. Bras. Entomol.**, **47(1)**: 133-135, 3 figs.
2003. Cerambycidae da Colômbia. IV. Cerambycinae com olhos grosseiramente granulados. **Rev. Bras. Entomol.**, **47(2)**: 175-180, 3 figs.
2003. Novos táxons em Piezocerini e Ibidionini (Cerambycinae). **Rev. Bras. Entomol.**, **47(2)**: 225-228, 5 figs.
2003. Sinonímias e descrições em *Adetus* LeConte (Lamiinae, Apomecynini). **Rev. Bras. Entomol.**, **47(3)**: 373-378, 6 figs.
2003. Novas espécies e nota sobre Lamiinae neotropicais da coleção Arriagada, Santiago, Chile. **Rev. Bras. Entomol.**, **47(4)**: 615-620, 7 figs.
2004. Contribuição aos Hemilophini (Lamiinae) da Colômbia e do Ecuador. **Iheringia, Zool.**, **94(1)**: 37-44, 8 figs.
2004. Cerambycidae coletados na Venezuela na copa de *Matayba* (Sapindaceae) e *Vochysia* (Vochysiaceae). **Rev. Bras. Entomol.**, **48(2)**: 229-232, 4 figs.
2004. **Cerambycidae Sul-Americanos, Suplemento 1**. Argania Editio S.C.P., Barcelona, Spain, 147 pp.
2004. Sobre Hemilophini (Lamiinae) da Região Neotropical: espécies novas e novos registros. **Rev. Bras. Zool.**, **21(3)**: 535-541, 8 figs.
2004. Novos táxons de Aerenicini (Lamiinae) da Guatemala, Brasil e Bolívia. **Iheringia, Zool.**, **94(4)**: 395-401, 8 figs.
2004. Contribuição ao conhecimento dos Hemilophini (Lamiinae), principalmente da Costa Rica. **Rev. Bras. Entomol.**, **48(4)**: 467-472, 8 figs.
- 2005 Cerambycidae (Coleoptera) da Colombia. VII. Novos taxons, novos registros, nova sinonímia, nova combinacao e novo nome. **Rev. Bras. Zoo.**, **22(1)**: 5-18, 13 figs.
2005. Novos táxons e notas sobre Cerambycidae da região Neotropical. **Rev. Bras. Zool.**, **22(3)**: 764-770, 9 figs.
2005. Novas espécies de *Adetus* (Lamiinae, Apomecynini). **Iheringia, Zool.**, **95(1)**: 25-28, 4 figs.
2005. Novos Onciderini (Lamiinae) da Bolívia. **Revista Brasileira de Entomologia**, **49(4)**: 459-461.
2005. Contribuição para o conhecimento dos Desmiphorini (Lamiinae) da Região Neotropical. **Papéis Avulsos Zool.**, **45(19)**: 243-248, 6 figs.
2006. Novos taxons de Cerambycinae (Coleoptera, Cerambycidae) da Regiao Neotropical. **Iheringia** **96(2)**: 173-178, 9 figs.
2006. Calliini (Coleoptera, Cerambycidae, Lamiinae): Descricoes, Homonímia, Novo Registro e Chave Para as Especies de *Graminea* Thomson, 1864. **Papéis Avulsos Zool.**, **46(18)**: 211-218, 10 figs.
2006. Novos taxons de Desmiphorini (Coleoptera, Cerambycidae) do Equador e Bolivia e redescricao de *Estola medionigra* Breuning. **Rev. Bras. Ent.**, **50(4)**: 458-462, 6 figs.
2006. Genero *Hippopsis* (Coleoptera, Cerambycidae, Lamiinae): chave para as especies, sinonímia e descricao de especies novas. **Rev. Bras. Ent.**, **50(4)**: 475-487, 50 figs.
2006. in Martins, U. R., Galileo, M. H. M., Santos-Silva, A. & Rafael, J. A. (2006) Cerambycidae (Coleoptera) coletados à luz a 45 metros de altura, no dossel da floresta amazônica, e a descrição de quatro espécies novas. **Acta Amazonica**, **36(2)**: 265-272.

2007. Notas e Novos especies de Onciderini (Coleoptera, Cerambycidae, Onciderini). **Papéis Avulsos Zool.**, **47(9)**: 127-135, 8 figs.
2007. Notas e descrições em Acanthoderini (Coleoptera, Cerambycidae, Acanthoderini). I. Novos taxons, nova sinonímia e novos registros. **Papéis Avulsos Zool.**, **47(12)**: 159-164, 3 figs.
2007. Novos taxons e notas sobre Acanthoderini (Cerambycidae, Acanthoderini) com articulo III dos palpos labiaia truncado. **Papéis Avulsos Zool.**, **47(16)**: 159-164, 3 figs.
2007. Novos Cerambycidae (Coleoptera) da Colecao Odette Morvan, Kaw, Guiana Francesa. **Papéis Avulsos Zool.**, **47(14)**: 175-179, 4 figs.
2007. Novos taxons em Hemilophini (Coleoptera, Cerambycidae, Lamiinae). **Rev. Bras. Zoo.**, **24(4)**: 1145-1149, 6 figs.
2008. Novas especies de Onciderini (Coleoptera, Cerambycidae, Lamiinae) da Bolivia. **Papéis Avulsos Zool.**, **48(4)**: 27-31, 4 figs.
2008. Novos Cerambycidae (Coleoptera) da Colecao Odette Morvan, Guiana Francesa II. **Papéis Avulsos Zool.**, **48(8)**: 55-59, 5 figs.
2008. Notas e Novos Taxons em Acanthoderini (Coleoptera, Cerambycidae, Lamiinae) III. Generos semelhantes a *Anoreina*. **Papéis Avulsos Zool.**, **48(10)**: 69-73, 5 figs.
2008. Clytini neotropicais II (Coleoptera, Cerambycidae, Cerambycinae). **Rev. Bras. Ent.**, **52(2)**: 272-276, 8 figs.
2008. Novos Taxons de Apomecynini (Coleoptera, Cerambycidae, Lamiinae). **Papéis Avulsos Zool.**, **48(24)**: 275-280, 5 figs.
2008. Notas e novos taxons em Acanthoderini (Coleoptera, Cerambycidae, Lamiinae). V. Tres generos novos e notas em *Irundisaua*. **Rev. Bras. Zoo.**, **25(3)**: 507-511, 5 figs.
2008. Novos taxons e novo registro em Hemilophini (Coleoptera, Cerambycidae, Lamiinae). **Rev. Bras. Zoo.**, **25(3)**: 547-554, 9 figs.
2008. Trachyderini com reflexos verde-metalicos no corpo: novos taxon e novos registros (Coleoptera, Cerambycidae). **Les Cahiers (87)**: 1-8, 4 figs.
2009. Nota e espécies novas de *Cyrtinus* LeConte (Coleoptera, Cerambycidae, Lamiinae, Cyrtinini) da Região Neotropical. **Rev. Bras. Ent.**, **53(1)**: 65-68, 5 figs.
2009. Novos taxons de Cerambycidae (Coleoptera) neotropicais da colecao Herbert Schmid, Viena, Austria. **Papéis Avulsos Zool.**, **49(39)**: 529-538, 10 figs.
2009. Novas espécies de Desmiphorini (Coleoptera, Cerambycidae, Lamiinae) da Costa Rica e do Equador. **Papéis Avulsos Zool.**, **49(10)**: 109-113, 5 figs.
2009. Onciderini (Coleoptera, Cerambycidae, Lamiinae): notas, descrições, novas combinacoes e chave para grupo de especies de *Trachysomus*. **Papéis Avulsos Zool.**, **49(13)**: 151-161, 9 figs.
2010. Novas espécies, nova sinonímia e novo registro em Cerambycidae (Coleoptera) do México e da América do Sul. **Pap. Avuls. Zool.** **50(17)**: 83-90, 6 figs.
2010. Novos táxons em Onciderini (Coleoptera, Cerambycidae, Lamiinae). **Rev. Bras Ent.** **54(1)**: 66-71-82, 8 figs.
2010. New species of the genus *Cotycicuiara* Galileo & Martins, 2008 (Cerambycidae, Lamiinae, Desmiphorini). **Insecta Mundi** **134**: 1-6, 5 figures.
2010. Cerambycidae (Coleoptera) da Serra Bonita, Camacan, Bahia, Brasil. **Pap. Avuls. Zool.** **50(28)**: 435-443, 1 figs.
2010. Notas e descrições em Hesperophanini, Eburiini, Piezocerini e Trachyderini (Coleoptera, Cerambycidae, Cerambycinae) do Brasil e da Bolívia. **Pap. Avuls. Zool.** **50(38)**: 587-593, 5 figs.
2010. Novas espécies de Lamiinae (Cerambycidae) neotropicais e transferência de *Palpicrassus* Galileo & Martins, 2007. **Pap. Avuls. Zool.** **50(44)**: 681-691, 8 figs.
2010. Novo registro e novas espécies de Cerambycinae (Coleoptera, Cerambycidae) de Trinidad and Tobago e da Venezuela. **Rev. Bras. Ent.** **54(4)**: 565-570, 6 figures.

2011. Novas especies de Cerambycinae (Cerambycidae, Coleoptera) da Regiao Neotropical. **Pap. Avuls. Zool.** **51(11)**: 189-195, 7 figures.
2011. Novos táxons de Hemilophini (Coleoptera, Cerambycidae, Lamiinae) das Américas. **Iheringia** **100(4)**: 356-360, 4 figures.
2012. Duas especies de Onciderini (Cerambycidae, Lamiinae) do Institut Royal des Sciences Naturelles de Belgique, Bruxelas. **Pap. Avuls. Zool.** **52(19)**: 291-221, 2 figures.
2012. Notas, novos registros e novas especies de Ibidionini (Coleoptera, Cerambycidae). **Rev. Bras. Ent.** **56(2)**: 199-209, 11 figures.
2012. Novos taxons e notas sobre Cerambycidae (Coleoptera) da Costa Rica. **Pap. Avuls. Zool.** **52(26)**: 311-314, 2 figures.
2012. Novos taxons de Cerambycidae (Coleoptera) das Americas Central e do Sul. **Iheringia** **102(3)**: 331-339, 11 figures.
2012. Seven new species of Cerambycidae (Coleoptera) from South America with the proposal of three new genera. **Zoologia** **29(6)**: 557-562, 8 figures.
2013. New species and records of Cerambycinae and Lamiinae (Coleoptera: Cerambycidae) from the Neotropical Region. **Zootaxa** **3683**: 571-580, 10 figures.
2013. Cerambycidae (Coleoptera) do Museu de Zoologia da Universidade Estadual de Feira de Santana, Bahia. **Iheringia** **103(3)**: 318-328, 8 figures.
2014. New taxa, notes and new synonymy in Neoibidionini (Cerambycidae, Coleoptera). **Zootaxa** **3786**: 492-498, 6 figures.
- MARTINS, U.R., M.H.M. GALILEO & L. J. JOLY. 2010. Novas espécies de *Callia* Audinet-Serville da América do sul (Cerambycidae, Lamiinae, Calliini). **Pap. Avuls. Zool.** **50(6)**: 77-82, 7 figs.
- MARTINS, U.R., M.H.M. GALILEO & F. LIMEIRA-de-OLIVERIA. 2009. Cerambycidae (Coleoptera) do estado de Maranhao, Brasil I. **Papéis Avulsos Zool.**, **49(19)**: 229-247, 4 figs.
2009. Cerambycidae (Coleoptera) do estado de Maranhao, Brasil II. **Papéis Avulsos Zool.**, **49(38)**: 503-527, 15 figs.
2009. Cerambycidae (Coleoptera) do estado do Maranhao, Brasil. III. **Papéis Avulsos Zool.**, **51(18)**: 275-293, 12 figs.
- MARTINS, U. R., M. H. M. GALILEO & R. RAMIREZ. 2012. Nova espécie do gênero *Galissus* Dupont (Coleoptera, Cerambycidae) e chave para identificação das espécies. **Pap. Avuls. Zool.** **52(17)**: 197-200, 4 figures.
- MARTINS, U. R., M. H. M. GALILEO & A. SANTOS-SILVA. 2006. Cerambycidae (Coleoptera) collected with light trap at 45 meters height over an Amazon forest canopy and the distribution of four new species. **Acta Amaz.** **36(2)**: 265-272, 6 figs.
2015. Four New Species of Desmiphorini (Coleoptera, Cerambycidae, Lamiinae). **Zookeys** **488**: 77-89, 12 figures.
2015. First Record of *Molorchus minor* (Linnaeus) (Coleoptera, Cerambycidae) in Brazil. **Rev. Bras. Ent.** **59**: 61.
2015. New taxa and new records in Cerambycidae (Coleoptera) from the state of Bahia (Brazil) and notes on *Meridiotroctes* (Acanthoderini). **Zootaxa** **3973(2)**: 271-299, 49 figures.
2015. A new genus and two new species of Rhopalophorini Blanchard, 1845 (Coleoptera, Cerambycidae, Cerambycinae). **Zootaxa** **4000(3)**: 377-382, 7 figures.
2015. Three New Species of Lamiinae (Coleoptera, Cerambycidae). **Coleopt. Bull.** **69(3)**: 395-401, 9 figures.
2016. Five new species, one new genus, two synonymies, and new distributional records in Cerambycidae (Coleoptera). **Zootaxa** **4078(1)**: 320-333, 26 figures.
- MARTINS, U.R., M.H.M. GALILEO & G.L. TAVAKILIAN 2008. Novos Cerambycidae (Coleoptera) da colecao Odette Morvan, Kaw, Guiana Francesa. III. **Papéis Avulsos Zool.**, **48(25)**: 281-287, 6 figs

- MARTINS, U. R. & M. A. MONNÉ. 1972. Caracterização de dois gêneros de Acanthocinini. **Rev. Bras. Entomol.**, **16(8)**: 61-66, 12 figs.
1973. Revisão do gênero *Niophis* Bates. **Rev. Bras. Entomol.**, **17(3)**: 19-27, 10 figs.
1974. Contribuição ao conhecimento dos Acanthocinini. **Papéis Avulsos Zool.**, **28(2)**: 11-30, 12 figs.
1974. Contribuição ao conhecimento dos Acanthocinini II. **Studia Entomol.**, **17(1-4)**: 317-332, 9 figs.
1975. Longicórnios da coleção Hüdepohl. **Papéis Avulsos Zool.**, **28(16)**: 269-293, 15 figs.
1978. Notas e descrições em Lissonotini. **Rev. Bras. Entomol.**, **22(2)**: 65-68, 2 figs.
1980. Torneutini: chave para os gêneros, chaves para espécies de alguns gêneros, notas e descrições de novos taxa. **Papéis Avulsos Zool.**, **33(24)**: 335-353, 12 figs.
1993. Novas espécies de *Oreodera* A.-Serville, 1835 e *Alphus* White, 1855 (Acanthoderini). **Iheringia, (Zool.)**, **(74)**: 133-140, 4 figs.
- MARTINS, U. R. & J. S. MOURE. 1973. Notas sobre Cerambycidae VII. **Rev. Bras. Entomol.**, **17(12)**: 77-84, 2 figs.
- MARTINS, U. R. & D. S. NAPP. 1979. *Delemodacrys mourei*, gen. n., sp. n. com a revalidação de Eburiini. **Dusenía**, **11(2)**: 91-94, 4 figs.
1982. Gêneros afins de *Protosphaerion* Gounelle, 1908 : chaves, notas e descrições. **Dusenía**, **13(2)**: 59-64, 4 figs.
1983. Gêneros *Stizocera* Audinet Serville, *Nesostizocera* Linsley e *Parastizocera* Linsley: chaves para espécies, descrições, notas e sinônímias. **Papéis Avulsos Zool.**, **35(7)**: 79-92, 11 figs.
1984. *Epropetes* Bates, 1870 : descrições, notas e chave para espécies. **Rev. Bras. Entomol.**, **28(4)**: 431-439, 6 figs.
1984. Os gêneros americanos de Psebiini. **Papéis Avulsos Zool.**, **35(25)**: 319-324, 1 fig.
1986. Ibidionini IIIa divisão: descrições, notas e chave para espécies de *Minibidion*. **Rev. Bras. Entomol.**, **30(1)**: 5-12, 5 figs.
1986. Ibidionini Va divisão: descrições e notas. **Rev. Bras. Entomol.**, **30(2)**: 227-241, 12 figs.
1989. Rhopalophorini: descrições, sinônímias e novas combinações. **Rev. Bras. Entomol.**, **33(1)**: 57-65, 7 figs.
1992. Sphaerionini: novos taxons, sinônímia, chaves e nova combinação. **Rev. Bras. Zool.**, **7(4)**: 459-476, 17 figs.
2005. Novo gênero e nota sinônímica em Callichromatini. **Iheringia, Sér. Zool.**, **95(1)**: 17-19, 2 figs.
2006. Notas sobre os generos *Deltosoma* e *Thelgetra* (Coleoptera, Cerambycidae, Pteroplatini). **Iheringia** **96(3)**: 339-344, 9 figs.
- 2007 Novos Cerambycinae neotropicais e transferencia de *Tippmannia* Monné para Hesperophanini (Coleoptera, Cerambycidae). **Rev. Bras. Ent.**, **51(2)**: 190-196, 6 figs.
- MARTINS, U.R. & A. SANTOS-SILVA. 2010 Contribuição para o estudo dos Rhinotragini (Coleoptera, Cerambycidae). I. Mudança de status nos subgêneros de *Ommata* White, 1855 e revisão de *Agaone* Pascoe, 1859 **Pap. Avuls. Zool.** **50(25)**: 391-411, 38 figs.
2012. On some species of *Taeniotes* Audinet-Serville, 1835 (Coleoptera: Cerambycidae: Lamiinae). **Pan-Pac. Ent.** **88(1)**: 35-57, 20 figures.
2013. Transfers, new records and redescription in Lamiinae (Coleoptera, Cerambycidae). **Les Cahiers Magellanes NS** **13**: 12-20, 17 figures.
- MARTINS, U. R., A. SANTOS-SILVA, & R. O. S. CLARKE. 2012. Contribuicao para o estudo dos Rhinotragini (Coleoptera, Cerambycidae) VI. *Ecliptoides* Tavakilian & Peñaherrera-Leiva, 2005. **Pap. Avuls. Zool.** **52(38)**: 477-506, 30 figures.
2012. Contribuicao para o estudo dos Rhinotragini (Coleoptera, Cerambycidae) VII. *Ischasioides*. **Pap. Avuls. Zool.** **52(39)**: 507-513, 9 figures.
- MARTINS, U.R., A. SANTOS-SILVA & M.H., GALILEO. 2015. Fourteen new species, one new genus, and eleven new

- country or state records for New World lamiinae (Coleoptera, Cerambycidae). **Zootaxa** **3980(1)**: 081-105, 58 figures.
- MARTINS, U. R., A. SANTOS-SILVA, M. H. GALILEO, & F. LIMEIRA-DE-OLIVEIRA. 2014. Cerambycidae (Coleoptera) dos estados do Piauí e Ceará, Brasil: espécies conhecidas, nova tribo, nova espécie e novos registros. **Iheringia** **104(3)**: 373-384, 4 figures.
2014. Cerambycidae (Coleoptera) from state of Maranhão, Brazil. IV: new genus, new species, new synonym, new records. **Zoologia** **31(6)**: 599-620, 26 figures. [2014]: 599-620 [Date published: 22 January 2015]
- MATSUSHITA, M. 1933. Beitrag zur Kenntnis der Cerambyciden des japanischen Reichs. *Journal of the Faculty of Agronomy of Hokkaido Imperial University* **34** (2): i-ix + 157-445, 5 pls.
- McCARTY, J. D. 1993. A new species of *Eburia* from the Estacion de Biología, Los Tuxtlas, Veracruz, Mexico. **Pan-Pacific Entomol.**, **69(4)**: 336-338, 1 fig.
1997. A new species of *Polyrhaphis* from Mexico. **Occ. Pap. Cons. Coleop.**, **1(1)**: 43-45, 1 fig.
2001. A review of the Mexican species *Oreodera* Audinet-Serville (Lamiinae). **Occ. Pap. of the Cons. Coleop.**, **4(1)**: 13-34, 10 figs.
2005. New species of *Oreodera* Audinet-Serville from Panama and Costa Rica (Lamiinae, Acanthoderini). **Folia Entomol. Mexicana**, **44(Suppl. 1)**: 83-86, 2 figs.
2006. A review of the genus *Antodice* Thomson of Mexico and Central America. **Les Cahiers Magellanes**, **53**: 1-23, 9 figs.
- MCDOWELL, W.T., & T.C. MACRAE. 2009. First Record of *Typocerus deceptus* Knull, 199 (Coleoptera: Cerambycidae) in Missouri, with notes on additional species from the state. **Pan Pac. Ent.** **84(4)**: 341-433.
- MEHL, O., M.H., GALILEO, U.R. MARTINS, & A. SANTOS-SILVA. 2015. Four New Species of Cerambycidae (Coleoptera) from Paraguay. **Zookeys** **507**: 31-40, 16 figures.
- MELSHEIMER, F. E. 1853. Catalogue of the described Coleoptera of the United States. Washington, D.C., **Smithsonian Institution**, **xvi** + 174 pp.
- MELZER, J. 1918. Observações sobre os cerambycideos do grupo dos Compsocerini. **Rev. Mus. Paul.**, **10**: 419-435, 1 fig.
1919. Os longicórnios brasileiros da subfamília "Prioninae", tomando em consideração particular as espécies do Estado de São Paulo. **Rev. Mus. Paul.**, **11**: 1-207, 10 pls.
1920. Longicórneos novos ou pouco conhecidos do Brasil. **Rev. Mus. Paul.**, **12(2)**: 410-437, 6 figs.
1922. Longicórneos do Brasil, novos ou pouco conhecidos. **Notas Prelim. Mus. Paul.**, **2(2)**: 1-12.
1923. Longicórneos do Brasil novos ou pouco conhecidos. **Rev. Mus. Paul.**, **13**: 527-533, 1 fig.
1923. Longicórneos do Brasil, novos ou pouco conhecidos. **Notas Prelim. Mus. Paul.**, **2(3)**: 1-4.
1923. Longicórneos do Brasil, novos ou pouco conhecidos. **Notas Prelim. Mus. Paul.**, **2(4)**: 1-10.
1923. Longicórneos do Brasil, novos ou pouco conhecidos. **Notas Prelim. Mus. Paul.**, **2(5)**: 1-9.
1926. Longicórneos do Brasil, novos ou pouco conhecidos. **Publ. Mus. nac.**, **7**: 1-15.
1927. Longicórneos do Brasil, novos ou pouco conhecidos. **Rev. Mus. Paul.**, **15(1)**: 135-202, 20 figs.
1927. Longicórneos do Brasil, novos ou pouco conhecidos. **Rev. Mus. Paul.**, **15(1)**: 557-582.
1928. Longicórneos do Brasil, novos ou pouco conhecidos. **Arch. Inst. biol.**, **1**: 143-158, 26 figs.
1930. Longicórneos do Brasil, novos ou pouco conhecidos II. **Arch. Inst. biol.**, **3**: 187-208, 25 figs.
1931. Longicórneos americanos, principalmente do Brasil, novos ou pouco conhecidos **Arch. Inst. Biol.**, **4**: 51-82, 33 figs.
1931. Cerambycideos neotrópicos, principalmente do Brasil. **Rev. Entomol.**, **1(1)**: 1-15, 8 figs.

1931. Novos Cerambycideos neotrópicos. **Rev. Entomol.**, **1(2)**: 191-199, 6 figs.
1932. Vinte espécies novas de cerambycideos neotrópicos, principalmente do Brasil. **Rev. Entomol.**, **2(2)**: 216-238, 14 figs.
1932. Novos gêneros e novas espécies de cerambycideos do Brasil. **Rev. Entomol.**, **2(4)**: 420-434, 12 figs.
1933. Cerambycideos neotrópicos, novos ou pouco conhecidos. **Rev. Entomol.**, **3(3)**: 367-382.
1933. Nota prévia sobre um longicórneo interessante dos Andes da Argentina. **Rev. Entomol.**, **3(4)**: 459-461, 1 pl.
1934. Novos subsidios para o conhecimento dos cerambycideos neotrópicos. **Rev. Entomol.**, **4(1)**: 70-110, 14 figs.
1934. Longicórneos americanos, principalmente do Brasil, novos ou pouco conhecidos. **Arq. Inst. Biol.**, **5**: 213-244, 42 figs.
1935. Novos cerambycideos do Brasil, da Argentina e de Costa Rica. **Arch. Inst. Biol. Veg.**, **2(2)**: 173-205.
- MENDES, D. 1937. Uma nova espécie de *Pentheochaetes* Melzer, 1932. **Rodriguesia**, **3**: 253-254.
1938. Uma nova espécie de *Desmiphora* Serv., 1835, in **Livr. Jub. Prof. L. Travassos**, **3**: 315-317, 1 fig.
1938. Três espécies novas de cerambycideos do Brasil, dos gêneros *Lygrocharis*, *Rhathymoscelis* e *Alphus* **Rev. Entomol.**, **9**: 117-121, 7 figs.
1940. *Rhopalophora neivai*, nova espécie da família Cerambycidae. **Rev. Entomol.**, **11**: 380-382.
1946. Uma nova espécie do gênero *Semnus* Lac., 1869, in **Livr. Hom. R. F. d'Almeida**, **25**: 235-238, 10 figs.
- MENEZES, E. C., A. M. SILVA-NETO, F. E. L. NASCIMENTO, & F. R. BRAVO. 2012. Lista dos Cerambycidae, incluindo 12 Holotipos, Presentes no Museu de Zoologia da Universidade Estadual de Feira de Santana e o Primeiro Registro da espécie *Chrysoprasia airi* Napp & Martins para o Brasil. **Entomo Brasilis** **5(1)**: 49-58.
- MÉNÉTRIÉS, E. 1832. **Catalogue raisonné des objects de Zoologie recueillis dans un voyage au Cacase et jusqu'aux frontières actuelles de la Perse**. **4**: 1-271.
1838. Essai d'une monographie du genre *Anacolus* de la famille des capricornes (Insectes coléoptères). **Bull. Sci. Acad. Imp. Sci. St. Petersburg**, **4**: 129-131.
1844. Sur un envoi d'insectes de la côte N. O. d'Amérique. **Bull. Sci. Acad. Imp. Sci. St. Petersburg**, **2**: 49-64.
- MERLUDES, J.R.M. 1998. Nova espécie de *Dihammaphora* da Colombia (Cleominini). **Iheringia, Sér. Zool.**, **(85)**: 97-100, 1 fig.
2008. Revision of *Piezochaerus* (Coleoptera: Cerambycidae). **Rev. Bras. Zool.**, **25(2)**: 309-313, 4 figs.
- MERLUDES, J.R.M. & M.A. MONNÉ. 1999. *Aleiphaquilon* (Callidiopini): descrições e chave para identificação. **Iheringia, Sér. Zool.**, **(87)**: 81-86, 3 figs.
2009. *Pseudosparna*, a new Neotropical genus of Acanthocinini (Coleoptera: Cerambycidae: Lamiinae), with description of three new species, **Zootaxa** **2056**: 63-684, 4 figs.
- MERLUDES, J.R.M. & M.L. MONNÉ. 2001. Descrição da larva e pupa de *Acanthoderes* (*Psapharochrus*) *melanosticta* White, 1855 (Acanthoderini). **Rev. Bras. Entomol.**, **45(4)**: 331-334, 15 figs.
- MERLUDES, J.R.M. & D.S. NAPP. 2001. Review of the genus *Haenkea* Tippman (Cleomenini). **Coleop. Bull.**, **54(4)**: 511-519, 6 figs.
2001. Revision of *Eupempelus* Bates and its transference to Heteropsini Lacordaire. **Rev. Bras. Zool.**, **18(1)**: 245-253, 6 figs.
2002. Redescricao e transferencia do gênero *Fregolia* Gounelle, 1911 para Callidiopini Lacordaire. **Rev. Bras. Entomol.**, **46(4)**: 553-559, 34 figs.
2004. Comparative morphological study of the Neotropical Cleominini genera and their transference to the tribes Rhopalophorini Blanchard and Rhinotragini Thomson (Cerambycinae). **Rev. Bras. Entomol.**, **48(2)**: 251-272, 129 figs.
2009. Synopsis of the Genus *Pandrosos* Bates 1867 (Coleoptera, Cerambycidae). **Zootaxa** **2245**: 59-64, 4 figs.

- MICHARD, A. 1887. *Poecilopeplus tardifi* n. sp. **Revue Entomol.**, **6**: 139.
- MICHELI, C. J. 2010. Nomenclatural changes within West Indian Acanthocinini (Coleoptera: Cerambycidae: Lamiinae). **Zootaxa** **2622**: 65-67.
- MICHELI, J. 1978. Ten new insect records from Puerto Rico. **Journ. Agric. of the Univ. Puerto Rico**, **LXII(3)**: 301-303.
1983. *Curiosa dominicana*, a new genus and species of Curiini from Dominican Republic. **Coleop. Bull.**, **37(3)**: 261-266, 3 figs.
2003. New longhorn beetles from Puerto Rico (West Indies). **Coleop. Bull.**, **57(2)**: 191-204, 5 figs.
- MICHELI, J. & F.T. HOVORE. 2003. New synonymies and distributional records for Caribbean Cerambycidae. **Coleop. Bull.**, **57(1)**: 1-4, 1 fig.
- MICHELI, J. & C. J. MICHELI. 2004. Five new Puerto Rican longhorn beetles and other notes on West Indian Acanthocinini (Lamiinae). **Journ. New York Entomol. Soc.**, **112(1)**: 18-36, 7 figs.
2006. Reinstatement of *Solenoptera michelii* (Chemsak, 1979) (Coleoptera: Cerambycidae: Prioninae: Solenopterini) as a valid species. **Zootaxa** **1161**: 65-68, 2 figs.
- MICHELI, C. J. & E.H. NEARNS. 2005. Two new species of *Plectromerus* Haldeman from the West Indies. **Zootaxa** **1028**: 23-36, 4 figs.
- MICKEL, C. E. 1919. A new genus of Cerambycidae from Wyoming. **Entomol. News**, **30(7)**: 198-200, 3 figs.
- MIROSHNIKOV, A. I. 1998. A new classification of longicorn beetles of the *Anoplodera* complex, Tribe Lepturini, of Holarctic fauna, I. **Entomologicheskoe Obozrenie**. **77(2)**: 384-421.
2020. Taxonomic notes on the tribes Tillomorphini Lacordaire, 1868 and Clytellini Miroshnikov, 2014, stat.n., with descriptions of new taxa and a third addition to review of the genus *Clytellus* Westwood, 1853 (Coleoptera: Cerambycidae: Cerambycinae). **Russian Ent. J.** **29(4)**: 388-399, 20 figures.
2020. Contribution to the knowledge of the genus *Calliclytus* Fisher, 1932 (Coleoptera: Cerambycidae: Cerambycinae: Tillomorphini), with a new synonymy and description of a new species from the Dominican Republic. **Russ. Ent. J.** **29(3)**: 261-270, 32 figures.
- MONDACA, J. & M. BEECHE. 2022. A new genus for *Stromatium chilensis* Cerda, 1968 (Coleoptera: Cerambycidae: Cerambycinae: Hesperophanini) from Chile. **Insecta Mundi**, **0930**: 1-7, 12 figures.
- MONNÉ, M. A. 1969. Descripción de una nueva especie del género *Acanthachryson* Bruch, 1921 (Achrysonini). **Rev. Bras. Biol.**, **29(2)**: 279-282, 1 fig.
1972. Revisión parcial del género *Achryson* Serville, 1833 (Achrysonini). **Rev. Peru. Entomol.**, **15(1)**: 103-112, 17 figs.
1974. Revisão do gênero *Toroneus* Bates, 1864 (Lamiinae, Acanthocinini). **Rev. Bras. Biol.**, **34(4)**: 589-598, 8 figs.
1975. Notas sinonímicas em Acanthocinini. **Rev. Bras. Entomol.**, **19(2)**: 55-58.
1975. Contribuição ao conhecimento dos Acanthocinini IV. **Rev. Bras. Biol.**, **35(2)**: 245-252, 6 figs.
1976. O gênero *Lepturges* (s. str.) Bates, 1863 no Leste e Sul do Brasil Acanthocinini). **Rev. Bras. Biol.**, **36(2)**: 357-376, 28 figs.
1976. Contribuição ao conhecimento dos Acanthocinini V. **Rev. Bras. Biol.**, **36(3)**: 577-583, 4 figs.
1976. Revisão do gênero *Oxathres* Bates, 1864 (Acanthocinini). **Rev. Bras. Biol.**, **36(3)**: 585-593, 6 figs.
1977. Contribuição ao conhecimento dos Acanthocinini VI. **Rev. Bras. Biol.**, **37(4)**: 693-711, 19 figs.
1978. O gênero *Lepturges* (s. str.) Bates, 1863 no Norte e Centro-Oeste do Brasil (Acanthocinini). **Rev. Bras. Biol.**, **38(1)**: 1-12, 12 figs.
1978. Revisão dos gêneros *Pucallpa* Lane, 1959, *Anisolophia* Melzer, 1934 e *Hamatastus* Gilmour, 1957 (Acanthocinini). **Rev. Bras. Biol.**, **38(3)**: 587-593, 18 figs.
1979. Notas e descrições em Phacellini. **Rev. Bras. Biol.**, **39(2)**: 405-413, 20 figs.
1979. Contribuição ao conhecimento dos Aerenicini. **Rev. Bras. Biol.**, **39(2)**: 415-418, 3 figs.

1980. Contribuição ao conhecimento dos Comptosomatini. Parte I. **Rev. Bras. Entomol.**, **24(1)**: 29-51, 20 figs.
1980. Contribuição ao conhecimento dos Comptosomatini. Parte II. **Rev. Bras. Entomol.**, **24(2)**: 85-104, 23 figs.
1980. Contribuição ao conhecimento dos Comptosomatini. Parte III. **Rev. Bras. Entomol.**, **24(3-4)**: 227-265, 46 figs.
1981. Contribuição ao conhecimento dos Comptosomatini. Parte IV. **Rev. Bras. Entomol.**, **25(2)**: 73-84, 4 figs.
1982. Revisão do gênero *Hylettus* Bates, 1864 (Acanthocinini). **Rev. Bras. Biol.**, **42(1)**: 95-106, 10 figs.
1984. Revisão do gênero *Cobelura* Erichson, 1847 (Acanthocinini). **Rev. Bras. Entomol.**, **28(3)**: 337-344, 5 figs.
1985. Duas espécies novas do genero *Hamatastus* Gilmour, 1957 (Acanthocinini). **Rev. Bras. Entomol.**, **29(1)**: 27-30, 2 figs.
1985. Sinopse do gênero *Palame* Bates, 1864 (Acanthocinini). **Rev. Bras. Entomol.**, **29(2)**: 299-304, 5 figs.
1985. Sinopse do gênero *Nyssocarinus* Gilmour, 1960 (Acanthocinini). **Rev. Bras. Entomol.**, **29(2)**: 305-308, 3 figs.
1985. Novas espécies de Acanthocinini neotropicais. **Rev. Bras. Entomol.**, **29(2)**: 369-377, 6 figs.
1985. Sinopse do gênero *Nyssodrysternum* Gilmour, 1960, com notas sobre o "complexo *Nyssodrys*" (Acanthocinini). **Rev. Bras. Entomol.**, **29(3-4)**: 535-548, 9 figs.
1988. Novas espécies de Acanthocinini neotropicais II. **Rev. Bras. Entomol.**, **32(2)**: 119-130, 8 figs.
1989. Novos táxons e sinonímia em Rhopalophorini. **Rev. Bras. Biol.**, **49(3)**: 737-741, 4 figs.
1990. Sinopse dos gêneros de Acanthocinini neotropicais. I. Gêneros com setas e crista centro-basal nos élitros. **Rev. Bras. Biol.**, **50(1)**: 249-278, 3 figs.
1990. Novas espécies de Acanthocinini neotropicais III. **Rev. Bras. Entomol.**, **34(3)**: 679-686, 6 figs.
1991. Sinopse do gênero *Tropidozineus* Monné & Martins, 1976 (Acanthocinini). **Rev. Bras. Entomol.**, **35(1)**: 127-133, 3 figs.
1992. Novas espécies de *Nyssodrysternum* Gilmour, 1960 do sudeste e sul do Brasil (Acanthocinini). **Rev. Bras. Entomol.**, **36(4)**: 773-777, 4 figs.
1993. Novas espécies de *Sangaris* Dalman, 1823 (Colobotheini). **Rev. Bras. Entomol.**, **37(3)**: 469-474, 3 figs.
1993. Novas espécies e sinonímia em *Colobothea* Lepeletier & Audinet-Serville, 1825 (Colobotheini). **Rev. Bras. Entomol.**, **37(3)**: 475-482, 8 figs.
1993. Catalogue of the Cerambycidae (Coleoptera) of the Western Hemisphere. Part I. **Soc. Bras. Ent.** 1-76.
1993. Catalogue of the Cerambycidae (Coleoptera) of the Western Hemisphere. Part II. **Soc. Bras. Ent.** 1-77.
1993. Catalogue of the Cerambycidae (Coleoptera) of the Western Hemisphere. Part III. **Soc. Bras. Ent.** 1-52.
1993. Catalogue of the Cerambycidae (Coleoptera) of the Western Hemisphere. Part IV. **Soc. Bras. Ent.** 1-129.
1993. Catalogue of the Cerambycidae (Coleoptera) of the Western Hemisphere. Part V. **Soc. Bras. Ent.** 1-100.
1993. Catalogue of the Cerambycidae (Coleoptera) of the Western Hemisphere. Part VI. **Soc. Bras. Ent.** 1-47.
1993. Catalogue of the Cerambycidae (Coleoptera) of the Western Hemisphere. Part VII. **Soc. Bras. Ent.** 1-81.
1993. Catalogue of the Cerambycidae (Coleoptera) of the Western Hemisphere. Part VIII. **Soc. Bras. Ent.** 1-97.
1993. Catalogue of the Cerambycidae (Coleoptera) of the Western Hemisphere. Part IX. **Soc. Bras. Ent.** 1-131.
1998. Notas sobre Acanthocinini Neotropicais: genero e espécies novas. **Rev. Bras. Entomol.**, **41(2-4)**: 289-295.
1998. Sinopse do genero *Sporetus* Bates, 1864 (Acanthocinini). **Rev. Bras. Entomol.**, **42(3/4)**: 27-34, 11 figs.
2001. Catalogue of the Neotropical Cerambycidae with known host plant -- Part 1: Subfamily Cerambycinae, tribes Achrysonini to Elaphidiini.

Publicações Avulsas do Museu Nacional, No. 88, 1-108.

2001. Catalogue of the Neotropical Cerambycidae with known host plant -- Part II: Subfamily Cerambycinae, tribes Graciliini to Trachyderini. **Publicações Avulsas do Museu Nacional, No. 90, 1-119.**
2001. Genero *Plistonax* Thomson, 1864, (Acanthoderini): espécie nova e chave de identificação. **Bol. Mus. Nac., (n. s. Zool.), 466:** 1-3, 1 fig.
2001. Sinopse dos generos de Acanthocinini Neotropicais. II. Élitros sem setas, com crista centro-basal e carenas laterais (Lamiinae). **Iheringia, Ser. Zool., (91):** 177-181, 4 figs.
2001. Catalogue of the Neotropical Cerambycidae with known host plant -- Part III: Subfamily Lamiinae, tribes Acanthocinini to Apomecynini. **Publicações Avulsas do Museu Nacional, No. 92, 1-94.**
2002. Catalogue of the Neotropical Cerambycidae with known host plant - Part IV: Subfamily Lamiinae, tribes Batocerini to Xenofreini. **Publicações Avulsas do Museu Nacional, 94:** 1-92.
2002. Catalogue of the Neotropical Cerambycidae with known host plant - Part V: Subfamilies Prioninae, Parandrinae, Oxypeltinae, Anoplodermatinae, Aseminae and Lepturinae. **Publicações Avulsas do Museu Nacional, 96:** 1-72.
2004. O gênero *Beloesthes* Thomson e nota sinonímica em *Alcathousites* Gilmour (Lamiinae, Acanthocinini). **Rev. Bras. Entomol., 48(1):** 31-33, 2 figs.
2005. Gênero *Colobothea* Lepeletier & Audinet-Serville: novas espécies e sinonimia (Lamiinae). **Rev. Bras. Entomol., 49(2):** 245-248, 7 figs.
2005. Catalogue of the Cerambycidae (Coleoptera) of the Neotropical region. Part I. Subfamily Cerambycinae. **Zootaxa, 946,** 765 pp.
2005. Catalogue of the Cerambycidae (Coleoptera) of the Neotropical region. Part II. Subfamily Lamiinae. **Zootaxa, 1023,** 759 pp.
2006. Catalogue of the Cerambycidae (Coleoptera) of the Neotropical region. Part III. Subfamilies Parandrinae, Prioninae, Anoplodermatinae, Aseminae, Spondylidinae, Lepturinae, Oxypeltinae, and addenda to the Cerambycinae and Lamiinae. **Zootaxa 1212,** 244 pp.
2007. Sinopse do gênero *Brevoxathres* Gilmour (Coleoptera, Cerambycidae). **Rev. Bras. Ent., 51(3):** 290-293, 6 figs.
2009. Novos taxons neotropicais em Acanthocinini (Coleoptera, Cerambycidae). **Rev. Bras. Ent. 53(3):** 321-326, 9 figs.
2011. Revision of the genus *Stenolis* Bates (Coleoptera, Cerambycidae, Lamiinae). **Zootaxa: 2831: 39–53,** 17 figures.
2012. Catalogue of the type-species of the genera of the Cerambycidae, Disteniidae, Oxypeltidae and Vesperidae (Coleoptera) of the Neotropical Region. **Zootaxa 3213:** 1-183.
2012. Catalogue of the type-species of the genera of the Cerambycidae, Disteniidae, Oxypeltidae and Vesperidae (Coleoptera) of the Neotropical Region. **Zootaxa 3255:** 68 Erratum
2014. *Paracriodion* Fragoso (Coleoptera: Cerambycidae: Cerambycinae): redefinition, with description of a new species from Bolivia. **Zootaxa 3847(1):** 139-144, 5 figures.
2015. Catalogue of the Cerambycidae (Coleoptera) of the Neotropical Region. Part I. Subfamily Cerambycinae. Available from cerambyxcat.com/Part1_Cerambycinae.pdf
2015. Catalogue of the Cerambycidae (Coleoptera) of the Neotropical Region. Part II. Subfamily Lamiinae. Available from cerambyxcat.com/Part1_Cerambycinae.pdf
2015. Catalogue of the Cerambycidae (Coleoptera) of the Neotropical Region. Part III. Subfamilies Lepturinae, Necydalinae, Parandrinae, Prioninae, Spondylidinae and Families Oxypeltidae, Vesperidae and Disteniidae. Available from cerambyxcat.com/Part1_Cerambycinae.pdf
- MONNÉ, M. A., L. M. ALMEIDA, M. L. OLIVEIRA, J. H. VIANA, & M. A. MONNÉ. 2017. Checklist of Cerambycidae (Coleoptera) primary types of the Coleção Entomológica Pe. Jesus Santiago Moure, Departamento de Zoologia, Universidade Federal do Paraná, Curitiba, Paraná, Brazil, Instituto Nacional de Pesquisas da Amazônia, Amazonas, Manaus, Brazil, and of the Museu Paraense Emílio Goeldi, Pará, Belém, Brazil. **Zootaxa 4221(3):** 341-365, 26 figures.
- MONNÉ M.A & L. G. BEZARK. 2009. Checklist of the Cerambycidae, or longhorned wood-boring beetles, of the Western

Hemisphere. **BioQuip Publications, Rancho Dominguez, California, 455 pp.**

MONNÉ, M.A. & J. P. BOTERO R., 2011. Synonymical notes on Neotropical Cerambycidae (Insects, Coleoptera). **Zootaxa 2928**: 64-68, 9 figures.

2015. A new species of *Sympagus* Bates (Coleoptera, Cerambycidae, Lamiinae, Acanthocinini). **Arq. de Zool.** **46(6)**: 83-85, 1 figure.

2017. A new species of *Neoeutrypanus* MONNÉ, 1977 from Guatemala (Coleoptera, Cerambycidae). **Zootaxa 4276(1)**:125-126, 3 figures.

MONNÉ, M. A., J. P. BOTERO, R. S. OLIVIER & A. SANTOS-SILVA. 2024. South American Acanthocinini (Coleoptera, Cerambycidae, Lamiinae): new species, synonymy, description of females, and notes. **Zootaxa**, **5519(3)**: 345-383, 92 figures.

MONNÉ, M. A. , & C. S. CHABOO. 2015. Beetles (Coleoptera) of Peru: A Survey of the Families. Cerambycidae, Disteniidae, Vesperidae. **J. Kans. Ent. Soc.** **88(1)**: 34-120.

MONNÉ, M. A., & M.CUPELLO. 2015. On the validity of some species names of South American longhorn beetles (Coleoptera, Cerambycidae). **Zootaxa 3981: (3)**: 360-366, 6 figures.

MONNÉ, M. A. & S. M. DELFINO. 1980. Contribuição ao conhecimento dos Acanthocinini VII. **Rev. Bras. Biol.**, **40(2)**: 317-322, 3 figs.

1981. Os gêneros *Exalcidion* Monné, 1977 e *Trichalcidion* gen. n. (Acanthocinini). **Rev. Bras. Biol.**, **41(2)**: 259-262, 3 figs.

1986. Novas espécies do gênero *Nealcidion* Monné, 1977 (Acanthocinini). **Rev. Bras. Entomol.**, **30(1)**: 167-177, 9 figs.

MONNÉ, M. A. & S. A. FRAGOSO. 1984. Notas sobre Onciderini. **Pesq. Agropec. Bras.**, **19(8)**: 925-933, 14 figs.

1988. Novas espécies e sinonímia de *Oreodera* Audinet-Serville, 1835 (Acanthoderini). **Rev. Bras. Biol.**, **48(4)**: 811-831, 24 figs.

1990. Sinopse do gênero *Erythroplatys* White, 1855, com notas sobre *Rhinotragus* Germar, 1823 (Rhinotragini). **Rev. Bras. Biol.**, **50(3)**: 727-733, 7 figs.

1996. Sobre *Eriphus* Audinet-Serville, 1834 e *Athetesis* Bates, 1870 (Trachyderini). **Rev. Bras. Entomol.**, **40(1)**: 113-120, 19 figs.

MONNÉ, M. A. & E. F. GIESBERT. 1992. Nomenclatural notes on Western Hemisphere Cerambycidae. **Insecta Mundi**, **6(2)**: 249-255.

MONNÉ, M. A. & M. HOFFMANN. 1981. O gênero *Leptostylus* LeConte, 1852 na América do Sul (Acanthocinini). **Rev. Bras. Entomol.**, **25(4)**: 245-263, 14 figs.

MONNÉ M.Á. & F.T. HOVORE. 2006. *A Checklist of the Cerambycidae, or longhorned wood-boring beetles, of the Western Hemisphere*. Bio Quip Publications, Rancho Dominguez, CA [2005]: 1–393.

MONNÉ, M. A. & V. S. MACHADO. 2009. Nomenclatural notes in Neotropical Acanthocinini (Coleoptera, Cerambycidae). **Zootaxa 2204**: 67-68, 1 figure.

MONNÉ, M. A. & P. R. MAGNO. 1988. Gênero *Cosmisoma* Audinet-Serville, 1834: notas, novos taxa e chave para espécies sul-americanas (Rhopalophorini). **Bol. Mus. Nac., (n. s. Zool.)**, **319**: 1-27, 12 figs.

1988. Sinonímias, descrições e chave para espécies de *Odontocera* Audinet-Serville, 1833 da América do Sul (Rhinotragini). **Rev. Bras. Entomol.**, **32(3-4)**: 441-454, 4 figs.

1990. Novas espécies de Acanthoderini neotropicais I. **Rev. Bras. Entomol.**, **34(4)**: 687-691, 5 figs.

1992. Novas espécies de Acanthoderini neotropicais II. **Rev. Bras. Entomol.**, **36(4)**: 717-721, 4 figs.

MONNÉ, M. A. & U. R. MARTINS. 1972. Sobre *Triacetelus* Bates e *Beaveria* Lane (Purpuricenini). **Rev. Bras. Entomol.**, **16(11)**: 75-78, 1 fig.

1973. Trachyderini : sinonímias, observações, espécies novas. **Papéis Avulsos Zool.**, **27(5)**: 69-80, 9 figs.

1973. Notas e descrições em Eburiini. **Papéis Avulsos Zool.**, **27(11)**: 145-155, 5 figs.

1974. Notas sinonímicas, observações e descrições em Cerambycidae. **Rev. Bras. Entomol.**, **18(1)**: 21-31, 2 figs.
1976. Contribuição ao conhecimento dos Acanthocinini. **Papéis Avulsos Zool.**, **30(4)**: 43-98, 43 figs.
1979. Colobotheini: sinonímias, gêneros e espécies novas. **Rev. Bras. Biol.**, **39(1)**: 31-35, 4 figs.
1981. Notas e descrições em Heteropsini e Purpuricenini. **Rev. Bras. Biol.**, **41(1)**: 185-189, 4 figs.
1991. Sinopse do gênero *Ceragenia* Audinet-Serville, 1834 (Trachyderini). **Rev. Bras. Entomol.**, **35(1)**: 197-201, 4 figs.
1992. Eburini : chave para os gêneros, chave para as espécies de *Cupanoscelis* Gounelle, 1909, novas sinonímias e descrição de novos táxons. **Rev. Bras. Entomol.**, **36(2)**: 263-275, 7 figs.
- MONNÉ, M.A. & M.L. MONNÉ. 2000. Novo genero sul-americano de Trachyderina Dupont, 1836 (Trachyderini). **Bol. Mus. Nac., (n. s. Zool.)**, **416**: 1-4, 3 figs.
2002. Revisão do gênero *Pteracantha* (Cerambycinae, Trachyderini). **Iheringia**, Sér. Zool., **92(1)**: 71-75, 9 figs.
2004. *Nothoprodontia*, um novo gênero de Trachyderini (Cerambycinae). **Rev. Bras. Entomol.**, **48(2)**: 239-241, 4 figs.
2006. Novos taxons sul-americanos de Parmenini e Pteropliini (Coleoptera, Cerambycidae, Lamiinae). **Rev. Bras. Ent.**, **50(4)**: 488-491, 4 figs.
2007. Sinonímias e novas combinações em Trachyderini e Acanthoderini (Coleoptera, Cerambycidae). **Rev. Bras. Ent.**, **51(4)**: 526-528.
2007. Novas espécies neotropicais de Acanthocinini (Coleoptera, Cerambycidae), **Rev. Bras. Zool.**, **24(4)**: 1038-1042, 7 figs.
2008. *Atrocolus mariahenae*, novo gênero e espécie de Anacolini (Coleoptera, Cerambycidae) **Iheringia** **98(2)**: 215-217, 1 fig.
2008. Novo genero, sinonimia e novas combinacoes em Colobotheini (Coleoptera: Cerambycidae). **Rev. Bras. Zool.** **25(3)**: 502-506, 6 figs.
2008. Synopsis of the Neotropical genus *Lepturgantes* Gilmour (Coleoptera: Cerambycidae) with description of a new species. **Zootaxa** **1876**: 60–68, 8 figs.
2009. Synopsis of the genus *Sangaris* Dalman in South America (Coleoptera, Cerambycidae), with description of two new species and new combination. **Zootaxa** **2230**: 29-41, 15 figs.
2009. New taxa in *Bebelis* Thomson and *Potiatuca* Galileo & Martins (Coleoptera, Cerambycidae, Lamiinae). **Pap. Avuls. Zool.** **49(30)**: 375-378, 5 figs.
2009. Three new species and synonymy in *Nealcidion* (Coleoptera, Cerambycidae, Lamiinae). **Rev. Bras. Ent.**, **53(3)**: 361-364, 4 figs.
2010. Revision of the genus *Carphontes* Bates, with the proposal of a new genus, *Paracleodoxus* (Coleoptera, Cerambycidae, Lamiinae). **Zootaxa** **2387**: 51–56 4 figs.
2010. Synopsis of the genus *Colobothea* Lepeletier & Audinet-Serville in Bolivia, with descriptions of two new species and new country records (Coleoptera, Cerambycidae) **Zootaxa** **2542**: 33-47, 24 figs.
- 2011 A new genus and species of Neotropical Anacolini and new distributional records (Insecta, Coleoptera, Cerambycidae), **Journal of Natural History** **45**: 29, 1859-1866, 2 figs.
2012. New species of Acanthocinini from South America (Coleoptera: Cerambycidae). **Zootaxa** **3478**: 192-200, 9 figures.
2012. New species of Acanthocinini from South America (Coleoptera: Cerambycidae). **Zootaxa** **3501**: 88. ERRATUM
2012. The genera *Tropidozineus* Monné & Martins, 1976 and *Ozineus* Bates, 1863 in Bolivia (Coleoptera: Cerambycidae: Lamiinae): six new species and a new synonym. **Zootaxa** **3557**: 59-68, 10 figures.
2014. *Synopsis of the genus Pseudosparna* Mermudes & MONNÉ (Coleoptera, Cerambycidae, Lamiinae), with description two new species. **Zootaxa**: **3852(5)**: 595-598, 2 figures.

2018. Nomenclatural and distributional notes on Neotropical Cerambycidae (Coleoptera). **Zootaxa** **4379** (2): 287–294, 7 figures.
2018. Synopsis of the genus *Volxemia* Lameere, 1884 (Coleoptera, Cerambycidae). **Zootaxa** **4457** 32): 491–494, 3 figures.
2018. Synopsis of the genus *Pseudoperma* Dillon and Dillon, 1946 (Coleoptera: Cerambycidae), with description of a new species. **J. Nat. Hist.** **52** (9-10): 621-626, 1 figure.
- MONNÉ, M. A. & D.S. NAPP. 2004. *Megacyllene* Casey: novas sinonímias e descrição de uma nova espécie. **Rev. Bras. Entomol.**, **48**(3): 323-324, 3 figs.
- MONNÉ, M.A. & A. SANTOS-SILVA. 2008. Disteniinae Thomson (Insecta, Coleoptera): a protected name. **Rev. Bras. Ent.**, **52**(2): 261-262.
- MONNÉ, M.A., MONNÉ, M.L. & BOTERO, J.P. 2017. New genus and species of Neotropical Colobotheini (Coleoptera, Cerambycidae, Lamiinae). **Zootaxa** **4276**(3): 446-450.
- MONNÉ, M.A., MONNÉ, M.L., BOTERO, J.P., MACHADO V.S., CARELLI, A., CUPELLO, M. & SOUZA, R. 2017. Espécies de Cerambycidae, Disteniidae e Vesperidae (Insecta, Coleoptera) registradas no Estado de Mato Grosso do Sul, Brasil. **Iheringia (Série Zoologia), (Suppl.)** **107**: 1-9.
- MONNÉ, M. L., M. A. MONNÉ & D. S. SOUZA. 2019. The genus *Ozineus* Bates, 1863 in South America (Coleoptera, Cerambycidae, Lamiinae). **Zootaxa** **4695** (6): 593–600, 11 figures.
- MONNÉ, M. L., M. A. MONNÉ, D. S. SOUZA & C. S. CARLI. 2022. New distribution records of Cerambycinae (Coleoptera: Cerambycidae) in the Brazilian Amazon. **Zoologia** **39** e22009: 1-14, 20 figures.
- MONNÉ, M. A., F. E. L. NASCIMENTO, M. L. MONNÉ & A. SANTOS-SILVA. 2019. New records, new genera, and new species in Acanthocinini (Lamiinae) from the Neotropical region, and new synonym in Cerambycinae (Coleoptera, Cerambycidae) **Zootaxa** **4624** (4): 491-506, 25 figures.
- MONNÉ, M. A. & A. SANTOS-SILVA. 2022. New species, synonymy, and new record in Neotropical Acanthocinini (Coleoptera, Cerambycidae, Lamiinae). **Zootaxa**, **5196** (2): 235-251, 40 figures.
- MONNÉ, M. A., A. SANTOS-SILVA, S. A. CASARI & M. L. MONNÉ. 2017. Checklist of Cerambycidae, Disteniidae and Vesperidae (Coleoptera) primary types of the Museu de Zoologia, Universidade de São Paulo, São Paulo, Brazil. **Zootaxa** **4249**(1): 1-104.
- MONNÉ, M. A. & G. L. TAVAKILIAN. 1988. Une nouvelle espèce du genre *Scolochilus* Monné, 1979 (Phacellini). **Revue Fr. Entomol., (N. S.)** **10**(3): 237-238, 1 fig.
1990. Révision du genre *Tenthreas* Thomson, 1864 (Acanthocinini). **L'Entomologiste**, **46**(4): 181-185, 2 figs.
2011. Synopsis of the genus *Oxathres* Bates (Coleoptera: Cerambycidae). **Zootaxa** **2928**: 20-28, 13 figures.
2011. New species of *Nyssodrysternum* Gilmour (Coleoptera: Cerambycidae, Lamiinae) from Central and South America. **Papeis Avulsos Zool.** **51**(29): 453-464, 15 figures.
- MONNÉ, M. A. & J. E. WAPPES. 2014. Description of *Protumida insularis*, a new genus and species of the tribe Desmiphorini (Coleoptera, Cerambycidae, Lamiinae) from Panama. **Insecta Mundi** **0374**: 1-4, 2 figures.
- MONNÉ, M. A. & D. ZAJCIW. 1970. Cerambícidos del Uruguay, nuevos o poco conocidos II. **Atas Soc. Biol.**, **13**(1-2): 29-32.
1972. Cerambícidos del Uruguay, nuevos o poco conocidos III. **Atas Soc. Biol.**, **15**(2): 49-53.
- MONNÉ, M.A., MONNÉ, M.L., & U.R. MARTINS. 2004. Notas sinonímicas em Lepturini sul-americanos (Lepturinae). **Rev. Bras. Entomol.**, **48**(4): 433-438, 18 figs.
- MONNÉ, M. A., M. L. MONNÉ, & J. R. M. MERMUDES. 2009. Inventário das espécies de Cerambycinae (Insecta, Coleoptera, Cerambycidae) do Parque Nacional do Itatiaia, RJ, Brasil. **Biota Neotrop.**, **9**(3): 283-312, 99 figs.
- MONNÉ, M. A., M. L. MONNÉ, & G. L. TAVAKILIAN. 2013. O Genero *Leptostylus* LeConte Na Guiana Francesa (Coleoptera, Cerambycidae. **Pap. Avuls. Zool.** **53**(31): 431-437, 6 figures.

- MONNÉ, M. A. & E.H. NEARNS. 2020. Catalogue of the Cerambycidae (Coleoptera) of Canada and United States of America. Part I. Subfamilies Parandrinae, Prioninae and Spondylidinae. **Available from <https://cerambycids.com/catalog/>**
- MONNÉ, M. A. & E.H. NEARNS. 2020. Catalogue of the Cerambycidae (Coleoptera) of Canada and United States of America. Part II. Subfamilies Lepturinae and Necydalinae. **Available from <https://cerambycids.com/catalog/>**
- MONNÉ, M. A. & E.H. NEARNS. 2020. Catalogue of the Cerambycidae (Coleoptera) of Canada and United States of America. Part III. Subfamily Cerambycinae. **Available from <https://cerambycids.com/catalog/>**
- MONNÉ, M. A. & E.H. NEARNS. 2020. Catalogue of the Cerambycidae (Coleoptera) of Canada and United States of America. Part IV. Subfamily Lamiinae. **Available from <https://cerambycids.com/catalog/>**
- MONNÉ, M. A., E. H. NEARNS, S. C. CARBONEL CARRIL, I. P. SWIFT, & M. L. MONNÉ. 2012. Preliminary checklist of the Cerambycidae, Disteniidae, and Vesperidae (Coleoptera) of Peru. **Insecta Mundi** **0213**: 1-48.
- MONNÉ, M. A. & A. SANTOS-SILVA. 2020. On *Aphies* Duponchel & Chevrolat, 1841, *Amillarus* Thomson, 1857, and *Aprosopus sensu* Guérin-Ménéville (Coleoptera, Cerambycidae, Lamiinae). **Zootaxa** **4816(1)**: 129-134.
- MONNÉ, M. A. & A. SANTOS-SILVA. 2020. Synonymies, transferences and redescrptions in Neotropical Acanthocinini (Coleoptera, Cerambycidae, Lamiinae). **Zootaxa** **4851(3)**: 593-600, 10 figures.
- MONNÉ, M. A., A. SANTOS-SILVA & M. L. MONNÉ. 2020. Key to Mexico and Central American genera of Acanthocinini (Coleoptera, Cerambycidae, Lamiinae) without erect setae on elytral surface, excluding the Caribbean Islands. **Zootaxa** **4761(3)**: 301-337, 67 figures.
- MONNÉ, M. A., A. SANTOS-SILVA & M. L. MONNÉ. 2020. Key to South American genera of Acanthocinini (Coleoptera, Cerambycidae, Lamiinae) without erect setae on elytral surface. **Zootaxa** **4863(1)**: 1-65, 158 figures.
- MONNÉ, M. A., A. SANTOS-SILVA & M. L. MONNÉ. 2020. Key to South American genera of Acanthocinini (Coleoptera, Cerambycidae, Lamiinae) with erect setae on elytral surface. **Zootaxa** **4789(2)**: 532-553, 84 figures.
- MONNÉ, M. A., A. SANTOS-SILVA & M. L. MONNÉ. 2020. Key to Mexican and Central America genera of Acanthocinini (Coleoptera, Cerambycidae, Lamiinae) with erect setae on elytral surface, excluding the Caribbean Islands. **Zootaxa** **4885(1)**: 1-25, 47 figures.
- MONNÉ, M. L. 1997. Revisão das espécies sul-americanas do gênero *Callancyla* Aurivillius, 1912 (Trachyderini, Ancylocerina). **Rev. Bras. Entomol.**, **41(1)**: 95-100, 8 figs.
1998. Revisão do genero *Chloroterion*. **Rev. Bras. Entomol.**, **41(2-4)**: 303-304.
1999. Sinopse das espécies Brasileiras do genero *Phaedinus* Dupont, 1834. **Rev. Bras. Entomol.**, **43(1/2)**: 25-27, 1 fig.
2004. Revisão do gênero *Dragoneutes* Martins & Monné (Cerambycinae). **Rev. Bras. Entomol.**, **48(2)**: 245-250, 20 figs.
2004. Sinopse do gênero *Weyrauchia* Tippmann. **Rev. Bras. Entomol.**, **48(3)**: 311-313, 4 figs.
2005. Revisão, análise cladística e biogeografia de *Coccoderus* Buquet (Cerambycinae, Cerambycini). **Rev. Bras. Entomol.**, **49(3)**: 369-391, 94 figs.
2007. Sinopse de Genero *Eucharassus* Bates (Coleoptera, Cerambycidae). **Rev. Bras. Ent.**, **51(2)**: 205-209, 6 figs.
2007. Revisão do gênero *Diploschema* Thomson (Coleoptera, Cerambycidae, Cerambycinae, Trachyderoinia). **Rev. Bras. Zoo.**, **24(2)**: 397-409, 47 figs.
- MONNÉ, M.L., J. P. BOTERO, & H. Y. QUINTINO. 2010. Two new synonymies and lectotype designation in Trachyderini (Insecta: Coleoptera: Cerambycidae). **Zootaxa** **2524**: 63-65, 2 figs.
- MONNÉ, M.L. & J.R.M. MERMUDES 2007 Revisao de *Aegoschema* (Coleoptera, Cerambycidae, Lamiinae). **Rev. Bras. Zoo.**, **24(3)**: 559-564, 6 figs.
2007. Revisao de *Trichonius* (Coleoptera, Cerambycidae, Lamiinae). **Rev. Bras. Ent.**, **52(1)**: 7-12, 8 figs.

2009. Revision of the Genus *Cylindrommata* Tippmann (Insecta: Coleoptera: Cerambycidae). **J. Nat. Hist.** **43 (41-42)**: 2641-2647, 6 figures.
- MONNÉ, M.L. & M.A. MONNÉ. 1998. Sinopse do genero *Tropidosoma*, e novas sinonímias em Trachyderini. **Rev. Bras. Entomol.**, **41(2-4)**: 531-534.
2000. Sinopse do genero *Lissonoschema* (Trachyderini). **Iheringia, Sér. Zool.**, **(89)**: 159-163, 8 figs.
2004. *Neoachryson*, novo gênero de Achrysonini (Cerambycinae). **Iheringia, Sér. Zool.**, **(94)**: 133-134, 1 fig.
2005. O gênero *Strangalia* Audinet-Serville no norte e centro-oeste do Brasil (Lepturinae). **Rev. Bras. Entomol.**, **49(2)**: 228-236, 12 figs.
2006. Revisao do Genero *Tomrogersia* Fragoso (Coleoptera: Cerambycidae). **Rev. Bras. Zool.**, **23(4)**: 1196-1198, 4 figs.
2006. Notes on Acanthoderini (Coleoptera, Cerambycidae, Lamiinae) described by Ernst Fuchs, now in the Herbert Schmid Collection, Vienna, Austria. **Zootaxa** **1365**: 37–47, 14 figs.
2007. Revisão dos gêneros *Tropanisopodus* Tippmann e *Paranisopodus* Monné & Martins (Coleoptera, Cerambycidae, Lamiinae). **Rev. Bras. Zoo.**, **24(4)**: 1057-1062, 9 figs.
2008. The tribe Lepturini in South America (Coleoptera: Cerambycidae: Lepturinae) **Zootaxa** **1858**: 37-52 14 figs.
2008. Description of a new genus and species of the tribe Parmenini, with nomenclatural notes (Coleoptera: Cerambycidae) **Zootaxa** **1858**: 64–68 5 figs.
2011. Novos táxons em Acanthocinini neotropicais (Coleoptera, Cerambycidae, Lamiinae). **Rev. Bras. Ent.** **55(2)**: 172–178, 8 figures.
2012. Novos taxons em Acanthocinini sul-americanos (Coleoptera, Cerambycidae). **Rev Bras. Ent.** **56(3)**: 281-288, 14 figures.
2013. Synonymical and nomenclatural notes on Trachyderini (Coleoptera, Cerambycidae, Cerambycinae). **Zootaxa** **3686**: 356-362, 11 figures.
2014. Synopsis of the genus *Ecoporanga* Napp and Martins (Insecta: Coleoptera: Cerambycidae). **J. Nat. Hist.** **48 (39-40)**: 2369-2373, 2 figures.
2015. Lectotype designations of Cerambycidae (Coleoptera) described by E. F. Germar in 1824 and J.C. Klug in 1825 and a new synonymy. **Zootaxa** **3981(3)**: 385-396, 24 figures.
2015. New species of Hemilophini (Coleoptera, Cerambycidae, Lamiinae) from Colombia and Ecuador. **Zootaxa** **4052(2)**: 229-232, 3 figures.
2015. A new species of *Chariea* Audinet-Serville, 1832 (Coleoptera, Cerambycidae, Prioninae). **Arq. de Zool.** **46(5)**: 79-81, 3 figures.
2017. New species of Neotropical Acanthocinini (Coleoptera, Cerambycidae, Lamiinae). **Zootaxa** **4299(2)**: 253-262, 10 figures.
2017. New species and new records of Cerambycidae (Insecta, Coleoptera) from RPPN Sanctuary of Caraca, Minas Gerais, Brazil. **Zootaxa** **4319(2)**: 201-262, 42 figures.
2018. New species and distribution notes of Cerambycidae (Coleoptera) for the state of Acre and the Amazon basin, Brazil. **Zootaxa** **4442 (3)**: 458–468, 1 figure.
- MONNÉ, M. L., M. A. MONNÉ, J. P. BOTERO & A. CARELLI. 2016. Two new species and new records of Cerambycidae (Insecta, Coleoptera) from Itatiaia National Park, Rio de Janeiro, Brazil. **Zootaxa** **4137(3)**: 339-356, 38 figures.
- MONNÉ, M. L., M.A. MONNÉ & A. C. ARAGÃO, A.C. QUINTINO, J. P. BOTERO & V. S. MACHADO. 2010. Inventario das especies de Lepturinae, Parandrinae e Prioninae (Insecta, Coleoptera, Cerambycidae) do Parque Nacional do Itatiaia, RJ, Brasil. **Biota Neotrop.** **10(2)**: 325-335, 35 figures.
- MONNÉ, M. L., M. A. MONNÉ, R. S. MARTINS, M. V. P. SIMOES, & V. S. MACHADO. 2010. Especies de Cerambycidae (Insecta, Coleoptera) Ocorrentes no Estado do Rio de Janeiro (Brasil). **Arq. do Mus. Nac., Rio de Janeiro** **67(3-4)**: 235-251, 1 figure.

- MONNÉ, M.L., M.A. MONNÉ, H.Y. QUINTINO, J.P. BOTERO, V.S. MACHADO, A.C. ARAGAO, M.V dos PASSOS SIMOES, & M. CUPELLO. 2012. Inventário das espécies de Lamiinae (Insecta, Coleoptera, Cerambycidae) do Parque Nacional do Itatiaia, RJ, Brasil. **Biota Neotrop.** **12(1)**: 39-76, 135 figures.
- MONNÉ, M.L. & D.S. NAPP. 1999. *Ceralocyna*: Descrição de quatro espécies novas e sinonímia. **Iheringia, Sér. Zool.**, **(86)**: 29-37, 5 figs.
2000. Revisão do genero *Ceralocyna* (Trachyderini, Ancylocerina). **Iheringia, Sér. Zool.**, **(88)**: 103-137, 91 figs.
2000. Two new South American genera of Ancylocerina Thomson (Trachyderini). **Coleop. Bull.**, **54(3)**: 351-358, 8 figs.
2001. Sinopse do genero *Ancylocera* Audinet-Serville (Trachyderini, Ancylocerina). **Rev. Bras. Zool.**, **18(3)**: 989-1002, 13 figs.
2004. New South American genus and species, and notes on *Xenambyx lansbergei* (Thomson) (Cerambycinae, Torneutini). **Coleop. Bull.**, **58(4)**: 509-512, 3 figs.
2005. Cladistic analysis of the tribe Torneutini Thomson (Coleoptera: Cerambycidae: Trachyderoinia). **Zootaxa** **1062**: 1-56 167 figs.
- MONNÉ, M.L. & A. SANTOS-SILVA. 2003. Sinopse do genero *Strongylaspis* Thomson, 1861 (Prioninae, Macrotomini). **Rev. Bras. Entomol.**, **47(1)**: 31-47, 29 figs.
- MONNÉ, M. L., D. De S. SOUSA, A. P. De MELLO & M. A. MONNÉ. 2020. Synopsis of the genus *Pseudocriopsis* (Insecta: Coleoptera: Cerambycidae). **Zootaxa** **4772(3)**: 512-516, 6 figures.
- MONTERO, G. S., D. D. S. SOUZA, F. E.L . NASCIMENTO & K. L. F. HASEYAMA. 2020. Checklist of the Lamiinae (Coleoptera, Cerambycidae) of the Taxonomic Collections Center of the Federal University of Minas Gerais. **Zootaxa** **4742(2)**: 168-180, 28 figures.
- MORELLI, E., M. BIANCHI & A. SANCHEZ. 2002. The immature stages of *Phoracantha recurva* Newman, 1842 and *Phoracantha semipunctata* Fabricius, 1775 and a key to larvae of these species. **Bras. Journ. Biol.**, **62 (4B)**: 853-860, 34 figs.
- MORRIS, R.F. 2002. Distribution and biological notes for some Cerambycidae (Coleoptera) occurring in the southeastern United States. **Insecta Mundi** **16(4)**: 209-213.
- MORRIS, R. F & J. W. WAPPES. 2013. Description of a new species of *Crossidius* LeConte (Coleoptera: Cerambycidae: Cerambycinae: Trachyderini) from southern Georgia with comments on its biology and unusual distribution. **Insecta Mundi** **0304**: 1-7, 10 figures.
- MORVAN, O. & A. AUDUREAU. Un nouvel Hemilophini de Guyane Française (Coleoptera, Cerambycidae, Lamiinae). **Les Cahiers Magellanes NS 33**: 51-54, 1 figure.
- MORVAN, O. & MORATI, J. 2006. Contribution a la connaissance des Cerambycidae (Coléoptères) de la montagne de Kaw (Guyane Française). **Lambillionea**, **106(3)**: 1-63.
2011. Inventaire des Cerambycidae (Coleoptera) de Guyane I. Parandrinae, Prioninae, Lepturinae & Cerambycinae. **ACOREP – France: Coleopteres de Guyane III**: 10-45, 108 figures.
- MORVAN, O. & J. P. ROGUET. 2013. Inventaire des Cerambycidae de Guyane (Coleoptera). II Lamiinae et Disteniinae. **Le Coleopteriste: Coleopteres de Guyane. Tome VII**: 3-44, 80 figures.
- 2014, Inventaire des Cerambycidae (Coleoptera) de Guyane. Corrections et compléments à la partie II. Lamiinae et Disteniinae in Contribution à l'étude des Coléoptères de Guyane-Tome VIII **Suppl. Bull. Liais. ACOREP-Fr.**: 19-20
- MOTSCHULSKY, V. von. 1845. Remarques sur la collection de coléoptères russes de Victor de Motschulsky. **Bull. Soc. Imp. Nat. Moscou**, **18(1)**: 1-127, 3 pls.
1856. Voyages. Lettres de M. Motschulsky à M. Ménériés. **Etudes Entomologiques**: 3-38.
1859. Coléoptères nouveaux de la Californie. **Bull. Soc. Imp. Nat. Moscou**, **32(2)**: 122-185, 357-410.
1860. Coléoptères de la Sibérie orientale et en particulier des rives de l'Amour, in Schrenk, **Reisen und Forschungen im Amurlande** **2**: 77-257.
1875. Énumération des nouvelles espèces de coléoptères rapportés de ses voyages. **Bull. Soc. Imp. Nat. Moscou**, **49(2)**: 139-155.

- MOURA, L.A. & VON GROLL, E. 2017. Catalogue of Coleoptera type specimens housed in the collection of the Museu de Ciências Naturais, Fundação Zoobotânica do Rio Grande do Sul, Brazil. **Zootaxa**, **4318(3)**: 439-473.
- MOXEY, C. F. 1965. The genus *Ochrus*. **Entomol. News**, **76**: 240-241, 1 fig.
- MOYSES, E. & M. H. M. GALILEO. 2009. Duas novas espécies de *Mauesia* (Cerambycidae, Lamiinae, Mauesini) e chave para identificação das espécies do gênero. **Pap. Avuls. Zoo.** **49(37)**: 497-501, 16 figs
- MULSANT, E. 1839. **Histoire naturelle des Coléoptères de France, Longicornes**. Maison, 304 pp., 3 pls.
1842. **Histoire naturelle des Coléoptères de France**. Rectifications et additions à la monographie des Longicornes. Maison, supplement, 8 pp.
- 1862-1863. Histoire naturelle des Coléoptères de France. Longicornes. **2e. ed. Ann. Soc. Imp. Agric Hist. Nat. Industrie**, Lyon, p. 1-590.
1864. Tribu des Longicornes (suite). **Ann. Soc. Imp. Agric. Hist. Nat. Industrie**, **8(3)**: 1-208.
- MUTCHLER, A. J. 1914. A new species of *Criocephalus*. **Bull. Amer. Mus. Nat. Hist.**, **33**: 345-346.
1925. Coleoptera from the Williams Galápagos Expedition. **Zoologica**, **5**: 219-240.
1938. Coleoptera from the Galápagos Islands. **Amer. Mus. Novit.** **981**: 1-19, 12 figs.
- NAPP, D. S. 1976. Revisão dos gêneros *Compsocerus* Lepeletier & Audinet-Serville, 1830 e *Paromoeocerus* Gounelle, 1910. **Rev. Bras. Entomol.** **20(1)**: 1-64, 6 pls.
1977. Nova espécie de *Compsocerus* Lepeletier & Audinet-Serville, 1830 (Compsocerini). **Dusenía** **10(2)**: 97-100, 4 figs
1977. Revisão do gênero *Unxia* Thomson, 1861. **Rev. Bras. Entomol.** **20(3-4)**: 117-152, 54 figs., 1 pl.
1979. Revisão do gênero *Chenoderus* Fairmaire & Germain, 1859. **Rev. Bras. Biol.** **39(3)**: 571-585, 41 figs.
1979. Revisão do gênero *Ethemon* Thomson, 1864. **Rev. Bras. Biol.** **9(4)**: 901-917, 38 figs.
1980. *Dilocerus marinonii*, gen. n., sp. n. de Compsocerini. **Rev. Bras. Entomol.** **24(3-4)**: 193-196, 10 figs.
1993. Duas espécies novas do gênero *Orthoschema* A.-Serville (Compsocerini). **Rev. Bras. Entomol.** **37(4)**: 653-656, 2 figs.
1993. *Caperonotus*, gen. n. de Compsocerini. **Rev. Bras. Entomol.** **37(4)**: 657-670, 60 figs.
1994. Phylogenetic relationships among the subfamilies of Cerambycidae (Coleoptera-Chrysomeloidea). **Rev. Bras. Entomol.** **38(2)**: 265-419, 290 figs.
1994. Revisão do gênero *Orthostoma* Lepeletier & A. Serville, 1830 e descrição de *Aglaoschema*, gen.n. **Rev. Bras. Entomol.** **38(3/4)**: 645-660, 35 figs.
1998. *Ideratus* Thomson, 1864: redescricao e posicao taxonomica. **Rev. Bras. Entomol.** **41(2-4)**: 161-164.
1998. Revisão do genero *Chlorethe* Bates, 1867. **Rev. Bras. Entomol.** **42(3/4)**: 79-88, 50 figs.
2007. Revisao do Genero *Aglaoschema* Napp (Coleoptera, Cerambycidae). **Rev. Bras. Zoo.** **24(3)**: 793-816, 30 figs.
2007. Unxiini, uma nova tribo de Cerambycinae (Coleoptera, Cerambycidae). **Rev. Bras. Ent.** **51(3)**: 312-340, 40 figs.
2008. Novas especies de *Aglaoschema* Napp, 1994 (Coleoptera, Cerambycidae). **Papéis Avulsos Zool.** **48(31)**: 353-360, 4 figs.
2009. Revisão das espécies sul-americanas de *Rhopalophora* (Coleoptera, Cerambycidae). **Zoologia** **26(2)**: 343-356, 18 figs.
- NAPP, D. S. & M. I. MARQUES. 1998. New species of *Ischionodonta* Chevrolat from Brasil and redescription of *I. brasiliensis* (Chevrolat) (Rhopalophorini). **Coleop. Bull.**, **52(2)**: 127-133, 4 figs.
1999. *Gurubira*, a new genus of Rhopalophorini. **Rev. Bras. Entomol.**, **43(1/2)**: 35-45, 41 figs.

1999. Revision of the genus *Ischionodonta* Chevrolat, 1859. **Rev. Bras. Entomol.**, **43**(1/2): 109- 130, 26 figs.
- NAPP, D. S. & U. R. MARTINS. 1980. Sinonímias, descrições e chave para espécies de *Eburodacrys* White, 1853 **Papéis Avulsos Zool.**, **33**(4): 77-97, 65 figs.
1982. Subsídios para revisão taxonômica da tribo Achrysonini nas Américas. **Papéis Avulsos Zool.**, **34**(28): 349-401, 178 figs.
1982. *Mephritus* Pascoe, 1866 : revalidação do gênero, chave para espécies, notas sinonímicas e descrições. **Rev. Bras. Entomol.**, **26**(1): 75-86, 37 figs.
1984. Notas e descrições em Callidiopini. **Rev. Bras. Entomol.**, **28**(1): 51-58, 4 figs.
1984. Gêneros *Periboeum* Thomson, 1864 e *Rhomboidederes* Zajciw, 1963: chave para as espécies, sinonímias e descrições. **Papéis Avulsos Zool.**, **35**(11): 125-133, 6 figs.
1985. Ibidionini Ia Divisão: notas, chaves e descrições. **Papéis Avulsos Zool.**, **36**(12): 111-130, 13 figs.
1985. Ibidionini. IV Divisão: descrições, sinonímias e chave para espécies do gênero *Cycnidolon* Thomson, 1864. **Papéis Avulsos Zool.**, **36**(13): 131-146, 8 figs.
1988. Gêneros *Euryprosopus* White, 1853, *Orthoschema* Thomson, 1861 e *Chaetosopus*, gen. n: sinonímias, novas espécies e nova combinação. **Rev. Bras. Entomol.**, **32**(3-4): 479-486, 4 figs.
1995. Revisão do gênero *Chrysoprasis* A.-Serville, 1834 (Heteropsini). I. Grupo *basalis*. (1) **Rev. Bras. Entomol.**, **39**(4): 901-910, 5 figs.
1996. Revisão do gênero *Chrysoprasis* A.-Serville, 1834 (Heteropsini). II. *Tobipuranga*, gen. n. **Rev. Bras. Entomol.**, **40**(2): 201-208, 5 figs.
1997. Revisão do gênero *Chrysoprasis* A.-Serville, 1834 (Heteropsini). III. Grupo *chalybea*. **Rev. Bras. Entomol.**, **41**(1): 17-41, 35 figs.
1998. Revisão do genero *Chrysoprasis* A.-Serville, 1834 (Heteropsini). IV. Grupo *hypocrita*. **Rev. Bras. Entomol.**, **42**(2-4): 465-499.
1999. Revisão do genero *Chrysoprasis* A.-Serville, 1834 (Heteropsini). V. Grupo *aurigena*. **Rev. Bras. Entomol.**, **43**(3/4): 147 - 161, 16 figs.
2002. O gênero *Callideriphus* Blanchard, 1851 (Heteropsini). **Rev. Bras. Entomol.**, **46**(2): 123-128, 7 figs.
2002. *Eryphus* Perty, 1832 e *Tacyba*, um novo gênero de Heteropsini (Coleoptera: Cerambycidae, Cerambycinae). **Rev. Bras. Ent.**, **46**(1): 83-92, ? figs. <https://doi.org/10.1590/s0085-56262002000100010>
2002. *Unabiara*, um novo gênero de Heteropsini, Lacordaire, 1869. **Rev. Bras. Ent.**, **46**(1): 71-76, 36 figs. <https://doi.org/10.1590/s0085-56262002000100007>
2005. Novas espécies e notas sinonímicas em *Xystrochroma* Schmidt, 1924 (Cerambycinae; Callichromatini). **Rev. Bras. Entomol.**, **49**(2): 205-209, 5 figs.
2005. Homonymies in Callichromatini (Cerambycinae). **Revista Brasileira de Entomologia**, **49**(3): 434-435.
2006. New South American genus and species of Pteroplatini (Cerambycinae). **Zootaxa**, **1173**: 63-68, 4 figs.
2006. Revisao do Genero *Cosmoplatidius* Gounelle (Coleoptera, Cerambycidae). **Rev. Bras. Zool.**, **3**(2): 471-479, 14 figs.
2006. Notas e descricoes de novos taxons em Cerambycinae Neotropicais (Coleoptera, Cerambycidae). **Papéis Avulsos Zool.**, **46**(4): 31-42, 8 figs.
2006. Novos taxons sul-Americanos de Compsocerini (Coleoptera, Cerambycidae). **Papéis Avulsos Zool.**, **46**(22): 245-250, 4 figs.
2009. Novos táxons em Heteropsini (Coleoptera, Cerambycidae). **Papéis Avulsos Zool.**, **49**(4): 73-80, 8 figs.
2009. Tribo Callichromatini, pp. 223-212, 352. In Martins, U. R. (org.) *Cerambycidae sul-americanos (Coleoptera) Taxonomia*. Sociedade Brasileira de Entomologia, Curitiba, 10, 373 p.
- NAPP, D.S. & J.R.M. MERMUDES. 1999. Taxonomic studies on Compsocerini and transfer of *Stenochariergus* Giesbert and Hovore to Rhinotragini. **Coleop. Bull.**, **53**(1): 80-86, 4 figs.

2001. Revision of the genus *Listroptera* Audinet-Serville and description of *Aguassay*, new genus (Cleomenini). **Coleop. Bull.**, **55(1)**: 1-9, 3 figs.
2001. New South American genus and species of Cleominini. **Rev. Bras. Zool.**, **18 (Supl. 1)**: 61-66, 2 figs.
- NAPP, D.S. & M.A. MONNÉ. 2005. Synopsis of the genus *Erythropterus* Melzer, 1934 (Cerambycinae, Heteropsini). **Zootaxa** **1088**: 55-59, 4 figs.
2006. Novas espécies de *Mecometopus* Thomson. **Rev. Bras. Entomol.**, **50(1)**: 39-42, 3 figs.
2006. Revisao do Genero *Eriphosoma* (Coleoptera, Cerambycidae). **Iheringia**, **96(2)**: 229-236, 5 figs.
2008. Synopsis of the genus *Caperonotus* Napp, 1993 (Coleoptera: Cerambycidae). **Zootaxa** **1941**: 25-30, 6 figs.
2009. New Neotropical genera and species of Dryobiini and Rhopalophorini (Coleoptera: Cerambycidae: Cerambycinae), **Zootaxa** **2137**: 29-34, 4 figs.
- NAPP, D.S. & M.L. MONNÉ. 2001. *Assyruera*, a new Neotropical genus of Ancylocerina (Trachyderini). **Rev. Bras. Zool.**, **18(3)**: 977 - 987, 7figs.
- NAPP, D. S. & D. T. REYNAUD. 1998. New species of *Chariergus* White and *Ethemon* Thomson. (Compsocerini). **Insecta Mundi**, **12(1-2)**: 155-159, 3 figs.
1999. Revisao dos generos *Chariergus* White, *Rierguscha* Viana, e descricao de *Allopeba* gen n. **Rev. Bras. Zoo**, **16 (Suppl. 1)**: 279-304, 101 figs.
- NAPP, D. S. & B. B. dos SANTOS. 1996. Sinopse de gênero *Erythrochiton* Zajciw, 1957 **Rev. Bras. Entomol.**, **40(2)**: 237-241, 3 figs.
1996. Revisão do gênero *Homogenes* Thomson, 1862. **Rev. Bras. Entomol.**, **40(3/4)**: 431-436, 5 figs.
1999. Description of *Monnécles*, new genus, and redescription of *Heterops loreyi* Duponchel (Heteropsini). **Coleop. Bull.**, **53(3)**: 281-286, 2 figs.
- NASCIMENTO, F. E. L. 2018. Elaphidiini (Coleoptera: Cerambycidae) from the Neotropical Region: new species, updated key, new synonym, and new records. **Acta Entomologica** **58(1)**: 177-185, 28 figures.
2018. New species, identification keys and notes on Lamiinae (Coleoptera, Cerambycidae) from the Neotropical region. **Zootaxa**, **4442 (3)**: 458-468, 18 figures.
2019. The Neotropical genera of Acanthocinini Blanchard, 1845 (Coleoptera: Cerambycidae: Lamiinae) with the third antennomere modified. **Ann. Soc. Ent. France, (N.S.)**: 1-9, 15 figures.
- NASCIMENTO, F. E. L. & J. P. BOTERO. 2018. New species, new records and notes in Cerambycidae from Colombia. **Zootaxa**, **4375 (3)**: 426-432, 7 figures.
2018. Synopsis of the Neotropical genus *Jupoata* Martins & Monné, 2002 (Coleoptera: Cerambycidae). **Pap. Avuls. Zool.**, **(58) e 20185818**: 1-4, 8 figures.
- NASCIMENTO, F. E., J. P. BOTERO, M. ARAGAO, & S. A. ANDENA. 2017. Faunistic analysis of Cerambycidae Insecta: Coleoptera) in an area of Atlantic Forest. **J.Nat Hist.**, **51(41-41)**: 1-13, 8 figures.
- NASCIMENTO, F. E., J. P. BOTERO & F. BRAVO. 2016. Checklist of the Cerambycidae (Insecta, Coleoptera) from central Bahia State (Brazil), with the description of two new species and new geographic records. **Zootaxa**, **4109(5)**: 555-568, 16 figures.
- NASCIMENTO, F. E. L., J. P. BOTERO & H. LEZAMA. 2018. A new genus, a new species and taxonomic notes in Oxycoleini Martins & Galileo, 2003 (Coleoptera, Cerambycidae, Cerambycinae) **Pap. Avuls. Zool.**, **(59) e 20195913**: 1-6, 11 figures.
- NASCIMENTO, F. E. L., J. P. BOTERO, & A. SANTOS-SILVA. 2018. Revision of *Piola* Marinoni, 1974 (Coleoptera, Cerambycidae, Lamiinae, Phacellini). **Ins. Syst. & Evol.**, **2018**: 1-19, 23 figures.
- NASCIMENTO, F. E. L., J. P. BOTERO, A. SANTOS-SILVA, M. ARAGAO, F. F. X. FILHO, M. L. de OLIVIERA & J. A. RAFAEL. 2024. Uncovering the richness of Cerambycidae (Coleoptera) in the Amazon region: new species, notes, and new records.

Ann. Soc Ent France (N.S) DOI: 10.1080/00379271.2024.2316171: 1-23, 9 figures.

- NASCIMENTO, F. E. L. & F. BRAVO. 2014. New species of Rhaphiptera (Coleoptera, Cerambycidae) from the Caatinga biome. **Iheringia Ser. Zool.**, **104(1)**: 88-91, 9 figures.
2015. Cerambycidae (Insecta, Coleoptera) de Morro do Chapéu, Chapada Diamantina, Bahia, Brasil. **Entomo Brasilis**, **8(3)**: 235-241, 34 figures.
2018. Review of Acangassuini Galileo & Martins, 2001 (Insecta, Coleoptera, Cerambycidae), with description of a new genus and species, and description of two new species in the tribes Methiini Thomson, 1860 and Oemini Lacordaire, 1868. **Zootaxa**, **4379 (4)**: 576–584, 19 figures.
- NASCIMENTO, F. E., F. BRAVO, & M. A. MONNÉ. 2016. Cerambycidae (Insecta: Coleoptera) of Quixadá, Ceará State, Brazil: new records and new species. **Zootaxa**, **4161(3)**: 399-411, 38 figures.
- NASCIMENTO, F. E. L. & D. J. HEFFERN. 2018. New species of Acanthocinini Blanchard, 1845 (Coleoptera, Cerambycidae) from Rondônia state, Brazil and notes on some genera. **Zootaxa**, **4446 (2)**: 292–300, 16 figures.
- NASCIMENTO, F. E. L. & J. MCCLARIN. 2018. New species of Acanthocinini Blanchard, 1845 (Coleoptera, Cerambycidae, Lamiinae) from Ecuador and notes on *Parabaryssinus lineaticollis* (Gounelle, 1910). **Zootaxa**, **4387 (2)**: 385–393, 24 figures.
- NASCIMENTO, F. E. L. & J. R. M. MERMUDES. 2023. Revision of *Periboeum* Thomson, 1864 (Insecta, Coleoptera, Cerambycidae) with the description of two new species. **Ins. Syst & Evol. (2023)**: 1-64, 24 figures
- NASCIMENTO, F. E., J. R. MERMUDES, F. BRAVO & A. SANTOS-SILVA. 2017. Checklist, new species and new records of Cerambycidae (Insecta: Coleoptera) from Chapada Diamantina, Bahia state, Brazil. **Zootaxa**, **4232(3)**: 347-360, 45 figures.
- NASCIMENTO, F. E. L., M. A. MONNÉ & A. SANTOS-SILVA. 2020. On the enigmatic genus *Oectropsis* Blanchard (Coleoptera, Cerambycidae, Lamiinae): tribal allocation, synonymy, and new species. **Zootaxa**, **4845(2)**: 211-224, 27 figures.
- NASCIMENTO, E.L., M. A. MONNÉ & J. E. WAPPES. 2021. A review of the genus *Alcathousiella* Monné, 2005 (Coleoptera, Cerambycidae). **Eur. J. Tax.** **757**: 37-49, 19 figures.
- NASCIMENTO, F. E. L., E.H. NEARNS, J. P. BOTERO, A. SANTOS-SILVA & D. dos SANTOS MARTINS. 2020. New species and new record in Lamiinae from Espírito Santo (Brazil) (Coleoptera: Cerambycidae). **Pap. Avuls. Zool.**, **(60) e 20206052**: 1-12, 4 figures.
- NASCIMENTO, F. E. L. & R. PERGER. 2018. Genus *Pseudolepturges* Gilmour (1957) (Coleoptera: Cerambycidae: Lamiinae): a new species from Bolivia, key to the species of the genus and first reports of a possible *Pseudomyrmex* ant mimic in longhorn beetles. **J. Nat. Hist.**, **52(21-22)**: 1463-1471, 4 figures.
- NASCIMENTO, F. E. L., M. E. RODRIGUES de SOUSA & F. BRAVO. 2021. Cerambycidae (Insecta, Coleoptera) from the Caatinga biome: checklist, new records and new species from Sergipe state (Brazil). **J. Nat. Hist.** **55(39-40)**: 2418-2495, 5 figures.
- NASCIMENTO, F. E. & A. SANTOS-SILVA. 2017. New species of *Eclipta* from the Brazilian Atlantic Rainforest (Coleoptera, Cerambycidae, Cerambycinae, Rhinotragini). **Iheringia (Série Zoologia)**, **107: e2017027**: 1-4, 4 figures.
2018. Validation of *Eclipta dendensis* Nascimento & Santos-Silva, 2017 (*nomen nudum*) (Coleoptera, Cerambycidae, Cerambycinae, Rhinotragini) **Iheringia**, (108: e2018006): 1-4, 4 figures.
2018. Four new species of Cerambycidae (Coleoptera) from Brazil and updated identification keys. **Ann. Ent. Soc. France, (NS)**: 1-11, 24 figures.
2018. New species and synonymies in Hexoplonini Martins, 2006 (Coleoptera, Cerambycidae), with notes and new records on Cerambycinae Latreille, 1802. **Pap. Avuls. Zool.**, **(58) e 0185836**: 1-8, 19 figures.
2019. The “Podus” complex: New species and notes on some Acanthocinini (Coleoptera, Cerambycidae, Lamiinae). **Zootaxa**, **4629 (2)**: 195–210, 34 figures.
2020. Two new genera of Desmiphorini (Coleoptera, Cerambycidae, Lamiinae) with description of a species with non-retractile parameres. **Pap. Avuls. Zool.**, **(60) e 20206020**: 1-10, 31 figures.
2021. The interesting and complex tribe Oxycoleini (Coleoptera, Cerambycidae): a new genus, new species, and taxonomic notes.

Zootaxa, 5060 (3): 353-370, 37 figures.

NASCIMENTO, F. E. L., A. SANTOS-SILVA & M. V. L. BARCLAY. 2019. On the tribal allocation of *Cosmotomidius* Melzer, 1931, descriptions of new taxa of Acanthoderini and notes on some tribes of Lamiinae (Coleoptera: Cerambycidae). **J. Nat. Hist.**, 53: 11-12, 705-723, 5 figures.

NASCIMENTO, E.L., A. SANTOS-SILVA & C. A. H. FLECHTMANN. 2021. Small survivors: description of two new species of Acanthocinini (Coleoptera, Cerambycidae, Lamiinae) from the Brazilian state of Mato Grosso do Sul. **Zootaxa**, 4980 (3): 565-574, 13 figures.

NASCIMENTO, F. E. L., A. SANTOS-SILVA, & J.R.R. HERNANDEZ. 2018. Description of the female of *Poeciloxestia plagiata* (Waterhouse, 1880), and of the male of *Iuati spinithorax* Martins & Galileo, 2010 (Coleoptera, Cerambycidae). **Pap. Avuls. Zool.**, (58) e 20185855: 1-8, 16 figures.

NASCIMENTO, F. E. L., A. SANTOS-SILVA & J.McCLARIN.2020. Flat-faced longhorn beetles (Coleoptera: Cerambycidae: Lamiinae) from the Neotropical region: new species from Ecuador, nomenclatural changes and notes. **Ann. Soc. ent. France, (N. S.)**: 1-21, 42 figures.

NEARNS, E.H. 2006. A checklist of the Cerambycidae holdings of the Fernando de Zayas collection, Havana, Cuba. **Coleop. Bull.**, 60(1): 53-57, 3 figs.

2008. Description of the male of *Plectromerus michelii* Nearns & Branham 2008 (Coleoptera: Cerambycidae). **Insecta Mundi**, 0038: 1-2, 1 figure.

2019. A new genus and species of Onciderini Thomson, 1860 (Coleoptera: Cerambycidae: Lamiinae) from Ecuador, with notes on additional taxa. **Insecta Mundi**, 0701: 1-7, 2 figures.

NEARNS, E. H. & R. A. ANDROW. 2013. Onciderini Thomson, 1860 (Coleoptera: Cerambycidae: Lamiinae) holotypes of the Carnegie Museum of Natural History (CMNH), with a brief history of the Coleoptera collection. **Insecta Mundi**, 0316: 1-13, 36 figures.

NEARNS, E. H., M.V.L. BARCLAY & G. L. TAVAKILIAN. 2014. Onciderini Thomson, 1860 (Coleoptera: Cerambycidae: Lamiinae) types of The Natural History Museum (BMNH). **Zootaxa**, 3857(2): 261-274, 40 figures.

NEARNS, E.H. & M.A. BRANHAM. 2005. A new species of *Plectromerus* Haldeman from Dominican amber with notes on the fossil *Plectromerus tertiaris* Vitali. **Zootaxa**, 1088(1): 17-24, 3 figures.

2008. Revision and Phylogeny of the Tribes Curiini LeConte and Plectromerini Nearns & Branham, New Tribe (Coleoptera, Cerambycidae, Cerambycinae). **Mem. Amer. Ent. Soc.**, 47: 1-117, 76 figs.

NEARNS, E.H., M. A. BRANHAM & S. M. BYBEE. 2006. Cerambycidae (Coleoptera) types of the Fernando de Zayas collection, Havana, Cuba. **Zootaxa**, 1270: 1-17, 13 figs.

NEARNS, E.H., BRANHAM, M.A., GARCIA, N., and I. FERNANDEZ. 2005. *Curius punctatus* (Fisher), new combination (Cerambycinae: Curiini). **Insecta Mundi**, Vol. 19(3): 172, 1 fig.

NEARNS, E. H. & C. A. MAIER. 2016. Onciderini Thomson, 1860 (Coleoptera: Cerambycidae: Lamiinae) types of the Field Museum of Natural History (FMNH), with a brief history of the Coleoptera collection. **Insecta Mundi**, 0494: 1-7, 14 figures.

NEARNS, E. H., & K. B. MILLER. 2009. A new species of *Plectromerus* Haldeman from Central America and description of the female of *Plectromerus dezayasi* Nearns & Branham (Coleoptera, Cerambycinae, Plectromerini). **ZooKeys**, 24: 55-62, 2 figures.

NEARNS, E. H., & M. A. MONNÉ. 2019. Two new species of South America *Neocherentes* Tippmann, 1960 (Coleoptera: Cerambycidae: Lamiinae: Onciderini). **Insecta Mundi** 0699: 1-10, 5 figures.

NEARNS, E. H., & F. E. L. NASCIMENTO. 2019. A new genus and seven new species of Onciderini Thomson, 1860 (Coleoptera: Cerambycidae: Lamiinae) from Central and South America. **Insecta Mundi** 0688: 1-16, 5 figures.

2019. Onciderini Thomson, 1860 (Coleoptera: Cerambycidae: Lamiinae) types of the Museum für Naturkunde - Leibniz Institute for Evolution and Biodiversity Science, Berlin (ZMHB). **Insecta Mundi** 0725: 1-8, 18 figures.

- NEARNS, E. H., F. E. L. NASCIMENTO, & S. A. CASARI. 2019. Onciderini Thomson, 1860 (Coleoptera: Cerambycidae: Lamiinae) types of the Museu de Zoologia, Universidade de São Paulo (MZSP), with a brief history of the Coleoptera collection. **Insecta Mundi** 0715: 1-27, 87 figures.
- NEARNS, E. H. & G. S. POWELL. 2017. Onciderini Thomson, 1860 (Coleoptera: Cerambycidae: Lamiinae) types of the Museum of Comparative Zoology (MCZ), with a brief history of the Coleoptera collection. **Insecta Mundi**, 0562: 1-9, 18 figures.
- NEARNS, E.H. & A. M. RAY. 2006. A new species of *Curius* Newman (Coleoptera: Cerambycidae) from Venezuela with notes on sexual dimorphism within the genus. **Zootaxa**, 1256: 49-57, 2 figs.
- NEARNS, E. H. & A. SANTOS-SILVA. 2016. Two new species of Onciderini Thomson, 1860 (Coleoptera, Cerambycidae, Lamiinae) from South America. **Zootaxa**, 4137(3): 445-450, 12 figures.
- NEARNS, E.H. & W.E. STEINER, Jr. 2006. A new species of *Plectromerus* Haldeman from Navassa Island, Greater Antilles. **Zootaxa**, 1163: 61-68, 2 figs.
- NEARNS, E. H. & I. P. SWIFT. 2011. New taxa and combinations in Onciderini Thomson, 1861 (Coleoptera: Cerambycidae: Lamiinae) **Insecta Mundi**, 192: 1-27, 10 figures.
2019. Three new species of longhorned beetles (Coleoptera: Cerambycidae) from Central and South America. **Pan-Pac. Ent.**, 95(3/4): 147-158, 5 figures.
2022. Descriptions and new records in longhorned beetles (Coleoptera: Cerambycidae) from Central America. **Zootaxa**, 5141 (1): 039-048, 5 figures.
- NEARNS, E. H., I. P. SWIFT & L. J. JOLY. 2009. First record of *Curius chemsaki* Nearns & Ray, 2006 (Coleoptera, Cerambycidae, Cerambycinae: Curiini) in Colombia. **Insecta Mundi**, 103: 1-2.
- NEARNS, E. H., I. P. SWIFT & K. NISHIDA. 2022. A new species of *Periergates* Lacordaire, 1872 (Coleoptera: Cerambycidae: Lamiinae: Onciderini) from Costa Rica, with description of immature life stages and notes on its biology. **Pan-Pac. Ent.** 97(4): 195-209, 5 figures.
- NEARNS, E. H., I. P. SWIFT & A. SANTOS-SILVA. 2023. Three new species of longhorned beetles (Coleoptera: Cerambycidae) with notes on additional taxa. **Zootaxa**, 5228(2): 137-156, 45 figures.
- NEARNS, E. H., I. P. SWIFT & A. SANTOS-SILVA. 2023. ERRATUM Three new species of longhorned beetles (Coleoptera: Cerambycidae) with notes on additional taxa. **Zootaxa**, 5293(3): 600.
- NEARNS, E. H., & G.L. TAVAKILIAN. 2012. New Taxa and Combinations in Onciderini Thomson, 1860 (Coleoptera: Cerambycidae: Lamiinae) from Central and South America, with notes on additional taxa. **Insecta Mundi**, 0231: 1-24, 9 figures.
2012. A new genus and five new species of Onciderini Thomson, 1860 (Coleoptera: Cerambycidae: Lamiinae) from South America, with notes on additional taxa. **Insecta Mundi**, 0266: 1-23, 10 figures.
2015. Onciderini Thomson, 1860 (Coleoptera: Cerambycidae: Lamiinae) types of the Muséum national d'Histoire naturelle (MNHN), with a brief history of the Coleoptera collection. **Insecta Mundi**, 0459: 1-47, 143 figures.
2015. Seven new species of *Oncideres* Lacordaire, 1830 (Coleoptera: Cerambycidae: Lamiinae: Onciderini) from South America, with notes on additional taxa. **Arq. de Zool.**, 46(7): 135-138, 11 figures.
- NEARNS, E.H. & R.H. TURNBOW, Jr. 2005. First record of *Plectromerus exis* Zayas in the Dominican Republic. **Insecta Mundi**, Vol. 19(3): 158.
- NÉOUZE, G-L. & G.L. TAVAKILIAN. 2003. Révision de *Macropophora* Thomson, 1864, et transfert du genre dans la Tribu des Acanthoderini (Lamiinae). **Coléoptères**, 9(10): 109-126, 19 figs.
2005. Matériaux pour une révision des Xenofreini – I. Espèces nouvelles de Guyane (Lamiinae). **Coléoptères**, 11(13): 129-164, 41 figs.
2010. Nouvelles espèces du genre *Oreodera* Audinet-Serville, 1835, de Guyane Française (Coleoptera, Cerambycidae, Lamiinae). **Coléoptères**, 16(5): 43-74, 19 figs.

- NEWMAN, E. 1833. Entomological notes. **Entomol. Mag.**, **1**: 505-514.
1838. Entomological notes. **Entomol. Mag.**, **5**: 168-182; 372-402; 483-500, 3 figs.
1840. Entomological notes. **Entomologist**, **1**: 1-16; **2**: 17-32, 4 figs.
1840. Description of a few longicorns, MS names of which are published in the sale-catalogue of Mr. Children's Insects. **Mag. Nat. Hist., (N. S.) 4**: 194-196.
1841. Entomological notes. **Entomologist**, **3**: 33-37; **5**: 67-80; **6**: 90-95; **7**: 110-112; **11**: 169-171; **14**: 220-223.
1842. Addenda and corrigenda. **Entomologist**, **25**: 418.
- NOGUCHI, T. & A. SANTOS-SILVA. 2016. A new species of *Psolidognathus* Gray, 1831 from Peru (Coleoptera: Cerambycidae: Prioninae). **Insecta Mundi**, **0508**: 1-6, 7 figures.
- NOGUERA, F. A. 1993. Revisión taxonómica del genero *Oncideres* Serville en México. **Folia Entomol. Mex.**, **88**: 9-60, 6 figs.
2002. Revisión taxonómica de las especies del género *Eburia* Lepeletier y A.-Serville in Lacordaire de Norte y Centroamérica. **Folia Entomol. Mex.**, **41(Supl.1)**: 1-167 (2002), 172 figs.
2005. New species of Cerambycidae from the tropical dry forest of Mexico. **Folia Entomol., Mexicana**, **44(Suppl. 1)**: 63-73, 5 figs.
2006. Replacement name for the genus *Aliciana* Noguera, 2005. Scientific note. **Coleop. Bull.**, **60 (2)**: 165.
- NOGUERA, F. A. & J. A. CHEMSAK. 1993. Two new species of Onciderini from the State of Jalisco, Mexico. **Pan-Pacific Entomol.**, **69(4)**: 290-294, 4 figs.
1996. Cerambycidae. In **Biodiversidad, Taxonomía y Biogeografía de Artrópodos de México: Hacia una síntesis de su conocimiento**. 25. D. R. Universidad Nacional Autónoma de México, Mexico, pp. 381-409.
1997. New species and notes on the genus *Championa* Bates with a key to the species. **Occ. Pap. Cons. Coleop.**, **1(1)**: 1-5, 3 figs.
2001. A new species of *Erlandia* Aurivillius from Mexico. **Coleop. Bull.**, **55(3)**: 369-373, 1 fig.
- NOGUERA, F. A. & N. GUTIERREZ. 2019. New species of Cerambycinae and Lamiinae (Cerambycidae, Coleoptera) from Mexico. **Amer. Mus. Nov.**, **3938**: 1-13, 4 figures.
- NOGUERA, F. A., N. GUTIERREZ & M. A. MONNÉ. 2018. A new species, and a new distribution record for the genus *Sympleurotis* Bates, 1881 (Coleoptera, Cerambycidae, Lamiinae) from Mexico. **Zootaxa**, **4394 (1)**: 144-146, 4 figures.
- NOGUERA, F. A., M. A. MONNE, V. H. TOLEDO-HERNANDEZ & N. GUTIERREZ. 2023. New species of *Hyperplatys* Haldeman, 1847 and *Urgleptes* Dillon, 1956 (Coleoptera: Cerambycidae) from Mexico. **Zootaxa**, **5284(3)**: 575-584, 15 figures.
- NOGUERA, F. A. & A. SANTOS-SILVA. 2023. New species and records in *Phrynidius* Lacordaire (Coleoptera, Cerambycidae, Lamiinae). **Zootaxa**, **5323(4)**: 451-476, 56 figures.
- NOGUERA, F.A., S. ZARAGOZA-CABALLERO, J.A. CHEMSAK, A. RODRIGUEZ-PALAFIX, E. RAMIREZ, E. GONZALEZ-SORIANO, & R. AYALA. 2002. Diversity of the Family Cerambycidae of the tropical dry forest of Mexico, I. Sierra de Huatla, Morelos. **Ann. Entomol. Soc. America**, **95(5)**: 617-627, 5 figs.
- NONFRIED, A. F. 1890. Neue exotischen Coleopteren. **Stettin. Entomol. Ztg.**, **51**: 15-20.
1891. Beitrage zur Kenntnis einiger neuen exotischen Coleopterenspezies. **Deut. Entomol. Zeitschr.**, **1891**: 257-276.
1892. Monographische Uebersicht der Prioniden-Gattung *Callipogon* Serv. **Berl. Entomol. Zeitschr.**, **37**: 17-24, 1 pl.
1894. Beschreibungen neuer Lamellicornier, Buprestiden und Cerambyciden aus Central- und Süd-Amerika. **Entomol. Nachr.**, **20(9)**: 113-128.
1895. Coleoptera nova exotica. **Berl. Entomol. Zeitschr.**, **40**: 279-312.
- NORD, J. C. & F. B. KNIGHT. 1970. *Saperda inornata* Say, 1824 (Insecta, Coleoptera): Proposed use of the plenary powers to designate

- a neotype to stabilize the nomenclature. **Bull. Zool. Nom.**, 27: 123-128.
1971. The nomenclature status of *Saperda inornata* Say. **Michigan Entomol.**, 4(2): 33-38.
- OHBAYASHI, N., M. LIN, & J. YAMASAKO. 2016. Revision of the Caraphiini, New Tribe (Coleoptera, Cerambycidae, Lepturinae). **Zootaxa**, 4084(2): 187-217, 139 figures.
- ØDEGAARD, F. 2004. Species richness of phytophagous beetles in the tropical tree *Brosimum utile* (Moraceae): the effects of sampling strategy and the problem of tourists. **Ecological Entomol.**, (3004): 76-88, 3 figs, appendix.
- OLIVIER, G.-A 1790. *Encyclopédie méthodique, ou par ordre de matières; par une société de gens de lettres, de savans et d'artistes; précédée d'un vocabulaire universel, servant de table pour tout l'ouvrage, ornée des portraits de Mm. Diderot & d'Alembert, premiers éditeurs de l'Encyclopédie. Histoire naturelle. Insectes. Tome cinquième.* [Livraison 41]. Panckoucke, Paris. Pages 1–368 [Date published: by 17.XI.1790 (Evenhuis 2003: 36)]
- 1791 [1790]. *Encyclopédie méthodique, ou par ordre de matières; par une société de gens de lettres, de savans et d'artistes; précédée d'un vocabulaire universel, servant de table pour tout l'ouvrage, ornée des portraits de Mm. Diderot & d'Alembert, premiers éditeurs de l'Encyclopédie. Histoire naturelle. Insectes. Tome cinquième.* [Livraison 44]. Panckoucke, Paris. Pages 369–793 [Date published: by 3.VI.1791 (Evenhuis 1997: 227–228)]
1792. **Encyclopédie Méthodique. Histoire Naturelle, Insectes.** 6(2): 369-704; 7(1): 1-368.
1795. *Entomologie, ou histoire naturelle des insectes, avec leurs caractères génériques et spécifiques, leur description, leur synonymie, et leur figure enluminée. Coléoptères. Tome quatrième.* Desray, Paris. Page 1 of No 66 to page 80 of No 67) [Date published: 1795 (Title page)].
- 1797 [1792]. *Encyclopédie méthodique, ou par ordre de matières; par une société de gens de lettres, de savans et d'artistes; précédée d'un vocabulaire universel, servant de table pour tout l'ouvrage, ornée des portraits de Mm. Diderot & d'Alembert, premiers éditeurs de l'Encyclopédie. Histoire naturelle. Insectes. Tome septième.* [Livraison 61]. Panckoucke, Paris. Pages 369–827. [Date published: by 9.II.1797 (Bousquet 2018: 395, after *Mercur de France*)]
- 1800 [1795]. *Entomologie, ou histoire naturelle des insectes, avec leurs caractères génériques et spécifiques, leur description, leur synonymie, et leur figure enluminée. Coléoptères. Tome quatrième.* [Livraison 23]. Desray, Paris. Page 81 of No 67 to page 16 of No 80, i–xxi, [2]. [Date published: by 31.VIII.1800 (Bousquet 2018: 139, after *Journal général de la Littérature de France*)]
1807. **Entomologie, ou Histoire Naturelle..., Coléoptères.** 5: 1-602, 59 pls.
- OLIVIER, R. D. S., A. SANTOS-SILVA, M. L. MONNÉ & P. J. COSTA-PINTO. 2024. Notes, new records, and transference in South American Cerambycidae (Insecta, Coleoptera). **Zootaxa**, 5496(4): 451-499, 72 figures.
- ÖZDIKMEN, H. 2008. Substitute names for two preoccupied longhorned beetles genus group names described by J. Thomson (Coleoptera: Cerambycidae). **Munis Entomology & Zoology**, 3(2): 661-64.
- PALISOT DE BEAUVOIS, A. M. F. J. 1805–1821 [1805]. *Insectes recueillis en Afrique et en Amérique, dans les Royaumes d'Oware et de Bénin, à Saint-Domingue et dans les États-Unis, pendant les années 1786-1797.* Lavrenet, Schoell et Cie, Paris. xvi + 276 pages + 90 plates. **Livraison 1, 1805** : iv (T.P.; dedication); v–xvi (discours préliminaire); pages 1–24; An. XIV + Coléoptères, plates I, VII; Hémiptères, plate I; Orthoptères, plate II; Neuroptères, plate I; Lépidoptères, plate III / **Livraison 2, 1805** : pages 25–40 + Coléoptères, plates III, V; Hémiptères, plate V; Orthoptères, plate I; Hyménoptères, plate I; Lépidoptères, plate I / **Livraison 3, 1806** : pages 41–56 + Coléoptères, plates Ib, XI; Hémiptères, plate VI; Hyménoptères, plate VII; Lépidoptères, plate XX; Diptères, plate II [I sur la planche] / **Livraison 4, 1807** : pages 57–72 + Coléoptères, plate IV; Orthoptères, plate XII; Hémiptères, plate II; Neuroptères, plate III; Lépidoptères, plate II; Aptères, plate I / **Livraison 5, 1807** : pages 73–88 + Coléoptères, plates II, VIII; Orthoptères, plate III; Hémiptères, plate VII; Neuroptères, plate VII; Lépidoptères, plate XXI / **Livraison 6, 1809** : pages 89–100 + Coléoptères, plates IIb, IIIb; Hyménoptères, plates II, IX; Lépidoptères, plate Ib; Diptères, plate II / **Livraison 7, 1811** : pages 101–120 + Coléoptères, plates IIIc, XV; Orthoptères, plate XIII; Hémiptères, plate VIII; Hyménoptères, plate III; Lépidoptères, plate IIb / **Livraison 8, 1811** : pages 121–136 + Coléoptères, plates XXX, XXXII; Hémiptères, plates IX, XX; Lépidoptères, plate XXII; Aptères, plate III / **Livraison 9, 1817** : pages 136–156 + Coléoptères, plates Ic, XXXb; Orthoptères, plate IV; Hémiptères, plate X; Lépidoptères, plate XXIII; Aptères, plate IV / **Livraison 10, 1817** : pages 157–172 + Coléoptères, plates VI, XXXI; Orthoptères, plate XIV; Hémiptères, plate XIX; Neuroptères, plate II; Lépidoptères, plate IV / **Livraison 11, 1818** : pages 173–190 + Coléoptères, plates IVb, VIb; Orthoptères, plate Ib; Hémiptères, plate XI; Lépidoptères, plate V; Aptères, plate V / **Livraison 12, 1818** : pages 191–208 + Coléoptères, plates Id, IIId; Orthoptères, plate V; Hémiptères, plate XII; Hyménoptères, plate VIII; Lépidoptères, plate IIc / **Livraison 13, 1819** : pages 209–224 + Coléoptères, plates Ie, IX, XXXIV; Orthoptères, plate VIII; Lépidoptères, plate VI / **Livraison 14, 1820** : pages 225–240 +

Coléoptères, plate XXXV; Orthoptères, plate IIc; Hémiptères, plates Vb, XX; Lépidoptères, plate VI / **Livraison 15, 1821** [« rédigée par M. Audinet-Serville »] : pages 241–267; page 268 (blanc); pages 269–273 (Table générale des espèces); pages 274–275 (Errata du texte); page 276 (Errata des planches) + Coléoptères, plates XXXVI, XXXVII, XXXVIII; Hyménoptères, plate X; Lépidoptères, plate IIc.

PALLAS, P. S. 1772. **Spicilegia Zoologica, quibus novae imprimis atque obscurae animalium species iconibus, descriptionibus atque commentariis illustrantur**. Berolini, Reimer, **2(9)**: 1-87, pls. 1-5.

PANZER, G. W. F. 1794. **Voets Beschreibungen und Abbildungen hartsschaaliger Insecten**, pt. 2, Edition 3. Erlangen (1793) 112 pp.

1798. **Voets Beschreibungen und Abbildungen hartsschaaliger Insecten**, pt. 4, Nörmberg, 112 pp., pls. 25-48.

PAPP, C. S. 1955. New records for North-American Cerambycidae and a new subspecies of *Leptura*. Notes on North American Coleoptera No. 1. **Entomol. News**, **66(8)**: 217-220.

1959. Notes on cerambycid beetles from the southwest United States and Mexico. Notes on North American Coleoptera No. 5. **Bull. S. Calif. Acad. Sci.**, **58**: 84-94, 2 pls.

PARDO-LOCANO, J. C. 2022. Nuevos datos de distribución de dos raros géneros de Prioninae colombianos: *Chalcoprius* Bates y *Braderochus* Buquet (Coleoptera: Cerambycidae). **Bol. Cient. Mus. Hist. Nat.** **26 (1)**: 193-202, 5 figures.

PASCOE, F. P. 1857. On new genera and species of longicorn Coleoptera. Part II. **Trans. Entomol. Soc. London**, **(2)4**: 89-112, 2 pls.

1858. On new genera and species of longicorn Coleoptera. Part III. **Trans. Entomol. Soc. London**, **(2)4**: 236-266, 2 pls.

1859. On some new genera and species of longicorn Coleoptera. Part IV. **Trans. Entomol. Soc. London**, **(2)5**: 12-61, 1 pl.

1860. Notices of new or little-known genera and species of Coleoptera. **J. Entomol.**, **1**: 36-64; 98-132, 6 pls.

1862. Notices of new or little-known genera and species of Coleoptera. **J. Entomol.**, **1**: 319-370, 2 pls.

1864-1869. Longicornia Malayana; or a descriptive catalogue of the species of the three longicorn families Lamiidae, Cerambycidae and Prionidae collected by Mr. A. R. Wallace in the Malay Archipelago. **Trans. Entomol. Soc. London**, **(3)3**: 1-689, 24 pls.

1866. Notes on *Sphaerion* and *Mallocera*. **Ann. Mag. Nat. Hist.**, **(3)18**: 477-484.

1866. List of the Longicornia collected by the late Mr. P. Bouchard, at Santa Marta. **Trans. Entomol. Soc. London**, **1866**: 279-286, 1 pl.

1867. Characters of some new genera of the coleopterous family Cerambycidae. **Ann. Mag. Nat. Hist.**, **(3)19**: 307-319.

1867. Diagnostic characters of some new genera and species of Prionidae. **Ann. Mag. Nat. Hist.**, **(3)19**: 410-413.

1868. Contributions to a knowledge of the Coleoptera. Part I. **Trans. Entomol. Soc. London**, **1868**: xi-xiii.

1871. Descriptions of new genera and species of longicorns, including three new subfamilies. **Ann. Mag. Nat. Hist.**, **(4)8**: 268-281, 1 pl.

1875. Notes on Coleoptera, with descriptions of new genera and species. Part III. **Ann. Mag. Nat. Hist.**, **(4)15**: 59-73, 1 pl.

1878. Descriptions of longicorn Coleoptera. **Ann. Mag. Nat. Hist.**, **(5)2**: 370-377.

1888. On some new longicorn Coleoptera. **Trans. Entomol. Soc., London 1888**: 491-513, 1 pl.

PEAVOT, H.G.J. 1913. [Dates of publication of the Transactions of the Zoological Society of London Vol. I to Vol. VII part 1], pages 814–815 in : Minchin, E.A., Exhibitions and notices. *Proceedings of the Zoological Society of London* 1913: 813–817.

PECK, S.B. 2005. **A checklist of the beetles of Cuba with data on distributions and bionomics**. Arthropods of Florida and neighboring land areas, Vol. 18. Florida Dept. Agric. & Cons. Services, Gainesville, FL. 241 pp.

2006. The beetle fauna of Dominica, Lesser Antilles (Insecta, Coleoptera): diversity and distribution. **Insecta Mundi**, **20(3- 4)**: 165-209.

PECK, S.B., J.COOK & J.D. HARDY. 2003. Beetle fauna of the island of Tobago, Trinidad and Tobago, West Indies.

Insecta Mundi, 16 (1-3): 9-23.

- PECK, S.B. & M.C. THOMAS. 1998. Arthropods of Florida and neighboring land areas. Vol. 16, A distributional checklist of the beetles (Coleoptera) of Florida. **Entomol. Contrib.** #862, Florida Dept. Agric. & Consumer Serv., 180 pp.
- PECK, S. B., M. C. THOMAS & R. H. TURNBOW Jr. 2014. The diversity and distributions of the beetles (Insecta: Coleoptera) of the Guadeloupe Archipelago (Grande-Terre, Basse-Terre, La Désirade, Marie-Galante, Les Saintes, and Petite-Terre), Lesser Antilles. **Insecta Mundi**, 0352: 1-156, 2 figures.
- PENROSE, R. L. 1974. A new subspecies of *Crossidius humeralis* LeConte from Texas with a redescription of the species. **Pan-Pacific Entomol.**, 50(3): 248-254, 4 figs.
- PENROSE, R. L. & R. L. WESTCOTT. 1974. Notes on the distribution, hosts and bionomics of some Pacific Northwest Cerambycidae. **Coleop. Bull.**, 28(4): 233-236.
- PENTEADO-DIAS, A. M. 1984. Estudo comparativo do cordão nervoso nos Cerambycidae. **Rev. Bras. Entomol.**, 28(3): 223-243, 26 figs.
- PEÑA, L. E. 1960. Algunas observaciones sobre especies poco conocidas de Cerambycidae de Chile. **Rev. Univ. Catol.**, 44-45: 57-61, 5 figs.
1974. Los tipos de insectos de la colección Luis E. Peña G. **Bol. Soc. Biol. Concepción**, 47: 259-282.
1974. Algunas observaciones sobre especies poco conocidas de Cerambycidae II. Nuevas distribuciones, sinonímias, etc. **Bol. Soc. Biol. Concepción**, 47: 303-306, 1 fig.
- PEÑA, L. E. & P. VIDAL. 1975. Algunas observaciones sobre especies poco conocidas de Cerambycidae III. *Acalodea servillei* (Bl.). **Rev. Chil. Entomol.**, 9: 45-47, 2 figs.
- PEÑAHERRERA-LEIVA, A.Y. & G.L. TAVAKILIAN. 2003. Nouvelles espèces et nouveaux genres de Rhinotragini, I. **Coléoptères**, 9(13): 163-214, 52 figs.
2004. Nouvelles espèces et nouveaux genres de Rhinotragini, III. **Coléoptères**, 10(10): 119-150, 21 figs.
- del PERAL, J. M. & P. B. de la PUEBLA. 2017. Presencia de *Mallodon spinibarbis* (Linnaeus, 1758) en España (Coleoptera, Cerambycidae, Prioninae). **Arq. Entomol.**, 17: 355-359, 3 figures.
- PERAZA-FLORES, L. & J. G. FREITAS. 2024. A new species of *Tetraopes* Dalman (Coleoptera, Cerambycidae) from the seasonally dry tropical forest of Yucatán, Mexico. **Zootaxa**, 5397(3): 444-448, 1 figure.
- PEREZ-FLORES, O., Contribution to the knowledge of the cerambycid fauna (Coleoptera: Cerambycidae) of Tlaxcala, Mexico. **Zootaxa**, 5155 (2): 289-296, 3 figures.
- PÉREZ-FLORES, O., E. ARRIAGA-VARELA & J. L. NAVARETTE-HEREDIA. 2023. Description of one new genus and two new species of Apomecynini (Cerambycidae: Lamiinae) from Mexico. **Acta Ent.** 63(2): 341-347, 3 figures.
- PEREZ-FLORES, O., J. P. BOTERO & A. RAMIREZ-PONCE. 2022. New species and new records of Disteniidae (Coleoptera: Chrysomeloidea) from Mexico with a checklist of Mexican species. **Stud. Neo Fauna & Env. DOI: 10.1080/01650521.2021.2021013**: 1-10, 2 figures.
- PEREZ-FLORES, O. & E. H. NEARNS. 2021. Two new species of Onciderini Thomson, 1860 (Cerambycidae: Lamiinae) from Mexico and Honduras. **Zootaxa**, 5026 (1): 145-150, 2 figures.
- PEREZ-FLORES, O. & A. SANTOS-SILVA. 2021. New genus, new species and new records in Lamiinae (Coleoptera, Cerambycidae). **Zootaxa**, 4965 (1): 181-190, 3 figures.
2022. New species of Cerambycinae (Coleoptera, Cerambycidae) from Guatemala. **Pap. Avuls. Zool.** 62 (e202262046): 1-7, 3 figures.
- PEREZ-FLORES, O., A. SANTOS-SILVA, J. P. BOTERO & L. G. BEZARK. 2024. On the American Acanthocinini (Coleoptera, Cerambycidae, Lamiinae): new records, new synonymies, and new taxa. **J Insect Biodiversity** (59(2): 047-067, 54 figures.
- PEREZ-FLORES, O. & V. H. TOLEDO-HERNANDEZ. 2020. Diversity of the longhorned beetles (Coleoptera: Cerambycidae) from Cuatro Ciénegas Basin, Coahuila, Mexico. **Biodiversity Data J.**, 8 e54495: 1-23, 1 figure.

2022. Species delimitation in the genus *Ochraethes* Chevrolat, 1860 (Coleoptera: Cerambycidae), with description of two new species. **Eur. J. Tax.** **845**: 1-29, 5 figures.
2024. Description of new taxa in Neotropical Desmiphorini (Coleoptera: Cerambycidae: Lamiinae). **Biologia**: 1-10, 2 figures.
- PEREZ-FLORES, O., V. H. TOLEDO-HERNANDEZ, L. G. BEZARK, & M. A. MONNÉ. 2021. Updated checklist of the Cerambycidae (Coleoptera: Chrysomeloidea) from Mexico. **Zootaxa**, **5005 (4)**: 460-502.
- PÉREZ-FLORES, O., V. H. TOLEDO-HERNANDEZ & F. VILLAGOMEZ. 2018. A new species of *Eburia* Lacordaire, 1830 (Coleoptera: Cerambycidae) from Mexico. **Zootaxa**, **4399 (2)**: 289-294, 3 figures.
- PERGER, R. & F. GUERRA. 2013. Longhorn beetles (Coleoptera: Cerambycidae) of the Tucuman-Bolivian forest in the Tariquia Flora and Fauna National Reserve, southern Bolivian Andes, with notes on ecoregion endemism and conservation. **Pan-Pac Ent.** **89(4)**: 209-221, 1 figure.
2015. The first longhorned beetle record for the Prepuna in the Bolivian Andes and Potosi Department in Bolivia: a new species of *Dirocoremia* (Coleoptera: Cerambycidae: Rhopalophorini). **Zootaxa**, **4052(1)**: 143-149, 4 figures.
- PERGER, R., & A. SANTOS-SILVA. 2010. A new genus and species of Callipogonini, description of the male of *Strongylaspis boliviana* Monné & Santos-Silva, 2003, and a new distributional record for *Chorenta reticulata* (Dalman, 1817) (Coleoptera, Cerambycidae). **ZooKeys** **48**: 29-38, 15 figs.
2017. Description of the male of *Phoebe ornator* (Tippmann, 1960) (Coleoptera: Cerambycidae: Lamiinae: Hemilophini), analysis of the species biogeography, and first observation of chromatic gender dimorphism in Hemilophini. **Zootaxa**, **4250(4)**: 337-346, 8 figures.
2018. A true long horn—a new species of *Macronemus* Dejean, 1835 (Coleoptera, Cerambycidae, Lamiinae, Acanthoderini) from the Bolivian Andes. **Zootaxa** **4471 (2)**: 375-380, 2 figures.
2018. A new lycid-like species of *Iarucanga* Martins & Galileo, 1991 (Coleoptera, Cerambycidae, Lamiinae, Hemilophini) from the Bolivian Andes. **J. Nat. Hist.** **52 (39-40)**: 2487-2495, 3 figures.
2019. Addition to the known long-horned beetle fauna of the Bolivian Andes: A new lycid-like species of *Mimolaia* Bates, 1885 (Coleoptera, Cerambycidae, Lamiinae, Calliini). **Zootaxa**, **4550(2)**: 295-300, 3 figures.
- PERROUD, B. P. 1855. Description de quelques espèces nouvelles ou peu connues et création de quelques nouveaux genres dans la famille des longicornes. **Ann. Soc. Linn. Lyon**, **(2)2**: 327-401.
- PERTY, J. A. M. 1828. Ueber einige Fühlerformen der Käfer und eine neue Sippe, *Psigmatocerus*. **Isis Oken**, **7**: 737-740, pl. 10.
1832. De insectorum in America meridionali habitantium vitae genere, moribus ac distributione geographica observationes nonnullae, in **Delectus animalium articulorum quae in itinere per Brasilian annis MDCCCXVII-MDCCCXX jussu at auspiciis Maximiliani Josephi I, Bavariae regis augustissime peracto collegerunt Dr. J. B. de Spix et Dr. C. F. Ph. de Martius**. Monachii, pp. 61-124, pls. 13-24.
- PETT, B. L. 2019. Eburiini (Coleoptera: Cerambycidae: Cerambycinae) in Paraguay: description of a new species, with new country and geographic records. **Revista Chilena de Entomología**, **45(4)**: 673-680, 5 figures.
- PHILIPPI, F. H. E. 1859. Algunas especies nuevas de coleópteros de la provincia de Valdivia. **Ann. Univ. Chile**, **16**: 656-678.
1897. In P. Germain, Apuntes entomológicos. Los longicornios chilenos. **Ann. Univ. Chile**, **97**: 451.
- PHILIPPI, R. A. 1862. Sobre algunos insectos de Magallanes. **Ann. Univ. Chile**, **21**: 407-414.
1865. Descripción de algunos insectos nuevos chilenos. **Ann. Univ. Chile**, **26**: 651-660.
- PHILIPPI, R. A. & F. H. E. PHILIPPI. 1860. Coleoptera nonnulla nova Chilensia praesertim Valdiviana. **Stettin. Entomol. Ztg.**, **21**: 245-251.
1864. Beschreibung einiger neuen Chilenischen Käfer. **Stettin. Entomol. Ztg.**, **25**: 266-284; 313-406.
- PHILIPS, T. K. & M. A. IVIE. 1998. The Methiini of the West Indies with notes on the circum-Caribbean species.

- Entomol. Scand.**, **29(1)**: 57-87, 100 figs.
- PIC, M. 1901. Notes diverses et diagnoses. **Échange**, **17**: 2-22.
1907. Coleóptères exotiques nouveaux ou peu connus (suite). **Échange**, **23(265)**: 151-152.
1921. Diagnoses de coléoptères exotiques (suite). **Échange**, **37(409)**: 10-12.
1947. Troisième partie des réfutations. **Misc. Entomol.**, **44**: 87-94.
- PICANÇO, M., G.L.D. LEITE, C.S. BASTOS, F.A. SUINAGA, & VWD CASALI. 1999. Coleópteros asociados ao jiloeiro (*Solanum gilo* Raddi). **Rev. Bras. Entomol.**, **43(1/2)**: 131-137, 4 figs.
- PINEDA, C. 2015. Nueva Especie de *Phaedinus* Dupont, 1834 (Coleoptera, Cerambycidae) de Venezuela. **Bol. Mus. Nac. Hist. Nat. Parag.**, **19(2)**: 100-100, 4 figures.
- PINEDA, C. & CID-ARCOS, M. 2017. Descripción de un nuevo género y especie de longicornio áptero de Perú (Coleoptera: Cerambycidae). **Insecta Mundi**, **0586**: 1-5, 7 figures.
- PIRKL, J., A. SANTOS-SILVA & S. A. CASARI. 2019. On the type depository of some species of Cerambycidae (Coleoptera), especially of the holotype of *Quercivir dohrni* Lameere, 1912. **Zootaxa** **4603 (3)**: 520–536, 61 figures.
- PLAVILSTSHIKOV, L. L. 1927. 1927. Addenda et corrigenda concernant le *Coleopterorum Catalogus*, parties 73 et 74 (Lamiinae) de Chr. Aurivillius. *Encyclopédie entomologique, série B. Coleoptera 2* [1926]: 49–68. [Date published: 2.I.1927 (seen at the end of the article on page 68)]
- 1927 Über neue Bockkäfer-Varietäten. **Entomol. Blatt.**, **23**: 105-109.
- PODANY, C. 1961. Monographie der Gattung *Alosterna* Muls. (Stenocorini). **Mitt. Entomol. Ges., (N. F.)** **11**: 27-33.
1962. Monographie des genus *Gaurotes* J. Lec. **Mitt. Münch. Entomol. Ges.**, **52**: 219-252, pls. 4-5.
1963. Weitere studien zur Monographie der Gattung *Alosterna* Muls. (Lepturini). **Mitt. Entomol. Ges., (N. F.)** **13**: 47-49
1964. Monographie des genus *Pachyta* Zet. **Polske Pism. Entomol.**, **34(4)**: 41-54, 3 pls.
1964. Monographie des genus *Rhagium* Fabricius (Stenocorini). **Acta zool. Mex.**, **7(1-3)**: 1-55, 7 pls.
1965. Remarques sur les Callichromatini américains. **Bull. Soc. Entomol. Mulhouse**, **1965**: 34-41, 3 figs.
- POEPPIG, E. F. 1851. **Illustrierte Naturgeschichte des Thierreichs, Anatomie, Physiologie und Geschichte der Säugethiere der Vögel, der Lurche, der Fische und der wirbellosen Thiere**. Leipzig, Weber, **4**: 34 Lief, 4100 in den text gedr. abbild., 25000 Gegenst. darstellend.
- PORTER, C. E. 1923. Notas breves sobre longicórnios chilenos. **Rev. Chil. Hist. Nat.**, **25**: 495-501, 2 figs.
1924. Dos longicórnios raros o poco conocidos. **Rev. Chil. Hist. Nat.**, **27**: 52-53.
1925. Notas breves sobre longicórnios chilenos. **Rev. Chil. Hist. Nat.**, **29**: 184.
1925. Breve nota sobre los *Hesperophanes* chilenos. **Rev. Chil. Hist. Nat.**, **29**: 217-219.
1929. Notas breves sobre longicórnios chilenos. **Rev. Chil. Hist. Nat.**, **32**: 158.
1929. Nota acerca de un cerambícido sud-americano. **Rev. Chil. Hist. Nat.**, **32**: 287.
1930. Notas breves sobre longicórnios chilenos. **Rev. Chil. Hist. Nat.**, **33**: 550-551.
1930. El género *Hebestola* Bl. en Chile. **Rev. Chil. Hist. Nat.**, **33**: 615-618, 1 fig.
1930. El género *Chenoderus* F. & G. **Rev. Chil. Hist. Nat.**, **34**: 332-337, 1 col. pl.
1932. Géneros monotípicos de longicórnios chilenos. **Rev. Chil. Hist. Nat.**, **36**: 22-24; 33-35; 139-140, 4 figs.

1932. Notas sobre Necydalopsini chilenos. **Rev. Chil. Hist. Nat.**, **36**: 82-84.
1933. Los Prioninae de Chile. **Rev. Chil. Hist. Nat.**, **37**: 200-209, 2 pls.
1938. Sobre el nombre genérico *Coremia*. **Rev. Chil. Hist. Nat.**, **41**: 82.
1939. Introducción al estudio de los cerambícidos chilenos. **Rev. Chil. Hist. Nat.**, **42**: 221-231, 4 figs.
- POUILLADE, I. 1915. Note sur *Macrodontia dejeani* Gory avec description de deux espèces nouvelles. **Insecta**, Rennes, **5**: 41-47, 8 figs.
- PORTEVIN, G. 1927. Tableaux dichotomiques pour la détermination des longicornes de France. *Encyclopédie Entomologique*. Vol. II. Supplément. Paul Lechevalier, Paris, 53 pp. [printed 14 Jul 1927 (endleaf)]
1934. *Histoire Naturelle des Coléoptères de France. Tome iii. Polyphaga: Heteromera, Phytophaga*. Paul Lechevalier et fils, Paris, vi + [2] + 374 pp., pls. xi-xv.
- PROSEN, A. F. 1947. Nuevos cerambícidos argentinos. **Rev. Soc. Entomol. Arg.**, **13**: 254-257, 3 figs., 1 pl.
1947. Cerambycoidea de Santiago del Estero. **Rev. Soc. Entomol. Arg.**, **13**: 315-334.
1954. Un nuevo género y dos nuevas especies de Lamiidae argentinos. **Neotrópica**, **1**: 33-36, 1 fig.
1957. La segunda especie del género *Merocentrum* Lane, 1939. **Neotrópica**, **3(11)**: 35-36, 2 figs.
1957. Un nuevo lamido de Bolivia. **Neotrópica**, **3(12)**: 73-74, 2 figs.
1960. Notas sobre la familia Anoplodermatidae. **Ann. Inst. Med. Reg.**, **5(2)**: 87-100, 1 pl.
1961. Notas sobre Ibdionini. **Ann. Inst. Med. Reg.**, **5(3)**: 125-130, 1 fig.
1962. *Planopus lugubris*, n. sp. **Ann. Inst. Med. Reg.**, **6**: 147-149, 1 pl.
- PROSEN, A. F. & F. LANE. 1955. O gênero *Myoxomorpha* White, 1855, e descrição de uma nova espécie. **Papéis Avulsos Dep. Zool.**, **12(4)**: 133-140.
- PROVANCHER, L. A. 1877. **Petite faune entomologique du Canada, précédés d'un traite élémentaire d'entomologie**. Les Coléoptères. Québec, C. Darveau, 786 pp., 52 figs.
- PSOTA, F. 1930. The *Moneilema* of North America and Mexico. **Coleop. Contr.**, **1(2)**: 111-141, 24 pls.
- PUKER, A., L. F. F. EVANGELISTA, C. da SILVA CARLI, M. CUPELLO & M. L. MONNÉ. 2024. Use of colored fruit-baited traps for trapping Cerambycidae (Coleoptera: Chrysomeloidea) reveals six new records for the state of Rondônia, southwestern Brazilian Amazon. **Zootaxa**, **5514(2)**: 188-200, 10 figures.
- QUINTINO, H. Y. & M.L.MONNÉ. 2014. Revision of *Trachelissa* Aurivillius, 1912 (Insecta: Coleoptera: Cerambycidae). **Zootaxa**, **3793(5)**: 5015-537, 161 figures
- QUENTIN, R. M. & A. VILLIERS. 1983. *Prionocalus demelti*, nouvelle espèce de Colombie. Désignation de Lectotypes. **Ann. Soc. Entomol. France, (N. S.) 19(2)**: 223-225, 2 figs.
1983. Note sur les *Psalidognathus* Gray. Description de quatre formes nouvelles; désignation d'un néotype et de lectotypes. **Ann. Soc. Entomol. France, (N. S.) 19(4)**: 441-446, 4 figs.
- QUINTINO, H. Y, BOTERO, J. P. & MONNÉ, M. L. (2010) Insecta, Coleoptera, Cerambycidae, Cerambycinae, Trachyderini: new state and country records from South America. **Check List**, **6(3)**: 364-367.
- RAFINESQUE, C.S. 1815. *Analyse de la nature ou tableau de l'univers et des corps organisés*. Palerme. [Publié] aux dépens de l'Auteur. 224 pp. [reprinted in 1900 by Friedlander & Sohn, Berlin]
- RAMIREZ CAMPOS, R., ESTEBAN DURAN, J. R. & A. SANTOS-SILVA. 2011. A new species of *Seticeros* from Costa Rica (Coleoptera, Cerambycidae, Prioninae). **Span. Journ. Ag. Res.** **9(1)**: 108-112, 3 figures.

- RANDALL, J. W. 1838. Description of new species of coleopterous insects inhabiting the State of Maine. **Boston J. Nat. Hist.**, 2(1): 1-33.
1838. Descriptions of new species of coleopterous insects inhabiting the State of Massachusetts. **Boston J. Nat. Hist.**, 2(1): 34-52.
- RASKE, A. G. 1973. *Tetropium parvulum* elevated to species rank and contrasted to *T. cinnamopterum* in morphology and host preference. **Can. Entomol.**, 105: 745-755, 14 figs.
1973. Taxonomic relationship between *Monochamus scutellatus* and *M. oregonensis*. **Can. Entomol.**, 105: 795-806, 33 figs.
- RAU, G. J. 1935. A new variety of *Anoplodera vittata* from New York. **Bull. Brooklyn Entomol. Soc.**, 30(2): 63-64.
- RAVIN, I. S. & S. W. LINGAFELTER. 2015. Review of the genus *Urgleptes* Dillon (1956) of Hispaniola (Coleoptera, Cerambycidae, Acanthocinini): descriptions of five new species and one new synonymy. **Zookeys**, 532: 55-85, 17 figures.
- REDTENBACHER, L. 1845. **Die Gattungen der Deutschen Kaefer-Fauna nach der analytischen Methode bearbeitet einem kurz gefassten Leitfaden, zum Studium dieses Zweiges der Entomologie.** Wien, Gerold, 177 pp., 2 pls.
1867. **Reise des österreichischen Fregatte Novara um die Erde in den Jahren 1857, 1858, 1859 unter den befehlen des Commodore B. von Wüllerstorff-Urbair.** Wien, Zoologischer Theil, Zweiter Band, Coleopteren, 249 pp.
- REICH, G. C. 1837. Description of a new coleopterous genus belonging to the tribe Prionida, termed *Torneutes*. **Trans. Entomol. Soc. London**, 2: 9-13, 3 figs.
- REICHE, L. 1839. Note sur la famille des longicornes et description d'un genre nouveau. **Ann. Soc. Entomol. France**, 9: 563-566, 1 pl.
1840. Description de deux coléoptères nouveaux. **Revue Zool.**, 1840: 275.
1840. Nouvelle espèce du genre *Psolidognathus* de M. Gray. **Revue Zool.**, 1840: 358.
1850. Note sur le genre *Psolidognathus*. **Revue Mag. Zool.**, (3)2: 248-249.
1853. Espèce nouvelle de coléoptères formant un genre nouveau dans la famille des longicornes. **Ann. Soc. Entomol. France**, (3)1: 419-423, pl. 13, fig. 4.
- REITTER, E. 1913. *Fauna Germanica. Die Käfer des Deutschen Reiches. Nach der analytischen Methode bearbeitet. IV. Band.* K.G. Lutz, Stuttgart, 236 pp. (+ 22 pls). [1912 on title page; actually by XII.1913 (for date, see *Naturae Novitates* 1913: 612)].
- RESTELLO, R.M., L. IANNUZZI, & R.C. MARINONI. 2001. Descrição de dois novos generos afins a *Alphus* White e duas novas espécies (Acanthoderini). **Rev. Bras. Entomol.**, 45(4): 295-303, 14 figs
- RIBEIRO, P. de M. 1935. Sôbre uma nova espécie do gênero *Callipogon*. **Rev. Mus. Paulo**, 19: 417-418, 1 pl.
- RICE, M. E. 1982. Notes on Cerambycidae from Missouri. **Coleop. Bull.**, 35(4): 459-462.
1985. Description of the male of *Neoclytus torquatus* LeConte, a dimorphic species. **J. Kansas Entomol. Soc.**, 58(3): 557-558.
- RICE, M. E. & W. R. ENNS. 1981. The longhorn beetle subfamily Lamiinae (Col., Cerarnb.) in Missouri. **Trans. Missouri Acad. Sci.**, 15: 89-109.
- RICE, M.E., MERICKEL, F. & MACRAE, T. 2017. The longhorned beetles (Coleoptera, Cerambycidae) of Idaho. **Col. Bull.**, 71(4): 667-678.
- RICE, M. E. & R. F. MORRIS. 1992. *Megacyllene comanchei*, a new species of longhorned beetle from Texas. **J. Kansas Entomol. Soc.**, 65(2): 200-202, 1 fig.
- RICE, M.E., R.H. TURNBOW & F.T. HOVORE. 1985. Biological and Distributional Observations on Cerambycidae from the Southwestern United States (Coleoptera). **Col. Bull.**, 39(1): 18-24.
- RITSEMA, C. C. 1889. On the longicorn genus *Orion* Guér. **Not. Leyden Mus.**, 11: 144.
- RIVERS, J. J. 1890. Three new species of Coleoptera. **Entomologica Amer.**, 6(6): 111-112.
- ROBIN, F. & P.-H., DALENS. 2021. Illustration de la femelle de *Psygmatorcerus guianensis* Tavakilian & MONNÉ, 2002.

Coléoptères de Guyane, ACOREP, France, 13: 15, 1 figure.

2021. Signalement de trois nouveaux Lamiinae (Coleoptera: Cerambycidae) en Guyane. **Coléoptères de Guyane, ACOREP, France, 13:** 51-52, 3 figures.

2021. Signalement d'un Cerambycidae exogène en Guyane : *Chlorophorus annularis* (Fabricius, 1787) (Coleoptera). **Coléoptères de Guyane, ACOREP, France, 13:** 97-98, 1 figure.

2024. Deux nouvelles espèces de *Rosalba* Thomson, 1864 de Guyane (Coleoptera : Cerambycidae, Lamiinae). **Faunitaxys 12 (11):** 1-6, 4 figures.

RODDICK, C., N. RODRIGUEZ & A. BERKOV. 2009. Hard-won host record for two species of *Trypanidius* Blanchard, 1843 (Coleoptera, Cerambycidae). **Col. Bull., 63(1):** 105-107.

RODRIGUES, J. M. S. & J. R. M. MERMUDES. 2011. A new species of *Peritrox* Bates, with a revised key for the genus (Coleoptera, Cerambycidae, Lamiinae). **Zootaxa, 3000:** 44-48, 4 figures.

RODRIGUES, J. M., M.A. MONNÉ & J. R. MERMUDES. 2010. Inventario das espécies de Cerambycidae (Coleoptera) de Vila Dois Rios (Ilha Grande, Angra dos Reis, Rio de Janeiro, Brasil). **Biota Neotrop., 10(3):** 311-321, 51 figures.

ROGUET, D. 2004. *Peñaherreraus* nomen nov. pro *Pycnomorphus* Thomson 1864 (nec Motschulsky, 1858) (Lamiinae). **Le Coleopteriste, 7(2):** 90.

ROGUET, J.P. 2016. Signalement d'*Hippopsis* *ocularis* Galileo & Martins, 1995 en Guyane. **Suppl. Bull. Liais. ACOREP-Fr., Contribution à l'étude des Coléoptères de Guyane, Tome X:** 51, 2 fig.

2021. Notes sur des Acanthocinini nouveaux de Guyane (Coleoptera, Cerambycidae, Lamiinae, Acanthocinini). **Les Cahiers Magellanes, (NS) 41:** 53-58, 3 figures.

2021. Notes faunistiques sur des lamiaires néotropicaux (Coleoptera, Cerambycidae, Lamiinae). **Les Cahiers Magellanes, (NS) 41:** 59-62, 3 figures.

2022. Notes sur des Acanthocinini nouveaux de Guyane (Part 2). **Les Cahiers Magellanes, (NS) 42:** 66-79, 7 figures.

2022. Notes sur des Acanthocinini nouveaux de Guyane (Part 3). **Les Cahiers Magellanes, (NS) 43:** 44-63, 12 figures.

2023. Notes sur des Acanthocinini nouveaux de Guyane (Part 5). **Les Cahiers Magellanes, (NS) 45:** 63-71, 5 figures.

2023. Notes sur des Acanthocinini nouveaux de Guyane (Part 6). **Les Cahiers Magellanes, (NS) 45:** 76-89, 5 figures.

2023. Note sur un Pteropliini nouveau de Guyane (Coleoptera, Cerambycidae, Lamiinae). **Les Cahiers Magellanes, (NS) 46:** 78-81, 1 figure.

2024. Notes sur des Acanthocinini nouveaux de Guyane (7e partie) (Coleoptera, Cerambycidae, Lamiinae). **Les Cahiers Magellanes NS 48:** 44-54, 5 figures.

2024. Notes sur des Acanthocinini nouveaux de Guyane (8e partie) (Coleoptera, Cerambycidae, Lamiinae). **Les Cahiers Magellanes NS 49:** 6-17, 7 figures.

2024. Notes sur des Acanthocinini nouveaux de Guyane (9e partie) (Coleoptera, Cerambycidae, Lamiinae). **Les Cahiers Magellanes NS 49:** 79-81, 1 figure.

2024. Notes sur les *Estola* de Guyane (Coleoptera, Cerambycidae, Lamiinae, Desmiphorini). **Les Cahiers Magellanes NS 50:** 100-113, 8 figures.

ROGUET, J-P. & G-L TAVAKILIAN. 2023. Compléments à la faune des Lamiinae de Guyane : I – Acanthocinini (Coleoptera, Cerambycidae). **Les Cahiers Magellanes, (NS) 47:** 58-66, 7 figures.

ROJAS, M. A. de. 1856. Description de deux nouvelles espèces de coléoptères provenant de la République de Venezuela. **Revue Mag. Zool., (2)8:** 565-566.

1857. Études entomologiques. Observations sur quelques coléoptères de la République de Venezuela. **Ann. Soc. Entomol. France, (3)5:** 329-336.

1866. Études entomologiques. **Ann. Soc. Entomol. France**, (4)6: 229-235.
1866. Catalogue des longicornes de la province de Caracas, République de Venezuela avec quelques observations sur leurs habitudes. **Ann. Soc. Entomol. France**, (4)6: 236-248.
- ROSALES, C. J. 1966. Contribución al conocimiento de los Prioninae de Venezuela. **Rev. Fac. Agron. Univ. Centr. Venez.**, 11: 1-237, 11 pls.
- ROSENBERG, W. F. H. 1898. Some new species of Coleoptera in the Tring Museum. **Novit. Zool.**, 5: 92-95.
- ROSSI, P. 1794. **Mantissa insectorum, exhibens species nuper in Etruria collectas, adjectis faunae Etruscae illustrationibus ac emendationibus.** 4: 1-348.
- RUETTE, R. de. 1970. A catalogue of types of Coleoptera in the Canadian National collection of insects. **Mem. Entomol. Soc. Can.**, 7: 1-134.
- RUSSO, G. 1930. Contributo alla conoscenza dei Cerambycidae della Rep. Dominicana (Antille) com descrizione di una nuova specie. **Bol. Lab. Zool. Gen. Agr. Portici**, 24(14): 140-147, 2 figs.
- SAHLBERG, C. R. 1823. **Periculi entomographici, species insectorum nondum descriptas propositur.** 1: 1-16; 2: 17-32; 3: 33-48; 4: 49-64; 5: 65-82.
- SALAZAR E, J. A. 2005. Coleoptera (V) Sobre algunas localidades Colombianas para conocer y estudiar a *Psalidognathus superbus* & *modestus* (Fries) y a *Prionacalus demelti* (Quentin & Villiers) (Cerambycidae: Prioninae). **Bol Cien- Cent Mus - Mus Hist Nat vol 9**: 241-250, 3 figs.
- SALLÉ, A. 1849. Coléoptères nouveaux de l'Amérique, 2e partie. **Ann. Soc. Entomol. France**, (2)7: 429-435, 1 pl.
1853. Description d'une espèce nouvelle de prionien provenant de la République de Venezuela. **Ann. Soc. Entomol. France**, (3)1: 649-652, 1 pl.
1855. Description de dix espèces nouvelles de coléoptères recueillis de 1849 a 1851 dans la République Dominicaine (ancienne partie espagnole de l'Ile de Saint-Domingue ou d'Haiti), 1e partie. **Ann. Soc. Entomol. France**, (3)3: 263-272, 1 pl.
1856. Description de dix espèces nouvelles de coléoptères recueillis de 1849 a 1851 dans la République Dominicaine (ancienne partie espagnole de l'Ile de Saint-Domingue ou d'Haiti), 2e partie. **Ann. Soc. Entomol. France**, (3)4: 687-692, 1 pl.
- SALVADOR, S. A. 1978. Notas sobre *Periboeum* Thomson com descrição de uma nova espécie. **Rev. Bras. Entomol.**, 22(1): 19-22, 1 fig.
- SAMA, G. 1991. Noe sulla nomenclatura dei Cerambycidae della regione mediterranea. **Boll. Soc. ent. ital., Genova**, 123(2): 121-128.
1993. Notes sur les Xylosteini Reitter. **Biocosme Mésogéen, Nice**, 10(1): 7-15, 6 figs.
1994. Note sulla nomenclatura dei Cerambycidae della regione mediterranea. II. Revisione di alcuni tipi di Kraatz, v. Heyden e Stierlin. **Lambillionea, XCIV**: 321-334, 5 figs.
2005. Description of *Neospondylis* gen. nov. from North America and Mexico (Spondylidinae). **Les Cahiers Magellanes** 43: 1-10, 38 figs.
2008. Preliminary Note on the Cerambycid Fauna of North Africa with the Description of New Taxa (Insecta Coleoptera Cerambycidae). **Quad. Studi Nat. Romagna** 27: 217-245.
- SANCHEZ, L. I. V. & W. P. MacKAY 1993. Revision del Genero *Tylosis*. **Southwestern Nat.**, 38(3): 241-245, 2 figs.
- SANCHEZ-MARTINEZ, G., MORENO-RICO, O & SIQUEIROS-DELGADO, M. E. (2010) *Crioprosopus magnificus* LeConte (Coleoptera, Cerambycidae) in Aguascalientes, Mexico: biological observations and geographical distribution. **Col. Bull.**, 64(4): 319-328.
- SANTOS-SILVA, A. 2001. Parandrinae Neotropicais I: redescricao de *Parandra degeeri* Thomson, 1867 e descricao de uma nova espécie. **Rev. Bras. Entomol.**, 45(3): 215-219, 18 figs.
2001. Parandrinae Neotropicais II: espécies de *Hesperandra* Arigony, 1977 com submento elevado e emarginação lateral do protórax dos machos incompleta. **Rev. Bras. Entomol.**, 45(3): 221-241, 93 figs.
2002. Notas e descrições em Parandrinii. **Iheringia, Sér. Zool.**, 92(2): 29-52, 55 figs.

2002. Nova espécie de *Hesperandra* Arigony da Bolívia (Parandrinae). **Rev. Bras. Zool.**, **19(4)**: 955-959, 12 figs.
2003. Notas, descrições, sinónimas e revalidação em *Hesperandra* Arigony, 1977 (Parandrinae). **Rev. Bras. Entomol.**, **47(1)**: 119-131, 67 figs.
2003. On two generic homonymies in Cerambycidae (Coleoptera). **Rev. Bras. Zool.**, **20(3)**: 479-480.
2003. Espécies de *Hesperandra* (*Tavandra*) Santos-Silva, com pilosidade abundante no metasterno (Parandrinae). **Rev. Bras. Zool.**, **20(3)**: 389-395, 21 figs.
2004. Descrição de *Hephialtes mourei* sp. nov. e notas em *Hephialtes* Thomson e *Braderochus mundus* (White) (Prioninae). **Rev. Bras. Entomol.**, **48(1)**: 35-38, 5 figs.
2004. Nova espécie de *Anacanthus* do Brasil (Prioninae, Callipogonini). **Iheringia, Sér. Zool.**, **94(3)**: 281-283, 2 figs.
2005. Nova espécie de Parandrinae do Brasil e chave para as espécies de *Hesperandra* (*Hesperandra*) Arigony, 1977. **Papéis Avulsos de Zool.**, **45(17)**: 231 – 234, 9 figs.
2005. Redescricao de *Mallodon popelairei* (Lameere, 1902) (Prioninae). **Papéis Avulsos de Zool.**, **45(20)**: 249 – 254, 11 figs.
2005. Nova espécie de Parandrinae do Brasil e chave para as espécies de *Hesperandra* (*Hesperandra*) Arigony, 1977. **Papéis Avulsos Zool.**, **45(17)**: 231 – 234, 9 figs.
2006. Revalidacao de *Charmallaspis smithiana* (White, 1850) e Notas em *Braderochus* Buquet, 1852 (Coleoptera, Cerambycidae, Prioninae). **Papéis Avulsos Zool.**, **46(14)**: 175-186, 31 figs.
2007. Revisao do Genero *Derobrachus* Audinet-Serville, 1832 (Coleoptera, Cerambycidae, Prioninae). **Arq. de Zool.**, **38(1)**: 1-94, 362 figs.
2007. Nova especie de *Hesperandra* (*Zikándra*) Santos-Silva e chave para o subgenero (Coleoptera, Cerambycidae, Parandrinae). **Les Cahiers**, **(66)**: 1-11, 22 figs.
2014. A New Species of *Ucai* Galileo & Martins, 2009 (Coleoptera: Cerambycidae: Prioninae). **Coleopt. Bull.** **68(2)**: 214-216, 4 figures.
2015. A New Species of *Parandra* (*Parandra*) Latreille from Peru (Coleoptera: Cerambycidae: Parandrinae). **Insecta Mundi**, **0405**: 1-5, 14 figures.
2015. On *Stenocorus vittatus* Fabricius, 1801 (Coleoptera, Cerambycidae, Cerambycinae). **Pap. Avuls. Zool.**, **55(26)**: 373-374.
2015. On some “lost” types of *Cerambyx* and *Leptura* species described by Linnaeus (1758), and a new synonymy in Rhinotrugini (Coleoptera, Cerambycidae). **Pap. Avuls. Zool.**, **55(29)**: 397-403, 4 figures.
2016. A new South American species of *Macrodontia* Lacordaire, 1830 (Coleoptera, Cerambycidae, Prioninae). **Les Cahiers Magellanes**, **NS 21**: 125-132, 25 figures.
2021. A new species and synonymy in *Atrypanius* Bates (Coleoptera, Cerambycidae, Lamiinae) from the Brazilian Amazon forest. **Pap. Avuls. Zool.** **61**: 1-4, 1 figure.
2021. Description of four new species of *Anelaphus* Linsley (Coleoptera, Cerambycidae, Cerambycinae, Elaphidiini), correction of the spelling of species-group names, and description of the female of *Anelaphus pilosus* Chemsak and Noguera. **Zootaxa**, **5048 (3)**: 371-390, 51 figures.
2021. A new species of *Euderces* LeConte from Guatemala (Coleoptera, Cerambycidae, Cerambycinae). **Faunitaxys**, **9(36)**: 1-3, 5 figures.
2022. Two new species of Acanthocinini (Coleoptera, Cerambycidae, Lamiinae) from the Neotropical Region. **Zootaxa**, **5091 (4)**: 559-566, 11 figures.
2022. New species, revalidation, synonymies, and new records in *Bebelis* Thomson (Coleoptera, Cerambycidae, Lamiinae, Apomecynini). **Zootaxa**, **5092 (4)**: 401-428, 70 figures.

2022. New species, new records, synonymy, and notes in *Eupogonius* LeConte (Coleoptera, Cerambycidae, Lamiinae, Desmiphorini). **Pap. Avuls. Zool.** **62** (e202262027): 1-12, 5 figures.
2022. Description of two new species and one new genus of American Cerambycidae, and notes on *Amphicnaeia nigra* Galileo & Martins (Coleoptera). **Faunitaxys**, **10(40)**: 1-8, 21 figures.
2023. Description of a new species of *Piriana* Santos-Silva, Galileo & McClarin, and notes and new records in Cerambycinae and Lamiinae from the Neotropical Region (Coleoptera, Cerambycidae). **Faunitaxys** **11** (56): 1-9, 31 figures.
- SANTOS-SILVA, A. & R. A. ANDROW. 2022. New species, new synonymies, a new rank, and new records in Desmiphorini, Saperdini, and Hemilophini (Coleoptera: Cerambycidae: Lamiinae). **Insecta Mundi** **938**: 1-14, 32 figures.
- SANTOS-SILVA, A. & L. G.BEZARK. 2016. Two new species of Mexican Rhinotragini and transference of *Odontocera josemartii* Zayas, 1956 to *Stenopseustes* (Coleoptera, Cerambycidae). **Zootaxa**, **4161(4)**: 542-548, 8 figures.
2018. A replacement name for *Thomasella* Santos-Silva, Bezark & Martins (Coleoptera, Cerambycidae, Cerambycinae). **Zootaxa**, **4394** (3): 449.
2021. Two new synonymies and transferences in American Pogonocherini (Coleoptera, Cerambycidae, Lamiinae). **Les Cahiers Magellanes**, (NS) **41**: 16-25, 24 figures.
2022. The primary types of *Bisaltes* (*Bisaltes*) Thomson of the Museu de Zoologia, Universidade de São Paulo, with notes and synonymies regarding other species of this subgenus and *Bisaltes* (*Craspedocerus*) Aurivillius (Coleoptera, Cerambycidae, Lamiinae). **Zootaxa** **5165** (1): 095–106, 35 figures.
2022. On some species of *Anobrium* Belon (Coleoptera, Cerambycidae, Pteropliini). **Faunitaxys**, **10(39)**: 1-8, 44 figures.
2024. New species, notes and record of New World Acanthocinini (Coleoptera: Cerambycidae, Lamiinae). **Zootaxa**, **5551(1)**: 167-185, 31 figures.
- SANTOS-SILVA, A., L. G. BEZARK, & M. H. GALILEO, 2016. Two new species of *Curuapira* Martins & Galileo, 1998 (Coleoptera, Cerambycidae, Lamiinae, Desmiphorini). **Zootaxa**, **4097(2)**: 287-293, 11 figures.
- SANTOS-SILVA, A., L. G.BEZARK, M. H. GALILEO, & L. LI. 2016. Descriptions, transference and new records of Lamiinae from Central and South America (Coleoptera, Cerambycidae). **Zootaxa**, **4170(1)**: 159-168, 11 figures.
- SANTOS-SILVA, A., L. G. BEZARK & G. T. HURTADO. 2024. New records of South American Cerambycidae (Coleoptera), with notes on the authorship of *Homogenes* and corrections in the species-group names of some species. **Faunitaxys** **12** (53): 1-8, 9 figures.
- SANTOS-SILVA, A., L.G. BEZARK, & U.R. MARTINS. 2012. New genera and species of Neotropical Rhinotragini (Coleoptera, Cerambycidae, Cerambycinae). **Zootaxa**, **3571**: 66-080, 28 figures.
- SANTOS-SILVA, A. & J. P. BOTERO. 2016. A new species of *Oreodera* Audinet-Serville, 1835 from Ecuador (Coleoptera, Cerambycidae, Lamiinae) and new geographical records. **Zootaxa**, **4196(3)**: 423-427, 3 figures.
2016. Description of a New Species of *Physopleurus* Lacordaire, 1869 (Coleoptera: Cerambycidae: Prioninae) from Colombia. **Coleopt. Bull.**, **70(4)**: 797-800, 9 figures.
2017. A new species of *Heterachthes* Newman, 1840, from Colombia (Coleoptera, Cerambycidae). **Zootaxa**, **4231(4)**: 581-584, 4 figures.
2017. Four new species of *Nyctonympha* Thomson, 1868 (Coleoptera, Cerambycidae, Lamiinae). **Eur. J. Taxon.**, **332** :1-16, 28 figures.
2017. Two new species of Cerambycidae (Coleoptera) from Colombia. **Insecta Mundi**, **0534**: 1-7, 13 figures.
2018. Descriptions, transferences and synonymies in American Monochamini (Coleoptera, Cerambycidae, Lamiinae), with revised keys to species of *Hammatoderus* and *Taeniotus*. **Ann. Ent. Soc. France**, (N.S.) **1**: 1-19, 40 figures. [DOI: 10.1080/00379271.2018.1463869].
2020. A new species of *Pteroplatus* Buquet, 1840 (Coleoptera: Cerambycidae) and taxonomical notes in Neotropical Cerambycidae. **Insecta Mundi**, **0772**: 1-10, 14 figures.
2021. On *Atrypanius cretiger* (White, 1855) and *Atrypanius punctatellus* (Bates, 1872) (Coleoptera: Cerambycidae: Lamiinae: Acanthocinini). **Insecta Mundi**, **0866**: 1-6, 11 figures.

2023. Taxonomic and geographical notes on *Leptostylus* LeConte, 1852 (Coleoptera, Cerambycidae, Lamiinae, Acanthocinini) with the descriptions of two new species. **Faunitaxys** **11** (12): 1-12, 23 figures.
2023. A new synonymy in *Neoptychodes* (Coleoptera, Cerambycidae, Lamiinae) and notes on *Neoptychodes cosmeticus* with a revised key to species of the genus. **Iheringia** **113** e2023014: 1-6, 27 figures.
2024. The unbelievable fauna of American Lamiinae (Coleoptera: Cerambycidae): description of two new species, transference, and notes in Acanthocinini, and a new record in Calliini. **Insecta Mundi**, **1028**: 1-20, 32 figures.
- SANTOS-SILVA, A., J. P. BOTERO & C. A. H. FLECHTMANN. 2023. A new species and taxonomical and geographical notes on Neotropical Cerambycidae (Coleoptera). **Pap. Avuls. Zool.** **63** (e202363006): 1-14, 5 figures.
- SANTOS-SILVA, A., J. P. BOTERO & M. H. GALILEO. 2018. On *Sphallambyx mexicanum* and key to species of *Sphallambyx* (Coleoptera, Cerambycidae, Cerambycinae). **Zootaxa**, **4429** (3): 572–576, 14 figures.
- SANTOS-SILVA, A., J. P. BOTERO & O. PÉREZ-FLORES. 2024. New species, new geographical records and taxonomical notes on North and Central American Cerambycidae and Disteniidae (Coleoptera, Chrysomeloidea). **Cont. Ent.** **74**(2): 199-216, 41 figures.
- SANTOS-SILVA, A., J. P. BOTERO & S. LE TIRANT. 2018. A new genus, four new species and taxonomic and geographic notes in Mexican Cerambycidae. **Zootaxa**, **4420** (2): 189–210, 40 figures.
- SANTOS-SILVA, A., J. P. BOTERO & F. E. L. NASCIMENTO. 2023. On *Eryphus* Perty, 1832 (Dichophyiini), *Eriphus* Audinet-Serville, 1834 (Trachyderini, Trachyderina), and *Eryphus* Klug, 1829, with description of a new genus, and corrections on publication dates (Coleoptera, Cerambycidae). **Pap. Avuls. Zool.** **63** (e202363013): 1-8, 2 figures.
- SANTOS-SILVA, A., J.P. BOTERO, F. NASCIMENTO, & D. dos SANTOS MARTINS. 2020. New species, new records, and taxonomical notes in Cerambycidae (Coleoptera) from the state of Espírito Santo (Brazil). **Pap. Avuls. Zool.**, (60) e 20206045: 1-22, 59 figures.
- SANTOS-SILVA, A., J.P. BOTERO, F. NASCIMENTO, & W. D. SILVA. 2020. A new synonym and seventeen new distributional records in South American Cerambycidae (Coleoptera), with notes on *Chlorethe scabrosa* Zajciw, 1963. **Pap. Avuls. Zool.**, (60) e 20206010: 1-11, 27 figures.
- SANTOS-SILVA A., J. P. BOTERO & C. TABOADA-VERONA. 2017. Three new species of *Psyrassa* Pascoe, 1866 (Coleoptera, Cerambycidae, Cerambycinae). **Zootaxa**, **4250**(5): 494-500, 14 figures.
- SANTOS-SILVA, A., J.P. BOTERO, & J. E. WAPPES. 2020. Neotropical Acanthoderini (Coleoptera, Cerambycidae, Lamiinae): Synonymies and new status in some genera, new species, transferences and new distributional records **Pap. Avuls. Zool.**, (60) e 20206006: 1-40, 151 figures.
- SANTOS-SILVA, A., R. O. S. CLARKE & U. R. MARTINS. 2011. Contribuição para o estudo dos Rhinotragini (Coleoptera, Cerambycidae). III. *Oxyommata* Zajciw, 1970 e novo gênero oriundo da divisão de *Xenocrasis* Bates, 1873. **Pap. Avuls. Zool.**, **51**(10): 179-188, 10 figures.
- SANTOS-SILVA, A., N. DELAHAYE & J. PIRKL. 2023. The mysterious *Aplagiognathus serratus* Thomson: a new synonym in Macrotomini (Coleoptera, Cerambycidae, Prioninae, Macrotomini). **Faunitaxys** **11** (28): 1-4, 8 figures.
- SANTOS-SILVA, A. & S. DEVESA. 2021. New species and new records in American Acanthocinini (Coleoptera, Cerambycidae, Lamiinae) **Zootaxa**, **4942** (4): 569-582, 37 figures.
2021. Description, transference, and new records in Lamiinae from Nicaragua (Coleoptera, Cerambycidae, Lamiinae). **Les Cahiers Magellanes**, (NS) **39**: 54-71, 27 figures.
2021. New synonymies and notes in *Criodion* Audinet-Serville (Coleoptera: Cerambycidae: Cerambycinae). **Insecta Mundi**, **0897**: 1-7, 26 figures.
- SANTOS-SILVA, A. & J.R. ESTEBAN DURAN. 2009. Description of the female of *Strongylaspis granigera* Bates, 1884 (Coleoptera, Cerambycidae, Prioninae). **Spanish J. Ag. Res.** **7**(2): 349-354, 3 figs.
- SANTOS-SILVA, A. & M. H. M. GALILEO. 2010. A new Genus of Macrotomini (Coleoptera, Cerambycidae, Prioninae).

ZooKeys, 35: 65-76, 31 figs.

2011. Sobre alguns Cerambycidae (Coleoptera) das coleções do Instituto Nacional de Pesquisas da Amazonia (INPA) e da Universidade Federal do Amazonas (UFAM): Parandrinae, Prioninae e Disteniinae. **Les Cahiers Magellanes**, (n.s.) 3: 20-51, 9 figures.
2015. On *Myzomorphus* and *M. scutellatus* (Coleoptera, Cerambycidae, Prioninae). **Zootaxa**, 4058(4): 591-594.
2016. New Brazilian Cerambycidae from the Amazonian region (Coleoptera). **Zookeys**, 603: 131-140, 13 figures.
2016. Description of a new species of *Adetus* and of the female of *Wappesoeme camiri*, new records and updates to type depository for three species of *Amphicnaeia* Bates (Coleoptera, Cerambycidae). **Rev Bras Ent.**, 60: 297-301, 6 figures.
2016. On *Amillarus* Thomson, 1857 (Coleoptera: Cerambycidae): Types, Variation, and a New Synonym. **Coleopt. Bull.**, 70(4): 805-811, 17 figures.
2017. Description of a new genus of Elaphidiini with two new species (Coleoptera, Cerambycidae, Cerambycinae). **Zootaxa**, 4247(3): 346-350, 10 figures.
2017. New species and new synonymy in Neoibidionini (Coleoptera, Cerambycidae). **Zootaxa**, 4286(2): 291-295, 10 figures.
2018. A new genus and species of Anacolini (Coleoptera, Cerambycidae, Prioninae) from Bolivia. **Zootaxa**, 4379 (1): 140-144, 10 figures.
- SANTOS-SILVA, A., M. H. GALILEO, L. J. JOLY & G. L. TAVAKILIAN. 2018. The genus *Rosalba* Thomson, 1864 (Coleoptera, Cerambycidae, Lamiinae, Apomecynini). **Zootaxa**, 4387 (2): 201-258, 134 figures.
- SANTOS-SILVA A., M. H. GALILEO & S. LE TIRANT. 2017. A new species of *Cirrhicera* Thomson, 1857 from Mexico, and redescription of *Anisopodus acutus* Thomson, 1865 (Coleoptera, Cerambycidae, Lamiinae). **Zootaxa**, 4323(1): 139-145, 15 figures.
- SANTOS-SILVA, A., M. H. GALILEO & J. MCCLARIN. 2018. A new species of *Malthonea* Thomson, 1864 (Coleoptera, Cerambycidae, Lamiinae) from Ecuador. **Pap. Avuls. Zool.**, (58) e20185814: 1-5, 15 figures.
2018. Division of the genera *Sparna* Thomson, 1864 and *Carterica* Pascoe, 1858 (Coleoptera, Cerambycidae, Lamiinae, Colobotheini) with description of six new genera and eight new species **Zootaxa** 4407 (1): 1-28, 67 figures.
- SANTOS-SILVA, A., M. H. GALILEO, & J.E. WAPPES. 2015. Two new species of *Corimbion* Martins from Bolivia (Coleoptera: Cerambycidae: Cerambycinae: Neoibidionini). **Insecta Mundi**, 0454: 1-7, 11 figures.
2017. Descriptions, notes and reassignments in Neoibidionini (Coleoptera: Cerambycidae: Cerambycinae) with a new genus, three new species and keys to species of *Brechmoidion* Martins, 1969, *Compsibidion* Thomson, 1864 and *Rhysium* Pascoe, 1866. **Insecta Mundi**, 0560: 1-22, 37 figures.
- SANTOS-SILVA, A., K. GARCIA & J. P. BOTERO. 2021. A review of the history of the names *Hamaticherus* Dejean and *Plocaederus* Dejean and description of a new genus and species (Coleoptera: Cerambycidae: Cerambycinae). **Insecta Mundi**, 0887: 1-32, 89 figures.
- SANTOS-SILVA, A., D. HEFFERN & J. P. BOTERO. 2021. Description of a new species of *Eurysthea*, and notes and new records in Cerambycinae and Lamiinae (Coleoptera, Cerambycidae). **Neotrop. Biodiversity** 7(1): 530-540, 5 figures.
- 2022 Description of a new species of *Eurysthea* Thomson (Coleoptera, Cerambycidae, Cerambycinae). **Pap. Avuls. Zool.** (62: e202262030): 1-3.
- SANTOS-SILVA, A., D. HEFFERN, J.P. BOTERO & F. NASCIMENTO. 2020. Notes, new records, new combinations, a new genus and three new species in Hemilophini (Coleoptera: Cerambycidae: Lamiinae). **Insecta Mundi**, 0785: 1-28, 60 figures.
- SANTOS-SILVA, A., HERNANDEZ, & M. H. GALILEO. 2018. A new species of *Biribellus* Galileo, 1987 (Coleoptera, Cerambycidae, Prioninae, Anacolini) from Peru and key to species. **Zootaxa**, 4531 (1): 134-138, 10 figures.
- SANTOS-SILVA, A. & F.T. HOVORE. 2007. Divisão do Gênero *Distenia* Lepeletier & Audinet-Serville, notas sobre a venação alar em Disteniini, homônimas, sinonímia e redescrições (Coleoptera, Cerambycidae, Disteniinae). **Papéis Avulsos Zool.**, 47(1): 1-29, 93 figs.

2007. Especies americanas de *Distenia* (*Distenia*) Lepeletier & Audinet-Serville, 1828 (Coleoptera, Cerambycidae, Disteniinae). **Les Cahiers (68)**: 1-28, 39 figs.
2007. Especies de *Distenia* (*Basisvallis*) Santos Silva & Hovore (Coleoptera, Cerambycidae, Disteniinae). **Les Cahiers, (71)**: 1-16, 13 figs.
2007. Especies de *Novantinoe* Santos Silva & Hovore (Coleoptera, Cerambycidae, Disteniinae). **Lambillionea, (107)**: 573-610, 59 figs.
- 2008a. Especies de *Elytrimitatrix* (*Grossefemora*) Santos Silva & Hovore I. Novos registros e novas especies (Coleoptera, Cerambycidae, Disteniinae) **Les Cahiers, (74)**: 1-25, 27 figs.
- 2008b. Especies de *Elytrimitatrix* (*Grossefemora*) Santos Silva & Hovore II. Novas especies e chave para o subgenero (Coleoptera, Cerambycidae, Disteniinae). **Les Cahiers, (75)**: 1-25, 24 figs.
- 2008c. Novas especies de Disteniinae americanas (Coleoptera, Cerambycidae.) **Les Cahiers, (81)**: 1-16, 14 figs.
- SANTOS-SILVA, & Z. KOMIYA, 2012. Contribution towards the knowledge of *Psalidognathus* Gray, 1831 (Coleoptera, Cerambycidae, Prioninae). **Insecta Mundi, 0247**: 1-28, 30 figures.
- SANTOS-SILVA, A., Z. KOMIYA, & E. H. NEARNS. 2013. Revision of the Genus *Prionacalus* White, 1845 (Coleoptera: Cerambycidae: Prioninae: Prionini). **Coleop. Bull., 67(3)**: 201-240, 127 figures.
- SANTOS-SILVA, A. & S. Le TIRANT. 2016. Three New Species of American Disteniinae (Coleoptera: Cerambycidae). **Coleopt. Bull., 70(2)**: 297-304, 20 figures.
- SANTOS-SILVA, A. & H. J. LEZAMA. 2010. Contribuição para o conhecimento dos Parandrina da Costa Rica e do Panamá (Coleoptera, Cerambycidae, Parandrinae). **Rev. Bras Ent., 54(3)**: 399-405, 13 figs.
- SANTOS-SILVA, A., & S. W. LINGAFELTER. 2012. Morphological analysis of *Mecosarthron* Buquet and *Xixuthrus* Thomson and reevaluation of generic assignment of *Xixuthrus domingoensis* Fisher (Coleoptera, Cerambycidae, Prioninae). **Pap. Avuls. Zool., 52(27)**: 315-332, 9 figures.
2021. A new species of *Mephritus* Pascoe from Ecuador (Coleoptera, Cerambycidae, Cerambycinae, Elaphidiini). **Faunitaxys, 9(28)**: 1-4, 11 figures.
- SANTOS-SILVA, A., N. MAL, M. VAN ROIE & M. JOCQUE. 2018. A new species of *Derobrachus* Audinet-Serville, 1832 (Coleoptera, Cerambycidae, Prioninae) from a cloud forest in Honduras. **Zootaxa 4422 (3)**: 395-402, 25 figures.
- SANTOS-SILVA, A., N. MAL & A. DRUMONT. 2010. Revalidation of *Calocomus rugosipennis* Lucas, 1857 (Coleoptera, Cerambycidae, Prioninae). **Bull. De L'Inst. Roy. Sci. Nat. Belgique Entomologie, 80**: 69-74, 12 figures.
- SANTOS-SILVA, A. & D. C. MARTINEZ. 2020. On *Amyipunga* Martins & Galileo, *A. moritzii* Thomson and the type species of *Rhopalomerus* Chevrolat. **Les Cahiers Magellanes, (N. S.) 36**: 27-34, 12 figures.
- SANTOS-SILVA, A., U.R. MARTINS, & R. O. S. CLARKE. 2010. Contribuição para o estudo dos Rhinotragini (Coleoptera, Cerambycidae). II. Revisão de *Ommata* White, 1855. **Pap. Avuls. Zool. 50(39)**: 595-621, 23 figs.
- SANTOS-SILVA, A., U.R. MARTINS, & G. L. TAVAKILIAN. 2010. Revisão do gênero *Polyrhaphis* Audinet-Serville (Coleoptera, Cerambycidae, Lamiinae). **Pap. Avuls. Zool., 50(30)**: 451-509, 85 figs.
- SANTOS-SILVA, A. & U.R. MARTINS 2000. Nova espécie de Parandrinae da Região Neotropical. **Rev. Bras. Entomol., 44(3/4)**: 167-170, 12 figs.
2003. Revisão do gênero *Physopleurus* Lacordaire, 1869 e notas em Macrotomini (Prioninae). **Rev. Bras. Entomol., 47(2)**: 245-265, 123 figs.
2004. Notas e descrições em Disteniinae. **Rev. Bras. Zool., 21(1)**: 145-152, 11 figs.
2005. Nova espécie e sinonímia em *Braderochus* Buquet, 1852 (Prioninae). **Rev. Bras. Entomol., 49(2)**: 237-239, 6 figs.
2005. Novos táxons e notas taxonômicas em Prioninae. **Iheringia, Sér. Zool., 95(4)**: 393-403, 24 figs.
2009. Nova espécie de *Physopleurus* Lacordaire (Coleoptera, Cerambycidae, Prioninae). **Papéis Avuls. Zool., 49(8)**: 97-102.
2013. New species and new records in Rhinotragini. **Les Cahiers Magellanes, NS 13**: 21-28, 6 figures.

- SANTOS-SILVA, A., U.R. MARTINS, & R. O. S. CLARKE. 2013. Contribuição para o estudo dos Rhinotragini (Coleoptera, Cerambycidae). VIII. Transferências e nova espécie em *Clepitoides*. **Pap. Avuls. Zool.** **53(29)**: 407-414, 5 figures.
- SANTOS-SILVA, A. & M. A. MONNE. 2023. The incredible biodiversity of American Lamiinae (Coleoptera, Cerambycidae): description of four new species, synonymy, and taxonomical notes. **Zootaxa**, **5244(3)**: 244-260, 33 figures.
2023. Description of three new species and one new genus in American Acanthocinini (Coleoptera, Cerambycidae). **Zootaxa**, **5263(2)**: 273-284, 25 figures.
2023. A new species and new Brazilian state record in Lepturges (Lepturges) Bates (Coleoptera, Cerambycidae, Lamiinae). **Faunitaxys** **11 (59)**: 1-4, 7 figures.
- SANTOS-SILVA, A. & F. E. L. NASCIMENTO. 2018. Synonymies, transferences, redescrptions and new species in Lamiinae (Coleoptera, Cerambycidae). **Zootaxa**, **4462 (2)**: 192-210, 38 figures.
2018. Notes on Variation in *Parastrongylaspis thomasi* Giesbert, 1992 and Description of a New Species and New Distribution Records of Parandrinae (Coleoptera: Cerambycidae). **Coleop. Bull.**, **72(4)**: 751-757, 16 figures.
2019. On the true identity of *Scopadus ciliatus* Pascoe, reinstatement of Acanthomerosternoplini, and description of a new species (Coleoptera, Cerambycidae, Lamiinae). **Iheringia (SZ)**, **109 e2019003**: 1-11, 22 figures.
2019. On the definition of Tapeinini, and description of a new genus and species (Coleoptera, Cerambycidae) **Iheringia (SZ)**, **109 e2019023**: 1-8, 22 figures.
2022. New name and correction in the synonymy of a species of American Apomecynini (Coleoptera, Cerambycidae, Lamiinae). **Zootaxa**, **5169 (4)**: 399-400.
- SANTOS-SILVA, A., F.E.L. NASCIMENTO & G. BIFFI. 2019. A new species of *Tropidion* (Neoibidionini), synonymies in Rhinotragini, notes on *Pirangoclytus* (Clytini) and *Hemicladus* (Calliini), and new records in Cerambycidae (Coleoptera). **Zootaxa**, **4614 (3)**: 449-460, 42 figures.
- SANTOS-SILVA, A., F. E. L. NASCIMENTO & J. P. BOTERO. 2023. Taxonomy of Oemini (Coleoptera: Cerambycidae: Cerambycinae), with key to American genera, notes and new taxa. **J. Nat. Hist.** **57 (41-44)**: 1917-1948, 88 figures.
- SANTOS-SILVA, A., F.E.L. NASCIMENTO, J. P. BOTERO & C.A. H. FLECHTMANN. 2019. New synonymy and new records in South American Cerambycidae (Coleoptera). **Faunitaxys**, **7(14)**: 1-11, 14 figures.
- SANTOS-SILVA, A., F. E. NASCIMENTO, J. P. BOTERO & J. McCLARIN. 2021. Taxonomic notes on South American longhorned beetles, with the description of seven new species of Acanthocinini (Coleoptera: Cerambycidae: Lamiinae) from Ecuador. **Ann. Soc. Ent. France (N. S.)**: 1-31, 12 figures.
- SANTOS-SILVA, A., F.E.L. NASCIMENTO, A. DRUMONT & A. O. KOZLOV. 2019. Descriptions, notes and new records in South American Cerambycidae (Coleoptera). **Pap. Avuls. Zool.**, **(59) e20195915**: 1-13, 21 figures.
- SANTOS-SILVA, A., F.E.L. NASCIMENTO & A. O. KOZLOV. 2019. The megadiverse fauna of Neotropical Cerambycidae (Coleoptera): Notes, descriptions, new records, new species, and revalidations. **Zootaxa**, **4603 (3)**: 441-472, 84 figures.
- SANTOS-SILVA, A., F. E. L. NASCIMENTO & H. MEJLON. 2023. A new synonymy in *Anisopodus* White (Coleoptera, Cerambycidae, Lamiinae, Acanthocinini). **Pap. Avuls. Zool.** **63 (e202363008)**: 1-7, 3 figures.
- SANTOS-SILVA, A., F. E. NASCIMENTO & J. O. SILVA JUNIOR. 2020. Description of two new Acanthoderini, and description of the male of *Oreodera advena* Martins & Galileo (Coleoptera, Cerambycidae, Lamiinae). **Zootaxa**, **4790(3)**: 540-550, 24 figures.
- SANTOS-SILVA, A., F.E.L. NASCIMENTO & J. E. WAPPES. 2019. Nomenclatural changes in American Apomecynini including description of new genera and species (Coleoptera: Cerambycidae). **Insecta Mundi**, **0716**: 1-35, 87 figures.
- SANTOS-SILVA, A., E.H. NEARNS & I. P. SWIFT. 2016. Revision of the American species of the genus *Prionus* Geoffroy, 1762 (Coleoptera, Cerambycidae, Prioninae, Prionini). **Zootaxa**, **4134(1)**: 287-293, 183 figures.
- SANTOS-SILVA, A. & O. PÉREZ-FLORES. 2024. *Hyperplatys* Haldeman (Coleoptera: Cerambycidae: Lamiinae: Acanthocinini): description of seven new species from Mexico and South America and one new country record. **Ann. Soc Ent France (N.S) DOI: 10.1080/00379271.2024.2369610**: 1-26, 37 figures.

- SANTOS-SILVA, A., O. PÉREZ-FLORES, L. G. BEZARK & M. A. MONNÉ. 2024. The fantastic complexity of American Acanthocinini: new genus, new species, and notes (Coleoptera, Cerambycidae, Lamiinae) **Les Cahiers Magellanes NS 48**: 7-24, 31 figures.
- SANTOS-SILVA, A., O. PÉREZ-FLORES & J. P. BOTERO 2024. Taxonomic notes, new species, and new records of Neotropical Cerambycidae (Coleoptera). **Can. Ent. 156 (e21)**: 1-20, 10 figures.
- SANTOS-SILVA A., & R. PERGER. 2017. A new *Icimauna* Martins & Galileo, 1991, from the Bolivian orocline (Coleoptera, Cerambycidae, Lamiinae, Hemilophini). **Zootaxa, 4250(5)**: 489-493, 2 figures.
- SANTOS-SILVA, A. & H. SCHMID. 2021. Revalidation, synonymies, and notes in American Callichromatini (Coleoptera, Cerambycidae, Cerambycinae). **Zootaxa, 5071 (4)**: 579-586, 12 figures.
- SANTOS-SILVA, A. & S. SHUTE. 2009. The identity of *Parandra laevis* Latreille 1804, and nomenclatural changes in the Parandrinae (Coleoptera, Cerambycidae). **Zookeys, 25**: 19-35, 9 figs.
- SANTOS-SILVA, A. & W. D. SILVA. 2024. A tribal transfer and four new distributional records in South American Cerambycidae (Coleoptera), with notes on *Stenoeme aguilari* Galileo & Martins and *Stenoeme bellarmini* Gounelle. **Pap. Avuls. Zool. v.64: e202464039**: 1-10, 5 figures.
- SANTOS-SILVA, A. & F. W. SKILLMAN. 2020. Description of a new species of *Xalitla* Lane, 1959 (Cerambycidae: Cerambycinae: Neoibidionini) from western Mexico. **Insecta Mundi, 0765**: 1-9, 23 figures.
- SANTOS-SILVA, A. & A. SPOONER. 2021. On some species of *Psalidognathus* Gray, especially those of the group “*superbus*” (Coleoptera, Cerambycidae, Prioninae). **Zootaxa, 5023 (3)**: 389-404, 25 figures.
- SANTOS-SILVA, A., I. P. SWIFT & E. H. NEARNS. 2010. Division of the genus *Nothopleurus* Lacordaire, 1869 (Coleoptera: Cerambycidae: Prioninae). **Zootaxa, 2643**: 1-44, 78 figs.
- SANTOS-SILVA, A. & G. TAVAKILIAN. 2009. Demembrement du genre *Cometes* Lepeletier & Audinet-Serville, 1828 1st partie (Coleoptera, Cerambycidae, Distenninae). **Les Cahiers Magellanes, 102**: 1-24, figs 1-32.
2009. Demembrement du genre *Cometes* Lepeletier & Audinet-Serville, 1828 2nd partie (Coleoptera, Cerambycidae, Distenninae). **Les Cahiers Magellanes, 103**: 25-47, figs 33-64.
2017. New species, new synonym, notes and designation of lectotypes in *Taeniotes* Audinet-Serville, 1835 Coleoptera, Cerambycidae, Lamiinae). **Les Cahiers Magellanes, (n. s.) 27**: 38-58, 54 figures
2021. On some species of Cerambycidae (Coleoptera) described by Johannes Eusebius Voet. **Les Cahiers Magellanes, (NS) 40**: 94-110, 27 figures.
2023. Description of a new species of *Cynoderus* (*Cynoderus*) from Bolivia and designation of a lectotype for *Cynoderus* (*Cynoderus*) *rufithorax* (Coleoptera, Cerambycidae, Cerambycinae). **Les Cahiers Magellanes, (NS) 47**: 45-51, 14 figures.
- SANTOS-SILVA, A., M. C. THOMAS, & J. E. WAPPES. 2011. A new genus of Prioninae (Coleoptera, Cerambycidae). **Insecta Mundi, 0175**: 1-8, 17 figures.
- SANTOS-SILVA, A., M. VAN ROIE & M. JOCQUE. 2021. Longhorned woodboring beetles (Coleoptera, Cerambycidae) from Cusuco National Park, Honduras: new species, new records, and revalidation. **Eur. J. Tax. 764**: 37-61, 35 figures.
- SANTOS-SILVA, A. & R. VIGNEAULT. 2022. Description of a new species of *Parandra* (*Tavandra*) Santos-Silva from Peru (Coleoptera, Cerambycidae, Parandrinae). **Les Cahiers Magellanes, (NS) 43**: 73-79, 18 figures.
- SANTOS-SILVA, & J. E. WAPPES, 2012. The genus *Aplagiognathus* Thomson 1861, (Coleoptera, Cerambycidae, Prioninae, Macrotomini). **Insecta Mundi, 0264**: 1-13, 29 figures.
2017. Six new species and a new country record of *Coleoxestia* Aurivillius, 1912 (Coleoptera: Cerambycidae: Cerambycinae). **Insecta Mundi, 0572**: 1-19, 51 figures.
2018. A new genus, a new species, new combinations, and notes on synonymy and nomenclature in American Desmiphorini (Coleoptera, Cerambycidae, Lamiinae). **Insecta Mundi, 0605**: 1-16, 41 figures.

2020. Two new species of *Corynellus* Bates, 1885 (Coleoptera: Cerambycidae: Cerambycinae). **Insecta Mundi**, **0811**: 1-7, 10 figures.
2021. On the transference of *Ataxia tibialis* Schaeffer to *Bisaltus* (*Bisaltus*) Thomson with synonymies and new records in the genus (Coleoptera: Cerambycidae). **Insecta Mundi**, **0844**: 1-10, 16 figures.
- SANTOS-SILVA, A., J.E. WAPPES & M. H. GALILEO &. 2018. Descriptions and synonymies in American Desmiphorini (Coleoptera, Cerambycidae, Lamiinae). **Zootaxa**, **4375** (4): 451–501, 147 figures.
- SAY, T. 1823-1824a. Descriptions of coleopterous insects collected in the late expedition to the Rocky Mountains, performed by order of Mr. Calhoun, Secretary of War, under the command of Major Long. *Journal of the Academy of Natural Sciences of Philadelphia* 3: 139–216 [X.1823], 238–282 [I.1824], 298–320 [III.1824], 321–331 [IV.1824], 403–416 [V.1824], 417–462 [VI.1824] (for dates, see Fox 1913 : viii).
- 1824b. Descriptions of coleopterous insects collected in the late expedition to the Rocky Mountains, performed by order of Mr. Calhoun, Secretary of War, under the command of Major Long. (Concluded.). *Journal of the Academy of Natural Sciences of Philadelphia* 4: 83–96 [VIII.1824], 96–99 [XI.1824] (for publication dates, see Fox 1913 : viii).
- 1824c. Appendix. Part I. Natural history. 1. Zoology [Cerambycidae, p. 268–297] pages 253–378 + pls. 14–15. In: *Narrative of an expedition to the source of St. Peter's River, Lake Winnepeek, Lake of the Woods, &c. &c. performed in the year 1823, by the order of the Hon. J. C. Calhoun, Secretary of war, under the command of Stephen H. Long, Major U. S. T. E. Volume II.* Carey & Lea, Philadelphia. 450 p. [= Say in LeConte 1859 (Vol. 1) : 176–197].
- 1825-1826. Descriptions of new species of coleopterous insects inhabiting the United States. *Journal of the Academy of Natural Sciences of Philadelphia* 5: 160–204 (Part I, XII.1825); 237–284 (Part II, XI.1826); 293–304 (Part II, XII.1826) (for publication dates, see Fox 1913 : viii).
1828. *American entomology, or descriptions of the insects of North America. Illustrated by coloured figures from drawings executed from nature. Volume III.* Michell & Ames, Philadelphia. [136] pages + plates 37–54.
Note: Does not include the description of any new species of cerambycids.
- 1830–1834. *Descriptions of new species of North American insects, and observations on some of the species already described.* New Harmony, Indiana. 81 p. [**1830**: [1]–17 (1830) and 18–41 (20.VIII.1830); **1831**: 42–49 (11.VIII.1831); **1832**: 50–57 (24.IX.1832); **1833**: 58–65 (21.VII.1833); **1834**: 66–73 [incorrectly paginated 46–53] (21.VII.1834); and 73½–80 (1.VIII.1834)]. (see Bousquet 2016: 467).
1832. *New species of North American insects, found by Joseph Barabino, chiefly in Louisiana.* School Press, New Harmony [Indiana]. 16 pages. (I.1832) (for date, see Bousquet 2016: 468).
1835. Descriptions of new North American coleopterous insects, and observations on some already described. *Boston Journal of Natural History* 1(2): 151–203.
Note: Presented in the introduction as the posthumous publication of "a part of the hitherto unpublished entomological papers of the late Thomas Say". However, some included species (e.g., the cupedid *Cupes cinerea* (= *Tenomerga*), the hydrophilid *Hydrophilus castus* (= *Hydrobiomorpha casta*), the trogid *Trox alternatus* (= *T. suberosus* Fabricius), the coccinellid *Scymnus terminatus* (= *Diomus*), and *Acanthocinus quadrigibbus* (= *Aegomorphus*) had already been described by Say in a previous article].
- SCHAEFFER, C. F. A. 1904. New genera and species of Coleoptera. **J. New York Entomol. Soc.** **12**(4): 197-236.
1905. Additions to the Coleoptera of the United States with notes on some known species.
Sci. Bull. Mus. Brooklyn Inst. Arts Sciences, **1**(6): 123-140 + 1 unnumb. page [errata]. [publication date: 3.III.1905].
1905. Some additional new genera and species of Coleoptera found within the limit of the United States.
Sci. Bull. Mus. Brooklyn Inst. Arts Sciences, **1**(7): 141-179.
1906. Two new *Oncideres*, with notes on some other Coleoptera. **Can. Entomol.**, **38**: 18-23.
1908. List of the longicorn Coleoptera collected on the Museum expedition to Brownsville, Texas and the Huachuca Mts., Arizona, with descriptions of new genera and species and notes on known species. **Sci. Bull. Mus. Brooklyn Inst. Arts Sciences**, **1**(12): 325-352.

1909. New Coleoptera chiefly from Arizona. **Sci. Bull. Mus. Brooklyn Inst. Arts Sciences**, **1(16)**: 375-386.
1909. Four new Cerambycidae. **J. New York Entomol. Soc.**, **17(3)**: 99-103.
1909. Three Cuban Coleoptera new to the fauna of the United States. **J. New York Entomol. Soc.**, **17(4)**: 148-150.
1911. New Coleoptera and miscellaneous notes. **J. New York Entomol. Soc.**, **19**: 113-126.
1917. On *Merium* and some blue *Callidium*. **J. New York Entomol. Soc.** **25(3)**: 183-187.
1929. The North American species of *Parandra*. **Bull. Brooklyn Entomol. Soc.**, **24**: 38-40.
1932. Notes and descriptions of new Cerambycidae. **Bull. Brooklyn Entomol. Soc.**, **27(3)**: 152-154.
- SCHALLER, J. G. 1783. Neue Insekten beschrieben. **Schr. Naturf. Ges.**, **1**: 217-328.
- SCHAUFUSS, L. W. 1871. Neue *Purpuricen*-Arten, vorgelegt in der "Gesellschaft für Botanik & Zoologie zu Dresden am 12 October 1871". **Nunquam Otiosus Dresden**, **1**: 209-210, 2 figs.
- SCHIEFER, T.L. 1998. Disjunct distribution of Cerambycidae (Coleoptera) in the Black Belt prairie and Jackson prairie in Mississippi and Alabama. **Coleop. Bull.**, **52(3)**: 278-284.
1998. A preliminary list of the Cerambycidae and Disteniidae of Mississippi. **Trans. Amer. Entomol. Soc.**, **124(2)**: 113-131.
2001. A new species *Astylopsis* Casey (Acanthocinini) from the southeastern United States. **Coleop. Bull.**, **54(4)**: 533-539, 1 fig.
2022. Reevaluation of the Subgeneric Classification of the North American Species of *Prionus* Geoffroy (Coleoptera: Cerambycidae: Prioninae: Prionini), with a Revision of the Subgenus *Neopolyarthron* Semenov and Notes on *Prionus* (*Antennalia*) *Fissicornis* Haldeman and *Prionus* (*Prionus*) *Californicus* Motschulsky. **Trans. Amer. Ent. Soc.** **148(3)**: 335-504, 27 figures.
- SCHIEFER, T. L. & P. NEWELL. 2010. A Distinctive New Subspecies of *Saperda lateralis* F. Coleoptera: Cerambycidae) from the United States. **Coleopt. Bull.**, **64(4)**: 329-336, 5 figures.
- SCHMID, H. 2009. Ein neuer Bokkafer aus Peru. **Koleopt. Rundschau**, **79**: 279-280, 2 figures
2010. Zwei neue Neotropische Bockkafer. **Koleopt. Rundschau**, **80**: 189-191, 2 figures.
2011. Ein neuer Prioninae aus Französisch Guayana (Coleoptera: Cerambycidae). **Koleopt. Rundschau**, **81**: 247-248, 5 figures.
2011. Zwei neue Bockkäfer aus Peru (Coleoptera: Cerambycidae) **Koleopt. Rundschau**, **81**: 249-251, 3 figures.
2014. Zwei neue neotropischen Bockkäfer (Coleoptera, Cerambycidae). **Koleopt. Rundschau**, **84**: 325-328, 6 figures.
2015. Drei neue neotropische Bockkäfer (Coleoptera: Cerambycidae: Lamiinae). **Koleopt. Rundschau**, **85**: 283-288, 4 figures.
2015. Eine neuer Bockkäfer (Coleoptera: Cerambycidae) aus Brasilien. **Z. Arb.gem. österr. Entomol.**, **67**: 17-18, 3 figures.
2016. Zwei neue neotropische Bockkäfer (Coleoptera: Cerambycidae). **Koleopt. Rundschau**, **86**: 231-235, 5 figures.
2017. Ein neuer Bockkäfer aus Ecuador (Coleoptera, Cerambycidae). **Koleopt. Rundschau**, **87**: 289-291.
- SCHMID, H. & A. SANTOS-SILVA. 2023. Taxonomic and faunistic notes on Colobotheini, including a new Brazilian state record (Coleoptera: Cerambycidae: Lamiinae). **Koleopt. Rund.** **93**: 225-236, 25 figures.
- SCHMIDT, M. 1923. Bemerkungen über Callichrominen. **Deut. Entomol. Zeitschr.**, **1923**: 272-276.
1924. Die amerikanischen Callichrominen (Col., Ceramb.) nach systematischen und phylogenetischen Gesichtspunkten dargestellt. **Deut. Entomol. Zeitschr.**, **1924**: 297-321; 377-396.
- SCHÖNHERR, 1817. *Synonymia insectorum, oder Versuch einer Synonymie aller bisher bekannten Insecten; nach Fabricii Systema Eleutheratorum etc. geordnet. Mit Berichtigungen und Anmerkungen, wie auch mit Beschreibungen neuer Arten und mit illuminirten Kupfern. Dritter Theil. Hispa – Molorchus*. Lewerentz, Skara. 506 pp.

1817. **Appendix ad C. J. Schoenherr Synonymian Insectorum Tom. 1, part 3, sistens descriptiones novarum specierum.** Scaris. Officina Lewerentziana. 266pp., 2 col. pl.
- SCHOTT, F. M. 1925. On some Coleoptera in New Jersey. **J. New York Entomol. Soc.**, **33(4)**: 224-225, 1 pl.
- SCHREBER, J. C. D. von. 1759. **Novae species insectorum.** Halae, 16 pp., 1 pl.
- SCHWARZER, B. 1923. Beitrage zur Kenntniss der Cerambyciden. **Deut. Entomol. Zeitschr.**, **1923**: 255-260.
1929. Neue Cerambyciden des Senckenberg-Museum. **Senckenbergiana**, **11**: 353-379, 35 figs.
1930. Beitrag zur Kenntniss der Cerambyciden. **Senckenbergiana**, **12**: 103-111, 14 figs.
1931. Beitrag zur Kenntniss der Cerambyciden. **Senckenbergiana**, **13**: 197-214, 27 figs.
- SCOPOLI, J. A. 1772. **Annus historico naturalis**, Ann 5. Lipsiae, 128 pp.
- SEABRA, C. A. C. 1941. Sôbre um novo *Stictosomus* (*Anacanthus*) Serville, 1832. **Rev. Bras. Biol.**, **1(4)**: 369-371, 3 figs.
1942. Sôbre uma nova espécie de *Meroscelisus* Serville, 1832. **Rev. Bras. Biol.**, **2(4)**: 417-418, 2 figs.
1961. Dois novos Aerenicini da regio neotrópica. **Papéis Avulsos Dep. Zool.**, **14(29)**: 263-266, 2 figs.
- SEABRA, C. A. C. & G. L. TAVAKILIAN. 1986. Un nouveau genre, une nouvelle espèce de Torneutini: *Gnathopraxitheia sarryi* nov. sp. (Cerambycinae). **L'Entomologiste**, **42(4)**: 227-232, 2 figs.
- SEMENOV-TIAN-SHANSKIJ, A. 1899. Specierum rossicarum generis *Polyarthron* Serv., 1832 synopsis. **Hort. Soc. Entomol. Rossicae**, **34**: 249-259.
1907. Analecta coleopterologica XIV. **Revue Russe Entomol.**, **7**: 258-265.
- SHARP, D. 1878. On some longicorn Coleoptera from the Hawaiian Islands. **Trans. Entomol. Soc. London**, **1878**: 201-210.
1905. The genus *Criocephalus*. **Trans. Entomol. Soc. London 1905**: 145-164, 15 figs.
- SHERMAN, F. 1946. Notes on Cerambycidae of South Carolina. **Ent. News**, **57**: 125-127.
- SHIMER, H. 1869. A brief extract from notes on grapevine borers. **Trans. Amer. Entomol. Soc.**, **2**: viii-ix.
- SHIMOMURA, T. 1992. Taxonomic notes on *Sachalinobia rugipennis* (Newman) and *S. koltzei* (Heyden). **Elytra**, **20(1)**: 95-99, 4 figs.
- SIKES, D.S. & R.P. WEBSTER. 2005. Bioinventory of Rhode Island Coleoptera: 45 new records. **Coleop. Bull.**, **59(3)**: 311-327.
- SILFVERBERG, H. The coleopteran genera of Dejean 1821. III. Curculionoidea and Chrysomeloidea. *Annales Entomologici Fennici* 50: 61-63.
- SILVA JUNIOR, J. O., K.L.F. HASEYAMA, D. S. SOUZA. 2019. New species and new combination in the genus *Plistonax* Thomson, 1864 (Cerambycidae, Lamiinae, Acanthoderini). **Zootaxa**, **4679 (2)**: 392-396, 9 figures.
2021. Phylogenetic approach redefines *Plistonax* (Coleoptera, Cerambycidae, Lamiinae) with new combinations and a new genus of flat-faced long-horned beetles. **Organisms Diversity & Evolution**: 1-30, 16 figures.
- SIMOENS, H. 2006. Un nouveau *Macrodontia* originaire du Perou (Cerambycidae, Prioninae). **Les Cahiers Magellanes**, **No. 62**: 1-7, 8 figs.
- SKILES, D. D. 1978. Taxonomy and description of two prionine Cerambycidae from southern Arizona: A new species of *Stenodontes* and new status for *Neomalodon arizonicus* (Prioninae). **Proc. Entomol. Soc. Wash.**, **80(3)**: 407-423, 6 figs.
1979. A new subspecies of *Poliaenus nuevoleonis* Chemsak and Linsley from southern Arizona. **Pan-Pacific Entomol.**, **55(2)**: 106-110.
1979. The purpuricene genus *Scythroleus* Bates. **Coleop. Bull.**, **33(3)**: 269-274, 1 fig.

1985. New genera and species of Elaphidionine Cerambycidae from North America and the West Indies. **Coleop. Bull.**, **39(4)**: 305-320.
- SKILES, D. D. & J. A. CHEMSAK. 1982. New species and lectotype designations of *Elytroleptus*. **Wasmann J. Biol.**, **40(1-2)**: 66-70.
- SKILLMAN, F. W. Jr. 1993. New records of Georgia Cerambycidae. **Insecta Mundi**, **7(4)**: 210.
2007. A new species of *Tetraopes* Schoenherr (Coleoptera, Cerambycidae). **Insecta Mundi**, **0008**: 1-3, 3 figs.
2023. Description of a new species of *Crossidius* LeConte (Coleoptera: Cerambycidae: Cerambycinae: Trachyderini) from Texas. **Insecta Mundi** **0977**: 1-4, 5 figures.
- SKINNER, H. 1905. Descriptions of new Coleoptera from Arizona with notes on some other species. **Entomol. News**, **16(9)**: 289-292.
- SKRYLNIK, Y.E. 2020. A new species of the genus *Callipogon* Serville, 1832 (Coleoptera, Cerambycidae) from Nicaragua.
- SMITH, G. & J.E. HURLEY. 2001. First North American record of the Palearctic species *Tetropium fuscum* (Fabricius). **Coleop. Bull.**, **54 (4)**: 540.
- SMITH, H. H. 1884. Antennae of a beetle used as defensive weapons. **Amer. Nat.**, **18(7)**: 727-728.
- SOLOMON, J. D. 1995. Guide to insect borers in North American broadleaf trees and shrubs. **USDA Forest Serv. Agriculture Handbook AH-706, Washington**. 735pp., 244 figs.
- SOUZA, D. S. 2016. A new species of *Colobothea* Lepeletier & Audinet-Serville, 1825 (Coleoptera: Cerambycidae: Lamiinae) from Ecuador. **Zootaxa**, **4161(1)**: 129-132, 1 figure.
- SOUZA, D. S., A. ANDRIOLO, T. A. SEPULVEDA & M. A. P. SILVEIRA. 2021. Unveiling the diversity of longhorn beetles (Coleoptera, Cerambycidae) in Brazilian western Amazonia: a checklist of the Entomological Collection of the Federal University of Rondônia, Brazil. **Zootaxa**, **4981 (2)**: 201-233, 59 figures.
- SOUZA, D. S., L. MARINONI, M. L. MONNÉ & J. GOMEZ-ZURITA. 2020. Molecular phylogenetic assessment of the tribal classification of Lamiinae (Coleoptera: Cerambycidae). **Molecular Phylogenetics & Evolution**, **145(106736)**: 1-19, 3 figures.
- SOUZA, D. S. & M.L. MONNÉ. 2013. *Alphus marionii* sp. nov., nova espécie para o Peru e Brazil (Coleoptera, Cerambycidae, Lamiinae). **Rev. Bras. Ent.**, **57(1)**: 9-11, 4 figures.
2013. Revision of the genus *Ateralphus* Restello, Iannuzzi & Marinoni, 2001 (Coleoptera, Cerambycidae, Lamiinae). **Zootaxa** **3736(4)**: 301-337, 130 figures.
2014. Synopsis of the genus *Exalphus* Restello, Iannuzzi & Marinoni (Coleoptera, Cerambycidae, Lamiinae), with a description of a new species and new country records. **Rev. Bras. Ent.**, **58(1)**: 19- 24, 14 figures.
- SOUZA, D. S., M. L. MONNÉ, & L. MARINONI. 2017. Phylogeny of the Neotropical longhorn beetle genus *Ateralphus* (Coleoptera: Cerambycidae: Lamiinae). **Zoologia**, **34(e11996)**: 1-11, 15 figures.
- SOUZA, D. S., T. A. SEPULVEDA, L. MARINONI & M. L. MONNÉ. 2020. Phylogenetic analyses provide new insights into systematics of the longhorned beetle tribe Acrocinini (Coleoptera: Cerambycidae: Lamiinae). **Arthropod Syst. Phylo.**, **78(1)**: 17-27, 31 figures.
- SOUZA, D. S., T. A. SEPULVEDA, M. A. MONNÉ, L. MARINONI & M. L. MONNÉ. 2023. Molecular and morphological approaches redefine the limits among polymorphic species in the Neotropical longhorn beetle genus, *Myzomorphus* Sallé (Coleoptera: Cerambycidae: Prioninae). **Zootaxa**, **5285(2)**: 252-270, 5 figures.
- SOUZA, D. S. et. al. 2024. Cutting the sap: First molecular phylogeny of twig-girdler longhorn beetles (Coleoptera: Cerambycidae: Lamiinae: Onciderini) suggests shifts in host plant attack behaviours contributed to morphological evolution. **Syst. Ent.**: 1-18, 5 figures.
- SPINOLA, M. 1839. G. Cercoptère. *Cercoptera*, Spinola. **Mag. Zool.**, **1839**: pl. 12.
- SPOMER, S. M. 2014. The Longhorn Beetles (Coleoptera: Cerambycidae) of Nebraska, USA: New State Records, a Checklist of Known Species, and Distribution Maps. **Coleopt. Bull.**, **68(2)**: 297-315, 12 figures.

- SPOONER, A. & A. SANTOS-SILVA. 2016. Notes on some species of *Myzomorphus* Sallé, 1850 (Coleoptera, Cerambycidae, Prioninae, Anacolini). **Insecta Mundi**. **0471**: 1-9, 19 figures.
- STÅL, C. 1857. Några nya arter af Longicornia. Öfvers. **Svenska Vetensk. Akad. Förh.**, **14**: 63.
- STEFFENS, W. P. & H. K. VESSELS. 2021. Two Extralimital Longhorned Beetles (Coleoptera: Cerambycidae) Collected in New Mexico. **Coleop. Bull.** **75(3)**: 682-683.
- STEIN, J. D. & A. D. TAGESTAD. 1976. The long-horned wood-boring beetles of North Dakota. **USDA Forest Serv. Research Pap.** **RM-171, Ft. Collins, Colo.**, 58 pp., 74 figs., 21 maps
- STRAND, E. 1936. Miscellanea nomenclatorica zoologica et palaeontologica. **Folia Zool. Hydrobiol.**, **9**: 167-170.
1943. Miscellanea nomenclatorica zoologica et palaeontologica XI. **Folia Zool. Hydrobiol.**, Riga, **12**: 94-114.
- STURM, J. 1826. **Catalog meiner Insecten-Sammlung**, Erster Theil, Käfer. Nürnberg, 207 pp., 4 pls.
1843. **Catalog der Kaefer-Sammlung von Jacob Sturm**. Nürnberg, 386 pp., 6 pls.
- SUDRE, J. & E. JIROUX. 2023. A Propos des Acanthoderini d'Afrique subsaharienne (Cerambycidae, Lamiinae). **Les Cahiers Magellanes, (NS)** **45**: 48-55, 4 figures.
- SULZER, J. H. 1776. Abgekürzte geschichte der Insecten nach dem Linnaeischen system. **Winterthur**, **1**: 274 pp., **2**: 32 pls.
- SUTHERLAND, L. N., K. E. SCHNEPP, G. S. POWELL & S. M. BYBEE. 2021. Phylogenetic Placement of the Plesioclytini (Coleoptera: Cerambycidae: Cerambycinae). **Diversity** **13**, **597**: 1-8, 2 figures.
- SVACHA, P. & LAWRENCE J. F. 2014. Arthropoda: Insecta: Coleoptera. Volume 3: Morphology and Systematics (Phytophaga). 2.3 Disteniidae J. Thomson, 1861. In *Walter de Gruyter, Handbook of Zoology 3*: i-xii + 1-676, 59 figs. Edited by Richard A.B. Leschen & Rolf G. Beutel.
- SVACHA, P., WANG, J.-J., & S.-C. CHEN. 1997. Larval morphology and biology of *Philus antennatus* and *Heterophilus punctulatus*, and systematic position of the Philinae (Cerambycidae and Vesperidae). **Ann. Soc. Entomol., Fr. (N.S.)** **33(3)**: 323-369, 54 figs.
- SWAINE, J. M. & R. HOPPING. 1928. The Lepturini of America North of Mexico. Part I. **Bull. Nat. Mus. Canada, (Biol. Serv.)** **(14)52**: 1-97, 13 pls.
- SWEDERUS, N. S. 1787. Et nytt genus, och femtio nya species af Insekter beskrifne. **K. Svenska Vetensk. Akad. Handl.**, **8**: 181-201.
- SWIFT, I. 2007. A new species of *Xylotrechus* (Coleoptera: Cerambycidae: Cerambycinae: Clytini) from Southern California, U.S.A. **Coleop. Bull.**, **61(2)**: 287-291, 1 fig.
2008. Ecological and biogeographical observations on Cerambycidae (Coleoptera) from California, USA. **Insecta Mundi**, **26**: 1-7.
2008. A new genus and two new species of Pteroplatini Thomson from Central America. **Insecta Mundi**, **0045**: 1-9, 3 figs.
- SWIFT, I. & A. M. RAY. 2008. A review of the genus *Tragidion* Audinet-Serville, 1834, (Coleoptera: Cerambycidae: Cerambycinae: Trachyderini). **Zootaxa**, **1892**: 1-25, 7 figs
2010. Nomenclatural changes in North American *Phymatodes* Mulsant (Coleoptera: Cerambycidae). **Zootaxa**, **2448**: 35-52, 37 figs.
- SWIFT, I. P., L. G. BEZARK, E. H. NEARNS, A. SOLIS & F. T. HOVORE. 2010. Checklist of the Cerambycidae (Coleoptera) of Costa Rica. **Insecta Mundi**, **131**: 1-68.
- SZAFRANSKI, P. 2002. New host plant and distributional records for some *Eburia* Lepeletier & Audinet-Serville in North America, including Mexico. **Pan-Pac. Entomol.**, **78(1)**: 66-67, 1 fig.
- TABOADA-VERONA, C. & J.P. BOTERO. 2018. A new species of *Eurysthea* Thomson, 1861 (Coleoptera: Cerambycidae) from Colombia. **Zootaxa**, **4524(3)**: 392-394, 8 figures.
2019. Description of the female of *Anasillus crinitus* Marinoni & Martins 1978 (Coleoptera: Lamiinae: Acanthoderini) and new distribution records of longhorned beetles for Colombia. **Zootaxa**, **4603 (3)**: 597-600, 13 figures.

2020. A new species of *Stizocera* Audinet-Serville, 1834 (Coleoptera: Cerambycidae) from Colombia with an updated key to species of the genus and new geographical records in Cerambycinae. **Pap. Avuls. Zool.**, (60)e 20206046: 1-8, 3 figures.
- TABOADA-VERONA, C. & A. LANUZA-GARAY. 2016. First record of *Megapsyrassa xestoides* (Bates, 1872) (Coleoptera: Cerambycidae: Cerambycinae: Elaphidiini) in Colombia. **Insecta Mundi**, 0475: 1-3, 1 figure.
- TABOADA-VERONA, C., S. QUIMBAYO-DIAZ & L. C. PARDO-LOCANO. 2024. Description of the unknown male of *Adesmus murutinga* (Cerambycidae: Lamiinae: Hemilophini) and new geographical records of longhorned beetles. **Rev. Soc. Ent. Argentina** 83 (1): 43-46, 3 figures.
- TABOADA-VERONA, C. & A. R. TORREZ. 2017. Nuevos registros de escarabajos longicornios (Coleoptera: Cerambycidae) para Bolivia. **Bol. Soc. Ent. Aragonesa**, 60: 381-383, 8 figures.
- TABOADA-VERONA, C., A. R. TORREZ & M. D. ARANA. 2018. Description of the male of *Sphallopterus batesi* Fragoso, 1982 (Coleoptera: Cerambycidae: Cerambycini), with biogeographical considerations. **Zootaxa**. 4370 (3): 262-266, 3 figures.
- TAKAKUWA, M. 1998. **The Rosalia world**. Mushi-sha, Nakano, Tokyo, Japan. 231 pp, 24 color pls.
- TASCHENBERG, E. L. 1870. Neue Käfer aus Colombien und Ecuador. **Zeitschr. Ges. Naturw.**, (N. F.), 1: 177-199.
- TASLÉ, A. 1841. Description d'une nouvelle espèce d'insecte coléoptère longicorne du genre *Taeniotus* Serv. **Revue Zool.**, 4: 14-15.
- TAVAKILIAN, G. L. 1991. Notas sinonímicas e novas combinações em longicórneos sul-americanos. **Rev. Bras. Entomol.**, 35(2): 439-453, 14 figs.
1997. Nomenclatural changes, reinstatements, new combinations, and new synonymies among American cerambycids. **Insecta Mundi**, 11(2): 129-139.
2000. Les Parandrinae de Guyane. **Coléoptères**, 6(11): 147-174, 5 figs.
2001. Une nouvelle espèce du genre néotropical *Neseuterpia* Villiers, 1980. **Bull. de la Soc. entomol. de France**, 106 (5): 437-440, 7 figs.
2004. Nouveaux Cérambycides de Guyane mimétiques de Chrysomelidae Hispinae. **Coléoptères**, 10(1): 1-11, 10 figs.
2010. *Physopleurus swifti*, Chalumeau, 2010, synonyme de *Physopleurus rugosus* (Gahan, 1894) (Col., Cerambycidae, Prioninae, Macrotomini). **Bull. Soc. Ent. Fr.**, 115(3): 385-386, 3 figs.
2013. Nouveaux actes nomenclaturaux pour 2013 / New nomenclatural changes for 2013 (Coleoptera, Cerambycidae). **Les Cahiers Magellanes**, (NS 12): 108-111.
2015. New nomenclatural changes for 2015 (Coleoptera, Cerambycidae). **Les Cahiers Magellanes**, (NS) 20: 76-81, 1 figure.
2018. New nomenclatural changes for 2018 (Coleoptera, Cerambycidae). **Les Cahiers Magellanes**, (NS) 30: 38-43, 6 figures.
2024. *Priscilla dolosa* sp. nov., a remarkable case of mimicry by horizontal gene transfer among Insecta Coleoptera sheltered by the same host plant (Cerambycidae, Lamiinae, Colobotheini). **Les Cahiers Magellanes** NS 49: 58-78, 14 figures.
- TAVAKILIAN G.L., A. BERKOV, B. MEURER-GRIMES & S. MORI. 1997. Neotropical tree Species and their faunas of xylophagous longicorns (Coleoptera: Cerambycidae) in French Guiana. *The Botanical Review*. New York 63 (4): 303-355.
- TAVAKILIAN G. L. & P-H. DALENS. 2008. Revision du genre *Pseudoeriphus* Zajciw 1961 (Coleoptera: Cerambycidae: Trachyderini). **Coléoptères**, 14(17): 187-198, 14 figs.
2014. Revision of the genus *Nyssicus*, Pascoe, 1859 and creation of the genus *Heteronyssicus* n. g. (Coleoptera, Cerambycidae, Cerambycinae). **Les Cahiers Magellanes** (NS) 15: 23-47, 8 figs, 4 figures.
- TAVAKILIAN, G.L., P-H DALENS & J. TOUROULT. 2007. Les *Rhaphiptera* Audinet-Serville, 1835, en Guyane et description d'un nouveau genre affine (Coleoptera, Cerambycidae, Lamiinae, Pteropliini). **Les Cahiers**, (72): 1-19, 13 figs.
- TAVAKILIAN, G. L. & M. H. M. GALILEO. 1991. Considerações sobre o gênero *Hylezoa* Galileo, 1987 (Meroscelisini). **Rev. Bras. Entomol.**, 35(3): 549-551, 1 fig.

- TAVAKILIAN, G. L. & U. R. MARTINS. 1991. Nova espécie do gênero *Mephritus* Pascoe, 1866 (Elaphidionini). **Rev. Bras. Entomol.**, **35(1)**: 193-195, 1 fig.
- TAVAKILIAN, G. L. & M. A. MONNÉ. 1989. Trois espèces néotropicales nouvelles de *Lepturges* (*Chaeturges*) Gilmour, 1959 (Acanthocinini). **L'Entomologiste**, **45(4-5)**: 273-282, 4 figs.
1991. Quatre nouveaux genres d'Hesperophanini néotropicaux. **L'Entomologiste**, **47(3)**: 157-169, 5 figs.
- TAVAKILIAN, G. L. & M. L. MONNÉ. 2002. Torneutini de Guyane: nouvelles espèces et notes complémentaires. **Coléoptères**, **8(2)**: 9-35, 51 figs.
- TAVAKILIAN, G.L. & G-L. NÉOUZE, 2004. Les *Desmiphora* Audinet-Serville, 1835, de Guyane; descriptions de nouvelles espèces (Lamiinae, Desmiphorini). **Coléoptères**, **10(5)**: 49-68, 23 figs.
2006. Materiaux por une revision des Xenofreini II. Espèces nouvelles e Bolivie, Bresil, Equateur et Venezuela. **Coléoptères**, **12(19)**: 271-290.
2007. Le genre *Ozotroctes* Bates: nouvelles especies et nouveaux genres apparentes d'Acanthoderini (Coleoptera, Cerambycidae, Lamiinae). **Coléoptères** **13(1)**: 1-24, 21 figs.
2011. Le genre *Oreodera* Audinet-Serville, 1835, en Guyane (Coleopetra, Cerambycidae, Lamiinae, Acanthoderini). **Les Cahiers Magellanes (N.S.)** **3**: 52-107, 89 figures.
2013. Nouvelles especes d'Acanthoderinio de Guyane (Coleoptera, Cerambycidae, Lamiinae). **Les Cahiers Magellanes, (NS)** **13**: 38-73, 40 figures.
- TAVAKILIAN G. L. & A.Y. PEÑAHERRERA-LEIVA. 2003. Révision du genre *Pycnomorphus* Thomson, 1864. Systématique et phylogénie (Lamiinae: Acanthoderini). **Ann. Entomol. Soc. France (n.s.)**, **39(1)**: 3-24, 39 figs.
2003. Nouvelles espèces et nouveaux genres de Rhinotragini, II. **Coléoptères**, **9(21)**: 275-314, 56 figs.
2005. Nouvelles espèces et nouveaux genres de Rhinotragini, IV. **Coléoptères**, **11(5)**: 27-50, 31 figs.
2007. Nouvelles especies et nouveaux genres de Rhinotragini (Coleoptera, Cerambycidae) V. **Coléoptères** **13(10)**: 79-122, 8 figs.
- TAVAKILIAN, G. L. & P. TEOCCHI. 1997. A propos de *Steirastoma stellio* Pascoe à São Tomé et représentation du genre en Guyane. **Coléoptères**, **3(15)**: 229-240, 19 figs.
- TAVAKILIAN, G.L., A. BERKOV, B. MEURER-GRIMES & S. MORI. 1997. Neotropical tree species and their faunas of xylophagous longicorns in French Guiana. **The Botanical Review**, **63(4)**: 303-355, 2 figs.
- TAVAKILIAN, G. L. & A. SANTOS-SILVA. 2012. A New Species of *Villiersicometes* Santos-Silva, 2003 (Coleoptera, Cerambycidae, Disteniinae). **Insecta Mundi**, **0233**: 1-3, 2 figures.
2019. New Hemilophini, Aerenicini and Calliini from French Guiana, transference and notes on Hemilophini (Coleoptera, Cerambycidae, Lamiinae). **Zootaxa**, **4555(4)**: 507-522, 30 figures.
2022. A new species of *Colobothea* Lepeletier & Audinet-Serville, 1825 (Coleoptera, Cerambycidae, Lamiinae) from Peru, French Guiana, and Brazil, with notes on *Colobothea hirtipes* (Degeer, 1775). **Zootaxa**, **5219 (3)**: 265-275, 30 figures.
2023. *Amphicnaeia* Bates from French Guiana (Coleoptera, Cerambycidae, Cerambycinae, Apomecynini). **Les Cahiers Magellanes, (NS)** **44**: 30-43, 36 figures.
- TAVAKILIAN, G. L., A. SANTOS-SILVA & A. AUDUREAU. 2022. Notes on the differences between Hemilophini, Calliini, and Forsteriini, synonymies and transferences in Lamiinae, and nomenclatural notes on Cerambycidae (Coleoptera, Cerambycidae). **Les Cahiers Magellanes, (NS)** **43**: 64-72, 9 figures.
- TAVAKILIAN, G. L., J. TOUROULT & P-H. DALENS. 2010. Revision of the genus *Hemicladus* Buquet, 1857 with a special focus on the species from French Guiana (Coleoptera: Cerambycidae: Lamiinae). **Zootaxa**, **2358**: 39-48, 18 figs.
- TELNOV, D. & U. ROOSILEHT. 2023. A new species of *Amethysphaerion* Martins & Monne, 1975 (Coleoptera: Cerambycidae) from Ecuador. **Ann. Zool.** **73(4)**: 695-699, 10 figures.

- TERRÓN, R.A. 1991. Fauna de Coleopteros Cerambycidae de la Reserva de la Biosfera "La Michilia," Durango, Mexico. **Folia Ent. Mex.** **81**: 285-314.
1997. Cerambycidae, in: Gonzalez-Soriano E., Dirzo E., y R.C. Vogt, ed's, Historia natural de Los Tuxtlas, UNAM, Mexico. pp. 215-226.
- THOMAS, M.C. 1999. The genus *Eburia* Audinet-Serville in Florida. Florida Dept. Agr. & Cons. Serv., Div. Plant Ind., **Entomol. Circular No. 396**, 4 pp., 19 figs.
- THOMAS, M.C. & R.H. TURNBOW. 2007. Cerambycidae New to Andros Island, Bahamas (Coleoptera). **Coleop Bull.**, **61(4)**: 581-588.
- THOMAS, M. C., R. H. TURNBOW, & W. STEINER. 2013. An annotated checklist of the Coleoptera (Insecta) of the Cayman Islands. **Insecta Mundi**, **0280**: 1-56, 25 figures.
- THOMSON, C.G. 1859. *Skandinaviens Coleoptera, Synoptiskt Bearbetade* Tom. 1., Lund, [3] + 290 pp.
1866. *Skandinaviens Coleoptera, Synoptiskt Bearbetade* Tom. 8, Lund, 1-409 + i-lxxv).
- THOMSON, J. 1856. Description de dix-sept coléoptères. **Revue Mag. Zool.**, **(2)8**: 472-483, pl. 24.
1856. Description de quelques coléoptères nouveaux ou peu connus. **Ann. Soc. Entomol. France**, **(3)4**: 317-335, pl. 8.
1857. Monographie de la tribu des anacolites de la famille des longicornes. **Arch. Entomol.**, **1**: 7-20, 3 pls.
1857. Description de deux nouveaux genres de longicornes. **Arch. Entomol.**, **1**: 20-23, pl. 9.
1857. Monographie du groupe des tapeinites, de la famille des cérambycides (longicornes). **Arch. Entomol.**, **1**: 39-44, pl. 7
1857. Essai monographique sur le groupe des tetraophthalmites de la famille des cérambycides (longicornes). **Arch. Entomol.**, **1**: 45-67, pl. 8.
1857. Essai synoptique sur les compsosomites de la famille des cérambycides (longicornes). **Arch. Entomol.**, **1**: 68-77, 2 pls.
1857. Description d'un genre nouveau de cérambycides. Melanges et nouvelles. **Arch. Entomol.**, **1**: 78-79.
1857. Abrégé de l'histoire des cérambycides (longicornes), et revue des divisions primaires et secondaires établies dans cette famille jusqu'a ce jour. **Arch. Entomol.**, **1**: 81-89.
1857. Description de trente-trois espèces de coléoptères. **Arch. Entomol.**, **1**: 109-127.
1857. Description d'un genre nouveau de la famille des cérambycides. **Arch. Entomol.**, **1**: 127-128, pl. 9, fig. 11.
1857. Note rectificative sur un nom de genre de la famille des cérambycides. **Arch. Entomol.**, **1**: 136.
1857. Diagnoses de cérambycides nouveaux ou peu connus de ma collection qui seront décrits prochainem **Entomol. Arch. Entomol.**, **1**: 169-194, pl. 10.
1857. Description de treize coléoptères. **Arch. Entomol.**, **1**: 281-290, pl. 10.
1857. Description de cérambycides nouveaux ou peu connus de ma collection. **Arch. Entomol.**, **1**: 291-320, pl. 10, fig. 9.
1857. Note sur plusieurs coléoptères. **Arch. Entomol.**, **1**: 326-327.
1858. Synopsis du genre *Trachysomus*. **Arch. Entomol.**, **1**: 384-87, pl. 7.
1858. Description de dix coléoptères. **Arch. Entomol.**, **1**: 399-411, pl. 21.
1858. Diagnose spécifique d'un nouveau Psalidognathe. **Bull. Soc. Entomol. France**, **1858**: cclvi.
1859. Monographie du genre *Psalidognathus* de la division des prionites (Cerambycidae). **Arcana Nat.**, **1**: 37-44.
1859. Revue du genre *Taeniotes* de la famille des cérambycides. **Arcana Nat.**, **1**: 96-99.
1860. 1860–1861. *Essai d'une classification de la famille des Cérambycides et matériaux pour servir à une monographie de cette famille*. L'auteur, Paris. xvi + 396 pages + 3 plates. [[*Essai d'une classification de la famille des Cérambycides proprement dite, première*

partie (pp. 1–128 [1860]); *deuxième partie* (pp.129–280), *troisième partie* (pp. 281–386), and *tableau alphabétique* (pp. 387–396) [1861]].

1860. **Musée scientifique ou recueil d'histoire naturelle. 1:** 1-72, pls. 1-5.

1860. Rectification synonymique : Genre *Neoclytus*, Thomson. *Musée Scientifique ou Recueil d'histoire naturelle* 1 [1860-1861]: 67. 1861. Monographie de la famille des parandrides. **Mus. Scient., 2:** 73-87.

1861. Note rectificative et corrections. **Mus. Scient., 2:** 95-96.

1864. 1864-1865a. *Systema cerambycidarum ou exposé de tous les genres compris dans la famille des cérambycides et familles limitrophes*. H. Dessain, Liège, 578 pp. [Livraisons 1 and 2: 1–272 (31.X.1864); Livraison 3: 273–352 (31.XII.1864); Livraison 4: 353–538 (1865). Reissued in 1866 with the same pagination in *Mémoires de la Société Royale des Sciences de Liège* 19 (see Bousquet 2016: 533)]. Note: Issued separately from *Systema cerambycidarum*; intended to be published in *Mémoires de la Société Royale des Sciences de Liège* 19, but never included in this journal (see Bousquet 2016: 533).

1865. 1865b. *Diagnoses d'espèces nouvelles qui seront décrites dans l'appendix du systema cerambycidarum*. Privately published. Pages 541–578. [IV.1865].

1867. D'une classification nouvelle de la famille des cérambycides. **Physis Rec. Hist. Nat., 1(1):** 1-10.

1867. Révision de la sous-tribu des dorcadionites. **Physis Rec. Mist. Nat., 1(1):** 10-84.

1867. Révision du groupe des mallodonites. **Physis Rec. Hist. Nat., 1(2):** 85-106.

1867. Révision des parandrides. **Physis Rec. Hist. Nat., 1(2):** 106-118.

1867. Ibidionitarum species novae. **Physis Rec. Hist. Nat., 1(3):** 133-163.

1868. Révision du groupe des oncidérites. **Physis Rec. Hist. Nat., 2(5):** 41-92.

1868. Révision du groupe des aereneites. **Physis Rec. Hist. Nat., 2(5):** 92-98.

1868. Toeniotitarum gen. speciesque nova. **Physis Rec. Hist. Nat., 2(5):** 99-100.

1868. Matériaux pour servir a une révision des desmiphorites. **Physis Rec. Hist. Nat., 2(6):** 101-146.

1868. Matériaux pour servir a une révision des lamites. **Physis Rec. Hist. Nat., 2(6):** 146-200.

1868. Note rectificative. **Physis Rec. Hist. Nat., 2(6):** 201.

1874. Diagnose d'une espèce nouvelle du genre *Psalydogna*. **Pet. Nouv. Entomol., 1(107):** 427.

1877. Typi cerambycidarum Musei Thomsoniani. **Revue Mag. Zool., (3)5:** 249-279.

1877. Diagnose d'une nouvelle espèce exotique de coléoptère. **Bull. Soc. Entomol. France, 1877:** xcvi-xcvi.

1878. **Typi cerambycidarum Musei Thomsoniani**. E. Deyrolle, 21 pp.

1878. Typi cerambycidarum Musei Thomsoniani (2e. mémoire). **Revue Mag. Zool. (3)6:** 1-33.

1878. Typi cerambycidarum Musei Thomsoniani (3e. mémoire). **Revue Mag. Zool. (3)6:** 45-68.

1879. Description d'une nouvelle espèce de longicorne de la division des lamiidae. **Bull. Soc. Entomol. France, 1879:** lxxxiii-lxxxiv.

1880. Description d'une nouvelle espèce de prionide. **Bull. Soc. Entomol. France, 1880:** lx-lxi.

THUNBERG, C. P. 1805. In, **Göttingen gelehrte Anzeiger**, pp. 281-282.

1822. *Trachyderes* insecti genus ulterius examinatum et auctum sex novis speciebus. **Mém. Acad. Imp. Sci. St.-Petersb., 1822:** 303-307, 1 pl.

- TIPPMANN, F. F. 1939. Eine neue *Cyclopeplus*-Art aus Peru. **Caesopis Spol. Entomol.**, **36**: 77.
1951. Beitrage zur Kenntnis der Cerambyciden. **Mitt. Münch. Entomol. Ges.**, **41**: 291-328, 3 figs., 8 pls.
1953. Studien über neotropische Longicornier I. **Dusenien**, **4**: 181-228, 5 pls.
1953. Studien über neotropische Longicornier II. **Dusenien**, **4**: 313-362, 3 figs., 4 pls.
1953. Lamiinen mit Interferenz-Farbenspiel. **Entomol. Blatt.**, **49**: 148-153, 3 figs.
1954. Baumriesen und Bockkäferriesen der neotropische Urwalder. **Entomol. Zeitschr.**, **64(1)**: 1-11, 5 figs.
1955. Eine neue morphologisch einmalige Lamiine aus Ost-Peru. **Entomol. Blatt.**, **51**: 8-14, 3 figs.
1956. Une nouvelle espèce de *Chariea* Serv. de la collection Lepesme. **Longicornia**, **3**: 759, 1 fig.
1960. Studien über neotropische Longicornier III. **Koleopt. Rundschau.**, **37-38**: 82-217, 14 pls., 35 figs.
- TITARENKO, A. Y. 2017. Contribution to the knowledge of Caribbean species of the longicorn beetles genus *Callipogon* Audinet-Serville, 1832 (Coleoptera, Cerambycidae). **Proc. Kuban State Agrarian Univ.** **1(64)**: 147-157, 12 figures.
- TOBAR, N.V.A. 2000. **Coleopteros de Chile, Chilean beetles**. Santiago, Chile, 209 pp.
- TOLEDO, V.H. 1998. Revision taxonomica del genero *Lagocheirus* para Mexico y Centroamerica. **Folia Entomol. Mex.**, **101**: 1-58 (1997).
2002. Nuevas especies de *Psyrassa* Pascoe (Elaphidiini). **Folia Entomol. Mex.**, **41(1)**: 57-62.
2005. Revision Taxonomica del Genero *Psyrassa* Pascoe (Coleoptera: Cerambycidae). **Acta Zool. Mex. (n.s.)** **21(3)**: 1-64, 59 figs.
2005. New Distributional Records for Mexican Cerambycidae (Coleoptera). **Coleop. Bull.**, **59(4)**: 415-422.
- TOLEDO, V.H., & J.R. ESTABAN DURAN. 2008. Description of *Lagocheirus delestali* n. sp. (Coleoptera: erambycidae) from the Reserva Biológica Alberto Manuel Brenes, Alajuela, Costa Rica. **Spanish J. of Ag. Res. (6)**: (Special issue) 26-29, 5 figs.
- TOLEDO, V.H. & F.T. HOVORE 2005. Notes on the genus *Lagocheirus* Dejean: records and descriptions (Lamiinae: Acanthocinini). **Zootaxa**, **1021**: 29–36, 6 figs.
- TOLEDO, V. H., MARTINEZ, J. G. & L. G. BEZARK. 2016. Two new species of the genus *Phaea* Newman, 1840 (Coleoptera: Cerambycidae) from Mexico. **Zootaxa**, **4208(1)**: 84-88, 9 figures.
- TOLEDO, V.H., F.A. NOGUERA, J.A. CHEMSAK, F.T. HOVORE & E.F. GIESBERT. 2002. The cerambycid fauna of the tropical dry forest of “El Aguacero,” Chiapas, Mexico. **Coleop. Bull.**, **56(4)**: 515-532, 3 figs.
- TOUROULT, J. 2004. Deux nouveaux longicornes des Antilles. **Lambillionea, CIV**, **1**: 66-70, 5 figs.
2007. Contribution a la connaissance des longicornes de Sainte-Lucie et de Martinique (Coleoptera, Cerambycidae) **Les Cahiers**, **(70)**: 1-14, 15 figs.
2011. Longicornes des Petit Antilles: un nouveau lepture et un nouveau signalement de Sainte-Lucie. **Les Cahiers Magellanes, (NS) 6**: 1-5,72 figures
- 2012 Longicornes des Petites Antilles : mise a jour des connaissances (Coleoptera, Cerambycidae). **ACOREP-France Coleopteres des Petites Antilles Tome I**: 70-85, 20 figures.
2014. Nouveautés taxonomiques et faunistiques concernant les longicornes des Petites Antilles (Coleoptera, Cerambycidae). In Contribution à l'étude des Coléoptères de Guyane 8 (supplément au Bulletin de liaison de l'**ACOREP**): 63-65, 13 figures.
2017. Description de deux nouveaux longicornes de Martinique (Coleoptera, Cerambycidae). **Contribution à l'étude des Coléoptères des Petites Antilles. Tome III**: 67-71, 2 figures.
- TOUROULT, J. & P-H. DALENS. 2015. A new polymorphic Hemilophini Thomson, 1868 from the Tumuc Humac inselbergs, French

- Guiana (Coleoptera, Cerambycidae, Lamiinae). **Zootaxa**, **4012(2)**: 379-385, 15 figures.
- TOUROULT, J., P-H DALENS, & G. L. TAVAKILIAN. 2012. Notes sur les *Eriphus* Audinet-Serville, 1834 et autres Trachyderini rares (Coleoptera: Cerambycidae). **Coleop. de Guyane**, **6**: 72-81, 34 figures.
- TOUROULT, J. & P. DEMEZ. 2012. Contributions a la connaissance des longicornes du Perou II. Deux nouveaux lamiars. **Les Cahiers Magellanes, (NS) 8**: 101-105, 3 figures.
2014. Contribution à la connaissance des longicornes du Pérou (III): description de deux nouvelles espèces (Coleoptera, Cerambycidae). **Les Cahiers Magellanes, (NS) 15**: 1-5, 5 figures.
- TOUROULT, J. & E. POIRIER. 2021. Nouvelles especes et nouveaux signalements de Longicornes det Petites Antilles. **Bull. Soc Ent. France** 126 (1): 15-24, 9 figures.
- TOUROULT, J., POIRIER & F. DEKNUYDT. 2022. Deux nouveaux longicornes de Martinique et divers signalements des Petites Antilles (Coleoptera, Cerambycidae). **Bull. Soc Ent. France** 127 (4): 337-347, 10 figures.
- TOUROULT, J. & G. TAVAKILIAN. 2006. Le Genre *Taurolema* Thomson. **Lambillionea**, **106(4 Supplement I)**: 15, 11 figs.
2008. Nouveaux Longicornes de Guyane. Oemini Mimétiques d'Hyménoptères (Coleoptera, Cerambycidae, Cerambycinae). **Lambillionea**, **108(3)**: 338-344, 5 figs.
- TOUROULT, J., P-H. DALENS & G. L. TAVAKILIAN. 2010. Nouveaux Oemini de Guyane (Coleoptera, Cerambycidae, Cerambycinae). **Les Cahiers Magellanes**, **112**: 1-14, 10 figs.
- TOUROULT, J., G. L. TAVAKILIAN & P-H. DALENS. 2010. Note taxonomique sur les Pogonocherini de Guyane (Coleoptera, Cerambycidae, Lamiinae). **Bull. Soc. Ent. France**, **115(2)**: 193-202, 12 figs.
- TRAYLOR, C. R., E. R. HOEBEKE, M. D. ULYSHEN & J. V. MCHUGH. 2021. First report of *Dere thoracica* White (Coleoptera: Cerambycidae: Cerambycinae) in the United States, with notes on its discovery, recognition and habits. **Coleopt. Bull** **75(4)**: 859-865.
- TURNBOW, R. H. Jr. 1984. New Records for Two Cerambycids from the Pacific Northwest. **Pan-Pac Ent.**, **60(1)**: 67.
- TURNBOW, R. H. Jr. & R.T. FRANKLIN. 1980. An Annotated Checklist of the Cerambycidae of Georgia. **J. Georg. Ent. Soc.**, **15(3)**: 337-349.
- TURNBOW, R. H. Jr. & F. T. HOVORE. 1979. Notes on Cerambycidae from the southwestern U.S. **Entomol. News**, **90(5)**: 219-229.
- TURNBOW, R.H. Jr. & M.C. THOMAS. 2002. 120. Cerambycidae Leach 1815, pp. 568-601, in Arnett, R.H., Jr., Thomas, M.C., Skelley, P.E., & J.H. Frank, **American Beetles, Vol. 2**, Polyphaga: Scarabaeoidea through Curculionoidea. CRC Press, Boca Raton, FL., 861 pp.
2008. An annotated checklist of the Coleoptera (Insecta) of the Bahamas. **Insecta Mundi**, **34**: 1-64. (Cerambycidae listed on pages 15-23).
- TURTON, W. 1801. *A general System of Nature, through the three grand kingdoms of animals, vegetables and minerals; systematically divided into their several classes, orders, genera, species and varieties with their habitations, manners, economy, structure and peculiarities*. Volume II. Lockington, Allen & Co., London. 717 pp. [second edition issued in 1806 (see Bousquet 2016: 542–543)]
- TURNBOW, R.H. Jr., R. D. CAVE & M.C. THOMAS. 2003. A List of the Cerambycidae of Honduras, with additions of previously unrecorded species. **Ceiba**, **44(1)**: 1-43.
- TYSON, W. H. 1967. California *Ergates* and *Tragosoma*, with keys to the adult and immature forms. **Pan-Pacific Entomol.**, **43(2)**: 122-126, 8 figs.
1968. New California Cerambycidae. **Pan-Pacific Entomol.**, **44(2)**: 140-143, 2 figs.
1970. A new Mexican *Spalacopsis*. **Proc. Entomol. Soc. Washington**, **72(4)**: 484-486, 1 fig.
1973. The *Spalacopsis* of the West Indies and America, north of Mexico. **Coleop. Bull.**, **27(3)**: 117-137, 19 figs.
1982. The status of *Cyllene zuniana* Casey. **Coleop. Bull.**, **36(2)**: 441-444, 2 figs.

- UHLER, P. R. 1855. Descriptions of a few species of Coleoptera supposed to be new. **Proc. Acad. Nat. Sci. Phila.**, 7: 415-418.
- ULKE, H. 1875. Report Upon the Collections of Coleoptera made in portions of Nevada, Utah, California, Colorado, New Mexico, and Arizona, during the years 1871, 1872, 1873 and 1874. *Cerambycidae* 813, 821-822.
1882. Descriptions of new species. **Bull. Brooklyn Entomol. Soc.**, 4(9-10): 41-42.
- VALLE, N. G., M. G. IBARRA-POLESEL, M. A. CHERMAN, M. L. MONNÉ & M. P. DAMBORSKY. 2021. First record of *Cnemidochroma phyllopus* (Coleoptera: Cerambycidae) in the province of Corrientes, Argentina and potential distribution in the southern part of South America. **Zootaxa**, 5082 (1): 053-064, 3 figures.
- VALLE, N.G., CHATELLENAZ, M.L. & DAMBORSKY, M.P. 2017. *Acrocinus longimanus* (Linnaeus, 1758) (Coleoptera, Cerambycidae): first record from the province of Corrientes, Argentina. **Check List**, 13(6): 987-991.
- VALLE, N. G., M. L. MONNE, M. P. DAMBORSKY & A. SANTOS-SILVA. 2023. New records and geographic distribution of Cerambycidae (Insecta: Coleoptera) in the Humid Chaco District, Argentina. **Zootaxa**, 5254(4): 5564-566, 15 figures.
- VAN den BERGHE, E., J. WAPPES & R. MORRIS. 2016. Nuevos Reportes de Cerambycidae (Coleoptera) para la Fauna de Nicaragua y Honduras. New Cerambycidae (Coleoptera) country records for Nicaragua and Honduras. **Rev. Nicarag. Ent.**, 105: 1-16, 3 figures.
- VAN DYKE, E. C. 1917. A new species of the genus *Anthophilax* LeC. **J. New York Entomol. Soc.**, 25(1): 36-37.
1920. Description of new species of Cerambycidae from the Pacific coast of North America, with notes concerning others. **Bull. Brooklyn Entomol. Soc.**, 15(2-3): 33-48.
1923. New species of Coleoptera from California. **Bull. Brooklyn Entomol. Soc.**, 1(2): 37-53.
1927. New species and subspecies of West American Cerambycidae. **Pan-Pacific Entomol.**, 3(3): 99-109.
1928. Notes and descriptions of new species of Lucanidae and Cerambycidae from western North America. **Pan-Pacific Entomol.**, 4(3): 105-113.
1928. *Callidium pallidum* Van Dyke. **Pan-Pacific Entomol.**, 4(4): 172.
1929. Change of names. **Pan-Pacific Entomol.**, 5(3): 136.
1934. A root-boring *Derobrachus*. **Pan-Pacific Entomol.**, 10(2): 58.
1937. Notes and descriptions of North American Buprestidae and Cerambycidae. **Bull. Brooklyn Entomol. Soc.**, 32(3): 105-116.
1946. New species of North American Coleoptera. **Pan-Pacific Entomol.**, 22(3): 81-89.
1953. The Coleoptera of the Galápagos Islands. **Occ. Pap. Calif. Acad. Sci.**, 22: 1-181, 7 pls.
- VIANA, M. J. 1966. Un nuevo Prioninae para la entomofauna argentina, *Stictosomus (Anacanthus) reticulatus* (Dalman). **Neotrópica**, 12(37): 1-5, 1 fig.
1970. *Hoplistonychus bondari* Melzer, nuevo género y especie de Aerenicini para la República Argentina. **Neotrópica**, 16(49): 7-10, 1 fig.
1970. *Cosmocerus strigosus* Guérin-Méneville, nuevo género y especie de Cerambycidae para la República Argentina (Sternacanthini). **Rev. Soc. Entomol. Arg.**, 32(1-4): 51-56, 2 figs.
1970. *Lissonotypus quadrisignatus* (Buquet), nuevo género y especie de Cerambycidae para la República Argentina (Lissonotini). **Rev. Soc. Entomol. Arg.**, 32(1-4): 73-79, 1 fig.
1970. Un nuevo género y especie de Cerambycidae de la República Argentina (Compsocerini). **Rev. Mus. Arg. Cienc. Nat. Bernardino Rivadavia, (Zool.)** 10(10): 145-153, 2 figs.
1971. Las especies Argentinas de Ancylocerini Thomson y catálogo bibliográfico de la tribu. **Rev. Mus. Arg. Cienc. Nat. Bernardino Rivadavia, (Entomol.)**, 3(3): 149-203, 3 pls.
1971. *Hydraschema leptostylum* Lane, nuevo género y especie de Aerenicini para la República Argentina. **Neotrópica**, 17(52):

29-35, 1 fig.

1972. Aporte al catálogo de Cerambycidae del Paraguay. **Rev. Mus. Arg. Cienc. Nat. Bernardino Rivadavia, (Entomol.) 3(4):** 207-405.

1972. *Fregolia listropteroides* Gounelle, nuevo género y especie de Cleomenini para la República Argentina. **Neotrópica, 18(55):** 9-15, 1 fig.

1973. Redescripción de *Uragus hamaticollis* Guérin-Méneville, extraño género y especie atribuido a la Patagonia. **Rev. Soc. Entomol. Arg., 34(1-2):** 39-45, 1 fig.

1994. Novedades sobre Clytini de la República Argentina, **Entomol. y Vectores, 1(6):** 163-166, 2 figs.

VIANA, M. J. & A. MARTINEZ. 1992. Un nuevo género y especie de Lissonotini. **Ann. Soc. Entomol. Arg., 222:** 27-31.

VIGORS, N. A. 1825. Descriptions of some rare, interesting, or hitherto uncharacterized subjects of zoology. **Zool. J., 1:** 409-418, 1 pl.

1826. Descriptions of some rare, interesting, or hitherto uncharacterized subjects of zoology. **Zool. J., 2:** 23-241, 2 pls.

VILLERS, C.J. 1789. *Caroli Linnaei entomologica, faunæ suevicæ descriptionibus aucta; DD. Scopoli, Geoffroy, de Geer, Fabricii, Schrank, &c. speciebus vel in Systemate non enumeratis, vel nuperrime detectis, vel speciebus Galliae Australis locupletata, generum specierumque rariorum iconibus ornata*. Piestre et Delamollière, Lugdunum 1, 1-765, 3 pls.

VILLIERS, A. 1946. Coléoptères Cerambycides de l'Afrique du Nord. **Faune Emp. Fr., 5:** 1-152, 275 figs.

1957. Démembrement du genre *Cometes* Serville. Descriptions des genres *Pseudocometes*, *Paracometes*, *Microcometes* nov. et de plusieurs espèces nouvelles. **Bull. Mus. Hist. Nat., (2)29(5):** 407-413, 4 figs.

1958. Révision du genre *Paracometes* Villiers. **Revue Franç. Entomol., 35:** 43-56.

1958. Révision des genres *Pseudocometes* Villiers et *Heteropalpus* Buquet. **Bull. Soc. Entomol. France, 63:** 37-40, 8 figs.

1959. Essai sur les *Distenia* américains. **Revue Franç. Entomol., 36:** 55-76, 61 figs.

1961. Sur la structure des palpes maxillaires de quelques Disteniinae (Coleoptera Cerambycinae) [pp. 382-385]. *XI Internationaler Kongreß für Entomologie Wien, 17 bis 25 August 1960 Verhandlungen* Band I, 803 pp.

1971. Cerambycidae récoltés en Guyane Française par la mission du Muséum National d'Histoire Naturelle. **Ann. Soc. Entomol. France, (N S) 7(2):** 343-350, 6 figs.

1972. Les types de Cerambycidae Callichromini neotropicaux du Muséum de Paris. Designation de lectotypes. **Bull. Soc. Entomol. France, 77(1-2):** 20-22.

1978. Faune des Coléoptères de France, I. Cerambycidae. **Encycl. Entomol. France, 1978:** xxvii + 611 pp., 1802 figs.

1979. Coléoptères Cerambycidae des Petites Antilles. Nouvelles espèces, désignation de types (Première note). **Revue Franç. Entomol., (NS) 1(1):** 23-26, 3 figs.

1979. Coléoptères Cerambycides des Petites Antilles. Nouveau genre. Désignation de types (Deuxième note). **Revue Franç. Entomol., (NS) 1(2):** 96-98, 1 fig.

1979. Diagnose préliminaire d'un nouveau *Parandra* antillais. **Revue Franç. Entomol., (NS) 1(4):** 182.

1980. Une collection de coléoptères Cerambycidae de la Dominique appartenant à l'U. S. National Museum (Washington). **Ann. Soc. Entomol. France, (NS) 16(1):** 129-131.

1980. Coléoptères Cerambycidae des Antilles françaises, I. Parandrinae, Prioninae, Lepturinae. **Ann. Soc. Entomol. France, (NS) 16(1):** 133-157, 22 figs.

1980. Coléoptères Cerambycidae des Antilles françaises, II. Cerambycinae. **Ann. Soc. Entomol. France, (NS) 16(2):** 265-306, figs. 23-71.

1980. Coléoptères Cerambycidae des Petites Antilles. Nouveaux genres, nouvelles espèces. Désignation de types (Troisième note). **Revue Franç. Entomol., (NS) 2(2):** 86-98, 10 figs.
1980. Une collection de coléoptères Cerambycidae de la Dominique appartenant à l'U. S. National Museum (Washington) (2e. note). **Ann. Soc. Entomol. France, (NS) 16(3):** 465-467.
1980. Coléoptères Cerambycidae des Antilles françaises, III. Lamiinae. **Ann. Soc. Entomol. France, (NS) 16(4):** 541-598, figs. 72-112.
1981. Deux nouveaux Cerambycinae. **Revue Franç. Entomol., (NS) 3(3):** 105-107, 2 figs.
- VITALI, F. 2001. Description de la larve de deux longicornes de Guadeloupe: *Chaetanes fleutiauxi* Villiers, 1980 et *Leptostyloides assimilis* (Gahan, 1895) (Lamiinae, Acanthocinini). **L'Entomologiste, 2001, 57(3-4):** 151-156, 9 figs.
2002. Versetzung der Tribus Holopterini Lacordaire, 1869 sur unterfamilie Lepturinae. **Entomofauna, 23 (3):** 29-36, 1 fig.
2002. *Acrepidopterum reseri* spec. nov., a new Jamaican longicorn beetle (Lamiinae, Pericoptini). **Spixiana, 25(2):** 137-139, 2 figs..
2004. *Plectromerus tertarius* new fossil species from Hispaniola (Cerambycinae). **Lambillionea, CIV, 3:** 453-458, 2 figs.
2004. A new cerambycid from Dominican amber and remarks on the fossil *Plectromerus*-species (Coleoptera, Cerambycidae). **Entomopeiron, (PS) 1 (1):** 1-12.
2007. Notes and taxonomic corrections to the Beitrage von Insektenfauna von Jamaika, Cerambycidae. **Entomapeiron (NS): 1 (2):** 37-59, 16 figs.
2007. A new fossil species of *Elaphidion* Audinet-Serville, 1834 with systematic notes on the Lamiinae from Dominican amber (Coleoptera Cerambycidae). **Entomapeiron (PS) 2(3):** 29-40, 5 figs.
2009. Two new longhorned beetles from Dominican amber (Coleoptera, Cerambycidae). **Denisia 69:** 223- 230.
2009. About some interesting fossil and sub-fossil Cerambycids of the collection Velten (Coleoptera, Cerambycidae). **Lambillionea CIX (3):** 352-357, 4 figs.
2010. A new fossil species of the genus *Stizocera* Audinet-Serville, 1834, from Dominican amber. **Lambillionea CX (3):** 340-343, 3 figures.
2017. Two new fossil species of *Tillomorphites* Vitali (Coleoptera: Cerambycidae) and remarks on the morphological evolution, mimicry, biogeography and phylogeny of the tribe Tillomorphini. **Baltic J. Coleopterol., 17(2):** 147-160, 4 figures.
2019. On the taxonomic position of *Hesperophanes cinereus* Blanchard in Gay, 1851 (Coleoptera: Cerambycidae). **Zootaxa, 4550 (3):** 431–432.
2021. Une nouvelle espèce d'*Amphicnaeia* Bates, 1866 de Guyane française(Coleoptera Cerambycidae). **L'Entomologiste (77):** 261-262, 1 figure.
- VITALI, F. & J. HAXAIRE. 2007. A new species of *Plectromerus* Haldeman from Jamaica (West-Indies) (Coleoptera Cerambycidae). **Entomapeiron, (NS): 1 (2):** 60-64, 1 fig.
- VITALI, F. & L. REZBANYAI-RESER. 2003. Beiträge zur Insektenfauna von Jamika, Westindien (Karabik) 5.bBockkäfer – I & II. **Les Cahiers Magellanes, No. 26:** 1-16, 16 figs; **No. 27:** 1-27, 43 figs.
- VITALI, F. & J. TOUROULT. 2005. Contribution à la connaissance des larves des longicornes des Antilles françaises. **L'Entomologiste, 61(2):** 64-81, 14 figs.
- VITALI, F., K.W. WOLF & J. HAXAIRE. 2007. Biological and Faunistic Notes on the Jamaican Population of *Steirastoma histrionicum* White, 1855 (Coleoptera, Cerambycidae). **Lambillionea, 106(4):** 661-667, 8 figs.
- VIVAS-BERTHIER, G. 1942. Notas sobre Prioninae de Venezuela. **Bol. Entomol. Venez., 1:** 37-42.
- VIVES, E. 2001. The systematic position of *Vesperoctenus flohri* Bates, 1891 and the taxonomic status of the Vesperidae. **Occ. Pap. of the Cons. Coleop., 4(1):** 35-44, 13 figs.

- VLASAK, J. 2016. A New Species of *Paradiscopus* Schwarzer (Coleoptera: Cerambycidae: Lamiinae: Acanthoderini) From Costa Rica. **Insecta Mundi**, **0479**: 1-5, 5 figures.
2019. A new species of *Elaphidion* Audinet-Serville, 1834, from Antigua and comparison with *E. excelsum* Gahan, 1895, from Guadeloupe (Coleoptera: Cerambycidae: Elaphidiini). **Zootaxa**, **4688** (3): 442-446, 8 figures.
- VLASAK, J. & R. A. ANDROW. 2016. A New Species of *Leptostylopsis* Dillon (Coleoptera: Cerambycidae: Lamiinae) From Puerto Rico. **Coleopt. Bull.**, **70**(1): 125-128, 1 figure.
- VLASAK, J., T.K. PHILIPS, & M.A. IVIE. 2018. Notes on the Methiini (Coleoptera: Cerambycidae) of the West Indies. **Coleop. Bull.**, **72**(4): 691-699, 4 figures.
- VLASAK, J. & A. SANTOS-SILVA. 2018. New genus, species, redescription, and new rank in Cerambycinae (Coleoptera, Cerambycidae). **Zootaxa**, **4446** (3): 384-396, 25 figures.
2020. New species of Cerambycinae and Lamiinae from Ecuador and Honduras, with transference of a species of Rhinotragini (Coleoptera, Cerambycidae). **Zootaxa**, **4748**(3): 455-470, 32 figures.
2021. A new species of *Elaphidion* Audinet-Serville from the Antilles (Coleoptera, Cerambycidae, Cerambycinae, Elaphidiini). **Faunitaxys**, **9**(34): 1-6, 23 figures.
2021. A new species of *Seticeros* Perger and Santos-Silva from Ecuador (Coleoptera: Cerambycidae: Prioninae). **Insecta Mundi**, **0889**: 1-6, 21 figures.
2021. Description of five new species of American Acanthocinini (Coleoptera, Cerambycidae, Lamiinae). **Zootaxa**, **5061** (3): 476-492, 33 figures.
2022. A new species of *Ophtalmibidion* Martins from French Guiana, and notes on *O. luscum* Martins (Coleoptera, Cerambycidae, Cerambycinae). **Pap. Avuls. Zool.** **62**: 1-5, 2 figures.
2022. Descriptions, notes, and a new record in *Oideterus* Thomson (Coleoptera, Cerambycidae, Prioninae, Anacolini). **Zootaxa**, **5175** (5): 535-547, 29 figures.
2022. New genus and new species in Cerambycinae from Ecuadorian high Andes. **Faunitaxys**, **10**(48): 1-12, 34 figures.
2022. New species and new geographical records in Ecuadorian Lamiinae (Coleoptera, Cerambycidae) **Zootaxa**, **5200** (3): 247-259, 25 figures.
2022. Description of two new species of *Xenocona* Gilmour (Coleoptera, Cerambycidae, Lamiinae) from Ecuador. **Pap. Avuls. Zool.** **62**: 1-8, 3 figures.
2022. Five new species of *Nealcidion* Monné, 1997 from Ecuador (Coleoptera, Cerambycidae, Lamiinae) **Zootaxa**, **5209** (5): 535-554, 38 figures.
2022. New Acanthocinini, notes and new records (Coleoptera, Cerambycidae, Lamiinae). **Faunitaxys**, **10**(54): 1-14, 39 figures.
2023. New descriptions, synonymies and records in South American Lamiinae (Coleoptera, Cerambycidae). **Zootaxa**, **5284**(1): 153-166, 42 figures.
2023. Description of three new Acanthocinini (Coleoptera: Cerambycidae: Lamiinae) species from Ecuador. **Insecta Mundi** **0998**: 1-13, 24 figures.
2023. Cerambycidae (Coleoptera) from Ecuador and Central America: new species and new country records. **Faunitaxys** **11** (40): 1-12, 36 figures.
2023. Description of a new species of *Hippopsis* Lepeletier & Audinet-Serville and comments on the identity of *H. quadrivittata* Breuning (Coleoptera, Cerambycidae, Lamiinae, Agapanthiini). **Pap. Avuls. Zool.** **63** (e202363031): 1-7, 3 figures.
2023. Description of three new Acanthocinini (Coleoptera: Cerambycidae: Lamiinae) species from Ecuador. **Insecta Mundi** **1025**: 1-7, 8 figures.

2024. Ecuadorian Acanthocinini: description of two new species and transference and notes on *Sympagus cooperi* Monné & Monné. **Zootaxa**, **5397(1)**: 080-090, 26 figures.
2024. Description of a new species of *Katerinaella* Vlasak & Santos-Silva from Bolivia (Coleoptera, Cerambycidae, Cerambycinae, Rhinotragini). **Zootaxa**, **5519(3)**: 441-445, 12 figures.
2024. Enriching the knowledge of the biodiversity of the South American fauna: descriptions of new species of Cerambycinae and Lamiinae (Coleoptera: Cerambycidae). **Insecta Mundi**, **1093**: 1-25, 43 figures.
- VLASAK, J., A. SANTOS-SILVA & L.G. BEZARK. 2024. South American Acanthocinini (Coleoptera, Cerambycidae, Lamiinae): description of a new species; transfer of a species from *Urgleptes* to *Lepturges* (*Lepturges*); designation of a lectotype; and corrections. **Faunitaxys** **12 (66)**: 1-11, 27 figures.
- VLASAK, J., A. SANTOS-SILVA & F. E. NASCIMENTO. 2020. Two new species, transference, notes, and new record in South American Acanthocinini (Coleoptera, Cerambycidae, Lamiinae). **Zootaxa**, **4779(3)**: 355-366, 23 figures.
- VLASAK, J. & K. VLASAKOVA. 2002. Records of Cerambycidae in Massachusetts with notes on larval hosts. **Coleop. Bull.**, **56(2)**: 203-219.
2021. New larval host plants and ecological observations on North American Cerambycidae (Coleoptera). **Insecta Mundi**, **0901**: 1-23, 26 figures.
- VOET, J. E. 1778. **Catalogus Systematicus Coleopterorum**. **2**: 1-254, 50 pls.
1806. **Catalogus Systematicus Coleopterorum**. **2**: 1-254, 50 pls.
- VOGT, G. B. 1949. Notes on Cerambycidae from the Lower Rio Grande Valley, Texas. **Pan-Pacific Entomol.**, **25(3)**: 137-144; **(4)**: 175-184, 1 map.
- VOIGT, F.S. 1839. Das Thierreich geordnet nach seiner organization bom Baron bon Cuvier., **vol. 5, Leipzig, F. U. Brodhaus, 686 p.**
- VULCANO, M. A. & F. S. PEREIRA. 1978. O gênero *Oncideres* Serville, 1835 (Lamiidae) do Sul do Brasil e países limítrofes, séria praga dos pomares e da Silvicultura. **Studia Entomol.**, **20(1-4)**: 177-220, 31 figs.
- WALKER, F. 1866. Appendix, in J. K. Lord, **The Naturalist in Vancouver Island and British Columbia**. London, Richard Bentley, 2: x + 375 pp., 4 pls. (Walker's Appendix, p. 289-375).
- WALLIS, J. B. 1926. Some new Coleoptera. **Can. Entomol.**, **58(4)**: 89-95.
- WAPPES, J. E., J. P. BOTERO. & A. SANTOS-SILVA. 2018. New species of Elaphidiini from Central America (Coleoptera: Cerambycidae: Cerambycinae). **Insecta Mundi**, **0657**: 1–12, 16 figures.
2019. New species and taxonomical notes in *Gorybia* Pascoe, 1866 (Coleoptera: Cerambycidae: Cerambycinae) **Insecta Mundi**, **0691**: 1-18, 35 figures.
- WAPPES, J. E., M. H. GALILEO, & A. SANTOS-SILVA. 2017. New species, new records and notes on Lamiinae from Neotropical Region (Coleoptera, Cerambycidae). **Zootaxa**, **4290(1)**: 083-098, 46 figures.
- WAPPES, J.E. & S.W. LINGAFELTER. 2005. The genus *Canidia* Thomson, 1857 (Lamiinae, Acanthocinini). **Zootaxa**, **927**: 1-27, 9 figs, 2 maps.
2011. *Meringodes* Wappes and Lingafelter (Coleoptera: Cerambycidae: Cerambycinae), a new genus of Rhopalophorini from Bolivia. **Coleopt. Bull.**, **65(1)**: 33–38, 12 figures.
2011. A new species of *Melzerella* Lima from Bolivia (Coleoptera: Cerambycidae: Lamiinae: Aerenicini) with a key to known species. **Zootaxa**, **2805**: 31-35, 2 figs.
- WAPPES, J. E., J. LEDESMA ARIAS, & E.H. NEARNS. 2009. List of Coleoptera Holotypes in Museo de Historia Natural, Noel Kempff Mercado, Universidad Autonoma “Gabriel Rene Moreno,” Santa Cruz de la Sierra, Bolivia. **Insecta Mundi**, **0081**: 1-8.
- WAPPES, J. E., S.W. LINGAFELTER, M.A. MONNÉ & J. L. ARIAS. 2013. Additions to the known Vesperidae and Cerambycidae of Bolivia. **Insecta Mundi**, **0319**: 1-25, 85 figures.

- WAPPES, J. E., S. W. LINGAFELTER & R. PERGER. 2011. Additions and deletions to the known Cerambycidae (Coleoptera) of Bolivia. **Insecta Mundi**, **150**: 1-8.
- WAPPES, J. E., R. F. MORRIS II, E. H. NEARNS & M. C. THOMAS. 2006. Preliminary checklist of Bolivian Cerambycidae (Coleoptera). **Insecta Mundi**, **20(1-2)**: 1-45. 1 fig.
- WAPPES, J. E. & A. SANTOS-SILVA. 2011. Descriptions of females of *Nothopleurus* Lacordaire and *Strongylaspis* Thomson (Coleoptera: Cerambycidae: Prioninae: Macrotomini) with new distributional records. **Insecta Mundi** **0168**: 1-6, 9 figures.
2013. A Synopsis of Bolivian *Polyrhaphis* Audinet-Serville (Coleoptera, Cerambycidae, Lamiinae) with description of a new species. **Insecta Mundi**, **0322**: 1-11, 13 figures.
2015. A New Odontocera Audinet-Serville (Coleoptera: Cerambycidae: Rhinotragini) from Honduras and Nicaragua. **Coleopt. Soc. Monograph**, **14**: 180-182, 3 figures
2016. New species of *Neocompsa* and *Tropidion* from Bolivia (Coleoptera: Cerambycidae: Cerambycinae: Neoibidionini). **Insecta Mundi**, **0488**: 1-7, 15 figures.
2016. New Neotropical Rhinotragini and a new country record for Nicaragua (Coleoptera: Cerambycidae: Cerambycinae). **Insecta Mundi** **0530**: 1-24, 53 figures.
2017. Description of a new species of *Adesmus* Lepeletier and Audinet-Serville, 1825, displaying chromatic dimorphism, from Bolivia (Coleoptera, Cerambycidae, Lamiinae, Hemilophini). **Insecta Mundi**, **0587**: 1-10, 29 figures.
2017. A new genus and two new species of Argentine Rhinotragini (Coleoptera: Cerambycidae: Cerambycinae). **Insecta Mundi**, **0540**: 1-8, 12 figures.
2018. A new synonymy and transference in Cerambycinae (Coleoptera, Cerambycidae). **Insecta Mundi**, **0610**: 1–2.
2018. A synopsis of American *Caraphia* Gahan, 1906 (Coleoptera: Cerambycidae: Lepturinae) with description of two new species. **Insecta Mundi**, **0683**: 1–18, 33 figures.
2019. A new species and synonymy in North American *Phymatodes* (*Phymatodes*) Mulsant, 1839 (Coleoptera: Cerambycidae: Cerambycinae: Callidiini). **Insecta Mundi**, **0687**: 1-9, 14 figures.
2019. Descriptions of one new genus and seven new species of Rhinotragini (Coleoptera: Cerambycidae: Cerambycinae) **Insecta Mundi**, **0695**: 1-19, 31 figures.
2019. A new species, new geographical records, and taxonomic notes in *Oreodera* Audinet- Serville, 1835 (Coleoptera: Cerambycidae: Lamiinae). **Insecta Mundi**, **0698**: 1-11, 21 figures.
2019. A new species of *Allomallodon* Santos-Silva and Galileo, 2010 from Bolivia (Coleoptera: Cerambycidae: Prioninae: Macrotomini). **Insecta Mundi**, **0737**: 1-6, 8 figures.
2019. New species and taxonomic notes for *Cacostola* Fairmaire and Germain, 1859 (Coleoptera: Cerambycidae: Lamiinae: Onciderini) **Insecta Mundi**, **0741**: 1-20, 44 figures.
2020. Nomenclatural notes on some currently known species of *Eupogonius* LeConte, 1852 (Coleoptera: Cerambycidae: Lamiinae) and description of seven new species. **Insecta Mundi**, **0748**: 1-30, 71 figures.
2020. Taxonomic contributions to Neotropical Lamiinae (Coleoptera: Cerambycidae) including a new genus, five new species and a new synonym. **Insecta Mundi**, **0769**: 1-21, 38 figures.
2020. New species of Trachyderini from Mexico and Central America (Coleoptera: Cerambycidae: Cerambycinae). **Insecta Mundi**, **0822**: 1-11, 25 figures.
2021. Descriptions, transference, notes and designation of lectotype in Rhinotragini (Coleoptera, Cerambycidae, Cerambycinae). **Faunitaxys**, **9(3)**: 1-12, 29 figures.
2021. Three new species of *Phaea* Newman (Coleoptera: Cerambycidae), with discussion of the the need for and designation of a lectotype for *Phaea rufiventris* Bates. **Insecta Mundi**, **0845**: 1-13, 29 figures.

- WAPPES, J. E., A. SANTOS-SILVA & J. P. BOTERO. 2018. Description of a new species of *Ochraethes* Chevrolat, 1860, redescription of *Plocaederus mirim* Martins and Monné, 2002, and new geographical records for *Plocaederus* Dejean, 1835 (Coleoptera, Cerambycidae, Cerambycinae). **Insecta Mundi**, **0609**: 1–8, 15 figures.
- WAPPES, J. E., A. SANTOS-SILVA & M. H. GALILEO. 2018. Description of two new Bolivian Cerambycidae and a Costa Rican record for an African prionine (Coleoptera). **Insecta Mundi**, **0625**: 1–9, 11 figures.
2019. Synonymies, a new combination, and four new species in *Amphicnaeia* Bates (Coleoptera: Cerambycidae: Lamiinae) **Insecta Mundi**, **0703**: 1-18, 31 figures.
- WAPPES, J. E., A. SANTOS-SILVA & F. E. L. NASCIMENTO. 2020. Taxonomic notes on Western Hemisphere Cyrtinini (Coleoptera: Cerambycidae: Lamiinae) including description of two new *Cyrtinus* LeConte species. **Insecta Mundi**, **0751**: 1-18, 34 figures.
- WAPPES, J. E. & P. E. SKELLEY. 2015. Description of a new species of *Plesioclytus* Giesbert (Coleoptera: Cerambycidae: Cerambycinae) from Georgia, and transfer of the genus to Plesioclytini Wappes and Skelley, new tribe. **Insecta Mundi**, **0436**: 1-7, 11 figures.
- WARRINER, M.D. 2005. Occurrence and conservation status of the milkweed beetle *Tetraopes texanus* Horn in Arkansas. **Coleop. Bull.**, **58(4)**: 567 – 568.
- WATERHOUSE, C. O. 1872. Description of a new species of Coleoptera belonging to the genus *Prionocalus*, with notes on other species of the genus. **Entomologist's Mon. Mag.**, **8**: 260-263.
1874. Synonymical notes on longicorn Coleoptera. **Trans. Entomol. Soc. London**, **1874**: xxviii-xxix.
1877. In A. Gunther, Account of the zoological collection made during the visit of H. M. S. *Peterel* to the Galápagos Islands. **Proc. Zool. Soc. London**, **1877**: 64-93.
1877. Description of twenty new species of Coleoptera from various localities. **Trans. Entomol. Soc. London**, **1877**: 1-13.
1878. Notice of a small collection of Coleoptera from Jamaica, with descriptions of new species from the West Indies. **Trans. Entomol. Soc. London**, **1878**: 303-311.
1880. New South-American Coleoptera, chiefly from Ecuador. **Ann. Mag. Nat. Hist.**, **(5)5**: 285-302.
1880. New Cerambycidae from Ecuador. **Ann. Mag. Nat. Hist.**, **(5)5**: 485-488.
1886. Characters of undescribed Coleoptera in the British Museum. **Ann. Mag. Nat. Hist.**, **(5)17**: 497-501.
1890. **Aid to the identification of Insects**. London. Edwin Wilson & Maud Horman-Fisher, **2**: 1-30, pls. 101-189.
1890. Coleoptera, in H. N. Ridley, Notes on the zoology of Fernando Noronha. **J. Linn. Soc. Zool.**, **20**: 548-556, pl. 30.
1900. Coleoptera, in Report on a collection made by Messrs. F. V. McConnell and J. B. Quelch at Mount Roraima in British Guiana. **Trans. Linn. Soc. London Zool.**, **8(2)**: 74-76.
1900. New species of the coleopterous genus *Prionocalus* from Ecuador and Peru. **Ann. Mag. Nat. Hist.**, **(7)5**: 503-506.
1901. Two new genera of Coleoptera belonging to the Cupesidae and Prionidae. **Ann. Mag. Nat. Hist.**, **(7)7**: 520-523.
- WATERHOUSE, G. R. 1840. Descriptions of two new coleopterous insects, from the collection of Sir Patrick Walker. **Trans. Entomol. Soc. London**, **2**: 225-229.
- WATERS, D.J. & L.L. HYCHE. 1984. Notes on Cerambycidae (Coleoptera) collected on dead or stressed deciduous trees in east central Alabama. **Col. Bull.**, **38(3)**: 283-287.
- WEBB, J. L. 1905. Description of a new species of *Desmocerus* with a synoptic table of the genus. **Proc. Entomol. Soc. Wash.**, **7(2-3)**: 104-105.
1908. A new species of *Leptura*. **Proc. Entomol. Soc. Wash.**, **9(1-4)**: 41.
- WEBER, F. 1801. **Observationes entomologicae, continentes novorum quae conditit generum characteres et nuper detectarum specierum descriptiones**. Kiliae, 116 pp.

- WEBSTER, R. P., C. A. ALDERSON, V. L. WEBSTER, C. C. HUGHES, & J. D. SWEENEY. 2016. Further contributions to the longhorn beetle (Coleoptera, Cerambycidae) fauna of New Brunswick and Nova Scotia, Canada. **Zootaxa**, **552**: 109-122.
- WEBSTER, R. P., J. D. SWEENEY, I. DEMERCHANT, P. J. SILK, & P. MAYO. 2012. New Coleoptera records from New Brunswick, Canada: Cerambycidae. **ZooKeys**, **179**: 309-312.
- WEBSTER, R. P. et. al. 2020. New Coleoptera records from eastern Canada, with additions to the fauna of Manitoba, British Columbia, and Yukon Territory. **Zookeys**, **946**: 53-112.
- WEILER, A., AGUILAR, A., CUBILLA, F. & GARCETE-BARRETT, E.R. 2017. *Lissonomimus auratopilosus* Di Iorio (Coleoptera: Cerambycidae: Trachyderini), un nuevo registro para Paraguay, con consideraciones biogeográficas sobre el género. **Revista chilena de Entomología**, **43**: 67-70.
- WENDT H. 1984. Die Cerambyciden Typen (Coleoptera: Phytophaga) des Zoologischen Museums Berlin. Teil I: Unterfamilie Prioninae. **Mitt. zool. Mus. Berl.**, **2**: 327-42.
- WESTWOOD, J. O. 1837. **Illustrations of exotic entomology,... by Dru Drury. A new edition., Vol. 1** London. 123 pp.
1845. The coleopterous genus *Hypocephalus* illustrated. **Arcana Entomol.**, **1**: 37-40; 111-112, pl. 10.
1846. Description of a new genus of longicorn beetle. **Trans. Entomol. Soc. London**, **4**: 224, 1 pl.
1849. Descriptions of some new exotic Coleoptera. **Trans. Entomol. Soc. London**, **5**: 202-214, pl. 22.
1863. Description of a new species of longicorn beetle. **J. Entomol.**, **2**: 117-121, 1 pl.
- WHITE, A. 1845. Description of an apparently new species of longicorn beetle from Mexico in the collection of the British Museum. **Ann. Mag. Nat. Hist.**, **15**: 108-111, 1 pl.
1846. Descriptions of four apparently new species of longicorn beetles in the collection of the British Museum. **Ann. Mag. Nat. Hist.**, **18**: 47-49, 1 pl.
1850. Descriptions of some apparently new species of longicorn Coleoptera in the collection of the British Museum. **Proc. Zool. Soc. London**, **18**: 10-14, 1 pl.
1853. Catalogue of the coleopterous insects in the collection of the British Museum, **Longicornia**, **1(7)**: 1-174, pls. 1-4.
1855. Catalogue of the coleopterous insects in the collection of the British Museum, **Longicornia**, **2(8)**: 175-412, pls. 5-10.
1856. Descriptions of some coleopterous insects in the collection of the British Museum, hitherto apparently unnoticed. **Proc. Zool. Soc. London**, **24**: 8-17; 406-410, 1 fig., 1 pl.
1858. Descriptions of *Monohammus Bowringii*, *Batocera Una* and other longicorn Coleoptera, apparently as yet unrecorded. **Proc. Zool. Soc. London**, **26**: 398-413, 1 pl.
1858. Descriptions of some apparently unrecorded species of longicorn beetles, belonging to the genera *Phrissoma*, *Nyphona* &c. **Ann. Mag. Nat. Hist.**, **(3)2**: 264-276.
- WICKHAM, H. F. 1897. The Coleoptera of Canada. The Cerambycidae of Ontario and Quebec. **Can. Entomol.**, **29(4)**: 81-88, 3 figs.; **(5)**: 105-111, 7 figs.; **(6)**: 148-153, 3 figs.; **(7)**: 169-173, 2 figs.; **(8)**: 187-193, 2 figs.; **(9)**: 201-208, 4 figs.
1898. The Coleoptera of Canada. The Cerambycidae of Ontario and Quebec. **Can. Entomol.**, **30(2)**: 37-449, 3 figs.
1905. New species of Coleoptera from the western United States. **Can. Entomol.**, **37(5)**: 165-171
1914. Twenty new Coleoptera from the Florissant Shales. **Transactions of the American Entomological Society**, **40**: 257-270.
- WILLIAMS, S. H. 1928. Eine neue *Oreodera*-Art aus Sudamerika. **Deut. Entomol. Zeitschr.**, **1928**: 222-224, 2 figs.
1929. A list of prionid beetles taken at Kartabo, Bartica district, British Guiana, with the description of a new species.

Ann. Carnegie Mus., 19: 139-148.

1931. Cerambycinae from Kartabo, Bartica district, British Guiana. **Entomol. News, 42:** 222-226.

WOLCOTT, G. N. 1956. *Batocera rubra* Linnaeus in Puerto Rico. **J. Agric. Univ. Puerto Rico, 40:** 86.

WOODRUFF, R.E., BECK, B.M., SKELLEY, P.E., SCHOTMAN, C.Y.L., AND M.C. THOMAS. 2004. Checklist and bibliography of the insects of Grenada and the Grenadines. **Memoir Series, Center for Syst. Entomol., Gainesville, Florida, USA.** 286 pp.

YANEGA, D. 1996. Field guide to northeastern longhorned beetles. **Illinois Natural History Survey Manual 6.** 184pp., 32 pls.

ZAGAJKEVICH, I.K. 1991. Taxonomy and ecology of Cerambycidae [in Russian]. Naukova Dumka, Kiev, 178 pp

ZAJCIW, D. 1956. Nota sobre *Unxia scopifer* (Klug, 1825). **Dusenien, 7(1):** 33-36.

1956. Longicórneos novos para a fauna do Brasil. **Rev. Bras. Entomol., 6:** 51-56.

1957. Dois novos gêneros e espécies de Longicórneos neotrópicos. **Anais Acad. Bras. Cienc., 29(2):** 301-308, 1 fig.

1958. Fauna do Distrito Federal XLVIII. Contribuição para o estudo dos Longicórneos de Rio de Janeiro. **Bol. Mus. Nac., (NS) Zool., 189:** 1-26, 2 figs.

1958. Estudos sobre Longicórneos neotrópicos. **Mem. Inst. Oswaldo Cruz, 56:** 685-93.

1958. Descrição de uma nova espécie de *Callia* Serville, 1835, com chave para determinação das espécies Brasileiras. **Rev. Bras. Entomol., 8:** 55-58.

1958. Novos Longicórneos neotrópicos. **Rev. Bras. Entomol., 8:** 233-262, 8 figs.

1958. Descrição de duas espécies novas do gênero *Neoeme* Goun. 1909 do Brasil. **Rev. Bras. Biol., 18(4):** 447-450, 4 figs.

1959. Uma tribo, três gêneros e três espécies novas de Longicórneos do Brasil. **Anais Acad. Bras. Cienc., 31(4):** 605-616, 4 figs.

1959. Revisão do gênero *Coremia* Serville, 1834. **Studia Entomol., Petrópolis, 2(1-4):** 271-284, 3 figs.

1960. Longicórneos novos para a fauna do Brasil II. **Rev. Bras. Entomol., 9:** 69-79.

1960. Novos Longicórneos neotrópicos II. **Rev. Bras. Entomol., 9:** 130-149, 9 figs.

1960. Cerambycidos neotropicales. Tres géneros y tres especies nuevos. **Rev. Soc. Urug. Entomol., 4:** 55-61.

1960. Estudos sobre Longicórneos neotrópicos II. **Rev. Bras. Biol., 20(1):** 93-98.

1960. "*Chrysopraxis*" do grupo "*rotundicollis*" Bates, 1870, com descrição de uma espécie nova do Brasil. **Rev. Bras. Biol., 20(3):** 289-294, 1 fig.

1960. Um gênero e duas espécies novas de Longicórneos do Brasil. **Rev. Bras. Biol., 20(4):** 397-402, 2 figs.

1960. Nota sobre "*Odontocera cylindrica*" Serville, 1833. **Rev. Bras. Biol., 20(4):** 435-37.

1960. Descrição de duas espécies e uma subespécie novas de *Chrysopraxis* Serv., com chave preliminar para determinação das espécies Brasileiras. **Anais Acad. Bras. Cienc., 32(3-4):** 349-358, 3 figs.

1961. Três representantes novos de Eburini. **Rev. Bras. Biol., 21(1):** 121-126, 3 figs.

1961. Novos Longicórneos neotrópicos IV. **Rev. Bras. Biol., 21(2):** 217-224, 3 figs.

1961. Novas espécies neotrópicas de "*Colobothea*" Serville, 1825. **Rev. Bras. Biol., 21(4):** 385-390, 3 figs.

1961. Revisão do gênero *Eurymerus* Serville, 1833. **Rev. Bras. Entomol., 10:** 95-110, 1 fig.

1961. Dois gêneros e três espécies novas de longicórneos do Brasil. **Anais Acad. Bras. Cienc., 33(2):** 217-224, 3 figs.

1961. Novos Stenaspini neotrópicos. **Anais Acad. Bras. Cienc.**, **33(3-4)**: 399-407, 6 figs.
1961. Insecta Amapaensia. **Studia Entomol.**, **4(14)**: 525-536.
1962. Areas laterais e areas prosternais em *Chrysoprasis* Serv., 1834 (Col., Cerambycidae, Cerambycinae). **Arq. Mus. Nac.**, **52**: 227-229, 2 figs.
1962. Novos Longicórneos neotrópicos V. **Rev. Bras. Biol.**, **22(2)**: 197-204, 4 figs.
1962. Novos Longicórneos neotrópicos VI. **Rev. Bras. Biol.**, **22(3)**: 241-246, 4 figs.
1962. Estudos sobre Longicórneos neotrópicos III. **Rev. Bras. Biol.**, **22(4)**: 449-452.
1962. Revisão das espécies Brasileiras do gênero *Sangaris* Dalman, 1823. **Anais Acad. Bras. Cienc.**, **34(1)**: 111-123, 1 fig.
1962. Cinco novas espécies neotrópicas de *Colobothea* Serville, 1825 com chave para determinação das espécies sul-brasileiras. **Anais Acad. Bras. Cienc.**, **34(2)**: 281-293, 5 figs.
1962. Estudos do gênero *Ondontocera* Serville, 1833 I (Rhinotragini). **Anais Acad. Bras. Cienc.**, **34(3)**: 415-425, 1 pl., 7 figs.
1962. Revisão das espécies Brasileiras do gênero *Cosmisoma* Serville, 1834. **Arq. Zool.** **11(10)**: 285-314, 6 figs.
1963. Novos Longicórneos neotrópicos VII. **Rev. Bras. Biol.**, **23(1)**: 55-64, 3 figs.
1963. Novos Longicórneos neotrópicos da tribo Clytini. **Rev. Bras. Biol.**, **23(2)**: 171-179, 4 figs.
1963. Novos Longicórneos neotrópicos VIII. **Rev. Bras. Biol.**, **23(3)**: 277-282, 4 figs.
1963. Novos Longicórneos neotrópicos IX. **Rev. Bras. Biol.**, **23(4)**: 421-428, 4 figs.
1963. Novos Longicórneos neotrópicos da tribo Rhinotragini. **Anais Acad. Bras. Cienc.**, **35(2)**: 241-255, 6 figs.
1963. Revisão do gênero *Chlorethe* Bates, 1867. **Anais Acad. Bras. Cienc.**, **35(3)**: 413-419, 3 figs.
1963. Novas espécies neotrópicas do gênero *Acanthoderes* Serville, 1835. 1. **Anais Acad. Bras. Cienc.**, **5(4)**: 585-590, 3 figs.
1964. Quatro espécies novas do gênero "*Tomopterus*" Serville, 1833 (Rhinotragini). **Rev. Bras. Biol.**, **24(4)**: 423-428, 4 figs.
1964. Revisão das espécies Brasileiras do gênero *Merionoeda* Pascoe. **Studia Entomol.**, **7(1-4)**: 247-256, 3 figs.
1964. Novas espécies neotrópicas do gênero *Acanthoderes* Serville, 1835. II. **Anais Acad. Bras. Cienc.**, **36(1)**: 67-71, 3 figs.
1964. Novas espécies neotrópicas do gênero *Acanthoderes* Serville, 1835. III. **Anais Acad. Bras. Cienc.**, **36(2)**: 159-164, 4 figs.
1964. Novos Longicórneos neotrópicos da tribo Clytini II. **Anais Acad. Bras. Cienc.**, **36(3)**: 305-310, 3 figs.
1964. Novos Longicórneos neotrópicos X. **Anais Acad. Bras. Cienc.**, **36(4)**: 433-440, 5 figs.
1964. Contribuição ao estudo da distribuição geográfica do gênero *Colobothea* Serv., 1825 (Col., Cerambycidae, Lamiinae). **Anais do Cong. Latin-Americano Zoo.**, **1**: 63-68.
1965. Novos longicórneos neotrópicos da tribo Rhinotragini II. **Anais Acad. Bras. Cienc.**, **37(1)**: 121-129, 8 figs.
1965. Três espécies novas do gênero *Callichroma* Latreille, 1816, subgênero *Xystochroma* Schmidt, 1924. **Anais Acad. Bras. Cienc.**, **37(3-4)**: 551-555, 3 figs.
1965. Novos Longicórneos neotrópicos XI. **Rev. Bras. Biol.**, **25(1)**: 85-91, 3 figs.
1965. Estudos do gênero "*Ommata*" White, 1855 I. "*Ommata (Eclipta)*" do grupo "*tenuis*" (Rhinotragini). **Rev. Bras. Biol.**, **25(2)**: 199-206, 11 figs.

1965. Contribuições para o estudo da fauna dos longicórneos do Estado da Paraíba. **Bol. Soc. Cearense Agron.**, **6**: 5-21.
1966. Três novas espécies do gênero *Brasilius* Jakobson, 1924. **Anais Acad. Bras. Cienc.**, **38(1)**: 105-108, 3 figs.
1966. Novos Longicórneos neotrópicos XII. **Anais Acad. Bras. Cienc.**, **38(2)**: 345-348, 1 fig.
1966. Estudo comparativo de *Acanthoderes cylindrica*, *juno* e *vetusta*. **Anais Acad. Bras. Cienc.**, **38(3-4)**: 537-541, 3 figs.
1966. Estudos do gênero "*Brasilius*" Jakobson, 1924. **Rev. Bras. Biol.**, **26(1)**: 47-58, 6 figs.
1966. Estudos do gênero "*Ommata*" White, 1855 II. Subgênero "*Ommata*" (Rhinotragini). **Rev. Bras. Biol.**, **26(1)**: 87-92, 1 fig.
1966. Estudo de duas espécies de "*Ommata*", próximas de "*Ommata (Eclipta) castanea*" Bates (Rhinotragini). **Rev. Bras. Biol.**, **26(3)**: 323-326, 3 figs.
1966. Um interessante representante de longicórneo do Sul do Brasil e do Paraguai. **Rev. Bras. Biol.**, **26(4)**: 373-375, 1 fig.
1966. Contribuição para o estudo da fauna dos longicórneos do Estado do Ceará. **Bol. Soc. Cearense Agron.**, **7**: 1-11.
1966. Distribuição Geográfica do Gênero *Colobothea* (Coleoptera, Cerambycidae, Lamiinae). **Anais Acad. Bras. Cienc.**, **38(1)**: 109-120, 4 figs.
1967. Novos Longicórneos neotrópicos XIII. **Mem. Inst. Oswaldo Cruz**, **65(2)**: 197-204, 2 figs.
1967. A revalidação da espécie "*Acanthoderes conifera*" Zajciw, 1963. **Atas Soc. Biol.**, **11(2)**: 59-60.
1967. Novos Longicórneos neotrópicos XIV. **Anais Acad. Bras. Cienc.**, **39(2)**: 321-325, 2 figs.
1967. Novos Longicórneos neotrópicos XV. **Anais Acad. Bras. Cienc.**, **39(3-4)**: 527-533, 2 figs.
1967. Contribuição para o estudo do gênero "*Stizocera*" Serv., 1834. Espécies Brasileiras **Rev. Bras. Biol.**, **27(3)**: 293-314, 12 figs.
1967. Contribuição para o estudo da fauna dos longicórneos do Estado do Maranhão. **Bol. Soc. Cearense Agron.**, **8**: 1-12.
1967. Longicórneos novos para a fauna do Brasil III. **Rev. Bras. Entomol.**, **12**: 21-28.
1967. Contribuição para o Estudo da Distribuição Geográfica de Longicórneos no Brasil (Col., Cerambycidae) I. **Atas Soc. Biol.**, **11(1)**: 13-14.
1967. Contribuição para o Estudo da Distribuição Geográfica de Longicórneos no Brasil (Col., Cerambycidae) II. **Atas Soc. Biol.**, **11(3)**: 117-118.
1968. Uma nova espécie do gênero "*Nyctonympha*" Thomson, 1868, com chave para determinação das espécies Brasileiras. **Rev. Bras. Biol.**, **28(4)**: 423-425, 1 fig.
1968. Contribuição para o estudo da fauna dos longicórneos do Nordeste Brasileiro. **Rev. Bras. Entomol.**, **13**: 119-130.
1968. Novos Longicórneos neotrópicos XVI. **Anais Acad. Bras. Cienc.**, **40(4)**: 539-543, 3 figs.
1968. Novos Stenaspini neotrópicos II. **Anais Acad. Bras. Cienc.**, **40(4)**: 551-554, 2 figs.
1968. Descripción de una nueva especie de *Odontocera* Serv., 1835 del Uruguay (Rhinotragini). **Rev. Soc. Urug. Entomol.**, **7**: 48-50, 1 fig.
1968. Estudos do gênero "*Ommata*" White, 1855 III. Descrição de alguns alótipos e acréscimos as descrições originais. **Atas Soc. Biol.**, **11(4)**: 149-150.
1968. Primeiro suplemento à fauna dos longicórneos do Nordeste Brasileiro. **Atas Soc. Biol.**, **12(3)**: 119-121.
1968. Novas Ocorrências de *Acanthoderes* Serv., 1835 (Coleoptera, Cerambycidae, Lamiinae). **Atas Soc. Biol.**, **12(3)**: 141.
1968. Contribuição para o estudo da distribuição geográfica do gênero *Chrysoprasis* Serv. 1834 (Col., Cerambycidae, Cerambycinae)

- Atas Soc. Biol.**, **12(1)**: 17-20.
1969. Estudos sobre o gênero *Cyphosterna* Chevr., 1862 e gêneros afins, com descrição de um gênero novo (Purpuricenini). **Atas Soc. Biol.**, **12(5-6)**: 225-228.
1969. Sinopse dos gêneros Brasileiros da tribo Purpuricenini Fairm., 1864. **Rev. Bras. Biol.**, **29(1)**: 109-120, 26 figs.
1969. Estudos do gênero "*Ommata*" White, 1855 IV. Revisão do subgênero "*Rhopalessa*" Bat., 1873 (Rhinotragini). **Rev. Bras. Biol.**, **29(3)**: 399-409, 1 fig.
1969. Uma nova espécie do gênero *Acanthoderes* Serville, 1835. **Anais Acad. Bras. Cienc.**, **41(1)**: 109-111, 1 fig.
1969. Três espécies novas do gênero *Tomopterus* Serville, 1833 (Rhinotragini). **Studia Entomol.**, **12(1-4)**: 411-416, 2 figs.
1969. Contribuicao Para o Estudo da Distribuicao Geografica de Genero *Acanthoderes* Serville, 1835 no Brasil (Coleoptera, Cerambycinae, Lamiinae). **Atas Soc. Biol.**, **12(4)**: 197-199.
1969. Distribuicao Geografica do Genero *Acanthoderes* Serville, 1835 (Coleoptera, Cerambycidae, Lamiinae). **Rev. Bras. Biol.**, **29(4)**: 607-614, 1 fig.
1970. Descrição do macho e redescrição da fêmea de *Ophistomis flavocincta* Thomson, 1861, com observações sobre o desenho dos élitros (Lepturini). **Anais Acad. Bras. Cienc.**, **42(2)**: 229-233, 2 figs.
1970. Novos Longicórneos neotrópicos XVII. **Anais Acad. Bras. Cienc.**, **42(2)**: 263-267, 2 figs.
1970. Três representantes novos da tribo Piezocerini (Cerambycinae). **Anais Acad. Bras. Cienc.**, **42(3)**: 591-594, 3 figs.
1970. Descrição de uma espécie nova de *Rhopalophora* (*Ischionodonta*) Chevr., 1859 e nota sobre as espécies afins. **Anais Acad. Bras. Cienc.**, **42(4)**: 839-841, 1 fig.
1970. Estudos do gênero *Ommata* White, 1855 V: Notas sobre o subgênero *Eclipta* Bat., 1873 (Rhinotragini). **Atas Soc. Biol.**, **13(1-2)**: 37-40.
1970. Redescrição de *Oncideres macra* Thomson, 1868. **Atas Soc. Biol.**, **13(3-4)**: 129-130.
1970. Estudo interpretativo de *Ommata collaris* (Serv., 1833). **Atas Soc. Biol.**, **13(3-4)**: 153-154, 1 fig.
1970. Contribuição para o estudo das espécies do gênero *Acanthoderes* Serv., 1835. **Atas Soc. Biol.**, **13(5-6)**: 187-190, 14 figs.
1970. Notas sobre o gênero *Strongylaspis* Thoms., 1860, com descrição de uma espécie nova do Brasil. **Atas Soc. Biol.**, **14(1-2)**: 1-3.
1970. Uma nova espécie do gênero *Callancyla* Aurivillius, 1912 (Ancylocerini). **Atas Soc. Biol.**, **14(1-2)**: 27-30, 6 figs.
1970. Descrição de uma espécie nova do gênero *Odontocera* Serv., 1833 (Rhinotragini). **Atas Soc. Biol.**, **14(3-4)**: 63-64.
1970. Estudo de Phlyctaenodini sulamericanos. **Rev. Bras. Biol.**, **30(4)**: 499-506, 1 fig.
1970. Contribuição para o estudo de *Eburodacrys triocellata* Stål. **Rev. Bras. Biol.**, **30(4)**: 543-546, 1 fig.
1970. Um gênero e duas espécies novas da tribo Cyrtinini da América do Sul. **Studia Entomol.**, **13(1-4)**: 345-352, 6 figs.
1970. Novas Ocorrencias de *Acanthoderes* Serv., 1835 (Coleoptera, Cerambycidae, Lamiinae) II. **Atas Soc. Biol.**, **13(1-2)**: 5.
1971. Novos longicórneos neotrópicos XVIII. **Rev. Bras. Biol.**, **31(3)**: 305-308, 3 figs.
1971. Novas espécies do gênero *Tomopterus* Serville, 1833 da América do Sul (Rhinotragini). **Rev. Bras. Biol.**, **31(3)**: 313-317, 3 figs.
1971. Redescrição de *Colobothea fibrosa* Er., 1817. **Atas Soc. Biol.**, **14(5-6)**: 119.
1971. Descrição de uma nova espécie de *Colobothea* do Brasil. **Atas Soc. Biol.**, **14(5-6)**: 143-144.

1971. Três novas espécies neotrópicas de *Odontocera* Serville, 1833 (Rhinotragini). **Atas Soc. Biol.**, **15(1)**: 19-21.
1972. Contribuição para o estudo da fauna dos longicórneos do Parque Nacional do Itatiaia **Bras. Florestal**, **3**: 40-72.
1972. Estudos do gênero *Odontocera* Serville, 1833. II (Rhinotragini). **Atas Soc. Biol.**, **15(2)**: 59-63.
1972. Novas espécies do gênero *Isthmiade* Thomson, 1864 do Brasil (Rhinotragini). **Atas Soc. Biol.**, **15(3)**: 137-138.
1972. Descrição de um gênero novo e uma espécie nova de longicórneos neotrópicos. **Rev. Bras. Biol.**, **32(2)**: 219-220, 1 fig.
1972. Estudo das espécies Brasileiras do gênero *Acyphoderes* Audinet-Serville, 1833 (Rhinotragini). **Rev. Bras. Biol.**, **32(3)**: 401-412, 10 figs.
1972. Revisão das espécies sul americanas do gênero *Isthmiade* Thomson, 1864 (Rhinotragini). **Rev. Bras. Biol.**, **32(4)**: 573-583, 13 figs.
1972. Contribuicao pra o estudo dos apendices sexuais em species do genero *Acyphoderes* Aud.-Serville. 1833 (Col., Cerambycidae, Rhinotragini). **Atas Soc. Biol.**, **15(2)**: 95-97, 2 figs.
1973. Revisão das espécies Brasileiras do gênero *Ischasia* Thomson 1861 (Rhinotragini). **Rev. Bras. Biol.**, **33(1)**: 69-76, 10 figs.
1973. Descrição de *Apostropha curvipennis* Bates, 1873, com um sinônimo e com notas (Rhinotragini). **Rev. Bras. Biol.**, **33(3)**: 361-363, 1 fig.
1973. Duas novas espécies do gênero *Charisia* Champion, 1892 do Brasil (Rhinotragini). **Atas Soc. Biol.**, **17(1)**: 13-14, 6 figs.
1974. Contribuição para o estudo da fauna dos longicórneos das florestas do Estado do Espírito Santo e principalmente da Reserva Biológica "Soôretama". **Bol. Tecn. Inst. Bras. Desenv. Florestal**, **4**: 37-91.
1975. Revisão monográfica do gênero *Tomopterus* Audinet-Serville, 1833 (Rhinotragini). **Studia Entomol.**, **18(1-4)**: 569-604, 24 figs.
- ZAJCIW, D. & M. A. MONNÉ. 1968. Cerambícidos del Uruguay, nuevos o poco conocidos. **Rev. Soc. Urug. Entomol.**, **7**: 51-61.
- ZAJCIW, D. & A. RUFFINELLI. 1962. Fauna de los Cerambícidos del Uruguay. **Bol. Fac. Agron.**, **60**: 1-89.
- ZAJCIW, D. & C.A. SEABRA. 1968. Longicorneos da Serra da Bocaina, Estado de Sao Paulo (Coleoptera, Cerambycidae). **Atas Soc. Biol.**, **12(2)**: 69-72.
- ZAMOROKA, A. M. 2021. Is Clytini Monophyletic? The Evidence From Five-gene Phylogenetic Analysis. **Proc. State Natural History Museum. Lviv (Kiev)** **37**: 191-214, 4 figures. DOI: <https://doi.org/10.36885/nzdpm.2021.37.191-214>
2022. Molecular revision of Rhagiini sensu lato (Coleoptera, Cerambycidae): Paraphyly, intricate evolution and novel taxonomy. **Biosystem Diversity** **30** (3), 295–309.
- ZARAGOZA-CABALLERO, S & PEREZ HERNANDEZ, C.X. 2017. An annotated catalogue of the Coleoptera types deposited in the National Insect Collection (CNIN) of the National Autonomous University of Mexico. **Zootaxa**, **4288(1)**: 001-128.
- ZAYAS, F. de. 1956. El gênero *Essostrutha* Thoms., adición de una especie nueva. **Mem. Soc. Cub. Hist. Nat.**, **23**: 105-114, 1 col. pl.
1957. Revisión de los longicórnicos Priónidos de Cuba. **Mem. Soc. Cub. Hist. Nat.**, **23**: 149-181, 7 pls.
1975. **Revisión de la Família Cerambycidae**. La Habana. Acad. Cienc. Cuba, 443 pp., 38 pls.
- ZETTERSTEDT, J. W. 1828. **Fauna insectorum lapponica**. Hammone, 563 pp.
- ZIEGLER, D. 1844. Descriptions of new North American Coleoptera. **Proc. Acad. Nat. Sci. Phila.**, **2**: 43-47.
- ZIKÁN, J. F. 1948. O gênero *Parandra* Latr., 1804, com a descrição de 14 espécies novas. **Rev. Soc. Entomol. Arg.**, **14**: 22-50, 4 pls.
- ZIKÁN, J. F & W. ZIKÁN. 1944. A inseto-fauna do Itatiaia e da Mantiqueira. **BoI. Min. Agric.**, **33(8)**: 1-50.

- ZIKÁN, W. & P. WYGODZINSKY. 1948. Catálogo dos tipos de insetos do Instituto de Ecologia e Experimentação Agrícolas. **Bol. Serv. Pesq. Agron.**, **4**: 1-93.
- ZIMSEN, E. 1964. **The type material of I. C. Fabricius**. Copenhagen, Munskgaard, 656 pp.
- ZOUBKOFF, B. 1833. Nouveaux coléoptères recueillis en Turcménie. **Bull. Soc. Imp. Natur.**, **6**: 310-34
- ZUBARÁN, G. E. 2019. A new species of *Dragomiris* Gounelle, 1913 (Coleoptera: Cerambycidae: Cerambycinae: Torneutini) from Argentina. **Zootaxa**, **4576 (2)**: 337-346, 10 figures.
- ZUBARAN, G. E. & O. R. DI IORIO. 2017. New species and new records of *Megacyllene* (Casey, 1912) (Coleoptera: Cerambycidae: Cerambycinae: Clytini) from Argentina. **Historia Natural (Series 3) 7(1)**: 85-93, 4 figures.
- ZUBOV, A. S. & A. Y. TITARENKO. 2019: A new species of the genus *Psalidognathus* Gray, 1831 (Coleoptera, Cerambycidae, Prioninae) from Ecuador. **Humanity space International almanac 8(4)**: 482-487, 5 figures.
- ZUNIGA-REINOSO, A. & GALLEGOS- HARO, G. 2010. Registros y antecedentes sobre el rango de distribución de *Neoholopterus antarcticus* (Aurivillius, 1910) (Coleoptera, Cerambycidae). **Boletín de Biodiversidade de Chile**, **(3)**: 3-8.

Index to Families, Subfamilies, Tribes and Genera

Families

Oxypeltidae 5
 Vesperidae 5
 Disteniidae 6
 Cerambycidae 11

Subfamilies

Anoplodermatinae 5	Parandrinae 11
Cerambycinae 52	Prioninae 13
Lamiinae 208	Spondylidinae 50
Lepturinae 31	

Tribes

Acangassuini 52	Cerambycini 64
Acanthocinini 208	Cleomenini 69
Acanthoderini 244	Clytini 69
Acanthomerosternoplonini 256	Colobotheini 286
Achrysonini 53	Compsocerini 79
Acmaeopsini 31	Compsosomatini 291
Acrocinini 257	Curiini 82
Aerenicini 259	Cyrtinini 293
Agallissini 54	Desmiphorini 294
Agapanthiini 264	Desmocerini 33
Alanizini 55	Dichophyiini 82
Anacolini 13	Diorini 87
Anaglyptini 55	Disteniini 6
Anisocerini 267	Dodecosini 87
Anoplodermatini 5	Dorcaschematini 308
Apomecynini 270	Dryobiini 87
Asemini 50	Dynamostini 11
Atimiini 52	Eburiini 88
Basipterini 56	Ectenessini 94
Batocerini 280	Elaphidiini 96
Bimiini 56	Eligmodermini 115
Bothriospilini 56	Elytracanthinini 308
Callichromatini 58	Encyclopini 33
Callidiini 60	Erichsoniini 11
Callidiopini 64	Ergatini 18
Calliini 280	Erlandiini 115
Callipogonini 16	Eumichthini 112
Calocomini 18	Eupromerini 301
Caraphiini 33	Evodinini 33
	Forsteriini 309

- Graciliini 116
 Grammopterini 34
 Hemilophini 311
 Hesperophanini 117
 Heteropalpini 11
 Hexoplonini 121
 Holopleurini 125
 Hyboderini 125
 Hylotrupini 126
 Hypocephalini 6
 Ideratini 126
 Lamiini 327
 Laticraniini 332
 Lepturini 34
 Lissonotini 126
 Luscosmodicini 127
 Macrodonitiini 18
 Macrotomini 19
 Mallaspini 23
 Mauesiini 332
 Megabasini 333
 Meroscelisini 24
 Mesosini 333
 Methiini 129
 Molorchini 129
 Morimopsini 333
 Mysteriini 6
 Necydalini 44
 Necydalopsini 129
 Neocorini 130
 Obriini 131
 Oemini 132
 Onciderini 333
 Opsimini 136
 Oxycoleini 138
 Oxymirini 46
 Paraholopterini 137
 Parandrini 11
 Parmenini 349
 Phacellini 351
 Phlyctaenodini 137
 Phoracanthini 137
 Phrynetini 351
 Pidoniini 46
 Piezocerini 138
 Platyarthrini 141
 Plectromerini 141
 Pleiarthrocerini 142
 Plesioclytini 142
 Pogonocherini 352
 Polyrhaphidini 354
 Pretiliini 355
 Prionini 25
 Proholopterini 142
 Psebiini 142
 Pseudocephalini 143
 Pteroplatini 143
 Pteropliini 355
 Rhagiini 47
 Rhamnusiini 48
 Rhinotragini 144
 Rhopalophorini 159
 Sachalinobiini 49
 Saperdini 359
 Saphanini 52
 Smodicini 165
 Solenopterini 29
 Spondylidini 52
 Stenhomalini 165
 Stenocorini 49
 Stenoderini 165
 Stenopterini 162
 Sydacini 166
 Tapeinini 361
 Tetraopini 362
 Tetropini 365
 Thyrsiini 166
 Tillomorphini 166
 Torneutini 169
 Trachyderini 171
 Tropidini 192
 Unxiini 205
 Uracanthini 206
 Vesperoctenini 5
 Xenofreini 365
 Xylosteini 50
 Xystrocerini 206

Subtribes

Ancylocerina 168

Cerambycina 62

Compsina 188

Haruspicina 134

Hesperophanina 114

Neoibidionina 194

Piezocerina 135

Sphallotrichina 64

Trachyderina 169

Tropidina 198

Current Genera

A

- Abanycha** Martins & Galileo, 311
Abauba Santos-Silva & Tavakilian, 6
Abyarachryson Martins, 53
Abycendaua Martins & Galileo, 311
Acabanga Martins & Galileo, 311
Acabyara Napp & Martins, 79
Acaiatuca Martins & Galileo, 311
Acaiu Galileo & Martins, 312
Acakya Martins & Galileo, 244
Acalodegma Thomson, 18
Acangarana Nascimento & Bravo, 52
Acangassu Galileo & Martins, 52
Acanthinodera Hope, 19
Acanthocinus Dejean, 208
Acanthodepressus Bezark, Santos-Silva & Audureau, 208
Acanthoderes (Acanthoderes) Audinet-Serville, 244
Acanthoderes (Pardalisia) Casey, 245
Acanthodoxus Martins & Monné, 208
Acanthoibidion Lane, 115
Acanthomigdolus Bruch, 5
Acanthonessa Napp & Martins, 94
Acanthotritus White, 267
Acapiata Galileo & Martins, 312
Acasanga Martins & Galileo, 312
Acatinga Santos-Silva, Martins & Clarke, 144
Acestrilla Bates, 270
Achenoderus Napp, 79
Achryson Audinet-Serville, 53
Acmaeops LeConte, 48
Acmaeopsoides Linsley & Chemsak, 34
Aconopteroides Breuning, 294
Aconopterus Blanchard in Gay, 294
Acorethra Bates, 144
Acreana Lane, 280
Acrepidopterum Fisher, 270
Acrocinus Illiger, 257
Acruspex Martins, 138
Acutandra Santos-Silva, 11
Acutiphoderes Clarke, 144
Acyderophes Clarke, 144
Acyphoderes Audinet-Serville, 145
Adalbus Fairmaire & Germain, 56
Adepimelitta Clarke, 145
Adesmiella Lane, 312
Adesmoides Zajciw, 312
Adesmus Lepeletier & Audinet-Serville in Latreille, 312
Adetaptera Santos-Silva, Nascimento & Wappes, 270
Adetus LeConte, 271
Adiposphaerion Martins & Napp, 96
Aechmutes Bates, 145
Aegoidus Buquet, 173
Aegomorphus Haldeman, 245
Aegoschema Aurivillius, 247
Aerenea Thomson, 291
Aerenica Dejean, 259
Aerenicella Gilmour, 259
Aerenicopsis Bates, 260
Aereniphaula Galileo & Martins, 260
Aerenomera Gilmour, 260
Aethecerinus Fall & Cockerell, 173
Aetheibidion Martins, 96
Agallissus Dalman, 54
Agaone Pascoe, 145
Agaritha Dillon & Dillon, 333
Aglaoschema Napp, 79
Aguassay Napp & Mermudes, 159
Aiurasyma Martins & Galileo, 11
Alampyris Bates, 313
Alanizus Di Iorio, 55
Alastos Napp & Martins, 117
Alcathousiella Monné, 208
Alcidion Sturm, 208
Alcyopsis Pascoe, 202
Aleiphaquilon Martins, 130
Aletretiopsis Breuning, 273
Alexera Dillon & Dillon, 333
Alical Galileo, Santos-Silva & Bezark, 280
Alicianella Noguera, 96
Alienosternus Martins, 138
Allaiocerus Galileo, 13
Alloblabia Galileo, Santos-Silva & Bezark, 294
Allocarterica Santos-Silva, Galileo & McClarin, 286
Allocerus Lacordaire, 173
Allocrus Santos-Silva & Monne, 209

- Allodemus** Zajciw, 82
Alloeomorphus, 209
Alloesia Chevrolat, 82
Alloleptosylus Audureau & Santos-Silva, 348
Allomallodon Santos-Silva & Galileo, 19
Allopeba Napp & Reynaud, 205
Allopeplus Zajciw, 173
Allorhopaliella Martins, Galileo & Santos-Silva, 159
Allotigrinestola Heffern & Santos-Silva, 294
Alosternida Podany, 34
Alphinellus Bates, 294
Alphomorphus Linsley, 351
Alphus White, 247
Altitudarium Vlasak & Santos-Silva, 129
Amannus LeConte, 173
Amapanesia Martins & Galileo, 314
Ambeodontus Fabricius, 137
Amblysaphes Bates, 247
Ambonus Gistel, 96
Amborotragus Clarke, 145
America Santos-Silva & Tavakilian, 6
Ameriphoderes Clarke, 145
Amerispheca Clarke, 145
Amethysphaerion Martins & Monné, 96
Amniscites Gilmour, 209
Amniscus Dejean, 209
Amoaba Napp & Martins, 82
Amorupi Martins, 97
Amphelictus Bates, 66
Amphelissoeme Martins, 132
Amphicnaeia Bates, 273
Amphionthe Bates, 173
Amplitempora Giesbert, 332
Amucallia Galileo & Martins, 280
Amyipunga Martins & Galileo, 69
Anacolus Berthold, 13
Analeptura Linsley & Chemsak, 34
Anapsicomus Galileo & Martins, 281
Anasillus Marinoni & Martins, 247
Anastrangalia Casey, 34
Anatinomma Bates, 117
Ancistrotus Audinet-Serville, 19
Ancylocera Audinet-Serville, 171
Ancylodonta Blanchard in Gay, 137
Ancylosternus Dupont in Audinet-Serville, 173
Andinotrichoderes Tippmann, 24
Andrachydes Huedepohl, 173
Andraegoidus Aurivillius, 173
Aneflomorpha Casey, 97
Aneflus LeConte, 98
Anelaphus Linsley, 98
Aneuthetochorus Martins, 192
Anisocerus Lacordaire, 267
Anisolophia Melzer, 209
Anisocephalus Melzer, 295
Anisopodus White, 209
Anisotyma Napp & Monne, 87
Anobrium Belon, 355
Anomaloderes Clarke, 146
Anomalotragus Clarke, 146
Anopliomorpha Linsley, 100
Anoplocurius Fisher, 100
Anoplodera (Anoploderomorpha) Pic, 34
Anoploderma Guérin-Ménéville, 5
Anoplomerus Guérin-Ménéville, 117
Anoplophora Hope, 327
Anoreina Bates, 248
Antecurisa Gilmour, 210
Antennaerenea Breuning, 292
Antennommata Clarke, 146
Anthoboscus Chevrolat, 70
Anthophylax LeConte, 46, 48
Antodice Thomson, 260
Antodilanea Gilmour, 261
Apagomera Bates, 314
Apagomerella Gilmour, 314
Apagomerina Gilmour, 314
Apamauta Thomson, 334
Apari Martins, Galileo & Santos-Silva, 172
Apeba Martins & Galileo, 314
Apebusu Martins & Galileo, 314
Apechthes Thomson, 286
Aphatum Bates, 192
Aphilesthes Bates, 261
Aphylax Lacordaire, 143
Aphysotes Bates, 55
Aplagiognathus Thomson, 19
Apoaerenica Martins & Galileo, 261
Apoclausirion Martins & Napp, 100
Apocoptoma Thomson, 334
Apomecyna Latreille, 274

Apomorissia Santos-Silva & Nascimento, 274
Aponoeme Martins, 132
Apophaula Lane, 261
Aposphaerion Bates, 101
Apostropha Bates, 146
Apotrophus Bates, 16
Appula Thomson, 101
Aprosopus d'Orbigny, 264
Apteralcidion Hovore, 349
Apterocaulus Fairmaire, 25
Apypema Galileo & Martins, 314
Apyrauna Martins, 101
Arabela Hernandez, Santos-Silva & Nascimento, 314
Araeotis Bates, 116
Araespor Thomson, 53
Arauma Martins & Napp, 116
Arawakia Villiers, 166
Archodontes Lameere, 19
Ardeocomus Galileo & Martins, 281
Argentinoeme Bruch, 132
Argyrodines Bates, 159
Arhopalus Audinet-Serville, 50
Arietocometes Santos-Silva & Tavakilian, 7
Arixiuna Martins & Galileo, 315
Asemolea Bates, 281
Asemum Eschscholtz, 51
Assycuera Napp & Monné, 172
Astromula Chemsak & Linsley, 101
Astyleiopus Dillon, 210
Astyliidius Casey, 211
Astylopsis Casey, 211
Asynapteron Martins, 192
Asyngenes (Asyngenes) Bates, 274
Asyngenes (Neosyngenes) Breuning, 274
Ataxia Haldeman, 355
Atelodesmis Duponchel and Chevrolat, 295
Atelographus Melzer, 211
Atelopteryx Lacordaire, 44
Atenizus Bates, 132
Ateralphus Restello, Iannuzzi & Marinoni, 248
Atharsus Bates, 101
Athetesis Bates, 174
Atiaia Martins & Monné, 64
Atimia Haldeman, 52
Atimiliopsis Breuning, 295

Atimiola Bates, 295
Atrocolus Monné & Monné, 13
Atrypanius Bates, 211
Atylostagma White, 101
Austranoplium Chemsak & Linsley, 117
Austroeme Martins, Chemsak & Linsley, 132
Austronecydalopsis Barriga & Cepeda, 129
Austrophanes Chemsak & Linsley, 117
Axestoleus Bates, 174
Ayriclytus Martins & Galileo, 70
Azygocera Aurivillius, 248

B

Bactriola Bates, 309
Bacuris Gounelle, 334
Badenella Lane, 267
Baecacanthus Monné, 212
Baryssiniella Berkov & Monne, 212
Baryssinus Bates, 212
Basiptera Thomson, 56
Basitoxus Audinet-Serville, 20
Batesbeltia Lane, 267
Batesparna Santos-Silva, Galileo & McClarin, 286
Batocera Dejean, 280
Batus Thunberg, 174
Batyle Thomson, 175
Bebelis Thomson, 274
Bellamira LeConte, 35
Beloesthes Thomson, 212
Beraba Martins, 87
Bezarkia Martins & Galileo, 198
Biraerana Joly, Vigneault & Santos-Silva, 315
Biraidion Galileo & Santos-Silva, 202
Biraoeme Santos-Silva, Nascimento & Botero, 132
Biribellus Galileo, 14
Bisaltes (Bisaltes) Thomson, 275
Bisaltes (Craspedocerus) Aurivillius, 275
Blabia Thomson, 295
Blabicentrus Bates, 295
Bocainella Monné & Monné, 349
Bomaribidion Martins, 198
Bomarion Gounelle, 94
Bonfilsia Villiers, 166

Boricyrtnus Micheli, 293
Bothriospila Aurivillius, 56
Bothrocerambyx Schwarzer, 64
Brachychilus Blanchard in Gay, 350
Brachyleptura Casey, 35
Brachylophora, 159
Brachyphoderes Clarke, 146
Brachysomida Casey, 31
Brachyta Fairmaire, 33
Braderochus Buquet, 26
Brasiliosoma Breuning, 292
Brechmoidion Martins, 198
Brevoxathres Gilmour, 212
Brittonella Fisher, 117
Bromiades Thomson, 146
Brothylus LeConte, 117
Buoides Dillon & Dillon, 334
Butherium Bates, 66
Butocrysa Thomson, 315

C

Cabreuva Martins & Galileo, 315
Caciomorpha Thomson, 267
Cacophrissus Bates, 118
Cacostola Fairmaire & Germain, 334
Cacsius Lane, 261
Cacupira Martins & Galileo, 315
Callancyla Aurivillius, 172
Callanga Lane, 315
Callia Audinet-Serville, 281
Callichroma Latreille, 58
Calliclytus Fisher, 166
Callideriphus Blanchard in Gay, 82
Callidiellum Linsley, 60
Callidium bifasciatum Fabricius, 207
Callidium Mulsant, 61
Callimoxys Kraatz, 165
Callimus Mulsant, 166
Calliomorpha Lane, 282
Callipero Bates, 213
Calliphaula Lane, 261
Callipogon (Callipogon) Audinet-Serville, 16
Callipogon (Callomegas) Lameere, 16
Callipogon (Dendroblaptus) Chevrolat, 16
Callipogon (Enoplocerus) Audinet-Serville, 17

Callipogonius Linsley, 352
Callisema Martins & Galileo, 282
Callisphyrus Newman, 44
Callistochroma Eya, 175
Callistoprionus Tippmann, 26
Callityrinthia Galileo & Martins, 282
Calloctenus White, 14
Calloides LeConte, 70
Calocomus Audinet-Serville, 18
Calocosmus Chevrolat, 315
Calolamia Tippmann, 213
Calycibidion Martins, 121
Calydon Thomson, 61
Camitocomus Galileo & Martins, 282
Camixaima Martins & Galileo, 309
Camposiellina Monné, 315
Canarana Martins & Galileo, 315
Canidia Thomson, 213
Canindea Galileo & Martins, 282
Capaciphrynidius Bezark & Santos-Silva, 275
Caperonotus Napp, 80
Capillicornis Galileo & Martins, 296
Caprichasia Clarke, 146
Caraphia Gahan, 33
Carenesyca Martins & Galileo, 335
Carenoptomerus Tavakilian & Peñaherrera – Leiva, 146
Caribbomerus Vitali, 116
Cariua Martins & Galileo, 316
Carneades Bates, 286
Carpheolus Bates, 213
Carphina Bates, 213
Carphontes Bates, 213
Carterica Pascoe, 286
Catafimbria Aurivillius, 356
Catharesthes Bates, 213
Cathetopteron Hamilton in Leng & Hamilton, 316
Cathexis Thomson, 286
Catognatha Blanchard in Gay, 296
Catoptronotum Zajciw, 118
Catorthontus Waterhouse, 146
Catuaba Martins & Galileo, 275
Catuana Martins & Galileo, 248
Cauarana Lane, 44
Cauca Lane, 275
Caudelytra Franz, 349

- Cecaibidion** Galileo & Martins, 192
Ceiupaba Martins & Galileo, 296
Cendiuna Galileo & Martins, 316
Cendiunopsis Tavakilian & Santos-Silva, 316
Centrocerum Chevrolat, 101
Centrodera LeConte, 47
Cephalodina Bates, 316
Cephaloplön Martins & Napp, 192
Ceragenia Audinet-Serville, 175
Ceralocyna Viana, 172
Cercoptera Spinola, 172
Cerdaia Monné, 53
Ceresium Newman, 64
Cerrostrangalia Hovore & Chemsak, 35
Cervilissa Monné & Monné, 175
Cetimaïque Martins & Galileo, 118
Cetimaju Galileo & Martins, 70
Cevaeria Tavakilian, 66
Chaetacosta Gilmour, 214
Chaetosopus Napp & Martins, 80
Chalastinus Bates, 267
Chalcolyne Bates, 282
Chalcoprionus Bates, 19
Championa Bates, 207
Chapareia Lane, 267
Chariea Audinet-Serville, 14
Chariergodes Zajciw, 146
Chariergus White, 205
Charinotes Dupont in Audinet-Serville, 175
Charisalia Casey, 35
Charisia Champion, 146
Charlesella Heffern & Santos-Silva, 296
Charmallaspis Galileo & Martins, 23
Cheloderus Gray in Griffith, 5
Chemsakia Linsley, 175
Chemsakiella Monné, 175
Chenoderus Fairmaire & Germain, 205
Chereas Thomson, 282
Cherentes Gounelle, 335
Cherrocrius Berg, 5
Chevrolatella Zajciw, 176
Chiasmetes Pascoe, 20
Chicanatonus Bezark & Santos-Silva, 214
Chiquitano Santos-Silva, Galileo & Wappes, 198
Chitron Dillon & Dillon, 335
Chlorethe Bates, 80
Chlorida Audinet-Serville, 57
Chlorophorus Chevrolat, 70
Chlorotherion Zajciw, 176
Chontalia Bates, 35
Chorenta Gistel, 17
Choriolaus Bates, 35
Chromoeme Chemsak & Linsley, 133
Chrotoma Casey, 57
Chrysaethe Bates, 146
Chrysaperda Bates, 316
Chrysommata Peñaherrera-Leiva & Tavakilian, 147
Chrysoprasia Audinet-Serville, 82
Chydarteres Huedepohl, 176
Chyptodes Dillon & Dillon, 328
Cicatricallia Martins & Galileo, 282
Cicatrion Martins, 192
Cicatrisesstola Breuning, 296
Cicatrisesstoloides Breuning & Heyrovsky, 296
Cicatrissphaerion Lingafelter, Morris, Skillman, and Santos-Silva, 101
Cicatrizzocera Martins, 138
Cicatrodea Dillon & Dillon, 335
Cicuiara Galileo & Martins, 296
Cirrhicera Thomson, 316
Clausirion Martins & Napp, 101
Clavidesmus Dillon & Dillon, 335
Clavisybra Breuning, 276
Cleidaria Nascimento & Santos-Silva, 296
Cleodoxus Thomson, 214
Clepitoides Clarke, 147
Cleptonotus Breuning, 349
Cleptosoma Breuning, 349
Closteropus Guérin-Méneville, 159
Clythraschema Thomson, 316
Clytoderus Linsley, 55
Clytoleptus Casey, 70
Clytus Laicharting, 70
Cnemidochroma Schmidt, 58
Cnemosioma Martins, 335
Cobelura Erichson, 214
Coccoderus Buquet, 169
Coeloprocta Aurivillius, 296
Coenopoeus Horn, 214
Coleomethia Linsley, 127
Coleoxestia Aurivillius, 66
Coleroidion Martins, 198

Colobetrypanus Tippmann, 214
Colobothea Lepeletier & Audinet-Serville in Latreille, 286
Colobothina Hovore, 289
Colombicallia Galileo & Martins, 282
Columbicella Galileo & Martins, 316
Colynthaea Thomson, 138
Comacmaeops Linsley & Chemsak, 47
Cometes Lepeletier & Audinet-Serville in Latreille, 7
Compsa Perty, 192
Compsibidion Thomson, 198
Compsoceridius Bruch, 80
Compsocerus Lacordaire, 80
Compsopyris Dalens, Touroult & Tavakilian, 81
Compsosoma Lacordaire, 292
Confluentina Santos-Silva, Galileo & McClarin, 289
Conosphaeron Linsley, 101
Contractus Bezark & Santos-Silva, 159
Corallancyla Tippmann, 147
Corcovado Lane, 317
Cordites Dillon & Dillon, 335
Coremia Audinet-Serville, 159
Corimbion Martins, 193
Coroicoia Lane, 332
Corupella Martins & Napp, 118
Corynellus Bates, 143
Coscinedes Bates, 131
Cosmisoma Audinet-Serville, 159
Cosmisomopsis Zajciw, 81
Cosmocerus Guérin-Méneville, 176
Cosmoplatidius Gounelle, 81
Cosmoplatus Aurivillius, 143
Cosmotoma Blanchard, 214
Cosmotomidius Melzer, 248
Costemilophus Galileo & Martins, 317
Cotyabanycha Galileo & Martins, 317
Cotyachryson Martins, 54
Cotyadesmus Martins & Galileo, 317
Cotychroma Martins & Napp, 59
Cotycicuiara Galileo & Martins, 248
Cotyclytus, 70
Cotycuara Galileo & Martins, 317
Cotynessa Martins & Galileo, 94
Cotyperiboeum Galileo & Martins, 102
Cotyschnolea Martins & Galileo, 296

Cotysomerida Martins & Galileo, 317
Cotyzineus Martins & Galileo, 249
Craspedoderus Thomson, 276
Crassiparmena Bezark & Santos-Silva, 349
Cratericus Galileo & Martins, 102
Criodion Audinet-Serville, 67
Crioprosopus Audinet-Serville, 176
Criopsis Thomson, 249
Cristaerenea Breuning, 292
Crossidius LeConte, 177
Crossomeles Chemsak & Noguera, 147
Cryptobias Dupont in Audinet-Serville, 178
Cryptocranium Lacordaire, 356
Ctenodes Olivier, 178
Ctenoplion Martins, 121
Ctenoscelis Audinet-Serville, 17
Cubaecola Lameere, 17
Cuicirama Martins & Galileo, 317
Cuiciuna Galileo & Martins, 325
Cupanoscelis Gounelle, 88
Cupecuara Santos-Silva & Tavakilian, 7
Cupeyalia Zayas, 349
Curiofrea Galileo & Martins, 364
Curitiba Lameere, 20
Curius Newman, 82
Curtomerus Stephens, 102
Curuapira Martins & Galileo, 296
Cyanomethia Philips & Ivie, 127
Cyclopeplus Thomson, 268
Cycloprionus Tippmann, 14
Cycnidolon Thomson, 200
Cycnoderus (Cycnoderus) Audinet-Serville, 160
Cycnoderus (Ulododerus) Gounelle, 161
Cydros Pascoe, 335
Cylicasta Thomson, 335
Cylindrommata Tippmann, 147
Cymatonycha Bates, 296
Cyphonotida Casey, 35
Cyphosterna Chevrolat, 178
Cyrtinus LeConte, 293
Cyrtophorus LeConte, 55

D

Dadoychus Chevrolat, 317
Decarthria Hope, 294
Dectes LeConte, 214

Delemodacrys Martins & Napp, 57
Deliathis Thomson, 328
Delilah Dillon & Dillon, 336
Deltaspiopsis Eya, 178
Deltaspis Audinet-Serville, 178
Deltosoma Thomson, 143
Demophoo Thomson, 268
Dendrobias Dupont in Audinet-Serville, 179
Derancistrachroma Lingafelter, 29
Derancistrus Audinet-Serville, 29
Dere White, 69
Deretrachys Huedepohl, 179
Derobrachus Audinet-Serville, 26
Desmiphora (Antenniphora) Breuning, 297
Desmiphora (Desmiphora) Audinet-Serville, 297
Desmiphoropsis Gounelle, 292
Desmocerus Dejean, 33
Desmoderus Dupont in Audinet-Serville, 179
Dexitheia Thomson, 71
Diasporidion Martins, 202
Diastrophosternus Gounelle, 56
Dicentrus LeConte, 136
Dicranoderes Dupont, 179
Dihammaphora Chevrolat, 161
Dihammaphoroides Zajciw, 162
Diliolophus Bates, 298
Dilocerus Napp, 81
Dioridium Zajciw, 88
Diorus White, 87
Diphyrama Bates, 55
Diploschema Thomson, 169
Diploschemopsis Joly, 169
Diringsiella Martins & Galileo, 87
Dirocoremia Marques, 162
Disaulax Audinet-Serville, 162
Discopus Thomson, 249
Disgregus Galileo & Martins, 298
Distenia (Basisvallis) Santos-Silva & Hovore, 7
Distenia (Distenia) Lepeletier & Audinet-Serville in Latreille, 8
Disteniazteca Santos-Silva & Hovore, 8
Dodecaibidion Martins, 193
Dodecocerus Dalens & Touroult, 142

Dodecosis Bates, 87
Dolichestola Breuning, 298
Dolichosybra Breuning, 276
Dorcacerus, 179
Dorcaschema Haldeman, 308
Dorcasina Casey, 36
Dorcasta Pascoe, 276
Dragomiris Gounelle, 170
Dragoneutes Martins & Monné, 170
Drascalia Fairmaire & Germain, 54
Drychateres Huedepohl, 179
Drycothaea Thomson, 282
Dryobius LeConte, 87
Dryoctenes Audinet-Serville, 249
Dubiefostola Tavakilian & Monné, 118
Dufauxia Lane, 249
Duocristala Lingafelter, 215

E

Eburella Monné & Martins, 88
Eburia Lacordaire, 88
Eburiaca Martins, 90
Eburiola Thomson, 90
Eburodacrys White, 90
Eburodacrystola Melzer, 92
Eburostola Tippmann, 92
Echthistatus Pascoe, 349
Eclipta Bates, 147
Ecliptoides Tavakilian & Peñaherrera-Leiva, 148
Ecliptophanes Melzer, 149
Ecoporanga Napp & Martins, 81
Ecteneolus Bates, 352
Ectenessa Bates, 95
Ectenesseca Martins & Galileo, 95
Ectenessidia Gounelle, 95
Ecthoea Pascoe, 336
Ecyrus LeConte, 352
Edechthistatus Monné, 349
Egalicia Lane, 317
Elaphidion Audinet-Serville, 102
Elaphidionopsis Linsley, 104
Elaphopsis Audinet-Serville, 116
Elateropsis Chevrolat, 29
Elatotrypes Fisher, 61
Eleothinus Bates, 215
Eleutho Thomson, 92

- Eligmoderma** Thomson, 115
Elytracanthina Monné, 308
Elytrimitatrix (Elytrimitatrix) Santos-Silva & Hovore, 8
Elytrimitatrix (Grossifemora) Santos-Silva & Hovore, 8
Elytroleptus Dugès, 179
Embera Santos-Silva & Botero, 215
Emphytoecia Fairmaire & Germain, 356
Emphytoeciosoma Melzer, 356
Enaphalodes Haldeman, 104
Encyclops Newman, 33
Endybauna Martins & Galileo, 317
Eneodes Fisher, 215
Engyum Thomson, 193
Enochlisi Santos-Silva, 276
Enoploderes, 49
Enosmaeus Thomson, 54
Entomosterna Chevrolat, 180
Epacropilon Martins, 121
Epectasis Bates, 356
Ephiales Dillon & Dillon, 336
Ephippiotragus Clarke, 149
Epimelitta Bates, 149
Epipoda Clarke, 149
Epipodocarpus Bosq, 167
Episacus Waterhouse, 14
Eponina Lane, 261
Epropetes Bates, 167
Equescollum Nascimento, Botero & Lezama, 136
Eranina Monné, 318
Eraninella Galileo & Martins, 318
Erichsonia Westwood, 11
Eriocharis Aurivillius, 180
Eriphosoma Melzer, 84
Eriphus Audinet-Serville, 180
Erlandia Aurivillius, 115
Erosida Thomson, 92
Erphaea Erichson, 215
Erratamelitta Clarke, 149
Erythrochiton Zajciw, 84
Erythroplatys White, 150
Erythropterus Melzer, 84
Esaete Galileo & Martins, 357
Esaguasu Galileo & Martins, 298
Esamirim Martins & Galileo, 318
Esmeralda Thomson, 23
Esonius Dillon & Dillon, 336
Esquarre Bezark & Santos-Silva, 162
Esseiachryson Martins, 54
Essostrutha Thomson, 318
Essostruthella Lane, 319
Esthlogena (Esthlogena) Thomson, 357
Esthlogena (Pseudotaxia) Breuning, 357
Esthlogenopsis Breuning, 357
Estola Fairmaire & Germain, 298
Estoloderces Melzer, 352
Estoloides Breuning, 301
Estolomimus Breuning, 301
Ethemon Thomson, 205
Etimasu Santos-Silva, Martins & Clarke, 150
Etyma Galileo & Martins, 302
Etymosphaerion Martins & Monné, 104
Eucharassus Bates, 129
Eucharitolus Bates, 215
Eucrossus LeConte, 118
Eudercus LeConte, 167
Eudesmus Audinet-Serville, 336
Eudistenia Fall, 133
Euestola Breuning, 302
Eugamandus Fisher, 215
Eulachnesia Bates, 319
Eumathes Pascoe, 283
Eumichthus LeConte, 115
Eumimesis Bates, 283
Eupalessa Monné, 336
Eupempelus Bates, 84
Eupogonius LeConte, 302
Eupromera Westwood, 309
Eupromerella Fisher, 249
Eurycallinus Bates, 351
Euryestola Breuning, 283
Eurylemma Chemsak & Linsley, 36
Eurymerus Audinet-Serville, 95
Euryprosopus White, 133
Euryptera Lepeletier & Audinet-Serville in Latreille, 36
Euryscelis Dejean, 71
Eurysthea Thomson, 104
Eusapia Gounelle, 118
Eusphaerium Newman, 293
Eusthenomus Bates, 268
Eustromula Cockerell, 105
Euteleuta Bates, 276

Euthima Dillon & Dillon, 336
Eutrichillus Bates, 215
Eutrypanus Erichson, 216
Evodinus LeConte, 33
Evrysoma Perez-Flores & Toledo, 303
Exalcidion Monné, 216
Exallancyla Monné & Napp, 172
Exalphus Restello, Iannuzzi & Marinoni, 250
Exepimelitta Clarke, 150
Eyiaba Galileo & Martins, 276

F

Fallaxdesmis Santos-Silva & Wappes, 303
Falsamblethis Breuning, 309
Falsischnolea Breuning, 276
Fisherostylus Gilmour, 216
Fissipoda Clarke, 150
Flabellomorphus Galileo & Martins, 14
Folilectia Perez-Flores, Arriaga-Varela & Navarette-Heredia, 276
Forficuladeres Clarke, 150
Formozotroctes Tavakilian & Neouze, 250
Fortuneleptura Villiers, 36
Francisparna Santos-Silva, Galileo & McClarin, 289
Frankluquetia Tavakilian, 319
Fredlanea Martins & Galileo, 319
Fredlanella Martins & Galileo, 268
Fregolia Gounelle, 131
Fron dipedia Martins & Napp, 142
Furona Dillon & Dillon, 336

G

Gagarinia Lane, 319
Galileoana Chemsak, 14
Galissus Dupont, 181
Gambria Chevrolat, 181
Gaurotos LeConte, 32
Georgeana, 216
Georgiana Aurivillius, 181
Geropa Casey, 54
Gibbestola Breuning, 303
Gibbestoloides Breuning, 303
Giesbertectipta Santos-Silva, Bezark & Martins, 150

Giesbertella Chemsak & Hovore in Eya, 181
Giesbertia Chemsak & Linsley, 181
Giesberticus Wappes & Santos-Silva, 150
Gigantotrichoderes Tippmann, 170
Gisostola Thomson, 310
Glaucotes Casey, 216
Glomibidion Napp & Martins, 201
Glycobius LeConte, 71
Glypthaga Thomson, 336
Glyptoceridion Martins,, 121
Glyptoscapus Aurivillius, 121
Gnaphalodes Thomson, 57
Gnathacmaeops Linsley & Chemsak, 32
Gnathopraxitheia Seabra & Tavakilian, 170
Gnomibidion Martins, 202
Gnomidolon Thomson, 122
Goatacara Napp & Martins, 81
Goes LeConte, 328
Gonyacantha Thomson, 181
Gortonia Hovore, 181
Gorybia Pascoe, 138
Gounellea Lane, 268
Gounelleoeme Monné & Martins, 133
Gourbeyrella Lane, 168
Gracilia Audinet-Serville, 116
Gracililamia Breuning, 310
Graminea Thomson, 283
Grammicosum Blanchard in Orbigny, 118
Grammopsis Aurivillius, 264
Grammopsoides Breuning, 264
Grammoptera Audinet-Serville, 34
Granastychus Gilmour, 216
Grandateralphus Souza, Monne & Marinoni, 250
Graphisurus LeConte, 216
Grupiara Martins & Santos-Silva, 150
Gryllica Thomson, 284
Guarayo Botero & Santos-Silva, 349
Guayuriba Lane, 319
Gurubira Napp & Marques, 162
Guyarolea Tavakilian & Santos-Silva, 319
Gymnocerina Lane, 268
Gymnocerus Audinet-Serville, 268
Gyrpanetes Martins & Galileo, 303

H

- Hadroibidion** Martins, 193
Haenkea Tippmann, 162
Hallothamus Thomson, 304
Hamaederus Santos-Silva, García and Botero, 64
Hamatastus Gilmour, 217
Hammatoderus Gemminger & Harold, 328
Haplidoeme Chemsak & Linsley, 133
Haplidus LeConte, 118
Harringtonia Lane, 284
Haruspex Thomson, 138
Hastatis Buquet, 284
Hebestola Haldeman, 329
Hedypathes Thomson, 250
Helmina Blanchard in Gay, 310
Helvina Thomson, 264
Hemicladius Buquet, 284
Hemierana Aurivillius, 320
Hemilissa Pascoe, 139
Hemilissopsis Lane, 105
Hemiloapis Galileo & Martins, 320
Hemilocrinitus Galileo & Martins, 320
Hemilomecopteris Martins & Galileo, 320
Hemilophus Audinet-Serville, 320
Hephaestoides Zajciw, 45
Hephaestion Newman, 44
Hephialtes Thomson, 17
Hermaphroditus Santos-Silva, Perez-Flores, Bezark & Monné, 217
Hesperandra (Hesperandra) Arigony, 12
Hesperandra (Tavandra) Santos-Silva, 13
Hesperanoplium Linsley, 118
Hespereburia Tavakilian & Monné, 118
Hesperophanes Dejean, 119
Hesperophanoschema Zajciw, 119
Hesperophymatus Zajciw, 119
Hesycha Fairmaire & Germain, 337
Hesychotypa Thomson, 337
Heterachthes Newman, 194
Heteraneflus Chemsak & Linsley, 119
Heteresmia Monné, 304
Heterocompsa Martins, 195
Heteronyssicus Tavakilian & Dalens, 105
Heteropalpus Buquet, 11
Heterops Blanchard, 92
Hexacona Bates, 217
Hexocycnidolon Martins, 123
Hexoplon Thomson, 123
Hilarolea Thomson, 320
Hilaroleopsis Lane, 320
Hileolaspis Galileo & Martins, 23
Hilobotheca Monné & Martins, 289
Hippopsis Lepeletier & Audinet-Serville in Lat, 264
Hirticallia Galileo & Martins, 284
Hirtobrasilianus Fragoso & Tavakilian, 65
Hisarai Santos-Silva & Martins, 20
Hoegea Bates, 181
Holoaerenica Lane, 261
Holonotus Thomson, 30
Holopleura LeConte, 125
Homaloidion Martins, 202
Homodontus Bezark, Botero & Santos-Silva, 320
Homoeomyzo Galileo, Komiya & Santos-Silva, 14
Homoephloeus Gahan, 268
Homogenes Thomson in Chevrolat, 85
Hoplistocerus Blanchard in Orbigny, 268
Hoplistonychus Melzer, 261
Hoplocleptes Breuning, 349
Hoplogrammicosum Gounelle, 105
Hormathus Gahan, 195
Hosticus Galileo, Rosa & Santos-Silva, 115
Hovorea Chemsak & Noguera, 142
Hovorelus Galileo & Monné, 14
Hovorestenia Santos-Silva & Hovore, 9
Hovorodon Santos-Silva, Swift & Nearn, 20
Huequenina Cerda, 54
Hybodera LeConte, 125
Hydraschema Thomson, 261
Hyleoza Galileo, 24
Hylettoides Audureau, 217
Hylettus Bates, 217
Hylorus Thomson, 81
Hylotrupes Audinet-Serville, 126
Hyperplatys Haldeman, 217
Hypexilis Horn, 116
Hypocephalus Desmarest, 6
Hypomia Thomson, 352
Hypselomus Perty, 338
Hypsioma Audinet-Serville, 338

I

Ialyssus Thomson, 20
Iaquira Galileo & Martins, 339
Iareonycha Martins & Galileo, 320
Iarucanga Martins & Galileo, 320
Iatuca Galileo & Martins, 321
Ibitiruna Galileo & Martins, 321
Ibypeba Martins & Galileo, 304
Icaunauna Martins & Galileo, 321
Icelastatis Galileo & Martins, 284
Icimauna Martins & Galileo, 321
Icublabia Galileo & Martins, 304
Icupima Martins & Galileo, 321
Idephrynus Bates, 349
Ideratus Thomson, 126
Idiopidonia Swaine & Hopping, 36
Igualda Thomson, 284
Inermestola Breuning, 304
Inermestoloides Breuning, 304
Insuetaspis Galileo & Martins, 23
Ipepo Martins & Galileo, 321
Ipochnus LeConte, 349
Iquiara Martins & Galileo, 321
Iquiracetima Galileo & Martins, 309
Ironeus Bates, 105
Irundiaba Martins & Galileo, 276
Irundisaua Martins & Galileo, 250
Ischasia Thomson, 150
Ischasioides Tavakilian & Peñaherrera-Leiva, 151
Ischiocentra Thomson, 339
Ischioderes Dillon & Dillon, 339
Ischioloncha Thomson, 277
Ischionodonta Chevrolat, 162
Ischionorox Aurivillius, 68
Ischiosioma Martins & Galileo, 339
Ischnocnemis Thomson, 181
Ischnolea Thomson, 304
Ischnoleomimus Breuning, 304
Ischnophygus Thomson, 321
Isomerida Bates, 321
Isostenygra Martins & Galileo, 124
Isotomus Mulsant, 71
Isthmiade Thomson, 151
Itaclytus, 71
Itacolomi Galileo & Martins, 310
Itaituba Lane, 322

Itajutinga Martins, 250
Ites Waterhouse, 322
Itumbiara Martins & Galileo, 322
Iuaca Galileo & Martins, 105
Iuati Martins & Galileo, 68
Iurubanga Martins & Galileo, 304
Iyanola Lingafelter & Ivie, 151

J

Jamesia Jekel, 338
Jampruca Napp & Martins, 105
Jolyellus Galileo & Martins, 304
Judolia Mulsant, 36
Juiaparus Martins & Monné, 65
Juninia Lane, 322
Jupoata Martins & Monné, 65
Jurua Lane, 269

K

Kallyntrosternidius Vitali, 218
Kalore Martins & Galileo, 133
Katerinaella Vlasak & Santos-Silva, 151
Klugiatragus Clarke, Spooner & Willers, 151
Knulliana Linsley, 57
Kolonibidion Martins, 195
Kozlovellus Galileo & Santos-Silva, 163
Kuatinga Martins & Galileo, 322
Kuklimia Perez-Flores & Toledo, 305
Kunaibidion Giesbert, 201
Kyranycha Martins & Galileo, 322

L

Lachaerus Thomson, 339
Lachnia Audinet-Serville, 339
Laedorcari Santos-Silva, Clarke & Martins, 151
Lagocheirus Dejean, 218
Lamacoscylus Martins & Galileo, 322
Lamiessa Bates, 305
Lanephus Martins, 105
Lapazina Lane, 322
Laraesima Thomson, 293
Lasiogaster Gahan, 24
Lasiolepturges Melzer, 219
Lathroeus Thomson, 219

Lathusia Zajciw, 163
Laticranium Lane, 332
Lautarus Germain,, 56
Lembu Galileo, Martins & Santos-Silva, 95
Leptacmaeops Casey, 32
Leptalia LeConte, 46
Leptochoriolaus Chemsak & Linsley, 37
Leptocometes Bates, 219
Leptophaula Breuning, 277
Leptorhabdium Kraatz, 50
Leptostylopsis Dillon, 220
Leptostylus LeConte, 221
Leptura (Leptura) Linnaeus, 37
Lepturdrys Gilmour, 222
Lepturgantes Gilmour, 223
Lepturges (Chaeturges) Gilmour, 223
Lepturges (Lepturges) Bates, 223
Lepturginus Gilmour, 225
Lepturgotrichona Gilmour, 225
Lepturobosca (Cosmosalia) Casey, 37
Lepturopsis Linsley & Chemsak, 37
Lesbates Dillon & Dillon, 339
Lethes Zayas, 225
Leus Dillon & Dillon, 339
Lianema Fall, 116
Liberadaxia Alten, Alten & Ramey, 133
Licracantha Lingafelter, 168
Limernaea Thomson, 133
Limozota Pascoe, 115
Lingafelterellus Santos-Silva & Galileo, 106
Lingafelteria Nearn & Tavakilian, 339
Linsleychroma Giesbert, 59
Linsleyonides Skiles, 106
Liosteburia Tavakilian & Monné, 119
Liostola Zajciw, 119
Liosynaphaeta Fisher, 333
Lissoeme Martins, Chemsak & Linsley, 95
Lissonomimus Viana & Martinez, 182
Lissonoschema Martins & Monné, 182
Lissonotus Dalman in Schoenherr, 126
Lissonotypus Thomson, 182
Lissozodes Bates, 130
Listroptera Audinet-Serville, 163
Lithargyrus Martins & Monné, 225
Lochmaeocles Bates, 340
Lochmodocerus Burne, 329
Longilepturges, 225

Lophalia Casey, 182
Lophaliomorpha Eya, 182
Lophobothra Monné, Monné & Botero, 289
Lophopoenopsis Melzer, 225
Lophopoeum Bates, 226
Lophopogonius Linsley, 352
Lophoschema Monné, 170
Luctithonus Lingafelter, 226
Luscosmodicum Martins, 127
Lustrocomus Martins & Galileo, 284
Luteolepturges Monné & Monné, 226
Lycaneptia Thomson, 322
Lycidocerus Chemsak & Linsley, 37
Lycidola Thomson, 323
Lycochoriolaus Linsley & Chemsak, 37
Lycomimus Melzer, 323
Lycomorphoides Linsley, 38
Lydipta Thomson, 340
Lygistopteroides Linsley & Chemsak, 38
Lygrocharis Melzer, 151
Lypsimena Haldeman, 352

M

Macellidiopygus Gounelle, 170
Macrambyx Fragoso, 68
Macrochoriolaus Linsley, 38
Macrodonia Lacordaire, 19
Macroeme Aurivillius, 133
Macronemus Dejean, 250
Macropophora Thomson, 257
Maesicus Audureau, 106
Magaliella Galileo & Martins, 106
Maisi Zayas, 349
Makromastax Santos-Silva, Botero & Le Tirant, 119
Malacopterus Audinet-Serville, 134
Malacoscyllus Thomson, 323
Malcho Mondaca & Beeche, 119
Mallaspis Audinet-Serville, 23
Mallocera Audinet-Serville, 106
Mallodon Lacordaire, 20
Mallodonhoplus Thomson, 21
Mallodonopsis Thomso, 21
Mallosoma Audinet-Serville, 85
Malobidion Schaeffer, 119
Malthonea Thomson, 305

- Mannophorus** LeConte, 182
Marauna Martins & Galileo, 131
Marensis Dillon & Dillon, 340
Mariliana Lane, 323
Maripanus Germain, 81
Martinsellus Huedepohl, 182
Martinsia Chemsak & Linsley, 134
Marupiara Martins & Galileo, 164
Mauesia Lane, 332
Mecas (Dylobolus) Thomson, 317
Mecas (Mecas) LeConte, 358
Mecas (Pannychis) Thomson, 360
Mecasoma Chemsak & Linsley, 361
Mecometopus Thomson, 71
Mecosarthron Buquet, 21
Mecotetartus Bates, 226
Mecynome Bates, 350
Megabasis Audinet-Serville, 333
Megacera Audinet-Serville, 265
Megaceron Martins, 201
Megacheuma Mickel, 72
Megachoriolaus Linsley, 38
Megacyllene, 72
Megamiros Audureau, 251
Meganeflus Linsley, 106
Meganoplum Linsley, 119
Megapedion Martins, 202
Megapurpuricenus Eya, 182
Megasemum Kraatz, 51
Megobrium LeConte, 125
Megosmidus Hovore, 119
Melathemma Bates, 68
Meloomorpha Chemsak & Linsley, 38
Melzerella Costa Lima, 262
Melzerina Lane, 323
Mendesina Lane, 45
Mephritus Pascoe, 106
Meridiotroctes Martins & Galileo, 251
Meriellum Linsley, 61
Meringodes, 163
Merionoedopsis Gounelle, 129
Merocoremia Marques, 163
Meroscelisus Audinet-Seville, 24
Meryeurus Martins & Galileo, 95
Mesestola Breuning, 284
Metacmaeops Linsley & Chemsak, 34
Metacriodion Fragoso, 68
Metaleptus Bates, 182
Metalloeme Touroult, Dalens & Tavakilian, 134
Metaphrenon Martins, 165
Methia Newman, 127
Methicula Chemsak & Linsley, 130
Methioeme Zajciw, 134
Methioides Chemsak & Linsley, 134
Metironeus Chemsak, 107
Metopocoilus Audinet-Serville, 183
Mexicoscylus, 323
Micatocomus Galileo & Martins, 284
Michthisoma LeConte, 52
Micraneflus Linsley, 107
Micranoplum Linsley, 107
Micratelodesmis Martins & Galileo, 305
Microcanus Dillon & Dillon, 340
Microcleptes Newman, 350
Microclytus LeConte, 55
Microgoes Casey, 329
Microibidion Martins, 195
Micropelta Zajciw, 183
Microplia Audinet-Serville, 226
Microplophorus Blanchard in Gay, 25
Micropsyrassa Linsley, 107
Microteroschema Eya, 183
Midamiella Monné, 340
Migdolus Westwood, 5
Migmocera Martins, 140
Migorybia Martins, 140
Miguelia Galileo & Martins, 284
Miguellus Santos-Silva, Galileo & McClarin, 290
Miguelmonneus Silva Junior, Haseyama & Souza, 251
Miltesthus Bates, 107
Mimasyngenes Breuning, 305
Mimestola Breuning, 305
Mimiptera Linsley, 38
Mimochariergus Zajciw, 81
Mimoeme Chemsak & Linsley, 134
Mimolaia Bates, 285
Mimolochus Thomson, 329
Mimommata Peñaherrera-Leiva & Tavakilian, 151
Mimonneticus Monné & Napp, 172
Mimopogonius Breuning, 305
Minibidion Martins, 202
Minipsyrassa Martins, 107

Mionochroma Schmidt, 59
Mirador Martins, 95
Miriclytus, 73
Miriochrus Galileo & Martins, 251
Mocoiasura Martins & Galileo, 323
Molitones Gounelle, 183
Molorchus Fabricius, 129
Moneilema Say, 226
Monnechroma Napp & Martins, 59
Monnecles Napp & dos Santos, 85
Monneella Martins, 87
Monneellus Huedepohl, 183
Monneoncideres, 341
Monnetyra Galileo & Martins, 305
Monneus Magno, 152
Monochamus Dejean, 329
Monodesmus Audinet-Serville, 25
Montesia Lane, 262
Monzonía Giesbert, 196
Mordellistenomimus Chemsak & Linsley, 38
Morphaneplus Martins & Napp, 107
Morvanica Audureau & Santos-Silva, 310
Mundeu Martins & Galileo, 251
Murupeaca Martins & Galileo, 323
Murupi Martins & Galileo, 306
Muscidora Thomson, 183
Mutilon Botero, Galileo & Santos-Silva, 14
Muxbalia Giesbert & Chemsak, 163
Mygalobas Chevrolat, 168
Myopsocometes Santos-Silva & Tavakilian, 10
Myoxinus Bates, 251
Myoxomorpha White, 251
Myrmeocorus Martins, 131
Mysteria Thomson, 6
Myzomorphus Sallé, 14

N

Nagma Bezark & Santos-Silva, 285
Nanilla Fleutiaux & Sallé, 350
Nanustes Gilmour, 228
Nappella Santos-Silva, Nascimento & Drumont, 285
Nathriobrium Hovore, 142
Nathrius Bréthes, 143
Navosoma Blanchard, 17

Nealcidion Monné, 228
Neandra Lameere, 12
Neaneplus Linsley, 107
Neanthophylax Linsley & Chemsak, 46
Necalplus Lane, 251
Necydalis Linnaeus, 45
Necydalopsis Blanchard in Gay, 130
Necydalosaurus Tippmann, 134
Neholopterus Martins & Monné, 142
Nemognathomimus Chemsak & Linsley, 38
Neoachryson Monné & Monné, 54
Nealosterna Podany, 38
Neoamphion Monné, 265
Neobaryssinus Monné & Martins, 229
Neobellamira Swaine & Hopping, 39
Neobrachychilus Monné, 351
Neocherentes Tippmann, 341
Neochrysopraxis Franz, 183
Neoclytus Thomson, 74
Neocolobura Monné, 306
Neocompsa Martins, 196
Neocoridolon Melzer, 131
Neocorus Thomson, 131
Neocrossidius Chemsak, 183
Neoctoplon Martins, 201
Neodillonía Monné & Fragoso, 341
Neoeburia Galileo & Martins, 93
Neoeme Gounelle, 134
Neoeutrypanus Monné, 229
Neogalissus Monné & Martins, 183
Neognomidolon Martins, 124
Neohebestola Marinoni, 310
Neohoplonotus Monné, 350
Neohylus Monné, 341
Neoibidion Monné, 201
Neolampedusa Monné, 341
Neoleptura Thomson, 39
Neoma, 21
Neomallocera Martins & Napp, 107
Neomallodon Linsley, 21
Neomegaderus Monné, 183
Neomoema Martins & Galileo, 324
Neopalame Martins & Monné, 230
Neoperiboeum Linsley, 107
Neophygopoda Melzer, 152
Neopibanga Martins & Galileo, 309
Neopoeciloderma Monné & Martins, 85

Neopotiatuca Martins & Galileo, 201
Neoptychodes Dillon & Dillon, 330
Neoregostoma Monné & Giesbert, 152
Neospondylis Sama, 52
Neotaphos Fisher, 184
Neothomasella Santos-Silva & Bezark, 152
Neotillomorpha Miroshnikov, 168
Neotropidion Martins, 203
Neoxela Botero, Bezark & Santos-Silva, 128
Neoxoplus Eya, 184
Neozodes Zajciw, 130
Nepagyrtes Martins & Galileo, 306
Nephalioides Linsley, 107
Nephalius Newman, 107
Nesanoplium Chemsak, 108
Neseuterpia Villiers, 230
Nesiosphaerion Martins & Napp, 108
Nesodes Linsley, 108
Nesoeme Linsley & Chemsak, 134
Nesophanes Chemsak, 119
Nesosmodicum Martins, 165
Nesozineus Linsley & Chemsak, 251
Nicias Thomson, 15
Niophis Bates, 95
Nivellia Mulsant, 39
Nocalusa Santos-Silva & Galileo, 15
Nodubothea Monné & Monné, 290
Noguerana Chemsak & Linsley, 184
Nothopleurus Lacordaire, 21
Nothoprodontia Monné & Monné, 184
Notosphaeridion Martins, 124
Novantinoe Santos-Silva & Hovore, 9
Noxnympha Nascimento, Santos-Silva & Barclay, 252
Nubosoplatus Swift, 144
Nyctonympha Thomson, 310
Nyssicostylus Melzer, 108
Nyssicus Pascoe, 108
Nyssocarinus Gilmour, 230
Nyssodrysilla Gilmour, 230
Nyssodrysternum Gilmour, 230

O

Oberea Mulsant, 359
Obereoides Fisher, 311
Obrium Dejean, 131

Obscenoides Nascimento & Santos-Silva, 306
Ochraethes Chevrolat, 75
Ochrodion Fragoso, 68
Ochromima Bates, 324
Ochrus Lacordaire, 119
Ocoa Lane, 324
Ocroeme Martins, Chemsak & Linsley, 134
Octotapnia Galileo & Martins, 252
Oculipetilus Santos-Silva & Hovore, 10
Odontocera Audinet-Serville, 152
Odontocroton Clarke, 153
Odontogracilis Clarke, 154
Odontomelitta Clarke, 154
Odontozineus Monne, 231
Oectropsis Blanchard in Gay, 353
Oedopeza Audinet-Serville, 231
Oedudes Thomson, 324
Oeme Newman, 134
Oiceaca Martins & Galileo, 306
Oideterus Thomson, 15
Okamira Galileo & Martins, 324
Olenosus Bates, 232
Olexandrella Zajciw, 87
Olivensa Lane, 324
Ommata White, 154
Ommidion Newman, 137
Omorfia Monné et. al., 232
Omosarotes Pascoe, 256
Onalcidion Thomson, 232
Oncideres Lacordaire, 341
Oncideres Martins & Galileo, 344
Onocephala Sturm, 345
Onychocerus Lacordaire, 269
Opacibidion Martins, 203
Ophtalmibidion Martins, 201
Ophtalmoplion Martins, 124
Ophthalmocydrus Aurivillius, 357
Oplosia Mulsant, 252
Opsibidion Martins, 197
Opsimus Mannerheim, 136
Optomerus Giesbert, 154
Oraphanes Chemsak & Linsley, 120
Oregostoma Audinet-Serville, 154
Oreodera Audinet-Serville, 257
Orion Guérin-Méneville, 108
Ornistomus Thomson, 154
Ornithia Thomson, 87

Oropyrodes Galileo & Martins, 23
Oroxenofrea Galileo & Martins, 364
Orthochoriolaus Linsley & Chemsak, 39
Ortholeptura Casey, 39
Orthomegas, 17
Orthosoma Audinet-Serville, 26
Orthostoma Lacordaire, 81
Orwellion Skiles, 108
Oskayia Perez-Flores & Santos-Silva, 277
Osmidus LeConte, 120
Osmopleura Linsley, 55
Otheostethus Bates, 15
Othnocerus Martins, 140
Oxathres Bates, 232
Oxathridia Gilmour, 232
Oxycoleus Lacordaire, 136
Oxylymma Pascoe, 154
Oxymerus Dupont in Audinet-Serville, 184
Oxyommata Zajciw, 155
Oxypeltus Blanchard in Gay, 5
Ozineus Bates, 232
Ozodera Dupont, 184
Ozodes Audinet-Serville, 130
Ozotroctes Bates, 252

P

Pachymerola Bates, 125
Pachypeza Audinet-Serville, 266
Pachyta Dejean, 47
Palaeotrachyderes Tippmann, 185
Palame Bates, 232
Paleohemilophus Martins & Galileo, 324
Palpibidion Martins & Galileo, 201
Palpicrassus Martins & Galileo, 277
Panamapoda Clarke, 155
Pandemicus Bezark & Santos-Silva, 285
Pandrosos Bates, 155
Panegyrtes Thomson, 306
Pannychella Gilmour, 360
Pannychina Gilmour, 317
Pantomallus Lacordaire, 93
Pantonyssus Bates, 108
Parabaryssinus Monne, 233
Parabatyle Casey, 185
Parablabicentrus Dalens, Touroult & Tavakilian, 306
Paracallia Martins & Galileo, 285

Parachalastinus Galileo & Martins, 269
Parachorenta Delahaye & Santos-Silva, 18
Paracleodoxus Monne & Monne, 233
Paracometes Villiers, 10
Paracompsa Martins, 197
Paracompsosoma Breuning, 293
Paracorupella Martins & Galileo, 120
Paracriodion Fragoso, 68
Paradesmiphora Breuning, 306
Paradiscopus Schwarzer, 252
Paradrycothaea Galileo & Martins, 285
Paraeclipta, 155
Paraesylacris Breuning, 277
Paraethecerus Bruch, 185
Paragortonia Chemsak & Noguera, 185
Parahephaestion Melzer, 45
Paraholopterus Cerda & Cekalovic, 137
Paralcidion Gilmour, 233
Paraleptidea Gounelle, 143
Paraliostola Tavakilian & Monné, 120
Paralissoeme Dalens & Touroult, 96
Paramannophorus Eya, 185
Paramartinsia Martins & Galileo, 135
Paramelitta Clarke, 155
Paramigdolus Dias, 5
Parananilla Breuning, 350
Parandra (Birandra) Santos-Silva, 11, 12
Parandra (Parandra) Latreille, 12
Parandraceps Giesbert, 120
Paraniophis Dalens & Touroult, 96
Paranisopodus Monné & Martins, 233
Paranoplium Casey, 135
Paranyssicus Martins, 109
Parapantonyssus Galileo & Martins, 109
Parapeba Galileo & Martins, 324
Paraphygopoda Clarke, 155
Paraprobatius Breuning, 233
Parapythais Monné, 293
Parasemnus Martins, 137
Parasemolea Martins & Galileo, 285
Parasphaerion Martins & Napp, 109
Parasphallenum Fragoso, 68
Parastizocera Linsley, 109
Parastrongylaspis Giesbert, 21
Paratemnopsis Martins, 135
Paratenthra Monné, 233
Paratessaropa Zajciw, 128
Paratetroplon Audureau, 124

- Parathetesis** Linsley, 185
Paratiaia Dalens & Giuglaris, 65
Paratimia Fisher, 52
Paratrachysomus Monné & Fragoso, 345
Paratrichonius, 233
Paratritania Breuning, 345
Parauna Lane, 324
Parelaphidion Skiles, 109
Parepectasoides Breuning, 357
Parepimelitta Bruch, 130
Parestola Bates, 306
Parevander Aurivillius, 185
Parischasia Tavakilian & Peñaherrera-Leiva, 155
Parischnolea Breuning, 306
Parmakanthion Heffern & Santos-Silva, 350
Parmena Dejean, 350
Parmenosoma Schaeffer, 350
Paroectropsis Cerda, 306
Paroecus Bates, 233
Parommidion Martins, 117
Paromoeocerus Gounelle, 206
Paroxoplus Chemsak, 185
Parozodera Bruch, 185
Parozodes Aurivillius, 163
Parunxia Napp, 206
Pasiphyle Thomson, 155
Pathocerus Waterhouse, 6
Pattalinus (Pattalinus) Bates, 233
Pempteurys Bates, 55
Penaherreraus Roguet, 252
Penichroa Stephens, 117
Pentanodes Schaeffer, 168
Pentheochaetes Melzer, 233
Perarthrus LeConte, 185
Periboeum Thomson, 109
Pericasta Dillon & Dillon, 345
Periergates Lacordaire, 345
Periestola Breuning, 234
Perigracilia Linsley, 117
Perilasius Bates, 120
Perissomerus Gounelle, 203
Peritapnia Horn, 253
Peritrox Bates, 345
Pertyia Aurivillius, 234
Peruanus Tippmann, 65
Phacellocera Laporte, 269
Phacellocerina Lane, 269
Phacellus Dejean, 351
Phaea Newman, 362
Phaedinus Dupont in Audinet-Serville, 185
Phantazoderus Fairmaire & Germain, 56
Pharcidodes Martins, 140
Phaula Thomson, 262
Phespia Bates, 155
Philematium Thomson, 60
Phimosia Bates, 186
Phocibidion Martins, 203
Phoebe Audinet-Serville, 324
Phoebella Lane, 325
Phoebemima Tippmann, 262
Phoenicus Lacordaire, 186
Phoenidnus Pascoe, 186
Phoracantha Newman, 137
Phrissolaus Bates, 234
Phryneta Dejean, 351
Phrynidius Lacordaire, 277
Phrynocris Bates, 120
Phrynoeme Martins, 135
Phygomelitta Clarke, 156
Phygopoda Thomson, 156
Phygopoides Peñaherrera-Leiva & Tavakilian, 156
Phymatoderus Blanchard in Orbigny, 120
Phymatodes (Phymatodes) Mulsant, 61
Physocnemum Haldeman, 63
Physopleurus Lacordaire, 21
Piampatara Martins & Galileo, 285
Pibanga Galileo & Martins, 309
Pidonia (Ceratopidonia) Linsley & Chemsak, 46
Pidonia (Pidonia) Mulsant, 46
Pidonia (Thesalia) Casey, 47
Piesacus Galileo, 15
Piezarina Martins, 140
Piezasteria Martins, 140
Piezocera Audinet-Serville, 140
Piezochaerus Melzer, 234
Piezogenista Martins, 140
Piezophidion Galileo & Martins, 110
Piezosecus Martins & Galileo, 120
Piimuna Martins & Galileo, 307
Pilisphaerion Martins & Napp, 110
Pilostenaspis Eya, 186
Piodes LeConte, 48

- Piola** Marinoni, 351
Pirangoclytus, 76
Piratiniga Galileo & Martins, 325
Piriana Santos-Silva, Galileo & McClarin, 290
Piruana Galileo & Martins, 307
Piruanycha Martins & Galileo, 325
Piruapsis Galileo & Martins, 130
Placoclytus Chemsak & Linsley, 77
Placoeme Chemsak & Linsley, 135
Placoschema Chemsak & Hovore in Eya, 186
Placosternus Hopping, 77
Plagiosarus Bates, 253
Planopus Bosq, 45
Platerosida Linsley, 39
Platyarthron Guérin-Ménéville, 141
Platysternus Dejean, 269
Plaumanniella Fisher, 350
Plectrocerum Dejean, 85
Plectrodera Dejean, 330
Plectromerus Haldeman, 141
Plectrura Mannerheim, 350
Pleiarthrocerus Bruch, 142
Plerodia Thomson, 345
Plesioclytus Giesbert, 142
Pleuromenus Bates, 186
Plinthocoelium Schmidt, 60
Plionoma Casey, 186
Plistonax Thomson, 253
Plocaederus Megerle, in Dejean, 65
Pnigomenus Bosq, 63
Poecilium Fairmaire, 63
Poecilobrium Horn in LeConte & Horn, 116
Poeciloderma White, 85
Poecilomallus Bates, 110
Poecilopeplus Dejean, 186
Poecilopyrodes Galileo & Martins, 23
Poeciloxestia Lane, 68
Poekilosoma Audinet-Serville, 15
Pogonillus Bates, 307
Pogonocherus (Pogonocherus) Dejean, 353
Poliaenus Bates, 353
Polyzoa Audinet-Serville,, 25
Polyrhaphis Audinet-Serville, 354
Polyschisis Audinet-Serville, 186
Polytuberotum Pineda & Cid-Arcos, 333
Porangonycha Martins & Galileo, 325
Potiaete Martins & Galileo, 120
Potiapua Napp & Monné, 163
Potiapunga Galileo & Martins, 325
Potiatuca Galileo & Martins, 277
Potiaxixa Martins & Monné, 66
Poticuara Martins & Galileo, 325
Potisangaba Napp & Martins, 85
Praemallaspis Galileo & Martins, 23
Praxithea Thomson, 170
Pretilia Bates, 354
Prionacalus White, 26
Prionapterus Guérin-Ménéville, 16
Prionus (Antennalia) Casey, 27
Prionus (Homaesthesia) LeConte, 27
Prionus (Neopolyarthron) Semenov, 27
Prionus (Prionus) Geoffroy, 27
Prionus (Trichoprionus) Fragoso & Monné, 29
Priscatoides Dillon & Dillon, 345
Priscilla Thomson, 290
Proanobrium Roguet, 357
Proanthophylax Zamoroka, 46
Probatiomimus Melzer, 236
Proceroblesthis Galileo & Martins, 311
Prodontia Audinet-Serville, 186
Proeme Martins, 135
Proholopterus Monné, 142
Prohylus Martins & Galileo, 345
Prolepturges Roguet, 236
Pronocera Motschulsky, 63
Pronoplion Martins, 124
Pronuba Thomson, 93
Propantodice Franz, 262
Proplerodia Martins & Galileo, 345
Prosenella Lane, 277
Proseriphus Monné, 236
Prosternodes Thomson, 30
Prothoracibidion Martins, 201
Protomallocera Martins & Napp, 110
Protorma Waterhouse, 22
Protosphaerion Gounelle, 110
Protuberotum Barriga & Cepeda, 81
Protumida Monne & Wappes, 307
Proxatrypanius Gilmour, 236
Psalidognathus Gray in Griffith, 28
Psapharoctes Tavakilian & Neouze, 253
Psenocerus LeConte, 307

Pseudacorethra Tavakilian & Penaherrera-Leiva, 156
Pseudaethomerus Tippmann, 253
Pseudagaone Tippmann, 156
Pseudastylopsis Dillon, 236
Pseudeburia Botero, 57
Pseudegalicia Galileo & Martins, 325
Pseudepectasis Breuning, 278
Pseudestola Breuning, 307
Pseudestoloides Breuning & Heyrovsky, 307
Pseudisthmiade Tavakilian & Peñaherrera-Leiva, 156
Pseudobeta Zajciw, 345
Pseudocephalus Newman, 143
Pseudocobelura Martins & Monné, 237
Pseudocolynthaea Martins, 140
Pseudocometes Villiers, 11
Pseudocriopsis Melzer, 237
Pseudodeltaspis Linsley, 186
Pseudoeriphus Zajciw, 187
Pseudogaurotina Plaviltstshikov, 31
Pseudogisostola Fontes & Martins, 311
Pseudogrammopsis Zajciw, 266
Pseudolepturges Gilmour, 237
Pseudolinda Breuning, 360
Pseudomallocera Zajciw, 110
Pseudomecas Aurivillius, 262
Pseudomethia Linsley, 128
Pseudopathocerus Dias, 6
Pseudoperiboeum Linsley, 110
Pseudoperma Dillon & Dillon, 346
Pseudophaula Lane, 262
Pseudophimosia Delfino, 187
Pseudophistomis Linsley & Chemsak, 39
Pseudophygopoda Tavakilian & Penaherrera-Leiva, 156
Pseudopilema Linsley, 125
Pseudoplon Martins, 124
Pseudosparna Mermudes & Monne, 237
Pseudostenaspis Melzer, 187
Pseudostrangalia Swaine & Hopping, 39
Pseudotacocha Martins & Galileo, 325
Pseudotaeniotes Dillon & Dillon, 330
Pseudotapnia Chemsak & Linsley, 253
Pseudothornalmus Guerrero, 85
Pseudotypocerus Linsley & Chemsak, 39
Pseudoxystoleus Sama, 48

Psiloibidion Martins, 203
Psygmatocherus Perty, 170
Psyllotoxoides Breuning, 346
Psyrrassa Pascoe, 110
Psyrrassaforma Chemsak, 111
Pteracantha Newman, 187
Ptericoptomimus Melzer, 307
Ptericoptus Lacordaire, 278
Pteridotelus White, 253
Pterolophosoma Vitali, 307
Pteroplatidius Linsley, 187
Pteroplatus Buquet, 144
Pteroplius Lacordaire, 357
Ptychodes Audinet-Serville, 330
Puanama Galileo & Martins, 309
Pubescibidion Martins, 197
Pucallpa Lane, 237
Punctozotroctes Tavakilian & Neouze, 254
Purpuricenopsis Zajciw, 85
Purpuricenus Dejean, 187
Purusia Lane, 325
Purusiella Dalens, Touroult & Tavakilian, 325
Pycnomorphidiellus Tavakilian & Peñaherrera-Leiva, 254
Pygmaleptostylus Gilmour, 237
Pygmodeon Martins, 197
Pygoleptura Linsley & Chemsak, 39
Pyrianoreina Martins & Galileo, 254
Pyrodes Audinet-Serville, 24
Pyrpotyra Santos-Silva, Martins & Clarke, 156
Pythais Thomson, 293

Q

Quatiara Lane, 326
Quercivir Lameere, 25
Quiacaua Martins, 93
Quirimbaia Martins & Galileo, 326
Quissunego Santos-Silva & Bezark, 237

R

Rachidion Audinet-Serville, 187
Raglicia Martins, Galileo & Santos-Silva, 117
Ranqueles Gounelle, 57

Rashelapso Clarke, Martins & Santos-Silva, 156
Recchia Lane, 263
Retrachydes Huedepohl, 187
Rhachicolus Galileo, 16
Rhagium Fabricius, 48
Rhaphiptera Audinet-Serville, 358
Rhaphipteroides Touroult & Tavakilian, 358
Rhathymoscelis Thomson, 45
Rhinobatesia Clarke, 156
Rhinotragus Germar, 156
Rhodocharis Lacordaire, 16
Rhodoleptus Linsley, 187
Rhomboidederes Zajciw, 112
Rhopalessa Bates, 157
Rhopaliella Monné, 164
Rhopalophora Audinet-Serville, 164
Rhopalophorella Linsley, 164
Rhysium Pascoe, 201
Rierguscha Viana, 206
Rileyellus Wappes & Santos-Silva, 307
Romulus Knull, 112
Ropalopus Mulsant, 63
Rosalba Thomson, 278
Rosalbopsis Galileo & Santos-Silva, 307
Rosalia (Rosalia) Audinet-Serville, 82
Rostroclytus, 77
Rumacon Blackwelder, 263
Rumuara Martins & Galileo, 285

S

Sachalinobia Jacobson, 49
Saepiseuthes Thomson, 311
Saltanecydalopsis Barriga & Cepeda, 157
Sangaris Dalman, 290
Saperda (Compsidia) Mulsant, 360
Saperda (Saperda) Fabricius, 360
Sarifer Kirsch, 25
Sarillus Bates, 279
Sarosesthes Thomson, 77
Satipoella Lane, 269
Scapanopygus Gounelle, 57
Scaphinus LeConte, 52
Scatopyrodes Galileo & Martins, 24
Schiacallia Galileo & Martins, 285
Schizax LeConte, 188

Schmidarius Santos-Silva, Heffern, Botero & Nascimento, 326
Schreiteria Melzer, 350
Sciadosoma Melzer, 237
Sciocyrtinus Fisher, 294
Scleronotus White, 254
Scolochilus Monné, 351
Scopadus Pascoe, 256
Scythroleus Bates, 188
Scythropopsis Thomson, 254
Seabraellus Huedepohl, 188
Seabraia Zajciw, 188
Seabriella Zajciw, 188
Semanotus Mulsant, 63
Sepaicutea Lane, 135
Seticeros Perger & Santos-Silva, 18
Sibapipunga Martins & Galileo, 326
Simplexeburia Martins & Galileo, 93
Skillmania Santos-Silva, Nascimento & Wappes, 279
Smaragdion Martins, 203
Smodicum Haldeman, 165
Solangebira Santos-Silva, Botero & Nascimento, 85
Solangella Martins, 93
Solenoptera Audinet-Serville, 30
Soluta Lacordaire, 353
Sorelia Lane, 255
Spalacopsis Newman, 266
Sparna Thomson, 291
Spathoptera Audinet-Serville, 326
Spathopygus Lacordaire, 171
Sphaenothecus Dupont, 188
Sphaerioeme Martins & Napp, 112
Sphaerion Audinet-Servill., 112
Sphaerionillum Bates, 112
Sphallambyx Fragoso, 69
Sphallenopsis Fragoso, 69
Sphallenum Bates, 69
Sphalloeme Melzer, 135
Sphallonycha Bates, 285
Sphallopatara Audureau & Morvan, 285
Sphallopataroides Lanuza-Garay, 291
Sphallopterus Fragoso, 69
Sphallotrichus Fragoso, 69
Sphecomorpha Newman, 157
Sphenostethus Haldeman, 31
Spiloprionus Aurivillius, 18

Spinestoloides Breuning, 307
Spinoblesthis Galileo & Martins, 311
Spinoplion Napp & Martins, 124
Spinozotroctes Tavakilian & Neouze, 255
Spiritusellus Monne & Santos-Silva, 237
Sporetus Bates, 237
Steinheilia Lane, 188
Steirastoma Lacordaire, 255
Stenaspis Audinet-Serville, 188
Stenelaphus Linsley, 112
Stenelytrana Gistel, 40
Stenobatyle Casey, 189
Stenochariergus Giesbert & Hovore, 157
Stenocorus (Eutoxotus) Casey, 49
Stenocorus (Stenocorus) Geoffroy, 49
Stenodontes Audinet-Serville, 22
Stenoeme Gounelle, 135
Stenoidion Martins, 198
Stenolis Bates, 238
Stenophantes Burmeister, 142
Stenopseustes Bates, 157
Stenorhopalus Blanchard in Gay, 45
Stenosphenus Haldeman, 112
Stenostrophia Casey, 40
Stenygra Audinet-Serville, 124
Stereomerus Melzer, 308
Sternacanthus Audinet-Serville, 189
Sternacutus Gilmour, 238
Sternidius LeConte, 239
Sternidocinus Dillon, 240
Sternycha Dillon & Dillon, 346
Stethoperma Lameere, 346
Sthelenus Buquet, 130
Stictoleptura Casey, 40
Stictosomus Audinet-Serville, 18
Stiphilus Buquet, 189
Stizocera Audinet-Serville, 113
Strangalepta Casey, 40
Strangalia Audinet-Serville, 40
Stratone Thomson, 86
Streptolabis Bates, 189
Strioderes Giorgi, 346
Stromatium Audinet-Serville, 120
Strongylaspis Thomson, 22
Strophiona Casey, 42
Stultutragus Clarke, 158
Styliceps Lacordaire, 93
Styloleptoides Chalumeau, 240

Styloleptus Dillon, 240
Styloxus LeConte, 128
Suipinima Martins & Galileo, 263
Sulcograccia Bezark & Santos-Silva, 117
Sulcommata Peñaherrera-Leiva & Tavakilian, 158
Sulpitus Dillon & Dillon, 346
Susuacanga Martins, 93
Susuanycha Galileo & Martins, 326
Sybaguas Martins & Galileo, 326
Sybra Pascoe, 279
Sychnomerus Bates, 255
Sydax Lacordaire, 166
Syllitus Pascoe, 165
Sympagus Bates, 241
Symperasmus Thomson, 255
Symperga Lacordaire, 279
Sympergoides Lane, 280
Sympleurotis Bates, 291
Synaphaeta Thomson, 333
Sypilus Guérin-Méneville, 6

T

Tabatinga Lane, 326
Tacyba Napp & Martins, 86
Taelosilla Thomson, 308
Taeniotes Audinet-Serville, 331
Tamenes Gounelle, 189
Tanyochraethes Chemsak & Linsley, 77
Tapeina Lepeletier & Audinet-Serville in Latreille, 361
Tapuruia Lane, 125
Tarapiampa Martins & Galileo, 326
Taurolema Thomson, 332
Taurorcus Thomson, 256
Taygayba Martins & Galileo, 57
Temnopsis Audinet-Serville, 136
Tenthreas Thomson, 241
Terpnissa Bates, 114
Tesapeus, 308
Tessarecphora Thomson, 293
Tetamauara Martins & Galileo, 326
Tetanola Bates, 326
Tethlimmena Bates, 137
Tethystola Thomson, 280
Tetraibidion Martins, 125
Tetranodus Linell, 169

- Tetraopes** Dalman in Schoenherr, 363
Tetraopidion Martins, 201
Tetrarpages Thomson, 280
Tetrasarus Bates, 256
Tetropium Kirby in Richardson, 51
Tetroplon Aurivillius, 125
Tetrops Stephens, 364
Thalusia Thomson, 164
Thaumasus Reiche, 171
Thecladoris Gounelle, 120
Thelgetra Thomson, 144
Themistonoe Thomson, 327
Thomsonista Nearn & Nascimento, 346
Thoracibidion Martins, 203
Thouvenotiana Peñaherrera-Leiva & Tavakilian, 158
Thrichocalydon Bosq, 64
Thryallis Thomson, 269
Thyellocerus Martins, 140
Thysia Dalman, 166
Tibiosioma Martins & Galileo, 346
Tigrinestola Breuning, 308
Tilloclytus Bates, 55
Tilloglomus Martins, 169
Tillomorpha Blanchard in Gay, 169
Tillomorphites Vitali, 2011, 169
Timabiara Napp & Mermudes, 164
Timbaraba Monné & Napp, 58
Tippmannia Monné, 120
Titanus Audinet-Serville, 29
Tobipuranga Napp & Martins, 86
Tomentgaurotes Podan, 48
Tomopterchasia Clarke, 158
Tomopteropsis Peñaherrera-Leiva & Tavakilian, 158
Tomopterus Audinet-Serville, 158
Tomrogersia Fragoso, 241
Torneucerus Martins & Monné, 171
Torneutes Reich, 171
Torneutopsis Martins & Monné, 171
Toronaeus Bates, 241
Touroultia Nearn & Tavakilian, 346
Toxoleptura Miroshnikov, 42
Toxotopsis Casey, 50
Trachelissa Aurivillius, 189
Trachyderes (Trachyderes) Dalman in Schoenherr, 189
Trachyderomorpha Tippmann, 190
Trachysomus Audinet-Serville, 346
Tragidion Audinet-Serville, 190
Tragosoma Audinet-Serville, 25
Trestoncideres Martins & Galileo, 347
Trestonia Buquet, 347
Triacetelus Bates, 190
Trichalcidion Monné & Delfino, 241
Trichalphus Bates, 241
Trichepectasis Breuning, 358
Trichestola Breuning, 308
Tricheurymerus Zajciw, 96
Trichillurges Gilmour, 242
Trichoanoreina Julio & Monné, 256
Trichocanonura Dillon, 242
Trichocnemis LeConte, 18
Trichoderes Chevrolat, 25
Trichoferus Wollaston, 121
Trichohippopsis Breuning, 266
Trichomauesia Dalens, Giuglaris & Tavakilian, 332
Trichonius Bates, 242
Trichoparmenonta Breuning, 280
Trichophoroides Linsley, 114
Trichoplon Martins, 125
Trichotithonus Monné, 242
Trichoxys Chevrolat, 77
Trichrous Chevrolat, 86
Trigonarthris Haldeman, 43
Trigonocephalus White, 270
Triodoclytus Casey, 78
Tristachycera Bates, 136
Tritania Dillon & Dillon, 347
Tropanisopodus Tippmann, 242
Tropidion Thomson, 204
Tropidocoleus Monne, 242
Tropidozineus Monné & Martins, 242
Tropimerus Giesbert, 115
Trypanidiellus Monné & Delfino, 243
Trypanidius Blanchard, 243
Tuberastychus Gilmour, 243
Tuberolamia Breuning, 333
Tuberocephalus Breuning, 351
Tuberorachidion Tippmann, 191
Tucales Gounelle, 293
Tucanti Martins & Galileo, 115
Tucumaniella Breuning, 334
Tulcoides Martins & Galileo, 347
Tulcus Dillon & Dillon, 348

Tumiditarsus Zajciw, 94
Tybalnia Thomson, 348
Tylcus Casey, 78
Tylonotus Haldeman, 121
Tylosis LeConte, 191
Typhlocerus Dillon & Dillon, 348
Typocerus LeConte, 43
Typophaula Thomson, 280
Tyrinthia Bates, 327

U

Ucai Galileo & Martins, 16
Udamina Thomson, 311
Uirassu Martins & Galileo, 125
Ulochaetes LeConte, 46
Unabiara Napp & Martins, 86
Unachlorus Martins & Galileo, 191
Unaiuba, 78
Unaporanga Martins & Galileo, 327
Unatara Martins & Napp, 86
Uncieburia Martins, 94
Unelcus Thomson, 308
Unxia Thomson, 206
Upindauara Napp & Martins, 82
Uracanthus Hope, 206
Urangaua Martins & Galileo, 256
Urimaso Galileo, Rosa & Santos-Silva, 115
Urorcites Thomson, 115

V

Valenus Casey, 243
Vandenberghieus Heffern, Santos-Silva & Botero, 280
Vandykea Linsley, 136
Velozideres Nearn, 348
Venustus Dillon & Dillon, 348
Vesperoctenus Bates, 5
Vianopolisia Lane, 263
Vilchesia Cerda, 121
Villiersicometes Santos-Silva, 10
Viracocha Le Tirant & Santos-Silva, 191
Vitacinis Monne, Nascimento, Monne & Santos-Silva, 243
Volxemia Lameere, 94

W

Wappesellus Martins, Santos-Silva & Galileo, 308
Wappesia Nascimento & Santos-Silva, 137
Wappesicus Santos-Silva & Nascimento, 256
Wappesoeme Galileo, Martins & Santos-Silva, 136
Weyrauchia Tippmann, 191
Woytkowskia Lane, 327

X

Xalitla Lane, 198
Xanthoeme Martins, 136
Xanthonicias Galileo, 16
Xenambyx Bates, 171
Xenocallia Galileo & Martins, 286
Xenocompsa Martins, 54
Xenocona Gilmour, 243
Xenocrasis Bates, 159
Xenocrasoides Tavakilian & Peñaherrera-Leiva, 159
Xenofrea Bates, 364
Xenostylus Bates, 244
Xeranoplum Linsley, 121
Xestiodion Fragoso, 69
Xestoleptura Casey, 43
Xixuthrus Thomson, 22
Xylergates Bates, 244
Xylergatoides Gilmour, 244
Xylocaris Dupont in Audinet-Serville, 191
Xylocrius LeConte, 64
Xylomimus Bates, 348
Xylotrechus (Rusticoclytus) Vives, 78
Xylotrechus (Xylotrechus) Chevrolat, 78
Xylotribus Audinet-Serville, 270
Xystochroma Schmidt, 60
Xystrocera Audinet-Serville, 206

Y

Yapyguara Galileo & Martins, 311
Ybyrarema Martins & Galileo, 286
Ygapema, 79
Ypomacena Martins, Galileo & Santos-Silva, 280
Ysachron Garcia, Botero & Santos-Silva, 54

Z**Zagymnus** LeConte, 55**Zalophia** Casey, 191**Zamodes** LeConte, 121**Zaplous** LeConte, 354**Zathecus** Bates, 121**Zeale** Pascoe, 327**Zehra Özdikmen**, 56**Zelliboria** Lane, 140**Zenicomus** Thomson, 286**Zenochloris** Bates, 192**Zikanita** Lane, 256**Zipoetopsis** Breuning, 267**Zonotylus** Gahan in Grimshaw, 192